

F3834-3

September 2018 | septembre 2018 |
septiembre 2018
Supersedes July 2013
Remplace juillet 2013
Sustituye a julio de 2013

Master Catalog

Passenger Car and Light Truck Applications

Catalogue principal

Applications pour voitures de tourisme et camionnettes

Catálogo principal

Para aplicaciones en automóviles y camionetas



2007-2018

Applications | Applications | Aplicaciones

MOOG

The Problem Solver®

Index
Domestic and Import Cars and Trucks

	Page		Page
Acura	7	BMW (Cont)	
CSX	7	M240i	145
ILX	8	M550i	146
NSX	9	M760i	146
RL	10	Z4	146
RLX	11	Buick	149
TL	12	Allure	149
TLX	15	Cascada	153
TSX	16	LaCrosse	153
ZDX	19	Lucerne	159
Audi	21	Regal	161
A3	21	Verano	165
A4	24	Cadillac	166
A5	28	ATS	166
A6	31	ATS-V	167
A7	35	CT6	167
A8	36	CTS	167
Allroad	40	CTS Sport Wagon	171
R8	42	CTS-V	174
RS4	42	DTS	177
RS5	43	DTS-L	178
RS7	45	ELR	180
S3	46	STS	181
S4	47	STS-V	183
S5	50	XLR	184
S6	53	XLR-V	185
S7	56	XTS	186
S8	57	Chevrolet	188
TT	60	Aveo	188
TT RS	61	Aveo 5	190
TTS	63	Bolt EV	191
Avanti	65	Camaro	192
Avanti	65	Caprice	194
BMW	65	Cobalt	196
1 Series	65	Corvette	198
228i	69	Cruze	199
230i	70	Cruze Limited	201
320 Series	71	Impala	202
323 Series	73	Impala Limited	206
325 Series	75	Malibu	208
328 Series	76	Malibu Classic	212
330 Series	83	Malibu Limited	214
335 Series	85	Monte Carlo	215
340i	93	Optra	218
428i	94	Optra 5	219
430i	95	Sonic	220
435i	97	Spark	221
440i	98	SS	223
525 Series	99	Volt	224
528 Series	102	Chrysler	225
530 Series	105	200	225
535 Series	109	300 Series	227
540 Series	115	Crossfire	235
550 Series	115	PT Cruiser	235
640i	118	Sebring	237
650 Series	119	Dodge	239
740 Series	121	Avenger	239
750 Series	124	Caliber	242
760 Series	128	Challenger	244
ActiveHybrid 3	130	Charger	248
ActiveHybrid 5	131	Dart	253
ActiveHybrid 7	132	Magnum	254
ActiveHybrid 7L	133	Viper	257
Alpina B6	134	Fiat	257
Alpina B7	135	500	257
Alpina B7L	137	500C	258
i3	138	500e	259
i8	139	500L	260
M2	139	Ford	261
M3	139	C-Max	261
M4	140	Crown Victoria	263
M5	141	Fiesta	265
M6	142	Five Hundred	266
M235i	144		

Index

Domestic and Import Cars and Trucks

	Page		Page
Ford (Cont)		Lexus (Cont)	
Focus	267	LS Series	389
Fusion	271	RC200t	392
Grand Marquis	275	RC300	392
Interceptor Sedan	277	RC350	393
Mustang	278	RC-F	394
Taurus	281	SC Series	394
Genesis	285	Lincoln	395
G80	285	Continental Series	395
G90	285	MKS	396
Honda	286	MKZ	397
Accord	286	Town Car	400
Accord Crosstour	290	Mazda	402
Civic	292	Mazda Speed 3	402
Crosstour	295	Mazda Speed 6	403
CR-Z	297	Mazda2	405
Fit	298	Mazda3	406
Insight	300	Mazda3 Sport	409
S2000	301	Mazda6	411
Hyundai	303	MX-5	415
Accent	303	RX-8	417
Azera	305	Mercedes Benz	418
Elantra	308	AMG GT	418
Equus	311	B F-Cell	418
Genesis	313	B200	419
Ioniq	317	B250	419
Sonata	317	B250 4Matic	420
Tiburon	322	B-Electric Drive	420
Veloster	323	C Series	421
Infiniti	325	CL Class	434
G25	325	CLA Class	437
G35	327	CLK Class	439
G37	331	CLS Class	442
M35	333	E Series	447
M35h	335	Maybach S600	465
M37	335	S Series	465
M45	336	SL Class	472
M56	337	SLC43 AMG	476
Q40	338	SLC300	476
Q45	340	SLK Class	477
Q50	341	SLS AMG	481
Q60	342	Mercury	482
Q70	343	Grand Marquis	482
Jaguar	344	Milan	484
F-Type	344	Montego	486
S-Type	345	Sable	488
XF	345	Mini	489
XFR-S	346	Cooper	489
XJ	346	Cooper Clubman	492
XJ Sport and Super	347	Cooper Countryman	493
XJ Vanden Plas	347	Cooper S	494
XJ8	348	John Cooper Works	497
XJR	348	Paceman	498
XK	349	Mitsubishi	500
XKR	349	Eclipse	500
X-Type	350	Galant	501
Kia	351	i-MiEV	502
Amanti	351	Lancer	503
Cadenza	352	Mirage	509
Forte	353	Mirage G4	509
Forte Koup	355	Nissan	509
K900	356	350Z	509
Magentis	357	370Z	511
Niro	359	Altima	513
Optima	359	Cube	516
Rio	363	GT-R	517
Rio 5	365	Juke	518
Soul	367	LEAF	520
Spectra	368	Maxima	521
Spectra 5	369	Micra	523
Lexus	371	Sentra	523
CT 200h	371	Versa	525
ES Series	372	Versa Note	527
GS Series	375	Pontiac	528
HS250h	381	G3	528
IS Series	382	G3 Wave	530
LC500	389	G5	532
LC500h	389	G6	534

Index

Domestic and Import Cars and Trucks

	Page		Page
Pontiac (Cont)		Volkswagen (Cont)	
G8	536	GLI	620
Grand Prix	537	Golf	622
Solstice	540	GTI	626
Vibe	542	Jetta A4	629
Wave	544	Jetta A5	631
Wave 5	545	Jetta A6	633
Porsche	546	Passat	635
718 Boxster	546	Passat CC	638
718 Cayman	547	R32	640
911 Series	547	Rabbit	641
918 Spyder	549	Volvo	643
Boxster	549	C Series	643
Cayman	549	S Series	645
Panamera	550	V Series	651
Rolls-Royce	550	Acura Truck	657
Dawn	550	MDX	657
Ghost	551	RDX	659
Ghost II	552	Audi Truck	661
Phantom II	552	Q3	661
Wraith	553	Q5	663
Saab	553	Q7	665
9-3	553	SQ5	666
9-3x	554	Blue Bird	668
9-5	555	450 LXi	668
Saturn	556	All American	668
Astra	556	Express 4000	668
Aura	557	Express 4500	669
Ion	559	TC2200	669
SKY	561	Ultra LF	669
Scion	562	Vision	670
FR-S	562	Wanderlodge	670
iA	563	Xcel-102	670
iM	563	BMW Truck	670
iQ	564	X1	670
iQ EV	564	X3	672
tC	565	X4	673
xB	567	X5	674
xD	568	X6	675
Smart	569	Buick Truck	677
Fortwo	569	Enclave	677
SRT	570	Encore	678
Viper	570	Envision	679
Subaru	570	Rainier	680
BRZ	570	Rendezvous	682
Crosstrek	571	Terraza	684
Impreza	573	Cadillac Truck	686
Legacy	579	Escalade	686
Outback	581	Escalade ESV	688
WRX	583	Escalade EXT	691
XV Crosstrek	586	SRX	693
Suzuki	587	XT5	696
Aerio	587	Chevrolet Truck	696
Forenza	588	10 Series - 1/2 Ton	696
Kizashi	589	20 Series - 3/4 Ton	708
Reno	590	30 Series - 1 Ton	716
Swift+	591	40, 400, 4000 Series	723
SX4	592	50, 500, 5000 Series	725
Toyota	592	60, 600, 6000 Series	725
86	592	70, 700, 7000 Series	726
Avalon	593	80, 800, 8000 Series	726
Camry	596	Avalanche	726
Corolla	598	Captiva Sport	729
Corolla iM	600	City Express	730
Matrix	601	Colorado	731
Mirai	603	Equinox	733
Prius	604	HHR	736
Prius C	606	HHR Panel	738
Prius V	607	Orlando	740
Prius Prime	608	Tahoe	741
Solara	609	Trail Blazer	744
Yaris	610	Traverse	746
Volkswagen	612	Trax	748
Beetle	612	Uplander	749
CC	615	Chrysler Truck	751
e-Golf	617	Aspen	751
Eos	617	Pacifica	752

Index

Domestic and Import Cars and Trucks

Page	Page
Chrysler Truck (Cont)	Freightliner (Cont)
Town & Country 754	Classic 880
Collins Bus Corporation 757	M2-106 881
CGX5 757	Sprinter 881
CGX5WR 758	General Motors Truck 883
CGX6 759	15 Series - 1/2 Ton 883
CGX6WR 761	25 Series - 3/4 Ton 892
CHX4 762	35 Series - 1 Ton 898
CLX 422 763	40, 400, 4000 Series 904
CLX4 764	50, 500, 5000 Series 906
CLX5 765	60, 600, 6000 Series 906
CSX4 766	70, 700, 7000 Series 907
CSX5 767	80, 800, 8000 Series 907
CSX58 768	Acadia 907
CSX5WR 769	Acadia Limited 909
FGX5WR 770	Canyon 911
FGX6 770	Envoy 913
FGX6WR 771	Terrain 915
FHX4 771	Yukon 917
FLX4 772	Hino 924
FLX422 772	145 924
FSX4 773	165 924
FSX58 773	185 925
MFSAB 774	238 925
Nexus Hybrid 775	258LP 925
Corbeil Bus 775	268 925
CGX5 775	268A 925
CGX5WR 777	338 925
CGX6 778	Honda Truck 926
CGX6WR 779	CR-V 926
CHX4 780	Element 928
CLX 422 781	HR-V 930
CSX4 782	Odyssey 931
CSX5 783	Pilot 933
CSX58 784	Ridgeline 937
CSX5WR 785	Hummer 939
FGX5WR 786	H2 939
FGX6 786	H3 941
FGX6WR 787	H3T 942
FHX4 787	Hyundai Truck 944
FLX422 788	Entourage 944
FSX4 788	Santa Fe 945
FSX58 789	Santa Fe Sport 948
Nexus Hybrid 789	Santa Fe XL 949
Dodge Truck 790	Tucson 950
100, 150 Series - 1/2 Ton 790	Veracruz 951
200, 250 Series - 3/4 Ton 795	Infiniti Truck 952
300, 350 Series - 1 Ton 800	EX35 952
400, 450 Series 806	EX37 953
500, 600 Series 808	FX35 954
Caravan 809	FX37 956
Dakota 811	FX45 957
Durango 813	FX50 959
Grand Caravan 816	JX35 960
Journey 820	QX50 960
Nitro 822	QX56 961
Fiat Truck 824	QX60 963
500X 824	QX70 963
Ford Truck 824	QX80 964
100, 150 Series - 1/2 Ton 824	Isuzu Truck 965
200, 250 Series - 3/4 Ton 832	Ascender 965
300, 350 Series - 1 Ton 839	FTR 966
450, 500, 550 Series 848	FVR 966
600, 6000 Series 854	HTR 967
700, 7000 Series 854	HVR 967
Ecosport 854	I-290 968
Edge 854	I-370 969
Escape 857	NPR 970
Expedition, Expedition EL, Expedition MAX 861	NQR 971
Explorer, Explorer Sport, Explorer Sport Trac 866	NRR 971
Flex 870	Reach 971
Freestar 872	Jeep 971
Freestyle 873	Cherokee 971
Interceptor SUV 874	Commander 972
LCF 875	Compass 974
Ranger 876	Grand Cherokee 976
Taurus X 878	Liberty 979
Transit Connect 879	Patriot 982
Freightliner 880	


Index Domestic and Import Cars and Trucks

	Page		Page
Jeep (Cont)		Mid Bus (Cont)	
Renegade	984	FSX58	1085
Wrangler	984	MFSAB	1086
Wrangler JK	986	Nexus Hybrid	1087
Kia Truck	988	Mitsubishi Truck	1087
Borrego	988	Eclipse Cross	1087
Rondo	990	Endeavor	1087
Sedona	992	Outlander	1089
Sorento	994	Outlander Sport	1091
Sportage	998	Raider	1092
Land Rover	1000	RVR	1094
Discovery	1000	Navistar/International	1095
Discovery Sport	1001	160, 1600 Series	1095
LR2	1001	400, 4000 Series	1096
LR3	1001	Nissan Truck	1098
LR4	1002	Armada	1098
Range Rover	1003	Frontier	1100
Range Rover Evoque	1003	Kicks	1101
Range Rover Sport	1004	Murano	1101
Lexus Truck	1005	NV200	1104
GX Series	1005	NV1500	1105
LX Series	1009	NV2500	1105
NX200t	1011	NV3500	1106
NX300	1012	Pathfinder	1106
NX300h	1014	Qashqai	1108
RX Series	1015	Quest	1108
Lincoln Truck	1021	Rogue	1110
Mark LT	1021	Rogue Select	1112
MKC	1022	Rogue Sport	1113
MKT	1023	Titan	1114
MKX	1024	Titan XD	1116
Navigator	1026	Xterra	1116
Mazda Truck	1029	X-Trail	1117
B2300	1029	Peterbilt	1118
B3000	1030	330	1118
B4000	1032	Pontiac Truck	1118
CX 3	1033	Montana SV6	1118
CX 5	1033	Torrent	1120
CX 7	1034	Porsche Truck	1122
CX 9	1036	Cayenne	1122
Mazda5	1037	Macan	1123
Tribute	1040	Ram Truck	1124
Mercedes Benz Truck	1041	1500	1124
G Series	1041	1500 Classic	1128
GL Series	1042	2500	1129
GLA45 AMG 4MATIC	1045	3500	1134
GLA250	1046	4500	1139
GLA250 4MATIC	1046	5500	1140
GLC43 AMG 4Matic	1046	C/V Tradesman	1141
GLC300	1046	Dakota	1142
GLC300 4MATIC	1047	ProMaster 1500	1144
GLC450 AMG Sport	1047	ProMaster 2500	1144
GLE Class	1047	ProMaster 3500	1144
GLK Series	1051	Promaster City	1144
GLS Class	1054	Saab Truck	1144
ML Series	1056	9-4X	1144
R Series	1062	9-7x	1145
Sprinter 2500	1065	Saturn Truck	1147
Sprinter 3500	1067	Outlook	1147
Mercury Truck	1068	Relay	1148
Mariner	1068	VUE	1150
Monterey	1071	Sterling Truck	1153
Mountaineer	1072	Bullet	1153
Mid Bus	1074	Subaru Truck	1154
CGX5	1074	Ascent	1154
CGX5WR	1075	B9 Tribeca	1154
CGX6	1076	Forester	1155
CGX6WR	1077	Tribeca	1159
CHX4	1078	Suzuki Truck	1160
CSX4	1079	Equator	1160
CSX5	1080	Grand Vitara	1161
CSX5WR	1081	XL-7	1161
CSX58	1082	Thomas Built Buses	1162
FGX5WR	1083	Saf-T-Liner C2	1162
FGX6	1083	Saf-T-Liner EF	1162
FGX6WR	1084	Saf-T-Liner HDX	1163
FHX4	1084		
FSX4	1085		

Index Domestic and Import Cars and Trucks

	Page		Page
Thomas Built Buses (Cont)		Toyota Truck (Cont)	
Saf-T-Liner MVP EF	1163	Venza	1187
Toyota Truck	1163	Volkswagen Truck	1189
4 Runner	1163	Routan	1189
C-HR	1166	Tiguan	1190
FJ Cruiser	1167	Touareg	1192
Highlander	1168	Touareg 2	1194
Land Cruiser	1172	Volvo Truck	1195
Rav 4	1173	XC Series	1195
Rav 4 - EV	1176	Workhorse	1200
Sequoia	1177	R26 UFO	1200
Sienna	1180	W Series	1200
Tacoma	1182		
Tundra	1186		


FRONT SUSPENSION



F345

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2011-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Lower Right Lower	K500070 ‡ K500069 ‡	1 1 F345 F345
Control Arm Bushing				
2011-2007		Lower Rear Lower Front	K201661 K201186	2 2 F345 F345
Control Arm with Ball Joint				
2011-2007	(R-Series) (Contains Bushings, Greaseable Socket Reduces Corrosion/Wear) (R-Series)	Left Lower Right Lower Right Lower	RK620382 CK620383 ‡ RK620383	1 1 1 F345 F345 F345
Strut Bumper Bellows				
2011-2007	(Replacement Type, Contains Bumper)		K90460	2 F345
Strut Mount				
2011-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160222 ‡	2 F345
Strut Spring Seat				
2011-2007	(Contains Bellow)	Upper	K160373	2 F345
Sway Bar Link				
2011-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K80769 ‡ K80768 ‡	1 1 F345 F345

REAR SUSPENSION



R027

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2011-2007	Plus Or Minus 3 Degrees Camber	Upper	RK100391	2 R027


ACURA-CSX (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Strut Bushing					
2011-2007		Lower	K90650	2	R027
Sway Bar Bushing					
2010-2007	Type S, (Reduces Noise)	To Frame	K200734 ‡	1	R027
Sway Bar Link					
2011-2007	(Link With 2 Studs, Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750125 ‡	1	R027
	(Link With 2 Studs, Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750126 ‡	1	R027
Wheel Hub & Bearing Assembly					
2011-2007			512256	2	

ACURA-ILX


FRONT SUSPENSION



F474

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2015-2013	(Greaseable Socket Reduces Corrosion/Wear)	Lower	K500234 ‡	2	F474
Control Arm					
2015-2013	1497cc(1.5L), (R-Series)	Left Lower	RK642520	1	F474
	1497cc(1.5L), (R-Series)	Right Lower	RK642514	1	F474
	1997cc(2.0L), (R-Series)	Left Lower	RK642520	1	F474
	1997cc(2.0L), (R-Series)	Right Lower	RK642514	1	F474
	2354cc(2.4L), (R-Series)	Left Lower	RK642521	1	F474
	2354cc(2.4L), (R-Series)	Right Lower	RK642515	1	F474
Control Arm Bushing					
2018-2016		Lower Front	K201649	2	F474
Strut Bumper Bellows					
2017-2013	(Replacement Type, Contains Bumper)		K90460	2	F474
Strut Mount					
2017-2013	(Contains Bearing)		K160423	2	F474
Sway Bar Link					
2018-2013	(Improves Upon OE Design)	Left	K750605 ‡	1	F474
	(Improves Upon OE Design)	Right	K750604 ‡	1	F474


STEERING



S341

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2019	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer	ES800912 ‡	1	
		Right Outer	ES800913 ‡	1	
		Inner	EV800906 ‡	2	
2018-2013	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer	ES800912 ‡	1	S341
		Right Outer	ES800913 ‡	1	S341
		Inner	EV800906 ‡	2	S341

REAR SUSPENSION



R142

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2018-2013	Plus Or Minus 3 Degrees Camber	Upper	RK100391	2	R142
Sway Bar Link					
2018-2013	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750125 ‡	1	R142
		Right	K750126 ‡	1	R142
Wheel Hub & Bearing Assembly					
2018-2016			512503	2	
2015-2013			512469	2	

NSX-ACURA

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Link					
2018-2017		Left	K750869 ‡	1	
		Right	K750868 ‡	1	


ACURA-NSX (Cont.)

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018-2017	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750152 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750153 ‡	1

ACURA-RL


FRONT SUSPENSION



F372

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2012-2005	(R-Series)	Left Upper	RK622220	1
	(R-Series)	Right Upper	RK622221	1
Strut Bumper Bellows				
2012-2007	(Contains Bumper)		K90467	2
Strut Mount				
2012-2005	(Bearing Not Included, Contains Spring Seat)		K160221 ‡	2
Strut Spring Seat				
2012-2005	(Insulator Only, Reduces Noise)	Upper	K160260 ‡	2
	(Insulator Only, Reduces Noise)	Lower	K160140 ‡	2
Sway Bar Bushing				
2012-2009		To Frame	K201590	1
2008-2005		To Frame	K90556	1
Sway Bar Link				
2012-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750271 ‡	2
Wheel Hub & Bearing Assembly				
2012-2005			513252	2

STEERING




S135

STEERING (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2012-2011		K150288	2	S135	
Tie Rod End					
2012-2005	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer Right Outer Inner	ES800869 ‡ ES800868 ‡ EV80208 ‡	1 1 2	S135 S135 S135
REAR SUSPENSION					
R059					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2012-2005	(R-Series) (R-Series)	Left Front Lower Right Front Lower	RK642540 RK642536	1 1	R059 R059
Strut Bumper Bellows					
2012-2006	(Contains Bumper)		K90467	2	R059
Strut Mount					
2012-2005	(Bearing Not Included, Design Allows Ease Of Installation)		K160220 ‡	2	R059
Sway Bar Bushing					
2008-2005	(Reduces Noise)	To Frame	K200737 ‡	1	R059
Sway Bar Link					
2012-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K750244 ‡ K750245 ‡	1 1	R059 R059
Wheel Hub & Bearing Assembly					
2012-2005			512321	2	


RLX-ACURA

STEERING					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2019-2014		Left Outer Right Outer Inner	ES801337 ‡ ES801336 ‡ EV801254 ‡	1 1 2	
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Link					
2019-2014	Front Wheel Drive Front Wheel Drive	Left Right	K750869 ‡ K750868 ‡	1 1	
Wheel Hub & Bearing Assembly					
2019-2016	All Wheel Drive		512526	2	
2019-2014	Front Wheel Drive		512538	2	
2014	All Wheel Drive		512526	2	

FRONT SUSPENSION



F200





F427

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2014-2009	(Non-Adjustable, Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation) +/- 1 Degree Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Upper Lower Upper	K500128 ‡ K500288 ‡ K90492 ‡	2 2 2	F427 F427 F427
2008-2007	(Non-Adjustable, Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation) +/- 1 Degree Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear) Minus 1-1/2 To Plus 1-1/2 Degree Camber, (Adjustable)	Upper Lower Upper Upper	K500128 ‡ K500117 ‡ K90492 ‡ K100330	2 2 2 2	F200 F200 F200 F200
Ball Joint Bushing Extractor and Installer					
2014-2007	1-5/8", (Adjustable Ball Joint Adjusting Wrench)	T40268	1		
Control Arm Bushing					
2014-2009		Lower Outer	K200014	2	F427
2008-2007	(Horizontal Mount)	Lower Outer Lower Rear Inner	K200014 K200078	2 2	F200 F200
Control Arm with Ball Joint					
2014-2009	(R-Series) (R-Series)	Left Upper Right Upper	RK620614 RK620615	1 1	F427 F427
Strut Bumper Bellows					
2014-2009	(Contains Bumper)		K90467	2	F427
2008-2007	(Contains Bumper)		K90467	2	F200
Strut Mounting Kit					
2014-2009	3471cc(3.5L) 3664cc(3.7L)	Upper Upper	K9492 K201679	2 2	F427 F427
2008-2007	3210cc(3.2L)	Upper	K9492	2	F200
Strut Spring Seat					
2014-2009	(Insulator Only, Reduces Noise)	Lower	K160140 ‡	2	F427

FRONT SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Strut Spring Seat				
2008-2007	(Insulator Only, Reduces Noise)	Upper	K160262 ‡	2 F200
	(Insulator Only, Reduces Noise)	Lower	K160140 ‡	2 F200
Sway Bar Bushing				
2014-2009	All Wheel Drive Front Wheel Drive		K201517 K201516	1 F427 1 F427
2008-2007		To Frame	K90556	1 F200
Sway Bar Link				
2014-2009		Left Right	K750093 K750092	1 F427 1 F427
2008-2007		Left Right	K750093 K750092	1 F200 1 F200

STEERING




Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2008-2007			K150281	2 S097
Tie Rod End				
2014-2009	(Design Allows Ease Of Installation)	Left Outer	ES800590 ‡	1 S134
	(Design Allows Ease Of Installation)	Right Outer	ES800589 ‡	1 S134
	(Design Allows Ease Of Installation)	Inner	EV800581 ‡	2 S134
2008-2007	(Design Allows Ease Of Installation)	Left Outer	ES800218 ‡	1 S097
	(Design Allows Ease Of Installation)	Right Outer	ES800217 ‡	1 S097
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80210 ‡	2 S097

REAR SUSPENSION



R004



R064

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2014-2009	(Non-Adjustable, R-Series) (Contains Bushings, R-Series) (Contains Bushings, R-Series) Plus Or Minus 1 Degree Camber, (Adjustable, R-Series) Plus Or Minus 1 Degree Toe, (Adjustable, R-Series)	Lower Rear Left Front Lower Right Front Lower Lower Rear Upper Front	RK642947 RK641747 RK641748 RK100110 RK100209	2 1 1 2 2	R064 R064 R064 R064 R064
2008-2007	(R-Series) Minus 1-1/2 To Plus 3 Degrees Camber/Toe, (Contains Front And Rear Arms, R-Series, Optional)	Lower Front Lower	RK640239 RK641861	2 2	R004 R004
Control Arm with Ball Joint					
2014-2009	(R-Series)	Left Rear Upper	RK621305	1	R064
	(R-Series)	Right Rear Upper	RK621306	1	R064
Strut and Spring Assembly					
2008-2007			ST8635	2	R004
Strut Bumper Bellows					
2014-2009	(Contains Bumper)		K90467	2	R064
2008-2007	(Design Allows Ease Of Installation)		K160285 ‡	2	R004
Strut Bushing					
2008-2007		Lower	K9671	2	R004
Strut Mount					
2014-2009	(Contains Spring Seat)		K160216 ‡	2	R064
2008-2007	(Contains Spring Seat)		K160216 ‡	2	R004
Strut Mounting Kit					
2014-2010		Upper	K9492	2	R064
2009	3471cc(3.5L)	Upper	K9492	2	R064
	3664cc(3.7L)	Upper	K90647	2	R064
2008-2007	3210cc(3.2L)	Upper	K9492	2	R004

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Spring Seat				
2014-2009	(Insulator Only, Reduces Noise) (Insulator Only, Reduces Noise)	Upper Lower	K160146 ‡ K160254 ‡	2 2 R064
2008-2007	(Insulator Only, Reduces Noise) (Insulator Only, Reduces Noise)	Upper Lower	K160146 ‡ K160254 ‡	2 2 R004 R004
Sway Bar Bushing				
2014-2009	All Wheel Drive Front Wheel Drive	To Frame To Frame	K201519 K201518	1 1 R064 R064
2008	Type S, (Design Allows Ease Of Installation)	To Frame	K200915 ‡	1 R004
2007	Manual Transaxle, (Design Allows Ease Of Installation) Type S, Automatic Transaxle, (Design Allows Ease Of Installation)	To Frame To Frame	K200915 ‡ K200915 ‡	1 1 R004 R004
Sway Bar Link				
2014-2009	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750152 ‡ K750153 ‡	1 1 R064 R064
2008-2007	(Superior Strength And Resistance To Socket Separation) (Superior Strength And Resistance To Socket Separation)	Left Right	K90343 ‡ K90342 ‡	1 1 R004 R004
Wheel Hub & Bearing Assembly				
2014			512391	2
2013-2009	All Wheel Drive Front Wheel Drive		512321 512391	2 2
2008-2007			512188	2

TLX-ACURA

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2019-2015	(Greaseable Socket Reduces Corrosion/Wear)	Lower	K500315 ‡	2
Strut Bumper Bellows				
2017-2015	(Replacement Type, Contains Bumper)		K90460	2
Strut Mount				
2017-2015	(Contains Bearing)		K160437	2
Sway Bar Bushing				
2019-2015		To Frame	K201565	1
Sway Bar Link				
2019-2015	(Improves Upon OE Design) (Improves Upon OE Design)	Left Right	K750651 ‡ K750650 ‡	1 1
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2019	Front Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear) Front Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer Right Outer	ES801001 ‡ ES801000 ‡	1 1
2019-2015	4 Cyl, (Design Allows Ease Of Installation) V6 Cyl	Inner Inner	EV800896 ‡ EV801120	2 2
2018-2017	2356cc(2.4L), (Greaseable Socket Reduces Corrosion/Wear) 2356cc(2.4L), (Greaseable Socket Reduces Corrosion/Wear)	Left Outer Right Outer	ES801001 ‡ ES801000 ‡	1 1
2016-2015	Front Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear) Front Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer Right Outer	ES801001 ‡ ES801000 ‡	1 1
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2017-2015			K201554	2
Strut Mounting Kit				
2017-2015		Upper	K9492	2
Strut Spring Seat				
2017-2015	(Insulator Only, Reduces Noise)	Lower	K160254 ‡	2
Sway Bar Link				
2019-2015	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750153 ‡ K750152 ‡	1 1


ACURA-TLX (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2019-2015	All Wheel Drive Front Wheel Drive	512562 512544	2 2	

ACURA-TSX

FRONT SUSPENSION




F200

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2014-2009	(Non-Adjustable, Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Upper Lower	K500128 ‡ K500289 ‡	2 2	F200 F200
2014-2004	+/- 1 Degree Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Upper	K90492 ‡	2	F200
2008-2004	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) Minus 1-1/2 To Plus 1-1/2 Degree Camber, (Adjustable)	Upper Lower Upper	K80199 ‡ K80228 ‡ K100330	2 2 2	F200 F200 F200
Ball Joint Bushing Extractor and Installer					
2014-2004	(Fits Most Popular C-Clamp Style Ball Joint Press Tools, 3 Piece Adapter Set Designed To Easily Remove And Install Ball Joints) 1-5/8", (Adjustable Ball Joint Adjusting Wrench)		T80541 ‡ T40268	1 1	
Control Arm					
2014-2009	(Contains Bushings, R-Series) (Contains Bushings, R-Series)	Left Lower Right Lower	RK641112 RK641113	1 1	F200 F200
2008-2004	(R-Series) (R-Series)	Left Lower Right Lower	RK640290 RK640289	1 1	F200 F200
Control Arm Bushing					
2014-2013		Lower Outer	K200014	2	F200
2014-2009	(Vertical Mount)	Lower Front Inner	K201639	2	F200
2011-2004		Lower Outer	K200014	2	F200
2008-2004	(Contains Front And Rear Bushings) (High Quality Elastomer For Durability And Performance) (Horizontal Mount)	Upper Lower Front Inner Lower Rear Inner	K200239 ‡ K200238 ‡ K200078	2 2 2	F200 F200 F200
Control Arm with Ball Joint					
2014-2009	(R-Series) (R-Series)	Left Upper Right Upper	RK620614 RK620615	1 1	F200 F200
2008-2004	(R-Series) (R-Series)	Left Upper Right Upper	RK620617 RK620616	1 1	F200 F200
Strut Bumper Bellows					
2014-2006	(Contains Bumper)		K90467	2	F200
Strut Mount					
2008-2004	(Mount Base With Spring Seat)		K160223 ‡	2	F200
Strut Mounting Kit					
2014-2004		Upper	K9492	2	F200
Strut Spring Seat					
2014-2004	(Insulator Only, Reduces Noise)	Lower	K160140 ‡	2	F200


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Strut Spring Seat				
2008-2004	(Insulator Only, Reduces Noise)	Upper	K160262 ‡	2 F200
Sway Bar Bushing				
2008-2004	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Standard Design)	Longer To Frame To Frame	K201619 ‡ K90554	1 F200 1 F200
Sway Bar Link				
2014-2004	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K90456 ‡ K90457 ‡	1 F200 1 F200

STEERING




S133




S134

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2014-2011			K150282	2 S134
Tie Rod End				
2014-2009	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer Right Outer Inner	ES800460 ‡ ES800459 ‡ EV800622 ‡	1 S134 1 S134 2 S134
2008-2004	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer Right Outer Inner	ES80288 ‡ ES80287 ‡ EV80210 ‡	1 S133 1 S133 2 S133

REAR SUSPENSION



R004



R064

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2014-2009	(Non-Adjustable, R-Series) Plus Or Minus 1 Degree Camber, (Adjustable, R-Series) Plus Or Minus 1 Degree Toe, (Adjustable, R-Series)	Lower Rear Lower Rear Upper Front	2 2 2	R064 R064 R064
2008-2007	Minus 1-1/2 To Plus 3 Degrees Camber/Toe, (Contains Front And Rear Arms, R-Series, Optional)	Lower	2	R004
2008-2004	(Lateral Link, R-Series)	Upper Rear	2	R004
Control Arm Bushing				
2008-2004	(High Quality Elastomer For Durability And Performance)	Upper Front	2	R004
Control Arm with Ball Joint				
2014-2009	(R-Series) (R-Series)	Left Rear Upper Right Rear Upper	1 1	R064 R064
2008-2004	Minus 2 To Plus 4 Degrees Camber, (Adjustable, Greaseable, R-Series) Minus 2 To Plus 4 Degrees Camber, (Adjustable, Non-Greaseable, R-Series)	Upper Upper	2 2	R004 R004
Shock Mount Bushing				
2008-2004		Lower	2	R004
Strut Bumper Bellows				
2014-2009	(Contains Bumper)		2	R064
2008-2007	(Contains Bumper)		2	R004
Strut Mount				
2014-2009	(Contains Spring Seat)		2	R064
2008-2004	(Contains Spring Seat)		2	R004
Strut Mounting Kit				
2014-2009		Upper	2	R064
2008-2004		Upper	2	R004
Strut Spring Seat				
2014-2009	(Insulator Only, Reduces Noise)	Upper	2	R064


REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Spring Seat				
2014-2009 (Cont.)	(Insulator Only, Reduces Noise)	Lower	K160254 ‡	2 R064
2008-2004	(Insulator Only, Reduces Noise)	Upper	K160146 ‡	2 R004
	(Insulator Only, Reduces Noise)	Lower	K160254 ‡	2 R004
Sway Bar Bushing				
2014-2009	(Reduces Noise)	To Frame	K200737 ‡	1 R064
2008-2004	(Split Design For Easier Installation)	To Frame	K200206 ‡	1 R004
Sway Bar Link				
2014-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750152 ‡	1 R064
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750153 ‡	1 R064
2008-2004	(Superior Strength And Resistance To Socket Separation)	Left	K90343 ‡	1 R004
	(Superior Strength And Resistance To Socket Separation)	Right	K90342 ‡	1 R004
Trailing Link Bushing				
2008-2004	(High Quality Elastomer For Durability And Performance)	To Frame	K200241 ‡	2 R004
Wheel Hub & Bearing Assembly				
2014-2009			512353	2
2008-2004			512327	2

ZDX-ACURA

FRONT SUSPENSION				
F406				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2013-2010	(R-Series)	Left Lower	RK622037	1 F406
	(R-Series)	Right Lower	RK621549	1 F406
Strut Mount				
2013-2010	Except Sport Suspension, (Superior Rubber To Steel Bonding For Durability)		K160218 ‡	2 F406
	Sport Suspension, (Superior Rubber To Steel Bonding For Durability)		K160219 ‡	2 F406
Sway Bar Bushing				
2013-2010	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201620 ‡	1 F406
	(Standard Design)	To Frame	K90559	1 F406
Sway Bar Link				
2013-2010	(Powdered Metal Gusher Brg. For Better Lubrication)		K750124 ‡	2 F406
Wheel Hub & Bearing Assembly				
2013-2010			513267	2

ACURA-ZDX (Cont.)


STEERING



S165

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2013-2010	(Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800825 ‡	1	S165
	(Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800824 ‡	1	S165
2012-2010	Advance Package, (Design Allows Ease Of Installation)	Inner	EV800959 ‡	2	S165


REAR SUSPENSION



R057

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2013-2010	(Lateral Link, R-Series)	Lower Front	RK642895	2	R057
Control Arm with Ball Joint					
2013-2010	Minus 2 To Plus 4 Degrees Camber, (Adjustable, Greaseable, R-Series)	Upper	RK100122	2	R057
	Minus 2 To Plus 4 Degrees Camber, (Adjustable, Non-Greaseable, R-Series)	Upper	RK621904	2	R057
Sway Bar Bushing					
2013-2010		To Frame	K201568	1	R057
Sway Bar Link					
2013-2010	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750749 ‡	1	R057
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750750 ‡	1	R057
Trailing Link					
2013-2010	(R-Series)	Left	RK642539	1	R057
	(R-Series)	Right	RK642538	1	R057
Wheel Hub & Bearing Assembly					
2013-2010			512342	2	

FRONT SUSPENSION



F391


Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2017-2015	PR Code 1ZA, 1ZD, 1LC Or 1LJ Located On Build Sticker	Left Lower	K500016	1	
	PR Code 1ZA, 1ZD, 1LC Or 1LJ Located On Build Sticker	Right Lower	K500030	1	
2013-2010	All Wheel Drive, PR Code 1ZA, 1ZD, Or 1ZF Located On Build Sticker, (For Vehicles With Aluminum Steering Knuckles Only)	Left Lower	K80662	1	F391
	All Wheel Drive, PR Code 1ZA, 1ZD, Or 1ZF Located On Build Sticker, (For Vehicles With Aluminum Steering Knuckles Only)	Right Lower	K80663	1	F391
	All Wheel Drive, PR Code 1ZK Located On Build Sticker	Left Lower	K500016	1	F391
	All Wheel Drive, PR Code 1ZK Located On Build Sticker	Right Lower	K500030	1	F391
2009	Thru 5/24/09, (For Vehicles With Aluminum Steering Knuckles Only)	Left Lower	K80662	1	F391
	Thru 5/24/09, (For Vehicles With Aluminum Steering Knuckles Only)	Right Lower	K80663	1	F391
	All Wheel Drive, From 5/25/09, PR Code 1ZA, 1ZD, Or 1ZF Located On Build Sticker, (For Vehicles With Aluminum Steering Knuckles Only)	Left Lower	K80662	1	F391
	All Wheel Drive, From 5/25/09, PR Code 1ZA, 1ZD, Or 1ZF Located On Build Sticker, (For Vehicles With Aluminum Steering Knuckles Only)	Right Lower	K80663	1	F391
	All Wheel Drive, PR Code 1ZK Located On Build Sticker, From 5/25/09	Left Lower	K500016	1	F391
	All Wheel Drive, PR Code 1ZK Located On Build Sticker, From 5/25/09	Right Lower	K500030	1	F391
	Front Wheel Drive, From 5/25/09, (For Vehicles With Aluminum Steering Knuckles Only)	Left Lower	K80662	1	F391
	Front Wheel Drive, From 5/25/09, (For Vehicles With Aluminum Steering Knuckles Only)	Right Lower	K80663	1	F391
2008-2006	(For Vehicles With Aluminum Steering Knuckles Only)	Left Lower	K80662	1	F391
	(For Vehicles With Aluminum Steering Knuckles Only)	Right Lower	K80663	1	F391
Control Arm					
2013-2006	Except Sport Suspension, Stamped Steel Arm, (R-Series)	Left Lower	RK620141	1	F391
	Except Sport Suspension, Stamped Steel Arm, (R-Series)	Right Lower	RK620143	1	F391
2009-2006	Cast Iron Arm, Except Sport Suspension, (Contains Bushings, R-Series)	Left Lower	RK620140	1	F391
	Cast Iron Arm, Except Sport Suspension, (Contains Bushings, R-Series)	Right Lower	RK620142	1	F391
Control Arm Bushing					
2013-2006	(Design Allows Ease Of Installation)	Lower Front	K200094 ‡	2	F391
Control Arm with Ball Joint					
2017-2015	(R-Series)	Left Lower	RK622882	1	
	(R-Series)	Right Lower	RK622883	1	
2013-2006	Sport Suspension, Stamped Steel Arm, (R-Series)	Left Lower	RK622867	1	F391
	Sport Suspension, Stamped Steel Arm, (R-Series)	Right Lower	RK622868	1	F391
Strut Bumper Bellows					
2018-2015	2 Dr. Convertible, 55mm Bumper Length, PR Code G46 Located On Build Sticker		K160034	2	
	2 Dr. Convertible, 70mm Bumper Length, PR Code G41, G42, G43, Or G44 Located On Build Sticker, (Original Equipment Type)		K150276	2	
	2 Dr. Convertible, 70mm Bumper Length, PR Code G41, G42, G43, Or G44 Located On Build Sticker, (Replacement Type, Contains Bumper)		K90460	2	
	2 Dr. Convertible, PR Code 2UA Located On Build Sticker, 80mm Bumper Length, (Original Equipment Type)		K201416	2	
	2 Dr. Convertible, PR Code 2UA Located On Build Sticker, 80mm Bumper Length, (Replacement Type, Contains Bumper)		K90460	2	
	4 Dr. Sedan, 55mm Bumper Length, PR Code G06, G26, G34, G35, Or G36 Located On Build Sticker		K160034	2	
	4 Dr. Sedan, 70mm Bumper Length, PR Code G01, G02, G03, G04, G21, G22, G23, G24, G62, G63, Or G64 Located On Build Sticker, (Original Equipment Type)		K150276	2	
	4 Dr. Sedan, 70mm Bumper Length, PR Code G01, G02, G03, G04, G21, G22, G23, G24, G62, G63, Or G64 Located On Build Sticker, (Replacement Type, Contains Bumper)		K90460	2	
	4 Dr. Sedan, 90mm Bumper Length, PR Code G03, G04, G23, Or G24 Located On Build Sticker, (Contains Bumper)		K90461	2	

AUDI-A3 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2018-2015 (Cont.)	4 Dr. Sedan, PR Code G01, G02, G03, G04, G14, G21, G22, G23, Or G24 Located On Build Sticker, 80mm Bumper Length, (Original Equipment Type)	K201416	2	
	4 Dr. Sedan, PR Code G01, G02, G03, G04, G14, G21, G22, G23, Or G24 Located On Build Sticker, 80mm Bumper Length, (Replacement Type, Contains Bumper)	K90460	2	
2013-2006	90mm Bumper Length, PR Code G37 Or G44 Located On Build Sticker, (Contains Bumper)	K90461	2	F391
Strut Mount				
2013-2006	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160132 ‡	2	F391
Sway Bar Link				
2013-2006	(Greaseable Socket Reduces Corrosion/Wear)	K80478 ‡	2	F391
Wheel Hub & Bearing Assembly				
2017-2015	80mm Bearing Outside Diameter	512566	2	
	85mm Bearing Outside Diameter	513379	2	
2013-2009		513253	2	
2008-2007	All Wheel Drive	513253	2	
2008-2006	Front Wheel Drive	513262	2	


STEERING



S309

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2017-2015	(Design Allows Ease Of Installation)	Left Outer	ES80666 ‡	1	S309
	(Design Allows Ease Of Installation)	Right Outer	ES80667 ‡	1	S309
	(Design Allows Ease Of Installation)	Inner	EV80665 ‡	2	S309
2013-2006	(Design Allows Ease Of Installation)	Left Outer	ES80666 ‡	1	S309
	(Design Allows Ease Of Installation)	Right Outer	ES80667 ‡	1	S309
	(Design Allows Ease Of Installation)	Inner	EV80665 ‡	2	S309


REAR SUSPENSION




R206

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2013-2006	(R-Series)	Upper	RK640613	2	R206
	(R-Series)	Lower Rear	RK642309	2	R206
2012-2010	(Lateral Link, R-Series)	Lower Front	RK642013	2	R206
2009-2006	(Lateral Link, R-Series)	Left Front Lower	RK640386	1	R206
	(Lateral Link, R-Series)	Right Front Lower	RK640385	1	R206
Shock Mount					
2013-2010	PR Code UA0, UA1, UA3, Or UA9 Located On Build Sticker, (Round, Design Allows Ease Of Installation)	K160273 ‡	2	R206	
2009	From 4/20/09, PR Code UA0, UA1, UA3, Or UA9 Located On Build Sticker, (Round, Design Allows Ease Of Installation)	K160273 ‡	2	R206	
	PR Code UA0, UA1, UA3, Or UA9 Located On Build Sticker, Thru 4/19/09, (Oval, Design Allows Ease Of Installation)	K160272 ‡	2	R206	
2008-2006	PR Code UA0, UA1, UA3, Or UA9 Located On Build Sticker, (Oval, Design Allows Ease Of Installation)	K160272 ‡	2	R206	
Strut Bumper Bellows					
2018-2015	4 Dr. Sedan, PR Code 1JC Located On Build Sticker, 133mm Bumper Length And 58mm Bumper Width	K201412	2		
2013-2006	PR Code UA0, UA1, UA3, Or UA9 Located On Build Sticker	K201597	2	R206	
Sway Bar Link					
2017-2015	(Greaseable Socket Reduces Corrosion/Wear)	K750809 ‡	2		
2013-2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80482 ‡	2	R206	
Wheel Hub & Bearing Assembly					
2017-2015	4 Dr. Sedan, Front Wheel Drive	512336	2		
2016-2015	All Wheel Drive	512566	2		
2013-2007	All Wheel Drive	513253	2		
2013-2006	Front Wheel Drive	512336	2		

FRONT SUSPENSION



F040




F363


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2012	Thru 8/14/11, (Design Allows Ease Of Installation)	Lower	K500225 ‡	2 F363
2011-2009	(Design Allows Ease Of Installation)	Lower	K500225 ‡	2 F363
Control Arm				
2016-2013	(R-Series)	Left Front Lower	RK641964	1 F363
	(R-Series)	Right Front Lower	RK641965	1 F363
2012	From 8/15/11, (R-Series)	Left Front Lower	RK641964	1 F363
	From 8/15/11, (R-Series)	Right Front Lower	RK641965	1 F363
	Thru 8/14/11, (R-Series)	Left Front Lower	RK641152	1 F363
	Thru 8/14/11, (R-Series)	Right Front Lower	RK641153	1 F363
2011-2010	(R-Series)	Left Front Lower	RK641152	1 F363
	(R-Series)	Right Front Lower	RK641153	1 F363
2009	4 Dr. Sedan, 4 Dr. Station Wagon, (R-Series)	Left Front Lower	RK641152	1 F363
	4 Dr. Sedan, 4 Dr. Station Wagon, (R-Series)	Right Front Lower	RK641153	1 F363
Control Arm Bushing				
2009	2 Dr. Convertible, (Design Allows Ease Of Installation)	Lower Front Inner	K200096 ‡	2 F040
2008-2007	(Design Allows Ease Of Installation)	Lower Rear Inner	K200097 ‡	2 F040
2008-2005	(Design Allows Ease Of Installation)	Lower Front Inner	K200096 ‡	2 F040
Control Arm with Ball Joint				
2016-2010	(Contains Bushing, R-Series)	Left Front Upper	RK621002	1 F363
	(R-Series)	Left Rear Lower	RK622786	1 F363
	(Contains Bushing, R-Series)	Left Rear Upper	RK621000	1 F363
	(Contains Bushing, R-Series)	Right Front Upper	RK621001	1 F363
	(R-Series)	Right Rear Lower	RK622650	1 F363
	(Contains Bushing, R-Series)	Right Rear Upper	RK620999	1 F363
	Plus Or Minus 1.5 Degree Camber/Caster, (Adjustable, Contains Front And Rear Arms, R-Series)	Upper	RK100218	2 F363

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2009	2 Dr. Convertible, (R-Series)	Lower Front	RK80524	2	F040
	2 Dr. Convertible, (Premium Bushings For Durability)	Left Rear Lower	CK80562 ‡	1	F040
	2 Dr. Convertible, (R-Series)	Left Rear Lower	RK80562	1	F040
	2 Dr. Convertible, Plus Or Minus 1.5 Degree Camber/Caster, (Adjustable, R-Series)	Upper	RK100092	2	F040
	4 Dr. Sedan, 4 Dr. Station Wagon, (Contains Bushing, R-Series)	Left Front Upper	RK621002	1	F363
	4 Dr. Sedan, 4 Dr. Station Wagon, (Contains Bushing, R-Series)	Left Rear Upper	RK621000	1	F363
	4 Dr. Sedan, 4 Dr. Station Wagon, (Contains Bushing, R-Series)	Right Front Upper	RK621001	1	F363
	4 Dr. Sedan, 4 Dr. Station Wagon, (Contains Bushing, R-Series)	Right Rear Upper	RK620999	1	F363
	4 Dr. Sedan, 4 Dr. Station Wagon, Plus Or Minus 1.5 Degree Camber/Caster, (Adjustable, Contains Front And Rear Arms, R-Series)	Upper	RK100218	2	F363
	4 Dr. Sedan, 4 Dr. Station Wagon, Thru Chassis / Vin Number 8K-9-035-000, (Contains Bushing, R-Series)	Left Rear Lower	RK620802	1	F363
	4 Dr. Sedan, 4 Dr. Station Wagon, Thru Chassis / Vin Number 8K-9-035-000, (Contains Bushing, R-Series)	Right Rear Lower	RK620803	1	F363
	2008-2005	(R-Series)	Lower Front	RK80524	2
(Premium Bushings For Durability)		Left Rear Lower	CK80562 ‡	1	F040
(R-Series)		Left Rear Lower	RK80562	1	F040
Plus Or Minus 1.5 Degree Camber/Caster, (Adjustable, R-Series)		Upper	RK100092	2	F040
2007-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Front Upper	CK90497 ‡	1	F040
	(R-Series)	Left Front Upper	RK90497	1	F040
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right Front Upper	CK90498 ‡	1	F040
	(R-Series)	Right Front Upper	RK90498	1	F040
Strut Bumper Bellows					
2010	Thru 11/1/09, PR Code 1BV Located On Build Sticker, PR Code 1BL Located On Build Sticker		K201593	2	F363
2009	2 Dr. Convertible, (Original Equipment Type)		K201411	2	F040
	2 Dr. Convertible, (Replacement Type, Contains Bumper)		K90460	2	F040
	4 Dr. Sedan, 4 Dr. Station Wagon, PR Code 1BV Located On Build Sticker, PR Code 1BL Located On Build Sticker		K201593	2	F363
2008-2005	(Original Equipment Type)		K201411	2	F040
	(Replacement Type, Contains Bumper)		K90460	2	F040
Strut Mount					
2016-2010	(Bearing Not Included, Contains Washer)		K160365	2	F363
2009	2 Dr. Convertible, (Bearing Not Included, Spacer Plate Only)		K160001	2	F040
	4 Dr. Sedan, 4 Dr. Station Wagon, (Bearing Not Included, Contains Washer)		K160365	2	F363
2008-2005	(Bearing Not Included, Spacer Plate Only)		K160001	2	F040
Sway Bar Bushing					
2017	24.8mm Sway Bar Diameter, Except Sport Suspension	To Frame	K201021	1	F363
	26mm Sway Bar Diameter, Sport Suspension	To Frame	K201600	1	F363
2016-2010	Except Sport Suspension	To Frame	K201384	1	F363
	Sport Suspension	To Frame	K201021	1	F363
2009	2 Dr. Convertible	To Frame	K201343	1	F040
	4 Dr. Sedan, 4 Dr. Station Wagon, Sport Suspension	To Frame	K201021	1	F363
2008-2006		To Frame	K201343	1	F040
Sway Bar Link					
2017-2010	(Durable, All Metal Construction For Longer Life)		K750359 ‡	2	F363
2009	2 Dr. Convertible	Left	K80842	1	F040
	2 Dr. Convertible	Right	K80843	1	F040
	4 Dr. Sedan, (Durable, All Metal Construction For Longer Life)		K750359 ‡	2	F363
2008-2005		Left	K80842	1	F040
		Right	K80843	1	F040
Wheel Bearing Assembly					
2016-2010	15mm Inner Ring Length		513301	2	
	19mm Inner Ring Length		512574	2	
2009	2.0 T, 3.2, 15mm Inner Ring Length		513301	2	
	2.0 T, 3.2, 19mm Inner Ring Length		512574	2	
Wheel Hub & Bearing Assembly					
2009	2.0 T, 3.2, 45mm / 43mm Bearing ID		512305	2	
2008-2005			512305	2	


STEERING



S247




S340



S367


STEERING (Cont.)



S368

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2015-2013		K150283	2	S340	
2012-2009		K150283	2	S368	
2008-2005	Koyo Design Rack And Pinion Gear	Right	K150319	1	S247
Tie Rod End					
2016-2013	(Design Allows Ease Of Installation)	Left Outer	ES800670 ‡	1	S340
	(Design Allows Ease Of Installation)	Right Outer	ES800671 ‡	1	S340
	(Design Allows Ease Of Installation)	Inner	EV800390 ‡	2	S340
2012-2010	(Design Allows Ease Of Installation)	Left Outer	ES800670 ‡	1	S368
	(Design Allows Ease Of Installation)	Right Outer	ES800671 ‡	1	S368
	(Design Allows Ease Of Installation)	Inner	EV800390 ‡	2	S368
2009	2 Dr. Convertible, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800269 ‡	2	S367
	2 Dr. Convertible, (Design Allows Ease Of Installation)	Inner	EV800282 ‡	2	S367
	4 Dr. Sedan, 4 Dr. Station Wagon, (Design Allows Ease Of Installation)	Left Outer	ES800670 ‡	1	S368
	4 Dr. Sedan, 4 Dr. Station Wagon, (Design Allows Ease Of Installation)	Right Outer	ES800671 ‡	1	S368
2008-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer	ES800269 ‡	2	S247
		Inner	EV800282 ‡	2	S247

REAR SUSPENSION



R147

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2016-2011	(R-Series) (R-Series)	Left Upper	RK642745	1	R147
		Right Upper	RK642746	1	R147
2016-2010	(R-Series) (R-Series)	Left Rear Lower	RK642595	1	R147
		Right Rear Lower	RK642596	1	R147
2010	From 11/09, (R-Series) From 11/09, (R-Series) Thru 10/09, (R-Series) Thru 10/09, (R-Series)	Left Upper	RK642745	1	R147
		Right Upper	RK642746	1	R147
		Left Upper	RK642653	1	R147
		Right Upper	RK642654	1	R147


AUDI-A4 (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2009	2 Dr. Convertible, (R-Series)	Left Upper	RK642640	1	R147
	2 Dr. Convertible, (R-Series)	Right Upper	RK642641	1	
	2 Dr. Convertible, (Lateral Link, R-Series)	Lower Rear	RK642647	2	
	4 Dr. Sedan, 4 Dr. Station Wagon, (R-Series)	Left Upper	RK642653	1	
	4 Dr. Sedan, 4 Dr. Station Wagon, (R-Series)	Right Upper	RK642654	1	
	4 Dr. Sedan, 4 Dr. Station Wagon, (Aluminum Arm, R-Series)	Left Front Lower	RK642651	1	
	4 Dr. Sedan, 4 Dr. Station Wagon, (R-Series)	Left Rear Lower	RK642595	1	
	4 Dr. Sedan, 4 Dr. Station Wagon, (Aluminum Arm, R-Series)	Right Front Lower	RK642652	1	
	4 Dr. Sedan, 4 Dr. Station Wagon, (R-Series)	Right Rear Lower	RK642596	1	
2008-2005	(R-Series)	Left Upper	RK642640	1	R147
	(R-Series)	Right Upper	RK642641	1	
	(Lateral Link, R-Series)	Lower Rear	RK642647	2	
Shock Mount					
2016-2010		K160284	2	R147	
2009	4 Dr. Sedan, 4 Dr. Station Wagon	K160284	2	R147	
Strut Bumper Bellows					
2012-2010	PR Code 1BV Located On Build Sticker	K201421	2	R147	
2009	4 Dr. Sedan, 4 Dr. Station Wagon, PR Code 1BV Located On Build Sticker, PR Code 1BL Located On Build Sticker	K201421	2	R147	
Strut Mount					
2009	2 Dr. Convertible, (Design Allows Ease Of Installation)	K160316 ‡	2		
2008-2005	(Design Allows Ease Of Installation)	K160316 ‡	2		
Strut Mount Insulator					
2009	2 Dr. Convertible, (Bushing Only)	K90244	2		
2008-2005	(Bushing Only)	K90244	2		
Sway Bar Link					
2016-2010	(Durable, All Metal Construction For Longer Life)	K750361 ‡	2	R147	
2009	2 Dr. Convertible, (Standard Design)	K80480 ‡	2		
2008-2005	(Standard Design)	K80480 ‡	2		
Wheel Bearing Assembly					
2015-2010	15mm Inner Ring Length	513301	2		
	19mm Inner Ring Length	512574	2		
2009	2.0 T Avant Quattro, 2.0 T Quattro, 3.2 Quattro, 15mm Inner Ring Length	513301	2		
	2.0 T Avant Quattro, 2.0 T Quattro, 3.2 Quattro, 19mm Inner Ring Length	512574	2		
Wheel Hub & Bearing Assembly					
2016	Front Wheel Drive	512598	2		
2015-2009	32mm Bearing Inside Diameter	512557	2		
2007-2005		512231	2		

AUDI-A5


FRONT SUSPENSION




F363

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2011-2008	(Design Allows Ease Of Installation)	Lower	K500225 ‡	2 F363
Control Arm				
2017-2012	(R-Series)	Left Front Lower	RK641964	1 F363
	(R-Series)	Right Front Lower	RK641965	1 F363
2011-2008	(R-Series)	Left Front Lower	RK641152	1 F363
	(R-Series)	Right Front Lower	RK641153	1 F363
Control Arm with Ball Joint				
2017-2012	(Contains Bushing, R-Series)	Left Rear Upper	RK621000	1 F363
2017-2010	(R-Series)	Left Rear Lower	RK622786	1 F363
	(R-Series)	Right Rear Lower	RK622650	1 F363
2016-2012	(Contains Bushing, R-Series)	Left Front Upper	RK621002	1 F363
	(Contains Bushing, R-Series)	Right Front Upper	RK621001	1 F363
	(Contains Bushing, R-Series)	Right Rear Upper	RK620999	1 F363
2016-2008	Plus Or Minus 1.5 Degree Camber/Caster, (Adjustable, Contains Front And Rear Arms, R-Series)	Upper	RK100218	2 F363
2011	2 Dr. Coupe, (Contains Bushing, R-Series)	Left Front Upper	RK621002	1 F363
	2 Dr. Coupe, (Contains Bushing, R-Series)	Right Front Upper	RK621001	1 F363
2011-2010	2 Dr. Convertible, (R-Series)	Left Front Upper	RK621125	1 F363
	2 Dr. Convertible, (R-Series)	Left Rear Upper	RK621123	1 F363
	2 Dr. Convertible, (R-Series)	Right Front Upper	RK621126	1 F363
	2 Dr. Convertible, (R-Series)	Right Rear Upper	RK621124	1 F363
	2 Dr. Coupe, (Contains Bushing, R-Series)	Left Rear Upper	RK621000	1 F363
	2 Dr. Coupe, (Contains Bushing, R-Series)	Right Rear Upper	RK620999	1 F363
2010	2 Dr. Coupe, 4 Dr. Sedan, (Contains Bushing, R-Series)	Left Front Upper	RK621002	1 F363
	2 Dr. Coupe, 4 Dr. Sedan, (Contains Bushing, R-Series)	Right Front Upper	RK621001	1 F363
2009-2008	(Contains Bushing, R-Series)	Left Front Upper	RK621002	1 F363
	(Contains Bushing, R-Series)	Left Rear Lower	RK620802	1 F363
	(Contains Bushing, R-Series)	Left Rear Upper	RK621000	1 F363
	(Contains Bushing, R-Series)	Right Front Upper	RK621001	1 F363
	(Contains Bushing, R-Series)	Right Rear Lower	RK620803	1 F363
	(Contains Bushing, R-Series)	Right Rear Upper	RK620999	1 F363
Strut Bumper Bellows				
2017-2010	2 Dr. Coupe, 66mm Bumper Length		K201593	2 F363
2009-2008	66mm Bumper Length		K201593	2 F363
Strut Mount				
2017-2008	(Bearing Not Included, Contains Washer)		K160365	2 F363
Sway Bar Bushing				
2017-2015	Except Sport Suspension	To Frame	K201384	1 F363
2017-2010	Sport Suspension	To Frame	K201021	1 F363
2013-2010	Except Sport Suspension	To Frame	K201384	1 F363
Sway Bar Link				
2017-2009	(Durable, All Metal Construction For Longer Life)		K750359 ‡	2 F363
2008	146mm Overall Length, (Durable, All Metal Construction For Longer Life)		K750358 ‡	2 F363
	From VIN 8T-011-021, (Durable, All Metal Construction For Longer Life)		K750359 ‡	2 F363
Wheel Bearing Assembly				
2017-2008	15mm Inner Ring Length		513301	2
	19mm Inner Ring Length		512574	2

STEERING




S339



S340


Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2012		K150283	2	S340	
2011-2008		K150283	2	S339	
Tie Rod End					
2017-2012	(Design Allows Ease Of Installation)	Left Outer	ES800670 ‡	1	S340
	(Design Allows Ease Of Installation)	Right Outer	ES800671 ‡	1	S340
	(Design Allows Ease Of Installation)	Inner	EV800390 ‡	2	S340
2011-2008	(Design Allows Ease Of Installation)	Left Outer	ES800670 ‡	1	S339
	(Design Allows Ease Of Installation)	Right Outer	ES800671 ‡	1	S339
	(Design Allows Ease Of Installation)	Inner	EV800390 ‡	2	S339

REAR SUSPENSION




R147

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2017-2011	(R-Series) (R-Series)	Left Upper	RK642745	1	R147
		Right Upper	RK642746	1	R147
2017-2008	(R-Series) (R-Series)	Left Rear Lower	RK642595	1	R147
		Right Rear Lower	RK642596	1	R147
2010-2008	(R-Series) (R-Series) (R-Series) (R-Series)	Left Upper	RK642653	1	R147
		Right Upper	RK642654	1	R147
		Left Front Lower	RK642651	1	R147
		Right Front Lower	RK642652	1	R147
Shock Mount					
2017-2008		K160284	2	R147	
Strut Bumper Bellows					
2009-2008	PR Code 1BL Located On Build Sticker	K201421	2	R147	
Sway Bar Link					
2017-2008	(Durable, All Metal Construction For Longer Life)	K750361 ‡	2	R147	
Wheel Bearing Assembly					
2017-2016	15mm Inner Ring Length 19mm Inner Ring Length	513301	2		
		512574	2		
2015	All Wheel Drive, 15mm Inner Ring Length All Wheel Drive, 19mm Inner Ring Length	513301	2		
		512574	2		
2014-2008	15mm Inner Ring Length 19mm Inner Ring Length	513301	2		
		512574	2		
Wheel Hub & Bearing Assembly					
2014-2010	32mm Bearing Inside Diameter	512557	2		



FRONT SUSPENSION (Cont.)




F578

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2012	(Design Allows Ease Of Installation)	Lower	K500225 ‡	2 F578
Control Arm				
2017-2013	(R-Series)	Left Front Lower	RK641964	1 F578
	(R-Series)	Right Front Lower	RK641965	1 F578
2012	From 8/15/11, (R-Series)	Left Front Lower	RK641964	1 F578
	From 8/15/11, (R-Series)	Right Front Lower	RK641965	1 F578
Control Arm Bushing				
2007-2001	(Design Allows Ease Of Installation)	Upper	K200098 ‡	4 F040
Control Arm with Ball Joint				
2017-2012	Plus Or Minus 1.5 Degree Camber/Caster, (Adjustable, Contains Front And Rear Arms, R-Series)	Upper	RK100218	2 F578
2016-2014	(R-Series)	Right Rear Lower	RK622833	1 F578
2016-2012	(R-Series)	Left Front Upper	RK621125	1 F578
	(R-Series)	Left Rear Lower	RK622832	1 F578
	(R-Series)	Left Rear Upper	RK621123	1 F578
	(R-Series)	Right Front Upper	RK621126	1 F578
	(R-Series)	Right Rear Upper	RK621124	1 F578
2013	Thru VIN FC-D-040568, (R-Series)	Right Rear Lower	RK621970	1 F578
2012	(R-Series)	Right Rear Lower	RK621970	1 F578
2011-2009	V6 Cyl, (Contains Bushings, Greaseable Socket Reduces Corrosion/Wear)	Left Rear Upper	CK620621 ‡	1 F040
	V6 Cyl, (R-Series)	Left Rear Upper	RK620621	1 F040
	V6 Cyl, (Contains Bushing, Greaseable Socket Reduces Corrosion/Wear)	Right Rear Upper	CK620620 ‡	1 F040
	V6 Cyl, (R-Series)	Right Rear Upper	RK620620	1 F040
	V8 Cyl, Except Sport Suspension, (Contains Bushings, Greaseable Socket Reduces Corrosion/Wear)	Left Rear Upper	CK620621 ‡	1 F040
	V8 Cyl, Except Sport Suspension, (R-Series)	Left Rear Upper	RK620621	1 F040
	V8 Cyl, Except Sport Suspension, (Contains Bushing, Greaseable Socket Reduces Corrosion/Wear)	Right Rear Upper	CK620620 ‡	1 F040
	V8 Cyl, Except Sport Suspension, (R-Series)	Right Rear Upper	RK620620	1 F040
2011-2005	(R-Series)	Lower Front	RK620452	2 F040
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Left Front Upper	CK620618 ‡	1 F040
	(R-Series)	Left Front Upper	RK620618	1 F040
	(R-Series)	Left Rear Lower	RK620450	1 F040
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Right Front Upper	CK620619 ‡	1 F040
	(R-Series)	Right Front Upper	RK620619	1 F040
	(R-Series)	Right Rear Lower	RK620451	1 F040
2008-2006	(Contains Bushings, Greaseable Socket Reduces Corrosion/Wear)	Left Rear Upper	CK620621 ‡	1 F040
	(R-Series)	Left Rear Upper	RK620621	1 F040
	(Contains Bushing, Greaseable Socket Reduces Corrosion/Wear)	Right Rear Upper	CK620620 ‡	1 F040
	(R-Series)	Right Rear Upper	RK620620	1 F040
Strut Bumper Bellows				
2017-2012	90mm Bumper Length, PR Code 1BA Or 1BH Located On Build Sticker, (Original Equipment Type)		K201416	2 F578
	90mm Bumper Length, PR Code 1BA Or 1BH Located On Build Sticker, (Replacement Type, Contains Bumper)		K90461	2 F578
2011-2009	PR Code 1BB, 1BD, 1BE, 1BR, Or 1BV Located On Build Sticker, (Original Equipment Type)		K201411	2 F040
	PR Code 1BB, 1BD, 1BE, 1BR, Or 1BV Located On Build Sticker, (Replacement Type, Contains Bumper)		K90460	2 F040
2008-2005	PR Code 1BA, 1BD, Or 1BE Located On Build Sticker, (Original Equipment Type)		K201411	2 F040


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2008-2005 (Cont.)	PR Code 1BA, 1BD, Or 1BE Located On Build Sticker, (Replacement Type, Contains Bumper)	K90460	2	F040
Strut Mount				
2017-2012	Except Air Suspension, (Bearing Not Included, Spacer Plate Only)	K160001	2	F578
2011-2005	Except Air Suspension, (Bearing Not Included, Spacer Plate Only)	K160001	2	F040
Sway Bar Bushing				
2017-2013	Sport Suspension	To Frame K201600	1	F578
2017-2012	All Wheel Drive, Except Sport Suspension Front Wheel Drive, Except Sport Suspension	To Frame K201021	1	F578
		To Frame K201384	1	F578
2011-2005		To Frame K201343	1	F040
Sway Bar Link				
2017-2012	(Durable, All Metal Construction For Longer Life)	K750359 ‡	2	F578
2011-2005		K80481	2	F040
Wheel Bearing Assembly				
2017-2012	15mm Inner Ring Length	513301	2	
	19mm Inner Ring Length	512574	2	
2011-2009	V8 Cyl	513353	2	
2011-2005	V6 Cyl	513227	2	
2008-2005	V8 Cyl	513227	2	

STEERING



S247




S340

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2011-2006		K150319	2	S247
Tie Rod End				
2017	(Design Allows Ease Of Installation)	Left Outer ES800670 ‡	1	S340

AUDI-A6 (Cont.)

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2012		Inner	EV801035	2 S340
2011-2005	(Design Allows Ease Of Installation)	Inner	EV800389 ‡	2 S247
2011-2004	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800269 ‡	2 S247
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2016	(R-Series)	Left Upper	RK642745	1
	(R-Series)	Right Upper	RK642746	1
2017-2015	Front Wheel Drive, Front Coil Spring Suspension, (R-Series)	Left Rear Lower	RK642595	1
	Front Wheel Drive, Front Coil Spring Suspension, (R-Series)	Right Rear Lower	RK642596	1
2015	Air Suspension, Thru 2/15/15, (R-Series)	Left Front Lower	RK642651	1
	Air Suspension, Thru 2/15/15, (R-Series)	Right Front Lower	RK642652	1
2014-2013	Front Coil Spring Suspension, (R-Series)	Left Rear Lower	RK642595	1
	Front Coil Spring Suspension, (R-Series)	Right Rear Lower	RK642596	1
2014-2012	(R-Series)	Left Upper	RK642745	1
	(R-Series)	Right Upper	RK642746	1
	Air Suspension, (R-Series)	Left Front Lower	RK642651	1
	Air Suspension, (R-Series)	Right Front Lower	RK642652	1
2011-2006	Air Suspension, (R-Series)	Upper	RK642504	2
	Air Suspension, (R-Series)	Left Front Lower	RK642501	1
	Air Suspension, (R-Series)	Right Front Lower	RK642502	1
2011-2005	Front Coil Spring Suspension, (R-Series)	Upper	RK642503	2
Strut Bumper Bellows				
2017-2012	PR Code 1BK, 1BS, Or 2MB Located On Build Sticker		K201421	2
2011-2005	PR Code 1BD Located On Build Sticker		K201412	2
	PR Code 1BK Located On Build Sticker		K201421	2
Strut Mount				
2011-2005	(Design Allows Ease Of Installation)		K160316 ‡	2
Strut Mount Insulator				
2011-2005	(Bushing Only)		K90244	2
Sway Bar Link				
2017-2012	(Durable, All Metal Construction For Longer Life)		K750361 ‡	2
2011-2005	Air Suspension, (Link Only, Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750129 ‡	2
	Rear Coil Spring Suspension, (Link Only, Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750128 ‡	2
Wheel Bearing Assembly				
2017	2.0T Quattro, 3.0T Competition, 3.0T Quattro, 15mm Inner Ring Length		513301	2
	2.0T Quattro, 3.0T Competition, 3.0T Quattro, 19mm Inner Ring Length		512574	2
2016-2014	All Wheel Drive, 19mm Inner Ring Length		512574	2
2016-2012	15mm Inner Ring Length		513301	2
	19mm Inner Ring Length		512574	2
2011-2005	All Wheel Drive		513227	2
Wheel Hub & Bearing Assembly				
2018			512598	2
2017-2012	32mm Bearing Inside Diameter		512557	2
2011-2006	Front Wheel Drive		512426	2

FRONT SUSPENSION




F578

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2012	(Design Allows Ease Of Installation)	Lower	K500225 ‡	2 F578
Control Arm				
2017-2013	(R-Series)	Left Front Lower	RK641964	1 F578
	(R-Series)	Right Front Lower	RK641965	1 F578
2012	From 8/15/11, (R-Series)	Left Front Lower	RK641964	1 F578
	From 8/15/11, (R-Series)	Right Front Lower	RK641965	1 F578
Control Arm with Ball Joint				
2017-2012	Plus Or Minus 1.5 Degree Camber/Caster, (Adjustable, Contains Front And Rear Arms, R-Series)	Upper	RK100218	2 F578
2016-2014	(R-Series)	Right Rear Lower	RK622833	1 F578
2016-2012	(R-Series)	Left Front Upper	RK621125	1 F578
	(R-Series)	Left Rear Lower	RK622832	1 F578
	(R-Series)	Left Rear Upper	RK621123	1 F578
	(R-Series)	Right Front Upper	RK621126	1 F578
	(R-Series)	Right Rear Upper	RK621124	1 F578
2013	Thru VIN FC-D-040568, (R-Series)	Right Rear Lower	RK621970	1 F578
2012	(R-Series)	Right Rear Lower	RK621970	1 F578
Strut Mount				
2017-2012	Except Air Suspension, (Bearing Not Included, Spacer Plate Only)		K160001	2 F578
Sway Bar Bushing				
2017-2013	Heavy Duty Suspension Sport Suspension	To Frame	K201384	1 F578
		To Frame	K201600	1 F578
2017-2012	Standard Suspension	To Frame	K201021	1 F578
Sway Bar Link				
2017-2012	(Durable, All Metal Construction For Longer Life)		K750359 ‡	2 F578
Wheel Bearing Assembly				
2017-2012	15mm Inner Ring Length 19mm Inner Ring Length		513301	2
			512574	2

AUDI-A7 (Cont.)

STEERING



S340


Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2017-2014	(Design Allows Ease Of Installation)	Left Outer	ES800670 ‡	1	S340
	(Design Allows Ease Of Installation)	Right Outer	ES800671 ‡	1	S340
2017-2012		Inner	EV801035	2	S340

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2017-2012	(R-Series)	Left Upper	RK642745	1	
	(R-Series)	Right Upper	RK642746	1	
2015	Air Suspension, Thru 2/15/15, (R-Series)	Left Front Lower	RK642651	1	
	Air Suspension, Thru 2/15/15, (R-Series)	Right Front Lower	RK642652	1	
2014-2012	Air Suspension, (R-Series)	Left Front Lower	RK642651	1	
	Air Suspension, (R-Series)	Right Front Lower	RK642652	1	
Strut Bumper Bellows					
2017-2012	PR Code 1BA Located On Build Sticker	K201412	2		
	PR Code 1BK Located On Build Sticker, PR Code 1BS Located On Build Sticker, PR Code 2MB Located On Build Sticker	K201421	2		
Sway Bar Link					
2017-2012	(Durable, All Metal Construction For Longer Life)	K750361 ‡	2		
Wheel Bearing Assembly					
2017-2012	15mm Inner Ring Length	513301	2		
	19mm Inner Ring Length	512574	2		
2012	45mm / 43mm Bearing ID	513227	2		


AUDI-A8

FRONT SUSPENSION



F330


FRONT SUSPENSION (Cont.)




F445

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2015-2011	(R-Series)	Left Front Lower	RK642812	1	F445
	(R-Series)	Right Front Lower	RK642813	1	F445
Control Arm Bushing					
2010-2005	(Design Allows Ease Of Installation)	Upper	K200098 ‡	4	F330
Control Arm with Ball Joint					
2016-2011	(R-Series)	Left Front Upper	RK622845	1	F445
	(R-Series)	Left Rear Upper	RK622847	1	F445
	(R-Series)	Right Front Upper	RK622846	1	F445
	(R-Series)	Right Rear Upper	RK622848	1	F445
2010-2005	(R-Series)	Lower Front	RK620453	2	F330
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Left Front Upper	CK620618 ‡	1	F330
	(R-Series)	Left Front Upper	RK620618	1	F330
	(R-Series)	Left Rear Lower	RK620454	1	F330
	(Contains Bushings, Greaseable Socket Reduces Corrosion/Wear)	Left Rear Upper	CK620621 ‡	1	F330
	(R-Series)	Left Rear Upper	RK620621	1	F330
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Right Front Upper	CK620619 ‡	1	F330
	(R-Series)	Right Front Upper	RK620619	1	F330
	(R-Series)	Right Rear Lower	RK620455	1	F330
	(Contains Bushing, Greaseable Socket Reduces Corrosion/Wear)	Right Rear Upper	CK620620 ‡	1	F330
	(R-Series)	Right Rear Upper	RK620620	1	F330
Sway Bar Bushing					
2017-2011	26mm	To Frame	K201600	1	F445
	27mm Inner Diameter	To Frame	K201023	1	F445
2016-2012	28mm	To Frame	K201571	1	F445
2016-2010	Armored Vehicles	To Frame	K201343	1	F445
Sway Bar Link					
2017-2014	(Durable, All Metal Construction For Longer Life)		K750359 ‡	2	F445
2014-2011	(Improves Upon OE Design)		K700618 ‡	2	F445
2010			K80481	2	F445
2009-2005			K80481	2	F330
Wheel Bearing Assembly					
2017-2011	15mm Inner Ring Length		513301	2	
	19mm Inner Ring Length		512574	2	


STEERING



S247



S339




S340

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2017-2016		K150283	2	S339, S340	
2015-2014	Armored Vehicles	K150283	2	S339, S340	
2013-2011		K150283	2	S339, S340	
2010-2005		K150319	2	S247	
Tie Rod End					
2017	Dynamic Steering Variable Steering, (Design Allows Ease Of Installation)	Inner	EV801035	2	S339, S340
		Inner	EV800390 ‡	2	S339, S340
2016	(Design Allows Ease Of Installation)	Inner	EV800390 ‡	2	S339, S340
2015	2967cc(3.0L), (Design Allows Ease Of Installation) 2995cc(3.0L), (Design Allows Ease Of Installation) 3992cc(4.0L)	Inner	EV800390 ‡	2	S339, S340
		Inner	EV800390 ‡	2	S339, S340
		Inner	EV801035	2	S339, S340

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2015 (Cont.)	6299cc(6.3L), (Design Allows Ease Of Installation)	Inner	EV800390 ‡	2	S339, S340
2014-2011	(Design Allows Ease Of Installation)	Inner	EV800390 ‡	2	S339, S340
2010-2005	(Design Allows Ease Of Installation)	Inner	EV800393 ‡	2	S247
2009-2005		Outer	ES800680	2	S247


REAR SUSPENSION



R020

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2017-2011	Except Armored Vehicles, (R-Series) Except Armored Vehicles, (R-Series)	Left Upper Right Upper	RK642745 RK642746	1 1	
2011	Thru 6/9/10, (R-Series) Thru 6/9/10, (R-Series)	Left Front Lower Right Front Lower	RK642651 RK642652	1 1	
2010-2005	(R-Series) (R-Series) (R-Series)	Upper Left Lower Right Lower	RK642498 RK642499 RK642500	2 1 1	R020 R020 R020
Lateral Arm					
2009-2006	(R-Series)		RK642366	2	R020
Sway Bar Link					
2017-2011	(Durable, All Metal Construction For Longer Life)		K750361 ‡	2	
2010-2005	(Control Arm Link) (Control Arm Link) (Link Only, Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer Right Outer Inner	K80429 K80430 K750316 ‡	1 1 2	R020 R020 R020
Wheel Bearing Assembly					
2017-2011	15mm Inner Ring Length 19mm Inner Ring Length		513301 512574	2 2	
2012-2005	45mm / 43mm Bearing ID		513227	2	
2010-2005	47mm / 45mm Bearing ID		513353	2	


FRONT SUSPENSION



F363


Year	Model/Application		Part	P/C Qty	Figure	
Control Arm						
2016-2013	(R-Series)	Left Front Lower	RK641964	1	F363	
	(R-Series)	Right Front Lower	RK641965	1	F363	
Control Arm with Ball Joint						
2016-2013	(R-Series)	Left Front Upper	RK621125	1	F363	
	(R-Series)	Left Rear Lower	RK622786	1	F363	
	(R-Series)	Left Rear Upper	RK621123	1	F363	
	(R-Series)	Right Front Upper	RK621126	1	F363	
	(R-Series)	Right Rear Lower	RK622650	1	F363	
	(R-Series)	Right Rear Upper	RK621124	1	F363	
	Plus Or Minus 1.5 Degree Camber/Caster, (Adjustable, Contains Front And Rear Arms, R-Series)		Upper	RK100218	2	F363
Strut Mount						
2016-2013	(Bearing Not Included, Contains Washer)		K160365	2	F363	
Sway Bar Bushing						
2016-2013	To Frame		K201021	1	F363	
Sway Bar Link						
2016-2013	(Durable, All Metal Construction For Longer Life)		K750359 ‡	2	F363	
Wheel Bearing Assembly						
2016-2013	15mm Inner Ring Length		513301	2		
	19mm Inner Ring Length		512574	2		

STEERING



S339


STEERING (Cont.)



S340

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2015-2014	Except Dynamic Steering	K150283	2	S339	
Tie Rod End					
2016-2013	(Design Allows Ease Of Installation)	Left Outer	ES800670 ‡	1	S339, S340
	(Design Allows Ease Of Installation)	Right Outer	ES800671 ‡	1	S339, S340
	(Design Allows Ease Of Installation)	Inner	EV800390 ‡	2	S339, S340

REAR SUSPENSION



R147

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2016-2014	(R-Series)	Left Rear Lower	RK642595	1	R147
	(R-Series)	Right Rear Lower	RK642596	1	R147
2016-2013	(R-Series)	Left Upper	RK642745	1	R147
	(R-Series)	Right Upper	RK642746	1	R147
Shock Mount					
2016-2013		K160284	2	R147	
Sway Bar Link					
2016-2013	(Durable, All Metal Construction For Longer Life)	K750361 ‡	2	R147	
Wheel Bearing Assembly					
2016-2013	15mm Inner Ring Length	513301	2		
	19mm Inner Ring Length	512574	2		
Wheel Hub & Bearing Assembly					
2013	32mm Bearing Inside Diameter	512557	2		


AUDI-R8

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2017		To Frame	K201343	1
2015-2010		To Frame	K201343	1
Sway Bar Link				
2015-2008	(Improves Upon OE Design)		K700600 ‡	2
Wheel Bearing Assembly				
2015-2014			513227	2
2012-2008			513227	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2015-2010			K700725	2
Wheel Bearing Assembly				
2015-2014	47mm / 45mm Bearing ID		513353	2
2012-2008	45mm / 43mm Bearing ID		513227	2
	47mm / 45mm Bearing ID		513353	2

AUDI-RS4

FRONT SUSPENSION				
F040				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2009-2007	(Design Allows Ease Of Installation)	Lower Front Inner	K200096 ‡	2 F040
Control Arm with Ball Joint				
2009-2007	(R-Series) (Premium Bushings For Durability) (R-Series) Plus Or Minus 1.5 Degree Camber/Caster, (Adjustable, R-Series)	Lower Front Left Rear Lower Left Rear Lower Upper	RK80524 CK80562 ‡ RK80562 RK100092	2 1 1 2 F040 F040 F040 F040
Strut Bumper Bellows				
2008-2007	(Original Equipment Type) (Replacement Type, Contains Bumper)		K201411 K90460	2 2 F040 F040
Strut Mount				
2008-2007	(Bearing Not Included, Spacer Plate Only)		K160001	2 F040
Sway Bar Bushing				
2009-2007		To Frame	K201343	1 F040
Sway Bar Link				
2009-2007		Left Right	K80842 K80843	1 1 F040 F040
Wheel Hub & Bearing Assembly				
2008-2007			512305	2

STEERING




S247

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800269 ‡	2 S247
2009-2007	(Design Allows Ease Of Installation)	Inner	EV800282 ‡	2 S247
2008-2007	From Chassis Number 8E-7-904-001, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800269 ‡	2 S247

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2009-2007	(R-Series)	Left Upper	RK642640	1
	(R-Series)	Right Upper	RK642641	1
	(Lateral Link, R-Series)	Lower Rear	RK642647	2
Strut Bumper Bellows				
2008	2 Dr. Convertible	K201556	2	
Strut Mount				
2008-2007	(Design Allows Ease Of Installation)	K160316 ‡	2	
Strut Mount Insulator				
2008-2007	(Bushing Only)	K90244	2	
Sway Bar Link				
2009-2007	(Standard Design)	K80480 ‡	2	
Wheel Hub & Bearing Assembly				
2008-2007		512305	2	

FRONT SUSPENSION





F363

AUDI-RS5 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2016-2013	(R-Series)	Left Front Lower	RK641964	1	F363
	(R-Series)	Right Front Lower	RK641965	1	F363
Control Arm with Ball Joint					
2016-2014	(R-Series)	Left Rear Lower	RK622786	1	F363
	(R-Series)	Right Rear Lower	RK622650	1	F363
2016-2013	(Contains Bushing, R-Series)	Left Front Upper	RK621002	1	F363
	(Contains Bushing, R-Series)	Left Rear Upper	RK621000	1	F363
	(Contains Bushing, R-Series)	Right Front Upper	RK621001	1	F363
	(Contains Bushing, R-Series)	Right Rear Upper	RK620999	1	F363
Strut Bumper Bellows					
2015-2013	PR Code 2MC Located On Build Sticker, (Original Equipment Type)		K150276	2	F363
	PR Code 2MC Located On Build Sticker, (Replacement Type, Contains Bumper)		K90460	2	F363
Strut Mount					
2015-2013	(Bearing Not Included, Contains Washer)		K160365	2	F363
Sway Bar Bushing					
2016-2013		To Frame	K201600	1	F363
Sway Bar Link					
2016-2013	(Durable, All Metal Construction For Longer Life)		K750359 ‡	2	F363
Wheel Bearing Assembly					
2015-2013	15mm Inner Ring Length		513301	2	
	19mm Inner Ring Length		512574	2	

STEERING




Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2016-2013	(Design Allows Ease Of Installation)	Inner	EV800390 ‡	2	S339, S340

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2016-2014	(R-Series) (R-Series)	Left Upper Right Upper	RK642745 RK642746	1 1
2016-2013	(R-Series) (R-Series)	Left Rear Lower Right Rear Lower	RK642595 RK642596	1 1
Shock Mount				
2015-2013		K160284	2	
Sway Bar Link				
2016-2014	(Durable, All Metal Construction For Longer Life)	K750361 ‡	2	
Wheel Bearing Assembly				
2016-2013	15mm Inner Ring Length 19mm Inner Ring Length	513301 512574	2 2	

FRONT SUSPENSION				
F579				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2014	(R-Series) (R-Series)	Left Front Lower Right Front Lower	RK641964 RK641965	1 1
Control Arm with Ball Joint				
2017-2014	(R-Series) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series) Plus Or Minus 1.5 Degree Camber/Caster, (Adjustable, Contains Front And Rear Arms, R-Series)	Left Front Upper Left Rear Lower Left Rear Upper Right Front Upper Right Rear Lower Right Rear Upper Upper	RK621125 RK622832 RK621123 RK621126 RK622833 RK621124 RK100218	1 1 1 1 1 1 2
Strut Bumper Bellows				
2016-2014	PR Code 2MC Located On Build Sticker, Except Air Suspension, (Original Equipment Type) PR Code 2MC Located On Build Sticker, Except Air Suspension, (Replacement Type, Contains Bumper)	K150276 K90460	2 2	F579 F579
Strut Mount				
2016-2014	PR Code 2MC Located On Build Sticker, Except Air Suspension, (Bearing Not Included, Spacer Plate Only)	K160001	2	F579
Sway Bar Bushing				
2017-2014		To Frame	K201600	1
Sway Bar Link				
2017-2014	(Durable, All Metal Construction For Longer Life)	K750359 ‡	2	F579
Wheel Bearing Assembly				
2017-2014	15mm Inner Ring Length 19mm Inner Ring Length	513301 512574	2 2	

AUDI-RS7 (Cont.)

STEERING



S340

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2017	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer	ES800670 ‡	1	S340
		Right Outer	ES800671 ‡	1	S340
2017-2014		Inner	EV801035	2	S340

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2017-2014	(R-Series)	Left Upper	RK642745	1	
	(R-Series)	Right Upper	RK642746	1	
	(R-Series)	Left Front Lower	RK642651	1	
	(R-Series)	Right Front Lower	RK642652	1	
Strut Bumper Bellows					
2016-2014	Air Suspension, Pr Code 2ma Located On Build Sticker		K201421	2	
	PR Code 2MC Located On Build Sticker, Except Air Suspension		K201556	2	
Sway Bar Link					
2017-2014	(Durable, All Metal Construction For Longer Life)		K750361 ‡	2	
Wheel Bearing Assembly					
2017-2014	15mm Inner Ring Length		513301	2	
	19mm Inner Ring Length		512574	2	

AUDI-S3

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2017-2014	PR Code 1ZA, 1ZD, 1LC Or 1LJ Located On Build Sticker	Left Lower	K500016	1	
	PR Code 1ZA, 1ZD, 1LC Or 1LJ Located On Build Sticker	Right Lower	K500030	1	
Control Arm with Ball Joint					
2016-2014	(R-Series)	Left Lower	RK622882	1	
	(R-Series)	Right Lower	RK622883	1	
Strut Bumper Bellows					
2018-2015	55mm Bumper Length, PR Code G06, G26, G34, G35, Or G36 Located On Build Sticker		K160034	2	
	70mm Bumper Length, PR Code G01, G02, G03, G04, G21, G22, G23, G24, G62, G63, Or G64 Located On Build Sticker, (Original Equipment Type)		K150276	2	
	70mm Bumper Length, PR Code G01, G02, G03, G04, G21, G22, G23, G24, G62, G63, Or G64 Located On Build Sticker, (Replacement Type, Contains Bumper)		K90460	2	
	90mm Bumper Length, PR Code G03, G04, G23, Or G24 Located On Build Sticker, (Contains Bumper)		K90461	2	
	PR Code G01, G02, G03, G04, G14, G21, G22, G23, Or G24 Located On Build Sticker, 80mm Bumper Length, (Original Equipment Type)		K201416	2	
	PR Code G01, G02, G03, G04, G14, G21, G22, G23, Or G24 Located On Build Sticker, 80mm Bumper Length, (Replacement Type, Contains Bumper)		K90460	2	
Wheel Hub & Bearing Assembly					
2017-2015	80mm Bearing Outside Diameter		512566	2	
2017-2014	85mm Bearing Outside Diameter		513379	2	
2014	80mm Outside Diameter		513262	2	

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2014	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES80666 ‡ ES80667 ‡ EV80665 ‡	1 1 2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2018-2015	PR Code 1JC Located On Build Sticker, 133mm Bumper Length And 58mm Bumper Width	K201412	2	
Sway Bar Link				
2017-2014	(Greaseable Socket Reduces Corrosion/Wear)	K750809 ‡	2	
Wheel Hub & Bearing Assembly				
2017-2014		512566	2	

S4-AUDI


FRONT SUSPENSION				
F040				
F363				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2011-2010	(Design Allows Ease Of Installation)	Lower	K500225 ‡	2 F363
Control Arm				
2017-2012	(R-Series)	Left Front Lower	RK641964	1 F363
	(R-Series)	Right Front Lower	RK641965	1 F363
2011-2010	(R-Series)	Left Front Lower	RK641152	1 F363
	(R-Series)	Right Front Lower	RK641153	1 F363

AUDI-S4 (Cont.)

FRONT SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2009	2 Dr. Convertible, (Design Allows Ease Of Installation)	Lower Front Inner	K200096 ‡	2 F040
2009-2007	(Design Allows Ease Of Installation)	Lower Rear Inner	K200097 ‡	2 F040
2008-2004	(Design Allows Ease Of Installation)	Lower Front Inner	K200096 ‡	2 F040
Control Arm with Ball Joint				
2016-2013	(R-Series)	Left Rear Lower	RK622786	1 F363
	(R-Series)	Right Rear Lower	RK622650	1 F363
2016-2010	(Contains Bushing, R-Series)	Left Front Upper	RK621002	1 F363
	(Contains Bushing, R-Series)	Left Rear Upper	RK621000	1 F363
	(Contains Bushing, R-Series)	Right Front Upper	RK621001	1 F363
	(Contains Bushing, R-Series)	Right Rear Upper	RK620999	1 F363
	Plus Or Minus 1.5 Degree Camber/Caster, (Adjustable, Contains Front And Rear Arms, R-Series)	Upper	RK100218	2 F363
2011	(R-Series)	Left Rear Lower	RK622786	1 F363
	(R-Series)	Right Rear Lower	RK622650	1 F363
2010	From 11/2/09, (R-Series)	Left Rear Lower	RK622786	1 F363
	From 11/2/09, (R-Series)	Right Rear Lower	RK622650	1 F363
	Thru 11/1/09, (Contains Bushing, R-Series)	Left Rear Lower	RK620802	1 F363
	Thru 11/1/09, (Contains Bushing, R-Series)	Right Rear Lower	RK620803	1 F363
2009	2 Dr. Convertible, (R-Series)	Lower Front	RK80524	2 F040
2009-2004	Plus Or Minus 1.5 Degree Camber/Caster, (Adjustable, R-Series)	Upper	RK100092	2 F040
2008-2004	(R-Series)	Lower Front	RK80524	2 F040
Strut Bumper Bellows				
2010	Thru 11/1/09, PR Code 1BV Located On Build Sticker, PR Code 1BL Located On Build Sticker		K201593	2 F363
2009-2004	(Original Equipment Type)		K201411	2 F040
	(Replacement Type, Contains Bumper)		K90460	2 F040
Strut Mount				
2016-2010	(Bearing Not Included, Contains Washer)		K160365	2 F363
2009-2004	(Bearing Not Included, Spacer Plate Only)		K160001	2 F040
Sway Bar Bushing				
2016-2010	26.5mm Sway Bar Diameter	To Frame	K201021	1 F363
2009-2004		To Frame	K201343	1 F040
Sway Bar Link				
2016-2010	(Durable, All Metal Construction For Longer Life)		K750359 ‡	2 F363
2009	2 Dr. Convertible	Left	K80842	1 F040
	2 Dr. Convertible	Right	K80843	1 F040
2008-2004		Left	K80842	1 F040
		Right	K80843	1 F040
Wheel Bearing Assembly				
2016-2010	15mm Inner Ring Length		513301	2
	19mm Inner Ring Length		512574	2
2009-2007			512305	2

STEERING




S247

STEERING (Cont.)




S339



S340

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2012-2010		K150283	2	S339
2009-2004		K150283	2	S247
Tie Rod End				
2016-2013	(Design Allows Ease Of Installation)	Inner	EV800390 ‡	2 S340
2012-2010	(Design Allows Ease Of Installation)	Left Outer	ES800670 ‡	1 S339
		Right Outer	ES800671 ‡	1 S339
		Inner	EV800390 ‡	2 S339
2009-2004	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800269 ‡	2 S247
		Inner	EV800282 ‡	2 S247

REAR SUSPENSION



R147


AUDI-S4 (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2016-2011	(R-Series)	Left Upper	RK642745	1	R147
	(R-Series)	Right Upper	RK642746	1	R147
2016-2010	(R-Series)	Left Rear Lower	RK642595	1	R147
	(R-Series)	Right Rear Lower	RK642596	1	R147
2010	From 11/09, (R-Series)	Left Upper	RK642745	1	R147
	From 11/09, (R-Series)	Right Upper	RK642746	1	R147
	Thru 10/09, (R-Series)	Left Upper	RK642653	1	R147
	Thru 10/09, (R-Series)	Right Upper	RK642654	1	R147
2009	(R-Series)	Left Upper	RK642653	1	R147
	(R-Series)	Right Upper	RK642654	1	R147
	2 Dr. Convertible, (Lateral Link, R-Series)	Lower Rear	RK642647	2	
2008-2004	(R-Series)	Left Upper	RK642640	1	
	(R-Series)	Right Upper	RK642641	1	
	(Lateral Link, R-Series)	Lower Rear	RK642647	2	
Shock Mount					
2016-2010		K160284	2	R147	
Strut Bumper Bellows					
2012-2010	PR Code 1BV Located On Build Sticker	K201421	2	R147	
Strut Mount					
2009-2004	(Design Allows Ease Of Installation)	K160316 ‡	2		
Strut Mount Insulator					
2009-2004	(Bushing Only)	K90244	2		
Sway Bar Link					
2016-2010	(Durable, All Metal Construction For Longer Life)	K750361 ‡	2	R147	
2009	2 Dr. Convertible, (Standard Design)	K80480 ‡	2		
2008-2006	(Standard Design)	K80480 ‡	2		
Wheel Bearing Assembly					
2015-2010	15mm Inner Ring Length	513301	2		
	19mm Inner Ring Length	512574	2		
Wheel Hub & Bearing Assembly					
2009-2007		512305	2		

AUDI-S5

FRONT SUSPENSION




F363

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2011-2008	(Design Allows Ease Of Installation)	Lower	K500225 ‡	2	F363
Control Arm					
2017-2012	(R-Series)	Left Front Lower	RK641964	1	F363
	(R-Series)	Right Front Lower	RK641965	1	F363
2011-2008	(R-Series)	Left Front Lower	RK641152	1	F363
	(R-Series)	Right Front Lower	RK641153	1	F363

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2017-2012	(Contains Bushing, R-Series) (Contains Bushing, R-Series)	Left Rear Upper Right Rear Upper	RK621000 RK620999	1 1 F363
2017-2010	(R-Series) (R-Series)	Left Rear Lower Right Rear Lower	RK622786 RK622650	1 1 F363
2016-2012	(Contains Bushing, R-Series) (Contains Bushing, R-Series)	Left Front Upper Right Front Upper	RK621002 RK621001	1 1 F363
2016-2008	Plus Or Minus 1.5 Degree Camber/Caster, (Adjustable, Contains Front And Rear Arms, R-Series)	Upper	RK100218	2 F363
2011-2010	2 Dr. Convertible, (R-Series) 2 Dr. Convertible, (R-Series) 2 Dr. Convertible, (R-Series) 2 Dr. Convertible, (R-Series) 2 Dr. Coupe, (Contains Bushing, R-Series) 2 Dr. Coupe, (Contains Bushing, R-Series) 2 Dr. Coupe, (Contains Bushing, R-Series) 2 Dr. Coupe, (Contains Bushing, R-Series)	Left Front Upper Left Rear Upper Right Front Upper Right Rear Upper Left Front Upper Left Rear Upper Right Front Upper Right Rear Upper	RK621125 RK621123 RK621126 RK621124 RK621002 RK621000 RK621001 RK620999	1 1 1 1 1 1 1 1 F363
2009	Thru VIN 902800, (Contains Bushing, R-Series) Thru VIN 902800, (Contains Bushing, R-Series)	Left Rear Lower Right Rear Lower	RK620802 RK620803	1 1 F363
2009-2008	(Contains Bushing, R-Series) (Contains Bushing, R-Series) (Contains Bushing, R-Series) (Contains Bushing, R-Series)	Left Front Upper Left Rear Upper Right Front Upper Right Rear Upper	RK621002 RK621000 RK621001 RK620999	1 1 1 1 F363
2008	(Contains Bushing, R-Series) (Contains Bushing, R-Series)	Left Rear Lower Right Rear Lower	RK620802 RK620803	1 1 F363
Strut Bumper Bellows				
2017-2010	2 Dr. Coupe, 66mm Bumper Length		K201593	2 F363
2009-2008	66mm Bumper Length		K201593	2 F363
Strut Mount				
2017-2008	(Bearing Not Included, Contains Washer)		K160365	2 F363
Sway Bar Bushing				
2017-2013	Electronic Suspension	To Frame	K201384	1 F363
2016-2013	Except Electronic Suspension	To Frame	K201021	1 F363
2012-2010	24.8mm Sway Bar Diameter	To Frame	K201021	1 F363
2012-2008	23.4mm Sway Bar Diameter	To Frame	K201384	1 F363
Sway Bar Link				
2017-2009	(Durable, All Metal Construction For Longer Life)		K750359 ‡	2 F363
2008	146mm Overall Length, (Durable, All Metal Construction For Longer Life) From VIN 8T-011-021, (Durable, All Metal Construction For Longer Life)		K750358 ‡ K750359 ‡	2 2 F363
Wheel Bearing Assembly				
2016-2008	15mm Inner Ring Length 19mm Inner Ring Length		513301 512574	2 2


STEERING



S339

AUDI-S5 (Cont.)


STEERING (Cont.)



S340

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2012		K150283	2	S340	
2011-2008		K150283	2	S339	
Tie Rod End					
2017-2012	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800670 ‡ ES800671 ‡ EV800390 ‡	1 1 2	S340 S340 S340
2011-2008	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800670 ‡ ES800671 ‡ EV800390 ‡	1 1 2	S339 S339 S339



REAR SUSPENSION



R147

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2017-2011	(R-Series) (R-Series)	Left Upper Right Upper	RK642745 RK642746	1 1	R147 R147
2017-2008	(R-Series) (R-Series)	Left Rear Lower Right Rear Lower	RK642595 RK642596	1 1	R147 R147
2010-2008	(R-Series) (R-Series) (R-Series) (R-Series)	Left Upper Right Upper Left Front Lower Right Front Lower	RK642653 RK642654 RK642651 RK642652	1 1 1 1	R147 R147 R147 R147
Shock Mount					
2017-2008		K160284	2	R147	
Strut Bumper Bellows					
2009-2008	PR Code 1BL Located On Build Sticker	K201421	2	R147	
Sway Bar Link					
2017-2008	(Durable, All Metal Construction For Longer Life)	K750361 ‡	2	R147	

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Bearing Assembly				
2016-2008	15mm Inner Ring Length 19mm Inner Ring Length	513301 512574	2 2	




Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2017-2013	Plus Or Minus 1.5 Degree Camber/Caster, (Adjustable, Contains Front And Rear Arms, R-Series)			
	Upper	RK100218	2	F578
2016-2014	(R-Series) Right Rear Lower	RK622833	1	F578
2016-2013	(R-Series) Left Front Upper	RK621125	1	F578
	(R-Series) Left Rear Lower	RK622832	1	F578
	(R-Series) Left Rear Upper	RK621123	1	F578
	(R-Series) Right Front Upper	RK621126	1	F578
	(R-Series) Right Rear Upper	RK621124	1	F578
2013	(R-Series) Right Rear Lower	RK621970	1	F578
2011-2007	(R-Series) Lower Front	RK620452	2	F040
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) Left Front Upper	CK620618 ‡	1	F040
	(R-Series) Left Front Upper	RK620618	1	F040
	(R-Series) Left Rear Lower	RK620450	1	F040
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) Right Front Upper	CK620619 ‡	1	F040
	(R-Series) Right Front Upper	RK620619	1	F040
	(R-Series) Right Rear Lower	RK620451	1	F040
2008	Thru Chassis Serial Number 4F8018000, (Contains Bushings, Greaseable Socket Reduces Corrosion/Wear) Left Rear Upper	CK620621 ‡	1	F040
	Thru Chassis Serial Number 4F8018000, (R-Series) Left Rear Upper	RK620621	1	F040

AUDI-S6 (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2008 (Cont.)	Thru Chassis Serial Number 4F8018000, (Contains Bushing, Greaseable Socket Reduces Corrosion/Wear) Thru Chassis Serial Number 4F8018000, (R-Series)	Right Rear Upper	CK620620 ‡	1 F040
		Right Rear Upper	RK620620	1 F040
2007	(Contains Bushings, Greaseable Socket Reduces Corrosion/Wear) (R-Series) (Contains Bushing, Greaseable Socket Reduces Corrosion/Wear) (R-Series)	Left Rear Upper	CK620621 ‡	1 F040
		Left Rear Upper	RK620621	1 F040
		Right Rear Upper	CK620620 ‡	1 F040
		Right Rear Upper	RK620620	1 F040
Strut Bumper Bellows				
2017-2013	90mm Bumper Length, PR Code 1BA Or 1BH Located On Build Sticker, (Original Equipment Type) 90mm Bumper Length, PR Code 1BA Or 1BH Located On Build Sticker, (Replacement Type, Contains Bumper)		K201416	2 F578
			K90461	2 F578
2011-2009	PR Code 1BB, 1BD, 1BE, 1BR, Or 1BV Located On Build Sticker, (Original Equipment Type) PR Code 1BB, 1BD, 1BE, 1BR, Or 1BV Located On Build Sticker, (Replacement Type, Contains Bumper)		K201411	2 F040
			K90460	2 F040
2008-2007	PR Code 1BA, 1BD, Or 1BE Located On Build Sticker, (Original Equipment Type) PR Code 1BA, 1BD, Or 1BE Located On Build Sticker, (Replacement Type, Contains Bumper)		K201411	2 F040
			K90460	2 F040
Strut Mount				
2017-2013	Except Air Suspension, (Bearing Not Included, Spacer Plate Only)		K160001	2 F578
2011-2007	Except Air Suspension, (Bearing Not Included, Spacer Plate Only)		K160001	2 F040
Sway Bar Bushing				
2017-2013	Heavy Duty Suspension Sport Suspension Standard Suspension	To Frame	K201384	1 F578
		To Frame	K201600	1 F578
		To Frame	K201021	1 F578
2011-2007		To Frame	K201343	1 F040
Sway Bar Link				
2017-2013	(Durable, All Metal Construction For Longer Life)		K750359 ‡	2 F578
2011-2007			K80481	2 F040
Wheel Bearing Assembly				
2017-2013	15mm Inner Ring Length 19mm Inner Ring Length		513301	2
			512574	2

STEERING




STEERING (Cont.)



S340

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2011-2007		K150319	2	S247	
Tie Rod End					
2017	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800670 ‡ ES800671 ‡	1 1	S340 S340
2017-2013		Inner	EV801035	2	S340
2011-2010	(Design Allows Ease Of Installation)	Inner	EV800389 ‡	2	S247
2011-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800269 ‡	2	S247
2009-2007	(Design Allows Ease Of Installation)	Inner	EV800282 ‡	2	S247
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2017-2013	(R-Series) (R-Series)	Left Upper Right Upper	RK642745 RK642746	1 1	
2015	Thru 2/15/15, (R-Series) Thru 2/15/15, (R-Series)	Left Front Lower Right Front Lower	RK642651 RK642652	1 1	
2014-2013	(R-Series) (R-Series)	Left Front Lower Right Front Lower	RK642651 RK642652	1 1	
2011-2007	Front Coil Spring Suspension, (R-Series)	Upper	RK642503	2	
Strut Bumper Bellows					
2017-2013	PR Code 1BK, 1BS, Or 2MB Located On Build Sticker		K201421	2	
2011-2007	PR Code 1BD Located On Build Sticker PR Code 1BK Located On Build Sticker		K201412 K201421	2 2	
Strut Mount					
2011-2007	(Design Allows Ease Of Installation)		K160316 ‡	2	
Strut Mount Insulator					
2011-2007	(Bushing Only)		K90244	2	
Sway Bar Link					
2017-2013	(Durable, All Metal Construction For Longer Life)		K750361 ‡	2	
2011-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750128 ‡	2	
2009-2007	Air Suspension, (Link Only, Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Rear Coil Spring Suspension, (Link Only, Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750129 ‡ K750128 ‡	2 2	
Wheel Bearing Assembly					
2017-2013	15mm Inner Ring Length 19mm Inner Ring Length		513301 512574	2 2	
2011-2007	45mm / 43mm Bearing ID 47mm / 45mm Bearing ID		513227 513353	2 2	


FRONT SUSPENSION



F578

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2017-2013	Plus Or Minus 1.5 Degree Camber/Caster, (Adjustable, Contains Front And Rear Arms, R-Series)	Upper RK100218	2	F578
2016-2014	(R-Series) Left Front Upper	RK621125	1	F578
	(R-Series) Left Rear Lower	RK622832	1	F578
	(R-Series) Left Rear Upper	RK621123	1	F578
	(R-Series) Right Front Upper	RK621126	1	F578
	(R-Series) Right Rear Lower	RK622833	1	F578
	(R-Series) Right Rear Upper	RK621124	1	F578
Strut Mount				
2017-2013	Except Air Suspension, (Bearing Not Included, Spacer Plate Only)	K160001	2	F578
Sway Bar Bushing				
2017-2016	Heavy Duty Suspension To Frame	K201384	1	F578
2017-2013	Sport Suspension To Frame	K201600	1	F578
	Standard Suspension To Frame	K201021	1	
2014-2013	Heavy Duty Suspension To Frame	K201384	1	F578
Sway Bar Link				
2017-2013	(Durable, All Metal Construction For Longer Life)	K750359 ‡	2	F578
Wheel Bearing Assembly				
2017-2013	15mm Inner Ring Length	513301	2	
	19mm Inner Ring Length	512574	2	


STEERING



S340

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2013	(Design Allows Ease Of Installation)	Left Outer ES800670 ‡	1	S340
		Right Outer ES800671 ‡	1	S340
		Inner EV801035	2	S340

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2013	(R-Series)	Left Upper	RK642745	1
	(R-Series)	Right Upper	RK642746	1
2015-2013	(R-Series)	Left Front Lower	RK642651	1
	(R-Series)	Right Front Lower	RK642652	1
Strut Bumper Bellows				
2017-2013	PR Code 1BA Located On Build Sticker PR Code 1BK Located On Build Sticker, PR Code 1BS Located On Build Sticker, PR Code 2MB Located On Build Sticker	K201412 K201421	2 2	
Sway Bar Link				
2017-2013	(Durable, All Metal Construction For Longer Life)	K750361 ‡	2	
Wheel Bearing Assembly				
2017-2013	15mm Inner Ring Length 19mm Inner Ring Length	513301 512574	2 2	


FRONT SUSPENSION				
				
F330				
F445				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2016-2013	(R-Series)	Left Front Lower	RK642812	1
	(R-Series)	Right Front Lower	RK642813	1
Control Arm Bushing				
2009-2008	(Design Allows Ease Of Installation)	Upper	K200098 ‡	4

AUDI-S8 (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2016-2013	(R-Series)	Left Front Upper	RK622845	1 F445
	(R-Series)	Left Rear Upper	RK622847	1 F445
	(R-Series)	Right Front Upper	RK622846	1 F445
	(R-Series)	Right Rear Upper	RK622848	1 F445
2009-2007	(R-Series)	Lower Front	RK620453	2 F330
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Left Front Upper	CK620618 ‡	1 F330
	(R-Series)	Left Front Upper	RK620618	1 F330
	(R-Series)	Left Rear Lower	RK622305	1 F330
	(Contains Bushings, Greaseable Socket Reduces Corrosion/Wear)	Left Rear Upper	CK620621 ‡	1 F330
	(R-Series)	Left Rear Upper	RK620621	1 F330
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Right Front Upper	CK620619 ‡	1 F330
	(R-Series)	Right Front Upper	RK620619	1 F330
	(Contains Bushing, Greaseable Socket Reduces Corrosion/Wear)	Right Rear Upper	CK620620 ‡	1 F330
	(R-Series)	Right Rear Upper	RK620620	1 F330
Sway Bar Bushing				
2017-2013	Pr Code 1bk or 1by Located On Build Sticker, Except Armored Vehicles	To Frame	K201600	1 F445
	Pr Code 2ma Located On Build Sticker, Except Armored Vehicles	To Frame	K201023	1 F445
2016-2013	Armored Vehicles	To Frame	K201343	1 F445
Sway Bar Link				
2017-2014	(Durable, All Metal Construction For Longer Life)		K750359 ‡	2 F445
2014-2013	(Improves Upon OE Design)		K700618 ‡	2 F445
2009-2007			K80481	2 F330
Wheel Bearing Assembly				
2017-2013	15mm Inner Ring Length		513301	2
	19mm Inner Ring Length		512574	2
2009-2007	15mm Inner Ring Length		513301	2
	19mm Inner Ring Length		512574	2


STEERING



STEERING (Cont.)




S339



S340

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2017		K150283	2	S339, S340	
2016-2014	Armored Vehicles	K150283	2	S339, S340	
2013		K150283	2	S339, S340	
2009-2007		K150319	2	S247	
Tie Rod End					
2017-2015	Except Variable Steering	Inner	EV801035	2	S340
	Variable Steering, (Design Allows Ease Of Installation)	Inner	EV800390 ‡	2	S339
2014-2013	(Design Allows Ease Of Installation)	Inner	EV800390 ‡	2	S339
2009-2007	(Design Allows Ease Of Installation)	Outer	ES800680	2	S306
		Inner	EV800393 ‡	2	S247
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2017-2013	(R-Series)	Left Upper	RK642745	1	
	(R-Series)	Right Upper	RK642746	1	
2009-2007	(R-Series)	Upper	RK642498	2	
	(R-Series)	Left Lower	RK642499	1	
	(R-Series)	Right Lower	RK642500	1	
Sway Bar Link					
2017-2013	(Durable, All Metal Construction For Longer Life)		K750361 ‡	2	
2009-2007	(Link Only, Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750316 ‡	2	
	(Control Arm Link)	At Knuckle, Left	K80429	1	
	(Control Arm Link)	At Knuckle, Right	K80430	1	
Wheel Bearing Assembly					
2017-2013	15mm Inner Ring Length		513301	2	
	19mm Inner Ring Length		512574	2	
2009-2007	45mm / 43mm Bearing ID		513227	2	
	47mm / 45mm Bearing ID		513353	2	


FRONT SUSPENSION



F391

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2017-2008	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Lower Right Lower	K500217 ‡ K500218 ‡	1 1	F391 F391
Control Arm Bushing					
2015-2008	(Design Allows Ease Of Installation)	Lower Front	K200094 ‡	2	F391
Strut Bumper Bellows					
2017-2016	55mm Bumper Length, PR Code 1BV Located On Build Sticker PR Code 1BA Located On Build Sticker, 65mm Bumper Length, (Original Equipment Type) PR Code 1BA Located On Build Sticker, 65mm Bumper Length, (Replacement Type, Contains Bumper)		K160034 K150276 K90460	2 2 2	F391 F391 F391
2015-2008	(Replacement Type, Contains Bumper)		K90460	2	F391
Strut Mount					
2015-2008	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160132 ‡	2	F391
Sway Bar Link					
2015-2008	(Greaseable Socket Reduces Corrosion/Wear)		K80478 ‡	2	F391
Wheel Hub & Bearing Assembly					
2015-2008			513253	2	


STEERING



S309

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2015-2008	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800809 ‡ ES800810 ‡ EV800390 ‡	1 1 2	S309 S309 S309

REAR SUSPENSION




R206

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2015-2010	(Lateral Link, R-Series)	Lower Front	RK642013	2 R206
2015-2008	(R-Series)	Lower Rear	RK642309	2 R206
2013-2008	(R-Series)	Upper	RK640613	2 R206
2009-2008	(Lateral Link, R-Series)	Left Front Lower	RK640386	1 R206
	(Lateral Link, R-Series)	Right Front Lower	RK640385	1 R206
Sway Bar Link				
2017-2016	(Greaseable Socket Reduces Corrosion/Wear)		K750809 ‡	2
2015-2011	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80482 ‡	2 R206
Trailing Link				
2015-2008	(R-Series)	Left	RK642140	1 R206
	(R-Series)	Right	RK642139	1 R206
Wheel Hub & Bearing Assembly				
2015-2008	All Wheel Drive		513253	2
2009-2008	Front Wheel Drive		512319	2

TT RS-AUDI

FRONT SUSPENSION



F391


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017	(Design Allows Ease Of Installation)	Left Lower	K500217 ‡	2
	(Design Allows Ease Of Installation)	Right Lower	K500218 ‡	2
2013-2012	(Design Allows Ease Of Installation)	Left Lower	K500217 ‡	1 F391
	(Design Allows Ease Of Installation)	Right Lower	K500218 ‡	1 F391

AUDI-TT RS (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2013-2012	(Design Allows Ease Of Installation)	Lower Front	K200094 ‡	2 F391
Strut Bumper Bellows				
2017	55mm Bumper Length, PR Code 1BV Located On Build Sticker		K160034	2 F391
	PR Code 1BA Located On Build Sticker, 65mm Bumper Length, (Original Equipment Type)		K150276	2 F391
	PR Code 1BA Located On Build Sticker, 65mm Bumper Length, (Replacement Type, Contains Bumper)		K90460	2 F391
2013-2012	(Replacement Type, Contains Bumper)		K90460	2 F391
Strut Mount				
2013-2012	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160132 ‡	2 F391
Sway Bar Link				
2013-2012	(Greaseable Socket Reduces Corrosion/Wear)		K80478 ‡	2 F391
Wheel Hub & Bearing Assembly				
2013-2012			513253	2


STEERING



S309

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2013-2012	(Design Allows Ease Of Installation)	Left Outer	ES800809 ‡	1 S309
	(Design Allows Ease Of Installation)	Right Outer	ES800810 ‡	1 S309
	(Design Allows Ease Of Installation)	Inner	EV800390 ‡	2 S309


REAR SUSPENSION



R206


Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2013-2012	(R-Series)	Upper	RK640613	2 R206

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2013-2012 (Cont.)	(R-Series)	Lower Rear	RK642309	2 R206
	(Lateral Link, R-Series)	Lower Front	RK642013	2 R206
Sway Bar Link				
2017	(Greaseable Socket Reduces Corrosion/Wear)		K750809 ‡	2
2013-2012	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80482 ‡	2 R206
Trailing Link				
2013-2012	(R-Series)	Left	RK642140	1 R206
	(R-Series)	Right	RK642139	1 R206
Wheel Hub & Bearing Assembly				
2013-2012			513253	2

FRONT SUSPENSION				
				
F391				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2009	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Lower	K500217 ‡	1 F391
		Right Lower	K500218 ‡	1 F391
Control Arm Bushing				
2015-2009	(Design Allows Ease Of Installation)	Lower Front	K200094 ‡	2 F391
Strut Bumper Bellows				
2017-2016	55mm Bumper Length, PR Code 1BV Located On Build Sticker PR Code 1BA Located On Build Sticker, 65mm Bumper Length, (Original Equipment Type) PR Code 1BA Located On Build Sticker, 65mm Bumper Length, (Replacement Type, Contains Bumper)		K160034	2 F391
			K150276	2 F391
			K90460	2 F391
2015-2009	(Replacement Type, Contains Bumper)		K90460	2 F391
Strut Mount				
2015-2009	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160132 ‡	2 F391
Sway Bar Link				
2015-2009	(Greaseable Socket Reduces Corrosion/Wear)		K80478 ‡	2 F391
Wheel Hub & Bearing Assembly				
2015-2009			513253	2

AUDI-TTS (Cont.)


STEERING



S309

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2015-2009	(Design Allows Ease Of Installation)	Left Outer	ES800809 ‡	1 S309
	(Design Allows Ease Of Installation)	Right Outer	ES800810 ‡	1 S309
	(Design Allows Ease Of Installation)	Inner	EV800390 ‡	2 S309

REAR SUSPENSION





R206

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2015-2010	(Lateral Link, R-Series)	Lower Front	RK642013	2 R206
2015-2009	(R-Series)	Lower Rear	RK642309	2 R206
2013-2009	(R-Series)	Upper	RK640613	2 R206
2009	(Lateral Link, R-Series)	Left Front Lower	RK640386	1 R206
	(Lateral Link, R-Series)	Right Front Lower	RK640385	1 R206
Sway Bar Link				
2017-2016	(Greaseable Socket Reduces Corrosion/Wear)		K750809 ‡	2
2015-2012	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80482 ‡	2 R206
Trailing Link				
2015-2009	(R-Series)	Left	RK642140	1 R206
	(R-Series)	Right	RK642139	1 R206
Wheel Hub & Bearing Assembly				
2017-2016			513379	2
2015-2009			513253	2

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2007-2005		513221	2	

1 Series-BMW




Year	Model/Application	Part	P/C Qty	Figure
1 Series M				
Sway Bar Link				
2011	(Improves Upon OE Design) (Improves Upon OE Design)	Left Right	K750599 ‡ K750451 ‡	1 1 F405 F405
Wheel Hub & Bearing Assembly				
2011			513274	2
128i				
Control Arm Bushing				
2013-2008	(Design Allows Ease Of Installation)	Lower Front Inner	K200089 ‡	2 F356
Control Arm with Ball Joint				
2013-2008	(R-Series) (R-Series) (R-Series) (R-Series)	Left Front Lower Left Rear Lower Right Front Lower Right Rear Lower	RK620127 RK620129 RK620128 RK620130	1 1 1 1 F356 F356 F356 F356
Strut Bumper Bellows				
2013-2008	Except Sport Suspension Sport Suspension, (Original Equipment Type) Sport Suspension, (Replacement Type, Contains Bumper)		K201416 K150276 K90460	2 2 2 F356 F356 F356

BMW-1 Series (Cont.)

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
128i					
Strut Mount					
2013-2009	(Contains Bearing)	K160433	2	F356	
2008	From 4/08, (Contains Bearing)	K160433	2	F356	
Sway Bar Bushing					
2010	Thru 3/10, (Split Design For Easier Installation)	To Frame	K200823 ‡	1	F356
2009-2008	(Split Design For Easier Installation)	To Frame	K200823 ‡	1	F356
Sway Bar Link					
2013-2008		Left	K750002	1	F356
		Right	K750003	1	F356
Wheel Hub & Bearing Assembly					
2013-2008			513254	2	
135i					
Control Arm Bushing					
2013-2008	(Design Allows Ease Of Installation)	Lower Front Inner	K200089 ‡	2	F356
Control Arm with Ball Joint					
2013-2008	(R-Series)	Left Front Lower	RK620127	1	F356
	(R-Series)	Left Rear Lower	RK620129	1	F356
	(R-Series)	Right Front Lower	RK620128	1	F356
	(R-Series)	Right Rear Lower	RK620130	1	F356
Strut Bumper Bellows					
2013-2008	Except Sport Suspension		K201416	2	F356
	Sport Suspension, (Original Equipment Type)		K150276	2	F356
	Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2	F356
Strut Mount					
2013-2009	(Contains Bearing)		K160433	2	F356
2008	From 4/08, (Contains Bearing)		K160433	2	F356
Sway Bar Bushing					
2010	Thru 3/10, (Split Design For Easier Installation)	To Frame	K200823 ‡	1	F356
2009-2008	(Split Design For Easier Installation)	To Frame	K200823 ‡	1	F356
Sway Bar Link					
2013-2008		Left	K750002	1	F356
		Right	K750003	1	F356
Wheel Hub & Bearing Assembly					
2013-2008			513254	2	
135is					
Strut Bumper Bellows					
2013	Except Sport Suspension		K201416	2	F356
	Sport Suspension, (Original Equipment Type)		K150276	2	F356
	Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2	F356
Strut Mount					
2013	(Contains Bearing)		K160433	2	F356
Wheel Hub & Bearing Assembly					
2013			513254	2	


STEERING



S164

Year	Model/Application	Part	P/C Qty	Figure
1 Series M				
Tie Rod End				
2011	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800662 ‡ ES800663 ‡	1 1 S164 S164
128i				
Rack & Pinion Boot Kit				
2013-2008	Active Steering	K150283	2	S164
Tie Rod End				
2013-2008	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800662 ‡ ES800663 ‡ EV800564 ‡	1 1 2 S164 S164 S164
135i				
Rack & Pinion Boot Kit				
2013-2008		K150283	2	S164
Tie Rod End				
2013-2008	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800662 ‡ ES800663 ‡ EV800564 ‡	1 1 2 S164 S164 S164
135is				
Tie Rod End				
2013	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800662 ‡ ES800663 ‡ EV800564 ‡	1 1 2 S164 S164 S164

REAR SUSPENSION




R078

BMW-1 Series (Cont.)

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
1 Series M					
Control Arm Bushing					
2011	Arm To Knuckle, Lower Outer	K201291	2	R078	
Shock Hardware Kit					
2011	Upper	K160366	2	R078	
Sway Bar Link					
2011	(Improves Upon OE Design)	K750230 ‡	2	R078	
Trailing Link Bushing					
2011	Arm To Knuckle	K201295	2	R078	
128i					
Control Arm					
2013-2008	(Contains Bushing) (Lateral Link, R-Series) (Contains Bushing) (Contains Bushing, R-Series)	Upper Front	CK640190	2	R078
		Upper Rear	RK641780	2	R078
		Upper Center	CK640189	2	R078
		Upper Center	RK640189	2	R078
Control Arm Bushing					
2013-2008	Upper Rear Arm To Knuckle, Lower Outer	K200070	2	R078	
		K201291	2	R078	
Shock Hardware Kit					
2013-2008	Upper	K160366	2	R078	
Strut Bumper Bellows					
2013-2008	Except Sport Suspension Sport Suspension	K201416	2	R078	
		K201554	2	R078	
Sway Bar Bushing					
2013-2008	To Frame	K201032	1	R078	
Sway Bar Link					
2013-2008	(Improves Upon OE Design)	K750230 ‡	2	R078	
Trailing Link Bushing					
2013-2008	Arm To Knuckle	K201295	2	R078	
135i					
Control Arm					
2013-2008	(Contains Bushing) (Lateral Link, R-Series) (Contains Bushing) (Contains Bushing, R-Series)	Upper Front	CK640190	2	R078
		Upper Rear	RK641780	2	R078
		Upper Center	CK640189	2	R078
		Upper Center	RK640189	2	R078
Control Arm Bushing					
2013-2008	Upper Rear Arm To Knuckle, Lower Outer	K200070	2	R078	
		K201291	2	R078	
Shock Hardware Kit					
2013-2008	Upper	K160366	2	R078	
Strut Bumper Bellows					
2013-2008	Except Sport Suspension Sport Suspension	K201416	2	R078	
		K201554	2	R078	
Sway Bar Bushing					
2013-2008	To Frame	K201032	1	R078	
Sway Bar Link					
2013-2008	(Improves Upon OE Design)	K750230 ‡	2	R078	
Trailing Link Bushing					
2013-2008	Arm To Knuckle	K201295	2	R078	
135is					
Shock Hardware Kit					
2013	Upper	K160366	2	R078	
Strut Bumper Bellows					
2013	Except Sport Suspension Sport Suspension	K201416	2	R078	
		K201554	2	R078	


FRONT SUSPENSION



F476

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2016-2015	Rear Wheel Drive, (R-Series, Tension Strut)	Left Front Lower	RK621977	1	F476
	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK621976	1	F476
	Rear Wheel Drive, (R-Series, Tension Strut)	Right Front Lower	RK621978	1	F476
	Rear Wheel Drive, (R-Series)	Right Rear Lower	RK621975	1	F476
	2 Dr. Convertible, All Wheel Drive, (R-Series, Tension Strut)	Right Front Lower	RK621978	1	
	2 Dr. Convertible, All Wheel Drive, (R-Series)	Right Rear Lower	RK621975	1	
2014	(R-Series, Tension Strut)	Left Front Lower	RK621977	1	F476
	(R-Series)	Left Rear Lower	RK621976	1	F476
	(R-Series, Tension Strut)	Right Front Lower	RK621978	1	F476
	(R-Series)	Right Rear Lower	RK621975	1	F476
Sway Bar Link					
2016-2014		Left	K750656	1	F476
		Right	K750657	1	F476
Wheel Hub & Bearing Assembly					
2016-2015	All Wheel Drive		513368	2	
2016-2014	Rear Wheel Drive		513359	2	

STEERING



S348

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod Assembly					
2016-2015	All Wheel Drive, (Design Allows Ease Of Installation)	Left	ES800943A ‡	1	S348
	All Wheel Drive, (Design Allows Ease Of Installation)	Right	ES800944A ‡	1	S348
	Rear Wheel Drive		EV801303 ‡	2	S348
2014			EV801303 ‡	2	S348
Tie Rod End					
2016-2015	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800945 ‡	1	S348


BMW-228i (Cont.)

STEERING (Cont.)					
Year	Model/Application		Part	P/C Qty	Figure
Tie Rod End					
2016-2015 (Cont.)	All Wheel Drive, (Design Allows Ease Of Installation)		Right Outer	ES800946 ‡	1 S348
REAR SUSPENSION					
Year	Model/Application		Part	P/C Qty	Figure
Control Arm Bushing					
2016-2014	Arm To Knuckle, Lower Outer		K201291	2	
Sway Bar Link					
2016-2014	(Design Allows Ease Of Installation)		Left	K750676 ‡	1
	(Design Allows Ease Of Installation)		Right	K750677 ‡	1
Trailing Link					
2016-2014	(R-Series)		RK642849	2	

BMW-230i

FRONT SUSPENSION					
F476					
Year	Model/Application		Part	P/C Qty	Figure
Control Arm with Ball Joint					
2018-2017	Rear Wheel Drive, (R-Series, Tension Strut)	Left Front Lower	RK621977	1	F476
	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK621976	1	F476
	Rear Wheel Drive, (R-Series, Tension Strut)	Right Front Lower	RK621978	1	F476
	Rear Wheel Drive, (R-Series)	Right Rear Lower	RK621975	1	F476
Sway Bar Link					
2018-2017			Left	K750656	1 F476
			Right	K750657	1 F476

STEERING




S348

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod Assembly				
2018-2017	All Wheel Drive, (Design Allows Ease Of Installation)	Left	ES800943A ‡	1 S348
	All Wheel Drive, (Design Allows Ease Of Installation)	Right	ES800944A ‡	1 S348
	Rear Wheel Drive		EV801303 ‡	2 S348
Tie Rod End				
2018-2017	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800945 ‡	1 S348
	All Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800946 ‡	1 S348
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2018-2017		Lower Rear Outer	K201291	2
Sway Bar Link				
2018-2017	(Design Allows Ease Of Installation)	Left	K750676 ‡	1
	(Design Allows Ease Of Installation)	Right	K750677 ‡	1
Trailing Link				
2018-2017	(R-Series)		RK642849	2

320 Series-BMW

FRONT SUSPENSION



F476

Year	Model/Application	Part	P/C Qty	Figure
320i				
Control Arm with Ball Joint				
2018-2015	Rear Wheel Drive, (R-Series, Tension Strut)	Left Front Lower	RK621977	1 F476

BMW-320 Series (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
320i				
Control Arm with Ball Joint				
2018-2015 (Cont.)	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK621976	1 F476
	Rear Wheel Drive, (R-Series, Tension Strut) Rear Wheel Drive, (R-Series)	Right Front Lower	RK621978	1 F476
		Right Rear Lower	RK621975	1 F476
2014-2013	(R-Series, Tension Strut)	Left Front Lower	RK621977	1 F476
	(R-Series)	Left Rear Lower	RK621976	1 F476
	(R-Series, Tension Strut)	Right Front Lower	RK621978	1 F476
	(R-Series)	Right Rear Lower	RK621975	1 F476
Sway Bar Link				
2018-2016		Left	K750656	1 F476
		Right	K750657	1 F476
2015-2012	Rear Wheel Drive, Except M-Sport Suspension		K750656	2 F476
	Rear Wheel Drive, M-Sport Suspension	Left	K750656	1 F476
	Rear Wheel Drive, M-Sport Suspension	Right	K750657	1 F476
Wheel Hub & Bearing Assembly				
2016	All Wheel Drive		513368	2
2016-2012	Rear Wheel Drive		513359	2

320iX

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2015-2012	All Wheel Drive	Left	K750656	1
	All Wheel Drive	Right	K750657	1
Wheel Hub & Bearing Assembly				
2015-2013			513368	2

STEERING



S348

Year	Model/Application	Part	P/C Qty	Figure
320i				
Tie Rod Assembly				
2018-2016	All Wheel Drive, (Design Allows Ease Of Installation)	Left	ES800943A ‡	1 S348
	All Wheel Drive, (Design Allows Ease Of Installation)	Right	ES800944A ‡	1 S348
2018-2013	Rear Wheel Drive		EV801303 ‡	2 S348
2015-2013			EV801303 ‡	2 S348
Tie Rod End				
2018-2016	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800945 ‡	1 S348
	All Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800946 ‡	1 S348
320iX				
Tie Rod Assembly				
2015-2012	All Wheel Drive, (Design Allows Ease Of Installation)	Left	ES800943A ‡	1 S348
	All Wheel Drive, (Design Allows Ease Of Installation)	Right	ES800944A ‡	1 S348
Tie Rod End				
2015-2012	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800945 ‡	1 S348
	All Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800946 ‡	1 S348


REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
320i				
Control Arm Bushing				
2018-2013	Arm To Knuckle, Lower Outer	K201291	2	
Sway Bar Link				
2018-2012	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Right	K750676 ‡ K750677 ‡	1 1
Trailing Link				
2018-2013	(R-Series)	RK642849	2	
320iX				
Control Arm Bushing				
2015-2012	Arm To Knuckle, Lower Outer	K201291	2	
Sway Bar Link				
2015-2012	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Right	K750676 ‡ K750677 ‡	1 1
Trailing Link				
2015-2012	(R-Series)	RK642849	2	

323 Series-BMW

FRONT SUSPENSION				
F356				
Year	Model/Application	Part	P/C Qty	Figure
323i				
Control Arm Bushing				
2010-2006	(Design Allows Ease Of Installation)	Lower Front Inner	K200089 ‡	2 F356
Control Arm with Ball Joint				
2010-2006	(R-Series) (R-Series) (R-Series) (R-Series)	Left Front Lower Left Rear Lower Right Front Lower Right Rear Lower	RK620127 RK620129 RK620128 RK620130	1 1 1 1 F356 F356 F356 F356
Strut Bumper Bellows				
2010-2006	Sport Suspension, (Replacement Type, Contains Bumper)	K90460	2	F356
Strut Mount				
2011-2009	Except Performance Suspension, Except Sport Suspension, (Contains Bearing)	K160433	2	F356
2008	Except Performance Suspension, From 6/08, Except Sport Suspension, (Contains Bearing)	K160433	2	F356
Sway Bar Bushing				
2010-2008	(Split Design For Easier Installation)	To Frame	K200823 ‡	1 F356
Sway Bar Link				
2011-2006		Left Right	K750002 K750003	1 1 F356 F356
Wheel Hub & Bearing Assembly				
2011-2006		513254	2	

BMW-323 Series (Cont.)


STEERING



S164

Year	Model/Application	Part	P/C Qty	Figure	
323i					
Tie Rod End					
2010-2006	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800662 ‡ ES800663 ‡ EV800564 ‡	1 1 2	S164 S164 S164

REAR SUSPENSION



R078


Year	Model/Application	Part	P/C Qty	Figure	
323i					
Control Arm					
2010-2006	(Contains Bushing) (Lateral Link, R-Series) (Contains Bushing) (Contains Bushing, R-Series)	Upper Front Upper Rear Upper Center Upper Center	CK640190 RK641780 CK640189 RK640189	2 2 2 2	R078 R078 R078 R078
Control Arm Bushing					
2010-2008		Arm To Knuckle, Lower Outer	K201291	2	R078
2010-2006		Upper Rear	K200070	2	R078
Shock Hardware Kit					
2011-2007		Upper	K160366	2	R078
Strut Bumper Bellows					
2011-2007	Except Sport Suspension Sport Suspension		K201416 K201554	2 2	R078 R078
Sway Bar Bushing					
2010-2008	13mm Sway Bar Diameter	To Frame	K201126	1	R078

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
323i				
Sway Bar Link				
2010-2006	(Improves Upon OE Design)	K750230 ‡	2	R078
Trailing Link Bushing				
2010-2008	Arm To Knuckle	K201295	2	R078


325 Series-BMW

REAR SUSPENSION				
R078				
Year	Model/Application	Part	P/C Qty	Figure
325Ci				
Shock Hardware Kit				
2008-2007		Upper	K160366	2 R078
Strut Bumper Bellows				
2008-2007	Except Sport Suspension Sport Suspension		K201416 K201554	2 R078 2 R078
325i				
Control Arm				
2007-2006	(Contains Bushing) (Lateral Link, R-Series)	Upper Front	CK640190	2 R078
	(Contains Bushing)	Upper Rear	RK641780	2 R078
	(Contains Bushing, R-Series)	Upper Center	CK640189	2 R078
		Upper Center	RK640189	2 R078
Control Arm Bushing				
2007-2006		Upper Rear	K200070	2 R078
Sway Bar Link				
2007-2006	(Improves Upon OE Design)		K750230 ‡	2 R078


FRONT SUSPENSION



F356




F476




F478


FRONT SUSPENSION (Cont.)



F519



F520



F521

Year	Model/Application	Part	P/C Qty	Figure
328d				
Control Arm with Ball Joint				
2018-2014	Rear Wheel Drive, (R-Series, Tension Strut)	Left Front Lower	RK621977	1 F476
	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK621976	1 F476
	Rear Wheel Drive, (R-Series, Tension Strut)	Right Front Lower	RK621978	1 F476
	Rear Wheel Drive, (R-Series)	Right Rear Lower	RK621975	1 F476
Sway Bar Link				
2018-2014	All Wheel Drive	Left	K750656	1


BMW-328 Series (Cont.)

FRONT SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
328d				
Sway Bar Link				
2018-2014 (Cont.)	All Wheel Drive	Right	K750657	1
	Rear Wheel Drive, Except M-Sport Suspension		K750656	2
	Rear Wheel Drive, M-Sport Suspension	Left	K750656	1
	Rear Wheel Drive, M-Sport Suspension	Right	K750657	1
Wheel Hub & Bearing Assembly				
2016-2015	All Wheel Drive		513368	2
2016-2014	Rear Wheel Drive		513359	2
2014	All Wheel Drive, From 10/13		513368	2
328i				
Ball Joint				
2013-2012	2996cc(3.0L), All Wheel Drive, (Design Allows Ease Of Installation)	Lower Rear	K80678 ‡	2
2011-2009	All Wheel Drive, (Design Allows Ease Of Installation)	Lower Rear	K80678 ‡	2
Control Arm Bushing				
2013-2012	2996cc(3.0L), All Wheel Drive	Lower Front Inner	K201171	2
	2996cc(3.0L), All Wheel Drive	Lower Rear Inner	K201498	2
	2996cc(3.0L), Rear Wheel Drive, (Design Allows Ease Of Installation)	Lower Front Inner	K200089 ‡	2
2011-2009	All Wheel Drive	Lower Front Inner	K201171	2
	All Wheel Drive	Lower Rear Inner	K201498	2
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Lower Front Inner	K200089 ‡	2
2008-2007	(Design Allows Ease Of Installation)	Lower Front Inner	K200089 ‡	2
Control Arm with Ball Joint				
2016-2014	Rear Wheel Drive, (R-Series, Tension Strut)	Left Front Lower	RK621977	1
	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK621976	1
	Rear Wheel Drive, (R-Series, Tension Strut)	Right Front Lower	RK621978	1
	Rear Wheel Drive, (R-Series)	Right Rear Lower	RK621975	1
2013	1997cc(2.0L), Rear Wheel Drive, (R-Series, Tension Strut)	Left Front Lower	RK621977	1
	1997cc(2.0L), Rear Wheel Drive, (R-Series, Tension Strut)	Right Front Lower	RK621978	1
2013-2012	1997cc(2.0L), Rear Wheel Drive, (R-Series)	Left Rear Lower	RK621976	1
	1997cc(2.0L), Rear Wheel Drive, (R-Series)	Right Rear Lower	RK621975	1
	2996cc(3.0L), All Wheel Drive, (R-Series)	Lower Front	RK621945	2
	2996cc(3.0L), Rear Wheel Drive, (R-Series)	Left Front Lower	RK620127	1
	2996cc(3.0L), Rear Wheel Drive, (R-Series)	Left Rear Lower	RK620129	1
	2996cc(3.0L), Rear Wheel Drive, (R-Series)	Right Front Lower	RK620128	1
	2996cc(3.0L), Rear Wheel Drive, (R-Series)	Right Rear Lower	RK620130	1
2011-2009	Rear Wheel Drive, (R-Series)	Left Front Lower	RK620127	1
	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK620129	1
	Rear Wheel Drive, (R-Series)	Right Front Lower	RK620128	1
	Rear Wheel Drive, (R-Series)	Right Rear Lower	RK620130	1
	2996cc(3.0L), All Wheel Drive, (R-Series)	Lower Front	RK621945	2
2008-2007	(R-Series)	Left Front Lower	RK620127	1
	(R-Series)	Left Rear Lower	RK620129	1
	(R-Series)	Right Front Lower	RK620128	1
	(R-Series)	Right Rear Lower	RK620130	1
Strut Bumper Bellows				
2013-2012	2996cc(3.0L), All Wheel Drive, (Original Equipment Type)		K150276	2
	2996cc(3.0L), All Wheel Drive, (Replacement Type, Contains Bumper)		K90460	2
	2996cc(3.0L), Rear Wheel Drive, Except Sport Suspension, (Original Equipment Type)		K201416	2
	2996cc(3.0L), Rear Wheel Drive, Sport Suspension, (Original Equipment Type)		K150276	2
	2996cc(3.0L), Rear Wheel Drive, Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2
2011-2009	All Wheel Drive, (Original Equipment Type)		K150276	2
	All Wheel Drive, (Replacement Type, Contains Bumper)		K90460	2
	Rear Wheel Drive, Except Sport Suspension, (Original Equipment Type)		K201416	2
	Rear Wheel Drive, Sport Suspension, (Original Equipment Type)		K150276	2
	Rear Wheel Drive, Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2
2008-2007	Except Sport Suspension, (Original Equipment Type)		K201416	2
	Sport Suspension, (Original Equipment Type)		K150276	2
	Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2
Strut Mount				
2012	4 Dr. Station Wagon, Rear Wheel Drive, Except Performance Suspension, Except Sport Suspension, (Contains Bearing)		K160433	2
2011-2009	4 Dr. Sedan, 4 Dr. Station Wagon, Rear Wheel Drive, Except Performance Suspension, Except Sport Suspension, (Contains Bearing)		K160433	2
2008	4 Dr. Sedan, 4 Dr. Station Wagon, Except Performance Suspension, From 6/08, Except Sport Suspension, (Contains Bearing)		K160433	2

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
328i				
Sway Bar Bushing				
2010	Thru 3/10, (Split Design For Easier Installation)	To Frame	K200823 ‡	1 F356
2009-2007	(Split Design For Easier Installation)	To Frame	K200823 ‡	1 F356
Sway Bar Link				
2016-2014	All Wheel Drive	Left	K750656	1
	All Wheel Drive	Right	K750657	1
	Rear Wheel Drive, Except M-Sport Suspension		K750656	2 F521
	Rear Wheel Drive, M-Sport Suspension	Left	K750656	1 F521
	Rear Wheel Drive, M-Sport Suspension	Right	K750657	1 F521
2013	1997cc(2.0L), All Wheel Drive	Left	K750656	1
	1997cc(2.0L), All Wheel Drive	Right	K750657	1
2013-2012	1997cc(2.0L), Rear Wheel Drive, Except M-Sport Suspension		K750656	2 F521
	1997cc(2.0L), Rear Wheel Drive, M-Sport Suspension	Left	K750656	1 F521
	1997cc(2.0L), Rear Wheel Drive, M-Sport Suspension	Right	K750657	1 F521
	2996cc(3.0L), All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750220 ‡	1 F520
	2996cc(3.0L), All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750219 ‡	1 F520
	2996cc(3.0L), Rear Wheel Drive	Left	K750002	1 F519
	2996cc(3.0L), Rear Wheel Drive	Right	K750003	1 F519
2011-2009	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750220 ‡	1 F478
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750219 ‡	1 F478
	Rear Wheel Drive	Left	K750002	1 F356
	Rear Wheel Drive	Right	K750003	1 F356
2008-2007		Left	K750002	1 F356
		Right	K750003	1 F356
Wheel Hub & Bearing Assembly				
2016-2015	All Wheel Drive		513368	2
2016-2014	Rear Wheel Drive		513359	2
2014	All Wheel Drive, From 10/13		513368	2
2013	1997cc(2.0L), All Wheel Drive		513368	2
	1997cc(2.0L), Rear Wheel Drive		513359	2
	2996cc(3.0L)		513254	2
2012-2007			513254	2
328Xi				
Ball Joint				
2008-2007	All Wheel Drive, (Design Allows Ease Of Installation)	Lower Rear	K80678 ‡	2 F478
Control Arm Bushing				
2008-2007		Lower Front Inner	K201171	2 F478
		Lower Rear Inner	K201498	2 F478
Control Arm with Ball Joint				
2008-2007	(R-Series)	Lower Front	RK621945	2 F478
Strut Bumper Bellows				
2008-2007	(Original Equipment Type)		K150276	2 F478
	(Replacement Type, Contains Bumper)		K90460	2 F478
Sway Bar Link				
2008-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750220 ‡	1 F478
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750219 ‡	1 F478


STEERING



S164




S348



S389

STEERING (Cont.)




S390

Year	Model/Application	Part	P/C Qty	Figure
328d				
Tie Rod Assembly				
2018-2014	All Wheel Drive, (Design Allows Ease Of Installation)	Left	ES800943A ‡	1 S348
	All Wheel Drive, (Design Allows Ease Of Installation)	Right	ES800944A ‡	1 S348
	Rear Wheel Drive		EV801303 ‡	2 S348
Tie Rod End				
2018-2014	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800945 ‡	1 S348
	All Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800946 ‡	1 S348
328i				
Rack & Pinion Boot Kit				
2013-2012	2996cc(3.0L), All Wheel Drive		K150283	2 S390
	2996cc(3.0L), Rear Wheel Drive		K150283	2 S390
2011-2007			K150283	2 S164
Tie Rod Assembly				
2016-2014	All Wheel Drive, (Design Allows Ease Of Installation)	Left	ES800943A ‡	1 S389
	All Wheel Drive, (Design Allows Ease Of Installation)	Right	ES800944A ‡	1 S389
	Rear Wheel Drive		EV801303 ‡	2 S389
2013	1997cc(2.0L), All Wheel Drive, (Design Allows Ease Of Installation)	Left	ES800943A ‡	1 S389
	1997cc(2.0L), All Wheel Drive, (Design Allows Ease Of Installation)	Right	ES800944A ‡	1 S389
2013-2012	1997cc(2.0L), Rear Wheel Drive		EV801303 ‡	2 S389
Tie Rod End				
2016-2014	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800945 ‡	1 S389
	All Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800946 ‡	1 S389
2013	1997cc(2.0L), All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800945 ‡	1 S389
	1997cc(2.0L), All Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800946 ‡	1 S389
2013-2012	2996cc(3.0L), (Design Allows Ease Of Installation)	Inner	EV800564 ‡	2 S390
	2996cc(3.0L), All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800799 ‡	1 S390
	2996cc(3.0L), All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800800 ‡	1 S390
	2996cc(3.0L), Rear Wheel Drive, (Design Allows Ease Of Installation)	Left Outer	ES800662 ‡	1 S390
	2996cc(3.0L), Rear Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800663 ‡	1 S390
2011-2009	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800799 ‡	1 S164
	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800800 ‡	1 S164
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Left Outer	ES800662 ‡	1 S164
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800663 ‡	1 S164
2011-2007	(Design Allows Ease Of Installation)	Inner	EV800564 ‡	2 S164
2008-2007	(Design Allows Ease Of Installation)	Left Outer	ES800662 ‡	1 S164
	(Design Allows Ease Of Installation)	Right Outer	ES800663 ‡	1 S164
328Xi				
Rack & Pinion Boot Kit				
2008-2007			K150283	2 S164
Tie Rod End				
2008-2007	(Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800799 ‡	1 S164
	(Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800800 ‡	1 S164
	(Design Allows Ease Of Installation)	Inner	EV800564 ‡	2 S164

BMW-328 Series (Cont.)

REAR SUSPENSION




R078

Year	Model/Application	Part	P/C Qty	Figure
328d				
Control Arm Bushing				
2018-2014	Arm To Knuckle, Lower Outer	K201291	2	
Sway Bar Link				
2018-2014	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left K750676 ‡ Right K750677 ‡	1 1	
Trailing Link				
2018-2014	(R-Series)	RK642849	2	
328i				
Control Arm				
2013-2012	2996cc(3.0L), (Contains Bushing) 2996cc(3.0L), (Lateral Link, R-Series) 2996cc(3.0L), (Contains Bushing) 2996cc(3.0L), (Contains Bushing, R-Series)	Upper Front CK640190 Upper Rear RK641780 Upper Center CK640189 Upper Center RK640189	2 2 2 2	R078 R078 R078 R078
2011-2007	(Contains Bushing) (Lateral Link, R-Series) (Contains Bushing) (Contains Bushing, R-Series)	Upper Front CK640190 Upper Rear RK641780 Upper Center CK640189 Upper Center RK640189	2 2 2 2	R078 R078 R078 R078
Control Arm Bushing				
2016-2008	Arm To Knuckle, Lower Outer	K201291	2	R078
2013-2012	2996cc(3.0L)	Upper Rear K200070	2	R078
2011-2007		Upper Rear K200070	2	R078
Shock Hardware Kit				
2013-2012	2996cc(3.0L)	Upper K160366	2	R078
2011-2007		Upper K160366	2	R078
Strut Bumper Bellows				
2013-2012	2996cc(3.0L), Except Sport Suspension 2996cc(3.0L), Sport Suspension	K201416 K201554	2 2	R078 R078
2011-2007	Except Sport Suspension Sport Suspension	K201416 K201554	2 2	R078 R078
Sway Bar Bushing				
2013-2012	2996cc(3.0L), 13mm Sway Bar Diameter 2996cc(3.0L), 2 Dr. Convertible, 12mm Sway Bar Diameter, Except M-Sport Suspension	To Frame K201126 To Frame K201032	1 1	R078 R078
2013-2011	15mm Sway Bar Diameter	To Frame K201034	1	R078
2011	12mm Sway Bar Diameter, Except M-Sport Suspension	To Frame K201032	1	R078
2011-2007	13mm Sway Bar Diameter	To Frame K201126	1	R078
Sway Bar Link				
2016-2014	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left K750676 ‡ Right K750677 ‡	1 1	
2013-2012	1997cc(2.0L), (Design Allows Ease Of Installation) 1997cc(2.0L), (Design Allows Ease Of Installation) 2996cc(3.0L), (Improves Upon OE Design)	Left K750676 ‡ Right K750677 ‡ K750230 ‡	1 1 2	R078
2011-2007	(Improves Upon OE Design)	K750230 ‡	2	R078

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
328i					
Trailing Link					
2016-2014	(R-Series)	RK642849	2		
2013-2012	1997cc(2.0L), (R-Series)	RK642849	2		
Trailing Link Bushing					
2013-2012	2996cc(3.0L)	Arm To Knuckle	K201295	2	R078
2011-2010		Arm To Knuckle	K201295	2	R078
328Xi					
Control Arm					
2008-2007	(Contains Bushing) (Lateral Link, R-Series)	Upper Front	CK640190	2	R078
	(Contains Bushing) (Contains Bushing, R-Series)	Upper Rear	RK641780	2	R078
		Upper Center	CK640189	2	R078
		Upper Center	RK640189	2	R078
Control Arm Bushing					
2008-2007		Upper Rear	K200070	2	R078
		Arm To Knuckle, Lower Outer	K201291	2	R078
Shock Hardware Kit					
2008-2007		Upper	K160366	2	R078
Strut Bumper Bellows					
2008-2007	Except Sport Suspension		K201416	2	R078
	Sport Suspension		K201554	2	R078
Sway Bar Link					
2008-2007	(Improves Upon OE Design)		K750230 ‡	2	R078
Trailing Link Bushing					
2008		Arm To Knuckle	K201295	2	R078

330 Series-BMW


FRONT SUSPENSION					
					
F476					
Year	Model/Application	Part	P/C Qty	Figure	
330e					
Control Arm with Ball Joint					
2018-2016	(R-Series, Tension Strut)	Left Front Lower	RK621977	1	F476
	(R-Series)	Left Rear Lower	RK621976	1	F476
	(R-Series, Tension Strut)	Right Front Lower	RK621978	1	F476
	(R-Series)	Right Rear Lower	RK621975	1	F476
Sway Bar Link					
2018-2016			K750656	2	F476
330i					
Control Arm with Ball Joint					
2018-2017	Rear Wheel Drive, (R-Series, Tension Strut)	Left Front Lower	RK621977	1	
	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK621976	1	
	Rear Wheel Drive, (R-Series, Tension Strut)	Right Front Lower	RK621978	1	

BMW-330 Series (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
330i				
Control Arm with Ball Joint				
2018-2017 (Cont.)	Rear Wheel Drive, (R-Series)	Right Rear Lower	RK621975	1
Sway Bar Link				
2018-2017	All Wheel Drive	Left	K750656	1
	All Wheel Drive	Right	K750657	1
	Rear Wheel Drive, Except M-Sport Suspension		K750656	2
	Rear Wheel Drive, M-Sport Suspension	Left	K750656	1
	Rear Wheel Drive, M-Sport Suspension	Right	K750657	1


STEERING



S348

Year	Model/Application	Part	P/C Qty	Figure
330e				
Tie Rod Assembly				
2018-2016		EV801303 ‡	2	
330i				
Tie Rod Assembly				
2018-2017	All Wheel Drive, (Design Allows Ease Of Installation)	Left	ES800943A ‡	1 S348
	All Wheel Drive, (Design Allows Ease Of Installation)	Right	ES800944A ‡	1 S348
	Rear Wheel Drive		EV801303 ‡	2 S348
Tie Rod End				
2018-2017	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800945 ‡	1 S348
	All Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800946 ‡	1 S348


REAR SUSPENSION




R078

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
330Ci				
Shock Hardware Kit				
2007		Upper	K160366	2 R078
Strut Bumper Bellows				
2007	Except Sport Suspension		K201416	2 R078
	Sport Suspension		K201554	2 R078
330e				
Control Arm Bushing				
2018-2016		Arm To Knuckle, Lower Outer	K201291	2
Sway Bar Link				
2018-2016	(Design Allows Ease Of Installation)	Left	K750676 ‡	1
2016	(Design Allows Ease Of Installation)	Right	K750677 ‡	1
Trailing Link				
2018-2016	(R-Series)		RK642849	2
330i				
Control Arm Bushing				
2018-2017		Arm To Knuckle, Lower Outer	K201291	2
Sway Bar Link				
2018-2017	(Design Allows Ease Of Installation)	Left	K750676 ‡	1
Trailing Link				
2018-2017	(R-Series)		RK642849	2


335 Series–BMW




FRONT SUSPENSION (Cont.)



F478




F522



F523

FRONT SUSPENSION (Cont.)



F524

Year	Model/Application	Part	P/C Qty	Figure
335d				
Control Arm Bushing				
2011-2009	(Design Allows Ease Of Installation)	Lower Front Inner	K200089 ‡	2 F356
Control Arm with Ball Joint				
2011-2009	(R-Series)	Left Front Lower	RK620127	1 F356
	(R-Series)	Left Rear Lower	RK620129	1 F356
	(R-Series)	Right Front Lower	RK620128	1 F356
	(R-Series)	Right Rear Lower	RK620130	1 F356
Strut Bumper Bellows				
2011-2009	Except Sport Suspension, (Original Equipment Type)		K201416	2 F356
	Sport Suspension, (Original Equipment Type)		K150276	2 F356
	Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2 F356
Strut Mount				
2011-2009	Except Performance Suspension, Except Sport Suspension, (Contains Bearing)		K160433	2 F356
Sway Bar Bushing				
2010	Thru 3/10, (Split Design For Easier Installation)	To Frame	K200823 ‡	1 F356
2009	(Split Design For Easier Installation)	To Frame	K200823 ‡	1 F356
Sway Bar Link				
2011-2009		Left	K750002	1 F356
		Right	K750003	1 F356
Wheel Hub & Bearing Assembly				
2011-2009			513254	2
335i				
Ball Joint				
2013-2012	2 Dr. Coupe, All Wheel Drive, (Design Allows Ease Of Installation)	Lower Rear	K80678 ‡	2 F523
2011-2009	All Wheel Drive, (Design Allows Ease Of Installation)	Lower Rear	K80678 ‡	2 F478
Control Arm Bushing				
2013-2012	2 Dr. Convertible, (Design Allows Ease Of Installation)	Lower Front Inner	K200089 ‡	2 F522
	2 Dr. Coupe, All Wheel Drive	Lower Front Inner	K201171	2 F523
	2 Dr. Coupe, All Wheel Drive	Lower Rear Inner	K201498	2 F523
	2 Dr. Coupe, Rear Wheel Drive, (Design Allows Ease Of Installation)	Lower Front Inner	K200089 ‡	2 F522
2011-2009	All Wheel Drive	Lower Front Inner	K201171	2 F478
	All Wheel Drive	Lower Rear Inner	K201498	2 F478
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Lower Front Inner	K200089 ‡	2 F356
2008-2007	(Design Allows Ease Of Installation)	Lower Front Inner	K200089 ‡	2 F356
Control Arm with Ball Joint				
2013-2012	2 Dr. Convertible, (R-Series)	Left Front Lower	RK620127	1 F522
	2 Dr. Convertible, (R-Series)	Left Rear Lower	RK620129	1 F522
	2 Dr. Convertible, (R-Series)	Right Front Lower	RK620128	1 F522
	2 Dr. Convertible, (R-Series)	Right Rear Lower	RK620130	1 F522
	2 Dr. Coupe, All Wheel Drive, (R-Series)	Lower Front	RK621945	2 F523
	2 Dr. Coupe, Rear Wheel Drive, (R-Series)	Left Front Lower	RK620127	1 F522
	2 Dr. Coupe, Rear Wheel Drive, (R-Series)	Left Rear Lower	RK620129	1 F522
	2 Dr. Coupe, Rear Wheel Drive, (R-Series)	Right Front Lower	RK620128	1 F522
	2 Dr. Coupe, Rear Wheel Drive, (R-Series)	Right Rear Lower	RK620130	1 F522



BMW-335 Series (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
335i				
Control Arm with Ball Joint				
2011-2009	All Wheel Drive, (R-Series)	Lower Front	RK621945	2 F478
	Rear Wheel Drive, (R-Series)	Left Front Lower	RK620127	1 F356
	Rear Wheel Drive, (R-Series)	Right Front Lower	RK620128	1 F356
2010-2009	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK620129	1 F356
	Rear Wheel Drive, (R-Series)	Right Rear Lower	RK620130	1 F356
2008-2007	(R-Series)	Left Front Lower	RK620127	1 F356
	(R-Series)	Left Rear Lower	RK620129	1 F356
	(R-Series)	Right Front Lower	RK620128	1 F356
	(R-Series)	Right Rear Lower	RK620130	1 F356
Strut Bumper Bellows				
2013-2012	2 Dr. Convertible, Except Sport Suspension, (Original Equipment Type)		K201416	2 F522
	2 Dr. Convertible, Sport Suspension, (Original Equipment Type)		K150276	2 F522
	2 Dr. Convertible, Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2 F522
	2 Dr. Coupe, All Wheel Drive, (Original Equipment Type)		K150276	2 F523
	2 Dr. Coupe, All Wheel Drive, (Replacement Type, Contains Bumper)		K90460	2 F523
	2 Dr. Coupe, Rear Wheel Drive, Except Sport Suspension, (Original Equipment Type)		K201416	2 F522
	2 Dr. Coupe, Rear Wheel Drive, Sport Suspension, (Original Equipment Type)		K150276	2 F522
	2 Dr. Coupe, Rear Wheel Drive, Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2 F522
2011-2009	All Wheel Drive, (Original Equipment Type)		K150276	2 F478
	All Wheel Drive, (Replacement Type, Contains Bumper)		K90460	2 F478
	Rear Wheel Drive, Except Sport Suspension, (Original Equipment Type)		K201416	2 F356
	Rear Wheel Drive, Sport Suspension, (Original Equipment Type)		K150276	2 F356
	Rear Wheel Drive, Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2 F356
2008-2007	Except Sport Suspension, (Original Equipment Type)		K201416	2 F356
	Sport Suspension, (Original Equipment Type)		K150276	2 F356
	Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2 F356
Strut Mount				
2011-2009	4 Dr. Sedan, Rear Wheel Drive, Except Performance Suspension, Except Sport Suspension, (Contains Bearing)		K160433	2 F356
2008	4 Dr. Sedan, Except Performance Suspension, From 6/08, Except Sport Suspension, (Contains Bearing)		K160433	2 F356
Sway Bar Bushing				
2010	Thru 3/10, (Split Design For Easier Installation)	To Frame	K200823 ‡	1 F356, F478
2009	(Split Design For Easier Installation)	To Frame	K200823 ‡	1 F356, F478
2008-2007	(Split Design For Easier Installation)	To Frame	K200823 ‡	1 F356
Sway Bar Link				
2016-2014	All Wheel Drive	Left	K750656	1
	All Wheel Drive	Right	K750657	1
2015-2014	Rear Wheel Drive, Except M-Sport Suspension		K750656	2 F524
	Rear Wheel Drive, M-Sport Suspension	Left	K750656	1 F524
	Rear Wheel Drive, M-Sport Suspension	Right	K750657	1 F524
2013-2012	2 Dr. Coupe, All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750220 ‡	1 F523
	2 Dr. Coupe, All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750219 ‡	1 F523
	2 Dr. Coupe, Rear Wheel Drive	Left	K750002	1 F522
	2 Dr. Coupe, Rear Wheel Drive	Right	K750003	1 F522
	4 Dr. Sedan, Rear Wheel Drive, Except M-Sport Suspension		K750656	2 F524
	4 Dr. Sedan, Rear Wheel Drive, M-Sport Suspension	Left	K750656	1 F524
	4 Dr. Sedan, Rear Wheel Drive, M-Sport Suspension	Right	K750657	1 F524
2011-2009	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750220 ‡	1 F478
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750219 ‡	1 F478
	Rear Wheel Drive	Left	K750002	1 F356
	Rear Wheel Drive	Right	K750003	1 F356
2008-2007		Left	K750002	1 F356
		Right	K750003	1 F356
Wheel Hub & Bearing Assembly				
2016-2014	All Wheel Drive		513368	2
2015-2014	Rear Wheel Drive		513359	2
2013	Rear Wheel Drive		513254	2
	4 Dr. Sedan, All Wheel Drive		513368	2
2012-2007			513254	2
335is				
Control Arm Bushing				
2013-2011	(Design Allows Ease Of Installation)	Lower Front Inner	K200089 ‡	2 F356
Control Arm with Ball Joint				
2013-2011	(R-Series)	Left Front Lower	RK620127	1 F356

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
335is					
Control Arm with Ball Joint					
2013-2011 (Cont.)	(R-Series)	Left Rear Lower	RK620129	1	F356
	(R-Series)	Right Front Lower	RK620128	1	F356
	(R-Series)	Right Rear Lower	RK620130	1	F356
Strut Bumper Bellows					
2013-2011	Except Sport Suspension, (Original Equipment Type)		K201416	2	F356
	Sport Suspension, (Original Equipment Type)		K150276	2	F356
	Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2	F356
Sway Bar Link					
2013-2011		Left	K750002	1	F356
		Right	K750003	1	F356
Wheel Hub & Bearing Assembly					
2013-2011			513254	2	
335xi					
Ball Joint					
2013-2007	All Wheel Drive, (Design Allows Ease Of Installation)	Lower Rear	K80678 ‡	2	F478
Control Arm Bushing					
2013-2007		Lower Front Inner	K201171	2	F478
		Lower Rear Inner	K201498	2	F478
Control Arm with Ball Joint					
2008-2007	(R-Series)	Lower Front	RK621945	2	F478
Strut Bumper Bellows					
2008-2007	(Original Equipment Type)		K150276	2	F478
	(Replacement Type, Contains Bumper)		K90460	2	F478
Sway Bar Link					
2008-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750220 ‡	1	F478
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750219 ‡	1	F478
STEERING					
S164					

STEERING (Cont.)



Year	Model/Application	Part	P/C Qty	Figure	
335d					
Rack & Pinion Boot Kit					
2011-2009		K150283	2	S164	
Tie Rod End					
2011-2009	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800662 ‡ ES800663 ‡ EV800564 ‡	1 1 2	S164 S164 S164
335i					
Rack & Pinion Boot Kit					
2013-2012	2 Dr. Convertible, 2 Dr. Coupe	K150283	2	S391	
2011-2007		K150283	2	S164	
Tie Rod Assembly					
2016-2014	All Wheel Drive, (Design Allows Ease Of Installation) All Wheel Drive, (Design Allows Ease Of Installation)	Left Right	ES800943A ‡ ES800944A ‡	1 1	S392 S392
2015-2012	Rear Wheel Drive		EV801303 ‡	2	S391
Tie Rod End					
2016-2014	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear) All Wheel Drive, (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800945 ‡ ES800946 ‡	1 1	S392 S392
2013	2 Dr. Coupe, All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear) 2 Dr. Coupe, All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear) 4 Dr. Sedan, All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear) 4 Dr. Sedan, All Wheel Drive, (Design Allows Ease Of Installation)	Left Outer Right Outer Left Outer Right Outer	ES800799 ‡ ES800800 ‡ ES800945 ‡ ES800946 ‡	1 1 1 1	S391 S391 S392 S392
2013-2012	2 Dr. Convertible, (Design Allows Ease Of Installation) 2 Dr. Convertible, (Design Allows Ease Of Installation) 2 Dr. Convertible, 2 Dr. Coupe, (Design Allows Ease Of Installation) 2 Dr. Coupe, Rear Wheel Drive, (Design Allows Ease Of Installation) 2 Dr. Coupe, Rear Wheel Drive, (Design Allows Ease Of Installation)	Left Outer Right Outer Inner Left Outer Right Outer	ES800662 ‡ ES800663 ‡ EV800564 ‡ ES800662 ‡ ES800663 ‡	1 1 2 1 1	S391 S391 S391 S391 S391

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
335i				
Tie Rod End				
2012-2011	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800799 ‡	1 S391
	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800800 ‡	1 S391
2011-2009	Rear Wheel Drive, (Design Allows Ease Of Installation)	Left Outer	ES800662 ‡	1 S164
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800663 ‡	1 S164
2011-2007	(Design Allows Ease Of Installation)	Inner	EV800564 ‡	2 S164
2010-2009	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800799 ‡	1 S164
	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800800 ‡	1 S164
2008-2007	(Design Allows Ease Of Installation)	Left Outer	ES800662 ‡	1 S164
	(Design Allows Ease Of Installation)	Right Outer	ES800663 ‡	1 S164
335is				
Rack & Pinion Boot Kit				
2013-2011		K150283	2	S164
Tie Rod End				
2013-2011	Base Model, (Design Allows Ease Of Installation)	Left Outer	ES800662 ‡	1 S164
	Base Model, (Design Allows Ease Of Installation)	Right Outer	ES800663 ‡	1 S164
	Base Model, (Design Allows Ease Of Installation)	Inner	EV800564 ‡	2 S164
335xi				
Tie Rod End				
2008-2007	(Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800799 ‡	1 S164
	(Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800800 ‡	1 S164
REAR SUSPENSION				
R078				
Year	Model/Application	Part	P/C Qty	Figure
335d				
Control Arm				
2011-2009	(Contains Bushing)	Upper Front	CK640190	2 R078
	(Lateral Link, R-Series)	Upper Rear	RK641780	2 R078
	(Contains Bushing)	Upper Center	CK640189	2 R078
	(Contains Bushing, R-Series)	Upper Center	RK640189	2 R078
Control Arm Bushing				
2011-2009		Upper Rear	K200070	2 R078
		Arm To Knuckle, Lower Outer	K201291	2 R078
Shock Hardware Kit				
2011-2009		Upper	K160366	2 R078
Strut Bumper Bellows				
2011-2009	Except Sport Suspension		K201416	2 R078
	Sport Suspension		K201554	2 R078
Sway Bar Bushing				
2011	12mm Sway Bar Diameter	To Frame	K201032	1 R078
	15mm Sway Bar Diameter	To Frame	K201034	1 R078
2011-2009	13mm Sway Bar Diameter	To Frame	K201126	1 R078

BMW-335 Series (Cont.)
REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
335d					
Sway Bar Link					
2011-2009	(Improves Upon OE Design)	K750230 ‡	2	R078	
Trailing Link Bushing					
2011-2009	Arm To Knuckle	K201295	2	R078	
335i					
Control Arm					
2013-2012	2 Dr. Convertible, 2 Dr. Coupe, (Contains Bushing)	Upper Front	CK640190	2	R078
	2 Dr. Convertible, 2 Dr. Coupe, (R-Series)	Upper Rear	RK641780	2	R078
	2 Dr. Convertible, 2 Dr. Coupe, (Contains Bushing)	Upper Center	CK640189	2	R078
	2 Dr. Convertible, 2 Dr. Coupe, (Contains Bushing, R-Series)	Upper Center	RK640189	2	R078
2011-2007	(Contains Bushing)	Upper Front	CK640190	2	R078
	(Lateral Link, R-Series)	Upper Rear	RK641780	2	R078
	(Contains Bushing)	Upper Center	CK640189	2	R078
	(Contains Bushing, R-Series)	Upper Center	RK640189	2	R078
Control Arm Bushing					
2016-2014	Arm To Knuckle, Lower Outer	K201291	2		
2013-2012	2 Dr. Convertible, 2 Dr. Coupe	Arm To Knuckle, Lower Outer	K201291	2	R078
	4 Dr. Sedan	Arm To Knuckle, Lower Outer	K201291	2	
2012-2007	Upper Rear	K200070	2	R078	
2011-2007	Arm To Knuckle, Lower Outer	K201291	2	R078	
Shock Hardware Kit					
2013-2012	2 Dr. Convertible, 2 Dr. Coupe	Upper	K160366	2	R078
2011-2007		Upper	K160366	2	R078
Strut Bumper Bellows					
2013-2012	2 Dr. Convertible, 2 Dr. Coupe, Except Sport Suspension		K201416	2	R078
	2 Dr. Convertible, 2 Dr. Coupe, Sport Suspension		K201554	2	R078
2011-2007	Except Sport Suspension		K201416	2	R078
	Sport Suspension		K201554	2	R078
Sway Bar Bushing					
2013-2012	2 Dr. Convertible, 12mm Sway Bar Diameter	To Frame	K201032	1	R078
	2 Dr. Coupe, 13mm Sway Bar Diameter	To Frame	K201126	1	R078
2013-2009	15mm Sway Bar Diameter	To Frame	K201034	1	R078
2011	12mm Sway Bar Diameter	To Frame	K201032	1	R078
2011-2007	13mm Sway Bar Diameter	To Frame	K201126	1	R078
Sway Bar Link					
2016-2014	(Design Allows Ease Of Installation)	Left	K750676 ‡	1	
	(Design Allows Ease Of Installation)	Right	K750677 ‡	1	
2013-2012	2 Dr. Convertible, 2 Dr. Coupe, (Improves Upon OE Design)		K750230 ‡	2	R078
	4 Dr. Sedan, (Design Allows Ease Of Installation)	Left	K750676 ‡	1	
	4 Dr. Sedan, (Design Allows Ease Of Installation)	Right	K750677 ‡	1	
2011-2007	(Improves Upon OE Design)		K750230 ‡	2	R078
Trailing Link					
2016-2014	(R-Series)		RK642849	2	
2013-2012	4 Dr. Sedan, Rear Wheel Drive, (R-Series)		RK642849	2	
Trailing Link Bushing					
2013-2012	2 Dr. Convertible, 2 Dr. Coupe	Arm To Knuckle	K201295	2	R078
2011-2007	2 Dr. Convertible	Arm To Knuckle	K201295	2	R078
335is					
Control Arm					
2013-2011	(Contains Bushing)	Upper Front	CK640190	2	R078
	(Lateral Link, R-Series)	Upper Rear	RK641780	2	R078
	(Contains Bushing)	Upper Center	CK640189	2	R078
	(Contains Bushing, R-Series)	Upper Center	RK640189	2	R078
Control Arm Bushing					
2013-2011	Arm To Knuckle, Lower Outer	K201291	2	R078	
2012-2011	Upper Rear	K200070	2	R078	
Shock Hardware Kit					
2013-2011	Upper	K160366	2	R078	
Strut Bumper Bellows					
2013-2011	Except Sport Suspension		K201416	2	R078
	Sport Suspension		K201554	2	R078


REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
335is					
Sway Bar Bushing					
2013-2011	13mm Sway Bar Diameter	To Frame	K201126	1	R078
	15mm Sway Bar Diameter	To Frame	K201034	1	R078
2011	12mm Sway Bar Diameter	To Frame	K201032	1	R078
Sway Bar Link					
2013-2011	(Improves Upon OE Design)		K750230 ‡	2	R078
Trailing Link Bushing					
2013-2011		Arm To Knuckle	K201295	2	R078
335xi					
Control Arm					
2008-2007	(Contains Bushing)	Upper Front	CK640190	2	R078
	(Lateral Link, R-Series)	Upper Rear	RK641780	2	R078
	(Contains Bushing)	Upper Center	CK640189	2	R078
	(Contains Bushing, R-Series)	Upper Center	RK640189	2	R078
Control Arm Bushing					
2008-2007		Upper Rear	K200070	2	R078
Shock Hardware Kit					
2008-2007		Upper	K160366	2	R078
Strut Bumper Bellows					
2008-2007	Except Sport Suspension		K201416	2	R078
	Sport Suspension		K201554	2	R078
Sway Bar Link					
2008-2007	(Improves Upon OE Design)		K750230 ‡	2	R078

340i-BMW

FRONT SUSPENSION					
F524					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2018-2016	Rear Wheel Drive, (R-Series, Tension Strut)	Left Front Lower	RK621977	1	F524
	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK621976	1	F524
	Rear Wheel Drive, (R-Series, Tension Strut)	Right Front Lower	RK621978	1	F524
	Rear Wheel Drive, (R-Series)	Right Rear Lower	RK621975	1	F524
Sway Bar Link					
2018-2016	All Wheel Drive	Left	K750656	1	
	All Wheel Drive	Right	K750657	1	
	Rear Wheel Drive, Except M-Sport Suspension		K750656	2	F524
	Rear Wheel Drive, M-Sport Suspension	Left	K750656	1	F524
	Rear Wheel Drive, M-Sport Suspension	Right	K750657	1	F524
Wheel Hub & Bearing Assembly					
2016	All Wheel Drive		513368	2	
	Rear Wheel Drive		513359	2	

BMW-340i (Cont.)

STEERING




S348

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod Assembly				
2018-2016	All Wheel Drive, (Design Allows Ease Of Installation)	Left	ES800943A ‡	1 S348
	All Wheel Drive, (Design Allows Ease Of Installation)	Right	ES800944A ‡	1 S348
	Rear Wheel Drive		EV801303 ‡	2 S348
Tie Rod End				
2018-2016	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800945 ‡	1 S348
	All Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800946 ‡	1 S348
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2018-2016	Arm To Knuckle, Lower Outer	K201291	2	
Sway Bar Link				
2018-2016	(Design Allows Ease Of Installation)	Left	K750676 ‡	1
	(Design Allows Ease Of Installation)	Right	K750677 ‡	1
Trailing Link				
2018-2016	(R-Series)	RK642849	2	

BMW-428i

FRONT SUSPENSION



F476

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2016-2014	Rear Wheel Drive, (R-Series, Tension Strut)	Left Front Lower	RK621977	1 F476
	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK621976	1 F476

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2016-2014 (Cont.)	Rear Wheel Drive, (R-Series, Tension Strut)	Right Front Lower	RK621978	1	F476
	Rear Wheel Drive, (R-Series)	Right Rear Lower	RK621975	1	F476
Sway Bar Link					
2016-2014	All Wheel Drive	Left	K750656	1	
	All Wheel Drive	Right	K750657	1	
	Rear Wheel Drive, Except M-Sport Suspension		K750656	2	F476
	Rear Wheel Drive, M-Sport Suspension	Left	K750656	1	F476
	Rear Wheel Drive, M-Sport Suspension	Right	K750657	1	F476
Wheel Hub & Bearing Assembly					
2016-2015	All Wheel Drive		513368	2	
2016-2014	Rear Wheel Drive		513359	2	
2014	All Wheel Drive, From 10/13		513368	2	
STEERING					
S348					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod Assembly					
2016-2014	All Wheel Drive, (Design Allows Ease Of Installation)	Left	ES800943A ‡	1	S348
	All Wheel Drive, (Design Allows Ease Of Installation)	Right	ES800944A ‡	1	S348
	Rear Wheel Drive		EV801303 ‡	2	S348
Tie Rod End					
2016-2014	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800945 ‡	1	S348
	All Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800946 ‡	1	S348
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm Bushing					
2016-2014		Arm To Knuckle, Lower Outer	K201291	2	
Sway Bar Link					
2016-2014	(Design Allows Ease Of Installation)	Left	K750676 ‡	1	
	(Design Allows Ease Of Installation)	Right	K750677 ‡	1	
Trailing Link					
2016-2014	(R-Series)		RK642849	2	


FRONT SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2019-2017	Rear Wheel Drive, (R-Series, Tension Strut)	Left Front Lower	RK621977	1	
	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK621976	1	
	Rear Wheel Drive, (R-Series, Tension Strut)	Right Front Lower	RK621978	1	
	Rear Wheel Drive, (R-Series)	Right Rear Lower	RK621975	1	

BMW-430i (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2019-2017	All Wheel Drive	Left	K750656	1
	All Wheel Drive	Right	K750657	1
	Rear Wheel Drive, Adaptive M Chassis	Left	K750656	1
	Rear Wheel Drive, Adaptive M Chassis	Right	K750657	1
	Rear Wheel Drive, Except Adaptive M Chassis		K750656	2

STEERING




S348

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod Assembly				
2019-2017	All Wheel Drive, (Design Allows Ease Of Installation)	Left	ES800943A ‡	1
	All Wheel Drive, (Design Allows Ease Of Installation)	Right	ES800944A ‡	1
	Rear Wheel Drive		EV801303 ‡	2
Tie Rod End				
2019-2017	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800945 ‡	1
	All Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800946 ‡	1

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2019-2017	Arm To Knuckle, Lower Outer	K201291	2	
Sway Bar Link				
2019-2017	(Design Allows Ease Of Installation)	Left	K750676 ‡	1
	(Design Allows Ease Of Installation)	Right	K750677 ‡	1
Trailing Link				
2019-2017	(R-Series)	RK642849	2	


FRONT SUSPENSION



F476

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2016-2014	Rear Wheel Drive, (R-Series, Tension Strut)	Left Front Lower	RK621977	1 F476
	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK621976	1 F476
	Rear Wheel Drive, (R-Series, Tension Strut)	Right Front Lower	RK621978	1 F476
	Rear Wheel Drive, (R-Series)	Right Rear Lower	RK621975	1 F476
Sway Bar Link				
2016-2014	All Wheel Drive	Left	K750656	1
	All Wheel Drive	Right	K750657	1
	Rear Wheel Drive, Except M-Sport Suspension		K750656	2 F476
	Rear Wheel Drive, M-Sport Suspension	Left	K750656	1 F476
	Rear Wheel Drive, M-Sport Suspension	Right	K750657	1 F476
Wheel Hub & Bearing Assembly				
2016-2015	All Wheel Drive		513368	2
2016-2014	Rear Wheel Drive		513359	2
2014	All Wheel Drive, From 10/13		513368	2

STEERING



S348

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod Assembly				
2016-2014	All Wheel Drive, (Design Allows Ease Of Installation)	Left	ES800943A ‡	1 S348
	All Wheel Drive, (Design Allows Ease Of Installation)	Right	ES800944A ‡	1 S348
	Rear Wheel Drive		EV801303 ‡	2 S348
Tie Rod End				
2016-2014	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800945 ‡	1 S348
	All Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800946 ‡	1 S348


BMW-435i (Cont.)

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2016-2014	Arm To Knuckle, Lower Outer	K201291	2	
Sway Bar Link				
2016-2014	(Design Allows Ease Of Installation)	Left	K750676 ‡	1
	(Design Allows Ease Of Installation)	Right	K750677 ‡	1
Trailing Link				
2016-2014	(R-Series)	RK642849	2	

BMW-440i

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2019-2017	Rear Wheel Drive, (R-Series, Tension Strut)	Left Front Lower	RK621977	1
	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK621976	1
	Rear Wheel Drive, (R-Series, Tension Strut)	Right Front Lower	RK621978	1
	Rear Wheel Drive, (R-Series)	Right Rear Lower	RK621975	1
Sway Bar Link				
2019	Rear Wheel Drive, Except M-Sport Suspension	Left	K750656	2
	Rear Wheel Drive, M-Sport Suspension	Right	K750657	1
2019-2017	All Wheel Drive	Left	K750656	1
	All Wheel Drive	Right	K750657	1
2018-2017	Rear Wheel Drive, Except M Suspension	Left	K750656	2
	Rear Wheel Drive, M Suspension	Right	K750657	1
	Rear Wheel Drive, M Suspension	Right	K750657	1

STEERING



S348


Year	Model/Application	Part	P/C Qty	Figure
Tie Rod Assembly				
2019-2017	All Wheel Drive, (Design Allows Ease Of Installation)	Left	ES800943A ‡	1
	All Wheel Drive, (Design Allows Ease Of Installation)	Right	ES800944A ‡	1
	Rear Wheel Drive		EV801303 ‡	2
Tie Rod End				
2019-2017	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800945 ‡	1
	All Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800946 ‡	1

REAR SUSPENSION


Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2019-2017	Arm To Knuckle, Lower Outer	K201291	2	
Sway Bar Link				
2019-2017	(Design Allows Ease Of Installation)	Left	K750676 ‡	1
	(Design Allows Ease Of Installation)	Right	K750677 ‡	1

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Trailing Link				
2019-2017	(R-Series)	RK642849	2	

525 Series-BMW**FRONT SUSPENSION**

F479



F480


Year	Model/Application	Part	P/C Qty	Figure	
525i					
Control Arm with Ball Joint					
2007	(R-Series) (R-Series)	Left Rear Lower Right Rear Lower	RK622141 RK622142	1 1	F480 F480
2007-2006	(R-Series) (R-Series)	Left Front Lower Right Front Lower	RK620125 RK620126	1 1	F480 F480
Strut Bumper Bellows					
2007-2006	Except Sport Suspension, (Original Equipment Type)		K201416	2	F480
	Except Sport Suspension, (Replacement Type, Contains Bumper)		K90464	2	F480
	Sport Suspension, (Original Equipment Type)		K150276	2	F480
	Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2	F480
Strut Mount					
2007-2006	(Contains Bearing)		K160433	2	F480
Sway Bar Bushing					
2007-2006	Except Dynamic Driving Control, 25mm Or 25.5mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200726 ‡	1	F480
Sway Bar Link					
2007-2006	(Greaseable Socket Reduces Corrosion/Wear)	Left	K750027 ‡	1	F480
	(Greaseable Socket Reduces Corrosion/Wear)	Right	K750028 ‡	1	F480

BMW-525 Series (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
525i				
Wheel Hub & Bearing Assembly				
2007-2006		513210	2	
525iA				
Sway Bar Link				
2008-2006	(Greaseable Socket Reduces Corrosion/Wear)	Left	K750027 ‡	1 F480
	(Greaseable Socket Reduces Corrosion/Wear)	Right	K750028 ‡	1 F480
525xi				
Ball Joint				
2007-2006		Lower Front	K500324	2 F479
Control Arm				
2007-2006	(R-Series)	Left Front Lower	RK641962	1 F479
	(R-Series)	Right Front Lower	RK641963	1 F479
Strut Bumper Bellows				
2007-2006	(Original Equipment Type)		K150274	2 F479
	(Replacement Type, Contains Bumper)		K90460	2 F479
Sway Bar Link				
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750213 ‡	1 F479
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750214 ‡	1 F479


STEERING



S357

Year	Model/Application	Part	P/C Qty	Figure
525i				
Tie Rod Assembly				
2007-2006	(Contains Inner And Outer Ends)		ES800664A ‡	2 S357
Tie Rod End				
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800478 ‡	2 S357
	(Design Allows Ease Of Installation)	Inner	EV800266 ‡	2 S357
525xi				
Tie Rod Assembly				
2007-2006	(Contains Inner And Outer Ends)		ES800647A ‡	2 S357
Tie Rod End				
2007-2005	(Design Allows Ease Of Installation)	Outer	ES800397 ‡	2 S357


REAR SUSPENSION




R127

Year	Model/Application	Part	P/C Qty	Figure
525i				
Control Arm Bushing				
2007-2006	(High Quality Elastomer For Durability And Performance)	Upper Rear Arm To Knuckle, Lower Outer	K201137 K200012 ‡	2 2 R127 R127
Control Arm with Ball Joint				
2007-2006	(Contains Bushing, R-Series)	Upper Front	RK620185	2 R127
	(Contains Bushing, R-Series)	Left Rear Upper	RK620136	1 R127
	(Contains Bushing, R-Series)	Right Rear Upper	RK620133	1 R127
Strut Mount				
2007-2006	(Contains Spring Seat)		K160289	2 R127
Sway Bar Link				
2007-2006	Active Sway Bar, (Improves Upon OE Design) Except Active Sway Bar, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80472 ‡ K750317 ‡	2 2 R127 R127
Wheel Bearing Assembly				
2007-2006			512225	2
525iA				
Control Arm Bushing				
2008-2006	(High Quality Elastomer For Durability And Performance)	Arm To Knuckle, Lower Outer	K200012 ‡	2 R127
Sway Bar Link				
2008-2006	Except Active Sway Bar, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750317 ‡	2 R127
2007-2006	Active Sway Bar, (Improves Upon OE Design)		K80472 ‡	2 R127
525xi				
Control Arm Bushing				
2007-2006	(High Quality Elastomer For Durability And Performance)	Upper Rear Arm To Knuckle, Lower Outer	K201137 K200012 ‡	2 2 R127 R127
Control Arm with Ball Joint				
2007-2006	(Contains Bushing, R-Series)	Upper Front	RK620185	2 R127
	(Contains Bushing, R-Series)	Left Rear Upper	RK620136	1 R127
	(Contains Bushing, R-Series)	Right Rear Upper	RK620133	1 R127
Strut Mount				
2007-2006	(Contains Spring Seat)		K160289	2 R127
Sway Bar Link				
2007-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750317 ‡	2 R127
Wheel Bearing Assembly				
2007-2006			512225	2

FRONT SUSPENSION



F479



F480

Year	Model/Application	Part	P/C Qty	Figure
528i				
Ball Joint				
2010-2009	All Wheel Drive	Lower Front	K500324	2 F479
Control Arm				
2010-2009	All Wheel Drive, (R-Series)	Left Front Lower	RK641962	1 F479
	All Wheel Drive, (R-Series)	Right Front Lower	RK641963	1 F479
Control Arm with Ball Joint				
2016-2011	(R-Series)	Upper	RK621905	2
	Rear Wheel Drive, (R-Series)	Left Front Lower	RK641509	1
	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK641511	1
	Rear Wheel Drive, (R-Series)	Right Front Lower	RK641510	1
	Rear Wheel Drive, (R-Series)	Right Rear Lower	RK641512	1
2010-2008	Rear Wheel Drive, (R-Series)	Left Front Lower	RK620125	1 F480
	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK622141	1 F480
	Rear Wheel Drive, (R-Series)	Right Front Lower	RK620126	1 F480
	Rear Wheel Drive, (R-Series)	Right Rear Lower	RK622142	1 F480
Strut Bumper Bellows				
2010-2009	Except Sport Suspension, (Replacement Type, Contains Bumper)		K90464	2 F479, F480
	Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2 F479, F480
	All Wheel Drive, (Original Equipment Type)		K150274	2 F479
	Rear Wheel Drive, Except Sport Suspension, (Original Equipment Type)		K201416	2 F480
	Rear Wheel Drive, Sport Suspension, (Original Equipment Type)		K150276	2 F480
2008	Except Sport Suspension, (Original Equipment Type)		K201416	2 F480
	Except Sport Suspension, (Replacement Type, Contains Bumper)		K90464	2 F480
	Sport Suspension, (Original Equipment Type)		K150276	2 F480
	Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2 F480
Strut Mount				
2010	(Contains Bearing)		K160433	2 F479, F480

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
528i					
Strut Mount					
2009	All Wheel Drive, From 10/08, (Contains Bearing) Rear Wheel Drive, (Contains Bearing)	K160433 K160433	2 2	F479 F480	
2008	(Contains Bearing)	K160433	2	F480	
Sway Bar Bushing					
2010-2009	All Wheel Drive, (Split Design For Easier Installation) Rear Wheel Drive, 25mm Or 25.5mm Sway Bar Diameter, (Reduces Noise)	To Frame To Frame	K200822 ‡ K200726 ‡	1 1	F479 F480
2008	25mm Or 25.5mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200726 ‡	1	F480
Sway Bar Link					
2016-2011	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750407 ‡	2	
2010-2009	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear) Rear Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Right Left Right	K750213 ‡ K750214 ‡ K750027 ‡ K750028 ‡	1 1 1 1	F479 F479 F480 F480
2008	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Right	K750027 ‡ K750028 ‡	1 1	F480 F480
Wheel Hub & Bearing Assembly					
2016-2015	Rear Wheel Drive		513386	2	
2016-2012	All Wheel Drive		513391	2	
2014-2012	Rear Wheel Drive		513323	2	
2011-2008			513210	2	
528xi					
Ball Joint					
2008	All Wheel Drive	Lower Front	K500324	2	F479
Control Arm					
2008	(R-Series) (R-Series)	Left Front Lower Right Front Lower	RK641962 RK641963	1 1	F479 F479
Strut Bumper Bellows					
2008	(Original Equipment Type) (Replacement Type, Contains Bumper)		K150274 K90460	2 2	F479 F479
Sway Bar Bushing					
2008	All Wheel Drive, (Split Design For Easier Installation)	To Frame	K200822 ‡	1	F479
Sway Bar Link					
2008	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750213 ‡ K750214 ‡	1 1	F479 F479
STEERING					
S357					
Year	Model/Application	Part	P/C Qty	Figure	
528i					
Tie Rod Assembly					
2010-2009	All Wheel Drive, (Contains Inner And Outer Ends) Rear Wheel Drive, (Contains Inner And Outer Ends)		ES800647A ‡ ES800644A ‡	2 2	S357 S357

BMW-528 Series (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
528i					
Tie Rod Assembly					
2008	(Contains Inner And Outer Ends)	ES800664A ‡	2	S357	
Tie Rod End					
2016-2011	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800914 ‡ ES800915 ‡	1 1	S357 S357
2010-2009	All Wheel Drive, (Design Allows Ease Of Installation) Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive, (Design Allows Ease Of Installation)	Outer Outer Inner	ES800397 ‡ ES800478 ‡ EV800266 ‡	2 2 2	S357 S357 S357
2008	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer Inner	ES800478 ‡ EV800266 ‡	2 2	S357 S357

528xi


Tie Rod Assembly

2008	(Contains Inner And Outer Ends)	ES800647A ‡	2	S357
------	---------------------------------	-------------	---	------

Tie Rod End

2008	(Design Allows Ease Of Installation)	Outer	ES800397 ‡	2	S357
------	--------------------------------------	-------	------------	---	------


REAR SUSPENSION



R127


Year	Model/Application	Part	P/C Qty	Figure	
528i					
Control Arm					
2016-2011	(R-Series) (R-Series)	Left Front Upper Right Front Upper	RK642863 RK642864	1 1	
Control Arm Bushing					
2016-2011		Arm To Knuckle, Lower Outer	K201367	2	
2010-2008	(High Quality Elastomer For Durability And Performance)	Upper Rear Arm To Knuckle, Lower Outer	K201137 K200012 ‡	2 2	R127 R127
Control Arm Link					
2016-2011	(R-Series)	Arm To Knuckle, Lower Front	RK643049	2	
2010-2008	(R-Series)	Arm To Knuckle	RK642132	2	R127
Control Arm with Ball Joint					
2016-2011	(R-Series)	Upper Rear	RK621946	2	
2010-2008	(Contains Bushing, R-Series) (Contains Bushing, R-Series) (Contains Bushing, R-Series)	Upper Front Left Rear Upper Right Rear Upper	RK620185 RK620136 RK620133	2 1 1	R127 R127 R127
Strut Mount					
2010-2008	(Contains Spring Seat)		K160289	2	R127
Sway Bar Bushing					
2010-2008	14mm Sway Bar Diameter, Sport Suspension 15mm Or 16mm Sway Bar Diameter, M-Sport Suspension Except Dynamic Driving Control, Except Sport Suspension	To Frame To Frame To Frame	K201035 K201034 K201126	1 1 1	R127 R127 R127
Sway Bar Link					
2016-2011	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750408 ‡	2	

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
528i				
Sway Bar Link				
2010-2009	Base Model, Dynamic Driving Control, (Improves Upon OE Design) Base Model, Except Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80472 ‡ K750317 ‡	2 2	R127 R127
2008	Dynamic Driving Control, (Improves Upon OE Design) Except Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80472 ‡ K750317 ‡	2 2	R127 R127
Wheel Bearing Assembly				
2016-2013		512511	2	
2012	All Wheel Drive Rear Wheel Drive	512511 512225	2 2	
2011-2008		512225	2	
528xi				
Control Arm Bushing				
2008	(High Quality Elastomer For Durability And Performance)	Upper Rear Arm To Knuckle, Lower Outer	K201137 K200012 ‡	2 2
Control Arm Link				
2008	(R-Series)	Arm To Knuckle	RK642132	2
Control Arm with Ball Joint				
2008	(Contains Bushing, R-Series) (Contains Bushing, R-Series) (Contains Bushing, R-Series)	Upper Front Left Rear Upper Right Rear Upper	RK620185 RK620136 RK620133	2 1 1
Strut Mount				
2008	(Contains Spring Seat)		K160289	2
Sway Bar Link				
2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750317 ‡	2
Wheel Bearing Assembly				
2008			512225	2



BMW-530 Series (Cont.)

FRONT SUSPENSION (Cont.)




F480

Year	Model/Application	Part	P/C Qty	Figure
530i				
Control Arm with Ball Joint				
2007	(R-Series)	Left Rear Lower	1	F480
	(R-Series)	Right Rear Lower	1	F480
2007-2006	(R-Series)	Left Front Lower	1	F480
	(R-Series)	Right Front Lower	1	F480
Strut Bumper Bellows				
2007-2006	Except Sport Suspension, (Original Equipment Type)	K201416	2	F480
	Except Sport Suspension, (Replacement Type, Contains Bumper)	K90464	2	F480
	Sport Suspension, (Original Equipment Type)	K150276	2	F480
	Sport Suspension, (Replacement Type, Contains Bumper)	K90460	2	F480
Strut Mount				
2007-2006	(Contains Bearing)	K160433	2	F480
Sway Bar Bushing				
2007-2006	Except Active Sway Bar, (Reduces Noise)	K200726 ‡	1	F480
Sway Bar Link				
2007-2006	(Greaseable Socket Reduces Corrosion/Wear)	Left K750027 ‡	1	F480
	(Greaseable Socket Reduces Corrosion/Wear)	Right K750028 ‡	1	F480
Wheel Hub & Bearing Assembly				
2007-2006		513210	2	
530iA				
Control Arm with Ball Joint				
2007	(R-Series)	Left Rear Lower	1	F480
	(R-Series)	Right Rear Lower	1	F480
2007-2006	(R-Series)	Left Front Lower	1	F480
	(R-Series)	Right Front Lower	1	F480
Strut Bumper Bellows				
2007-2006	Except Sport Suspension, (Original Equipment Type)	K201416	2	F480
	Except Sport Suspension, (Replacement Type, Contains Bumper)	K90464	2	F480
	Sport Suspension, (Original Equipment Type)	K150276	2	F480
	Sport Suspension, (Replacement Type, Contains Bumper)	K90460	2	F480
Strut Mount				
2007-2006	(Contains Bearing)	K160433	2	F480
Sway Bar Bushing				
2007-2006	Except Active Sway Bar, (Reduces Noise)	K200726 ‡	1	F480
Sway Bar Link				
2007-2006	(Greaseable Socket Reduces Corrosion/Wear)	Left K750027 ‡	1	F480
	(Greaseable Socket Reduces Corrosion/Wear)	Right K750028 ‡	1	F480
530xi				
Ball Joint				
2007-2006		Lower Front K500324	2	F479
Control Arm				
2007-2006	(R-Series)	Left Front Lower	1	F479

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
530xi					
Control Arm					
2007-2006 (Cont.)	(R-Series) Right Front Lower	RK641963	1	F479	
Strut Bumper Bellows					
2007-2006	(Original Equipment Type) (Replacement Type, Contains Bumper)	K150274 K90460	2 2	F479 F479	
Sway Bar Link					
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750213 ‡ K750214 ‡	1 1	F479 F479
STEERING					
S357					
Year	Model/Application	Part	P/C Qty	Figure	
530i					
Tie Rod Assembly					
2007-2006	(Contains Inner And Outer Ends)	ES800664A ‡	2	S357	
Tie Rod End					
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer Inner	ES800478 ‡ EV800266 ‡	2 2	S357 S357
530iA					
Tie Rod Assembly					
2007-2006	(Contains Inner And Outer Ends)	ES800664A ‡	2	S357	
Tie Rod End					
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer Inner	ES800478 ‡ EV800266 ‡	2 2	S357 S357
530xi					
Tie Rod Assembly					
2007-2006	(Contains Inner And Outer Ends)	ES800647A ‡	2	S357	
Tie Rod End					
2007-2006	(Design Allows Ease Of Installation)	Outer	ES800397 ‡	2	S357

BMW-530 Series (Cont.)


REAR SUSPENSION



R127

Year	Model/Application	Part	P/C Qty	Figure	
530e					
Wheel Hub & Bearing Assembly					
2018		512583	2		
530i					
Control Arm Bushing					
2007-2006	(High Quality Elastomer For Durability And Performance)	Upper Rear Arm To Knuckle, Lower Outer	K201137 K200012 ‡	2 2	R127 R127
Control Arm Link					
2007-2006	(R-Series)	Arm To Knuckle	RK642132	2	R127
Control Arm with Ball Joint					
2007-2006	(Contains Bushing, R-Series) (Contains Bushing, R-Series) (Contains Bushing, R-Series)	Upper Front Left Rear Upper Right Rear Upper	RK620185 RK620136 RK620133	2 1 1	R127 R127 R127
Strut Mount					
2007-2006	(Contains Spring Seat)		K160289	2	R127
Sway Bar Link					
2007-2006	Active Sway Bar, (Improves Upon OE Design) Except Active Sway Bar, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80472 ‡ K750317 ‡	2 2	R127 R127
Wheel Bearing Assembly					
2007-2006			512225	2	
Wheel Hub & Bearing Assembly					
2018-2017			512583	2	
530iA					
Control Arm Bushing					
2007-2006	(High Quality Elastomer For Durability And Performance)	Upper Rear Arm To Knuckle, Lower Outer	K201137 K200012 ‡	2 2	R127 R127
Control Arm Link					
2007-2006	(R-Series)	Arm To Knuckle	RK642132	2	R127
Control Arm with Ball Joint					
2007-2006	(Contains Bushing, R-Series) (Contains Bushing, R-Series) (Contains Bushing, R-Series)	Upper Front Left Rear Upper Right Rear Upper	RK620185 RK620136 RK620133	2 1 1	R127 R127 R127
Strut Mount					
2007-2006	(Contains Spring Seat)		K160289	2	R127
Sway Bar Link					
2007-2006	Active Sway Bar, (Improves Upon OE Design) Except Active Sway Bar, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80472 ‡ K750317 ‡	2 2	R127 R127
530xi					
Control Arm Bushing					
2007-2006	(High Quality Elastomer For Durability And Performance)	Arm To Knuckle, Lower Outer	K200012 ‡	2	R127
Control Arm with Ball Joint					
2007-2006	(Contains Bushing, R-Series)	Upper Front	RK620185	2	R127

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
530xi				
Control Arm with Ball Joint				
2007-2006 (Cont.)	(Contains Bushing, R-Series)	Left Rear Upper	RK620136	1 R127
	(Contains Bushing, R-Series)	Right Rear Upper	RK620133	1 R127
Shock Hardware Kit				
2007-2006	4 Dr. Station Wagon	Upper	K201707	2
Strut Mount				
2007-2006	4 Dr. Sedan, (Contains Spring Seat)		K160289	2 R127
Sway Bar Link				
2007-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750317 ‡	2 R127
Wheel Bearing Assembly				
2007-2006	4 Dr. Sedan		512225	2
	4 Dr. Station Wagon		512226	2



Year	Model/Application	Part	P/C Qty	Figure
535d				
Control Arm with Ball Joint				
2016-2014	(R-Series)	Upper	RK621905	2
	Rear Wheel Drive, (R-Series)	Left Front Lower	RK641509	1
	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK641511	1
	Rear Wheel Drive, (R-Series)	Right Front Lower	RK641510	1

BMW-535 Series (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
535d				
Control Arm with Ball Joint				
2016-2014 (Cont.)	Rear Wheel Drive, (R-Series)	Right Rear Lower	RK641512	1
Sway Bar Link				
2016-2014	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750407 ‡	2
Wheel Hub & Bearing Assembly				
2016-2015	Rear Wheel Drive		513386	2
2016-2014	All Wheel Drive		513391	2
2014	Rear Wheel Drive		513323	2
535i				
Ball Joint				
2010-2009	All Wheel Drive	Lower Front	K500324	2 F479
Control Arm				
2017	All Wheel Drive, (R-Series)	Left Rear Lower	RK641282	1
	All Wheel Drive, (R-Series)	Right Rear Lower	RK641283	1
2016-2011	4 Dr. Hatchback, All Wheel Drive, (R-Series)	Left Rear Lower	RK641282	1
	4 Dr. Hatchback, All Wheel Drive, (R-Series)	Right Rear Lower	RK641283	1
2010-2009	All Wheel Drive, (R-Series)	Left Front Lower	RK641962	1 F479
	All Wheel Drive, (R-Series)	Right Front Lower	RK641963	1 F479
Control Arm with Ball Joint				
2017	All Wheel Drive, (R-Series)	Left Front Lower	RK621979	1
	All Wheel Drive, (R-Series)	Right Front Lower	RK621980	1
	Rear Wheel Drive, (R-Series)	Left Front Lower	RK641507	1
	Rear Wheel Drive, (R-Series)	Right Front Lower	RK641508	1
2017-2011	(R-Series)	Upper	RK621905	2
2016	4 Dr. Hatchback, Rear Wheel Drive, (R-Series)	Left Front Lower	RK641507	1
	4 Dr. Hatchback, Rear Wheel Drive, (R-Series)	Right Front Lower	RK641508	1
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Left Front Lower	RK641509	1
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Right Front Lower	RK641510	1
2016-2011	4 Dr. Hatchback, All Wheel Drive, (R-Series)	Left Front Lower	RK621979	1
	4 Dr. Hatchback, All Wheel Drive, (R-Series)	Right Front Lower	RK621980	1
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Left Rear Lower	RK641511	1
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Right Rear Lower	RK641512	1
2015-2011	4 Dr. Hatchback, Rear Wheel Drive, (R-Series)	Left Rear Lower	RK621992	1
	4 Dr. Hatchback, Rear Wheel Drive, (R-Series)	Right Rear Lower	RK621991	1
2014-2011	4 Dr. Hatchback, Rear Wheel Drive, (R-Series)	Left Front Lower	RK641507	1
	4 Dr. Hatchback, Rear Wheel Drive, (R-Series)	Right Front Lower	RK641508	1
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Left Front Lower	RK641509	1
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Right Front Lower	RK641510	1
2010	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Left Front Lower	RK620125	1 F480
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Left Rear Lower	RK622141	1 F480
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Right Front Lower	RK620126	1 F480
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Right Rear Lower	RK622142	1 F480
2009	Rear Wheel Drive, (R-Series)	Left Front Lower	RK620125	1 F480
	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK622141	1 F480
	Rear Wheel Drive, (R-Series)	Right Front Lower	RK620126	1 F480
	Rear Wheel Drive, (R-Series)	Right Rear Lower	RK622142	1 F480
2008	(R-Series)	Left Front Lower	RK620125	1 F480
	(R-Series)	Left Rear Lower	RK622141	1 F480
	(R-Series)	Right Front Lower	RK620126	1 F480
	(R-Series)	Right Rear Lower	RK622142	1 F480
Strut Bumper Bellows				
2010	4 Dr. Sedan, Rear Wheel Drive, Except Sport Suspension, (Original Equipment Type)		K201416	2 F480
	4 Dr. Sedan, Rear Wheel Drive, Except Sport Suspension, (Replacement Type, Contains Bumper)		K90464	2 F480
	4 Dr. Sedan, Rear Wheel Drive, Sport Suspension, (Original Equipment Type)		K150276	2 F480
	4 Dr. Sedan, Rear Wheel Drive, Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2 F480
	4 Dr. Sedan, 4 Dr. Station Wagon, All Wheel Drive, (Original Equipment Type)		K150274	2 F479
2010-2009	All Wheel Drive, (Replacement Type, Contains Bumper)		K90460	2 F479
2009	All Wheel Drive, (Original Equipment Type)		K150274	2 F479
	Rear Wheel Drive, Except Sport Suspension, (Original Equipment Type)		K201416	2 F480
	Rear Wheel Drive, Except Sport Suspension, (Replacement Type, Contains Bumper)		K90464	2 F480
	Rear Wheel Drive, Sport Suspension, (Original Equipment Type)		K150276	2 F480
	Rear Wheel Drive, Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2 F480
2008	Except Sport Suspension, (Original Equipment Type)		K201416	2 F480
	Except Sport Suspension, (Replacement Type, Contains Bumper)		K90464	2 F480
	Sport Suspension, (Original Equipment Type)		K150276	2 F480
	Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2 F480


FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
535i				
Strut Mount				
2010	4 Dr. Sedan, (Contains Bearing) 4 Dr. Station Wagon, (Contains Bearing)	K160433 K160433	2 2	F479, F480 F479
2009	All Wheel Drive, From 10/08, (Contains Bearing) Rear Wheel Drive, (Contains Bearing)	K160433 K160433	2 2	F479 F480
2008	(Contains Bearing)	K160433	2	F480
Sway Bar Bushing				
2010	4 Dr. Sedan, All Wheel Drive, (Split Design For Easier Installation) 4 Dr. Station Wagon, (Split Design For Easier Installation)	To Frame K200822 ‡ To Frame K200822 ‡	1 1	F479 F479
2009	All Wheel Drive, (Split Design For Easier Installation) Rear Wheel Drive, Except Dynamic Driving Control, 25mm Or 25.5mm Sway Bar Diameter, (Reduces Noise)	To Frame K200822 ‡ To Frame K200726 ‡	1 1	F479 F480
2008	Except Dynamic Driving Control, 25mm Or 25.5mm Sway Bar Diameter, (Reduces Noise)	To Frame K200726 ‡	1	F480
Sway Bar Link				
2017-2011	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750407 ‡	2	
2010	4 Dr. Hatchback, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 4 Dr. Sedan, All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) 4 Dr. Sedan, All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) 4 Dr. Sedan, Rear Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear) 4 Dr. Sedan, Rear Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear) 4 Dr. Station Wagon, (Powdered Metal Gusher Brg. For Better Lubrication) 4 Dr. Station Wagon, (Powdered Metal Gusher Brg. For Better Lubrication)	Left K750407 ‡ Right K750214 ‡ Left K750027 ‡ Right K750028 ‡ Left K750213 ‡ Right K750214 ‡	2 1 1 1 1 1	F479 F479 F480 F480 F479 F479
2009	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear) Rear Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left K750213 ‡ Right K750214 ‡ Left K750027 ‡ Right K750028 ‡	1 1 1 1	F479 F479 F480 F480
2008	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left K750027 ‡ Right K750028 ‡	1 1	F480 F480
Wheel Hub & Bearing Assembly				
2017-2015	Rear Wheel Drive	513386	2	
2017-2011	All Wheel Drive	513391	2	
2014-2011	Rear Wheel Drive	513323	2	
2010	Base Model Gran Turismo	513210 513323	2 2	
2009-2008		513210	2	
535Xi				
Ball Joint				
2008		Lower Front K500324	2	F479
Control Arm				
2008	(R-Series) (R-Series)	Left Front Lower RK641962 Right Front Lower RK641963	1 1	F479 F479
Strut Bumper Bellows				
2008	(Original Equipment Type) (Replacement Type, Contains Bumper)	K150274 K90460	2 2	F479 F479
Sway Bar Link				
2008	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left K750213 ‡ Right K750214 ‡	1 1	F479 F479

BMW-535 Series (Cont.)

STEERING



S157



S357


Year	Model/Application	Part	P/C Qty	Figure
535d				
Tie Rod End				
2016-2014	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800914 ‡ ES800915 ‡	1 1 S157 S157
535i				
Tie Rod Assembly				
2010	4 Dr. Sedan, Rear Wheel Drive, (Contains Inner And Outer Ends) 4 Dr. Station Wagon, (Contains Inner And Outer Ends)		ES800664A ‡ ES800647A ‡	2 1 S357 S357
2010-2009	All Wheel Drive, (Contains Inner And Outer Ends)		ES800647A ‡	2 S357
2009	Rear Wheel Drive, (Contains Inner And Outer Ends)		ES800664A ‡	2 S357
2008	(Contains Inner And Outer Ends)		ES800664A ‡	2 S357
Tie Rod End				
2017-2011	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800914 ‡ ES800915 ‡	1 1 S357 S357
2010	4 Dr. Hatchback, (Design Allows Ease Of Installation) 4 Dr. Hatchback, (Design Allows Ease Of Installation) 4 Dr. Sedan, All Wheel Drive, (Design Allows Ease Of Installation) 4 Dr. Sedan, Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) 4 Dr. Sedan, Rear Wheel Drive, (Design Allows Ease Of Installation) 4 Dr. Station Wagon, (Design Allows Ease Of Installation)	Left Outer Right Outer Outer Outer Inner Outer	ES800914 ‡ ES800915 ‡ ES800397 ‡ ES800478 ‡ EV800266 ‡ ES800397 ‡	1 1 2 2 2 2 S357 S357 S357 S357 S357
2009	All Wheel Drive, (Design Allows Ease Of Installation) Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive, (Design Allows Ease Of Installation)	Outer Outer Inner	ES800397 ‡ ES800478 ‡ EV800266 ‡	2 2 2 S357 S357 S357
2008	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer Inner	ES800478 ‡ EV800266 ‡	2 2 S357 S357
535Xi				
Tie Rod Assembly				
2008	(Contains Inner And Outer Ends)		ES800647A ‡	2 S357

STEERING (Cont.)					
Year	Model/Application		Part	P/C Qty	Figure
535Xi					
Tie Rod End					
2008	(Design Allows Ease Of Installation)		Outer	ES800397 ‡	2 S357
REAR SUSPENSION					
R127					
Year	Model/Application		Part	P/C Qty	Figure
535d					
Control Arm					
2016-2014	(R-Series)	Left Front Upper	RK642863	1	
	(R-Series)	Right Front Upper	RK642864	1	
Control Arm Bushing					
2016-2014		Arm To Knuckle, Lower Outer	K201367	2	
Control Arm Link					
2016-2014	(R-Series)	Arm To Knuckle, Lower Front	RK643049	2	
Control Arm with Ball Joint					
2016-2014	(R-Series)	Upper Rear	RK621946	2	
Sway Bar Link					
2016-2014	Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750409 ‡	2	
	Except Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750408 ‡	2	
Wheel Bearing Assembly					
2016-2014			512511	2	
535i					
Control Arm					
2017	(R-Series)	Upper Front	RK642862	2	
2016-2011	4 Dr. Sedan, (R-Series)	Left Front Upper	RK642863	1	
	4 Dr. Sedan, (R-Series)	Right Front Upper	RK642864	1	
2016-2010	4 Dr. Hatchback, (R-Series)	Upper Front	RK642862	2	
Control Arm Bushing					
2017-2011		Arm To Knuckle, Lower Outer	K201367	2	
2010	4 Dr. Hatchback	Arm To Knuckle, Lower Outer	K201367	2	
	4 Dr. Sedan, 4 Dr. Station Wagon, (High Quality Elastomer For Durability And Performance)	Arm To Knuckle, Lower Outer	K200012 ‡	2	R127
	Twin Turbocharged/Intercooled	Upper Rear	K201137	2	R127
2009-2008		Upper Rear	K201137	2	R127
	(High Quality Elastomer For Durability And Performance)	Arm To Knuckle, Lower Outer	K200012 ‡	2	R127
Control Arm Link					
2017-2011	(R-Series)	Arm To Knuckle, Lower Front	RK643049	2	
2010	4 Dr. Hatchback, (R-Series)	Arm To Knuckle, Lower Front	RK643049	2	
	4 Dr. Sedan, 4 Dr. Station Wagon, (R-Series)	Arm To Knuckle	RK642132	2	R127
2009-2008	(R-Series)	Arm To Knuckle	RK642132	2	R127
Control Arm with Ball Joint					
2017	(R-Series)	Left Rear Upper	RK621947	1	
	(R-Series)	Right Rear Upper	RK621948	1	

BMW-535 Series (Cont.)

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
535i					
Control Arm with Ball Joint					
2016-2011	4 Dr. Sedan, (R-Series)	Upper Rear	RK621946	2	
2016-2010	4 Dr. Hatchback, (R-Series) 4 Dr. Hatchback, (R-Series)	Left Rear Upper	RK621947	1	
		Right Rear Upper	RK621948	1	
2010	4 Dr. Sedan, 4 Dr. Station Wagon, (Contains Bushing, R-Series) 4 Dr. Sedan, 4 Dr. Station Wagon, (Contains Bushing, R-Series) 4 Dr. Sedan, 4 Dr. Station Wagon, (Contains Bushing, R-Series)	Upper Front	RK620185	2	R127
		Left Rear Upper	RK620136	1	R127
		Right Rear Upper	RK620133	1	R127
2009-2008	(Contains Bushing, R-Series) (Contains Bushing, R-Series) (Contains Bushing, R-Series)	Upper Front	RK620185	2	R127
		Left Rear Upper	RK620136	1	R127
		Right Rear Upper	RK620133	1	R127
Shock Hardware Kit					
2010-2009	4 Dr. Station Wagon	Upper	K201707	2	
Strut Mount					
2010-2008	4 Dr. Sedan, (Contains Spring Seat)		K160289	2	R127
Sway Bar Bushing					
2017	Except Dynamic Driving Control, 16mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200819 ‡	1	
2016-2011	4 Dr. Hatchback, Except Dynamic Driving Control, 16mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200819 ‡	1	
2008	14.5mm Sway Bar Diameter, Sport Suspension 16mm Sway Bar Diameter, M-Sport Suspension Except Dynamic Driving Control, 13.5mm Sway Bar Diameter, Except Sport Suspension	To Frame	K201035	1	R127
		To Frame	K201034	1	R127
		To Frame	K201126	1	R127
Sway Bar Link					
2017	(Design Allows Ease Of Installation)		K750720 ‡	2	
2016-2011	4 Dr. Sedan, Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 4 Dr. Sedan, Except Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750409 ‡	2	
			K750408 ‡	2	
2016-2010	4 Dr. Hatchback, (Design Allows Ease Of Installation)		K750720 ‡	2	
2010	4 Dr. Sedan, All Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 4 Dr. Station Wagon, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750317 ‡	2	R127
			K750317 ‡	2	R127
2010-2009	4 Dr. Sedan, Rear Wheel Drive, Dynamic Driving Control, (Improves Upon OE Design) 4 Dr. Sedan, Rear Wheel Drive, Except Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80472 ‡	2	R127
			K750317 ‡	2	R127
2009	All Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750317 ‡	2	R127
2008	Dynamic Driving Control, (Improves Upon OE Design) Except Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80472 ‡	2	R127
			K750317 ‡	2	R127
Wheel Bearing Assembly					
2017-2011			512511	2	
2010	Base Model, xDrive Gran Turismo		512225	2	
			512511	2	
2009-2008			512225	2	
535Xi					
Control Arm Bushing					
2008	(High Quality Elastomer For Durability And Performance)	Upper Rear	K201137	2	R127
		Arm To Knuckle, Lower Outer	K200012 ‡	2	R127
Control Arm Link					
2008	(R-Series)	Arm To Knuckle	RK642132	2	R127
Control Arm with Ball Joint					
2008	(Contains Bushing, R-Series) (Contains Bushing, R-Series) (Contains Bushing, R-Series)	Upper Front	RK620185	2	R127
		Left Rear Upper	RK620136	1	R127
		Right Rear Upper	RK620133	1	R127
Shock Hardware Kit					
2008	4 Dr. Station Wagon	Upper	K201707	2	
Strut Mount					
2008	4 Dr. Sedan, (Contains Spring Seat)		K160289	2	R127
Sway Bar Link					
2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750317 ‡	2	R127
Wheel Bearing Assembly					
2008			512225	2	

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
540i				
Wheel Hub & Bearing Assembly				
2018-2017		512583	2	


FRONT SUSPENSION				
				
F480				
Year	Model/Application	Part	P/C Qty	Figure
550i				
Control Arm				
2017	(R-Series)	Left Rear Lower	RK641282	1
	(R-Series)	Right Rear Lower	RK641283	1
2016-2011	4 Dr. Hatchback, All Wheel Drive, (R-Series)	Left Rear Lower	RK641282	1
	4 Dr. Hatchback, All Wheel Drive, (R-Series)	Right Rear Lower	RK641283	1
Control Arm with Ball Joint				
2017	(R-Series)	Left Front Lower	RK621979	1
	(R-Series)	Right Front Lower	RK621980	1
2017-2011	(R-Series)	Upper	RK621905	2
2016-2011	4 Dr. Hatchback, All Wheel Drive, (R-Series)	Left Front Lower	RK621979	1
	4 Dr. Hatchback, All Wheel Drive, (R-Series)	Right Front Lower	RK621980	1
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Left Front Lower	RK641509	1
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Left Rear Lower	RK641511	1
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Right Front Lower	RK641510	1
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Right Rear Lower	RK641512	1
2015-2011	4 Dr. Hatchback, Rear Wheel Drive, (R-Series)	Left Front Lower	RK641507	1
	4 Dr. Hatchback, Rear Wheel Drive, (R-Series)	Right Front Lower	RK641508	1
2011	(R-Series)	Left Front Lower	RK620125	1
	F10, (R-Series)	Right Front Lower	RK620126	1
2010	4395cc(4.4L), 4 Dr. Hatchback, (R-Series)	Upper	RK621905	2
	4395cc(4.4L), 4 Dr. Hatchback, (R-Series)	Left Front Lower	RK641507	1
	4395cc(4.4L), 4 Dr. Hatchback, (R-Series)	Left Rear Lower	RK621992	1
	4395cc(4.4L), 4 Dr. Hatchback, (R-Series)	Right Front Lower	RK641508	1
	4395cc(4.4L), 4 Dr. Hatchback, (R-Series)	Right Rear Lower	RK621991	1
	4799cc(4.8L), 4 Dr. Sedan, (R-Series)	Left Front Lower	RK620125	1
	4799cc(4.8L), 4 Dr. Sedan, (R-Series)	Left Rear Lower	RK622141	1
	4799cc(4.8L), 4 Dr. Sedan, (R-Series)	Right Front Lower	RK620126	1
	4799cc(4.8L), 4 Dr. Sedan, (R-Series)	Right Rear Lower	RK622142	1
2009-2007	(R-Series)	Left Rear Lower	RK622141	1
	(R-Series)	Right Rear Lower	RK622142	1
2009-2006	(R-Series)	Left Front Lower	RK620125	1
	(R-Series)	Right Front Lower	RK620126	1
Strut Bumper Bellows				
2010	4799cc(4.8L), 4 Dr. Sedan, Except Sport Suspension, (Original Equipment Type)		K201416	2
	4799cc(4.8L), 4 Dr. Sedan, Except Sport Suspension, (Replacement Type, Contains Bumper)		K90464	2
	4799cc(4.8L), 4 Dr. Sedan, Sport Suspension, (Original Equipment Type)		K150276	2
	4799cc(4.8L), 4 Dr. Sedan, Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2
2009-2006	Except Sport Suspension, (Original Equipment Type)		K201416	2

BMW-550 Series (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
550i				
Strut Bumper Bellows				
2009-2006 (Cont.)	Except Sport Suspension, (Replacement Type, Contains Bumper)	K90464	2	F480
	Sport Suspension, (Original Equipment Type)	K150276	2	F480
	Sport Suspension, (Replacement Type, Contains Bumper)	K90460	2	F480
Strut Mount				
2010	4799cc(4.8L), 4 Dr. Sedan, (Contains Bearing)	K160433	2	F480
2009-2006	(Contains Bearing)	K160433	2	F480
Sway Bar Bushing				
2010	4799cc(4.8L), 4 Dr. Sedan, Except Dynamic Driving Control, 25mm Sway Bar Diameter, (Reduces Noise)	To Frame K200726 ‡	1	F480
2009-2006	25mm Or 25.5mm Sway Bar Diameter, (Reduces Noise)	To Frame K200726 ‡	1	F480
Sway Bar Link				
2017-2011	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750407 ‡	2	
2010	4395cc(4.4L), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 4799cc(4.8L), 4 Dr. Sedan, (Greaseable Socket Reduces Corrosion/Wear) 4799cc(4.8L), 4 Dr. Sedan, (Greaseable Socket Reduces Corrosion/Wear)	Left K750027 ‡	1	F480
		Right K750028 ‡	1	F480
2009-2006	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left K750027 ‡	1	F480
		Right K750028 ‡	1	F480
Wheel Hub & Bearing Assembly				
2017		513391	2	
2016-2015	Rear Wheel Drive	513386	2	
2016-2014	All Wheel Drive	513391	2	
2014	Rear Wheel Drive	513323	2	
2013-2011		513323	2	
2010	Base Model	513210	2	
	Gran Turismo	513323	2	
2009-2006		513210	2	

STEERING



S357

Year	Model/Application	Part	P/C Qty	Figure
550i				
Tie Rod Assembly				
2010	4799cc(4.8L), (Contains Inner And Outer Ends)	ES800664A ‡	2	S357
2009-2006	(Contains Inner And Outer Ends)	ES800664A ‡	2	S357
Tie Rod End				
2017-2011	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer ES800914 ‡	1	S357
		Right Outer ES800915 ‡	1	S357
2010	4395cc(4.4L), (Design Allows Ease Of Installation) 4395cc(4.4L), (Design Allows Ease Of Installation) 4799cc(4.8L), E60 Body, (Powdered Metal Gusher Brg. For Better Lubrication) 4799cc(4.8L), E60 Body, (Design Allows Ease Of Installation)	Left Outer ES800914 ‡	1	S357
		Right Outer ES800915 ‡	1	S357
		Outer ES800478 ‡	2	S357
		Inner EV800266 ‡	2	S357
2009-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES800478 ‡	2	S357

STEERING (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
550i					
Tie Rod End					
2009-2006 (Cont.)	(Design Allows Ease Of Installation)	Inner	EV800266 ‡	2	S357
REAR SUSPENSION					
R127					
Year	Model/Application	Part	P/C Qty	Figure	
550i					
Control Arm					
2017	(R-Series)	Upper Front	RK642862	2	
2016-2011	4 Dr. Sedan, (R-Series) 4 Dr. Sedan, (R-Series)	Left Front Upper	RK642863	1	
		Right Front Upper	RK642864	1	
2016-2010	4 Dr. Hatchback, (R-Series)	Upper Front	RK642862	2	
Control Arm Bushing					
2017-2011		Arm To Knuckle, Lower Outer	K201367	2	
2010	4395cc(4.4L) 4799cc(4.8L) 4799cc(4.8L), (High Quality Elastomer For Durability And Performance)	Arm To Knuckle, Lower Outer	K201367	2	R127
		Upper Rear	K201137	2	R127
		Arm To Knuckle, Lower Outer	K200012 ‡	2	R127
2009-2006	(High Quality Elastomer For Durability And Performance)	Upper Rear	K201137	2	R127
		Arm To Knuckle, Lower Outer	K200012 ‡	2	R127
Control Arm Link					
2017-2011	(R-Series)	Arm To Knuckle, Lower Front	RK643049	2	
2010	4395cc(4.4L), (R-Series)	Arm To Knuckle, Lower Front	RK643049	2	
2009-2006	(R-Series)	Arm To Knuckle	RK642132	2	R127
Control Arm with Ball Joint					
2017	(R-Series) (R-Series)	Left Rear Upper	RK621947	1	
		Right Rear Upper	RK621948	1	
2016-2011	4 Dr. Sedan, (R-Series)	Upper Rear	RK621946	2	
2016-2010	4 Dr. Hatchback, (R-Series) 4 Dr. Hatchback, (R-Series)	Left Rear Upper	RK621947	1	
		Right Rear Upper	RK621948	1	
2010	4 Dr. Sedan, (Contains Bushing, R-Series) 4 Dr. Sedan, (Contains Bushing, R-Series) 4 Dr. Sedan, (Contains Bushing, R-Series)	Upper Front	RK620185	2	R127
		Left Rear Upper	RK620136	1	R127
		Right Rear Upper	RK620133	1	R127
2009-2006	(Contains Bushing, R-Series) (Contains Bushing, R-Series) (Contains Bushing, R-Series)	Upper Front	RK620185	2	R127
		Left Rear Upper	RK620136	1	R127
		Right Rear Upper	RK620133	1	R127
Strut Mount					
2010	4799cc(4.8L), 4 Dr. Sedan, (Contains Spring Seat)		K160289	2	R127
2009-2006	(Contains Spring Seat)		K160289	2	R127
Sway Bar Bushing					
2017	Except Dynamic Driving Control, 16mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200819 ‡	1	
2016	4 Dr. Hatchback, Except Dynamic Driving Control, 16mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200819 ‡	1	

BMW-550 Series (Cont.)

REAR SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
550i				
Sway Bar Bushing				
2015-2010	4 Dr. Hatchback, 16mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200819 ‡	1
2010	4 Dr. Sedan, Except Dynamic Driving Control, 14.5mm Sway Bar Diameter	To Frame	K201035	1
	4 Dr. Sedan, Except Dynamic Driving Control, 16mm Sway Bar Diameter	To Frame	K201034	1
2009-2006	Except Dynamic Driving Control, 14.5mm Sway Bar Diameter	To Frame	K201035	1
	Except Dynamic Driving Control, 16mm Sway Bar Diameter	To Frame	K201034	1
Sway Bar Link				
2017	(Design Allows Ease Of Installation)		K750720 ‡	2
2016-2011	4 Dr. Sedan, Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750409 ‡	2
	4 Dr. Sedan, Except Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750408 ‡	2
2016-2010	4 Dr. Hatchback, (Design Allows Ease Of Installation)		K750720 ‡	2
2010	4 Dr. Sedan, Active Sway Bar, (Improves Upon OE Design)		K80472 ‡	2
	4 Dr. Sedan, Except Active Sway Bar, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750317 ‡	2
2009-2006	Active Sway Bar, (Improves Upon OE Design)		K80472 ‡	2
	Except Active Sway Bar, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750317 ‡	2
Wheel Bearing Assembly				
2017-2011			512511	2
2010	Base Model Gran Turismo		512225 512511	2 2
2009-2006			512225	2

BMW-640i

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2018	2 Dr. Convertible, 4 Dr. Sedan, (R-Series)	Upper	RK621905	2
2018-2012	Rear Wheel Drive, (R-Series)	Left Front Lower	RK641509	1
	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK641511	1
	Rear Wheel Drive, (R-Series)	Right Front Lower	RK641510	1
	Rear Wheel Drive, (R-Series)	Right Rear Lower	RK641512	1
2017-2012	(R-Series)	Upper	RK621905	2
Sway Bar Link				
2018	2 Dr. Convertible, 4 Dr. Sedan, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750407 ‡	2
2017-2012	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750407 ‡	2
Wheel Hub & Bearing Assembly				
2018	2 Dr. Convertible, 4 Dr. Sedan, All Wheel Drive		513391	2
2018-2015	Rear Wheel Drive		513386	2
2017-2015	All Wheel Drive		513391	2
2014-2012			513323	2


STEERING



S357

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018	2 Dr. Convertible, 4 Dr. Sedan, (Design Allows Ease Of Installation) 2 Dr. Convertible, 4 Dr. Sedan, (Design Allows Ease Of Installation)	Left Outer	ES800914 ‡	1 S357
		Right Outer	ES800915 ‡	1 S357
2017-2012	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer	ES800914 ‡	1 S357
		Right Outer	ES800915 ‡	1 S357
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2018	2 Dr. Convertible, 4 Dr. Sedan, (R-Series) 2 Dr. Convertible, 4 Dr. Sedan, (R-Series)	Left Front Upper	RK642863	1
		Right Front Upper	RK642864	1
2017-2012	(R-Series) (R-Series)	Left Front Upper	RK642863	1
		Right Front Upper	RK642864	1
Control Arm Bushing				
2018	2 Dr. Convertible, 4 Dr. Sedan	Arm To Knuckle, Lower Outer	K201367	2
2017-2012		Arm To Knuckle, Lower Outer	K201367	2
Control Arm Link				
2018	2 Dr. Convertible, 4 Dr. Sedan, (R-Series)	Arm To Knuckle, Lower Front	RK643049	2
2017-2012	(R-Series)	Arm To Knuckle, Lower Front	RK643049	2
Control Arm with Ball Joint				
2018	2 Dr. Convertible, 4 Dr. Sedan, (R-Series)	Upper Rear	RK621946	2
2017-2012	(R-Series)	Upper Rear	RK621946	2
Sway Bar Bushing				
2018	2 Dr. Convertible, Rear Wheel Drive, Except Dynamic Driving Control, (Split Design For Easier Installation)	To Frame	K200819 ‡	1
2017	2 Dr. Convertible, Except Dynamic Driving Control, 16mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200819 ‡	1
2016-2012	Except Dynamic Driving Control, 16mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200819 ‡	1
Sway Bar Link				
2018	2 Dr. Convertible, 4 Dr. Sedan, Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 2 Dr. Convertible, 4 Dr. Sedan, Except Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750409 ‡	2
			K750408 ‡	2
2017-2012	Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Except Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750409 ‡	2
			K750408 ‡	2
Wheel Bearing Assembly				
2018	2 Dr. Convertible, 4 Dr. Sedan		512511	2
2017-2012			512511	2

650 Series-BMW




BMW-650 Series (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
650i				
Control Arm with Ball Joint				
2018-2012	(R-Series) Rear Wheel Drive, (R-Series) Rear Wheel Drive, (R-Series) Rear Wheel Drive, (R-Series) Rear Wheel Drive, (R-Series)	Upper Left Front Lower Left Rear Lower Right Front Lower Right Rear Lower	RK621905 RK641509 RK641511 RK641510 RK641512	2 1 1 1 1
2010-2008	(R-Series) (R-Series)	Left Rear Lower Right Rear Lower	RK620121 RK620122	1 1
Strut Bumper Bellows				
2010-2006	(Original Equipment Type) (Replacement Type, Contains Bumper)		K150276 K90460	2 2
Strut Mount				
2010-2006	(Contains Bearing)		K160433	2
Sway Bar Bushing				
2010-2006	25mm Or 25.5mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200726 ‡	1
Sway Bar Link				
2018-2012	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750407 ‡	2
2010-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K80845 ‡ K80846 ‡	1 1
Wheel Hub & Bearing Assembly				
2018-2015	Rear Wheel Drive		513386	2
2018-2012	All Wheel Drive		513391	2
2014-2012	Rear Wheel Drive		513323	2
2010-2006			513210	2


STEERING



S357

Year	Model/Application	Part	P/C Qty	Figure
650i				
Tie Rod Assembly				
2010-2006	(Contains Inner And Outer Ends)		ES800664A ‡	2
Tie Rod End				
2018-2012	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800914 ‡ ES800915 ‡	1 1
2010-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer Inner	ES800478 ‡ EV800266 ‡	2 2

REAR SUSPENSION



R233

Year	Model/Application		Part	P/C Qty	Figure
650i					
Control Arm					
2018-2012	(R-Series)	Left Front Upper	RK642863	1	
	(R-Series)	Right Front Upper	RK642864	1	
Control Arm Bushing					
2018-2012		Arm To Knuckle, Lower Outer	K201367	2	
2010-2006		Upper Rear	K201137	2	R233
	(High Quality Elastomer For Durability And Performance)	Arm To Knuckle, Lower Outer	K200012 ‡	2	R233
Control Arm Link					
2018-2013	(R-Series)	Arm To Knuckle, Lower Front	RK643049	2	
2009-2006	(R-Series)	Arm To Knuckle	RK642132	2	R233
Control Arm with Ball Joint					
2018-2012	(R-Series)	Upper Rear	RK621946	2	
2010-2007	(R-Series)	Left Front Upper	RK622313	1	R233
	(R-Series)	Right Front Upper	RK622314	1	R233
2010-2006	(Contains Bushing, R-Series)	Left Rear Upper	RK620136	1	R233
	(Contains Bushing, R-Series)	Right Rear Upper	RK620133	1	R233
Strut Mount					
2010-2006	(Contains Spring Seat)		K160289	2	R233
Sway Bar Bushing					
2018	Except Dynamic Driving Control, (Split Design For Easier Installation)	To Frame	K200819 ‡	1	
2017-2012	Except Dynamic Driving Control, 16mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200819 ‡	1	
2010-2006	Except Active Sway Bar, 14.5mm Sway Bar Diameter	To Frame	K201035	1	R233
	Except Active Sway Bar, 16mm Sway Bar Diameter	To Frame	K201034	1	R233
Sway Bar Link					
2018-2012	Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750409 ‡	2	
	Except Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750408 ‡	2	
2010-2006	Active Sway Bar, (Improves Upon OE Design)		K80472 ‡	2	R233
	Except Active Sway Bar, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750317 ‡	2	R233
Wheel Bearing Assembly					
2018-2012			512511	2	
2010-2006			512226	2	

740 Series-BMW


FRONT SUSPENSION

Year	Model/Application		Part	P/C Qty	Figure
740i					
Control Arm with Ball Joint					
2015-2013	Base Model, (R-Series)	Left Front Lower	RK641507	1	
	Base Model, (R-Series)	Right Front Lower	RK641508	1	
2012-2011	(R-Series)	Upper	RK621905	2	

BMW-740 Series (Cont.)

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
740i					
Control Arm with Ball Joint					
2012-2011 (Cont.)	(R-Series)	Left Front Lower	RK641507	1	
	(R-Series)	Left Rear Lower	RK621992	1	
	(R-Series)	Right Front Lower	RK641508	1	
	(R-Series)	Right Rear Lower	RK621991	1	
Sway Bar Link					
2015-2011	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750407 ‡	2	
Wheel Hub & Bearing Assembly					
2017	All Wheel Drive		512583	2	
2017-2016	Rear Wheel Drive		513406	2	
2015			513386	2	
2014-2011			513323	2	
740Ld					
Control Arm					
2015-2014	xDrive, (R-Series)	Left Rear Lower	RK641282	1	
	xDrive, (R-Series)	Right Rear Lower	RK641283	1	
Control Arm with Ball Joint					
2015-2014	xDrive, (R-Series)	Left Front Lower	RK621979	1	
	xDrive, (R-Series)	Right Front Lower	RK621980	1	
Sway Bar Link					
2015-2014	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750407 ‡	2	
Wheel Hub & Bearing Assembly					
2015-2014	All Wheel Drive		513391	2	
740Le					
Wheel Hub & Bearing Assembly					
2017	All Wheel Drive		512583	2	
740Li					
Control Arm					
2015-2013	xDrive, (R-Series)	Left Rear Lower	RK641282	1	
	xDrive, (R-Series)	Right Rear Lower	RK641283	1	
Control Arm with Ball Joint					
2015-2014	Base Model, (R-Series)	Left Front Lower	RK641507	1	
	Base Model, (R-Series)	Right Front Lower	RK641508	1	
2015-2013	xDrive, (R-Series)	Left Front Lower	RK621979	1	
	xDrive, (R-Series)	Right Front Lower	RK621980	1	
2013	Base Model, F02, (R-Series)	Left Front Lower	RK641507	1	
	Base Model, F02, (R-Series)	Right Front Lower	RK641508	1	
2012-2011	(R-Series)	Upper	RK621905	2	
	(R-Series)	Left Front Lower	RK641507	1	
	(R-Series)	Left Rear Lower	RK621992	1	
	(R-Series)	Right Front Lower	RK641508	1	
	(R-Series)	Right Rear Lower	RK621991	1	
Sway Bar Link					
2015-2011	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750407 ‡	2	
Wheel Hub & Bearing Assembly					
2015	Rear Wheel Drive		513386	2	
2015-2013	All Wheel Drive		513391	2	
2014-2011	Rear Wheel Drive		513323	2	

STEERING



S357

Year	Model/Application	Part	P/C Qty	Figure
740i				
Tie Rod End				
2014-2011	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800914 ‡ ES800915 ‡	1 1 S357 S357
740Ld				
Tie Rod End				
2015-2014	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800914 ‡ ES800915 ‡	1 1 S357 S357
740Li				
Tie Rod End				
2014-2011	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800914 ‡ ES800915 ‡	1 1 S357 S357
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
740i				
Control Arm				
2015-2013	(R-Series) (R-Series)	Left Front Upper Right Front Upper	RK642863 RK642864	1 1
2012-2011	(R-Series) (R-Series)	Left Front Upper Right Front Upper	RK642869 RK642870	1 1
Control Arm Bushing				
2015-2011		Arm To Knuckle, Lower Outer	K201367	2
Control Arm Link				
2015-2013	(R-Series)	Arm To Knuckle, Lower Front	RK643049	2
Control Arm with Ball Joint				
2015-2011	(R-Series)	Upper Rear	RK621946	2
Sway Bar Link				
2015-2011	Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Except Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750409 ‡ K750408 ‡	2 2
Wheel Bearing Assembly				
2015-2013			512511	2
Wheel Hub & Bearing Assembly				
2017-2016			512583	2
740Ld				
Control Arm				
2015-2014	(R-Series) (R-Series)	Left Front Upper Right Front Upper	RK642863 RK642864	1 1
Control Arm Bushing				
2015-2014		Arm To Knuckle, Lower Outer	K201367	2
Control Arm Link				
2015-2014	(R-Series)	Arm To Knuckle, Lower Front	RK643049	2


BMW-740 Series (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
740Ld				
Control Arm with Ball Joint				
2015-2014	(R-Series) Upper Rear	RK621946	2	
Sway Bar Link				
2015-2014	Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Except Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750409 ‡ K750408 ‡	2 2	
Wheel Bearing Assembly				
2015		512511	2	
740Le				
Wheel Hub & Bearing Assembly				
2017	All Wheel Drive	512583	2	
740Li				
Control Arm				
2015-2013	(R-Series) Left Front Upper (R-Series) Right Front Upper	RK642863 RK642864	1 1	
2012-2011	(R-Series) Left Front Upper (R-Series) Right Front Upper	RK642869 RK642870	1 1	
Control Arm Bushing				
2015-2011	Arm To Knuckle, Lower Outer	K201367	2	
Control Arm Link				
2013	(R-Series) Arm To Knuckle, Lower Front	RK643049	2	
Control Arm with Ball Joint				
2015-2011	(R-Series) Upper Rear	RK621946	2	
Sway Bar Bushing				
2015-2013	Rear Wheel Drive, Except Dynamic Driving Control, (Split Design For Easier Installation) To Frame	K200819 ‡	1	
Sway Bar Link				
2015-2011	Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Except Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750409 ‡ K750408 ‡	2 2	
Wheel Bearing Assembly				
2015-2011		512511	2	

BMW-750 Series

FRONT SUSPENSION



F481

Year	Model/Application	Part	P/C Qty	Figure
750i				
Control Arm				
2015-2013	xDrive, (R-Series) Left Rear Lower xDrive, (R-Series) Right Rear Lower	RK641282 RK641283	1 1	
2012-2011	ActiveHybrid, xDrive, (R-Series) Left Rear Lower ActiveHybrid, xDrive, (R-Series) Right Rear Lower	RK641282 RK641283	1 1	


FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
750i					
Control Arm					
2010	xDrive, (R-Series) xDrive, (R-Series)	Left Rear Lower	RK641282	1	
		Right Rear Lower	RK641283	1	
Control Arm with Ball Joint					
2015-2013	Base Model, (R-Series) xDrive, (R-Series) xDrive, (R-Series)	Right Rear Lower	RK621991	1	
		Left Front Lower	RK621979	1	
		Right Front Lower	RK621980	1	
2015-2010	Base Model, (R-Series) Base Model, (R-Series) Base Model, (R-Series)	Left Front Lower	RK641507	1	
		Left Rear Lower	RK621992	1	
		Right Front Lower	RK641508	1	
2012	ActiveHybrid, Base Model, (R-Series)	Right Rear Lower	RK621991	1	
2012-2011	ActiveHybrid, xDrive, (R-Series) ActiveHybrid, xDrive, (R-Series)	Left Front Lower	RK621979	1	
		Right Front Lower	RK621980	1	
2012-2009	(R-Series)	Upper	RK621905	2	
2011-2010	Base Model, (R-Series)	Right Rear Lower	RK621991	1	
2010	xDrive, (R-Series) xDrive, (R-Series)	Left Front Lower	RK621979	1	
		Right Front Lower	RK621980	1	
2009	(R-Series) (R-Series) (R-Series) (R-Series)	Left Front Lower	RK641507	1	
		Left Rear Lower	RK621992	1	
		Right Front Lower	RK641508	1	
		Right Rear Lower	RK621991	1	
2008-2006	(R-Series) (R-Series)	Left Front Lower	RK620458	1	F481
		Right Front Lower	RK620459	1	F481
Strut Bumper Bellows					
2008-2006	(Contains Bumper) Electronic Dampening Control Suspension, (Original Equipment Type)		K90464	2	F481
			K201416	2	F481
Strut Mount					
2008-2006	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160290 ‡	2	F481
Sway Bar Link					
2015-2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750407 ‡	2	
2008-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80473 ‡	1	F481
		Right	K80474 ‡	1	F481
Wheel Hub & Bearing Assembly					
2017-2016	All Wheel Drive		512583	2	
2016	Rear Wheel Drive		513406	2	
2015	Rear Wheel Drive		513386	2	
2015-2013	All Wheel Drive		513391	2	
2014-2013	Rear Wheel Drive		513323	2	
2012-2009			513323	2	
2008-2006			513173	2	
750Li					
Control Arm					
2015-2013	xDrive, (R-Series) xDrive, (R-Series)	Left Rear Lower	RK641282	1	
		Right Rear Lower	RK641283	1	
2012	ActiveHybrid, xDrive, (R-Series) ActiveHybrid, xDrive, (R-Series)	Left Rear Lower	RK641282	1	
		Right Rear Lower	RK641283	1	
2011-2010	xDrive, (R-Series) xDrive, (R-Series)	Left Rear Lower	RK641282	1	
		Right Rear Lower	RK641283	1	
Control Arm with Ball Joint					
2015-2013	xDrive, (R-Series) xDrive, (R-Series)	Left Front Lower	RK621979	1	
		Right Front Lower	RK621980	1	
2015-2012	Base Model, (R-Series) Base Model, (R-Series) Base Model, (R-Series) Base Model, (R-Series)	Left Front Lower	RK641507	1	
		Left Rear Lower	RK621992	1	
		Right Front Lower	RK641508	1	
		Right Rear Lower	RK621991	1	
2012	ActiveHybrid, xDrive, (R-Series) ActiveHybrid, xDrive, (R-Series)	Left Front Lower	RK621979	1	
		Right Front Lower	RK621980	1	
2012-2009	(R-Series)	Upper	RK621905	2	
2011	ActiveHybrid, Base Model, (R-Series) ActiveHybrid, Base Model, (R-Series) ActiveHybrid, Base Model, (R-Series) ActiveHybrid, Base Model, (R-Series)	Left Front Lower	RK641507	1	
		Left Rear Lower	RK621992	1	
		Right Front Lower	RK641508	1	
		Right Rear Lower	RK621991	1	
2011-2010	xDrive, (R-Series)	Left Front Lower	RK621979	1	

BMW-750 Series (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
750Li				
Control Arm with Ball Joint				
2011-2010 (Cont.)	xDrive, (R-Series)	Right Front Lower	RK621980	1
2010	Base Model, (R-Series) Base Model, (R-Series) Base Model, (R-Series) Base Model, (R-Series)	Left Front Lower	RK641507	1
		Left Rear Lower	RK621992	1
		Right Front Lower	RK641508	1
		Right Rear Lower	RK621991	1
2009	(R-Series) (R-Series) (R-Series) (R-Series)	Left Front Lower	RK641507	1
		Left Rear Lower	RK621992	1
		Right Front Lower	RK641508	1
		Right Rear Lower	RK621991	1
2008-2006	(R-Series) (R-Series)	Left Front Lower	RK620458	1
		Right Front Lower	RK620459	1
Strut Bumper Bellows				
2008-2006	(Contains Bumper)		K90464	2
	Electronic Dampening Control Suspension, (Original Equipment Type)		K201416	2
Strut Mount				
2008-2006	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160290 ‡	2
Sway Bar Link				
2015-2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750407 ‡	2
2008-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80473 ‡	1
		Right	K80474 ‡	1
Wheel Hub & Bearing Assembly				
2015	Rear Wheel Drive		513386	2
2015-2013	All Wheel Drive		513391	2
2014-2013	Rear Wheel Drive		513323	2
2012-2009			513323	2
2008-2006			513173	2

STEERING



S357

Year	Model/Application	Part	P/C Qty	Figure
750i				
Tie Rod Assembly				
2008-2006	(Contains Inner And Outer Ends)		ES800661A ‡	2
Tie Rod End				
2014-2009	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer	ES800914 ‡	1
		Right Outer	ES800915 ‡	1
2008-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer	ES800478 ‡	2
		Inner	EV800297 ‡	2
750Li				
Tie Rod Assembly				
2008-2006	(Contains Inner And Outer Ends)		ES800661A ‡	2

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
750Li				
Tie Rod End				
2014-2009	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800914 ‡ ES800915 ‡	1 1 S357 S357
2008-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer Inner	ES800478 ‡ EV800297 ‡	2 2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
750i				
Control Arm				
2015-2013	(R-Series) (R-Series)	Left Front Upper Right Front Upper	RK642863 RK642864	1 1
2012-2009	(R-Series) (R-Series)	Left Front Upper Right Front Upper	RK642869 RK642870	1 1
Control Arm Bushing				
2015-2009		Arm To Knuckle, Lower Outer	K201367	2
2008-2006	(High Quality Elastomer For Durability And Performance)	Upper Rear Arm To Knuckle, Lower Outer	K201137 K200012 ‡	2 2
Control Arm Link				
2013	(R-Series)	Arm To Knuckle, Lower Front	RK643049	2
2010-2009	(R-Series)	Arm To Knuckle, Lower Front	RK643049	2
2008-2006	(R-Series)	Arm To Knuckle	RK642132	2
Control Arm with Ball Joint				
2015-2009	(R-Series)	Upper Rear	RK621946	2
2008-2007	(R-Series) (R-Series)	Left Front Upper Right Front Upper	RK622313 RK622314	1 1
2008-2006	(Contains Bushing, R-Series) (Contains Bushing, R-Series)	Left Rear Upper Right Rear Upper	RK620136 RK620133	1 1
Strut Mount				
2008-2006	(Contains Spring Seat)		K160289	2
Sway Bar Bushing				
2012	Rear Wheel Drive, Except Dynamic Driving Control, 16mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200819 ‡	1
2011-2009	16mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200819 ‡	1
Sway Bar Link				
2015-2009	Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Except Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750409 ‡ K750408 ‡	2 2
2008-2006	Active Sway Bar, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Except Active Sway Bar		K80476 ‡ K80475	2 2
Wheel Bearing Assembly				
2015-2013			512511	2
2012-2011	All Wheel Drive ActiveHybrid, Rear Wheel Drive		512511 512511	2 2
2010-2009			512511	2
2008-2006			512226	2
Wheel Hub & Bearing Assembly				
2017-2016			512583	2
750Li				
Control Arm				
2015-2013	(R-Series) (R-Series)	Left Front Upper Right Front Upper	RK642863 RK642864	1 1
2012-2009	(R-Series) (R-Series)	Left Front Upper Right Front Upper	RK642869 RK642870	1 1
Control Arm Bushing				
2015-2009		Arm To Knuckle, Lower Outer	K201367	2
2008-2006	(High Quality Elastomer For Durability And Performance)	Upper Rear Arm To Knuckle, Lower Outer	K201137 K200012 ‡	2 2
Control Arm Link				
2013	(R-Series)	Arm To Knuckle, Lower Front	RK643049	2
2010-2009	(R-Series)	Arm To Knuckle, Lower Front	RK643049	2


BMW-750 Series (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
750Li				
Control Arm Link				
2008-2006	(R-Series) Arm To Knuckle	RK642132	2	
Control Arm with Ball Joint				
2015-2009	(R-Series) Upper Rear	RK621946	2	
2008-2007	(R-Series) Left Front Upper	RK622313	1	
	(R-Series) Right Front Upper	RK622314	1	
2008-2006	(Contains Bushing, R-Series) Left Rear Upper	RK620136	1	
	(Contains Bushing, R-Series) Right Rear Upper	RK620133	1	
Strut Mount				
2008-2006	(Contains Spring Seat)	K160289	2	
Sway Bar Bushing				
2015-2013	Rear Wheel Drive, Except Dynamic Driving Control, (Split Design For Easier Installation) To Frame	K200819 ‡	1	
2012-2008	16mm Sway Bar Diameter, (Split Design For Easier Installation) To Frame	K200819 ‡	1	
Sway Bar Link				
2015-2009	Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Except Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750409 ‡	2	
		K750408 ‡	2	
2008-2006	Active Sway Bar, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Except Active Sway Bar	K80476 ‡	2	
		K80475	2	
Wheel Bearing Assembly				
2015-2013		512511	2	
2012	ActiveHybrid, Base Model, Rear Wheel Drive	512511	2	
2012-2011	All Wheel Drive	512511	2	
2011	ActiveHybrid, Rear Wheel Drive	512511	2	
2010-2009		512511	2	
2008-2006		512226	2	


BMW-760 Series

FRONT SUSPENSION



F481

Year	Model/Application	Part	P/C Qty	Figure
760i				
Control Arm with Ball Joint				
2007-2004	(R-Series) Left Front Lower	RK620458	1	F481
	(R-Series) Left Rear Lower	RK620121	1	F481
	(R-Series) Right Front Lower	RK620459	1	F481
	(R-Series) Right Rear Lower	RK620122	1	F481
Strut Bumper Bellows				
2007-2004	Electronic Dampening Control Suspension, (Contains Bumper)	K90464	2	F481
	Electronic Dampening Control Suspension, (Original Equipment Type)	K201416	2	F481
Strut Mount				
2007-2004	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160290 ‡	2	F481

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
760i				
Sway Bar Link				
2007-2004	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K80473 ‡ K80474 ‡	1 1 F481 F481
760Li				
Control Arm with Ball Joint				
2015-2010	(R-Series) (R-Series) (R-Series) (R-Series)	Left Front Lower Left Rear Lower Right Front Lower Right Rear Lower	RK641507 RK621992 RK641508 RK621991	1 1 1 1
2012-2010	(R-Series)	Upper	RK621905	2
2008-2003	(R-Series) (R-Series) (R-Series) (R-Series)	Left Front Lower Left Rear Lower Right Front Lower Right Rear Lower	RK620458 RK620121 RK620459 RK620122	1 1 1 1 F481 F481 F481 F481
Strut Bumper Bellows				
2008-2003	Electronic Dampening Control Suspension, (Contains Bumper) Electronic Dampening Control Suspension, (Original Equipment Type)		K90464 K201416	2 2 F481 F481
Strut Mount				
2008-2003	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160290 ‡	2 F481
Sway Bar Link				
2015-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750407 ‡	2
2008-2003	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K80473 ‡ K80474 ‡	1 1 F481 F481
Wheel Hub & Bearing Assembly				
2015			513386	2
2014-2010			513323	2
2008-2003			513173	2
STEERING				
				
S357				
Year	Model/Application	Part	P/C Qty	Figure
760i				
Tie Rod End				
2007-2004	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer Inner	ES800478 ‡ EV800297 ‡	2 2
760Li				
Tie Rod Assembly				
2008-2003	(Contains Inner And Outer Ends)		ES800661A ‡	2
Tie Rod End				
2015-2010	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800914 ‡ ES800915 ‡	1 1 S357 S357
2008-2003	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer Inner	ES800478 ‡ EV800297 ‡	2 2

BMW-760 Series (Cont.)


REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
760i				
Control Arm Bushing				
2007-2004	(High Quality Elastomer For Durability And Performance)	Arm To Knuckle, Lower Outer	K200012 ‡	2
Control Arm with Ball Joint				
2007	(R-Series)	Left Front Upper	RK622313	1
	(R-Series)	Right Front Upper	RK622314	1
Sway Bar Link				
2007-2004	Active Sway Bar, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80476 ‡	2
760Li				
Control Arm				
2015-2013	(R-Series)	Left Front Upper	RK642863	1
	(R-Series)	Right Front Upper	RK642864	1
2011-2010	(R-Series)	Left Front Upper	RK642869	1
	(R-Series)	Right Front Upper	RK642870	1
Control Arm Bushing				
2015-2010		Arm To Knuckle, Lower Outer	K201367	2
2008-2003	(High Quality Elastomer For Durability And Performance)	Upper Rear	K201137	2
		Arm To Knuckle, Lower Outer	K200012 ‡	2
Control Arm Link				
2013	(R-Series)	Arm To Knuckle, Lower Front	RK643049	2
2010	(R-Series)	Arm To Knuckle, Lower Front	RK643049	2
2008-2003	(R-Series)	Arm To Knuckle	RK642132	2
Control Arm with Ball Joint				
2015-2010	(R-Series)	Upper Rear	RK621946	2
2008-2007	(R-Series)	Left Front Upper	RK622313	1
	(R-Series)	Right Front Upper	RK622314	1
2008-2003	(Contains Bushing, R-Series)	Left Rear Upper	RK620136	1
	(Contains Bushing, R-Series)	Right Rear Upper	RK620133	1
Sway Bar Link				
2015-2012	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750409 ‡	2
2011-2010	Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750409 ‡	2
2008-2003	Active Sway Bar, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80476 ‡	2
Wheel Bearing Assembly				
2015-2013			512511	2
2008-2003			512226	2

BMW-ActiveHybrid 3

FRONT SUSPENSION				
F476				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2015-2013	(R-Series, Tension Strut)	Left Front Lower	RK621977	1 F476

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2015-2013 (Cont.)	(R-Series)	Left Rear Lower	RK621976	1 F476
	(R-Series, Tension Strut)	Right Front Lower	RK621978	1 F476
	(R-Series)	Right Rear Lower	RK621975	1 F476
Sway Bar Link				
2015-2013	Except M-Sport Suspension	Left	K750656	2 F476
	M-Sport Suspension	Right	K750657	1 F476
	M-Sport Suspension			
Wheel Hub & Bearing Assembly				
2015-2013		513359	2	

STEERING



Year	Model/Application	Part	P/C Qty	Figure
Tie Rod Assembly				
2015-2013		EV801303 ‡	2	S348

REAR SUSPENSION


Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2015-2014		Arm To Knuckle, Lower Outer	K201291	2
Sway Bar Link				
2015-2013	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left	K750676 ‡	1
		Right	K750677 ‡	1
Trailing Link				
2015-2013	(R-Series)		RK642849	2

ActiveHybrid 5-BMW

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2016-2012	(R-Series)	Upper	RK621905	2
	(R-Series)	Left Front Lower	RK641509	1
	(R-Series)	Left Rear Lower	RK641511	1
	(R-Series)	Right Front Lower	RK641510	1
	(R-Series)	Right Rear Lower	RK641512	1
Sway Bar Link				
2016-2012	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750407 ‡	2
Wheel Hub & Bearing Assembly				
2016-2015			513386	2
2014-2012			513323	2

BMW-ActiveHybrid 5 (Cont.)

STEERING



S157

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2016-2012	(Design Allows Ease Of Installation)	Left Outer	ES800914 ‡	1 S157
	(Design Allows Ease Of Installation)	Right Outer	ES800915 ‡	1 S157

REAR SUSPENSION


Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2016-2012	(R-Series)	Left Front Upper	RK642863	1
	(R-Series)	Right Front Upper	RK642864	1
Control Arm Bushing				
2016-2014		Arm To Knuckle, Lower Outer	K201367	2
Control Arm Link				
2016-2012	(R-Series)	Arm To Knuckle, Lower Front	RK643049	2
Control Arm with Ball Joint				
2016-2012	(R-Series)	Upper Rear	RK621946	2
Sway Bar Link				
2016-2012	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750408 ‡	2
Wheel Bearing Assembly				
2016-2012	Base Model		512511	2

BMW-ActiveHybrid 7

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2015-2013	(R-Series)	Left Front Lower	RK641507	1
	(R-Series)	Right Front Lower	RK641508	1
Sway Bar Link				
2015-2013	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750407 ‡	2
Wheel Hub & Bearing Assembly				
2015			513386	2
2014-2013			513323	2

STEERING



S157

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2015-2013	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800914 ‡ ES800915 ‡	1 1	S157 S157

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2015-2014	(R-Series) (R-Series)	Left Front Upper Right Front Upper	RK642863 RK642864	1 1	
Control Arm Bushing					
2015-2014		Arm To Knuckle, Lower Outer	K201367	2	
Control Arm Link					
2013	(R-Series)	Arm To Knuckle, Lower Front	RK643049	2	
Control Arm with Ball Joint					
2015-2013	(R-Series)	Upper Rear	RK621946	2	
Sway Bar Link					
2015-2013	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750408 ‡	2	
Wheel Bearing Assembly					
2015-2013			512511	2	


ActiveHybrid 7L-BMW

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2015-2013	(R-Series) (R-Series)	Left Front Lower Right Front Lower	RK641507 RK641508	1 1	
Sway Bar Link					
2015-2013	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750407 ‡	2	
Wheel Hub & Bearing Assembly					
2015			513386	2	
2014-2013			513323	2	

BMW-ActiveHybrid 7L (Cont.)

STEERING



S157

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2015-2013	(Design Allows Ease Of Installation)	Left Outer	ES800914 ‡	1 S157
	(Design Allows Ease Of Installation)	Right Outer	ES800915 ‡	1 S157

REAR SUSPENSION


Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2015-2013	(R-Series)	Left Front Upper	RK642863	1
	(R-Series)	Right Front Upper	RK642864	1
Control Arm Bushing				
2015-2013		Arm To Knuckle, Lower Outer	K201367	2
Control Arm Link				
2014-2013	(R-Series)	Arm To Knuckle, Lower Front	RK643049	2
Control Arm with Ball Joint				
2015-2013	(R-Series)	Upper Rear	RK621946	2
Sway Bar Link				
2015-2013	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750408 ‡	2
Wheel Bearing Assembly				
2015-2013			512511	2

BMW-Alpina B6

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2016	(R-Series)	Upper	RK621905	2
Sway Bar Link				
2016-2015	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750407 ‡	2
Wheel Hub & Bearing Assembly				
2016-2015			513391	2

STEERING




S357

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2016-2015	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800914 ‡ ES800915 ‡	1 1	S357 S357

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2016-2015	(R-Series) (R-Series)	Left Front Upper Right Front Upper	RK642863 RK642864	1 1	
Control Arm Bushing					
2016		Arm To Knuckle, Lower Outer	K201367	2	
Control Arm Link					
2016	(R-Series)	Arm To Knuckle, Lower Front	RK643049	2	
Control Arm with Ball Joint					
2016-2015	(R-Series)	Upper Rear	RK621946	2	
Sway Bar Link					
2016-2015	Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750409 ‡	2	
2015	Except Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750408 ‡	2	
Wheel Bearing Assembly					
2016-2015			512511	2	

FRONT SUSPENSION




F481

BMW-Alpina B7 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2015-2011	xDrive, (R-Series)	Left Rear Lower	RK641282	1
	xDrive, (R-Series)	Right Rear Lower	RK641283	1
Control Arm with Ball Joint				
2015-2011	All Wheel Drive, (R-Series)	Left Front Lower	RK621979	1
	All Wheel Drive, (R-Series)	Right Front Lower	RK621980	1
	Rear Wheel Drive, (R-Series)	Left Front Lower	RK641507	1
	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK621992	1
	Rear Wheel Drive, (R-Series)	Right Front Lower	RK641508	1
	Rear Wheel Drive, (R-Series)	Right Rear Lower	RK621991	1
2012-2011	(R-Series)	Upper	RK621905	2
2008-2007	(R-Series)	Left Front Lower	RK620458	1
	(R-Series)	Right Front Lower	RK620459	1
Strut Bumper Bellows				
2008-2007	Electronic Dampening Control Suspension, (Original Equipment Type)		K201416	2
	Electronic Dampening Control Suspension, (Replacement Type, Contains Bumper)		K90464	2
Strut Mount				
2008-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160290 ‡	2
Sway Bar Link				
2015-2011	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750407 ‡	2
2008-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80473 ‡	1
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K80474 ‡	1
Wheel Hub & Bearing Assembly				
2017	All Wheel Drive		512583	2
2015	Rear Wheel Drive		513386	2
2015-2011	All Wheel Drive		513391	2
2014-2011	Rear Wheel Drive		513323	2
2008-2007			513173	2

STEERING



S357

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod Assembly				
2008-2007	(Contains Inner And Outer Ends)		ES800661A ‡	2
Tie Rod End				
2015-2011	(Design Allows Ease Of Installation)	Left Outer	ES800914 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800915 ‡	1
2008-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800478 ‡	2
	(Design Allows Ease Of Installation)	Inner	EV800297 ‡	2

REAR SUSPENSION


Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2015-2012	(R-Series)	Left Front Upper	RK642863	1
	(R-Series)	Right Front Upper	RK642864	1

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2011	(R-Series)	Left Front Upper	RK642869	1
	(R-Series)	Right Front Upper	RK642870	1
Control Arm Bushing				
2015-2011		Arm To Knuckle, Lower Outer	K201367	2
2008-2007		Upper Rear	K201137	2
	(High Quality Elastomer For Durability And Performance)	Arm To Knuckle, Lower Outer	K200012 ‡	2
Control Arm Link				
2013-2011	(R-Series)	Arm To Knuckle, Lower Front	RK643049	2
2008-2007	(R-Series)	Arm To Knuckle	RK642132	2
Control Arm with Ball Joint				
2015-2011	(R-Series)	Upper Rear	RK621946	2
2008-2007	(R-Series)	Left Front Upper	RK622313	1
	(Contains Bushing, R-Series)	Left Rear Upper	RK620136	1
	(R-Series)	Right Front Upper	RK622314	1
	(Contains Bushing, R-Series)	Right Rear Upper	RK620133	1
Strut Mount				
2008-2007	(Contains Spring Seat)		K160289	2
Sway Bar Bushing				
2012-2011	Except Dynamic Driving Control, (Split Design For Easier Installation)	To Frame	K200819 ‡	1
Sway Bar Link				
2015-2011	Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750409 ‡	2
2014-2012	Except Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750408 ‡	2
2008-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80476 ‡	2
Wheel Bearing Assembly				
2015-2011			512511	2
2008-2007			512226	2
Wheel Hub & Bearing Assembly				
2017			512583	2

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2015-2012	F02 xDrive, (R-Series)	Left Rear Lower	RK641282	1
	F02 xDrive, (R-Series)	Right Rear Lower	RK641283	1
Control Arm with Ball Joint				
2015-2014	All Wheel Drive, (R-Series)	Left Front Lower	RK621979	1
	All Wheel Drive, (R-Series)	Right Front Lower	RK621980	1
	Rear Wheel Drive, (R-Series)	Left Front Lower	RK641507	1
	Rear Wheel Drive, (R-Series)	Right Front Lower	RK641508	1
2015-2012	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK621992	1
	Rear Wheel Drive, (R-Series)	Right Rear Lower	RK621991	1
2012	(R-Series)	Upper	RK621905	2
Sway Bar Link				
2015-2012	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750407 ‡	2
Wheel Hub & Bearing Assembly				
2015-2012	All Wheel Drive		513391	2
2014-2012	Rear Wheel Drive		513323	2

BMW-Alpina B7L (Cont.)

STEERING



S357

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2015-2012	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800914 ‡ ES800915 ‡	1 1	S357 S357

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2015-2014	(R-Series) (R-Series)	Left Front Upper Right Front Upper	RK642863 RK642864	1 1	
Control Arm Bushing					
2015-2014		Arm To Knuckle, Lower Outer	K201367	2	
Control Arm with Ball Joint					
2015-2012	(R-Series)	Upper Rear	RK621946	2	
Sway Bar Link					
2015-2012	Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750409 ‡	2	
2014-2012	Except Dynamic Driving Control, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750408 ‡	2	
Wheel Bearing Assembly					
2015-2012			512511	2	

BMW-i3

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Link					
2018-2014		Left Right	K750851 K750852	1 1	
Wheel Hub & Bearing Assembly					
2018-2014			512569	2	

STEERING


Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod Assembly					
2018-2014		Left	EV801344	1	

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure	
Wheel Hub & Bearing Assembly					
2018-2017	M12 X 1.25		513390	2	
2016-2014	Range Extender, M12 X 1.5		513384	2	

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2018-2014	(R-Series)	Upper	RK621905	2
Wheel Hub & Bearing Assembly				
2018-2017	M12 X 1.25		513390	2
2016-2014	M12 X 1.5		513384	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2018-2014		Arm To Knuckle, Lower Outer	K201291	2
Sway Bar Link				
2018-2014	(Design Allows Ease Of Installation)	Left	K750676 ‡	1
	(Design Allows Ease Of Installation)	Right	K750677 ‡	1
Wheel Hub & Bearing Assembly				
2018-2017	M12 X 1.25		513390	2
2017-2014	M12 X 1.5		513384	2

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018-2016		Left	K750872 ‡	1
		Right	K750873 ‡	1
Wheel Hub & Bearing Assembly				
2016	Thru 9/15		513382	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2018-2016		Lower Center Outer	K201291	2
Wheel Bearing Assembly				
2018-2016	(Bearing Module)		512355	2

FRONT SUSPENSION				
				
F356				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2011-2008			K150275	2
				F356


BMW-M3 (Cont.)

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Link					
2018-2015		Left Right	K750872 ‡ K750873 ‡	1 1	
2013-2007	(Improves Upon OE Design) (Improves Upon OE Design)	Left Right	K750599 ‡ K750451 ‡	1 1	F356 F356
Wheel Hub & Bearing Assembly					
2016-2015			513382	2	
2013-2008			513274	2	
STEERING					
Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2013-2007			K150283	2	
Tie Rod End					
2013-2007	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800662 ‡ ES800663 ‡	1 1	
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm Bushing					
2018-2015		Arm To Knuckle, Lower Outer	K201291	2	
2013-2007		Arm To Knuckle, Lower Outer	K201291	2	
Shock Hardware Kit					
2013-2012	2 Dr. Convertible, 2 Dr. Coupe, Except Electronic Dampening Control Suspension	Upper	K160366	2	
2011-2008	Except Electronic Dampening Control Suspension	Upper	K160366	2	
Strut Bumper Bellows					
2013-2012	2 Dr. Convertible, 2 Dr. Coupe		K201554	2	
2011-2008			K201554	2	
Sway Bar Link					
2013-2007	(Improves Upon OE Design)		K750230 ‡	2	
Trailing Link Bushing					
2011-2008		Arm To Knuckle	K201295	2	
Wheel Bearing Assembly					
2018-2015	(Bearing Module)		512355	2	

BMW-M4

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018-2015		Left Right	K750872 ‡ K750873 ‡	1 1
Wheel Hub & Bearing Assembly				
2016-2015			513382	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2018-2015		Arm To Knuckle, Lower Outer	K201291	2
Wheel Bearing Assembly				
2018-2015	(Bearing Module)		512355	2


FRONT SUSPENSION



F573

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2010-2006	(R-Series) (R-Series) (R-Series) (R-Series)	Left Front Lower Left Rear Lower Right Front Lower Right Rear Lower	RK620125 RK622141 RK620126 RK622142	1 1 1 1	F573 F573 F573 F573
Strut Bumper Bellows					
2010-2006	(Original Equipment Type) (Replacement Type, Contains Bumper)	K150276 K90460	2 2	F573 F573	
Sway Bar Link					
2012	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750409 ‡	2		
2010-2006	(Greaseable Socket Reduces Corrosion/Wear)	Left K750027 ‡ Right K750028 ‡	1 1	F573 F573	
Wheel Hub & Bearing Assembly					
2016-2013		513362	2		
2010-2006		513274	2		

STEERING




S357

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod Assembly				
2010-2006	(Contains Inner And Outer Ends)	ES800664A ‡	2	S357
Tie Rod End				
2016-2013	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer ES800914 ‡ Right Outer ES800915 ‡	1 1	S357 S357
2010-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer ES800478 ‡ Inner EV800266 ‡	2 2	S357 S357

BMW-M5 (Cont.)

REAR SUSPENSION




R127

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2016-2014		Arm To Knuckle, Lower Outer	K201367	2
2010-2006	(High Quality Elastomer For Durability And Performance)	Upper Rear	K201137	2
		Arm To Knuckle, Lower Outer	K200012 ‡	2
Control Arm with Ball Joint				
2010-2006	(Contains Bushing, R-Series)	Left Rear Upper	RK620136	1
	(Contains Bushing, R-Series)	Right Rear Upper	RK620133	1
Sway Bar Bushing				
2009-2006	18mm Sway Bar Diameter	To Frame	K201045	1
Sway Bar Link				
2016-2013	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750409 ‡	2
2010-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750317 ‡	2
Wheel Bearing Assembly				
2010-2006	(Bearing Module)		512355	2
Wheel Hub & Bearing Assembly				
2016-2013			512537	2


BMW-M6

FRONT SUSPENSION




F573

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2010-2006	(R-Series)	Left Front Lower	RK622012	1
	(R-Series)	Left Rear Lower	RK620121	1
	(R-Series)	Right Rear Lower	RK620122	1

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Strut Bumper Bellows					
2010-2006	(Original Equipment Type) (Replacement Type, Contains Bumper)	K150276 K90460	2 2	F573 F573	
Sway Bar Link					
2010-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K80845 ‡ K80846 ‡	1 1	F573 F573
Wheel Hub & Bearing Assembly					
2017-2016		513400	2		
2015-2012		513362	2		
2010-2006		513274	2		
STEERING					
					
S357					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod Assembly					
2010-2006	(Contains Inner And Outer Ends)	ES800664A ‡	2	S357	
Tie Rod End					
2017-2012	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800914 ‡ ES800915 ‡	1 1	S357 S357
2010-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer Inner	ES800478 ‡ EV800266 ‡	2 2	S357 S357
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm Bushing					
2017-2014		Arm To Knuckle, Lower Outer	K201367	2	
2010-2006	(High Quality Elastomer For Durability And Performance)	Upper Rear Arm To Knuckle, Lower Outer	K201137 K200012 ‡	2 2	
Control Arm with Ball Joint					
2010-2006	(Contains Bushing, R-Series) (Contains Bushing, R-Series)	Left Rear Upper Right Rear Upper	RK620136 RK620133	1 1	
Sway Bar Bushing					
2009-2006	18mm Sway Bar Diameter	To Frame	K201045	1	
Sway Bar Link					
2017-2013	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750409 ‡	2	
2010-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750317 ‡	2	
Wheel Bearing Assembly					
2010-2006	(Bearing Module)		512355	2	
Wheel Hub & Bearing Assembly					
2017-2012		512537	2		


FRONT SUSPENSION



F476

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2016-2015	Rear Wheel Drive, (R-Series, Tension Strut)	Left Front Lower	RK621977	1	F476
	Rear Wheel Drive, (R-Series, Tension Strut)	Right Front Lower	RK621978	1	F476
2014	(R-Series, Tension Strut)	Left Front Lower	RK621977	1	F476
		Right Front Lower	RK621978	1	F476
Sway Bar Link					
2016-2014		Left	K750656	1	F476
		Right	K750657	1	F476
Wheel Hub & Bearing Assembly					
2016-2015	All Wheel Drive		513368	2	
2016-2014	Rear Wheel Drive		513359	2	


STEERING




S348

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod Assembly					
2016-2015	All Wheel Drive, (Design Allows Ease Of Installation)	Left	ES800943A ‡	1	S348
		Right	ES800944A ‡	1	S348
			EV801303 ‡	2	S348
2014			EV801303 ‡	2	S348
Tie Rod End					
2016-2015	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800945 ‡	1	S348
		Right Outer	ES800946 ‡	1	S348

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2016-2014	Arm To Knuckle, Lower Outer	K201291	2	
Sway Bar Link				
2016-2014	(Design Allows Ease Of Installation)	Left K750676 ‡ Right K750677 ‡	1 1	
Trailing Link				
2016-2014	(R-Series)	RK642849	2	

FRONT SUSPENSION				
				
F476				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2018-2017	Rear Wheel Drive, (R-Series, Tension Strut)	Left Front Lower	1	F476
	Rear Wheel Drive, (R-Series, Tension Strut)	Right Front Lower	1	F476
	2 Dr. Coupe, Rear Wheel Drive, (R-Series)	Left Rear Lower	1	F476
	2 Dr. Coupe, Rear Wheel Drive, (R-Series)	Right Rear Lower	1	F476
Sway Bar Link				
2018-2017		Left K750656 Right K750657	1 1	F476 F476

STEERING				
				
S348				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod Assembly				
2018-2017	All Wheel Drive, (Design Allows Ease Of Installation)	Left ES800943A ‡	1	S348

BMW-M240i (Cont.)

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod Assembly				
2018-2017 (Cont.)	All Wheel Drive, (Design Allows Ease Of Installation)	Right	ES800944A ‡	1 S348
	Rear Wheel Drive		EV801303 ‡	2 S348
Tie Rod End				
2018-2017	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800945 ‡	1 S348
	All Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800946 ‡	1 S348
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2018-2017		Lower Rear Outer	K201291	2
Sway Bar Link				
2018-2017	(Design Allows Ease Of Installation)	Left	K750676 ‡	1
	(Design Allows Ease Of Installation)	Right	K750677 ‡	1
Trailing Link				
2018-2017	(R-Series)		RK642849	2


BMW-M550i

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2018			512583	2


BMW-M760i

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2018-2017	All Wheel Drive		512583	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2018-2017			512583	2

BMW-Z4




FRONT SUSPENSION (Cont.)



F356

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2016-2009	(Design Allows Ease Of Installation)	Lower Front Inner	K200089 ‡	2 F356
2008-2006	(Contains Both Left And Right, Superior Rubber To Steel Bonding For Durability)	Lower Rear	K200714 ‡	1 F354
Control Arm with Ball Joint				
2016-2009	(R-Series)	Left Front Lower	RK620127	1 F356
	(R-Series)	Right Front Lower	RK620128	1 F356
2008-2006	(Bushings Not Included In Arm, R-Series)	Left Lower	RK80527	1 F354
	(Bushings Not Included In Arm, R-Series)	Right Lower	RK80528	1 F354
Strut Bumper Bellows				
2016-2009	Except Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2 F356
	Sport Suspension		K150276	2 F356
2008-2006	Except Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2 F354
	Sport Suspension		K150275	2 F354
Strut Mount				
2008-2006	(Contains Bearing, Contains Retainer)		K160091 ‡	2 F354
Sway Bar Bushing				
2010-2009	(Split Design For Easier Installation)	To Frame	K200823 ‡	1 F356
2008-2006	3.0Si, 3.0i, 24mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200821 ‡	1 F354
Sway Bar Link				
2016-2009		Left	K750002	1 F356
		Right	K750003	1 F356
2008-2006	(Powdered Metal Gusher Brg. For Better Lubrication)		K90515 ‡	2 F354
Wheel Hub & Bearing Assembly				
2016-2010			513254	2
2009-2006			513125	2

STEERING



S027


Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2008-2006			K90444	2 S027

BMW-Z4 (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2016-2009	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer	ES800662 ‡	1	
		Right Outer	ES800663 ‡	1	
		Inner	EV800564 ‡	2	
2008-2006	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer	ES3651 ‡	1	S027
		Right Outer	ES3650 ‡	1	S027
		Inner	EV441 ‡	2	S027


REAR SUSPENSION




R049

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2016-2006	(R-Series)	Lower	RK642748	2	R049
2013-2006	Minus 1 To Plus 3 Degrees Camber, (Adjustable, R-Series)	Lower	RK100197	2	R049
Control Arm Bushing					
2016-2014	(Design Allows Ease Of Installation)	Lower Outer	K200865 ‡	2	R049
2016-2009	(Design Allows Ease Of Installation)	Upper Outer	K200943 ‡	2	R049
2016-2006	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Lower Inner	K200864 ‡	2	R049
		Upper Inner	K200091 ‡	2	R049
2011-2006	(Design Allows Ease Of Installation)	Lower Outer	K200865 ‡	2	R049
2008-2006	2996cc(3.0L), (Design Allows Ease Of Installation) 3245cc(3.2L), (Design Allows Ease Of Installation)	Upper Outer	K200943 ‡	2	R049
		Outer	K200943 ‡	4	R049
Shock Mount					
2016-2009	(Design Allows Ease Of Installation)		K160194 ‡	2	R049
2008-2006			K90322	2	R049
Strut Bumper Bellows					
2008-2006	(Contains Bumper)		K90467	2	R049
Sway Bar Bushing					
2016-2009		To Frame	K201581	1	R049
2008-2006	18mm Sway Bar Diameter	To Frame	K201396	1	R049
Sway Bar Link					
2016-2006	(Improves Upon OE Design)		K80847 ‡	2	R049


FRONT SUSPENSION



F020



F284



F285


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009-2005	(Bolt On Type, Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K5331 ‡	2 F020
Control Arm				
2010	Performance Package, (R-Series)	Left Lower	RK642799	1 F284
	Performance Package, (R-Series)	Right Lower	RK642800	1 F284
Control Arm Bushing				
2010	Except Performance Suspension	Lower Rear	K201259	2 F285

BUICK-Allure (Cont.)

FRONT SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2010 (Cont.)	Except Performance Suspension	Lower Front	K201258	2 F285
2009-2005	(Horizontal Mount, 2 Piece Bushing Design Allows Easier Installation) (One Piece Bushing, Horizontal Mount) (Vertical Mount)	Lower Rear Lower Rear Lower Front	K80778 ‡ K6715 K6712	2 F020 2 F020 2 F020
2008-2005	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Front	K200787 ‡	2 F020
Control Arm with Ball Joint				
2010	Except Performance Package, (R-Series) Except Performance Package, (R-Series)	Left Lower Right Lower	RK641500 RK641501	1 F285 1 F285
Strut and Spring Assembly				
2010	Except Performance Package, (Coated For Corrosion Resistance, Contains Lower Mounting Hardware)		ST8547 ‡	2 F285
2009-2005	(Coated For Corrosion Resistance, Contains Lower Mounting Hardware)		ST8547 ‡	2 F020
Strut Bumper Bellows				
2010	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F284, F285
2009-2005	(Contains Retainer)		K201271	2 F020
2008-2005	(Contains Bumper)		K90463	2 F020
Strut Mount				
2010	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160214 ‡	2 F284, F285
2009-2005	(Contains Bearing)		K6521	2 F020
Strut Mounting Kit				
2009-2005	(Super Kit Contains Bearing And OE Style Bumper / Bellow)		K160391	2 F020
Strut Spring Seat				
2009-2005	(Contains Insulator And Retainer) (Spring Seat Only) (Insulator Only)	Upper Upper Lower	K80926 K80923 K5349	2 F020 2 F020 2 F020
Sway Bar Bushing				
2009-2005	.80" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201610 ‡ K80812	1 F020 1 F020
	.80" Sway Bar Diameter, (Standard Design)	To Frame		
	1.18" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201609 ‡ K80813	1 F020 1 F020
	1.18" Sway Bar Diameter, (Standard Design)	To Frame		
2008-2005	1.26" Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K80814 ‡	1 F020
	1.34" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201608 ‡ K80815	1 F020 1 F020
	1.34" Sway Bar Diameter, (Standard Design)	To Frame		
Sway Bar Link				
2010	Except Performance Package, (Improves Upon OE Design)		K750519 ‡	2 F285
2009-2008	V8 Cyl, (Powdered Metal Gusher Brg. For Better Lubrication)		K80852 ‡	2 F020
Sway Bar Repair Kit				
2009	V6 Cyl, (OEM Type, Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700527 ‡	2 F020
2008-2005	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700527 ‡	2 F020
Wheel Hub & Bearing Assembly				
2010-2006			513179	2

STEERING



S068


STEERING (Cont.)



S321

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2008-2005		K6298	1	S068	
Tie Rod End					
2010	CX, CXL, (Design Allows Ease Of Installation)	Outer	ES800852 ‡	2	S321
	CX, CXL, (Design Allows Ease Of Installation)	Inner	EV800900 ‡	2	S321
	CXS, Except High Performance Suspension, (Design Allows Ease Of Installation)	Outer	ES800852 ‡	2	S321
	CXS, Except High Performance Suspension, (Design Allows Ease Of Installation)	Inner	EV800900 ‡	2	S321
	CXS, High Performance Suspension	Left Outer	ES801166	1	S321
	CXS, High Performance Suspension	Right Outer	ES801169	1	S321
	CXS, High Performance Suspension	Inner	EV801089	2	S321
2009-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer	ES3459 ‡	2	S068
		Inner	EV195 ‡	2	S068


REAR SUSPENSION




R013

BUICK-Allure (Cont.)

REAR SUSPENSION (Cont.)



R210



R211


Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2010	4 Link Rear Suspension, (R-Series)	Lower Front	RK642743	2 R211
2009-2005	(Adjustable, R-Series) (Non-Adjustable, R-Series)	Lower Rear Lower Front	RK660276 RK660275	2 R013 2 R013
Control Arm Link				
2010	H-Arm Suspension, (Vertical Assist Link)		K700780	2 R210
Shock Mount				
2010	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Right	K160293 ‡ K160292 ‡	1 R210, R211 1 R210, R211
Strut and Spring Assembly				
2009-2005	16" Wheels, (Coated For Corrosion Resistance, Strut, Spring & Top Mount) 16" Wheels, (Coated For Corrosion Resistance, Strut, Spring & Top Mount)	Left Right	ST8569L ‡ ST8569R ‡	1 R013 1 R013
Strut Bumper Bellows				
2010	4 Link Rear Suspension, (Design Allows Ease Of Installation) H-Arm Suspension		K160285 ‡ K201554	2 R211 2 R210
2009-2005			K201270	2 R013
Strut Mount				
2009-2005	(Bearing Not Included)	Right	K160385	1 R013
2008-2005	(Universal Type)		K6567	2 R013
Strut Mounting Kit				
2009-2005	(Super Kit Contains Universal Mount And OE Style Bumper / Bellows)		K160388	2 R013
Strut Spring Seat				
2009-2005	(Insulator Only)	Lower	K5350	2 R013
Sway Bar Bushing				
2009-2005	15mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200317 ‡	1 R013

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009-2005 (Cont.)	17mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200318 ‡	1 R013
Sway Bar Link				
2010	4 Link Rear Suspension, (Improves Upon OE Design)		K750521 ‡	2 R211
	H-Arm Suspension, (Improves Upon OE Design)		K750520 ‡	2 R210
2009-2005	(Powdered Metal Gusher Brg. For Better Lubrication)		K6662 ‡	2 R013
Trailing Link				
2010	4 Link Rear Suspension, (R-Series)	Left	RK642851	1 R211
	4 Link Rear Suspension, (R-Series)	Right	RK642852	1 R211
2009-2008	FE1 Soft Ride Suspension, (R-Series)		RK6402	2 R013
2007-2005	(R-Series)		RK6402	2 R013
Trailing Link Bushing				
2009-2008	FE1 Soft Ride Suspension, (High Quality Elastomer For Durability And Performance)	Front	K200102 ‡	2 R013
	FE1 Soft Ride Suspension, (High Quality Elastomer For Durability And Performance)	Rear	K200103 ‡	2 R013
2007-2005	(High Quality Elastomer For Durability And Performance)	Front	K200102 ‡	2 R013
	(High Quality Elastomer For Durability And Performance)	Rear	K200103 ‡	2 R013
Wheel Hub & Bearing Assembly				
2010			513288	2
2009-2008			512357	2
2007-2005	4 Wheel ABS		512357	2

Cascada-BUICK


FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2017-2016	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2
Strut Mount				
2017-2016	(Contains Bearing, Contains Upper Retainer)		K160411	2
Wheel Hub & Bearing Assembly				
2017-2016			513316	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2017-2016			K160441	2
Wheel Hub & Bearing Assembly				
2017-2016			512581	2

LaCrosse-BUICK




BUICK-LaCrosse (Cont.)

FRONT SUSPENSION (Cont.)



F284




F285

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009-2005	(Bolt On Type, Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K5331 ‡	2 F020
Control Arm				
2016-2010	Performance Package, (R-Series)	Left Lower	RK642799	1 F284
	Performance Package, (R-Series)	Right Lower	RK642800	1 F284
Control Arm Bushing				
2016-2010	Except Performance Suspension	Lower Rear	K201259	2 F285
	Except Performance Suspension	Lower Front	K201258	2 F285
2009-2006	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Front	K200787 ‡	2 F020
2009-2005	(Horizontal Mount, 2 Piece Bushing Design Allows Easier Installation)	Lower Rear	K80778 ‡	2 F020
	(One Piece Bushing, Horizontal Mount)	Lower Rear	K6715	2 F020
	(Vertical Mount)	Lower Front	K6712	2 F020
Control Arm with Ball Joint				
2016-2010	Except Performance Package, (R-Series)	Left Lower	RK641500	1 F285
	Except Performance Package, (R-Series)	Right Lower	RK641501	1 F285
2009-2005	(Greaseable Socket Reduces Corrosion/Wear, Contains Ball And Socket Design Vertical Bushing)	Left Lower	CK620675 ‡	1 F020
	(R-Series)	Left Lower	RK620675	1 F020
	(Greaseable Socket Reduces Corrosion/Wear, Contains Ball And Socket Design Vertical Bushing)	Right Lower	CK620676 ‡	1 F020
	(R-Series)	Right Lower	RK620676	1 F020
Strut and Spring Assembly				
2009-2005	Except 18" Wheels, Except 17" Wheels, (Coated For Corrosion Resistance, Contains Lower Mounting Hardware)		ST8547 ‡	2 F020
Strut Bumper Bellows				
2016-2010	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F284, F285
2009-2005	(Contains Bumper)		K90463	2 F020


FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2009-2005 (Cont.)	(Contains Retainer)	K201271	2	F020
Strut Mount				
2013-2010	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160214 ‡	2	F284, F285
2009-2005	(Contains Bearing)	K6521	2	F020
Strut Mounting Kit				
2009-2005	(Super Kit Contains Bearing And OE Style Bumper / Bellow)	K160391	2	F020
Strut Spring Seat				
2009-2005	(Contains Insulator And Retainer) (Spring Seat Only) (Insulator Only)	Upper K80926 Upper K80923 Lower K5349	2 2 2	F020 F020 F020
Sway Bar Bushing				
2009	V6 Cyl, 1.18" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) To Frame	K201609 ‡	1	F020
	V6 Cyl, 1.18" Sway Bar Diameter, (Standard Design) To Frame	K80813	1	F020
	V8 Cyl, .80" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) To Frame	K201610 ‡	1	F020
	V8 Cyl, .80" Sway Bar Diameter, (Standard Design) To Frame	K80812	1	F020
2008-2005	.80" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) To Frame	K201610 ‡	1	F020
	.80" Sway Bar Diameter, (Standard Design) To Frame	K80812	1	F020
	1.18" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) To Frame	K201609 ‡	1	F020
	1.18" Sway Bar Diameter, (Standard Design) To Frame	K80813	1	F020
	1.26" Sway Bar Diameter, (Split Design For Easier Installation) To Frame	K80814 ‡	1	F020
	1.34" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) To Frame	K201608 ‡	1	F020
	1.34" Sway Bar Diameter, (Standard Design) To Frame	K80815	1	F020
Sway Bar Link				
2016-2013	Except Sport Suspension, (Improves Upon OE Design)	K750660 ‡	2	F285
2016-2010	Performance Package, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750400 ‡	2	F284
2012	From Chassis Serial Number 326584, Except Performance Package, (Improves Upon OE Design) Thru Chassis Serial Number 326583, Except Performance Package, (Improves Upon OE Design)	K750660 ‡ K750519 ‡	2 2	F285 F285
2011-2010	Except Performance Package, (Improves Upon OE Design)	K750519 ‡	2	F285
2009-2008	V8 Cyl, (Powdered Metal Gusher Brg. For Better Lubrication)	K80852 ‡	2	F020
Sway Bar Repair Kit				
2009	V6 Cyl, (OEM Type, Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700527 ‡	2	F020
2008	V6 Cyl, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700527 ‡	2	F020
2007-2005	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700527 ‡	2	F020
Wheel Hub & Bearing Assembly				
2017		513398	2	
2016-2010		513288	2	
2009-2006		513179	2	

STEERING




S068


STEERING (Cont.)



S321



S325




S337

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2008-2005		K6298	1	S068
Tie Rod End				
2017	Except Performance Package	Left Outer	ES801316 ‡	1
	Except Performance Package	Right Outer	ES801317 ‡	1
	Except Performance Package	Inner	EV801304	2
2016-2014	RPO Code NJ2 Belt Drive Electric Power	Left Outer	ES801334 ‡	1
	RPO Code NJ2 Belt Drive Electric Power	Right Outer	ES801335 ‡	1
	RPO Code NJ2 Belt Drive Electric Power, Performance Package	Inner	EV801211 ‡	2
	4 Cyl, 19" Wheels, RPO Code NJ1 Electric Non-Variable Power, 18" Wheels, (Design Allows Ease Of Installation)	Inner	EV800962 ‡	2


STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2016-2013	RPO Code NJ2 Belt Drive Electric Power, Except Performance Package, (Design Allows Ease Of Installation)	Inner	EV800950 ‡	2 S337
	Variable Effort Power Steering, (18mm Thread At Steering Gear, Design Allows Ease Of Installation)	Inner	EV800900 ‡	2 S321
	V6 Cyl, All Wheel Drive, Hydraulic Steering, (Design Allows Ease Of Installation)	Outer	ES800852 ‡	2 S321
2016-2011	4 Cyl, RPO Code NJ1 Electric Non-Variable Power, (Design Allows Ease Of Installation)	Outer	ES800949 ‡	2 S325
2015-2012	4 Cyl, RPO Code NJ1 Electric Non-Variable Power, 17" Wheels, (Design Allows Ease Of Installation)	Inner	EV800971 ‡	2 S325
2014-2013	V6 Cyl, Front Wheel Drive, Except High Performance Suspension, RPO Code NJ2 Belt Drive Electric Power	Outer	ES801253	2 S337
2013-2012	4 Cyl, RPO Code NJ1 Electric Non-Variable Power, 18" Wheels, (Design Allows Ease Of Installation)	Inner	EV800962 ‡	2 S325
2012-2011	V6 Cyl, Except High Performance Suspension, Hydraulic Steering, (Design Allows Ease Of Installation)	Outer	ES800852 ‡	2 S321
	V6 Cyl, Except High Performance Suspension, Hydraulic Steering, (18mm Thread At Steering Gear, Design Allows Ease Of Installation)	Inner	EV800900 ‡	2 S321
	V6 Cyl, High Performance Suspension, Hydraulic Steering	Left Outer	ES801166	1 S321
	V6 Cyl, High Performance Suspension, Hydraulic Steering	Right Outer	ES801169	1 S321
	V6 Cyl, High Performance Suspension, Hydraulic Steering	Inner	EV801089	2 S321
2011	4 Cyl, RPO Code NJ1 Electric Non-Variable Power, (Design Allows Ease Of Installation)	Inner	EV800962 ‡	2 S325
2010	Except High Performance Suspension, (Design Allows Ease Of Installation)	Outer	ES800852 ‡	2 S321
	4 Cyl, (Design Allows Ease Of Installation)	Inner	EV800900 ‡	2 S321
	V6 Cyl, Except High Performance Suspension, (Design Allows Ease Of Installation)	Inner	EV800900 ‡	2 S321
	V6 Cyl, High Performance Suspension	Left Outer	ES801166	1 S321
	V6 Cyl, High Performance Suspension	Right Outer	ES801169	1 S321
	V6 Cyl, High Performance Suspension	Inner	EV801089	2 S321
2009-2008	231(3.8L), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV195 ‡	2 S068
2009-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3459 ‡	2 S068
2008	217(3.6L), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV195 ‡	2 S068
2007-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV195 ‡	2 S068

REAR SUSPENSION




R013

REAR SUSPENSION (Cont.)



R210



R211

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2016-2013	H-Arm Suspension, (R-Series)	Left Lower	RK642390	1 R210
	H-Arm Suspension, (R-Series)	Right Lower	RK642391	1 R210
2015-2010	4 Link Rear Suspension, (R-Series)	Lower Front	RK642743	2 R211
2009-2005	(Adjustable, R-Series)	Lower Rear	RK642383	2 R013
	(Non-Adjustable, R-Series)	Lower Front	RK660275	2 R013
Control Arm Bushing				
2009-2008	325(5.3L), (High Quality Elastomer For Durability And Performance)	Rear	K200104 ‡	1 R013
Control Arm Link				
2016-2010	H-Arm Suspension, (Vertical Assist Link)		K700780	2 R210
Shock Mount				
2016-2010	(Design Allows Ease Of Installation)	Left	K160293 ‡	1 R210, R211
	(Design Allows Ease Of Installation)	Right	K160292 ‡	1 R210, R211
Strut and Spring Assembly				
2009	(Coated For Corrosion Resistance, Strut, Spring & Top Mount)	Left	ST8569L ‡	1 R013
	(Coated For Corrosion Resistance, Strut, Spring & Top Mount)	Right	ST8569R ‡	1 R013
2008-2005	16" Wheels, (Coated For Corrosion Resistance, Strut, Spring & Top Mount)	Left	ST8569L ‡	1 R013
	16" Wheels, (Coated For Corrosion Resistance, Strut, Spring & Top Mount)	Right	ST8569R ‡	1 R013
Strut Bumper Bellows				
2016-2014			K201554	2 R210, R211
2013-2010	4 Link Rear Suspension, (Design Allows Ease Of Installation)		K160285 ‡	2 R211
	H-Arm Suspension		K201554	2 R210
2009-2005			K201270	2 R013
Strut Mount				
2009-2005	(Universal Type)	Right	K6567	2 R013
	(Bearing Not Included)		K160385	1 R013

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Mounting Kit				
2009-2005	(Super Kit Contains Universal Mount And OE Style Bumper / Bellows)	K160388	2	R013
Strut Spring Seat				
2009-2005	(Insulator Only)	Lower K5350	2	R013
Sway Bar Bushing				
2009	CX, CXL, (Reduces Noise)	To Frame	K200317 ‡	1 R013
2009-2008	Super, (Reduces Noise)	To Frame	K200318 ‡	1 R013
2008	CX, CXL, CXS, (Reduces Noise)	To Frame	K200317 ‡	1 R013
2007-2005	15mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200317 ‡	1 R013
	17mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200318 ‡	1 R013
Sway Bar Link				
2016-2010	4 Link Rear Suspension, (Improves Upon OE Design)		K750521 ‡	2 R211
	H-Arm Suspension, (Improves Upon OE Design)		K750520 ‡	2 R210
2009-2005	(Powdered Metal Gusher Brg. For Better Lubrication)		K6662 ‡	2 R013
Toe Adjuster				
2019	Except Performance Suspension, Plus or Minus 2 Degree, (10mm Bolts, Double Offset)		K100257	2
Trailing Link				
2015-2010	4 Link Rear Suspension, (R-Series)	Left	RK642851	1 R211
	4 Link Rear Suspension, (R-Series)	Right	RK642852	1 R211
2009-2008	FE1 Soft Ride Suspension, (R-Series)		RK6402	2 R013
2007-2005	(R-Series)		RK6402	2 R013
Trailing Link Bushing				
2009-2008	FE1 Soft Ride Suspension, (High Quality Elastomer For Durability And Performance)	Front	K200102 ‡	2 R013
	FE1 Soft Ride Suspension, (High Quality Elastomer For Durability And Performance)	Rear	K200103 ‡	2 R013
2007-2005	(High Quality Elastomer For Durability And Performance)	Front	K200102 ‡	2 R013
	(High Quality Elastomer For Durability And Performance)	Rear	K200103 ‡	2 R013
Wheel Hub & Bearing Assembly				
2017	Front Wheel Drive		512575	2
2016-2010			513288	2
2009-2006			512357	2

Lucerne-BUICK


FRONT SUSPENSION				
F368				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2011-2006	(R-Series)	Left Lower	RK80354	1 F368
	(R-Series)	Right Lower	RK80355	1 F368
Strut Bumper Bellows				
2011-2006	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F368
Strut Mount				
2011-2006	(Contains Insulator And Bearing, Superior Rubber To Steel Bonding For Durability)		K160213 ‡	2 F368

BUICK-Lucerne (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Strut Spring Seat				
2011-2006	Upper	K80923	2	F368
Sway Bar Bushing				
2011	CX, CXL, CXL Premium To Frame	K201315	1	F368
2011-2008	Super To Frame	K201316	1	F368
2010-2009	CX, CXL To Frame	K201315	1	F368
2008	CX, CXL, CXL Special Edition, CXS To Frame	K201315	1	F368
2007-2006	To Frame	K201315	1	F368
Sway Bar Repair Kit				
2011-2006	5.5" Length. (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700528 ‡	2	F368
Wheel Hub & Bearing Assembly				
2011-2006		513179	2	


STEERING



S059

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2011-2006		K6472	2	S059
Tie Rod End				
2011-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer ES3452 ‡ Inner EV260 ‡	2 2	S059 S059

REAR SUSPENSION



R054

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2011-2006	(Lateral Link With Ball Joint, Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Lower Rear CK660168 ‡	2	R054

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2011-2006 (Cont.)	(Lateral Link With Ball Joint, R-Series, Compensator Link)	Lower Rear	RK660168	2 R054
Shock Mount				
2011-2006			K5341	2 R054
Sway Bar Bushing				
2011-2006		To Frame	K201317	1 R054
Sway Bar Repair Kit				
2011-2006	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700529 ‡	2 R054
Wheel Hub & Bearing Assembly				
2011-2006			512003	2


FRONT SUSPENSION				
F284				
F285				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2014	Front Wheel Drive, Performance Package, (R-Series)	Left Lower	RK642799	1 F284
	Front Wheel Drive, Performance Package, (R-Series)	Right Lower	RK642800	1 F284
2013-2012	Performance Package, (R-Series)	Left Lower	RK642799	1 F284
	Performance Package, (R-Series)	Right Lower	RK642800	1 F284
Control Arm Bushing				
2016-2014	Front Wheel Drive, Except Performance Package	Lower Rear	K201259	2 F285
	Front Wheel Drive, Except Performance Package	Lower Front	K201258	2 F285

BUICK-Regal (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2013-2011	Except Performance Package Except Performance Package	Lower Rear Lower Front	K201259 K201258	2 2 F285 F285
Control Arm with Ball Joint				
2017	Except Performance Package, (R-Series) Except Performance Package, (R-Series)	Left Lower Right Lower	RK641500 RK641501	1 1 F285 F285
2016-2014	Front Wheel Drive, Except Performance Package, (R-Series) Front Wheel Drive, Except Performance Package, (R-Series)	Left Lower Right Lower	RK641500 RK641501	1 1 F285 F285
2013-2011	Except Performance Package, (R-Series) Except Performance Package, (R-Series)	Left Lower Right Lower	RK641500 RK641501	1 1 F285 F285
Strut Bumper Bellows				
2017-2014	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F284, F285
2013-2011	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F285
Strut Mount				
2013-2011	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160214 ‡	2 F285
Sway Bar Link				
2017-2014	Except Performance Package, (Improves Upon OE Design) Performance Package, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750660 ‡ K750400 ‡	2 2 F285 F284
2013	Base Model, (Improves Upon OE Design)		K750660 ‡	2 F285
2013-2012	GS, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750400 ‡	2 F284
2012	Naturally Aspirated, Base Model, From Chassis Serial Number 190916, (Improves Upon OE Design) Naturally Aspirated, Base Model, Thru Chassis Serial Number 190915, (Improves Upon OE Design) Turbocharged/Intercooled, Base Model, From Chassis Serial Number 191146, (Improves Upon OE Design) Turbocharged/Intercooled, Base Model, Thru Chassis Serial Number 191145, (Improves Upon OE Design)		K750660 ‡ K750519 ‡ K750660 ‡ K750519 ‡	2 2 2 2 F285 F285 F285 F285
2011	(Improves Upon OE Design)		K750519 ‡	2 F285
Wheel Hub & Bearing Assembly				
2017-2011			513288	2


STEERING




STEERING (Cont.)



S325



S337



S338


Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2016	Front Wheel Drive, (Design Allows Ease Of Installation)	Outer	ES800949 ‡	2 S325
2017-2014	Except 17" Wheels, RPO Code NJ1 Electric Non-Variable Power, (Design Allows Ease Of Installation)	Inner	EV800962 ‡	2 S325
	RPO Code NJ1 Electric Non-Variable Power, 17" Wheels, (Design Allows Ease Of Installation)	Inner	EV800971 ‡	2 S325
	RPO Code NJ2 Belt Drive Electric Power	Left Outer	ES801334 ‡	1 S337, S338
	RPO Code NJ2 Belt Drive Electric Power	Right Outer	ES801335 ‡	1 S337, S338
	RPO Code NJ2 Belt Drive Electric Power	Inner	EV801211 ‡	2 S337, S338
2015-2014	1998cc(2.0L), Base Model, Front Wheel Drive, (Design Allows Ease Of Installation)	Outer	ES800949 ‡	2 S325
2015-2012	2384cc(2.4L), (Design Allows Ease Of Installation)	Outer	ES800949 ‡	2 S325

BUICK-Regal (Cont.)


STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2013	2384cc(2.4L), (Design Allows Ease Of Installation)	Inner	EV800971 ‡	2 S325
2013-2012	1998cc(2.0L), Base Model, (Design Allows Ease Of Installation) 1998cc(2.0L), Base Model, (Design Allows Ease Of Installation) 1998cc(2.0L), GS 1998cc(2.0L), GS 1998cc(2.0L), GS	Outer	ES800852 ‡	2 S321
		Inner	EV800900 ‡	2 S321
		Left Outer	ES801166	1 S321
		Right Outer	ES801169	1 S321
		Inner	EV801089	2 S321
2012	2384cc(2.4L), (Design Allows Ease Of Installation)	Inner	EV800962 ‡	2 S325
2011	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Outer	ES800852 ‡	2 S321
		Inner	EV800900 ‡	2 S321

REAR SUSPENSION



R210



R211


Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2014	H-Arm Suspension, (R-Series) H-Arm Suspension, (R-Series)	Left Lower	RK642390	1 R210
		Right Lower	RK642391	1 R210
2017-2011	4 Link Rear Suspension, (R-Series)	Lower Front	RK642743	2 R211
Control Arm Link				
2017-2015	H-Arm Suspension, (Vertical Assist Link)		K700780	2 R210
Shock Mount				
2017-2014	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left	K160293 ‡	1 R210, R211
		Right	K160292 ‡	1 R210, R211
2013-2011	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left	K160293 ‡	1 R211
		Right	K160292 ‡	1 R211
Strut Bumper Bellows				
2017-2014	Base Model, Front Wheel Drive		K201554	2 R211

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2013-2011	(Design Allows Ease Of Installation)	K160285 ‡	2	R211
Sway Bar Link				
2017-2014	4 Link Rear Suspension, (Improves Upon OE Design) H-Arm Suspension, (Improves Upon OE Design)	K750521 ‡ K750520 ‡	2 2	R211 R210
2013-2011	(Improves Upon OE Design)	K750521 ‡	2	R211
Trailing Link				
2017-2011	4 Link Rear Suspension, (R-Series) 4 Link Rear Suspension, (R-Series)	Left RK642851 Right RK642852	1 1	R211 R211
Wheel Hub & Bearing Assembly				
2017-2011		513288	2	

FRONT SUSPENSION				
F060				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2017-2012		Lower Front	K201258	2 F060
2016-2012		Lower Rear	K201259	2 F060
Control Arm with Ball Joint				
2016-2012	(R-Series)	Left Lower	RK621752	1 F060
	(R-Series)	Right Lower	RK621751	1 F060
Strut Bumper Bellows				
2017-2012			K150275	2 F060
Strut Mount				
2017-2012	(Contains Bearing, Contains Upper Retainer)		K160411	2 F060
Sway Bar Bushing				
2015-2012	(Split Design For Easier Installation)	To Frame	K200843 ‡	1 F060
Sway Bar Link				
2017-2012	(Improves Upon OE Design)		K750519 ‡	2 F060
Wheel Hub & Bearing Assembly				
2017-2012			513316	2

BUICK-Verano (Cont.)

STEERING



S235

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017	RPO Code NJ1 Electric Non-Variable Power, (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800884 ‡	2 S235
2017-2014	Rpo Code NJ0 Electric Reduced Rack Travel	Inner	EV801195	2 S235
2017-2012	(Design Allows Ease Of Installation)	Outer	ES800949 ‡	2 S235
2016-2012	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800884 ‡	2 S235
2013-2012		Inner	EV801195	2 S235

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2016-2012	(Lateral Link, R-Series)		RK642897	2
Shock Mount				
2017-2012			K160441	2
Wheel Hub & Bearing Assembly				
2017-2014			512508	2
2013-2012			512581	2

CADILLAC-ATS

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2017-2013	All Wheel Drive, (Design Allows Ease Of Installation)	Left	K750680 ‡	1
	All Wheel Drive, (Design Allows Ease Of Installation)	Right	K750681 ‡	1
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Left	K750672 ‡	1
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Right	K750673 ‡	1
Wheel Hub & Bearing Assembly				
2017	V6 Cyl, Naturally Aspirated, All Wheel Drive		513316	2
2017-2016	4 Cyl, Turbocharged/Intercooled, All Wheel Drive		513316	2
	4 Cyl, Turbocharged/Intercooled, Rear Wheel Drive		513380	2
	V6 Cyl, Naturally Aspirated, Rear Wheel Drive		513380	2
2016	4 Cyl, Naturally Aspirated, Rear Wheel Drive		513380	2
2015-2013	All Wheel Drive		513316	2
	Rear Wheel Drive		513380	2

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2017-2013	(Design Allows Ease Of Installation)		K750675 ‡	2
Wheel Hub & Bearing Assembly				
2017-2016	4 Cyl, Turbocharged/Intercooled		513316	2
	V6 Cyl, Naturally Aspirated		513316	2

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2016	4 Cyl, Naturally Aspirated	513316	2	
2015-2013		513316	2	


ATS-V-CADILLAC

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2017-2016	(Design Allows Ease Of Installation)	Left	K750672 ‡	1
	(Design Allows Ease Of Installation)	Right	K750673 ‡	1
Wheel Hub & Bearing Assembly				
2017-2016	V6 Cyl, Twin Turbocharged/Intercooled	513401	2	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2017-2016	(Design Allows Ease Of Installation)	K750675 ‡	2	
Wheel Hub & Bearing Assembly				
2017-2016	2nd Design; Vehicles Without Stainless Steel Bearings	512579	2	
2016	V6 Cyl, Twin Turbocharged/Intercooled	513316	2	

CT6-CADILLAC


FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2017-2016	All Wheel Drive Rear Wheel Drive	512579 513401	2 2	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2017	Base Model	512579	2	
2016		512579	2	

CTS-CADILLAC




CADILLAC-CTS (Cont.)

FRONT SUSPENSION (Cont.)



F398




F399

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2014	2 Dr. Coupe, All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, Aluminum Arm)	Lower	K500290 ‡	2	F399
	2 Dr. Coupe, All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed, Steel Arm)	Lower	K500064 ‡	2	F399
2013-2008	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, Aluminum Arm)	Lower	K500290 ‡	2	F399
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed, Steel Arm)	Lower	K500064 ‡	2	F399
2007-2004	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500119 ‡	2	F042
	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80635 ‡	2	F042
Shock Mount					
2014	2 Dr. Coupe, All Wheel Drive	Upper	K160432	2	F399
	2 Dr. Coupe, Rear Wheel Drive	Upper	K160426	2	F398
2013-2011	2 Dr. Coupe, 4 Dr. Sedan, All Wheel Drive	Upper	K160432	2	F399
2013-2008	Rear Wheel Drive	Upper	K160426	2	F398
2010-2008	4 Dr. Sedan, All Wheel Drive	Upper	K160432	2	F399
2007-2004		Upper	K160432	2	F042
Strut Bumper Bellows					
2007-2004	(Design Allows Ease Of Installation)		K160285 ‡	2	F042
Sway Bar Bushing					
2014-2013	All Wheel Drive, 33mm Sway Bar Diameter	To Frame	K201632	1	F399
2014-2010	Rear Wheel Drive, 29mm Sway Bar Diameter	To Frame	K201433	1	F398
	Rear Wheel Drive, 31mm Sway Bar Diameter	To Frame	K201447	1	F398
2012	All Wheel Drive, 35mm Sway Bar Diameter	To Frame	K201683	1	F399
2011	All Wheel Drive, 33mm Sway Bar Diameter	To Frame	K201632	1	F399
2010	All Wheel Drive, 35mm Sway Bar Diameter	To Frame	K201683	1	F399
2009-2008	All Wheel Drive, 33mm Sway Bar Diameter	To Frame	K201632	1	F399

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Bushing					
2009-2008 (Cont.)	Rear Wheel Drive, 22mm Sway Bar Diameter	To Frame	K201539	1	F398
2007-2004		To Frame	K201308	1	F042
Sway Bar Link					
2017-2016	All Wheel Drive, (Design Allows Ease Of Installation)	Left	K750680 ‡	1	
	All Wheel Drive, (Design Allows Ease Of Installation)	Right	K750681 ‡	1	
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Left	K750672 ‡	1	
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Right	K750673 ‡	1	
2015-2014	4 Dr. Sedan, All Wheel Drive, (Design Allows Ease Of Installation)	Left	K750680 ‡	1	
	4 Dr. Sedan, All Wheel Drive, (Design Allows Ease Of Installation)	Right	K750681 ‡	1	
	4 Dr. Sedan, Rear Wheel Drive, (Design Allows Ease Of Installation)	Left	K750672 ‡	1	
	4 Dr. Sedan, Rear Wheel Drive, (Design Allows Ease Of Installation)	Right	K750673 ‡	1	
2014	2 Dr. Coupe, All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)		K750057 ‡	2	F399
	2 Dr. Coupe, Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)		K750190 ‡	2	F398
2013-2008	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)		K750057 ‡	2	F399
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)		K750190 ‡	2	F398
2007-2004	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80564 ‡	2	F042
Wheel Hub & Bearing Assembly					
2017-2016	Rear Wheel Drive		513393	2	
2016	Rear Wheel Drive, (Except Stainless Steel Bearing)		513401	2	
2016-2015	All Wheel Drive		513288	2	
2015-2014	4 Dr. Sedan, Rear Wheel Drive		513393	2	
	217(3.6L), Naturally Aspirated, 4 Dr. Sedan		513288	2	
2014	2 Dr. Coupe		513282	2	
	4 Dr. Sedan, All Wheel Drive		513288	2	
2013-2010	183(3.0L)		513282	2	
2013-2008	217(3.6L)		513282	2	
2007-2005	2792cc(2.8L)		512246	2	
2007-2004	217(3.6L)		512246	2	
STEERING					
<p>S174</p>					
<p>S363</p>					

CADILLAC-CTS (Cont.)


STEERING (Cont.)



S364

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2014	2 Dr. Coupe, All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800641 ‡	1	S364
	2 Dr. Coupe, All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800642 ‡	1	S364
	2 Dr. Coupe, All Wheel Drive, (Design Allows Ease Of Installation)	Inner	EV800711 ‡	2	S364
	2 Dr. Coupe, Rear Wheel Drive	Left Outer	ES801186	1	S363
	2 Dr. Coupe, Rear Wheel Drive	Right Outer	ES801187	1	S363
	2 Dr. Coupe, Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800610 ‡	2	S363
2013-2008	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800641 ‡	1	S364
	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800642 ‡	1	S364
	All Wheel Drive, (Design Allows Ease Of Installation)	Inner	EV800711 ‡	2	S364
	Rear Wheel Drive	Left Outer	ES801186	1	S363
	Rear Wheel Drive	Right Outer	ES801187	1	S363
	Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800610 ‡	2	S363
2007-2004	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer	ES3586 ‡	1	S174
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right Outer	ES3585 ‡	1	S174
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800332 ‡	2	S174

REAR SUSPENSION




R076

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2014	2 Dr. Coupe, (R-Series)	Left Upper	RK622100	1	R076
		Right Upper	RK622101	1	R076
2013-2008	(R-Series)	Left Upper	RK622100	1	R076
		Right Upper	RK622101	1	R076
2007-2004	(R-Series)	Left Upper	RK622079	1	R076
		Right Upper	RK622080	1	R076
Knuckle Bushing					
2007-2004		At Shock	K200945	2	R076
Shock Mount Bushing					
2011-2010	4 Dr. Sedan, (Design Allows Ease Of Installation)	Lower	K200350 ‡	2	R076
2009-2008	(Design Allows Ease Of Installation)	Lower	K200350 ‡	2	R076
Sway Bar Bushing					
2014-2008	23.4mm Sway Bar Diameter	To Frame	K201434	1	R076
2013-2008	17mm Sway Bar Diameter	To Frame	K201379	1	R076
2009-2008	18mm Sway Bar Diameter	To Frame	K201439	1	R076


REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Bushing					
2007-2004	FE1 Soft Ride Suspension FE3 Sport Suspension	To Frame To Frame	K201377 K201439	1 1	R076 R076
Sway Bar Link					
2017-2016	(Design Allows Ease Of Installation)		K750675 ‡	2	
2015-2014	4 Dr. Sedan, (Design Allows Ease Of Installation)		K750675 ‡	2	
2014	2 Dr. Coupe, (Powdered Metal Gusher Brg. For Better Lubrication) 2 Dr. Coupe, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750325 ‡ K750326 ‡	1 1	R076 R076
2013-2008	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750325 ‡ K750326 ‡	1 1	R076 R076
2007-2004	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750020 ‡ K750016 ‡	1 1	R076 R076
Trailing Link Bushing					
2012-2008	(Design Allows Ease Of Installation)	At Knuckle, Lower	K200641 ‡	2	R076
2007-2004	(Design Allows Ease Of Installation)	At Knuckle, Lower	K200981 ‡	2	R076
Wheel Hub & Bearing Assembly					
2017-2016			512399	2	
2015	217(3.6L), Twin Turbocharged/Intercooled, 4 Dr. Sedan		512399	2	
2014	2 Dr. Coupe		513282	2	
2013-2010	183(3.0L)		513282	2	
2013-2008	217(3.6L)		513282	2	
2007-2005	2792cc(2.8L)		512223	2	
2007-2004	217(3.6L)		512223	2	

CTS Sport Wagon-CADILLAC



CADILLAC-CTS Sport Wagon (Cont.)


FRONT SUSPENSION (Cont.)



F399


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2014	4 Dr. Station Wagon, All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, Aluminum Lower Arm)	K500290 ‡	2	F399
	4 Dr. Station Wagon, All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed, Steel Lower Arm)	K500064 ‡	2	F399
2013-2010	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, Aluminum Lower Arm)	K500290 ‡	2	F399
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed, Steel Lower Arm)	K500064 ‡	2	F399
Shock Mount				
2014	4 Dr. Station Wagon, Rear Wheel Drive	Upper	K160426	2 F398
2014-2010	4 Dr. Station Wagon, All Wheel Drive, Except FE5 Suspension	Upper	K160432	2 F399
	4 Dr. Station Wagon, All Wheel Drive, FE5 Performance And Handling Suspension, 10mm Strut Thread	Upper	K160432	2 F399
	4 Dr. Station Wagon, All Wheel Drive, FE5 Performance And Handling Suspension, 12mm Strut Thread	Upper	K160426	2 F399
2013-2010	Rear Wheel Drive	Upper	K160426	2 F398
Sway Bar Bushing				
2014-2010	All Wheel Drive, 35mm Sway Bar Diameter	To Frame	K201683	1 F398
	Rear Wheel Drive, 29mm Sway Bar Diameter	To Frame	K201433	1 F398
	Rear Wheel Drive, 31mm Sway Bar Diameter	To Frame	K201447	1 F398
Sway Bar Link				
2014	4 Dr. Station Wagon, Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)		K750190 ‡	2 F398
2014-2010	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)		K750057 ‡	2 F399
2013-2010	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)		K750190 ‡	2 F398
Wheel Hub & Bearing Assembly				
2014-2010	4 Dr. Station Wagon		513282	2

STEERING



S363


STEERING (Cont.)



S364

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2014	4 Dr. Station Wagon, All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800641 ‡	1	S364
	4 Dr. Station Wagon, All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800642 ‡	1	S364
	4 Dr. Station Wagon, All Wheel Drive, (Design Allows Ease Of Installation)	Inner	EV800711 ‡	2	S364
	4 Dr. Station Wagon, Rear Wheel Drive	Left Outer	ES801186	1	S363
	4 Dr. Station Wagon, Rear Wheel Drive	Right Outer	ES801187	1	S363
	4 Dr. Station Wagon, Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800610 ‡	2	S363
	2013-2010	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800641 ‡	1
All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)		Right Outer	ES800642 ‡	1	S364
All Wheel Drive, (Design Allows Ease Of Installation)		Inner	EV800711 ‡	2	S364
Rear Wheel Drive		Left Outer	ES801186	1	S363
Rear Wheel Drive		Right Outer	ES801187	1	S363
Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		Inner	EV800610 ‡	2	S363

REAR SUSPENSION



R076

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2014	4 Dr. Station Wagon, (R-Series)	Left Upper	RK622100	1	R076
	4 Dr. Station Wagon, (R-Series)	Right Upper	RK622101	1	R076
2013-2010	(R-Series)	Left Upper	RK622100	1	R076
	(R-Series)	Right Upper	RK622101	1	R076
Shock Mount Bushing					
2011-2010	4 Dr. Station Wagon, (Design Allows Ease Of Installation)	Lower	K200350 ‡	2	R076
Sway Bar Bushing					
2014-2010	17mm Sway Bar Diameter	To Frame	K201379	1	R076
	23.4mm Sway Bar Diameter	To Frame	K201434	1	R076
Sway Bar Link					
2014	4 Dr. Station Wagon, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750325 ‡	1	R076
	4 Dr. Station Wagon, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750326 ‡	1	R076
2013-2010	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750325 ‡	1	R076
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750326 ‡	1	R076
Trailing Link Bushing					
2012-2010	(Design Allows Ease Of Installation)	At Knuckle, Lower	K200641 ‡	2	R076


CADILLAC-CTS Sport Wagon (Cont.)

REAR SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2014	4 Dr. Station Wagon	513282	2	
2013-2010	183(3.0L), Base Model	513282	2	
	217(3.6L), Base Model	513282	2	

CADILLAC-CTS-V

FRONT SUSPENSION



F042




F398

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2015-2010		Lower	K500360	2	F398
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500119 ‡	2	F042
	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80635 ‡	2	F042
Shock Mount					
2015-2009		Upper	K160426	2	F398
2007-2006		Upper	K160432	2	F042
Strut Bumper Bellows					
2007-2006	(Design Allows Ease Of Installation)		K160285 ‡	2	F042
Sway Bar Bushing					
2014-2009	Rear Wheel Drive, 29mm Sway Bar Diameter	To Frame	K201433	1	F398
2009	22mm Sway Bar Diameter	To Frame	K201539	1	F398
2007-2006		To Frame	K201309	1	F042
Sway Bar Link					
2017-2016	Rear Wheel Drive, (Design Allows Ease Of Installation)	Left	K750672 ‡	1	F398

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Link					
2017-2016 (Cont.)	Rear Wheel Drive, (Design Allows Ease Of Installation)	Right	K750673 ‡	1	F398
2015	2 Dr. Coupe, Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)		K750190 ‡	2	F398
2014	2 Dr. Coupe, 4 Dr. Station Wagon, Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)		K750190 ‡	2	F398
2013-2009	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)		K750190 ‡	2	F398
2007-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80564 ‡	2	F042
Wheel Hub & Bearing Assembly					
2017-2016			513401	2	
2015	376(6.2L), 2 Dr. Coupe		513281	2	
2014	376(6.2L), 2 Dr. Coupe, 4 Dr. Sedan, 4 Dr. Station Wagon		513281	2	
2013-2009	376(6.2L)		513281	2	
2007-2006	365(6.0L)		513197	2	
STEERING					
S174					
S175					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2015	2 Dr. Coupe, Rear Wheel Drive	Left Outer	ES801186	1	S175
	2 Dr. Coupe, Rear Wheel Drive	Right Outer	ES801187	1	S175
	2 Dr. Coupe, Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800610 ‡	2	S175
2014	2 Dr. Coupe, 4 Dr. Station Wagon, Rear Wheel Drive	Left Outer	ES801186	1	S175
	2 Dr. Coupe, 4 Dr. Station Wagon, Rear Wheel Drive	Right Outer	ES801187	1	S175
	2 Dr. Coupe, 4 Dr. Station Wagon, Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800610 ‡	2	S175
2013-2011	Rear Wheel Drive	Left Outer	ES801186	1	S175
	Rear Wheel Drive	Right Outer	ES801187	1	S175
	Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800610 ‡	2	S175
2012-2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer	ES801186	1	S175
		Right Outer	ES801187	1	S175
		Inner	EV800610 ‡	2	S175
2007-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer	ES3586 ‡	1	S174
		Right Outer	ES3585 ‡	1	S174
		Inner	EV800332 ‡	2	S174

CADILLAC-CTS-V (Cont.)


REAR SUSPENSION



R076

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2014	2 Dr. Coupe, 4 Dr. Station Wagon, (R-Series)	Left Upper	RK622100	1	R076
	2 Dr. Coupe, 4 Dr. Station Wagon, (R-Series)	Right Upper	RK622101	1	R076
2013-2009	(R-Series)	Left Upper	RK622100	1	R076
	(R-Series)	Right Upper	RK622101	1	R076
2007-2006	(R-Series)	Left Upper	RK622079	1	R076
	(R-Series)	Right Upper	RK622080	1	R076
Knuckle Bushing					
2007-2006		At Shock	K200945	2	R076
Shock Mount Bushing					
2011	4 Dr. Sedan, 4 Dr. Station Wagon, (Design Allows Ease Of Installation)	Lower	K200350 ‡	2	R076
2010	4 Dr. Sedan, (Design Allows Ease Of Installation)	Lower	K200350 ‡	2	R076
2009	(Design Allows Ease Of Installation)	Lower	K200350 ‡	2	R076
Sway Bar Bushing					
2015-2009	23.4mm Sway Bar Diameter	To Frame	K201434	1	R076
2012-2011	17mm Sway Bar Diameter	To Frame	K201379	1	R076
2009	18mm Sway Bar Diameter	To Frame	K201439	1	R076
2007-2006	FE1 Soft Ride Suspension	To Frame	K201377	1	R076
	FE3 Sport Suspension	To Frame	K201439	1	R076
Sway Bar Link					
2017-2016	(Design Allows Ease Of Installation)		K750675 ‡	2	
2015	2 Dr. Coupe, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750325 ‡	1	R076
	2 Dr. Coupe, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750326 ‡	1	R076
2014	2 Dr. Coupe, 4 Dr. Station Wagon, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750325 ‡	1	R076
	2 Dr. Coupe, 4 Dr. Station Wagon, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750326 ‡	1	R076
2013-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750325 ‡	1	R076
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750326 ‡	1	R076
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750020 ‡	1	R076
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750016 ‡	1	R076
Trailing Link Bushing					
2012-2009	(Design Allows Ease Of Installation)	At Knuckle, Lower	K200641 ‡	2	R076
2007-2006	(Design Allows Ease Of Installation)	At Knuckle, Lower	K200981 ‡	2	R076
Wheel Hub & Bearing Assembly					
2017-2016			512579	2	
2015	376(6.2L), 2 Dr. Coupe		513281	2	
2014	376(6.2L), 2 Dr. Coupe, 4 Dr. Sedan, 4 Dr. Station Wagon		513281	2	
2013-2009	376(6.2L)		513281	2	
2007-2006	365(6.0L)		512243	2	


FRONT SUSPENSION



F382

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2011-2006	Heavy Duty Brakes, (Press In Type, Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6445 ‡	2 F382
Control Arm with Ball Joint				
2011-2006	FE1 Or FE3 Suspension, (R-Series)	Left Lower	RK80354	1 F382
	FE1 Or FE3 Suspension, (R-Series)	Right Lower	RK80355	1 F382
Strut Bumper Bellows				
2011-2007	FE3 Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2 F382
	FE7 Heavy Duty Suspension, (Replacement Type, Contains Bumper)		K90460	2 F382
2011-2006	FE1 Soft Ride Suspension, (OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F382
Strut Mount				
2011-2006	(Contains Insulator And Bearing, Superior Rubber To Steel Bonding For Durability)		K160213 ‡	2 F382
Strut Spring Seat				
2011-2006		Upper	K80923	2 F382
Sway Bar Bushing				
2011-2006	FE1 Or FE3 Suspension	To Frame	K201315	1 F382
	FE7 Heavy Duty Suspension	To Frame	K201316	1 F382
Sway Bar Repair Kit				
2011-2006	FE1 Or FE3 Suspension, 5.5" Length, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700528 ‡	2 F382
Wheel Hub & Bearing Assembly				
2011-2006	Except Heavy Duty Suspension		513179	2
	Heavy Duty Brakes		515163	2

STEERING




S138

CADILLAC-DTS (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2011-2006		K6472	2	S138
Tie Rod End				
2011-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner	ES3452 ‡ EV260 ‡	2 2 S138 S138

REAR SUSPENSION




R054

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2011-2006	(Lateral Link With Ball Joint, Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Lateral Link With Ball Joint, R-Series, Compensator Link)	Lower Rear Lower Rear	CK660168 ‡ RK660168	2 2 R054 R054
Shock Mount				
2011-2006		K5341	2	R054
Sway Bar Bushing				
2011-2006		To Frame	K201317	1 R054
Sway Bar Repair Kit				
2011-2006	Standard Suspension, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700529 ‡	2 R054
Wheel Hub & Bearing Assembly				
2011-2006		512003	2	

CADILLAC-DTS-L

FRONT SUSPENSION




F382

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2010-2009	Heavy Duty Brakes, (Press In Type, Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6445 ‡	2 F382
Control Arm with Ball Joint				
2010-2009	FE1 Or FE3 Suspension, (R-Series)	Left Lower	RK80354	1 F382
	FE1 Or FE3 Suspension, (R-Series)	Right Lower	RK80355	1 F382
Strut Bumper Bellows				
2010-2009	FE1 Soft Ride Suspension, (OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F382
	FE3 Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2 F382
	FE7 Heavy Duty Suspension, (Replacement Type, Contains Bumper)		K90460	2 F382
Strut Mount				
2010-2009	(Contains Insulator And Bearing, Superior Rubber To Steel Bonding For Durability)		K160213 ‡	2 F382
Strut Spring Seat				
2010-2009		Upper	K80923	2 F382
Sway Bar Bushing				
2010-2009	FE1 Or FE3 Suspension	To Frame	K201315	1 F382
	FE7 Heavy Duty Suspension	To Frame	K201316	1 F382
Sway Bar Repair Kit				
2010-2009	FE1 Or FE3 Suspension, 5.5" Length, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700528 ‡	2 F382
Wheel Hub & Bearing Assembly				
2010-2009	Except Heavy Duty Suspension		513179	2
	Heavy Duty Brakes		515163	2
STEERING				
S138				
Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2010-2009			K6472	2 S138
Tie Rod End				
2010-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3452 ‡	2 S138
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV260 ‡	2 S138

CADILLAC-DTS-L (Cont.)

REAR SUSPENSION



R054

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2010-2009	(Lateral Link With Ball Joint, Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Lateral Link With Ball Joint, R-Series, Compensator Link)	Lower Rear Lower Rear	CK660168 ‡ RK660168	2 2	R054 R054
Shock Mount					
2010-2009		K5341	2	R054	
Sway Bar Bushing					
2010-2009	To Frame	K201317	1	R054	
Sway Bar Repair Kit					
2010-2009	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700529 ‡	2	R054	
Wheel Hub & Bearing Assembly					
2010-2009		512003	2		

CADILLAC-ELR


FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2016-2015	Except Sport Suspension, (OE Material For Strut Performance And Longevity, Contains Bumper)	K90462 ‡ K150275	2 2	
2014	Sport Suspension	K150275	2	
Strut Mount				
2016-2014	(Contains Bearing, Contains Upper Retainer)	K160411	2	
Wheel Hub & Bearing Assembly				
2016-2014		513316	2	


REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2016-2014		K160441	2	
Wheel Hub & Bearing Assembly				
2016-2014		512447	2	

FRONT SUSPENSION



F043



F399


Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2011-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500065 ‡	2	F043, F399
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, Aluminum Arm)	Lower	K500290 ‡	2	F399
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed, Steel Arm)	Lower	K500064 ‡	2	F399
Shock Mount					
2011-2008		Upper	K160432	2	F043, F399
2007	All Wheel Drive	Upper	K160432	2	F399
	Rear Wheel Drive	Upper	K160428	2	F043
Strut Bumper Bellows					
2011-2005	(Design Allows Ease Of Installation)		K160285 ‡	2	F043, F399
Sway Bar Bushing					
2011-2008	35mm Sway Bar Diameter	To Frame	K201683	1	F399
2011-2005	All Wheel Drive, 33mm Sway Bar Diameter	To Frame	K201632	1	F399
Sway Bar Link					
2011-2005	(Powdered Metal Gusher Brg. For Better Lubrication)		K750057 ‡	2	F043, F399
Wheel Hub & Bearing Assembly					
2011	(5 Stud Hub)		512246	2	
	6 Stud Hub		513197	2	
2010	Rear Wheel Drive, (5 Stud Hub)		512246	2	
	Rear Wheel Drive, 6 Stud Hub		513197	2	
2010-2008	All Wheel Drive, Except Brembo Brakes		513238	2	
2009	V6, V8, Rear Wheel Drive, (5 Stud Hub)		512246	2	
	V6, V8, Rear Wheel Drive, 6 Stud Hub		513197	2	
2008	Platinum, V6, V8, Rear Wheel Drive, (5 Stud Hub)		512246	2	
	Platinum, V6, V8, Rear Wheel Drive, 6 Stud Hub		513197	2	
2007-2006	V6, V8, Rear Wheel Drive, (5 Stud Hub)		512246	2	

CADILLAC-ST5 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2007-2006 (Cont.)	V6, V8, Rear Wheel Drive, 6 Stud Hub	513197	2	
2007-2005	All Wheel Drive	513238	2	


STEERING



S176

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2011-2005	Left Outer	ES80961	1	S176
	Right Outer	ES80962	1	S176
2008-2005	Inner	EV80958	2	S176


REAR SUSPENSION



R076

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2011-2005	(R-Series) (R-Series)	Left Upper Right Upper	RK622100 RK622101	1 1 R076 R076
Knuckle Bushing				
2011-2005		At Shock	K200945	2 R076
Sway Bar Bushing				
2011-2009	23.4mm Sway Bar Diameter	To Frame	K201434	1 R076
2010-2005	22mm Sway Bar Diameter	To Frame	K201546	1 R076
2009-2005	17mm Sway Bar Diameter	To Frame	K201379	1 R076
Sway Bar Link				
2011-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750071 ‡ K750072 ‡	1 1 R076 R076
Wheel Hub & Bearing Assembly				
2011	(5 Stud Hub) 6 Stud Hub	512223 512243	2 2	
2010-2007	Naturally Aspirated, Rear Wheel Drive, (5 Stud Hub)	512223	2	
2010-2006	Naturally Aspirated, All Wheel Drive	512223	2	
2010-2005	Naturally Aspirated, Rear Wheel Drive, 6 Stud Hub	512243	2	


FRONT SUSPENSION



F043

Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2009-2006	Upper	K160432	2	F043
Strut Bumper Bellows				
2009-2006	(Design Allows Ease Of Installation)	K160285 ‡	2	F043
Sway Bar Bushing				
2009-2006	35mm Sway Bar Diameter To Frame	K201683	1	F043
Sway Bar Link				
2009-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	K750057 ‡	2	F043
Wheel Hub & Bearing Assembly				
2009	267(4.4L), Rear Wheel Drive	513279	2	
2008-2006	Base Model, Rear Wheel Drive	513279	2	

STEERING




S176

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2009-2006	Left Outer	ES80961	1	S176
2009-2006	Right Outer	ES80962	1	S176
2008-2006	Inner	EV80958	2	S176

CADILLAC-STS-V (Cont.)

REAR SUSPENSION




R076

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2009-2006	(R-Series)	Left Upper	RK622100	1	R076
	(R-Series)	Right Upper	RK622101	1	R076
Knuckle Bushing					
2009-2006		At Shock	K200945	2	R076
Sway Bar Bushing					
2009-2006	23.4mm Sway Bar Diameter	To Frame	K201434	1	R076
Sway Bar Link					
2009-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750071 ‡	1	R076
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750072 ‡	1	R076
Wheel Hub & Bearing Assembly					
2009-2006	Supercharged/Intercooled		512359	2	

CADILLAC-XLR

FRONT SUSPENSION



F287

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2009-2004	(Greaseable Socket Reduces Corrosion/Wear)	Upper	K500134 ‡	2	F287
	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6537 ‡	2	F287
Control Arm					
2009-2004	(R-Series)	Left Upper	RK642828	1	F287
	(R-Series)	Right Upper	RK642827	1	F287
Sway Bar Link					
2009-2004	Link With 2 Studs, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750136 ‡	2	F287

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Wheel Hub & Bearing Assembly					
2009		513291	2		
2008-2004		513139	2		
STEERING					
S064					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2009-2004	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner	ES2231RL ‡ EV343 ‡	2 2	S064 S064
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Link					
2009-2004	Link With 2 Studs, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750136 ‡	2	
Wheel Hub & Bearing Assembly					
2009	30 Splines		512441	2	
2008-2004			512153	2	


FRONT SUSPENSION					
F287					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2009-2006	(Greaseable Socket Reduces Corrosion/Wear) (Powdered Metal Gusher Brg. For Better Lubrication)	Upper Lower	K500134 ‡ K6537 ‡	2 2	F287 F287
Control Arm					
2009-2006	(R-Series) (R-Series)	Left Upper Right Upper	RK642828 RK642827	1 1	F287 F287

CADILLAC-XLR-V (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2009-2006	Link With 2 Studs, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750136 ‡	2	F287
Wheel Hub & Bearing Assembly				
2009		513291	2	
2008-2006		513139	2	

STEERING



S064


Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2009-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner	ES2231RL ‡ EV343 ‡	2 2	S064 S064

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2009-2006	Link With 2 Studs, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750136 ‡	2	
Wheel Hub & Bearing Assembly				
2009	30 Splines	512441	2	
2008-2006		512153	2	

CADILLAC-XTS

FRONT SUSPENSION





F284

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2017-2014	Naturally Aspirated, Except Heavy Duty Brakes, Performance Suspension, (R-Series)	Left Lower	RK642799	1	F284
	Naturally Aspirated, Except Heavy Duty Brakes, Performance Suspension, (R-Series)	Right Lower	RK642800	1	F284
2013	Performance Package, (R-Series)	Left Lower	RK642799	1	F284

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2013 (Cont.)	Performance Package, (R-Series)	Right Lower	RK642800	1 F284
Strut Bumper Bellows				
2017-2013	(Original Equipment Type)		K150276	2 F284
	(Replacement Type, Contains Bumper)		K90460	2 F284
Sway Bar Link				
2017-2013	Except Performance Suspension, (Improves Upon OE Design)		K750660 ‡	2 F284
	Performance Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750400 ‡	2 F284
Wheel Hub & Bearing Assembly				
2017	Except GM Brake Code J55		513288	2
	GM Brake Code J55		515160	2
2016-2013			513288	2


STEERING



Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2015	Hydraulic Steering, Performance Suspension	Inner	EV801089	2 S321
2017-2014	Except Performance Suspension, Hydraulic Steering, (Design Allows Ease Of Installation)	Outer	ES800852 ‡	2 S321
	Except Performance Suspension, Hydraulic Steering, (Design Allows Ease Of Installation)	Inner	EV800900 ‡	2 S321
	Hydraulic Steering, Performance Suspension	Left Outer	ES801166	1 S321
	Hydraulic Steering, Performance Suspension	Right Outer	ES801169	1 S321
	RPO Code NJ2 Belt Drive Electric Power	Left Outer	ES801334 ‡	1 S337
	RPO Code NJ2 Belt Drive Electric Power	Right Outer	ES801335 ‡	1 S337
	RPO Code NJ2 Belt Drive Electric Power	Inner	EV801211 ‡	2 S337
2014	Hydraulic Steering, Except Limo, Hearse, Performance Suspension	Inner	EV801089	2 S321
2013		Left Outer	ES801166	1 S321
		Right Outer	ES801169	1 S321
		Inner	EV801089	2 S321

CADILLAC-XTS (Cont.)

REAR SUSPENSION




R212

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2017-2016	Except Sport Package, (R-Series) Except Sport Package, (R-Series)	Left Lower	RK642390	1	R212
		Right Lower	RK642391	1	R212
2015	(R-Series) (R-Series)	Left Lower	RK642390	1	R212
		Right Lower	RK642391	1	R212
2014-2013	Except Commercial Chassis, (R-Series) Except Commercial Chassis, (R-Series)	Left Lower	RK642390	1	R212
		Right Lower	RK642391	1	R212
Control Arm Link					
2017-2013	H-Arm Suspension, Except Commercial Chassis, (Vertical Assist Link)	K700780	2	R212	
Sway Bar Link					
2017-2013	(Improves Upon OE Design)	K750520 ‡	2	R212	
Wheel Hub & Bearing Assembly					
2017	Except GM Brake Code J55 GM Brake Code J55	513288	2		
		515160	2		
2016-2013		513288	2		

CHEVROLET-Aveo

FRONT SUSPENSION




F257

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2011-2004		Lower	K500034	2	F257
Control Arm Bushing					
2011-2004	(Durable Socket Design Eases Installation) (Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear	K200854 ‡	2	F257
		Lower Rear	K201716 ‡	2	F257

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2011-2004 (Cont.)	(Design Allows Ease Of Installation)	Lower Front	K200853 ‡	2 F257
		Lower Front Inner	K200937	2 F257
Control Arm with Ball Joint				
2011-2004	(Contains Bushings, R-Series) (R-Series)	Left Lower	RK620164	1 F257
		Right Lower	RK620165	1 F257
Strut Bumper Bellows				
2011-2004	(Replacement Type, Contains Bumper)	K90460	2	F257
Strut Mount				
2011-2004	(Contains Bearing)	K80907	2	F257
Sway Bar Bushing				
2011-2009		To Frame	K201359	1 F257
2008-2007	16mm Sway Bar Diameter 17mm Sway Bar Diameter	To Frame	K201359	1 F257
		To Frame	K201511	1 F257
Sway Bar Link				
2011-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	K750011 ‡	2	F257


STEERING



S115

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2011-2004	(Design Allows Ease Of Installation)	Left Outer	ES800033	1 S115
		Right Outer	ES800034	1 S115
		Inner	EV800577 ‡	2 S115

REAR SUSPENSION



R130


CHEVROLET-Aveo (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2011-2004		K80908	2	R130
Strut Bumper Bellows				
2011-2004	(Replacement Type, Contains Bumper)	K90466	2	R130
Wheel Hub & Bearing Assembly				
2011-2004	4 Wheel ABS	541009	2	
	Non ABS	541010	2	



CHEVROLET-Aveo 5

FRONT SUSPENSION



F257

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2011-2007		Lower	K500034	2	F257
Control Arm Bushing					
2011-2009	(Durable Socket Design Eases Installation)	Lower Rear	K200854 ‡	2	F257
	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear	K201716 ‡	2	F257
	(Design Allows Ease Of Installation)	Lower Front	K200853 ‡	2	F257
2011-2007		Lower Front Inner	K200937	2	F257
Control Arm with Ball Joint					
2011-2007	(Contains Bushings, R-Series)	Left Lower	RK620164	1	F257
	(R-Series)	Right Lower	RK620165	1	F257
Strut Bumper Bellows					
2011-2007	(Replacement Type, Contains Bumper)		K90460	2	F257
Strut Mount					
2011-2007	(Contains Bearing)		K80907	2	F257
Sway Bar Bushing					
2011-2009		To Frame	K201359	1	F257
2008-2007	16mm Sway Bar Diameter	To Frame	K201359	1	F257
Sway Bar Link					
2011-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K750011 ‡	2	F257


STEERING					
					
S115					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2011-2007	(Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800033 ES800034 EV800577 ‡	1 1 2	S115 S115 S115
REAR SUSPENSION					
					
R130					
Year	Model/Application	Part	P/C Qty	Figure	
Shock Mount					
2011-2007		K80908	2	R130	
Strut Bumper Bellows					
2011-2007	(Replacement Type, Contains Bumper)	K90466	2	R130	
Wheel Hub & Bearing Assembly					
2011-2007	4 Wheel ABS Non ABS	541009 541010	2 2		

Bolt EV-CHEVROLET

FRONT SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Wheel Hub & Bearing Assembly					
2018-2017		513403	2		
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Wheel Hub & Bearing Assembly					
2018-2017		512590	2		

CHEVROLET-Camaro


FRONT SUSPENSION




F459

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2015-2010	(R-Series) (R-Series) 217(3.6L), (R-Series) 217(3.6L), (R-Series) 376(6.2L), (R-Series) 376(6.2L), (R-Series)	Left Front Lower Right Front Lower Left Rear Lower Right Rear Lower Left Rear Lower Right Rear Lower	RK621479 RK621478 RK621481 RK621480 RK621481 RK621480	1 1 1 1 1 1	F459 F459 F459 F459 F459 F459
Strut Bumper Bellows					
2012-2010	(OE Material For Strut Performance And Longevity, Contains Bumper)	K90462 ‡	2	F459	
Strut Mount					
2012-2010	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160214 ‡	2	F459	
Sway Bar Bushing					
2015-2013	Except Performance Suspension	To Frame	K200930	1	F459
2012	Except FE5 Suspension	To Frame	K200930	1	F459
2011-2010		To Frame	K200930	1	F459
Sway Bar Link					
2017-2016	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Right	K750672 ‡ K750673 ‡	1 1	
2015-2010	217(3.6L), (Greaseable Socket Reduces Corrosion/Wear) 217(3.6L), (Improves Upon OE Design) 376(6.2L), (Greaseable Socket Reduces Corrosion/Wear) 376(6.2L), (Improves Upon OE Design)	Left Right Left Right	K750553 ‡ K750552 ‡ K750553 ‡ K750552 ‡	1 1 1 1	F459 F459 F459 F459
Wheel Hub & Bearing Assembly					
2017-2016	LT, SS		513396	2	
2015-2014	LS, LT SS, Except Performance Package Z28, ZL1		513282 513282 513281	2 2 2	
2013	Hot Wheels Edition, LS, LT, SS ZL1		513282 513281	2 2	
2012	LS, LT, SS Z28, ZL1		513282 513281	2 2	
2011-2010			513282	2	

STEERING



S332




S333

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2015-2013	376(6.2L) 376(6.2L)	Outer Inner	ES801253 EV801181	2 2	S333 S333
2015-2012	217(3.6L), (Design Allows Ease Of Installation) 217(3.6L), (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800939 ‡ EV800885 ‡	2 2	S332 S332
2012	376(6.2L), Electric Steering 376(6.2L), Electric Steering 376(6.2L), Hydraulic Steering, (Design Allows Ease Of Installation) 376(6.2L), Hydraulic Steering, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner Outer Inner	ES801253 EV801181 ES800939 ‡ EV800885 ‡	2 2 2 2	S333 S333 S333 S333
2011-2010	(Design Allows Ease Of Installation) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800939 ‡ EV800885 ‡	2 2	S332 S332
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Strut Bumper Bellows					
2015-2010	(Contains Bumper)	K90467	2		
Strut Mount					
2015-2013	Except Magnetic Ride Control Suspension, Except Performance Package, (Design Allows Ease Of Installation) Except Magnetic Ride Control Suspension, Except Performance Package, (Design Allows Ease Of Installation)	Left Right	K160212 ‡ K160211 ‡	1 1	
2012-2010	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Right	K160212 ‡ K160211 ‡	1 1	
Sway Bar Bushing					
2013-2012	FE2 Ride And Handling Suspension	To Frame	K200930	1	
2011-2010		To Frame	K200930	1	
Sway Bar Link					
2017	LT, SS, (Design Allows Ease Of Installation)		K750675 ‡	2	

CHEVROLET-Camaro (Cont.)


REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2016	(Design Allows Ease Of Installation)	K750675 ‡	2	
2015-2014	LS, LT, (Design Allows Ease Of Installation)	K750705 ‡	2	
	SS, 2 Dr. Coupe Convertible, (Design Allows Ease Of Installation)	K750705 ‡	2	
2013	217(3.6L), Hot Wheels Edition, (Improves Upon OE Design)	K750548 ‡	2	
	217(3.6L), Hot Wheels Edition, (Powdered Metal Gusher Brg. For Better Lubrication)	K750184 ‡	2	
	376(6.2L), Hot Wheels Edition, SS, 2 Dr. Coupe Convertible, (Improves Upon OE Design)	K750548 ‡	2	
	376(6.2L), Hot Wheels Edition, SS, 2 Dr. Coupe Convertible, (Powdered Metal Gusher Brg. For Better Lubrication)	K750184 ‡	2	
2013-2012	LS, LT, (Improves Upon OE Design)	K750548 ‡	2	
	LS, LT, (Powdered Metal Gusher Brg. For Better Lubrication)	K750184 ‡	2	
2012	376(6.2L), SS, 2 Dr. Coupe Convertible, (Improves Upon OE Design)	K750548 ‡	2	
	376(6.2L), SS, 2 Dr. Coupe Convertible, (Powdered Metal Gusher Brg. For Better Lubrication)	K750184 ‡	2	
2011-2010	(Improves Upon OE Design)	K750548 ‡	2	
	(Powdered Metal Gusher Brg. For Better Lubrication)	K750184 ‡	2	
Sway Bar Repair Kit				
2015-2014	SS, Z28, ZL1, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700542 ‡	2	
2013	ZL1, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700542 ‡	2	
	376(6.2L), Hot Wheels Edition, SS, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700542 ‡	2	
2012	Z28, ZL1, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700542 ‡	2	
	376(6.2L), SS, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700542 ‡	2	
Wheel Hub & Bearing Assembly				
2017-2016		512578	2	
2015-2014	LS, LT, Automatic Transmission	513282	2	
	LS, LT, Manual Transmission	512399	2	
	SS, Manual Transmission, Except Performance Package	512399	2	
	Z28, ZL1	513281	2	
2013	ZL1	513281	2	
	217(3.6L), Hot Wheels Edition, LS, LT, Automatic Transmission	513282	2	
	217(3.6L), Hot Wheels Edition, LS, LT, Manual Transmission	512399	2	
2012	Z28, ZL1	513281	2	
	217(3.6L), LS, LT, Automatic Transmission	513282	2	
	217(3.6L), LS, LT, Manual Transmission	512399	2	
2011-2010	217(3.6L), Automatic Transmission	513282	2	
	217(3.6L), Manual Transmission	512399	2	
	376(6.2L)	512399	2	

CHEVROLET-Caprice





FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2014-2011	(R-Series)	Left Front Lower	RK622419	1 F395
	(R-Series)	Right Front Lower	RK622420	1 F395
2013-2011	(R-Series)	Left Rear Lower	RK621251	1 F395
	(R-Series)	Right Rear Lower	RK621252	1 F395
Strut Bumper Bellows				
2017-2011	(Original Equipment Type, Contains Bumper)	K160035	2	F395
Strut Mount				
2017-2011	(Contains Bearing, Contains Washer, Contains Upper Retainer)	K6515	2	F395
Sway Bar Link				
2017-2011	(Improves Upon OE Design)	Left	K750626 ‡	1 F395
	(Improves Upon OE Design)	Right	K750625 ‡	1 F395
Wheel Hub & Bearing Assembly				
2017-2014		513387	2	
2013-2011		513280	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2014		Inner	EV801222 ‡	2
2013-2011		Left Outer	ES800606	1
		Right Outer	ES800605	1
	(Design Allows Ease Of Installation)	Inner	EV800604 ‡	2
REAR SUSPENSION				
R073				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2014-2012	(R-Series)	Left Rear Lower	RK642422	1 R073
	(R-Series)	Right Rear Lower	RK642421	1 R073
2013-2012	(R-Series)	Left Upper	RK642418	1 R073
	(R-Series)	Right Upper	RK622417	1 R073
2011	Detective, (R-Series)	Left Rear Lower	RK642423	1 R073
	PPV, (R-Series)	Left Rear Lower	RK642416	1 R073
Strut Bumper Bellows				
2017-2011	(Contains Bumper)	K90467	2	
Sway Bar Link				
2017-2015	(Powdered Metal Gusher Brg. For Better Lubrication)	K750184 ‡	2	R073
2017-2011	(Greaseable Socket Reduces Corrosion/Wear, Single Bend Fitting)	K750561 ‡	2	R073
2013-2011	(Powdered Metal Gusher Brg. For Better Lubrication)	K750184 ‡	2	R073

FRONT SUSPENSION




F062

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2010-2005	FE1 Soft Ride Suspension, Steel Arm, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80566 ‡	2 F062
	FE5 Performance And Handling Suspension, FE3 Sport Suspension, Aluminum Arm, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80567 ‡	2 F062
Control Arm Bushing				
2010-2006	FE3 Sport Suspension, (Vertical Mount, Contains Zinc Coating For Use On Aluminum Control Arms)	Lower Rear	K201285 ‡	2 F062
2010-2005	(Horizontal Mount, High Quality Elastomer For Durability And Performance)	Lower Front	K200361 ‡	2 F062
	FE1 Soft Ride Suspension, (Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear	K200792 ‡	2 F062
	FE1 Soft Ride Suspension, (For Use On Steel Control Arms, Vertical Mount)	Lower Rear	K6698 ‡	2 F062
Control Arm with Ball Joint				
2010-2006	FE3 Sport Suspension, (Contains Bushings, R-Series)	Left Lower	RK620898	1 F062
	FE3 Sport Suspension, (Contains Bushings, R-Series)	Right Lower	RK620897	1 F062
2010-2005	FE1 Soft Ride Suspension, (Greaseable Socket Reduces Corrosion/Wear, Contains Ball And Socket Design Vertical Bushing)	Left Lower	CK620302 ‡	1 F062
	FE1 Soft Ride Suspension, (R-Series)	Left Lower	RK620302	1 F062
	FE1 Soft Ride Suspension, (Greaseable Socket Reduces Corrosion/Wear, Contains Ball And Socket Design Vertical Bushing)	Right Lower	CK620301 ‡	1 F062
	FE1 Soft Ride Suspension, (R-Series)	Right Lower	RK620301	1 F062
Strut and Spring Assembly				
2010-2005	134(2.2L)	Left	ST8597L	1 F062
	134(2.2L)	Right	ST8597R	1 F062
Strut Bumper Bellows				
2010-2005	(Replacement Type, Contains Bumper)		K90460	2 F062
Strut Mount				
2010-2005	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160052 ‡	2 F062
Strut Spring Seat				
2010-2005	Except FE5 Suspension, (Contains Insulator)	Upper	K160136 ‡	2 F062
	Except FE5 Suspension, (Insulator Only, Reduces Noise)	Lower	K160137 ‡	2 F062
Sway Bar Bushing				
2010-2005	134(2.2L), 18mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201614 ‡	1 F062
	134(2.2L), 18mm Sway Bar Diameter, (Standard Design)	To Frame	K200045	1 F062
	134(2.2L), 24mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200048 ‡	1 F062
2008-2006	1998cc(2.0L)	To Frame	K201303	1 F062
	2384cc(2.4L), 22mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201613 ‡	1 F062
	2384cc(2.4L), 22mm Sway Bar Diameter, (Standard Design)	To Frame	K200047	1 F062
Sway Bar Link				
2010-2009	9.86" Length, (Greaseable Socket Reduces Corrosion/Wear)		K750428 ‡	2 F062
2010-2005	11.81" Length, (Powdered Metal Gusher Brg. For Better Lubrication)		K80252 ‡	2 F062
2008-2005	9.86" Length, (Powdered Metal Gusher Brg. For Better Lubrication)		K750012 ‡	2 F062
Wheel Hub & Bearing Assembly				
2010-2009	134(2.2L), 4 Wheel ABS, (4 Stud Hub)		513204	2
	134(2.2L), Non ABS, (4 Stud Hub)		513205	2
2010-2008	1998cc(2.0L), (5 Stud Hub)		513214	2

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Wheel Hub & Bearing Assembly					
2010-2008 (Cont.)	134(2.2L), 4 Wheel ABS, (5 Stud Hub)	513206	2		
2008-2005	4 Wheel ABS, (4 Stud Hub) Non ABS, (4 Stud Hub)	513204 513205	2 2		
2007-2005	4 Wheel ABS, (5 Stud Hub)	513206	2		
STEERING					
					
S122					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2010-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner	ES800030 ‡ EV80445 ‡	2 2	S122 S122
REAR SUSPENSION					
					
R129					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm Bushing					
2010-2005	(High Quality Elastomer For Durability And Performance)	Lower	K200522 ‡	2	R129
Wheel Hub & Bearing Assembly					
2010-2009	1998cc(2.0L), (5 Stud Hub) 134(2.2L), 4 Wheel ABS, (4 Stud Hub) 134(2.2L), 4 Wheel ABS, (5 Stud Hub) 134(2.2L), Non ABS, (4 Stud Hub)	512285 512247 512250 512248	2 2 2 2		
2008-2005	4 Wheel ABS, (4 Stud Hub) 4 Wheel ABS, (5 Stud Hub) Non ABS, (4 Stud Hub)	512247 512250 512248	2 2 2		

CHEVROLET-Corvette


FRONT SUSPENSION



F287

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2014	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6537 ‡	2
2013-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6537 ‡	2 F287
2011-2005	(Greaseable Socket Reduces Corrosion/Wear)	Upper	K500134 ‡	2 F287
Control Arm				
2013-2005	(R-Series)	Left Upper	RK642828	1 F287
	(R-Series)	Right Upper	RK642827	1 F287
Control Arm with Ball Joint				
2013-2011	Z06, ZR1, FE4 Special Suspension, Except Performance Package, (R-Series)	Left Lower	RK622388	1 F287
	Z06, ZR1, FE4 Special Suspension, Except Performance Package, (R-Series)	Right Lower	RK622387	1 F287
2010-2006	427(7.0L), (R-Series)	Left Lower	RK622388	1 F287
	427(7.0L), (R-Series)	Right Lower	RK622387	1 F287
Sway Bar Link				
2017-2014	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750136 ‡	2
2013-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750136 ‡	2 F287
Wheel Hub & Bearing Assembly				
2017			513378	2
2016	C7.R Edition, Sting Ray, 2 Dr. Coupe		513378	2
	Z06, Z51		513378	2
2015-2014			513378	2
2013	427, Base Model, Grand Sport, Z06		513291	2
2013-2009	ZR1		513304	2
2012-2010	Base Model, Grand Sport, Z06		513291	2
2009	Base Model, Z06		513291	2
2008-2005			513139	2

STEERING



S064

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Steering Rack Insulator Bushing				
2008-2005		K6349	1	S064
Tie Rod End				
2017-2014		Inner EV801256 ‡	2	
2013-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer ES2231RL ‡ Inner EV343 ‡	2 2	S064 S064
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2017-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750136 ‡	2	
Wheel Hub & Bearing Assembly				
2017-2014		512558	2	
2013	Grand Sport, 33 Splines	512442	2	
2013-2009	Base Model, 30 Splines ZR1	512441 513304	2 2	
2012-2010	Base Model, Grand Sport, Z06, 33 Splines	512442	2	
2009	Base Model, Z06, 33 Splines	512442	2	
2008-2005		512153	2	

Cruze-CHEVROLET


FRONT SUSPENSION				
F060				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2015-2011		Lower Rear K201259 Lower Front K201258	2 2	F060 F060
Control Arm with Ball Joint				
2015-2011	(R-Series) (R-Series)	Left Lower RK621752 Right Lower RK621751	1 1	F060 F060
Strut Bumper Bellows				
2015-2011		K150275	2	F060
Strut Mount				
2015-2011	(Contains Bearing And Retainers)	K160334	2	F060
Sway Bar Bushing				
2014-2011	(Split Design For Easier Installation)	To Frame K200843 ‡	1	F060
Sway Bar Link				
2018-2016	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left K750814 ‡ Right K750815 ‡	1 1	
2015-2011	(Improves Upon OE Design)	K750519 ‡	2	F060
Wheel Hub & Bearing Assembly				
2018-2016		513408	2	

CHEVROLET-Cruze (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2015-2014	1364cc(1.4L), 15" Wheels 1796cc(1.8L) 1956cc(2.0L), 16" Wheels	513315 513315 513316	2 2 2	
2013-2011		513315	2	

STEERING




S235

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2016		Left Outer Right Outer Inner	ES801323 ‡ ES801322 ‡ EV801298	1 1 1
2015-2011	(Design Allows Ease Of Installation) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800949 ‡ EV800884 ‡	2 2

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2015-2011	(Lateral Link, R-Series)	RK642897	2	
Shock Mount				
2015-2011		K160441	2	
Wheel Hub & Bearing Assembly				
2018-2016		512589	2	
2015-2013		512507	2	
2012-2011		512446	2	


FRONT SUSPENSION



F060

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2016		Lower Rear Lower Front	K201259 K201258	2 2 F060 F060
Control Arm with Ball Joint				
2016	(R-Series) (R-Series)	Left Lower Right Lower	RK621752 RK621751	1 1 F060 F060
Strut Bumper Bellows				
2016			K150275	2 F060
Strut Mount				
2016	(Contains Bearing And Retainers)		K160334	2 F060
Sway Bar Link				
2016	(Improves Upon OE Design)		K750519 ‡	2 F060
Wheel Hub & Bearing Assembly				
2016	15" Wheels		513315	2

STEERING



S235

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2016	(Design Allows Ease Of Installation) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800949 ‡ EV800884 ‡	2 2 S235 S235

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2016	(Lateral Link, R-Series)		RK642897	2


CHEVROLET-Cruze Limited (Cont.)

REAR SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2016		K160441	2	
Wheel Hub & Bearing Assembly				
2016		512507	2	

CHEVROLET-Impala

FRONT SUSPENSION



F020




F285

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2013-2006	(Bolt On Type, Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K5331 ‡	2 F020
Control Arm Bushing				
2013-2007	(One Piece Bushing, Horizontal Mount)	Lower Rear	K6715	2 F020
2013-2006	(Horizontal Mount, 2 Piece Bushing Design Allows Easier Installation) (Durable Socket Design Eases Installation, Vertical Mount) (Vertical Mount)	Lower Rear	K80778 ‡	2 F020
		Lower Front	K200787 ‡	2 F020
		Lower Front	K6712	2 F020
Control Arm with Ball Joint				
2013-2006	Except Police, (Greaseable Socket Reduces Corrosion/Wear, Contains Ball And Socket Design Vertical Bushing) Except Police, (R-Series) Except Police, (Greaseable Socket Reduces Corrosion/Wear, Contains Ball And Socket Design Vertical Bushing) Except Police, (R-Series)	Left Lower	CK620675 ‡	1 F020
		Left Lower	RK620675	1 F020
		Right Lower	CK620676 ‡	1 F020
		Right Lower	RK620676	1 F020
Strut and Spring Assembly				
2013-2012	16" Or 17" Wheels, Police And Taxi, (Coated For Corrosion Resistance, Strut, Spring & Top Mount)		ST8558 ‡	2 F020

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut and Spring Assembly				
2013-2006	15" Or 16" Wheels, Except Police Or Taxi, (Coated For Corrosion Resistance, Contains Lower Mounting Hardware)	ST8547 ‡	2	F020
2011-2006	Police And Taxi, (Coated For Corrosion Resistance, Strut, Spring & Top Mount)	ST8558 ‡	2	F020
Strut Bumper Bellows				
2018-2014	(Original Equipment Type)	K150276	2	F285
	(Replacement Type, Contains Bumper)	K90460	2	F285
2013-2006	(Contains Retainer)	K201271	2	F020
Strut Mount				
2013-2006	(Contains Bearing)	K6521	2	F020
Strut Mounting Kit				
2013-2006	(Super Kit Contains Bearing And OE Style Bumper / Bellow)	K160391	2	F020
Strut Spring Seat				
2013-2006	(Contains Insulator And Retainer)	Upper K80926	2	F020
	(Spring Seat Only)	Upper K80923	2	F020
	(Insulator Only)	Lower K5349	2	F020
Sway Bar Bushing				
2013-2012	Except FE2 Suspension, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201608 ‡	1	F020
	Except FE2 Suspension, (Standard Design)	To Frame K80815	1	F020
	FE2 Ride And Handling Suspension, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201609 ‡	1	F020
	FE2 Ride And Handling Suspension, (Standard Design)	To Frame K80813	1	F020
2011-2010	1.26" Sway Bar Diameter, (Split Design For Easier Installation)	To Frame K80814 ‡	1	F020
2011-2006	.80" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201610 ‡	1	F020
	.80" Sway Bar Diameter, (Standard Design)	To Frame K80812	1	F020
	1.18" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201609 ‡	1	F020
	1.18" Sway Bar Diameter, (Standard Design)	To Frame K80813	1	F020
	1.34" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201608 ‡	1	F020
	1.34" Sway Bar Diameter, (Standard Design)	To Frame K80815	1	F020
2008-2006	1.26" Sway Bar Diameter, (Split Design For Easier Installation)	To Frame K80814 ‡	1	F020
Sway Bar Link				
2018-2014	(Improves Upon OE Design)	K750660 ‡	2	F285
Sway Bar Repair Kit				
2013-2006	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700527 ‡	2	F020
Wheel Hub & Bearing Assembly				
2018		513282	2	
2017-2014		513288	2	
2013-2009		513179	2	
2008-2006	4 Wheel ABS	513179	2	
	Non ABS	513203	2	


STEERING




S068

CHEVROLET-Impala (Cont.)

STEERING (Cont.)




S235




S337

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2013-2006		K6298	2	S068	
Tie Rod End					
2018	RPO Code NJ1 Electric Non-Variable Power, (Design Allows Ease Of Installation)	Outer	ES800949 ‡	2	S235
	RPO Code NJ1 Electric Non-Variable Power, (Design Allows Ease Of Installation)	Inner	EV800962 ‡	2	S235
	RPO Code NJ2 Belt Drive Electric Power	Outer	ES801253	2	S337
	RPO Code NJ2 Belt Drive Electric Power, (Design Allows Ease Of Installation)	Inner	EV800950 ‡	2	S337
2017-2016	2457cc(2.5L), (Design Allows Ease Of Installation)	Outer	ES800949 ‡	2	S235
	2457cc(2.5L), (Design Allows Ease Of Installation)	Inner	EV800962 ‡	2	S235
	217(3.6L)	Outer	ES801253	2	S337
	217(3.6L), (Design Allows Ease Of Installation)	Inner	EV800950 ‡	2	S337
2015-2014	RPO Code NJ1 Electric Non-Variable Power, (Design Allows Ease Of Installation)	Outer	ES800949 ‡	2	S235
	RPO Code NJ1 Electric Non-Variable Power, (Design Allows Ease Of Installation)	Inner	EV800962 ‡	2	S235
	RPO Code NJ2 Belt Drive Electric Power	Outer	ES801253	2	S337
	RPO Code NJ2 Belt Drive Electric Power, (Design Allows Ease Of Installation)	Inner	EV800950 ‡	2	S337
2013-2010	Except FE3 Sport Suspension, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3459 ‡	2	S068
	FE3 Sport Suspension, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3453 ‡	2	S068
2013-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV195 ‡	2	S068
2009-2007	V6 Cyl, FE3 Sport Suspension, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3453 ‡	2	S068
2009-2006	V6 Cyl, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3459 ‡	2	S068
	V8 Cyl, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3453 ‡	2	S068

REAR SUSPENSION



R013



R211

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2018-2014	(R-Series) Lower Front	RK642743	2	R211
2013-2006	(R-Series) Lower Rear	RK660276	2	R013
	(R-Series) Lower Front	RK660275	2	R013
Control Arm Bushing				
2011-2006	(High Quality Elastomer For Durability And Performance) Rear	K200104 ‡	1	R013
Shock Mount				
2018-2014	(Design Allows Ease Of Installation) Left	K160293 ‡	1	R211
	(Design Allows Ease Of Installation) Right	K160292 ‡	1	R211
Strut and Spring Assembly				
2011-2006	16" Wheels, Except Police Or Taxi, (Coated For Corrosion Resistance, Strut, Spring & Top Mount) Left	ST8569L ‡	1	R013
	16" Wheels, Except Police Or Taxi, (Coated For Corrosion Resistance, Strut, Spring & Top Mount) Right	ST8569R ‡	1	R013
	Police And Taxi, (Coated For Corrosion Resistance, Strut, Spring & Top Mount) Left	ST8559L ‡	1	R013
	Police And Taxi, (Coated For Corrosion Resistance, Strut, Spring & Top Mount) Right	ST8559R ‡	1	R013
Strut Bumper Bellows				
2018-2014		K201554	2	R211
2013-2012	(Contains Bumper)	K90464	2	R013
2011-2006		K201270	2	R013
Strut Mount				
2013-2006	(Universal Type) Right	K6567	2	R013
	(Bearing Not Included, Original Equipment Type)	K160385	1	R013
Strut Mounting Kit				
2013-2006	(Super Kit Contains Universal Mount And OE Style Bumper / Bellows)	K160388	2	R013

CHEVROLET-Impala (Cont.)

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Strut Spring Seat					
2013-2006	(Insulator Only)	Lower	K5350	2	R013
Sway Bar Bushing					
2013-2011	Except FE2 Suspension, (Reduces Noise)	To Frame	K200318 ‡	1	R013
	FE2 Ride And Handling Suspension, (Reduces Noise)	To Frame	K200317 ‡	1	R013
2010	FE1 Or FE3 Suspension, 17mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200318 ‡	1	R013
	FE2 Ride And Handling Suspension, 15mm Sway Bar Diameter, Except Police, (Reduces Noise)	To Frame	K200317 ‡	1	R013
2009	FE1 Soft Ride Suspension, Except Police, (Reduces Noise)	To Frame	K200317 ‡	1	R013
	FE3 Sport Suspension, (Reduces Noise)	To Frame	K200318 ‡	1	R013
2008-2006	FE1 Soft Ride Suspension, (Reduces Noise)	To Frame	K200317 ‡	1	R013
	Police Or Performance Package, FE3 Sport Suspension, (Reduces Noise)	To Frame	K200318 ‡	1	R013
2007-2006	FE2 Ride And Handling Suspension, (Reduces Noise)	To Frame	K200317 ‡	1	R013
Sway Bar Link					
2018-2014	(Improves Upon OE Design)		K750521 ‡	2	R211
2013-2011	(Powdered Metal Gusher Brg. For Better Lubrication)		K6662 ‡	2	R013
2010-2006	(Link With 2 Studs, Powdered Metal Gusher Brg. For Better Lubrication)		K6662 ‡	2	R013
Trailing Link					
2018-2014	(R-Series)	Left	RK642851	1	R211
	(R-Series)	Right	RK642852	1	R211
2013-2011	(R-Series)		RK6402	2	R013
2010-2006	FE1 Soft Ride Suspension, (R-Series)		RK6402	2	R013
Trailing Link Bushing					
2010	FE1 Soft Ride Suspension, FE2 Ride And Handling Suspension, (High Quality Elastomer For Durability And Performance)		K200102 ‡	2	R013
2009-2006	FE1 Soft Ride Suspension, (High Quality Elastomer For Durability And Performance)	Front	K200102 ‡	2	R013
	FE1 Soft Ride Suspension, (High Quality Elastomer For Durability And Performance)	Rear	K200103 ‡	2	R013
Wheel Hub & Bearing Assembly					
2018			513282	2	
2017-2014			513288	2	
2013-2009			512357	2	
2008-2006	4 Wheel ABS		512357	2	


CHEVROLET-Impala Limited

FRONT SUSPENSION					
F020					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2016-2014	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K5331 ‡	2	F020
Control Arm Bushing					
2016-2014	(Horizontal Mount, 2 Piece Bushing Design Allows Easier Installation)	Lower Rear	K80778 ‡	2	F020
	(One Piece Bushing, Horizontal Mount)	Lower Rear	K6715	2	F020
	(Vertical Mount)	Lower Front	K6712	2	F020

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2016-2014	Except Police, (Greaseable Socket Reduces Corrosion/Wear, Contains Ball And Socket Design Vertical Bushing)	Left Lower CK620675 ‡	1	F020
	Except Police, (R-Series)	Left Lower RK620675	1	F020
	Except Police, (Greaseable Socket Reduces Corrosion/Wear, Contains Ball And Socket Design Vertical Bushing)	Right Lower CK620676 ‡	1	F020
	Except Police, (R-Series)	Right Lower RK620676	1	F020
Strut and Spring Assembly				
2014	16" Or 17" Wheels, Police And Taxi, (Coated For Corrosion Resistance, Strut, Spring & Top Mount)	ST8558 ‡	2	F020
Strut Bumper Bellows				
2016-2014	(Contains Retainer)	K201271	2	F020
Strut Mount				
2016-2014	(Contains Bearing)	K6521	2	F020
Strut Mounting Kit				
2016-2014	(Super Kit Contains Bearing And OE Style Bumper / Bellow)	K160391	2	F020
Strut Spring Seat				
2016-2014	(Contains Insulator And Retainer)	Upper K80926	2	F020
	(Spring Seat Only)	Upper K80923	2	F020
	(Insulator Only)	Lower K5349	2	F020
Sway Bar Bushing				
2016-2015	LS, LT, LTZ, Except FE3 Sport Suspension, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201609 ‡	1	F020
	LS, LT, LTZ, Except FE3 Sport Suspension, (Standard Design)	To Frame K80813	1	F020
	LS, LT, LTZ, FE3 Sport Suspension, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201608 ‡	1	F020
	LS, LT, LTZ, FE3 Sport Suspension, (Standard Design)	To Frame K80815	1	F020
	Police, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201608 ‡	1	F020
	Police, (Standard Design)	To Frame K80815	1	F020
2014	Except FE3 Sport Suspension, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201609 ‡	1	F020
	Except FE3 Sport Suspension, (Standard Design)	To Frame K80813	1	F020
	FE3 Sport Suspension, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201608 ‡	1	F020
	FE3 Sport Suspension, (Standard Design)	To Frame K80815	1	F020
Sway Bar Repair Kit				
2016-2014	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700527 ‡	2	F020
Wheel Hub & Bearing Assembly				
2016-2014		513179	2	
STEERING				
S068				
Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2016-2014		K6298	2	S068
Tie Rod End				
2016-2014	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner EV195 ‡	2	S068
	Except FE3 Sport Suspension, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3459 ‡	2	S068
	FE3 Sport Suspension, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3453 ‡	2	S068

CHEVROLET-Impala Limited (Cont.)

REAR SUSPENSION




R013

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2016-2014	(R-Series) (R-Series)	Lower Rear Lower Front	RK660276 RK660275	2 2	R013 R013
Strut Bumper Bellows					
2016-2014	(Contains Bumper)		K90464	2	R013
Strut Mount					
2016-2014	(Universal Type) (Bearing Not Included, Original Equipment Type)	Right	K6567 K160385	2 1	R013 R013
Strut Mounting Kit					
2016-2014	(Super Kit Contains Universal Mount And OE Style Bumper / Bellows)		K160388	2	R013
Strut Spring Seat					
2016-2014	(Insulator Only)	Lower	K5350	2	R013
Sway Bar Bushing					
2016-2014	15mm Sway Bar Diameter, (Reduces Noise) 17mm Sway Bar Diameter, (Reduces Noise)	To Frame To Frame	K200317 ‡ K200318 ‡	1 1	R013 R013
Sway Bar Link					
2016-2014	(Powdered Metal Gusher Brg. For Better Lubrication)		K6662 ‡	2	R013
Trailing Link					
2016-2014	(R-Series)		RK6402	2	R013
Wheel Hub & Bearing Assembly					
2016-2014			512357	2	


CHEVROLET-Malibu

FRONT SUSPENSION



F060

FRONT SUSPENSION (Cont.)



F566



Year	Model/Application	Part	P/C Qty	Figure	
Control Arm Bushing					
2015-2013		Lower Rear Lower Front	K201259 K201258	2 2	F566 F566
2012-2004	(Design Allows Ease Of Installation) (High Quality Elastomer For Durability And Performance)	Lower Rear Lower Front	K200898 ‡ K200247 ‡	2 2	F060 F060
Control Arm with Ball Joint					
2016-2013	(R-Series) (R-Series)	Left Lower Right Lower	RK641500 RK641501	1 1	F566 F566
2012-2004	(Contains Front And Rear Bushings, Powdered Metal Gusher Brg. For Better Lubrication) (Contains Front Bushings, R-Series) (Contains Front Bushings, Powdered Metal Gusher Brg. For Better Lubrication) (Contains Front Bushings, R-Series) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Lower Left Lower Right Lower Right Lower Right Lower	CK621201 ‡ RK620179 CK620180 ‡ RK620180 CK621200 ‡	1 1 1 1 1	F060 F060 F060 F060 F060
Strut and Spring Assembly					
2012	LS, LT, LT Platinum Edition, LTZ, LZ LS, LT, LT Platinum Edition, LTZ, LZ	Left Right	ST8601L ST8601R	1 1	F060 F060
2011-2010	LS, LT, LT Platinum Edition, LTZ LS, LT, LT Platinum Edition, LTZ	Left Right	ST8601L ST8601R	1 1	F060 F060
2009-2004		Left Right	ST8601L ST8601R	1 1	F060 F060
Strut Bumper Bellows					
2015-2013			K150275	2	F566
2012-2004	(Replacement Type, Contains Bumper)		K90460	2	F060
Strut Mount					
2015-2013	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160214 ‡	2	F566
2012-2004	(Contains Bearing) (Contains Bearing)	Left Right	K160002 K160003	1 1	F060 F060
Strut Spring Seat					
2012-2004	(Contains Insulator) (Insulator Only, Reduces Noise)	Upper Lower	K160136 ‡ K160137 ‡	2 2	F060 F060
Sway Bar Bushing					
2012-2008	(Reduces Noise)	To Frame	K200320 ‡	1	F060
2007	LS, LT, LTZ, Maxx LS, Maxx LT, (Reduces Noise) Maxx LTZ, Maxx SS, SS, (Reduces Noise)	To Frame To Frame	K200319 ‡ K200320 ‡	1 1	F060 F060
2006	LS, LT, Maxx LS, (Reduces Noise) Maxx SS, SS, (Reduces Noise)	To Frame To Frame	K200319 ‡ K200320 ‡	1 1	F060 F060
2005-2004	LS, LT, (Reduces Noise)	To Frame	K200319 ‡	1	F060
Sway Bar Link					
2016-2013	(Improves Upon OE Design)		K750660 ‡	2	F566
2012-2011	(Improves Upon OE Design)		K750519 ‡	2	F060
2010	(Link With 2 Studs, Improves Upon OE Design)		K750519 ‡	2	F060
2009-2004	11.80" Overall Length, (Link With 2 Studs, Powdered Metal Gusher Brg. For Better Lubrication)		K80252 ‡	2	F060
Wheel Hub & Bearing Assembly					
2018-2016			513398	2	

CHEVROLET-Malibu (Cont.)

FRONT SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2015-2013		513288	2	
2012-2008		513214	2	
2007-2004	4 Wheel ABS Non ABS	513214	2	
		513215	2	

STEERING




Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2016		Left Outer	ES801316 ‡	1
		Right Outer	ES801317 ‡	1
		Inner	EV801304	2
2015	16" Or 17" Wheels, (Design Allows Ease Of Installation) 16" Or 17" Wheels, (Design Allows Ease Of Installation) 19" Wheels, 18" Wheels, (Design Allows Ease Of Installation)	Left Outer	ES801126 ‡	1 S325
		Right Outer	ES801127 ‡	1 S325
		Outer	ES800949 ‡	2 S325
2015-2013	19" Wheels, (Design Allows Ease Of Installation)	Inner	EV800962 ‡	2 S325
2014	Except Electronic Ride And Handling, (Design Allows Ease Of Installation)		ES800949 ‡	2 S325
2014-2013	Electronic Ride And Handling Suspension, (Design Allows Ease Of Installation) Electronic Ride And Handling Suspension, (Design Allows Ease Of Installation) Except Electronic Ride And Handling, Except 19" Wheels, (Design Allows Ease Of Installation)	Left Outer	ES801126 ‡	1 S325
		Right Outer	ES801127 ‡	1 S325
		Inner	EV800971 ‡	2 S325
2013	Except Electronic Ride And Handling, (Design Allows Ease Of Installation)	Outer	ES800949 ‡	2 S325
2012-2004	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 5.25" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV80988 ‡	2 S123
		Outer	ES800086 ‡	2 S123

REAR SUSPENSION



R053



R211

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2015-2013	4 Link Rear Suspension, (R-Series)	Lower Front	RK642743	2 R211
2012-2004	(Arm Only, R-Series) (Arm Only, R-Series) (Lateral Link, R-Series)	Upper	RK641876	2 R053
		Lower Rear	RK641849	2 R053
		Lower Front	RK641786	2 R053
Control Arm Bushing				
2012-2004		Lower Rear Inner	K201691	2 R053
2011-2004	(Design Allows Ease Of Installation)	Arm To Knuckle, Lower Rear	K200268 ‡	2 R053
Shock Mount				
2015-2013	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left	K160293 ‡	1 R211
		Right	K160292 ‡	1 R211
2012-2008			K160004	2 R053
2007	Maxx LS, Maxx LT, Maxx LTZ, Maxx SS		K160004	2 R053
2006	Maxx LS, Maxx SS		K160004	2 R053
Strut Bumper Bellows				
2015-2013			K201554	2 R211
Sway Bar Bushing				
2012-2008	4 Cyl, (Reduces Noise) V6 Cyl, (Reduces Noise)	To Frame	K200306 ‡	1 R053
		To Frame	K200307 ‡	1 R053
2007	LS, LT, LTZ, (Reduces Noise) Maxx LS, Maxx LT, (Reduces Noise) Maxx LTZ, Maxx SS, (Reduces Noise) SS, Front Disc, Rear Disc, (Reduces Noise)	To Frame	K200305 ‡	1 R053
		To Frame	K200306 ‡	1 R053
		To Frame	K200307 ‡	1 R053
		To Frame	K200307 ‡	1 R053
2006	Maxx SS, (Reduces Noise)	To Frame	K200307 ‡	1 R053
2006-2004	LS, LT, (Reduces Noise)	To Frame	K200305 ‡	1 R053


CHEVROLET-Malibu (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2015-2013	(Improves Upon OE Design)	K750521 ‡	2	R211
2012-2006		K80851	2	R053
Trailing Link				
2015-2013	(R-Series)	Left RK642851	1	R211
	(R-Series)	Right RK642852	1	R211
2012-2010	(R-Series)	Left RK643043	1	R053
	(R-Series)	Right RK643042	1	R053
2008-2004	(R-Series)	Left RK643043	1	R053
	(R-Series)	Right RK643042	1	R053
Wheel Hub & Bearing Assembly				
2018-2016		512575	2	
2015-2013		513288	2	
2012-2008		512285	2	
2007-2004	4 Wheel ABS	512285	2	
	Non ABS	512287	2	

CHEVROLET-Malibu Classic

FRONT SUSPENSION




F060

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2008	(Design Allows Ease Of Installation) (High Quality Elastomer For Durability And Performance)	Lower Rear K200898 ‡ Lower Front K200247 ‡	2 2	F060 F060
Control Arm with Ball Joint				
2008	(Contains Front And Rear Bushings, Powdered Metal Gusher Brg. For Better Lubrication)	Left Lower CK621201 ‡	1	F060
	(Contains Front Bushings, R-Series)	Left Lower RK620179	1	F060
	(Contains Front Bushings, Powdered Metal Gusher Brg. For Better Lubrication)	Right Lower CK620180 ‡	1	F060
	(Contains Front Bushings, R-Series)	Right Lower RK620180	1	F060
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Lower CK621200 ‡	1	F060
Strut Bumper Bellows				
2008	(Replacement Type, Contains Bumper)	K90460	2	F060
Strut Mount				
2008	(Contains Bearing)	Left K160002	1	F060
	(Contains Bearing)	Right K160003	1	F060
Strut Spring Seat				
2008	(Contains Insulator)	Upper K160136 ‡	2	F060
	(Insulator Only, Reduces Noise)	Lower K160137 ‡	2	F060
Sway Bar Bushing				
2008	(Reduces Noise)	To Frame K200319 ‡	1	F060
Sway Bar Link				
2008	11.80" Overall Length, (Powdered Metal Gusher Brg. For Better Lubrication)	K80252 ‡	2	F060

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2008		513214	2	
STEERING				
S123				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2008	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner	ES800086 ‡ EV80988 ‡	2 2 S123 S123
REAR SUSPENSION				
R053				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2008	(Arm Only, R-Series) (Arm Only, R-Series) (Lateral Link, R-Series)	Upper Lower Rear Lower Front	RK641876 RK641849 RK641786	2 2 2 R053 R053 R053
Control Arm Bushing				
2008	(Design Allows Ease Of Installation)	Arm To Knuckle, Lower Rear Lower Rear Inner	K200268 ‡ K201691	2 2 R053 R053
Sway Bar Bushing				
2008	(Reduces Noise)	To Frame	K200305 ‡	1 R053
Sway Bar Link				
2008			K80851	2 R053
Trailing Link				
2008	(R-Series) (R-Series)	Left Right	RK643043 RK643042	1 1 R053 R053
Wheel Hub & Bearing Assembly				
2008		512285	2	

CHEVROLET-Malibu Limited


FRONT SUSPENSION



F566

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2016		Lower Rear Lower Front	K201259 K201258	2 2 F566 F566
Control Arm with Ball Joint				
2016	(R-Series) (R-Series)	Left Lower Right Lower	RK641500 RK641501	1 1 F566 F566
Strut Bumper Bellows				
2016			K150275	2 F566
Strut Mount				
2016	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160214 ‡	2 F566
Sway Bar Link				
2016	(Improves Upon OE Design)		K750660 ‡	2 F566
Wheel Hub & Bearing Assembly				
2016			513288	2


STEERING



S325

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2016	16" Wheels, (Design Allows Ease Of Installation)	Inner	EV800971 ‡	2 S325
	19" Wheels, 18" Wheels, (Design Allows Ease Of Installation)	Inner	EV800962 ‡	2 S325
	Except Ride Handling Package, (Design Allows Ease Of Installation)	Outer	ES800949 ‡	2 S325
	Ride Handling Package, (Design Allows Ease Of Installation)	Left Outer	ES801126 ‡	1 S325
	Ride Handling Package, (Design Allows Ease Of Installation)	Right Outer	ES801127 ‡	1 S325

REAR SUSPENSION




R211

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2016	(R-Series)	Lower Front	RK642743	2 R211
Shock Mount				
2016	(Design Allows Ease Of Installation)	Left	K160293 ‡	1 R211
	(Design Allows Ease Of Installation)	Right	K160292 ‡	1 R211
Strut Bumper Bellows				
2016			K201554	2 R211
Sway Bar Link				
2016	(Improves Upon OE Design)		K750521 ‡	2 R211
Trailing Link				
2016	(R-Series)	Left	RK642851	1 R211
	(R-Series)	Right	RK642852	1 R211
Wheel Hub & Bearing Assembly				
2016			513288	2

Monte Carlo-CHEVROLET

FRONT SUSPENSION



F020


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2007-2006	(Bolt On Type, Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K5331 ‡	2 F020
Control Arm Bushing				
2007-2006	(Two Piece Bushing, Horizontal Mount)	Lower Rear	K80778	2 F020
	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Front	K200787 ‡	2 F020
	(Vertical Mount)	Lower Front	K6712	2 F020

CHEVROLET-Monte Carlo (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2007-2006 (Cont.)	1.890" Outside Diameter, (One Piece Bushing, Horizontal Mount)	Lower Rear	K6715	2 F020
Control Arm with Ball Joint				
2007-2006	(Greaseable Socket Reduces Corrosion/Wear, Contains Ball And Socket Design Vertical Bushing)	Left Lower	CK620675 ‡	1 F020
	(R-Series)	Left Lower	RK620675	1 F020
	(Greaseable Socket Reduces Corrosion/Wear, Contains Ball And Socket Design Vertical Bushing)	Right Lower	CK620676 ‡	1 F020
	(R-Series)	Right Lower	RK620676	1 F020
Strut and Spring Assembly				
2007-2006	15" Or 16" Wheels, (Coated For Corrosion Resistance, Contains Lower Mounting Hardware)		ST8547 ‡	2 F020
Strut Bumper Bellows				
2007-2006	(Contains Bumper)		K90463	2 F020
	(Contains Retainer)		K201271	2 F020
Strut Mount				
2007-2006	(Contains Bearing)		K6521	2 F020
Strut Mounting Kit				
2007-2006	(Super Kit Contains Bearing And OE Style Bumper / Bellow)		K160391	2 F020
Strut Spring Seat				
2007-2006	(Contains Insulator And Retainer)	Upper	K80926	2 F020
	(Spring Seat Only)	Upper	K80923	2 F020
	(Insulator Only)	Lower	K5349	2 F020
Sway Bar Bushing				
2007-2006	.80" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201610 ‡	1 F020
	.80" Sway Bar Diameter, (Standard Design)	To Frame	K80812	1 F020
	1.18" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201609 ‡	1 F020
	1.18" Sway Bar Diameter, (Standard Design)	To Frame	K80813	1 F020
	1.26" Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K80814 ‡	1 F020
	1.34" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201608 ‡	1 F020
	1.34" Sway Bar Diameter, (Standard Design)	To Frame	K80815	1 F020
Sway Bar Repair Kit				
2007-2006	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700527 ‡	2 F020
Wheel Hub & Bearing Assembly				
2007-2006	4 Wheel ABS		513179	2
	Non ABS		513203	2


STEERING



S068

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2007-2006			K6298	2 S068
Tie Rod End				
2007-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV195 ‡	2 S068
	V6 Cyl, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3459 ‡	2 S068
	V8 Cyl, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3453 ‡	2 S068


REAR SUSPENSION



R013

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2007-2006	(R-Series) (R-Series)	Lower Rear Lower Front	2 2	R013 R013
Control Arm Bushing				
2007-2006	(High Quality Elastomer For Durability And Performance)	Rear	K200104 ‡	4 R013
Strut and Spring Assembly				
2007-2006	15" Or 16" Wheels, (Coated For Corrosion Resistance, Strut, Spring & Top Mount)	Left	ST8559L ‡	1 R013
	15" Or 16" Wheels, (Coated For Corrosion Resistance, Strut, Spring & Top Mount)	Right	ST8559R ‡	1 R013
Strut Bumper Bellows				
2007-2006	(Contains Bumper)		K201270 K90464	2 2 R013 R013
Strut Mount				
2007-2006	(Universal Type) (Bearing Not Included)	Right	K6567 K160385	2 1 R013 R013
Strut Mounting Kit				
2007-2006	(Super Kit Contains Universal Mount And OE Style Bumper / Bellows)		K160388	2 R013
Strut Spring Seat				
2007-2006	(Insulator Only)	Lower	K5350	2 R013
Sway Bar Bushing				
2007-2006	FE2 Ride And Handling Suspension, (Reduces Noise)	To Frame	K200317 ‡	1 R013
Sway Bar Link				
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication)		K6662 ‡	2 R013
Trailing Link				
2007-2006	FE2 Ride And Handling Suspension, (R-Series)		RK6402	2 R013
Trailing Link Bushing				
2007-2006	FE2 Ride And Handling Suspension, (High Quality Elastomer For Durability And Performance)	Front	K200102 ‡	2 R013
	FE2 Ride And Handling Suspension, (High Quality Elastomer For Durability And Performance)	Rear	K200103 ‡	2 R013
Wheel Hub & Bearing Assembly				
2007-2006	4 Wheel ABS		512357	2 R013


FRONT SUSPENSION



F347

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2007-2004	(Design Allows Ease Of Installation)	Lower	K500090 ‡	2 F347
Control Arm with Ball Joint				
2008-2004	(R-Series)	Left Lower	RK641517	1 F347
	(R-Series)	Right Lower	RK641518	1 F347
Strut Bumper Bellows				
2008-2004	(Replacement Type, Contains Bumper)		K90460	2 F347
Sway Bar Link				
2007-2004		Left	K90371	1 F347
		Right	K90372	1 F347

STEERING



S381


Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2007-2004		Left Outer	ES800057	1 S381
		Right Outer	ES800052	1 S381
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800294 ‡	2 S381

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2008-2004	(Contains Bumper)		K90461	2
Sway Bar Link				
2007-2004	9.965" Overall Length, (Powdered Metal Gusher Brg. For Better Lubrication)		K750089 ‡	2


REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2008-2004	4 Wheel ABS	512316	2	
2007-2004	Non ABS	512317	2	

Optra 5-CHEVROLET**FRONT SUSPENSION**

F347

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2007-2004	(Design Allows Ease Of Installation)	Lower	K500090 ‡	2 F347
Control Arm with Ball Joint				
2008-2004	(R-Series)	Left Lower	RK641517	1 F347
	(R-Series)	Right Lower	RK641518	1 F347
Strut Bumper Bellows				
2008-2004	(Replacement Type, Contains Bumper)		K90460	2 F347
Sway Bar Link				
2007-2004		Left	K90371	1 F347
		Right	K90372	1 F347

STEERING

S381


Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2007-2004		Left Outer	ES800057	1 S381
		Right Outer	ES800052	1 S381
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800294 ‡	2 S381

CHEVROLET-Optra 5 (Cont.)

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2008-2004	(Contains Bumper)	K90461	2	
Sway Bar Link				
2007-2004	9.965" Overall Length, (Powdered Metal Gusher Brg. For Better Lubrication)	K750089 ‡	2	
Wheel Hub & Bearing Assembly				
2008-2004	4 Wheel ABS	512316	2	
2007-2004	Non ABS	512317	2	

CHEVROLET-Sonic

FRONT SUSPENSION				
F453				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2012		Lower	K500317 ‡	2 F453
Control Arm Bushing				
2015-2012	(Durable Socket Design Eases Installation) (Design Allows Ease Of Installation)	Lower Rear	K200854 ‡	2 F453
		Lower Front	K200853 ‡	2 F453
Control Arm with Ball Joint				
2015-2012	(R-Series)	Left Lower	RK622426	1 F453
	(R-Series)	Right Lower	RK622428	1 F453
Strut Bumper Bellows				
2018-2012	(Replacement Type, Contains Bumper)		K90460	2 F453
Strut Mount				
2018-2012	(Contains Bearing, Contains Upper Retainer)		K160413	2 F453
Sway Bar Link				
2015-2012	(Greaseable Socket Reduces Corrosion/Wear)		K750630 ‡	2 F453




S350

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2018-2012	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800929 ‡ EV800936 ‡	2 2	S350 S350

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2018-2016		512572	2	
2015-2012		512438	2	

Spark-CHEVROLET

F567


Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2016-2013	(R-Series) (R-Series)	Left Lower Right Lower	RK622429 RK622430	1 1	F567 F567
Strut Bumper Bellows					
2016	EV, (Replacement Type, Contains Bumper)	K90460	2	F567	
2015-2013	(Replacement Type, Contains Bumper)	K90460	2	F567	
Strut Mount					
2016	EV, (Contains Bearing, Contains Upper Retainer)	K160412	2	F567	
2015-2013	(Contains Bearing, Contains Upper Retainer)	K160412	2	F567	

CHEVROLET-Spark (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2016	EV, (Greaseable Socket Reduces Corrosion/Wear)	K750637 ‡	2	F567
2015-2013	(Greaseable Socket Reduces Corrosion/Wear)	K750637 ‡	2	F567

STEERING




Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2015-2013	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES800910 ‡	2	S349

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Shock Hardware Kit				
2015-2014	1LT, 2LT, LS	K201718	2	
2013		K201718	2	
Strut Bumper Bellows				
2016-2014	EV, (Design Allows Ease Of Installation)	K160285 ‡	2	
2015-2014	1LT, 2LT, LS	K201554	2	
2013		K201554	2	
Wheel Hub & Bearing Assembly				
2017		512587	2	
2016	EV LS, LT	512586	2	
		512587	2	
2015-2014	1LT, 2LT, LS EV	541010	2	
		512515	2	
2013		541010	2	


FRONT SUSPENSION



F395

Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2017-2014	(Original Equipment Type, Contains Bumper)	K160035	2	F395
Strut Mount				
2017-2014	(Contains Bearing, Contains Washer, Contains Upper Retainer)	K6515	2	F395
Sway Bar Link				
2017-2014	(Improves Upon OE Design)	Left K750626 ‡	1	F395
	(Improves Upon OE Design)	Right K750625 ‡	1	F395
Wheel Hub & Bearing Assembly				
2017-2014		513387	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2014		Inner EV801222 ‡	2	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2017-2014	Except Performance Package, (Contains Bumper)	K90467	2	
Sway Bar Repair Kit				
2017-2014	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700542 ‡	2	


FRONT SUSPENSION



F060

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm Bushing					
2015-2011		Lower Rear Lower Front	K201259 K201258	2 2	F060 F060
Control Arm with Ball Joint					
2015-2011	(R-Series) (R-Series)	Left Lower Right Lower	RK621752 RK621751	1 1	F060 F060
Strut Bumper Bellows					
2015-2011			K150275	2	F060
Strut Mount					
2015-2011	(Contains Bearing, Contains Upper Retainer)		K160411	2	F060
Sway Bar Bushing					
2013-2011	(Split Design For Easier Installation)	To Frame	K200843 ‡	1	F060
Sway Bar Link					
2017-2016	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Right	K750814 ‡ K750815 ‡	1 1	
2015-2011	(Improves Upon OE Design)		K750519 ‡	2	F060
Wheel Hub & Bearing Assembly					
2017-2016			513403	2	
2015-2011			513316	2	

STEERING




S235

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2017-2016		Left Outer Right Outer	ES801323 ‡ ES801322 ‡	1 1	

STEERING (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2017-2016 (Cont.)		Inner	EV801298	2	
2015-2011	(Design Allows Ease Of Installation) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800949 ‡ EV800884 ‡	2 2	S235 S235
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Wheel Hub & Bearing Assembly					
2017-2016			512590	2	
2015-2013			512508	2	
2012-2011			512581	2	

200-CHRYSLER


FRONT SUSPENSION					
					
F403					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2014-2011	(Design Allows Ease Of Installation)	Lower	K500235 ‡	2	F403
Control Arm					
2014-2011	(Arm Only, R-Series)	Left Lower	RK641333	1	F403
	(Arm Only, R-Series)	Right Lower	RK641334	1	F403
Control Arm Bushing					
2016-2015		Lower Rear	K201731	2	
		Lower Front	K201730	2	
2014-2011		Lower Rear	K201185	2	F403
		Lower Front	K201184	2	F403
Control Arm with Ball Joint					
2017-2015	17" Wheels, (R-Series)	Left Lower	RK622965	1	
	17" Wheels, (R-Series)	Right Lower	RK622964	1	
	Except 17" Wheels, (R-Series)	Left Lower	RK622891	1	
	Except 17" Wheels, (R-Series)	Right Lower	RK622892	1	
Strut Bumper Bellows					
2016-2015	(Original Equipment Type)		K150274	2	
	(Replacement Type, Contains Bumper)		K90460	2	
2014-2011	(Replacement Type, Contains Bumper)		K90460	2	F403
Strut Mount					
2016-2015	(Contains Bearing, Spring Seat And Upper Retainers)	Left	K160414	1	
	(Contains Bearing, Spring Seat And Upper Retainers)	Right	K160415	1	
Strut Spring Seat					
2014-2011		Lower	K160321	2	F403
Sway Bar Link					
2017-2016	C, All Wheel Drive, (Design Allows Ease Of Installation)		K750704 ‡	2	
	C, Front Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)		K750747 ‡	2	

CHRYSLER-200 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2017-2016 (Cont.)	LX, Limited, (Greaseable Socket Reduces Corrosion/Wear)	K750747 ‡	2	
	S, (Design Allows Ease Of Installation)	K750704 ‡	2	
2015	(Greaseable Socket Reduces Corrosion/Wear)	K750747 ‡	2	
2014-2011	(Powdered Metal Gusher Brg. For Better Lubrication)	K750385 ‡	2	F403
Wheel Hub & Bearing Assembly				
2017-2015		513348	2	
2014-2011		513263	2	


STEERING



S163

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2017-2015	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES801129 ‡	1	S163
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES801128 ‡	1	S163
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV801132 ‡	2	S163
2014-2011	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800408 ‡	2	S163
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800400 ‡	2	S163

REAR SUSPENSION




R077

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2014-2013	4 Dr. Sedan, (R-Series)	Lower Front	RK642901	2	R077
2014-2011	(Non-Adjustable, R-Series) (Arm Only, R-Series) Plus Or Minus 4 Degrees Camber, (Adjustable, R-Series)	Upper	RK643056	2	R077
		Lower Rear	RK641856	2	R077
		Upper	RK100119	2	R077
2012-2011	(R-Series)	Lower Front	RK642901	2	R077


REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2014-2011	Arm to Frame, Lower Rear	K201368	2	R077
Shock Hardware Kit				
2014-2011	Upper	K160318	2	R077
Strut Bumper Bellows				
2016-2015		K201554	2	
2014-2012	(Replacement Type, Contains Bumper)	K90460	2	R077
2011	(Original Equipment Type)	K201597	2	R077
Strut Spring Seat				
2014-2011	(Insulator Only)	Lower K160374	2	R077
Sway Bar Bushing				
2014-2011	16.1mm Sway Bar Diameter, (Reduces Noise)	To Frame K200211 ‡	1	R077
	19.1mm Sway Bar Diameter, (Reduces Noise)	To Frame K200214 ‡	1	R077
Sway Bar Link				
2017-2015		Left K750756	1	
		Right K750755	1	
2014	4 Dr. Sedan, (Improves Upon OE Design)	K750289 ‡	2	R077
2013-2011	(Improves Upon OE Design)	K750289 ‡	2	R077
Trailing Link				
2014-2011		Left RK643089	1	R077
		Right RK643090	1	R077
Trailing Link Bushing				
2014-2011		K201355	2	R077
Wheel Hub & Bearing Assembly				
2017-2015	All Wheel Drive Front Wheel Drive	512513 512514	2 2	
2014-2011		512332	2	

300 Series-CHRYSLER



CHRYSLER-300 Series (Cont.)

FRONT SUSPENSION (Cont.)



F344

Year	Model/Application	Part	P/C Qty	Figure
300				
Ball Joint				
2019	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Lower Rear	K80996 ‡	2	
2018	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Lower Rear	K80996 ‡	2	F035
2018-2005	Rear Wheel Drive, Plus Or Minus 1-1/2 Degree Camber/Caster, (Adjustable) Lower Rear	K7469 ‡	2	F035
2017-2005	Rear Wheel Drive, (Non-Adjustable, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Lower Rear	K80996 ‡	2	F035
Ball Joint Bushing Sleeve Set				
2017-2005	Rear Wheel Drive, (4 Piece Adapter Easily Removes And Installs Joints)	T80275	1	
Control Arm				
2019-2012	Rear Wheel Drive, (R-Series) Lower Rear	RK642193	2	F035
2011-2005	Rear Wheel Drive, (R-Series) Lower Rear	RK640664	2	F035
Control Arm Bushing				
2019	All Wheel Drive, (Contains Front And Rear Bushings) Upper	K200198 ‡	1	
	All Wheel Drive Lower Front Inner	K200894	2	
2018-2012	All Wheel Drive Lower Front Inner	K200894	2	F344
2018-2011	All Wheel Drive, (Contains Front And Rear Bushings) Upper	K200198 ‡	1	F344
2010-2005	(Contains Front And Rear Bushings) Upper	K200198 ‡	2	F035, F344
	All Wheel Drive, (High Quality Elastomer For Durability And Performance) Lower Control Arm At Strut	K200200 ‡	2	F344
	All Wheel Drive Lower Front Inner	K200893	2	F344
	All Wheel Drive Lower Rear Inner	K200894	2	F344
	Rear Wheel Drive, (Standard Design, High Quality Elastomer For Durability And Performance) Arm To Frame, Lower	K200199 ‡	4	F035
Control Arm Bushing Tool				
2013-2005	(Bushing Press Adapter Sleeve Designed To Remove The Stock Rear Control Arm Bushings On Chrysler LX Platform Cars-Use With Bushing Press Set)	T40012 ‡	1	
	(Bushing Press Set-Contains C-Frame, Screw Assembly, And Adapters)	T40004 ‡	1	
Control Arm with Ball Joint				
2019-2018	All Wheel Drive, (R-Series) Right Upper	RK621538	1	F344
2019-2017	Rear Wheel Drive, (R-Series, Must Be Replaced In Pairs) Left Upper	RK620177	1	F035
	Rear Wheel Drive, (R-Series, Must Be Replaced In Pairs) Right Upper	RK620178	1	F035
2019-2015	Rear Wheel Drive, (Design Allows Ease Of Installation) Left Front Lower	CK622225 ‡	1	F035
	Rear Wheel Drive, (Design Allows Ease Of Installation) Right Front Lower	CK622224 ‡	1	F035
2019-2011	All Wheel Drive, (R-Series) Left Lower	RK622525	1	F344
	Rear Wheel Drive, (R-Series) Left Upper	RK622217	1	F035
	Rear Wheel Drive, (R-Series) Right Upper	RK622166	1	F035
2019-2005	All Wheel Drive, (R-Series) Left Upper	RK621537	1	F344
2018	Rear Wheel Drive, Plus Or Minus 1.5 Degree Caster, (Adjustable, R-Series) Left Upper	RK100166	1	F035
	Rear Wheel Drive, Plus Or Minus 1.5 Degree Caster, (Adjustable, R-Series) Right Upper	RK100167	1	F035
2017-2009	Rear Wheel Drive, Plus Or Minus 1 Degree Caster, Plus Or Minus 2 Degree Camber, (Adjustable, R-Series) Upper	RK100112	2	F035
	Rear Wheel Drive, Plus Or Minus 3 Degrees Camber, Plus Or Minus 1.5 Degree Caster, (Adjustable, R-Series) Left Upper	RK100166	1	F035

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
300				
Control Arm with Ball Joint				
2017-2009 (Cont.)	Rear Wheel Drive, Plus Or Minus 3 Degrees Camber, Plus Or Minus 1.5 Degree Caster, (Adjustable, R-Series)	Right Upper	RK100167	1 F035
2016-2011	Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs)	Left Upper	RK620177	1 F035
	Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs)	Right Upper	RK620178	1 F035
2016-2005	All Wheel Drive, (R-Series)	Right Upper	RK621538	1 F344
2014-2012	220(3.6L), Rear Wheel Drive, (Design Allows Ease Of Installation)	Left Front Lower	CK622225 ‡	1 F035
	220(3.6L), Rear Wheel Drive, (Design Allows Ease Of Installation)	Right Front Lower	CK622224 ‡	1 F035
	345(5.7L), Rear Wheel Drive, (Design Allows Ease Of Installation)	Left Front Lower	CK622225 ‡	1 F035
	345(5.7L), Rear Wheel Drive, (Design Allows Ease Of Installation)	Right Front Lower	CK622224 ‡	1 F035
	392(6.4L), Rear Wheel Drive, (Contains Bushing, R-Series)	Left Front Lower	RK620258	1 F035
	392(6.4L), Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, Contains Bushing)	Left Front Lower	CK620258 ‡	1 F035
	392(6.4L), Rear Wheel Drive, (Contains Bushing, R-Series)	Right Front Lower	RK620257	1 F035
	392(6.4L), Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, Contains Bushing)	Right Front Lower	CK620257 ‡	1 F035
2011	Rear Wheel Drive, (Design Allows Ease Of Installation)	Left Front Lower	CK622225 ‡	1 F035
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Right Front Lower	CK622224 ‡	1 F035
2010	345(5.7L), Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs)	Left Upper	RK620177	1 F035
	345(5.7L), Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs)	Right Upper	RK620178	1 F035
2010-2009	167(2.7L), Rear Wheel Drive, (R-Series)	Left Upper	RK622217	1 F035
	167(2.7L), Rear Wheel Drive, (R-Series)	Right Upper	RK622166	1 F035
	215(3.5L), Rear Wheel Drive, 17" Wheels, (R-Series)	Left Upper	RK622217	1 F035
	215(3.5L), Rear Wheel Drive, 17" Wheels, (R-Series)	Right Upper	RK622166	1 F035
	215(3.5L), Rear Wheel Drive, Except 17" Wheels, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs)	Left Upper	RK620177	1 F035
	215(3.5L), Rear Wheel Drive, Except 17" Wheels, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs)	Right Upper	RK620178	1 F035
2010-2005	All Wheel Drive, (R-Series)	Left Lower	RK641533	1 F344
	All Wheel Drive, (R-Series)	Right Lower	RK641534	1 F344
	Rear Wheel Drive, (Contains Bushing, R-Series)	Left Front Lower	RK620258	1 F035
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, Contains Bushing)	Left Front Lower	CK620258 ‡	1 F035
	Rear Wheel Drive, (Contains Bushing, R-Series)	Right Front Lower	RK620257	1 F035
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, Contains Bushing)	Right Front Lower	CK620257 ‡	1 F035
2008-2005	Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs)	Left Upper	RK620177	1 F035
	Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs)	Right Upper	RK620178	1 F035
	Rear Wheel Drive, Plus Or Minus 2 Degree Camber; Plus Or Minus 1-1/2 Degree Caster, (R-Series)	Upper	RK100111	2 F035
	Rear Wheel Drive, Plus Or Minus 3 Degrees Camber, Plus Or Minus 1.5 Degree Caster, (Adjustable, R-Series)	Left Upper	RK100210	1 F035
	Rear Wheel Drive, Plus Or Minus 3 Degrees Camber, Plus Or Minus 1.5 Degree Caster, (Adjustable, R-Series)	Right Upper	RK100211	1 F035
Strut and Spring Assembly				
2010-2005	Rear Wheel Drive, Except Performance Suspension		ST8628	2 F035
Strut Bumper Bellows				
2016-2015	Rear Wheel Drive, (Replacement Type, Contains Bumper)		K90460	2 F035
2016-2011	All Wheel Drive, (OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F344
2014-2012	220(3.6L), Rear Wheel Drive, (Replacement Type, Contains Bumper)		K90460	2 F035
	345(5.7L), Rear Wheel Drive, (Replacement Type, Contains Bumper)		K90460	2 F035
	392(6.4L), Rear Wheel Drive, (OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F035
2011	Rear Wheel Drive, (Replacement Type, Contains Bumper)		K90460	2 F035
2010-2008	(Replacement Type, Contains Bumper)		K90460	2 F035, F344
2007-2005	All Wheel Drive, (Replacement Type, Contains Bumper)		K90460	2 F344
	Rear Wheel Drive, (OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F035
Strut Mount				
2016-2005	Rear Wheel Drive, (Bearing Not Included, Design Allows Ease Of Installation)		K160096 ‡	2 F035
Strut Spring Seat				
2016-2005	Rear Wheel Drive, (Insulator, Reduces Noise)	Upper	K160119 ‡	2 F035
Sway Bar Bushing				
2014-2005	Rear Wheel Drive, 1.06" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201617 ‡	1 F035
	Rear Wheel Drive, 1.06" Sway Bar Diameter, (Standard Design)	To Frame	K200170	1 F035
	Rear Wheel Drive, 1" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201616 ‡	1 F035
	Rear Wheel Drive, 1" Sway Bar Diameter, (Standard Design)	To Frame	K200169	1 F035

CHRYSLER-300 Series (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
300				
Sway Bar Bushing				
2009-2005	Rear Wheel Drive, 1.18" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201618 ‡	1 F035
	Rear Wheel Drive, 1.18" Sway Bar Diameter, (Standard Design)	To Frame	K200171	1 F035
Sway Bar Link				
2019	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)		K750154 ‡	2
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K80823 ‡	1
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K80822 ‡	1
2018-2012	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)		K750154 ‡	2 F344
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K80823 ‡	1 F035
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K80822 ‡	1 F035
2011	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K80823 ‡	1 F035
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K80822 ‡	1 F035
2010-2005	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)		K750154 ‡	2 F344
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K80823 ‡	1 F035
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K80822 ‡	1 F035
Wheel Hub & Bearing Assembly				
2019-2012	All Wheel Drive		513225	2
2016-2013	345(5.7L), Rear Wheel Drive		513325	2
2014-2013	220(3.6L), Rear Wheel Drive		513325	2
2014-2012	392(6.4L), Rear Wheel Drive		513224	2
2012	220(3.6L), Base Model, Limited, S, Rear Wheel Drive, Except Performance Brakes		513325	2
	220(3.6L), S, Touring, Rear Wheel Drive, Performance Brakes		513224	2
	345(5.7L), Rear Wheel Drive, Except Performance Brakes		513325	2
	345(5.7L), Rear Wheel Drive, Performance Brakes		513224	2
2011-2005	Rear Wheel Drive		513224	2
2010-2005	All Wheel Drive		513225	2
300C				
Ball Joint				
2019	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower Rear	K80996 ‡	2
2019-2005	Rear Wheel Drive, Plus Or Minus 1-1/2 Degree Camber/Caster, (Adjustable)	Lower Rear	K7469 ‡	2 F035
2018	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower Rear	K80996 ‡	2 F035
2017-2005	Rear Wheel Drive, (Non-Adjustable, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower Rear	K80996 ‡	2 F035
Ball Joint Bushing Sleeve Set				
2017-2005	Rear Wheel Drive, (4 Piece Adapter Easily Removes And Installs Joints)		T80275	1
Control Arm				
2019-2012	Rear Wheel Drive, (R-Series)	Lower Rear	RK642193	2 F035
2011-2005	Rear Wheel Drive, (R-Series)	Lower Rear	RK640664	2 F035
Control Arm Bushing				
2017-2012	All Wheel Drive	Lower Front Inner	K200894	2 F344
2017-2011	All Wheel Drive, (Contains Front And Rear Bushings)	Upper	K200198 ‡	1 F344
2010-2005	(Contains Front And Rear Bushings)	Upper	K200198 ‡	2 F035, F344
	All Wheel Drive, (High Quality Elastomer For Durability And Performance)	Lower Control Arm At Strut	K200200 ‡	2 F344
	All Wheel Drive	Lower Front Inner	K200893	2 F344
	All Wheel Drive	Lower Rear Inner	K200894	2 F344
	Rear Wheel Drive, (Standard Design, High Quality Elastomer For Durability And Performance)	Arm To Frame, Lower	K200199 ‡	4 F035
Control Arm Bushing Tool				
2013-2005	(Bushing Press Adapter Sleeve Designed To Remove The Stock Rear Control Arm Bushings On Chrysler LX Platform Cars-Use With Bushing Press Set)		T40012 ‡	1
	(Bushing Press Set-Contains C-Frame, Screw Assembly, And Adapters)		T40004 ‡	1
Control Arm with Ball Joint				
2019-2017	Rear Wheel Drive, (R-Series, Must Be Replaced In Pairs)	Left Upper	RK620177	1 F035
	Rear Wheel Drive, (R-Series, Must Be Replaced In Pairs)	Right Upper	RK620178	1 F035
2019-2011	Rear Wheel Drive, (R-Series)	Left Upper	RK622217	1 F035
	Rear Wheel Drive, (R-Series)	Right Upper	RK622166	1 F035
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Left Front Lower	CK622225 ‡	1 F035
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Right Front Lower	CK622224 ‡	1 F035
2018	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, R-Series)	Left Upper	RK100166	1 F035


FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
300C				
Control Arm with Ball Joint				
2018 (Cont.)	Rear Wheel Drive, Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, R-Series)	Right Upper RK100167	1	F035
2018-2009	Rear Wheel Drive, Plus Or Minus 1 Degree Caster, Plus Or Minus 2 Degree Camber, (Adjustable, R-Series)	Upper RK100112	2	F035
2017-2011	All Wheel Drive, (R-Series)	Left Lower RK622525	1	F344
2017-2009	Rear Wheel Drive, Plus Or Minus 3 Degrees Camber, Plus Or Minus 1.5 Degree Caster, (Adjustable, R-Series) Rear Wheel Drive, Plus Or Minus 3 Degrees Camber, Plus Or Minus 1.5 Degree Caster, (Adjustable, R-Series)	Left Upper RK100166	1	F035
		Right Upper RK100167	1	F035
2017-2005	All Wheel Drive, (R-Series) All Wheel Drive, (R-Series)	Left Upper RK621537	1	F344
		Right Upper RK621538	1	F344
2016-2011	Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs) Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs)	Left Upper RK620177	1	F035
		Right Upper RK620178	1	F035
2010-2009	345(5.7L), Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs) 345(5.7L), Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs) 370(6.1L), Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs) 370(6.1L), Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs)	Left Upper RK620177	1	F035
		Right Upper RK620178	1	F035
		Left Upper RK620177	1	F035
		Right Upper RK620178	1	F035
2010-2005	All Wheel Drive, (R-Series) All Wheel Drive, (R-Series) Rear Wheel Drive, (Contains Bushing, R-Series) Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, Contains Bushing) Rear Wheel Drive, (Contains Bushing, R-Series) Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, Contains Bushing)	Left Lower RK641533	1	F344
		Right Lower RK641534	1	F344
		Left Front Lower RK620258	1	F035
		Left Front Lower CK620258 ‡	1	F035
		Right Front Lower RK620257	1	F035
2008-2005	Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs) Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs) Rear Wheel Drive, Plus Or Minus 2 Degree Camber; Plus Or Minus 1-1/2 Degree Caster, (R-Series) Rear Wheel Drive, Plus Or Minus 3 Degrees Camber, Plus Or Minus 1.5 Degree Caster, (Adjustable, R-Series) Rear Wheel Drive, Plus Or Minus 3 Degrees Camber, Plus Or Minus 1.5 Degree Caster, (Adjustable, R-Series)	Left Upper RK620177	1	F035
		Right Upper RK620178	1	F035
		Upper RK100111	2	F035
		Left Upper RK100210	1	F035
		Right Upper RK100211	1	F035
Strut Bumper Bellows				
2016-2011	All Wheel Drive, (OE Material For Strut Performance And Longevity, Contains Bumper) Rear Wheel Drive, (Replacement Type, Contains Bumper)	K90462 ‡	2	F344
		K90460	2	F035
2010-2008	(Replacement Type, Contains Bumper)	K90460	2	F035, F344
2007-2005	All Wheel Drive, (Replacement Type, Contains Bumper) 345(5.7L), Rear Wheel Drive, (Replacement Type, Contains Bumper) 370(6.1L), Rear Wheel Drive, (OE Material For Strut Performance And Longevity, Contains Bumper)	K90460	2	F344
		K90460	2	F035
		K90462 ‡	2	F035
Strut Mount				
2016-2005	Rear Wheel Drive, (Bearing Not Included, Design Allows Ease Of Installation)	K160096 ‡	2	F035
Strut Spring Seat				
2016-2005	Rear Wheel Drive, (Insulator, Reduces Noise)	Upper K160119 ‡	2	F035
Sway Bar Bushing				
2014-2005	Rear Wheel Drive, 1.06" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) Rear Wheel Drive, 1.06" Sway Bar Diameter, (Standard Design) Rear Wheel Drive, 1" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) Rear Wheel Drive, 1" Sway Bar Diameter, (Standard Design)	To Frame K201617 ‡	1	F035
		To Frame K200170	1	F035
		To Frame K201616 ‡	1	F035
		To Frame K200169	1	F035
2009-2005	Rear Wheel Drive, 1.18" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) Rear Wheel Drive, 1.18" Sway Bar Diameter, (Standard Design)	To Frame K201618 ‡	1	F035
		To Frame K200171	1	F035
Sway Bar Link				
2019	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left K80823 ‡	1	
		Right K80822 ‡	1	
2018-2005	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left K80823 ‡	1	F035
		Right K80822 ‡	1	F035
2017-2005	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	K750154 ‡	2	F344
Wheel Hub & Bearing Assembly				
2017-2005	All Wheel Drive	513225	2	
2016-2013	345(5.7L), Rear Wheel Drive	513325	2	

CHRYSLER-300 Series (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
300C				
Wheel Hub & Bearing Assembly				
2014-2013	220(3.6L), Rear Wheel Drive	513325	2	
2011-2005	Rear Wheel Drive	513224	2	

STEERING



S160



S161


Year	Model/Application	Part	P/C Qty	Figure
300				
Tie Rod End				
2019-2015	All Wheel Drive	Inner	EV801208 ‡	2
2018-2015	Rear Wheel Drive	Inner	EV801301 ‡	2
2018-2011	Rear Wheel Drive, (Design Allows Ease Of Installation)	Outer	ES800986 ‡	2 S161
2014-2011	All Wheel Drive, (Design Allows Ease Of Installation)	Left Outer	ES800956 ‡	1 S161
	All Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800957 ‡	1 S161
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800960 ‡	2 S161
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800963 ‡	2 S161
2010-2008	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800431 ‡	1 S161
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800430 ‡	1 S161
	All Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800432 ‡	2 S161
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3571 ‡	2 S161
	Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80702 ‡	2 S161
	Rear Wheel Drive, (HD Design Full Metal Socket, Belleville Preload And Larger Ball Stud)	Inner	EV800961 ‡	2 S161
2007-2005	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800431 ‡	1 S160
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800430 ‡	1 S160
	All Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800432 ‡	2 S160
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3571 ‡	2 S160
	Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80702 ‡	2 S160
	Rear Wheel Drive, (HD Design Full Metal Socket, Belleville Preload And Larger Ball Stud)	Inner	EV800961 ‡	2 S160
300C				
Tie Rod End				
2018-2015	Rear Wheel Drive	Inner	EV801301 ‡	2
2018-2011	Rear Wheel Drive, (Design Allows Ease Of Installation)	Outer	ES800986 ‡	2 S161

STEERING (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
300C					
Tie Rod End					
2017-2015	All Wheel Drive	Inner	EV801208 ‡	2	
2014-2011	All Wheel Drive, (Design Allows Ease Of Installation)	Left Outer	ES800956 ‡	1	S161
	All Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800957 ‡	1	S161
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800960 ‡	2	S161
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800963 ‡	2	S161
2010-2008	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800431 ‡	1	S161
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800430 ‡	1	S161
	All Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800432 ‡	2	S161
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3571 ‡	2	S161
	Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80702 ‡	2	S161
	Rear Wheel Drive, (HD Design Full Metal Socket, Belleville Preload And Larger Ball Stud)	Inner	EV800961 ‡	2	S161
2007-2005	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800431 ‡	1	S160
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800430 ‡	1	S160
	All Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800432 ‡	2	S160
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3571 ‡	2	S160
	Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80702 ‡	2	S160
	Rear Wheel Drive, (HD Design Full Metal Socket, Belleville Preload And Larger Ball Stud)	Inner	EV800961 ‡	2	S160
REAR SUSPENSION					
R006					
Year	Model/Application	Part	P/C Qty	Figure	
300					
Control Arm					
2019-2015	S, Rear Wheel Drive, (R-Series) 220(3.6L), (R-Series)	Lower Front	RK641772	2	R006
		Lower Center	RK642905	2	R006
2019-2012	All Wheel Drive, (R-Series)	Lower Front	RK641772	2	R006
2019-2005	(R-Series)	Upper Front	RK641787	2	R006
2018-2005	(R-Series) (R-Series)	Left Rear Lower	RK641650	1	R006
		Right Rear Lower	RK641649	1	R006
2014-2012	(R-Series) (R-Series) 345(5.7L), S, Rear Wheel Drive, (R-Series) 392(6.4L), Rear Wheel Drive, (R-Series)	Left Rear Upper	RK642577	1	R006
		Right Rear Upper	RK642576	1	R006
		Lower Front	RK641772	2	R006
		Lower Front	RK641772	2	R006
2014-2005	(R-Series)	Lower Center	RK642905	2	R006
2011-2010	Rear Wheel Drive, (Replaces Steel Or Aluminum Arm, R-Series) Rear Wheel Drive, (Replaces Steel Or Aluminum Arm, R-Series)	Left Rear Upper	RK640721	1	R006
		Right Rear Upper	RK640722	1	R006
2011-2005	(R-Series)	Lower Front	RK641772	2	R006
2010-2005	All Wheel Drive, Aluminum Arm, (R-Series) All Wheel Drive, Aluminum Arm, (R-Series) All Wheel Drive, Steel Arm, (R-Series) All Wheel Drive, Steel Arm, (R-Series)	Left Rear Upper	RK641536	1	R006
		Right Rear Upper	RK641535	1	R006
		Left Rear Upper	RK641520	1	R006
		Right Rear Upper	RK641627	1	R006
2009-2005	Rear Wheel Drive, (R-Series) Rear Wheel Drive, (R-Series)	Left Rear Upper	RK641520	1	R006
		Right Rear Upper	RK641519	1	R006
Shock Mount					
2016-2015	(Contains Upper And Lower Retainers)		K160094 ‡	2	R006
2014-2012	220(3.6L), (Contains Upper And Lower Retainers)		K160094 ‡	2	R006

CHRYSLER-300 Series (Cont.)

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
300				
Shock Mount				
2014-2012 (Cont.)	345(5.7L), (Contains Upper And Lower Retainers)	K160094 ‡	2	R006
	392(6.4L), (Contains Upper And Lower Retainers)	K160095 ‡	2	R006
2011-2005	(Contains Upper And Lower Retainers)	K160094 ‡	2	R006
Sway Bar Link				
2019		K7470	2	
2018-2005	(Link Only)	K7470	2	R006
Wheel Hub & Bearing Assembly				
2018-2015		512555	2	
2014-2010		512369	2	
2009	Except Performance Brakes, 32 Spline Shaft Performance Brakes, 27 Spline Shaft	512369	2	
		512301	2	
2008-2005		512301	2	
300C				
Control Arm				
2019-2005	(R-Series) Upper Front	RK641787	2	R006
2018-2005	(R-Series) Left Rear Lower	RK641650	1	R006
	(R-Series) Right Rear Lower	RK641649	1	R006
2017-2015	220(3.6L), (R-Series) Lower Center	RK642905	2	R006
2017-2012	All Wheel Drive, (R-Series) Lower Front	RK641772	2	R006
2014-2012	(R-Series) Left Rear Upper (R-Series) Right Rear Upper	RK642577	1	R006
		RK642576	1	R006
2014-2005	(R-Series) Lower Center	RK642905	2	R006
2011-2010	Rear Wheel Drive, (Replaces Steel Or Aluminum Arm, R-Series) Left Rear Upper	RK640721	1	R006
	Rear Wheel Drive, (Replaces Steel Or Aluminum Arm, R-Series) Right Rear Upper	RK640722	1	R006
2011-2005	(R-Series) Lower Front	RK641772	2	R006
2010-2005	All Wheel Drive, Aluminum Arm, (R-Series) Left Rear Upper	RK641536	1	R006
	All Wheel Drive, Aluminum Arm, (R-Series) Right Rear Upper	RK641535	1	R006
	All Wheel Drive, Steel Arm, (R-Series) Left Rear Upper	RK641520	1	R006
	All Wheel Drive, Steel Arm, (R-Series) Right Rear Upper	RK641627	1	R006
2009-2005	Rear Wheel Drive, (R-Series) Left Rear Upper	RK641520	1	R006
	Rear Wheel Drive, (R-Series) Right Rear Upper	RK641519	1	R006
Shock Mount				
2016-2011	(Contains Upper And Lower Retainers)	K160094 ‡	2	R006
2010-2005	345(5.7L), (Contains Upper And Lower Retainers)	K160094 ‡	2	R006
	370(6.1L), (Contains Upper And Lower Retainers)	K160095 ‡	2	R006
Sway Bar Link				
2019		K7470	2	
2018-2005	(Link Only)	K7470	2	R006
Wheel Hub & Bearing Assembly				
2018-2015		512555	2	
2014-2010		512369	2	
2009	Except Performance Brakes, 32 Spline Shaft Performance Brakes, 27 Spline Shaft	512369	2	
		512301	2	
2008-2005		512301	2	

FRONT SUSPENSION




F269

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2008-2004	(Design Allows Ease Of Installation)	Lower	K9918 ‡	2 F269
Control Arm with Ball Joint				
2008-2004	(R-Series)	Left Upper	RK90423	1 F269
	(R-Series)	Right Upper	RK90422	1 F269

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2008-2004	(Straight Arm, Contains Bushing, R-Series)	Upper Front	RK620090	2
Control Arm Bushing				
2008-2004	Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers)	Upper Front Outer	K100302	2
	Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers)	Upper Rear Outer	K100302	2
Sway Bar Link				
2008-2004			K80267	2

FRONT SUSPENSION



F324


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2010-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Lower	K80780 ‡	2 F324

CHRYSLER-PT Cruiser (Cont.)

FRONT SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2010-2003	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear	K200797 ‡	2 F324
2010-2001	(Vertical Mount) (Horizontal Mount)	Lower Rear	K7471	2 F324
		Lower Front	K7472	2 F324
Control Arm with Ball Joint				
2010-2006	(Contains Ball And Socket Design Vertical Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series)	Left Lower	CK620024 ‡	1 F324
		Left Lower	RK620024	1 F324
		Right Lower	CK620023 ‡	1 F324
		Right Lower	RK620023	1 F324
Strut and Spring Assembly				
2010-2001	(Coated For Corrosion Resistance, Strut, Spring & Top Mount)		ST8562 ‡	2 F324
Strut Bumper Bellows				
2010-2001	(Contains Bumper)		K90463	2 F324
Strut Mount				
2010-2001	(Contains Spring Seat, Bearing And Isolator)		K7375	2 F324
Strut Spring Seat				
2010-2001	(Contains Bearing And Isolator)	Upper	K7381	2 F324
		Lower	K7459	2 F324
Sway Bar Bushing				
2010-2001	22mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K80363 ‡	1 F324
		To Frame	K80364 ‡	1 F324
2009-2001	26mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K80365 ‡	1 F324
Sway Bar Repair Kit				
2010-2001	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700525 ‡	2 F324

STEERING



Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2010-2001	(Solid Forged Housing For More Durability) (1-3/8" Wrench Flat For Ease Of Installation; Use Removal Tool To Remove OE Tie Rod)	Outer	ES3173RL ‡	2 S162
		Inner	EV404 ‡	2 S162

REAR SUSPENSION




R075

Year	Model/Application	Part	P/C Qty	Figure
Bell Crank				
2010-2008	16mm Mounting Bolt, (Improves Upon OE Design)	K700771 ‡	1	R075
2007	14mm Mounting Bolt, Thru 8/13/06, (Design Allows Ease Of Installation)	K700517 ‡	1	R075
	16mm Mounting Bolt, From 8/14/06, (Improves Upon OE Design)	K700771 ‡	1	R075
Lateral Arm				
2010-2001	(Contains Bushings, Powdered Metal Gusher Brg. For Better Lubrication)	Left CK620665 ‡	1	R075
	(R-Series)	Left RK621651	1	R075
	(Contains Bushings, Powdered Metal Gusher Brg. For Better Lubrication)	Right CK620666 ‡	1	R075
	(R-Series)	Right RK621652	1	R075
Lateral Arm Bushing				
2008-2001	(High Quality Elastomer For Durability And Performance)	Left K200673 ‡	2	R075
	(High Quality Elastomer For Durability And Performance)	Right K200674 ‡	2	R075
Sway Bar Link				
2010-2001	(Contains Thermoplastic Bushing For Heat Resistance)	K80264 ‡	2	R075
Wheel Hub & Bearing Assembly				
2010-2003		512167	2	

Sebring-CHRYSLER

FRONT SUSPENSION



F403


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2010	(Design Allows Ease Of Installation)	Lower K500235 ‡	2	F403
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower K500120 ‡	2	F403

CHRYSLER-Sebring (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2010-2007	(Arm Only, R-Series)	Left Lower	RK641333	1 F403
	(Arm Only, R-Series)	Right Lower	RK641334	1 F403
Control Arm Bushing				
2010-2007		Lower Rear	K201185	2 F403
		Lower Front	K201184	2 F403
Strut Bumper Bellows				
2010-2007	(Replacement Type, Contains Bumper)		K90460	2 F403
Strut Spring Seat				
2010-2007		Lower	K160321	2 F403
Sway Bar Bushing				
2010-2007	24.1mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200217 ‡	1 F403
	26.06mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200218 ‡	1 F403
Sway Bar Link				
2010-2009	(Powdered Metal Gusher Brg. For Better Lubrication)		K750385 ‡	2 F403
Wheel Hub & Bearing Assembly				
2010-2008			513263	2
2007	4 Wheel ABS		513263	2


STEERING



S163

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2010-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800408 ‡	2 S163
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800400 ‡	2 S163


REAR SUSPENSION



R077

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2010-2007	(Arm Only, R-Series)	Upper	RK641880	2	R077
	(Arm Only, R-Series)	Lower Rear	RK641856	2	R077
	(R-Series)	Lower Front	RK641853	2	R077
	2-1/2 Degree Camber Plus Or Minus, (Adjustable, R-Series)	Upper	RK641793	2	R077
	2-1/2 Degree Camber Plus Or Minus, (Lateral Link, R-Series)	Upper	RK100118	2	R077
Control Arm Bushing					
2010-2007	Arm to Frame, Lower Rear	K201368	2	R077	
Knuckle Bushing					
2010-2007	Arm To Knuckle, Lower Front	K201354	2	R077	
	Arm To Knuckle, Upper	K201368	1	R077	
Shock Hardware Kit					
2010-2007	Upper	K160318	2	R077	
Strut Bumper Bellows					
2010-2007		K201597	2	R077	
Strut Spring Seat					
2010-2007	(Insulator Only)	Lower	K160374	2	R077
Sway Bar Bushing					
2010	15.2mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200210 ‡	1	R077
2010-2007	16.1mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200211 ‡	1	R077
	17.2mm To 18.2mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200213 ‡	1	R077
	19.1mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200214 ‡	1	R077
Sway Bar Link					
2010-2007	(Improves Upon OE Design)		K750289 ‡	2	R077
Trailing Link					
2010-2007		Left	RK643089	1	R077
		Right	RK643090	1	R077
Trailing Link Bushing					
2010-2007			K201355	2	R077
Wheel Hub & Bearing Assembly					
2010-2009			512332	2	
2008	All Wheel Drive	Left	512430	1	
	All Wheel Drive	Right	512431	1	
	Front Wheel Drive		512332	2	
2007	4 Wheel ABS		512332	2	
	Non ABS		512331	2	

Avenger-DODGE


FRONT SUSPENSION					
					
F403					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2014-2012	(Design Allows Ease Of Installation)	Lower	K500235 ‡	2	F403

DODGE-Avenger (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2011-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500120 ‡	2 F403
Control Arm				
2014-2008	(Arm Only, R-Series)	Left Lower	RK641333	1 F403
	(Arm Only, R-Series)	Right Lower	RK641334	1 F403
Control Arm Bushing				
2014-2008		Lower Rear	K201185	2 F403
		Lower Front	K201184	2 F403
Strut Bumper Bellows				
2014-2008	(Replacement Type, Contains Bumper)		K90460	2 F403
Strut Spring Seat				
2014-2008		Lower	K160321	2 F403
Sway Bar Bushing				
2010-2008	24.1mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200217 ‡	1 F403
	26.06mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200218 ‡	1 F403
Sway Bar Link				
2014-2009	(Powdered Metal Gusher Brg. For Better Lubrication)		K750385 ‡	2 F403
Wheel Hub & Bearing Assembly				
2014-2008			513263	2


STEERING



S163

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2014-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800408 ‡	2 S163
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800400 ‡	2 S163


REAR SUSPENSION



R077

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2014-2011	(Non-Adjustable, R-Series) (R-Series) Plus Or Minus 4 Degrees Camber, (Adjustable, R-Series)	Upper Lower Front Upper	RK643056 RK642901 RK100119	2 2 2 R077 R077 R077
2014-2008	(Arm Only, R-Series)	Lower Rear	RK641856	2 R077
2010-2009	2-1/2 Degree Camber Plus Or Minus, (Lateral Link, R-Series)	Upper	RK100118	2 R077
2010-2008	(Arm Only, R-Series) (R-Series) 2-1/2 Degree Camber Plus Or Minus, (Adjustable, R-Series)	Upper Lower Front Upper	RK641880 RK641853 RK641793	2 2 2 R077 R077 R077
Control Arm Bushing				
2014-2008		Arm to Frame, Lower Rear	K201368	2 R077
Knuckle Bushing				
2010-2008		Arm To Knuckle, Lower Front Arm To Knuckle, Upper	K201354 K201368	2 2 R077 R077
Shock Hardware Kit				
2014-2008		Upper	K160318	2 R077
Strut Bumper Bellows				
2013-2012	(Replacement Type, Contains Bumper)		K90460	2 R077
2011-2008	(Original Equipment Type)		K201597	2 R077
Strut Spring Seat				
2014-2008	(Insulator Only)	Lower	K160374	2 R077
Sway Bar Bushing				
2014-2012	19.1mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200214 ‡	1 R077
2014-2008	16.1mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200211 ‡	1 R077
2011	19.1mm Sway Bar Diameter, Touring Suspension, (Reduces Noise)	To Frame	K200214 ‡	1 R077
2010-2008	17.2mm To 18.2mm Sway Bar Diameter, (Reduces Noise) 19.1mm Sway Bar Diameter, (Reduces Noise)	To Frame To Frame	K200213 ‡ K200214 ‡	1 1 R077 R077
Sway Bar Link				
2014-2008	(Improves Upon OE Design)		K750289 ‡	2 R077
Trailing Link				
2014-2008		Left Right	RK643089 RK643090	1 1 R077 R077
Trailing Link Bushing				
2014-2008			K201355	2 R077
Wheel Hub & Bearing Assembly				
2014-2011			512332	2
2010-2009	4 Wheel ABS Non ABS		512332 512331	2 2
2008	All Wheel Drive All Wheel Drive Front Wheel Drive, 4 Wheel ABS Front Wheel Drive, Non ABS	Left Right	512430 512431 512332 512331	1 1 2 2


FRONT SUSPENSION



F387

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2012-2007	(For OE Arms And Aftermarket Arms With A Maximum Press Fit Diameter Of 1.571", Powdered Metal Gusher Brg. For Better Lubrication, Replacement Joint Presses In From Above Arm)	Lower K500063 ‡	2	F387
Control Arm Bushing				
2012-2007	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear K200800 ‡	2	F387
	(Vertical Mount)	Lower Rear K200254 ‡	2	F387
	(Horizontal Mount, High Quality Elastomer For Durability And Performance)	Lower Front K200255 ‡	2	F387
Control Arm with Ball Joint				
2012-2007	(Design Allows Ease Of Installation, Contains Ball And Socket Design Vertical Bushing)	Left Lower CK620066 ‡	1	F387
	(R-Series)	Left Lower RK620066	1	F387
	(Design Allows Ease Of Installation, Contains Ball And Socket Design Vertical Bushing)	Right Lower CK620065 ‡	1	F387
	(R-Series)	Right Lower RK620065	1	F387
Strut and Spring Assembly				
2012-2007		Left ST8665L	1	F387
		Right ST8665R	1	F387
Strut Bumper Bellows				
2012-2007	(Replacement Type, Contains Bumper)	K90460	2	F387
Strut Mount				
2012-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160197 ‡	2	F387
Strut Spring Seat				
2012-2007	(Contains Spring Seat And Insulator)	Upper K160357	2	F387
		Lower K160321	2	F387
Sway Bar Bushing				
2012-2007	24.1mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame K200216 ‡	1	F387
Sway Bar Link				
2012-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	K750385 ‡	2	F387
Wheel Hub & Bearing Assembly				
2009		513263	2	


STEERING




S139

STEERING (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2012-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner	ES800408 ‡ EV80645 ‡	2 2	S139 S139
REAR SUSPENSION					
R068					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2012-2007	(Arm Only, R-Series) (Lateral Link, R-Series) 2 Degree Camber Plus Or Minus, (Eccentric Adjustment, Design Allows Ease Of Installation, R-Series) Minus 1-1/2 To Plus 1-1/2 Degree Toe, (Adjustable, Design Allows Ease Of Installation) Plus Or Minus 2 Degree Camber, (Turnbuckle Adjustment, R-Series)	Upper Lower Front Upper Lower Front Upper	RK641281 RK641226 RK100114 ‡ K100117 ‡ RK100321	2 2 2 2 2	R068 R068 R068 R068 R068
2010-2007	(Arm Only, R-Series)	Lower Rear	RK641868	2	R068
Control Arm Bushing					
2012-2007		Lower Rear Inner Lower Rear Outer	K201551 K201552	2 2	R068 R068
Shock Hardware Kit					
2012-2007		Upper	K160318	2	R068
Strut and Spring Assembly					
2012-2007			ST8666	2	R068
Strut Bumper Bellows					
2012-2007			K201597	2	R068
Strut Spring Seat					
2012-2007	(Insulator Only)	Lower	K160374	2	R068
Sway Bar Bushing					
2012	(Reduces Noise)	To Frame	K200209 ‡	1	R068
2011-2007	15.2mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200210 ‡	1	R068
2010-2008	14.2mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200209 ‡	1	R068
2010-2007	17.2mm To 18.2mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200213 ‡	1	R068
Sway Bar Link					
2009-2007	(Improves Upon OE Design)		K750289 ‡	2	R068
Sway Bar Repair Kit					
2012-2010	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700526 ‡	2	R068
Trailing Link Bushing					
2012-2007			K201404	2	R068
Wheel Hub & Bearing Assembly					
2012-2011			512332	2	
2010-2009	4 Wheel ABS Non ABS		512332 512331	2 2	
2008-2007	All Wheel Drive Front Wheel Drive, 4 Wheel ABS Front Wheel Drive, Non ABS		512333 512332 512331	2 2 2	

FRONT SUSPENSION



F035



F344

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2019-2017	Rear Wheel Drive, Plus Or Minus 1-1/2 Degree Camber/Caster, (Adjustable)	Lower Rear	K7469 ‡	2 F035
2018	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower Rear	K80996 ‡	2 F035
2017	Rear Wheel Drive, (Non-Adjustable, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower Rear	K80996 ‡	2 F035
2016-2008	(Non-Adjustable, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower Rear	K80996 ‡	2 F035
	Plus Or Minus 1-1/2 Degree Camber/Caster, (Adjustable)	Lower Rear	K7469 ‡	2 F035
Ball Joint Bushing Sleeve Set				
2017	Rear Wheel Drive, (4 Piece Adapter Easily Removes And Installs Joints)		T80275	1
2016-2008	(4 Piece Adapter Easily Removes And Installs Joints)		T80275	1
Control Arm				
2018-2017	Rear Wheel Drive, (R-Series)	Lower Rear	RK642193	2 F035
2016-2012	(R-Series)	Lower Rear	RK642193	2 F035
2011-2008	(R-Series)	Lower Rear	RK640664	2 F035
Control Arm Bushing				
2018-2017	All Wheel Drive, (Contains Front And Rear Bushings)	Upper	K200198 ‡	1 F344
	All Wheel Drive	Lower Front Inner	K200894	1 F344
2010-2008	(Standard Design, High Quality Elastomer For Durability And Performance)	Arm To Frame, Lower	K200199 ‡	4 F035
Control Arm with Ball Joint				
2018	Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs)	Left Upper	RK620177	1
	Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs)	Right Upper	RK620178	1
2018-2017	All Wheel Drive, (R-Series)	Left Upper	RK621537	1 F344
	All Wheel Drive, (R-Series)	Right Upper	RK621538	1 F344


FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2018-2017 (Cont.)	All Wheel Drive, (R-Series)	Left Lower	RK622525	1 F344
	Rear Wheel Drive, (R-Series)	Left Upper	RK622217	1 F035
	Rear Wheel Drive, (R-Series)	Right Upper	RK622166	1 F035
	220(3.6L), Rear Wheel Drive, (Design Allows Ease Of Installation)	Left Front Lower	CK622225 ‡	1 F035
	220(3.6L), Rear Wheel Drive, (Design Allows Ease Of Installation)	Right Front Lower	CK622224 ‡	1 F035
2017	Rear Wheel Drive, Plus Or Minus 1 Degree Caster, Plus Or Minus 2 Degree Camber, (Adjustable, R-Series)	Upper	RK100112	2 F035
	Rear Wheel Drive, Plus Or Minus 3 Degrees Camber, Plus Or Minus 1.5 Degree Caster, (Adjustable, R-Series)	Left Upper	RK100166	1 F035
	Rear Wheel Drive, Plus Or Minus 3 Degrees Camber, Plus Or Minus 1.5 Degree Caster, (Adjustable, R-Series)	Right Upper	RK100167	1 F035
2017-2008	(Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs)	Left Upper	RK620177	1 F035
	(Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs)	Right Upper	RK620178	1 F035
2016-2015	376(6.2L), (Contains Bushing, R-Series)	Left Front Lower	RK620258	1 F035
	376(6.2L), (Powdered Metal Gusher Brg. For Better Lubrication, Contains Bushing)	Left Front Lower	CK620258 ‡	1 F035
	376(6.2L), (Contains Bushing, R-Series)	Right Front Lower	RK620257	1 F035
	376(6.2L), (Powdered Metal Gusher Brg. For Better Lubrication, Contains Bushing)	Right Front Lower	CK620257 ‡	1 F035
2016-2011	(R-Series)	Left Upper	RK622217	1 F035
	(R-Series)	Right Upper	RK622166	1 F035
	220(3.6L), (Design Allows Ease Of Installation)	Left Front Lower	CK622225 ‡	1 F035
	220(3.6L), (Design Allows Ease Of Installation)	Right Front Lower	CK622224 ‡	1 F035
	392(6.4L), (Contains Bushing, R-Series)	Left Front Lower	RK620258	1 F035
	392(6.4L), (Powdered Metal Gusher Brg. For Better Lubrication, Contains Bushing)	Left Front Lower	CK620258 ‡	1 F035
	392(6.4L), (Contains Bushing, R-Series)	Right Front Lower	RK620257	1 F035
	392(6.4L), (Powdered Metal Gusher Brg. For Better Lubrication, Contains Bushing)	Right Front Lower	CK620257 ‡	1 F035
	2016-2009	Plus Or Minus 1 Degree Caster, Plus Or Minus 2 Degree Camber, (Adjustable, R-Series)	Upper	RK100112
Plus Or Minus 3 Degrees Camber, Plus Or Minus 1.5 Degree Caster, (Adjustable, R-Series)		Left Upper	RK100166	1 F035
Plus Or Minus 3 Degrees Camber, Plus Or Minus 1.5 Degree Caster, (Adjustable, R-Series)		Right Upper	RK100167	1 F035
2014-2011	345(5.7L), (Design Allows Ease Of Installation)	Left Front Lower	CK622225 ‡	1 F035
	345(5.7L), (Design Allows Ease Of Installation)	Right Front Lower	CK622224 ‡	1 F035
2010-2008	(Contains Bushing, R-Series)	Left Front Lower	RK620258	1 F035
	(Powdered Metal Gusher Brg. For Better Lubrication, Contains Bushing)	Left Front Lower	CK620258 ‡	1 F035
	(Contains Bushing, R-Series)	Right Front Lower	RK620257	1 F035
	(Powdered Metal Gusher Brg. For Better Lubrication, Contains Bushing)	Right Front Lower	CK620257 ‡	1 F035
2008	Plus Or Minus 2 Degree Camber; Plus Or Minus 1-1/2 Degree Caster, (R-Series)	Upper	RK100111	2 F035
	Plus Or Minus 3 Degrees Camber, Plus Or Minus 1.5 Degree Caster, (Adjustable, R-Series)	Left Upper	RK100210	1 F035
	Plus Or Minus 3 Degrees Camber, Plus Or Minus 1.5 Degree Caster, (Adjustable, R-Series)	Right Upper	RK100211	1 F035
Strut Bumper Bellows				
2017	220(3.6L), All Wheel Drive, (OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F344
	220(3.6L), Rear Wheel Drive		K150275	2 F035
2017-2015	376(6.2L), (OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F035
2017-2011	392(6.4L), (OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F035
2017-2009	345(5.7L)		K150275	2 F035
2016-2011	220(3.6L)		K150275	2 F035
2010-2009	370(6.1L), (OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F035
2008	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F035
Strut Mount				
2017	Rear Wheel Drive, (Bearing Not Included, Design Allows Ease Of Installation)		K160096 ‡	2 F035
2016-2008	(Bearing Not Included, Design Allows Ease Of Installation)		K160096 ‡	2 F035
Strut Spring Seat				
2017	220(3.6L), Rear Wheel Drive, (Insulator, Reduces Noise)	Upper	K160119 ‡	2 F035
2017-2009	345(5.7L), (Insulator, Reduces Noise)	Upper	K160119 ‡	2 F035
2016-2011	220(3.6L), (Insulator, Reduces Noise)	Upper	K160119 ‡	2 F035
Sway Bar Bushing				
2015-2008	1.06" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201617 ‡	1 F035
	1.06" Sway Bar Diameter, (Standard Design)	To Frame	K200170	1 F035
	1.18" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201618 ‡	1 F035
	1.18" Sway Bar Diameter, (Standard Design)	To Frame	K200171	1 F035
	1" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201616 ‡	1 F035
2009-2008	1" Sway Bar Diameter, (Standard Design)	To Frame	K200169	1 F035

DODGE-Challenger (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018-2017	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750154 ‡	2
		Right	K80823 ‡	1
2016-2008	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K80823 ‡	1
		Right	K80822 ‡	1
Wheel Hub & Bearing Assembly				
2018-2017	220(3.6L), All Wheel Drive	513225	2	
2017	376(6.2L) 392(6.4L)	513325	2	
		513325	2	
2016-2015	Rear Wheel Drive	513325	2	
2014-2012	220(3.6L) 345(5.7L) 392(6.4L)	513325	2	
		513325	2	
		513224	2	
2011-2008		513224	2	

STEERING




S160



S322

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018	376(6.2L), Standard Body, (Design Allows Ease Of Installation) 376(6.2L), SRT Hellcat, Standard Body, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800986 ‡	2
		Inner	EV800963 ‡	2
2018-2017	220(3.6L), All Wheel Drive	Inner	EV801208 ‡	2
2017	220(3.6L), Rear Wheel Drive, (Design Allows Ease Of Installation) 220(3.6L), Rear Wheel Drive	Outer	ES800986 ‡	2
		Inner	EV801301 ‡	2
2017-2015	345(5.7L), (Design Allows Ease Of Installation) 345(5.7L)	Outer	ES800986 ‡	2
		Inner	EV801301 ‡	2
	376(6.2L), (Design Allows Ease Of Installation) 376(6.2L), (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800986 ‡	2
		Inner	EV800963 ‡	2
	392(6.4L), (Design Allows Ease Of Installation) 392(6.4L)	Outer	ES800986 ‡	2
		Inner	EV801301 ‡	2
2016-2015	220(3.6L), (Design Allows Ease Of Installation) 220(3.6L)	Outer	ES800986 ‡	2
		Inner	EV801301 ‡	2
2014-2011	(Design Allows Ease Of Installation) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800986 ‡	2
		Inner	EV800963 ‡	2
2010-2008	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (HD Design Full Metal Socket, Belleville Preload And Larger Ball Stud)	Outer	ES3571 ‡	2
		Inner	EV80702 ‡	2
		Inner	EV800961 ‡	2


REAR SUSPENSION




R006

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2018-2015	(R-Series) V6 Cyl, (R-Series)	Lower Front Lower Center	RK641772 RK642905	2 1	R006 R006
2018-2008	(R-Series) (R-Series) (R-Series)	Upper Front Left Rear Lower Right Rear Lower	RK641787 RK641650 RK641649	2 1 1	R006 R006 R006
2014	220(3.6L), (R-Series) 220(3.6L), (R-Series) 345(5.7L), Except Super Track Pak, (R-Series) 345(5.7L), Except Super Track Pak, (R-Series) 392(6.4L), (R-Series) 392(6.4L), (R-Series)	Left Rear Upper Right Rear Upper Left Rear Upper Right Rear Upper Left Rear Upper Right Rear Upper	RK642577 RK642576 RK642577 RK642576 RK642577 RK642576	1 1 1 1 1 1	R006 R006 R006 R006 R006 R006
2014-2013	220(3.6L), Rallye Redline, (R-Series) 220(3.6L), SXT, SXT Plus, Super Sport Package, (R-Series)	Lower Front Lower Front	RK641772 RK641772	2 2	R006 R006
2014-2012	345(5.7L), (R-Series) 392(6.4L), (R-Series)	Lower Front Lower Front	RK641772 RK641772	2 2	R006 R006
2014-2008	(R-Series)	Lower Center	RK642905	2	R006
2013-2012	(R-Series) (R-Series)	Left Rear Upper Right Rear Upper	RK642577 RK642576	1 1	R006 R006
2012	220(3.6L), Super Sport Package, (R-Series)	Lower Front	RK641772	2	R006
2011-2010	(Replaces Steel Or Aluminum Arm, R-Series) (Replaces Steel Or Aluminum Arm, R-Series)	Left Rear Upper Right Rear Upper	RK640721 RK640722	1 1	R006 R006
2011-2008	(R-Series)	Lower Front	RK641772	2	R006
2009-2008	(R-Series) (R-Series)	Left Rear Upper Right Rear Upper	RK641520 RK641519	1 1	R006 R006
Shock Mount					
2017-2015	376(6.2L), (Contains Upper And Lower Retainers)		K160095 ‡	2	R006
2017-2011	220(3.6L), (Contains Upper And Lower Retainers) 392(6.4L), (Contains Upper And Lower Retainers)		K160094 ‡ K160095 ‡	2 2	R006 R006
2017-2009	345(5.7L), (Contains Upper And Lower Retainers)		K160094 ‡	2	R006
2010-2009	215(3.5L), (Contains Upper And Lower Retainers) 370(6.1L), (Contains Upper And Lower Retainers)		K160094 ‡ K160095 ‡	2 2	R006 R006
2008	(Contains Upper And Lower Retainers)		K160095 ‡	2	R006
Sway Bar Link					
2018-2008			K7470	2	R006
Wheel Hub & Bearing Assembly					
2018-2015			512555	2	
2014-2008			512369	2	

FRONT SUSPENSION



F035



F344

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2019	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower Rear	K80996 ‡	2
2019-2007	Rear Wheel Drive, Plus Or Minus 1-1/2 Degree Camber/Caster, (Adjustable)	Lower Rear	K7469 ‡	2 F035
2018	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower Rear	K80996 ‡	2 F035
2017-2007	Rear Wheel Drive, (Non-Adjustable, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower Rear	K80996 ‡	2 F035
Ball Joint Bushing Sleeve Set				
2017-2007	Rear Wheel Drive, (4 Piece Adapter Easily Removes And Installs Joints)		T80275	1
Control Arm				
2019-2011	Rear Wheel Drive, (R-Series)	Lower Rear	RK642193	2 F035
2010-2007	Rear Wheel Drive, (R-Series)	Lower Rear	RK640664	2 F035
Control Arm Bushing				
2019	All Wheel Drive, (Contains Front And Rear Bushings)	Upper	K200198 ‡	1
2019-2017	All Wheel Drive	Lower Front Inner	K200894	2
2018-2012	All Wheel Drive	Lower Front Inner	K200894	2 F344
2018-2007	All Wheel Drive, (Contains Front And Rear Bushings)	Upper	K200198 ‡	1 F344
2010-2007	All Wheel Drive, (High Quality Elastomer For Durability And Performance)	Lower Control Arm At Strut	K200200 ‡	2 F344
	All Wheel Drive	Lower Front Inner	K200893	2 F344
	All Wheel Drive	Lower Rear Inner	K200894	2 F344
	Rear Wheel Drive, (Standard Design, High Quality Elastomer For Durability And Performance)	Arm To Frame, Lower	K200199 ‡	4 F035


FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing Tool				
2010-2006	(Bushing Press Adapter Sleeve Designed To Remove The Stock Rear Control Arm Bushings On Chrysler LX Platform Cars-Use With Bushing Press Set) (Bushing Press Set-Contains C-Frame, Screw Assembly, And Adapters)	T40012 ‡	1	
		T40004 ‡	1	
Control Arm with Ball Joint				
2019	All Wheel Drive, (R-Series)	Left Lower	RK622525	1 F344
2019-2018	All Wheel Drive, (R-Series)	Right Upper	RK621538	1 F344
2019-2017	Rear Wheel Drive, (R-Series, Must Be Replaced In Pairs) Rear Wheel Drive, (R-Series, Must Be Replaced In Pairs)	Left Upper	RK620177	1 F035
		Right Upper	RK620178	1 F035
2019-2015	220(3.6L), Rear Wheel Drive, Except Police, (Design Allows Ease Of Installation) 220(3.6L), Rear Wheel Drive, Except Police, (Design Allows Ease Of Installation) 345(5.7L), Rear Wheel Drive, Except Super Track Pak, Except Police, (Design Allows Ease Of Installation)	Left Front Lower	CK622225 ‡	1 F035
		Right Front Lower	CK622224 ‡	1 F035
		Left Front Lower	CK622225 ‡	1 F035
2019-2011	345(5.7L), Rear Wheel Drive, Except Super Track Pak, Except Police, (Design Allows Ease Of Installation) Rear Wheel Drive, (R-Series) Rear Wheel Drive, (R-Series)	Right Front Lower	CK622224 ‡	1 F035
		Left Upper	RK622217	1 F035
		Right Upper	RK622166	1 F035
2019-2007	All Wheel Drive, (R-Series)	Left Upper	RK621537	1 F344
2018-2014	All Wheel Drive, Except Police, (R-Series)	Left Lower	RK622525	1 F344
2017-2009	Rear Wheel Drive, Plus Or Minus 1 Degree Caster, Plus Or Minus 2 Degree Camber, (Adjustable, R-Series) Rear Wheel Drive, Plus Or Minus 3 Degrees Camber, Plus Or Minus 1.5 Degree Caster, (Adjustable, R-Series) Rear Wheel Drive, Plus Or Minus 3 Degrees Camber, Plus Or Minus 1.5 Degree Caster, (Adjustable, R-Series)	Upper	RK100112	2 F035
		Left Upper	RK100166	1 F035
		Right Upper	RK100167	1 F035
2016-2015	376(6.2L), (Contains Bushing, R-Series) 376(6.2L), (Powdered Metal Gusher Brg. For Better Lubrication, Contains Bushing) 376(6.2L), (Contains Bushing, R-Series) 376(6.2L), (Powdered Metal Gusher Brg. For Better Lubrication, Contains Bushing) 392(6.4L), (Contains Bushing, R-Series) 392(6.4L), (Powdered Metal Gusher Brg. For Better Lubrication, Contains Bushing) 392(6.4L), (Contains Bushing, R-Series) 392(6.4L), (Powdered Metal Gusher Brg. For Better Lubrication, Contains Bushing)	Left Front Lower	RK620258	1 F035
		Left Front Lower	CK620258 ‡	1 F035
		Right Front Lower	RK620257	1 F035
		Right Front Lower	CK620257 ‡	1 F035
		Left Front Lower	RK620258	1 F035
		Left Front Lower	CK620258 ‡	1 F035
		Right Front Lower	RK620257	1 F035
Right Front Lower	CK620257 ‡	1 F035		
2016-2011	Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs) Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs)	Left Upper	RK620177	1 F035
		Right Upper	RK620178	1 F035
2016-2007	All Wheel Drive, (R-Series)	Right Upper	RK621538	1 F344
2014-2012	220(3.6L), Rear Wheel Drive, (Design Allows Ease Of Installation) 220(3.6L), Rear Wheel Drive, (Design Allows Ease Of Installation) 345(5.7L), Rear Wheel Drive, (Design Allows Ease Of Installation) 345(5.7L), Rear Wheel Drive, (Design Allows Ease Of Installation) 392(6.4L), Rear Wheel Drive, (Contains Bushing, R-Series) 392(6.4L), Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, Contains Bushing) 392(6.4L), Rear Wheel Drive, (Contains Bushing, R-Series) 392(6.4L), Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, Contains Bushing)	Left Front Lower	CK622225 ‡	1 F035
		Right Front Lower	CK622224 ‡	1 F035
		Left Front Lower	CK622225 ‡	1 F035
		Right Front Lower	CK622224 ‡	1 F035
		Left Front Lower	RK620258	1 F035
		Left Front Lower	CK620258 ‡	1 F035
		Right Front Lower	RK620257	1 F035
		Right Front Lower	CK620257 ‡	1 F035
2013-2011	All Wheel Drive, (R-Series)	Left Lower	RK622525	1 F344
2011	Rear Wheel Drive, (Design Allows Ease Of Installation) Rear Wheel Drive, (Design Allows Ease Of Installation)	Left Front Lower	CK622225 ‡	1 F035
		Right Front Lower	CK622224 ‡	1 F035
2010-2009	167(2.7L), Rear Wheel Drive, (R-Series) 167(2.7L), Rear Wheel Drive, (R-Series) 215(3.5L), Rear Wheel Drive, 17" Wheels, (R-Series) 215(3.5L), Rear Wheel Drive, 17" Wheels, (R-Series) 215(3.5L), Rear Wheel Drive, Except 17" Wheels, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs) 215(3.5L), Rear Wheel Drive, Except 17" Wheels, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs) 345(5.7L), Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs) 345(5.7L), Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs)	Left Upper	RK622217	1 F035
		Right Upper	RK622166	1 F035
		Left Upper	RK622217	1 F035
		Right Upper	RK622166	1 F035
		Left Upper	RK620177	1 F035
		Right Upper	RK620178	1 F035
		Left Upper	RK620177	1 F035
		Right Upper	RK620178	1 F035
2010-2007	All Wheel Drive, (R-Series) All Wheel Drive, (R-Series) Rear Wheel Drive, (Contains Bushing, R-Series) Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, Contains Bushing) Rear Wheel Drive, (Contains Bushing, R-Series) Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, Contains Bushing)	Left Lower	RK641533	1 F344
		Right Lower	RK641534	1 F344
		Left Front Lower	RK620258	1 F035
		Left Front Lower	CK620258 ‡	1 F035
		Right Front Lower	RK620257	1 F035
2009	370(6.1L), Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs) 370(6.1L), Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs)	Left Upper	RK620177	1 F035
		Right Upper	RK620178	1 F035

DODGE-Charger (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2008-2007	Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs)	Left Upper	RK620177	1	F035
	Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs)	Right Upper	RK620178	1	F035
	Rear Wheel Drive, Plus Or Minus 2 Degree Camber; Plus Or Minus 1-1/2 Degree Caster, (R-Series)	Upper	RK100111	2	F035
	Rear Wheel Drive, Plus Or Minus 3 Degrees Camber, Plus Or Minus 1.5 Degree Caster, (Adjustable, R-Series)	Left Upper	RK100210	1	F035
	Rear Wheel Drive, Plus Or Minus 3 Degrees Camber, Plus Or Minus 1.5 Degree Caster, (Adjustable, R-Series)	Right Upper	RK100211	1	F035
Strut and Spring Assembly					
2010-2007	Rear Wheel Drive, Except Performance Suspension, Except Police	ST8628	2	F035	
Strut Bumper Bellows					
2017-2015	376(6.2L), Rear Wheel Drive, (OE Material For Strut Performance And Longevity, Contains Bumper)	K90462 ‡	2	F035	
2017-2012	220(3.6L), Rear Wheel Drive, (Replacement Type, Contains Bumper)	K90460	2	F035	
	345(5.7L), Rear Wheel Drive, (Replacement Type, Contains Bumper)	K90460	2	F035	
	392(6.4L), Rear Wheel Drive, (OE Material For Strut Performance And Longevity, Contains Bumper)	K90462 ‡	2	F035	
2017-2011	All Wheel Drive, (OE Material For Strut Performance And Longevity, Contains Bumper)	K90462 ‡	2	F344	
2011	Rear Wheel Drive, (Replacement Type, Contains Bumper)	K90460	2	F035	
2010-2008	(Replacement Type, Contains Bumper)	K90460	2	F035, F344	
2007	All Wheel Drive, (Replacement Type, Contains Bumper)	K90460	2	F344	
	167(2.7L), Rear Wheel Drive, (OE Material For Strut Performance And Longevity, Contains Bumper)	K90462 ‡	2	F035	
	215(3.5L), Rear Wheel Drive, (OE Material For Strut Performance And Longevity, Contains Bumper)	K90462 ‡	2	F035	
	345(5.7L), Rear Wheel Drive, (Replacement Type, Contains Bumper)	K90460	2	F035	
	370(6.1L), Rear Wheel Drive, (OE Material For Strut Performance And Longevity, Contains Bumper)	K90462 ‡	2	F035	
Strut Mount					
2017-2007	Rear Wheel Drive, (Bearing Not Included, Design Allows Ease Of Installation)	K160096 ‡	2	F035	
Strut Spring Seat					
2017-2015	220(3.6L), Rear Wheel Drive, (Insulator, Reduces Noise)	Upper	K160119 ‡	2	F035
	345(5.7L), Rear Wheel Drive, (Insulator, Reduces Noise)	Upper	K160119 ‡	2	F035
2014-2007	Rear Wheel Drive, (Insulator, Reduces Noise)	Upper	K160119 ‡	2	F035
Sway Bar Bushing					
2015-2007	Rear Wheel Drive, 1.06" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201617 ‡	1	F035
	Rear Wheel Drive, 1.06" Sway Bar Diameter, (Standard Design)	To Frame	K200170	1	F035
	Rear Wheel Drive, 1.18" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201618 ‡	1	F035
	Rear Wheel Drive, 1.18" Sway Bar Diameter, (Standard Design)	To Frame	K200171	1	F035
	Rear Wheel Drive, 1" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201616 ‡	1	F035
2010-2007	Rear Wheel Drive, 1" Sway Bar Diameter, (Standard Design)	To Frame	K200169	1	F035
Sway Bar Link					
2019	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)		K750154 ‡	2	
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K80823 ‡	1	
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K80822 ‡	1	
2018-2017	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)		K750154 ‡	2	F344
2018-2007	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K80823 ‡	1	F035
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K80822 ‡	1	F035
2016	SXT, All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)		K750154 ‡	2	F344
2015	Pursuit , SE, SXT, All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)		K750154 ‡	2	F344
2014-2007	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)		K750154 ‡	2	F344
Wheel Hub & Bearing Assembly					
2019-2016	All Wheel Drive		513225	2	
2017-2016	Rear Wheel Drive		513325	2	
2015	All Wheel Drive, 4 Bolt Flange		513225	2	
	Rear Wheel Drive, 3 Bolt Flange		513325	2	
2014	Base Model, R/T, R/T Road And Track, SE, SXT, SXT Plus, Rear Wheel Drive, 3 Bolt Flange		513325	2	
	SRT-8, SRT8 Superbee		513224	2	
2014-2013	Base Model, R/T, SXT, SXT Plus, All Wheel Drive, 4 Bolt Flange		513225	2	
2013	Base Model, R/T, SE, SXT, SXT Plus, Rear Wheel Drive, 3 Bolt Flange		513325	2	
2013-2012	SRT-8		513224	2	
2012	Base Model, R/T, R/T Max, R/T Plus, R/T Road And Track, SE, SXT, SXT Plus, Rear Wheel Drive, 3 Bolt Flange		513325	2	
	Base Model, R/T, R/T Max, R/T Plus, SXT, SXT Plus, All Wheel Drive, 4 Bolt Flange		513225	2	
2011-2007	All Wheel Drive, 4 Bolt Flange		513225	2	
2011-2006	Rear Wheel Drive		513224	2	


STEERING



S160



S161



S322


Year	Model/Application		Part	P/C Qty	Figure
Tie Rod End					
2019	All Wheel Drive 376(6.2L), Rear Wheel Drive, (Design Allows Ease Of Installation)	Inner	EV801208 ‡	2	S161
		Outer	ES800986 ‡	2	
2019-2015	345(5.7L), All Wheel Drive, (Design Allows Ease Of Installation) 345(5.7L), All Wheel Drive, (Design Allows Ease Of Installation)	Left Outer	ES800956 ‡	1	S161, S322
		Right Outer	ES800957 ‡	1	
2018	220(3.6L), Rear Wheel Drive, (Design Allows Ease Of Installation) 345(5.7L), Rear Wheel Drive, (Design Allows Ease Of Installation)	Outer	ES800986 ‡	2	S161
		Outer	ES800986 ‡	2	S161
2018-2015	220(3.6L), All Wheel Drive 345(5.7L), All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) 376(6.2L), (Design Allows Ease Of Installation) 376(6.2L), (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV801208 ‡	2	S161, S322
		Inner	EV800960 ‡	2	
		Outer	ES800986 ‡	2	S161
		Inner	EV800963 ‡	2	S161
2017-2015	220(3.6L), Rear Wheel Drive, (Design Allows Ease Of Installation) 220(3.6L), Rear Wheel Drive 345(5.7L), Rear Wheel Drive, (Design Allows Ease Of Installation) 345(5.7L), Rear Wheel Drive 392(6.4L), Rear Wheel Drive, (Design Allows Ease Of Installation) 392(6.4L), Rear Wheel Drive	Outer	ES800986 ‡	2	S322
		Inner	EV801301 ‡	2	S322
		Outer	ES800986 ‡	2	S322
		Inner	EV801301 ‡	2	S322
		Outer	ES800986 ‡	2	S322
		Inner	EV801301 ‡	2	S322
2014-2011	All Wheel Drive, (Design Allows Ease Of Installation) All Wheel Drive, (Design Allows Ease Of Installation) All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive, (Design Allows Ease Of Installation) Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800956 ‡	1	S161
		Right Outer	ES800957 ‡	1	S161
		Inner	EV800960 ‡	2	S161
		Outer	ES800986 ‡	2	S161
		Inner	EV800963 ‡	2	S161
		Inner	EV800963 ‡	2	S161
2010-2008	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) All Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive, Except Police, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer	ES800431 ‡	1	S161
		Right Outer	ES800430 ‡	1	S161
		Inner	EV800432 ‡	2	S161
		Outer	ES3571 ‡	2	S161
		Outer	ES3571 ‡	2	S161
		Inner	EV80702 ‡	2	S161

DODGE-Charger (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2010-2008 (Cont.)	Rear Wheel Drive, Police, (HD Design Full Metal Socket, Belleville Preload And Larger Ball Stud)	Inner	EV800961 ‡	2 S161
2007	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800431 ‡	1 S160
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800430 ‡	1 S160
	All Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800432 ‡	2 S160
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3571 ‡	2 S160
	Rear Wheel Drive, Except Police, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80702 ‡	2 S160
	Rear Wheel Drive, Police, (HD Design Full Metal Socket, Belleville Preload And Larger Ball Stud)	Inner	EV800961 ‡	2 S160

REAR SUSPENSION



R006


Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2019-2015	V6 Cyl, (R-Series) 376(6.2L), (R-Series)	Lower Center	RK642905	2 R006
		Lower Front	RK641772	2 R006
2019-2012	220(3.6L), Except Touring Suspension, (R-Series) 345(5.7L), (R-Series) 392(6.4L), (R-Series)	Lower Front	RK641772	2 R006
		Lower Front	RK641772	2 R006
		Lower Front	RK641772	2 R006
2019-2006	(R-Series)	Upper Front	RK641787	2 R006
2018-2006	(R-Series) (R-Series)	Left Rear Lower	RK641650	1 R006
		Right Rear Lower	RK641649	1 R006
2014	345mm Front Rotor Diameter, Police, (R-Series) 345mm Front Rotor Diameter, Police, (R-Series) Except Police, (R-Series) Except Police, (R-Series)	Left Rear Upper	RK642577	1 R006
		Right Rear Upper	RK642576	1 R006
		Left Rear Upper	RK642577	1 R006
		Right Rear Upper	RK642576	1 R006
2014-2006	(R-Series)	Lower Center	RK642905	2 R006
2013-2010	Rear Wheel Drive, (Replaces Steel Or Aluminum Arm, R-Series) Rear Wheel Drive, (Replaces Steel Or Aluminum Arm, R-Series)	Left Rear Upper	RK640721	1 R006
		Right Rear Upper	RK640722	1 R006
2011-2006	(R-Series)	Lower Front	RK641772	2 R006
2010-2007	All Wheel Drive, Aluminum Arm, (R-Series) All Wheel Drive, Aluminum Arm, (R-Series) All Wheel Drive, Steel Arm, (R-Series) All Wheel Drive, Steel Arm, (R-Series)	Left Rear Upper	RK641536	1 R006
		Right Rear Upper	RK641535	1 R006
		Left Rear Upper	RK641520	1 R006
		Right Rear Upper	RK641627	1 R006
2009-2007	Rear Wheel Drive, (R-Series) Rear Wheel Drive, (R-Series)	Left Rear Upper	RK641520	1 R006
		Right Rear Upper	RK641519	1 R006
Shock Mount				
2017-2015	376(6.2L), (Contains Upper And Lower Retainers)		K160095 ‡	2 R006
2017-2012	220(3.6L), (Contains Upper And Lower Retainers)		K160094 ‡	2 R006
	345(5.7L), (Contains Upper And Lower Retainers)		K160094 ‡	2 R006
	392(6.4L), (Contains Upper And Lower Retainers)		K160095 ‡	2 R006
2011	(Contains Upper And Lower Retainers)		K160094 ‡	2 R006
2010-2006	167(2.7L), (Contains Upper And Lower Retainers)		K160094 ‡	2 R006
	215(3.5L), (Contains Upper And Lower Retainers)		K160094 ‡	2 R006
	345(5.7L), (Contains Upper And Lower Retainers)		K160094 ‡	2 R006
	370(6.1L), (Contains Upper And Lower Retainers)		K160095 ‡	2 R006
Sway Bar Link				
2019	(Link Only)		K7470	2

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018-2006	(Link Only)	K7470	2	R006
Wheel Hub & Bearing Assembly				
2018-2015		512555	2	
2014-2010		512369	2	
2009	Except Performance Brakes, 32 Spline Shaft Performance Brakes, 27 Spline Shaft	512369 512301	2 2	
2008-2006		512301	2	


Dart-DODGE

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2016-2013		Lower Rear Lower Front	K201341 K201340	2 2
Control Arm with Ball Joint				
2016-2013	(R-Series) (R-Series)	Left Lower Right Lower	RK622965 RK622964	1 1
Strut Bumper Bellows				
2016-2013	(Replacement Type, Contains Bumper)		K90460	2
Strut Mount				
2016-2013	Except Sport Suspension, (Contains Bearing, Spring Seat And Upper Retainers) Except Sport Suspension, (Contains Bearing, Spring Seat And Upper Retainers) Sport Suspension, (Contains Bearing, Spring Seat And Upper Retainers) Sport Suspension, (Contains Bearing, Spring Seat And Upper Retainers)	Left Right Left Right	K160424 K160425 K160414 K160415	1 1 1 1
Sway Bar Link				
2016-2013	(Design Allows Ease Of Installation)		K750691 ‡	2
Wheel Hub & Bearing Assembly				
2016-2013			513348	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2016-2013	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer Right Outer Inner	ES801129 ‡ ES801128 ‡ EV801132 ‡	1 1 2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2016-2013			K201554	2
Sway Bar Link				
2016-2013	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Right	K750697 ‡ K750696 ‡	1 1
Wheel Hub & Bearing Assembly				
2016-2013			512510	2

FRONT SUSPENSION



F035




F344

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2008-2005	Rear Wheel Drive, (Non-Adjustable, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower Rear	K80996 ‡	2 F035
	Rear Wheel Drive, Plus Or Minus 1-1/2 Degree Camber/Caster, (Adjustable)	Lower Rear	K7469 ‡	2 F035
Ball Joint Bushing Sleeve Set				
2008-2005	Rear Wheel Drive, (4 Piece Adapter Easily Removes And Installs Joints)		T80275	1
Control Arm				
2008-2005	Rear Wheel Drive, (R-Series)	Lower Rear	RK640664	2 F035
Control Arm Bushing				
2008-2005	(Contains Front And Rear Bushings)	Upper	K200198 ‡	2 F035, F344
	All Wheel Drive, (High Quality Elastomer For Durability And Performance)	Lower Control Arm At Strut	K200200 ‡	2 F344
	All Wheel Drive	Lower Front Inner	K200893	2 F344
	All Wheel Drive	Lower Rear Inner	K200894	2 F344
	Rear Wheel Drive, (Standard Design, High Quality Elastomer For Durability And Performance)	Arm To Frame, Lower	K200199 ‡	4 F035
Control Arm Bushing Tool				
2008-2005	(Bushing Press Adapter Sleeve Designed To Remove The Stock Rear Control Arm Bushings On Chrysler LX Platform Cars-Use With Bushing Press Set)		T40012 ‡	1
	(Bushing Press Set-Contains C-Frame, Screw Assembly, And Adapters)		T40004 ‡	1
Control Arm with Ball Joint				
2008-2005	All Wheel Drive, (R-Series)	Left Upper	RK621537	1 F344
	All Wheel Drive, (R-Series)	Right Upper	RK621538	1 F344
	All Wheel Drive, (R-Series)	Left Lower	RK641533	1 F344
	All Wheel Drive, (R-Series)	Right Lower	RK641534	1 F344
	Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs)	Left Upper	RK620177	1 F035
	Rear Wheel Drive, (Must Be Replaced In Pairs, R-Series, Must Be Replaced In Pairs)	Right Upper	RK620178	1 F035
	Rear Wheel Drive, (Contains Bushing, R-Series)	Left Front Lower	RK620258	1 F035

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2008-2005 (Cont.)	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, Contains Bushing)				
	Left Front Lower	CK620258 ‡	1	F035	
	Rear Wheel Drive, (Contains Bushing, R-Series)				
	Right Front Lower	RK620257	1	F035	
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, Contains Bushing)				
	Right Front Lower	CK620257 ‡	1	F035	
Rear Wheel Drive, Plus Or Minus 2 Degree Camber; Plus Or Minus 1-1/2 Degree Caster, (R-Series)	Upper	RK100111	2		
	Left Upper	RK100210	1	F035	
Rear Wheel Drive, Plus Or Minus 3 Degrees Camber, Plus Or Minus 1.5 Degree Caster, (Adjustable, R-Series)	Right Upper	RK100211	1	F035	
Strut and Spring Assembly					
2008-2005	Rear Wheel Drive, Except Performance Suspension, Except Police	ST8628	2	F035	
Strut Bumper Bellows					
2008	(Replacement Type, Contains Bumper)	K90460	2	F035, F344	
2007-2006	370(6.1L), Rear Wheel Drive, (OE Material For Strut Performance And Longevity, Contains Bumper)	K90462 ‡	2	F035	
2007-2005	All Wheel Drive, (Replacement Type, Contains Bumper)	K90460	2	F344	
	167(2.7L), Rear Wheel Drive, (OE Material For Strut Performance And Longevity, Contains Bumper)	K90462 ‡	2	F035	
	215(3.5L), Rear Wheel Drive, (OE Material For Strut Performance And Longevity, Contains Bumper)	K90462 ‡	2	F035	
	345(5.7L), Rear Wheel Drive, (Replacement Type, Contains Bumper)	K90460	2	F035	
Strut Mount					
2008-2005	Rear Wheel Drive, (Bearing Not Included, Design Allows Ease Of Installation)	K160096 ‡	2	F035	
Strut Spring Seat					
2008-2005	Rear Wheel Drive, (Insulator, Reduces Noise)	Upper K160119 ‡	2	F035	
Sway Bar Bushing					
2008-2005	Rear Wheel Drive, 1.06" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201617 ‡	1	F035
	Rear Wheel Drive, 1.06" Sway Bar Diameter, (Standard Design)	To Frame	K200170	1	F035
	Rear Wheel Drive, 1.18" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201618 ‡	1	F035
	Rear Wheel Drive, 1.18" Sway Bar Diameter, (Standard Design)	To Frame	K200171	1	F035
	Rear Wheel Drive, 1" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201616 ‡	1	F035
	Rear Wheel Drive, 1" Sway Bar Diameter, (Standard Design)	To Frame	K200169	1	F035
	Sway Bar Link				
	2008-2005	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)		K750154 ‡	2
Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)		Left	K80823 ‡	1	F035
Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)		Right	K80822 ‡	1	F035
Wheel Hub & Bearing Assembly					
2008-2005	All Wheel Drive	513225	2		
	Rear Wheel Drive	513224	2		
STEERING					
<p>The diagram shows a steering rack assembly with two tie rods. Each tie rod has an inner end connected to the steering rack and an outer end with a ball joint. Two R&P boot kits are shown, one on each tie rod. A steering rack insulator bushing is also indicated.</p>					
S160					

DODGE-Magnum (Cont.)


STEERING (Cont.)



S161

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2008	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800431 ‡	1	S161
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800430 ‡	1	S161
	All Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800432 ‡	2	S161
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3571 ‡	2	S161
	Rear Wheel Drive, Except Police, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80702 ‡	2	S161
	Rear Wheel Drive, Police, (HD Design Full Metal Socket, Belleville Preload And Larger Ball Stud)	Inner	EV800961 ‡	2	S161
2007-2005	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800431 ‡	1	S160
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800430 ‡	1	S160
	All Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800432 ‡	2	S160
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3571 ‡	2	S160
	Rear Wheel Drive, Except Police, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80702 ‡	2	S160
	Rear Wheel Drive, Police, (HD Design Full Metal Socket, Belleville Preload And Larger Ball Stud)	Inner	EV800961 ‡	2	S160

REAR SUSPENSION



R006

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2008-2005	(R-Series)	Upper Front	RK641787	2	R006
	(R-Series)	Lower Front	RK641772	2	R006
	(R-Series)	Left Rear Lower	RK641650	1	R006
	(R-Series)	Lower Center	RK642905	2	R006
	(R-Series)	Right Rear Lower	RK641649	1	R006
	All Wheel Drive, Aluminum Arm, (R-Series)	Left Rear Upper	RK641536	1	R006
	All Wheel Drive, Aluminum Arm, (R-Series)	Right Rear Upper	RK641535	1	R006
	All Wheel Drive, Steel Arm, (R-Series)	Right Rear Upper	RK641627	1	R006
	Rear Wheel Drive, (R-Series)	Left Rear Upper	RK641520	1	R006
	Rear Wheel Drive, (R-Series)	Right Rear Upper	RK641519	1	R006
Shock Mount					
2008-2006	167(2.7L), (Contains Upper And Lower Retainers)		K160094 ‡	2	R006
	215(3.5L), (Contains Upper And Lower Retainers)		K160094 ‡	2	R006
	345(5.7L), (Contains Upper And Lower Retainers)		K160094 ‡	2	R006
	370(6.1L), (Contains Upper And Lower Retainers)		K160095 ‡	2	R006


REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2008-2005	(Link Only)	K7470	2	R006
Wheel Hub & Bearing Assembly				
2008-2005		512301	2	

Viper-DODGE

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing Set				
2016-2015	(Contains Front And Rear Bushings)	Lower	K7416	2
2010-2008	(Contains Front And Rear Bushings)	Lower	K7416	2
Sway Bar Link				
2010-2008	(Powdered Metal Gusher Brg. For Better Lubrication)		K750254 ‡	2
Wheel Hub & Bearing Assembly				
2017-2015			513132	2
2010-2008			513132	2

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2010-2008	(Improves Upon OE Design)		K750518 ‡	2
Wheel Hub & Bearing Assembly				
2017-2015			513109	2
2010-2008			513109	2

500-FIAT


FRONT SUSPENSION				
				
F516				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2018	(R-Series)	Left Lower	RK622861	1
	(R-Series)	Right Lower	RK622860	1
2017-2012	Turbocharged, (R-Series)	Left Lower	RK622861	1
	Turbocharged, (R-Series)	Right Lower	RK622860	1
2016-2013	Naturally Aspirated, (R-Series)	Right Lower	RK622469	1
2012	Naturally Aspirated, From 2/13/12, (R-Series)	Right Lower	RK622469	1
Strut Bumper Bellows				
2016-2012	(Replacement Type, Contains Bumper)		K90460	2
Strut Mount				
2016-2012	(Contains Retainer, Contains Bearing)		K160291	2

FIAT-500 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018-2012	(Improves Upon OE Design)	K750507 ‡	2	F516

STEERING



S378


Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2018-2012	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer Inner	ES800953 ‡ EV800907 ‡	2 2	S378 S378

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2018-2012		512480	2	

FIAT-500C

FRONT SUSPENSION




F516

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2018	(R-Series) (R-Series)	Left Lower Right Lower	RK622861 RK622860	1 1	F516 F516
2017-2014	Turbocharged, (R-Series) Turbocharged, (R-Series)	Left Lower Right Lower	RK622861 RK622860	1 1	F516 F516
2015-2013	Naturally Aspirated, (R-Series)	Right Lower	RK622469	1	F516
2012	Naturally Aspirated, From 2/13/12, (R-Series)	Right Lower	RK622469	1	F516

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2016-2012	(Replacement Type, Contains Bumper)	K90460	2	F516
Strut Mount				
2016-2012	(Contains Retainer, Contains Bearing)	K160291	2	F516
Sway Bar Link				
2018-2012	(Improves Upon OE Design)	K750507 ‡	2	F516

STEERING




S378

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2018-2012	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer Inner	ES800953 ‡ EV800907 ‡	2 2	S378 S378

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2018-2012		512480	2	

FRONT SUSPENSION



F516


Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2018-2013	(R-Series)	Left Lower	RK622861	1	F516

FIAT-500e (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2018-2013 (Cont.)	(R-Series) Right Lower	RK622860	1	F516
Sway Bar Link				
2018-2013	(Improves Upon OE Design)	K750507 ‡	2	F516

STEERING



S378


Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2018-2013	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer Inner	ES800953 ‡ EV800907 ‡	2 2	S378 S378

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2018-2013		512480	2	

FIAT-500L

FRONT SUSPENSION




F516

Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2016-2014	(Contains Bumper)	K90463	2	F516

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2019	(Greaseable Socket Reduces Corrosion/Wear)	K750810 ‡	2	
2018-2014	(Greaseable Socket Reduces Corrosion/Wear)	K750810 ‡	2	F516
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2019-2014		Left Outer Right Outer	ES801215 ‡ ES801214 ‡	1 1
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2017-2014			512571	2

FRONT SUSPENSION				
F568				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2017-2013		Lower Front	K201191	2 F568
Control Arm with Ball Joint				
2017-2013	(R-Series)	Left Lower	RK622788	1 F568
	(R-Series)	Right Lower	RK622753	1 F568
Strut Bumper Bellows				
2017-2013	(Replacement Type, Contains Bumper)		K90460	2 F568
Strut Mount				
2017-2013	(Contains Bearing, Contains Spacer)		K160407	2 F568
Sway Bar Link				
2017-2015			K750789	2 F568
2014-2013	(Greaseable Socket Reduces Corrosion/Wear)		K750554 ‡	2 F568


STEERING



S346

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2013	(Design Allows Ease Of Installation)	Left Outer	ES800955 ‡	1 S346
	(Design Allows Ease Of Installation)	Right Outer	ES800954 ‡	1 S346
	(Design Allows Ease Of Installation)	Inner	EV800898 ‡	2 S346


REAR SUSPENSION



R202

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017	(Lateral Link)	Lower Front	CK660012	2 R202
	(Lateral Link, R-Series)	Lower Front	RK660012	2 R202
2017-2013	(R-Series)	Upper	RK643062	2 R202
	Up To Minus 1-1/2 To Plus 5 Degrees Camber, (Lateral Link, R-Series)	Upper	RK100002	2 R202
Control Arm Bushing				
2017	Energi SE, Energi Titanium, Hybrid SE, Hybrid Titanium	Upper	K201641	2 R202
2016-2013	Hybrid SE, SEL Energi, SEL Hybrid	Upper	K201641	2 R202
2013		Lower Rear Inner	K201687	2 R202
		Lower Rear Outer	K201688	2 R202
Sway Bar Link				
2017-2013	(Improves Upon OE Design)		K750465 ‡	2 R202
Wheel Hub & Bearing Assembly				
2017-2013	Active Park Assist		512496	2
	Except Active Park Assist		512499	2

FRONT SUSPENSION




F263

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2011-2003	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K80141 ‡	2 F263
Control Arm Bushing				
2011-2003	Heavy Duty Suspension	Left Rear Lower	K80835	1 F263
	Heavy Duty Suspension	Right Rear Lower	K80836	1 F263
	Standard Suspension	Left Rear Lower	K80833	1 F263
	Standard Suspension	Right Rear Lower	K80834	1 F263
Control Arm Bushing Set				
2011-2003	For Forged Arm, (Contains Front And Rear Bushings)	Upper	K8837	2 F263
	Stamped Steel Arm, (Contains Front And Rear Bushings)	Upper	K200450 ‡	2 F263
Control Arm with Ball Joint				
2011-2007	Heavy Duty Suspension, (Contains Bushings, R-Series)	Left Lower	RK620219	1 F263
	Heavy Duty Suspension, (Contains Bushings, R-Series)	Right Lower	RK620218	1 F263
2011-2003	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series)	Left Upper	CK80040 ‡	1 F263
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series)	Left Upper	RK80040	1 F263
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series)	Right Upper	CK80038 ‡	1 F263
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series)	Right Upper	RK80038	1 F263
Strut and Spring Assembly				
2011-2003	Except Police Or Taxi		ST8620	2 F263
Strut Mount				
2011-2003	(Bearing Not Included)		K160328	2 F263
Strut Mounting Kit				
2011-2003	(Contains Two Bushings And Two Washers)		K80145	2 F263
Sway Bar Bushing				
2011-2003	25mm To 26mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200165 ‡	1 F263
	26.5mm To 27mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200166 ‡	1 F263
	27.8mm To 28.5mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200167 ‡	1 F263
	29mm To 29.5mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200168 ‡	1 F263
Sway Bar Link				
2011-2003	(Powdered Metal Gusher Brg. For Better Lubrication)		K80140 ‡	2 F263
Wheel Hub & Bearing Assembly				
2011-2006			513230	2

FORD-Crown Victoria (Cont.)


STEERING



S113

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2011-2003	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer Right Outer Inner	ES3694 ‡ ES3693 ‡ EV455 ‡	1 1 2 S113 S113 S113


REAR SUSPENSION



R201

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2011-1998	(R-Series) (R-Series)	Upper Lower	RK641800 RK641799	2 2 R201 R201
Sway Bar Bushing				
2009-1998	21mm Sway Bar Diameter	To Axle	K80049	1 R201
Sway Bar Repair Kit				
2011-1998	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700537 ‡	2 R201
Track Bar				
2011-1998	(Complete Assembly)		K660169	1 R201

FRONT SUSPENSION




F544

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017	Turbocharged	Lower	K500331 ‡	2
2017-2014	S, SE, SFE, Titanium	Lower	K500255	2 F544
2016-2014	ST	Lower	K500331 ‡	2 F544
2013-2011		Lower	K500255	2 F544
Control Arm Bushing				
2017-2014	S, SE, SFE, Titanium, (Vertical Mount)	Lower Rear	K201325	2 F544
	S, SE, SFE, Titanium, (Horizontal Mount)	Lower Front	K201326	2 F544
2013-2011	(Vertical Mount)	Lower Rear	K201325	2 F544
	(Horizontal Mount)	Lower Front	K201326	2 F544
Strut Bumper Bellows				
2016-2011	(Replacement Type, Contains Bumper)		K90460	2 F544
Strut Mount				
2016-2011	(Contains Bearing)		K160443	2 F544
Sway Bar Link				
2017-2011	(Improves Upon OE Design)		K750612 ‡	2 F544
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2011		Left Outer	ES801173	1
		Right Outer	ES800985	1
2017	S, SE, SFE, Titanium, (Design Allows Ease Of Installation)	Inner	EV800903 ‡	2
2016-2014	Except Sport Suspension, (Design Allows Ease Of Installation)	Inner	EV800903 ‡	2
2013-2011	(Design Allows Ease Of Installation)	Inner	EV800903 ‡	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2016-2014	S, SE, SFE, Titanium		K201412	2
	ST, (Original Equipment Type)		K201556	2
	ST, (Replacement Type, Contains Bumper)		K90466	2
2013-2011			K201412	2
Wheel Hub & Bearing Assembly				
2016-2014	S, SE, SFE, Titanium		512490	2
2013-2011			512490	2

FORD-Five Hundred


FRONT SUSPENSION



F275

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2007-2005	(High Quality Elastomer For Durability And Performance)	Lower Front	K200362 ‡	2 F275
	All Wheel Drive, (High Quality Elastomer For Durability And Performance)	Lower Rear	K200364 ‡	2 F275
	Front Wheel Drive, (High Quality Elastomer For Durability And Performance)	Lower Rear	K200363 ‡	2 F275
Control Arm with Ball Joint				
2007-2005	All Wheel Drive, (R-Series)	Left Lower	RK621604	1 F275
	All Wheel Drive, (R-Series)	Right Lower	RK621603	1 F275
Strut Mount				
2007-2005	(Contains Bearing And Spring Seat, Superior Rubber To Steel Bonding For Durability)		K160209 ‡	2 F275
Sway Bar Link				
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750019 ‡	1 F275
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750048 ‡	1 F275
Wheel Hub & Bearing Assembly				
2007-2005			513223	2

STEERING




S058

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800222 ‡	2 S058
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800221 ‡	2 S058

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2007-2005		Upper Front	K201381	2
		Upper Rear	K201352	2
	All Wheel Drive	Arm to Frame, Lower Rear	K201373	2
	All Wheel Drive	Arm To Knuckle, Lower Rear	K201372	2
	Front Wheel Drive	Arm To Knuckle, Lower Rear	K201385	2
Strut Mount				
2007-2005	All Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability)	Left	K160204 ‡	1
	All Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability)	Right	K160203 ‡	1

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Mount				
2007-2005 (Cont.)	Front Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability)	Left	K160202 ‡	1
	Front Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability)	Right	K160201 ‡	1
Sway Bar Link				
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication)		K750018 ‡	2
Track Bar Bushing				
2007-2005			K201353	4
Trailing Link Bushing				
2007-2005	All Wheel Drive Front Wheel Drive	Arm To Knuckle To Frame	K201369	2
			K201293	2
			K201435	2
Wheel Hub & Bearing Assembly				
2007-2005	All Wheel Drive Front Wheel Drive		512300	2
			512299	2




Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2011-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80992 ‡	2 F280
Control Arm Bushing				
2017-2012		Lower Front	K201191	2 F568
2011-2008	Except European Built	Lower Rear	K200067	2 F280

FORD-Focus (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2011-2000		Lower Front	K200066	2 F280
2007-2000		Lower Rear	K200067	2 F280
Control Arm with Ball Joint				
2017-2016	Electric, S, SE, SFE, Titanium, Except 15" Wheels, (R-Series) Electric, S, SE, SFE, Titanium, Except 15" Wheels, (R-Series)	Left Lower	RK622788	1 F568
		Right Lower	RK622753	1 F568
2015	Electric, S, SE, SE Sport, SFE, Titanium, Except 15" Wheels, (R-Series) Electric, S, SE, SE Sport, SFE, Titanium, Except 15" Wheels, (R-Series)	Left Lower	RK622788	1 F568
		Right Lower	RK622753	1 F568
2014-2012	Except 15" Wheels, (R-Series) Except 15" Wheels, (R-Series)	Left Lower	RK622788	1 F568
		Right Lower	RK622753	1 F568
2011-2005	(R-Series) (R-Series)	Left Lower	RK80408	1 F280
		Right Lower	RK80407	1 F280
Complete Knuckle Assembly				
2011-2006	(Contains Snap Ring, Bearing, Knuckle, Hub Assembly And Axle Nut) (Contains Snap Ring, Bearing, Knuckle, Hub Assembly And Axle Nut)	Left	LK003 ‡	1 F280
		Right	LK004 ‡	1 F280
Strut and Spring Assembly				
2011-2008		Left	ST8686L	1 F280
		Right	ST8686R	1 F280
2007-2006		Left	ST8669L	1 F280
		Right	ST8669R	1 F280
Strut Bumper Bellows				
2017-2012	(Replacement Type, Contains Bumper)		K90460	2 F568
2011-2008	(Design Allows Ease Of Installation)		K160285 ‡	2 F280
2007-2000	(Replacement Type, Contains Bumper)		K90460	2 F280
Strut Mount				
2017-2012	(Contains Bearing, Contains Spacer)		K160407	2 F568
2011-2008	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160205 ‡	2 F280
2007	(Contains Bearing)		K80031	2 F280
Strut Spring Seat				
2007-2000		Upper	K160020	2 F280
Sway Bar Bushing				
2007-2004	Vehicles Equipped With Rear Sway Bar	To Frame	K80150	1 F280
2007-2000	Except Vehicles Equipped With Rear Sway Bar	To Frame	K80151	1 F280
Sway Bar Link				
2017-2015			K750789	2 F568
2014-2012	(Greaseable Socket Reduces Corrosion/Wear)		K750554 ‡	2 F568
2011	10.70" Length, (Greaseable Socket Reduces Corrosion/Wear)		K750562 ‡	2 F280
2011-2000	10.50" Length, (Powdered Metal Gusher Brg. For Better Lubrication)		K80066 ‡	2 F280
Wheel Hub Repair Kit				
2011-2000			518510	2

STEERING




STEERING (Cont.)



S346

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2017-2014	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer	ES800955 ‡	1	S346
		Right Outer	ES800954 ‡	1	S346
2017-2012	(Design Allows Ease Of Installation)	Inner	EV800898 ‡	2	S346
2013	Naturally Aspirated, (Design Allows Ease Of Installation) Naturally Aspirated, (Design Allows Ease Of Installation)	Left Outer	ES800955 ‡	1	S346
		Right Outer	ES800954 ‡	1	S346
2012	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer	ES800955 ‡	1	S346
		Right Outer	ES800954 ‡	1	S346
2011-2009	Except Variable Steering, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Variable Steering, (MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800571 ‡	2	S116
		Inner	EV800780 ‡	2	S116
2011-2008	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800304 ‡	1	S116
		Right Outer	ES800305 ‡	1	S116
2008-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80632 ‡	2	S116
2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES80580 ‡	2	S116


REAR SUSPENSION




R030

FORD-Focus (Cont.)

REAR SUSPENSION (Cont.)



R202




R203

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2017-2016	(R-Series) Electric, S, SE, SFE, ST, Titanium, (Straight Arm, Lateral Link) Electric, S, SE, SFE, ST, Titanium, (Straight Arm, Lateral Link, R-Series)	Upper	RK643062	2	R202, R203
		Lower Front	CK660012	2	
		Lower Front	RK660012	2	
2017-2013	(R-Series) Up To Minus 1-1/2 To Plus 5 Degrees Camber, (Lateral Link, R-Series)	Upper	RK643062	2	R202, R203
		Upper	RK100002	2	
2015-2012	(Straight Arm, Lateral Link) (Straight Arm, Lateral Link, R-Series)	Lower Front	CK660012	2	R202, R203
		Lower Front	RK660012	2	
2012	Up To Minus 1-1/2 To Plus 5 Degrees Camber, (Lateral Link, R-Series)	Upper	RK100002	2	R202
2012-2000	(R-Series)	Upper	RK643062	2	R202
2011-2007	(Straight Arm, Lateral Link) (Straight Arm, Lateral Link, R-Series)	Lower Front	CK660012	2	R030
		Lower Front	RK660012	2	
2011-2000	(Arm Only, R-Series) Up To Minus 1-1/2 To Plus 5 Degrees Camber, (Lateral Link, R-Series)	Lower Rear	RK641244	2	R030
		Upper	RK100002	2	
Control Arm Bushing					
2017	61(1.0L)	Lower Rear Inner	K201687	2	R203
2017-2016	RS	Upper	K201641	2	
2017-2013	ST 121(2.0L), Naturally Aspirated 121(2.0L), Naturally Aspirated	Upper	K201641	2	R203
		Lower Rear Inner	K201687	2	R202
		Lower Rear Outer	K201688	2	R202
2017-2012	Electric	Upper	K201641	2	R202
2012	121(2.0L), Naturally Aspirated, From 4/4/12 121(2.0L), Naturally Aspirated, From 4/4/12	Lower Rear Inner	K201687	2	R202
		Lower Rear Outer	K201688	2	R202
Strut Mounting Kit					
2007	3 Dr. Hatchback, 4 Dr. Sedan, 5 Dr. Hatchback, (Contains OEM Style Bumper, Dust Cover, And Upper Cap, Super Kit)		K80051	2	R030


REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2011-2008	Except Performance Package Performance Package	To Frame To Frame	K201366 K80152	1 1 R030
2007-2000	18mm Sway Bar Diameter	To Frame	K80152	1 R030
Sway Bar Link				
2017	Electric, S, Titanium, (Improves Upon OE Design)		K750465 ‡	2 R202
2017-2016	Naturally Aspirated, SE, (Improves Upon OE Design)		K750465 ‡	2 R202
2017-2013	ST, (Greaseable Socket Reduces Corrosion/Wear)		K750748 ‡	2 R203
2016	Electric, S, SE, SFE, Titanium, (Improves Upon OE Design)		K750465 ‡	2 R202
2015	Electric, S, SE, SE Sport, SFE, Titanium, (Improves Upon OE Design)		K750465 ‡	2 R202
2014	Electric, S, SE, Titanium, (Improves Upon OE Design)		K750465 ‡	2 R202
2013	S, SE, Titanium, (Improves Upon OE Design)		K750465 ‡	2 R202
2012	Electric, S, SE, SEL, SFE, Titanium, (Improves Upon OE Design)		K750465 ‡	2 R202
Sway Bar Repair Kit				
2011-2005	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700525 ‡	2 R030
Trailing Link Bushing				
2014-2013	S, SE, ST, Titanium		K200064	2 R202, R203
2012	S, SE, SEL, SFE, Titanium		K200064	2 R202
2011-2000			K200064	2 R030
Wheel Hub & Bearing Assembly				
2017	121(2.0L), Naturally Aspirated, Except Automated Parking System 1999cc(2.0L), Turbocharged/Intercooled, Except Automated Parking System		512466 512466	2 2
2017-2016	121(2.0L), Naturally Aspirated, Active Park Assist 138(2.3L), Twin Scroll Turbocharged/intercooled		512465 512591	2 2
2017-2013	Electric		512599	2
2016	61(1.0L), Turbocharged, Active Park Assist 61(1.0L), Turbocharged, Except Active Park Assist 121(2.0L), Naturally Aspirated, Except Active Park Assist 1999cc(2.0L), Turbocharged/Intercooled, Active Park Assist 1999cc(2.0L), Turbocharged/Intercooled, Except Active Park Assist		512465 512466 512466 512465 512466	2 2 2 2 2
2015-2013	Flex Fuel, Active Park Assist Flex Fuel, Except Active Park Assist Gasoline, Active Park Assist Gasoline, Except Active Park Assist		512465 512466 512465 512466	2 2 2 2
2012	Active Park Assist Except Active Park Assist		512465 512466	2 2
Wheel Hub Repair Kit				
2007-2001	Rear Disc, 4 Wheel ABS		521002	2

Fusion-FORD



FORD-Fusion (Cont.)

FRONT SUSPENSION (Cont.)



R154

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2012-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500041 ‡	2 F274	
2012-2007	+/- 1 Degree Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Upper	K500013 ‡	2 F274	
2008-2007	Front Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500041 ‡	2 F274	
Control Arm					
2012-2010	(R-Series)	Lower Front	RK641279	2 R154	
Control Arm Bushing					
2015-2013		Lower Front	K201329	2	
2012-2008	(High Quality Elastomer For Durability And Performance)	Lower Front Inner	K200252 ‡	2 F274	
2012-2006	(High Quality Elastomer For Durability And Performance)	Lower Front Outer	K200251 ‡	2 F274	
		Lower Rear Inner	K200250 ‡	2 F274	
2010-2006	(High Quality Elastomer For Durability And Performance)	Upper	K200249 ‡	2 F274	
2007-2006	From 8/30/06, (High Quality Elastomer For Durability And Performance)	Lower Front Inner	K200252 ‡	2 F274	
Control Arm with Ball Joint					
2016	Thru 8/24/15, (R-Series)	Left Lower	RK623001	1	
		Right Lower	RK623000	1	
2015-2013	(R-Series)	Left Lower	RK623001	1	
		Right Lower	RK623000	1	
2012-2008	(Contains Bushings, R-Series)	Lower Front	RK620149	2 F274	
2012-2006	(R-Series)	Left Upper	RK620636	1 F274	
		Right Upper	RK620635	1 F274	
	(Contains Bushing, OE Ball Joint Separator Tool And Adaptor Required, Greaseable Socket Reduces Corrosion/Wear)		Left Rear Lower	CK620278 ‡	1 F274
	(OE Ball Joint Separator Tool And Adaptor Required, R-Series)		Left Rear Lower	RK620492	1 F274
	(Contains Bushing, OE Ball Joint Separator Tool And Adaptor Required, Greaseable Socket Reduces Corrosion/Wear)		Right Rear Lower	CK620277 ‡	1 F274
	(OE Ball Joint Separator Tool And Adaptor Required, R-Series)		Right Rear Lower	RK620493	1 F274
	(R-Series)		Right Rear Lower	RK621250	1 F274
2007	From 8/30/06, (Contains Bushings, R-Series)	Lower Front	RK620149	2 F274	
		Lower Front	RK620148	2 F274	
Complete Knuckle Assembly					
2012-2006	(Contains Snap Ring, Bearing, Knuckle, 2 Knuckle Inserts, Hub Assembly, Backing Plate And Axle Nut)	Left	LK011 ‡	1 F274	
		Right	LK012 ‡	1 F274	
Steering Knuckle Insert					
2012-2006	(Design Allows Ease Of Installation)	Front	K150403	2 F274	
		Rear	K150349 ‡	2 F274	
Strut and Spring Assembly					
2012-2010	4 Cyl V6 Cyl		ST8688	2 F274	
			ST8685	2 F274	
2009-2006	4 Cyl V6 Cyl		ST8687	2 F274	
			ST8683	2 F274	
Strut Bumper Bellows					
2018-2013	(Replacement Type, Contains Bumper)		K90460	2	
2012-2006	(Design Allows Ease Of Installation)		K160285 ‡	2 F274	


FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Mount				
2012-2006	(Contains Bearing And Spring Seat, Superior Rubber To Steel Bonding For Durability)	K160103 ‡	2	F274
Sway Bar Bushing				
2012-2010	(Split Design For Easier Installation)	K200627 ‡	2	F274
2009	All Wheel Drive, Thru 2/3/09, (Reduces Noise) To Frame	K200296 ‡	1	F274
2009-2007	Front Wheel Drive, (Split Design For Easier Installation)	K200627 ‡	2	F274
2008-2007	All Wheel Drive, (Reduces Noise) To Frame	K200296 ‡	1	F274
Sway Bar Link				
2017-2013	(Greaseable Socket Reduces Corrosion/Wear)	K750740 ‡	2	
2012-2011	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750415 ‡	2	F274
2010	Hybrid, S, SE, SEL, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Sport, (Powdered Metal Gusher Brg. For Better Lubrication) Sport, (Powdered Metal Gusher Brg. For Better Lubrication)	Left K750415 ‡ Right K80251 ‡ K80250 ‡	2 1 1	F274 F274 F274
2009-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left K80251 ‡ Right K80250 ‡	1 1	F274 F274
Wheel Hub & Bearing Assembly				
2017	1499cc(1.5L) 1999cc(2.0L) 2488cc(2.5L) 164(2.7L)	512498 512498 512498 513394	2 2 2 2	
2016-2013		512498	2	
STEERING				
<p>S330</p>				
<p>S331</p>				
Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2012-2010	3496cc(3.5L)	K150350	2	S330

FORD-Fusion (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2009-2006		K150350	2	S330	
Tie Rod End					
2017-2013		Left Outer Right Outer Inner	ES801110 ES801109 EV801122	1 1 2	
2012-2010	2488cc(2.5L), (Greaseable Socket Reduces Corrosion/Wear) 2488cc(2.5L), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 2967cc(3.0L), (Greaseable Socket Reduces Corrosion/Wear) 2967cc(3.0L), (Greaseable Socket Reduces Corrosion/Wear) 2967cc(3.0L), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 3496cc(3.5L), (Design Allows Ease Of Installation) 3496cc(3.5L), (Powdered Metal Gusher Brg. For Better Lubrication) 3496cc(3.5L), (Design Allows Ease Of Installation) 3496cc(3.5L), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer Right Outer Inner Left Outer Right Outer Inner Left Outer Left Outer Right Outer Inner	ES800798 ‡ ES800797 ‡ EV800774 ‡ ES800798 ‡ ES800797 ‡ EV800774 ‡ ES800781 ‡ ES800102 ‡ ES800782 ‡ EV800531 ‡	1 1 2 1 1 2 1 1 1 2	S331 S331 S331 S331 S331 S330 S330 S330 S330 S330
2009-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer Right Outer Inner	ES800102 ‡ ES800101 ‡ EV800531 ‡	1 1 2	S330 S330 S330

REAR SUSPENSION



R154


Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2017-2013	Plus Or Minus 2 Degree Camber, (Threaded Type, R-Series) Front Wheel Drive, Plus Or Minus 2 Degree Camber, (Slotted Type, R-Series)	Upper Upper	RK100212 RK100352	2 2	
2012-2006	(R-Series) Plus Or Minus 2 Degree Camber, (Adjustable, R-Series)	Upper Upper	RK641942 RK100171	2 2	R154 R154
2009-2006	(Lateral Link, R-Series)	Lower Front	RK641279	2	R154
Control Arm Bushing					
2017	Front Wheel Drive Front Wheel Drive	Upper Front Upper Rear	K201328 K201327	2 2	
2017-2013		Arm To Knuckle, Lower Front To Frame, Lower Front	K201606 K201607	2 2	
2016-2015		Upper Rear	K201327	2	
2015-2014		Upper Front	K201328	2	
2014-2013	Front Wheel Drive	Upper Rear	K201327	2	
2013	Front Wheel Drive	Upper Front	K201328	2	
Sway Bar Bushing					
2012-2010	All Wheel Drive, 17" Wheels, (Reduces Noise) Front Wheel Drive, 16" Wheels, (Reduces Noise) Front Wheel Drive, 18" Wheels, (Reduces Noise)	To Frame To Frame To Frame	K200298 ‡ K200297 ‡ K200298 ‡	1 1 1	R154 R154 R154
2009	All Wheel Drive, From 2/4/09, 17" Wheels, (Reduces Noise) All Wheel Drive, Thru 2/3/09, (Reduces Noise) Front Wheel Drive, From 2/4/09, 16" Wheels, (Reduces Noise) Front Wheel Drive, From 2/4/09, 18" Wheels, (Reduces Noise) Front Wheel Drive, Thru 2/3/09, (Reduces Noise)	To Frame To Frame To Frame To Frame To Frame	K200298 ‡ K200298 ‡ K200297 ‡ K200298 ‡ K200297 ‡	1 1 1 1 1	R154 R154 R154 R154 R154
2008-2007	All Wheel Drive, (Reduces Noise)	To Frame	K200298 ‡	1	R154

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2008-2007 (Cont.)	Front Wheel Drive, (Reduces Noise)	To Frame	K200297 ‡	1 R154
Sway Bar Link				
2017-2013	(Design Allows Ease Of Installation)		K750744 ‡	2
2012-2006			K750029	2 R154
Wheel Hub & Bearing Assembly				
2017-2015	Front Wheel Drive, (Contains ABS Cap)		512497	2
2017-2014	All Wheel Drive		512498	2
2014	Front Wheel Drive, From 1/18/14, (Contains ABS Cap)		512497	2
	Front Wheel Drive, Thru 1/17/14		512498	2
2013			512498	2
2012-2008	Front Wheel Drive		512271	2
2007-2006	Front Wheel Drive, 4 Wheel ABS		512271	2
	Front Wheel Drive, Non ABS		512272	2

FRONT SUSPENSION				
F263				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2007-2003	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K80141 ‡	2 F263
Strut and Spring Assembly				
2007-2003			ST8620	2 F263
Strut Mounting Kit				
2007-2003	(Contains Two Bushings And Two Washers)		K80145	2 F263
Sway Bar Link				
2007-2003	(Link Only, Powdered Metal Gusher Brg. For Better Lubrication)		K80140 ‡	2 F263

FORD-Grand Marquis (Cont.)


STEERING



S113

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2007-2003	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer	ES3694 ‡	1 S113
		Right Outer	ES3693 ‡	1 S113
		Inner	EV455 ‡	2 S113


REAR SUSPENSION



R201

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2007-2001	(R-Series)	Lower	RK641799	2 R201
Track Bar				
2007-2003	(Complete Assembly)		K660169	1 R201


FRONT SUSPENSION



F275

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2017-2013	(High Quality Elastomer For Durability And Performance) (High Quality Elastomer For Durability And Performance)	Lower Rear Lower Front	K201262 ‡ K200362 ‡	2 2 F275 F275
Control Arm with Ball Joint				
2017-2013	(R-Series) (R-Series)	Left Lower Right Lower	RK622916 RK622917	1 1 F275 F275
Sway Bar Link				
2017-2013	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750388 ‡ K750389 ‡	1 1 F275 F275
Wheel Hub & Bearing Assembly				
2017-2013			513339	2

STEERING



S345

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2013	Base Model, (Design Allows Ease Of Installation)	Outer	ES800952 ‡	2 S345
2016-2013	Base Model, Police, (Design Allows Ease Of Installation)	Inner	EV800893 ‡	2 S345

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2017-2016		Upper Rear	K201348	2
2017-2013		Upper Front Lower Inner	K201349 K201540	2 2
2013		Upper Rear	K201348	2
Knuckle Bushing				
2017-2013		Arm To Knuckle, Lower Front Arm To Knuckle, Upper	K201347 K201346	2 2


FORD-Interceptor Sedan (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Knuckle Bushing				
2017-2013 (Cont.)		At Shock	K201541	2
Sway Bar Link				
2017-2013	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750393 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750394 ‡	1
Wheel Hub & Bearing Assembly				
2017-2013			513275	2

FORD-Mustang



FRONT SUSPENSION



F272

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2014	Base Model, GT	Lower	K500313	2 F272
2013-2011		Lower	K500313	2 F272
2010	Base Model, GT	Lower	K500313	2 F272
	Shelby GT500, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500112 ‡	2 F272
2009-2008	Base Model, Bullitt, GT, GT California Special, Warriors In Pink, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500033 ‡	2 F272
	Shelby GT500, Shelby GT500KR, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500112 ‡	2 F272
2007	Base Model, GT, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500033 ‡	2 F272
	Shelby GT500, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500112 ‡	2 F272
Control Arm Bushing				
2014-2005		Lower Front	K201738	2 F272
2010-2005		Lower Rear	K201218	2 F272
Control Arm with Ball Joint				
2014-2011	Stamped Steel Arm, (R-Series)	Right Lower	RK622155	1 F272
2010	244(4.0L), From 8/3/09, Stamped Steel Arm, (R-Series)	Right Lower	RK622155	1 F272
	244(4.0L), Thru 8/2/09, (R-Series)	Left Lower	RK80727	1 F272
	244(4.0L), Thru 8/2/09, (R-Series)	Right Lower	RK80726	1 F272
	281(4.6L), From 8/3/09, Stamped Steel Arm, (R-Series)	Right Lower	RK622155	1 F272
	281(4.6L), Thru 8/2/09, (R-Series)	Left Lower	RK80727	1 F272
	281(4.6L), Thru 8/2/09, (R-Series)	Right Lower	RK80726	1 F272
	330(5.4L), (R-Series)	Left Lower	RK80727	1 F272
	330(5.4L), (R-Series)	Right Lower	RK80726	1 F272
2009-2005	(R-Series)	Left Lower	RK80727	1 F272
	(R-Series)	Right Lower	RK80726	1 F272
Strut and Spring Assembly				
2010-2005	244(4.0L)		ST8651	2 F272
Strut Bumper Bellows				
2017-2016	Base Model, GT, 19" Wheels		K150275	2
	Shelby GT350, 19" Wheels, Except Magnetic Ride Control Suspension, (Replacement Type, Contains Bumper)		K90460	2
2017-2015	17" Or 18" Wheels		K150275	2

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2017-2015 (Cont.)	20" Wheels, (Replacement Type, Contains Bumper)	K90460	2	
2015	Base Model, GT, GT 50 Years Anniversary Edition, 19" Wheels Shelby GT, 19" Wheels, Except Magnetic Ride Control Suspension, (Replacement Type, Contains Bumper)	K150275 K90460	2 2	
2014-2011	Base Model, GT	K150275	2	F272
2010	Base Model, GT	K150280	2	F272
2009-2008	Base Model, GT, GT California Special, Warriors In Pink	K150280	2	F272
2007-2005	Base Model, GT	K150280	2	F272
Strut Mount				
2017-2016	Base Model, GT, Except Performance Package, (Contains Bearing, Contains Upper Spring Seat)	K160452	2	
2015	Base Model, GT, GT 50 Years Anniversary Edition, Except Performance Package, (Contains Bearing, Contains Upper Spring Seat)	K160452	2	
2014	Base Model, GT, (Contains Bearing, Contains Upper Spring Seat)	K160367	2	F272
2014-2011	Shelby GT500, (Contains Bearing, Contains Upper Spring Seat, Superior Rubber To Steel Bonding For Durability)	K160199 ‡	2	F272
2013-2012	Base Model, Boss 302, GT, (Contains Bearing, Contains Upper Spring Seat)	K160367	2	F272
2011	Base Model, GT, (Contains Bearing, Contains Upper Spring Seat)	K160367	2	F272
2010-2005	(Contains Bearing And Spring Seat, Superior Rubber To Steel Bonding For Durability)	K160199 ‡	2	F272
Strut Spring Seat				
2017-2016	Base Model, GT, (Contains Bearing)	Upper K160406	2	
2015	Base Model, GT, GT 50 Years Anniversary Edition, (Contains Bearing)	Upper K160406	2	
Sway Bar Bushing				
2014-2005	34mm Sway Bar Diameter	To Frame K201490	1	F272
2009-2005	26mm Sway Bar Diameter	To Frame K201532	1	F272
	29mm Sway Bar Diameter	To Frame K201500	1	F272
Sway Bar Link				
2017-2016		K750798	2	
2015	Base Model, GT, GT 50 Years Anniversary Edition	K750798	2	
2014-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	K80899 ‡	2	F272
Wheel Hub & Bearing Assembly				
2017-2016	314(5.2L), Except SVT Magneride Package 314(5.2L), SVT Magneride Package 138(2.3L) 3726cc(3.7L) 302(5.0L)	513404 513405 513346 513346 513346	2 2 2 2 2	
2015		513346	2	
2014-2010		513221	2	
2009-2005	4 Wheel ABS Non ABS	513221 513222	2 2	


STEERING

FORD–Mustang (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2015		Inner	EV801343	2
2014-2011	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer	ES80805 ‡	2
		Inner	EV800801 ‡	2
2010-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer	ES80805 ‡	2
		Inner	EV80804 ‡	2


REAR SUSPENSION




R082

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2010-2005		Upper Rear	K201477	2
2009		Lower Rear	K201287	2
		Lower Front	K201286	2
2008	Base Model, Bullitt, GT, GT California Special, Warriors In Pink	Lower Rear	K201287	2
	Base Model, Bullitt, GT, GT California Special, Warriors In Pink	Lower Front	K201286	2
2007	Base Model, GT	Lower Rear	K201287	2
	Base Model, GT	Lower Front	K201286	2
Sway Bar Bushing				
2011-2007	22mm Sway Bar Diameter	To Axle	K8802	1
2010-2005	19mm Sway Bar Diameter	To Axle	K8787	1
2009-2005	17mm Sway Bar Diameter	To Axle	K201481	1
Sway Bar Link				
2017-2016	(Design Allows Ease Of Installation)		K750744 ‡	2
2015	Base Model, GT, GT 50 Years Anniversary Edition, (Design Allows Ease Of Installation)		K750744 ‡	2
2014-2012	22mm Sway Bar Diameter		K700809	2
2014-2005	18mm Sway Bar Diameter, (Design Allows Ease Of Installation)		K750137 ‡	2
	22mm Sway Bar Diameter, (Design Allows Ease Of Installation, Optional)		K750139 ‡	2
	22mm Sway Bar Diameter, (Improves Upon OE Design)		K700050 ‡	2
2011	20mm Sway Bar Diameter, (Premium Rubber For Optimal Performance)		K700508 ‡	2
	22mm Sway Bar Diameter, (Premium Rubber For Optimal Performance)		K700507 ‡	2
Sway Bar Repair Kit				
2011	Shelby GT500, (Improves Upon OE Design)		K700602 ‡	2
Wheel Hub & Bearing Assembly				
2017-2016	314(5.2L)		512588	2
2017-2015	138(2.3L)		512517	2
	3726cc(3.7L)		512517	2
	302(5.0L)		512517	2

FRONT SUSPENSION



F233



F275


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2007-1998	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K8687 ‡	2 F233
Ball Joint Bushing Extractor and Installer				
2007-1998	(Fits Most Popular C-Clamp Style Ball Joint Press Tools, 4 Piece Adapter Easily Removes And Installs Joints)		T40014 ‡	1
Control Arm				
2007-1999	(MOOG Engineered Steel Composition Enhances Strength)	Left Lower	CK80412 ‡	1 F233
	(R-Series)	Left Lower	RK80412	1 F233
	(MOOG Engineered Steel Composition Enhances Strength)	Right Lower	CK80411 ‡	1 F233
	(R-Series)	Right Lower	RK80411	1 F233
Control Arm Bushing				
2017-2013	(High Quality Elastomer For Durability And Performance)	Lower Rear	K201262 ‡	2 F275
2017-2008	(High Quality Elastomer For Durability And Performance)	Lower Front	K200362 ‡	2 F275
2012-2010	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200363 ‡	2 F275
2009-2008	All Wheel Drive, (High Quality Elastomer For Durability And Performance)	Lower Rear	K200364 ‡	2 F275
	Front Wheel Drive, (High Quality Elastomer For Durability And Performance)	Lower Rear	K200363 ‡	2 F275
2007-1998	(Vertical Mount, High Quality Elastomer For Durability And Performance)	Lower Front	K80832 ‡	2 F233
	Horizontal Mount	Lower Rear	K80831	2 F233
Control Arm with Ball Joint				
2017-2013	(R-Series)	Left Lower	RK622916	1 F275
	(R-Series)	Right Lower	RK622917	1 F275
2009-2008	(R-Series, Bushing With Bracket Not Included)	Left Lower	RK620215	1 F275
	(R-Series, Bushing With Bracket Not Included)	Right Lower	RK620214	1 F275
Strut and Spring Assembly				
2007-2000	(Coated For Corrosion Resistance, Contains Lower Mounting Hardware)		ST8540 ‡	2 F233

FORD-Taurus (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Strut Bearing					
2007-1998		K80106	2	F233	
Strut Bumper Bellows					
2017-2013	3496cc(3.5L), Naturally Aspirated, Except Heavy Duty	K150275	2	F275	
2007-1998	Except Electronic Suspension, (OE Material For Strut Performance And Longevity, Contains Bumper)	K90462 ‡	2	F233	
Strut Mount					
2011-2010	(Contains Spring Seat, Spacer And Bearing, Superior Rubber To Steel Bonding For Durability)	K160208 ‡	2	F275	
2009	(Contains Bearing And Spring Seat, Superior Rubber To Steel Bonding For Durability)	K160206 ‡	2	F275	
2008	From 3/11/08, (Contains Bearing And Spring Seat, Superior Rubber To Steel Bonding For Durability) Thru 3/10/08, From 4/30/07, (Contains Bearing And Spring Seat, Superior Rubber To Steel Bonding For Durability)	K160206 ‡	2	F275	
		K160207 ‡	2	F275	
2007-1998	(Contains Bearing)	K8742	2	F233	
Strut Spring Seat					
2007-1998		Upper	K8998	2	F233
		Lower	K80922	2	F233
Sway Bar Bushing					
2012	Twin Turbocharged, (Design Allows Ease Of Installation)	To Frame	K200877 ‡	1	F275
2012-2010	Naturally Aspirated, (Design Allows Ease Of Installation)	To Frame	K200877 ‡	1	F275
2011-2010	Twin Turbocharged, (Design Allows Ease Of Installation)	To Frame	K200878 ‡	1	F275
2007-1998	19mm Sway Bar Diameter	To Frame	K8787	1	F233
Sway Bar Link					
2017-2010	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750388 ‡	1	F275
		Right	K750389 ‡	1	F275
2009-2008	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750019 ‡	1	F275
		Right	K750048 ‡	1	F275
2007-1998	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K8734 ‡	1	F233
		Right	K8735 ‡	1	F233
Wheel Hub & Bearing Assembly					
2017-2013	Limited, SE, SEL		513275	2	
2016-2013	SHO, Except Performance Package SHO, Performance Package		513275	2	
			513339	2	
2012-2010			513275	2	
2009-2008			513223	2	
2007-1998	New Spindle Nut Required		513100	2	

STEERING




S058




S239

STEERING (Cont.)



S344




S345

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017	(MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800776 ‡	2 S345
2017-2015	Limited, SE, SEL, SHO, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800222 ‡	2 S345
2016-2013	Limited, SE, SEL, SHO, (MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800776 ‡	2 S345
2014	Limited, SE, SEL, (Powdered Metal Gusher Brg. For Better Lubrication) SHO, Except Performance Package, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800222 ‡	2 S345
		Outer	ES800222 ‡	2 S345
2013	Limited, SE, SEL, SHO, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800222 ‡	2 S345
2012-2010	Limited, SE, SEL, (MOOG Engineered Steel Composition Enhances Strength) SHO, (MOOG Engineered Steel Composition Enhances Strength)	Outer	ES800222 ‡	2 S058, S344
		Inner	EV800775 ‡	2 S058
		Inner	EV800776 ‡	2 S344
2009	(MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800580 ‡	2 S058
2009-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800222 ‡	2 S058
2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800221 ‡	2 S058
2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV398 ‡	2 S239
2007-1998	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3349RL ‡	2 S239

FORD-Taurus (Cont.)

REAR SUSPENSION



R032

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2007-2000	4 Dr. Sedan, (R-Series)	Lower Rear	RK642153	2	R032
	4 Dr. Sedan, (Contains Bushings, R-Series)	Left Front Lower	RK641931	1	R032
	4 Dr. Sedan, (Contains Bushings, R-Series)	Right Front Lower	RK641898	1	R032
Control Arm Bushing					
2017-2010		Upper Front	K201349	2	
		Lower Inner	K201540	2	
2016-2012		Upper Rear	K201348	2	
2011-2010		Upper Rear	K201345	2	
2009-2008	All Wheel Drive	Upper Front	K201381	2	
	All Wheel Drive	Arm to Frame, Lower Rear	K201373	2	
	Front Wheel Drive	Arm To Knuckle, Lower Rear	K201372	2	
		Arm To Knuckle, Lower Rear	K201385	2	
2007-2006	(High Quality Elastomer For Durability And Performance)	Front Outer	K200106 ‡	2	R032
	(High Quality Elastomer For Durability And Performance)	Inner Front	K200105 ‡	2	R032
	(High Quality Elastomer For Durability And Performance)	Rear	K200106 ‡	4	R032
Knuckle Bushing					
2016-2010		Arm To Knuckle, Lower Front	K201347	2	
		Arm To Knuckle, Upper	K201346	2	
		At Shock	K201541	2	
Lateral Arm					
2011	Thru 9/20/10, (Adjustable Arm With Ball Joint, R-Series)	Upper Front	RK623059	2	
2010	(Adjustable Arm With Ball Joint, R-Series)	Upper Front	RK623059	2	
Strut and Spring Assembly					
2007-2006	(Coated For Corrosion Resistance, Contains Lower Mounting Hardware)		ST8527 ‡	2	R032
	Taxi		ST8654	2	R032
Strut Bumper Bellows					
2007-2006	Except Electronic Suspension, (Replacement Type, Contains Bumper)		K90460	2	R032
Strut Mount					
2009-2008	All Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability)	Left	K160204 ‡	1	
	All Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability)	Right	K160203 ‡	1	
	Front Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability)	Left	K160202 ‡	1	
	Front Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability)	Right	K160201 ‡	1	
2007-1998	4 Dr. Sedan		K8636	2	R032
Strut Rod Bushing					
2007-2005	4 Dr. Sedan, (Contains Thermoplastic Bushing)	To Spindle	K8649 ‡	2	R032
Strut Spring Seat					
2007-1998	4 Dr. Sedan	Lower	K80146	2	R032
Sway Bar Link					
2017-2010	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750393 ‡	1	
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750394 ‡	1	
2009-2008	(Powdered Metal Gusher Brg. For Better Lubrication)		K750018 ‡	2	
Sway Bar Repair Kit					
2007-2006	(Contains Rubber Bushings, Original Equipment Type)		K700055	2	R032

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Repair Kit				
2007-2006 (Cont.)	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.) (Standard Design)	K700541 ‡ K8805	2 2	R032 R032
Track Bar Bushing				
2009-2008		K201353	4	
Trailing Link				
2017-2010	(R-Series)	RK642920	2	
Trailing Link Bushing				
2009-2008	All Wheel Drive Front Wheel Drive	Arm To Knuckle To Frame To Frame	K201369 K201293 K201373	2 2 2
Wheel Hub & Bearing Assembly				
2017-2016		513275	2	
2015	Except Performance Package	513275	2	
2014-2010		513275	2	
2009-2008	All Wheel Drive Front Wheel Drive	512300 512299	2 2	
2007-2006	Rear Disc, 4 Wheel ABS	512107	2	
2007-2001	Rear Drum, 4 Wheel ABS, New Spindle Nut Required Rear Drum, Non ABS, New Spindle Nut Required	512163 512164	2 2	


G80-GENESIS

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018	Naturally Aspirated, Rear Wheel Drive Naturally Aspirated, Rear Wheel Drive	Left Right	K750843 K750842	1 1
2018-2017	All Wheel Drive All Wheel Drive	Left Right	K750844 ‡ K750845 ‡	1 1
2017	Rear Wheel Drive Rear Wheel Drive	Left Right	K750843 K750842	1 1
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2018-2017	(R-Series)	Lower Front	RK622791	2

G90-GENESIS

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018-2017	All Wheel Drive All Wheel Drive	Left Right	K750844 ‡ K750845 ‡	1 1

FRONT SUSPENSION



F200

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2013	(Greaseable Socket Reduces Corrosion/Wear)	Lower	K500315 ‡	2
2012-2008	(Non-Adjustable, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500128 ‡	2
	(Design Allows Ease Of Installation)	Lower	K500289 ‡	2
2012-2006	+/- 1 Degree Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Upper	K90492 ‡	2
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K80199 ‡	2
	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80228 ‡	2
Ball Joint Bushing Extractor and Installer				
2017-2005	(Fits Most Popular C-Clamp Style Ball Joint Press Tools, 3 Piece Adapter Set Designed To Easily Remove And Install Ball Joints)		T80541 ‡	1
2007-2005	1-5/8", (Adjustable Ball Joint Adjusting Wrench)		T40268	1
Control Arm				
2017-2013	CVT Automatic Transaxle, 6 Speed Automatic Transaxle, (R-Series)	Left Lower	RK642517	1
	CVT Automatic Transaxle, 6 Speed Automatic Transaxle, (R-Series)	Right Lower	RK642509	1
2012-2008	(Contains Bushings, R-Series)	Left Lower	RK641112	1
	(Contains Bushings, R-Series)	Right Lower	RK641113	1
2007-2005	(R-Series)	Left Lower	RK640290	1
	(R-Series)	Right Lower	RK640289	1
Control Arm Bushing				
2012-2008	(Vertical Mount)	Lower Front Inner	K201639	2
2012-2005	(Horizontal Mount)	Lower Outer	K200014	2
		Lower Rear Inner	K200078	2
2007-2005	(Contains Front And Rear Bushings)	Upper	K200239 ‡	2
	(High Quality Elastomer For Durability And Performance)	Lower Front Inner	K200238 ‡	2
Control Arm with Ball Joint				
2012-2008	(R-Series)	Left Upper	RK620614	1
	(R-Series)	Right Upper	RK620615	1
2007-2005	(R-Series)	Left Upper	RK620617	1
	(R-Series)	Right Upper	RK620616	1
Complete Knuckle Assembly				
2016	2354cc(2.4L), (Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts, Ball Joint Assembly, Deflector And Axle Nut)	Left	LK017 ‡	1
	2354cc(2.4L), (Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts, Ball Joint Assembly, Deflector And Axle Nut)	Right	LK018 ‡	1
2015-2013	(Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts, Ball Joint Assembly, Deflector And Axle Nut)	Left	LK017 ‡	1
	(Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts, Ball Joint Assembly, Deflector And Axle Nut)	Right	LK018 ‡	1
Strut and Spring Assembly				
2007-2005		Left	ST8632L	1
		Right	ST8632R	1
Strut Bumper Bellows				
2017-2013	(Replacement Type, Contains Bumper)		K90460	2
2012-2005	(Contains Bumper)		K90467	2



FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Strut Mount					
2017-2013	(Contains Bearing)	K160437	2		
2007-2005	(Mount Base With Spring Seat)	K160223 ‡	2	F200	
Strut Mounting Kit					
2012-2006		Upper K9492	2	F200	
Strut Spring Seat					
2012-2005	(Insulator Only, Reduces Noise)	Lower K160140 ‡	2	F200	
2007-2005	(Insulator Only, Reduces Noise)	Upper K160262 ‡	2	F200	
Sway Bar Bushing					
2017	1993cc(2.0L)	To Frame K201289	1		
2017-2014	2354cc(2.4L), 2 Dr. Coupe	To Frame K201290	1		
2017-2013	2354cc(2.4L), 4 Dr. Sedan 3471cc(3.5L)	To Frame K201288 To Frame K201289	1 1		
2015-2014	1993cc(2.0L)	To Frame K201289	1		
2007-2005	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Standard Design)	To Frame K201619 ‡ To Frame K90554	1 1	F200 F200	
Sway Bar Link					
2017-2013	(Improves Upon OE Design) (Improves Upon OE Design)	Left K750651 ‡ Right K750650 ‡	1 1		
2012-2008	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left K90456 ‡ Right K90457 ‡	1 1	F200 F200	
2007-2006	Gasoline, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Gasoline, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left K90660 ‡ Right K90661 ‡	1 1	F200 F200	
2007-2005	Gasoline/Electric, (Powdered Metal Gusher Brg. For Better Lubrication) Gasoline/Electric, (Powdered Metal Gusher Brg. For Better Lubrication)	Left K90456 ‡ Right K90457 ‡	1 1	F200 F200	
STEERING					
S133					
Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2007-2006	4 Cyl V6 Cyl, EX-V6, LX-V6, SE-V6	K150281 K150292	2 2	S133 S133	
Tie Rod End					
2017	1993cc(2.0L) 3471cc(3.5L), (Design Allows Ease Of Installation)	Inner EV801120 Inner EV800896 ‡	2 2		
2017-2013	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear) 2354cc(2.4L), (Design Allows Ease Of Installation)	Left Outer ES801001 ‡ Right Outer ES801000 ‡ Inner EV800896 ‡	1 1 2		
2016-2013	3471cc(3.5L)	Inner EV801120	2		
2015-2013	1993cc(2.0L)	Inner EV801120	2		
2013	1993cc(2.0L), (Design Allows Ease Of Installation)	Inner EV800896 ‡	2		
2012-2008	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer ES800460 ‡ Right Outer ES800459 ‡ Inner EV800461 ‡	1 1 2	S133 S133 S133	
2007-2006	4 Cyl, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) V6 Cyl, EX-V6, LX-V6, SE-V6, 4 Dr. Sedan, Automatic Transaxle, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) V6 Cyl, Hybrid, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner EV80210 ‡ Inner EV80208 ‡ Inner EV800649 ‡	2 2 2	S133 S133 S133	

HONDA-Accord (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer Right Outer	ES80288 ‡ ES80287 ‡	1 1 S133 S133

REAR SUSPENSION




Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2008	(Non-Adjustable, R-Series) Plus Or Minus 1 Degree Camber, (Adjustable, R-Series) Plus Or Minus 1 Degree Toe, (Adjustable, R-Series)	Lower Rear Lower Rear Upper Front	RK642947 RK100110 RK100209	2 2 2 R064 R064 R064
2012-2008	(Contains Bushings, R-Series) (Contains Bushings, R-Series)	Left Front Lower Right Front Lower	RK641747 RK641748	1 1 R064 R064
2007-2006	Base Model, DX-G, EX, EX-L, EX-V6, LX, LX-V6, SE, SE-V6, (Lateral Link, Non Adjustable, R-Series) Base Model, DX-G, EX, EX-L, EX-V6, LX, LX-V6, SE, SE-V6, (Lateral Link, R-Series)	Lower Rear Lower Front	RK640259 RK640239	2 2 R004 R004
2007-2005	(R-Series) Minus 1-1/2 To Plus 3 Degrees Camber/Toe, (Contains Front And Rear Arms, R-Series, Optional)	Upper Rear Lower	RK641805 RK641861	2 2 R004 R004
Control Arm Bushing				
2007-2005	(High Quality Elastomer For Durability And Performance)	Upper Front	K200240 ‡	2 R004
Control Arm with Ball Joint				
2012-2008	(R-Series) (R-Series)	Left Rear Upper Right Rear Upper	RK621305 RK621306	1 1 R064 R064
2007-2006	Minus 2 To Plus 4 Degrees Camber, (Adjustable, Greaseable, R-Series) Minus 2 To Plus 4 Degrees Camber, (Adjustable, Non-Greaseable, R-Series) EX-V6, LX-V6, (Non-Adjustable, R-Series)	Upper Front Upper Front Upper Front	RK100106 RK621873 RK642310	2 2 2 R004 R004 R004
Shock Mount Bushing				
2007-2005	Hybrid	Lower	K80935	2 R004

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Strut and Spring Assembly					
2007-2006	Gasoline	ST8635	2	R004	
Strut Bumper Bellows					
2017-2013		K201554	2	R064	
2012-2008	(Contains Bumper)	K90467	2	R064	
2007	V6 Cyl, EX-V6, LX-V6, SE-V6, (Replacement Type, Contains Bumper) 2354cc(2.4L), 2 Dr. Coupe, 4 Dr. Sedan, (Contains Bumper) 2997cc(3.0L), 2 Dr. Coupe, (Contains Bumper)	K90466 K90467 K90467	2 2 2	R004 R004 R004	
Strut Bushing					
2007-2006	Base Model, DX-G, EX, EX-L, EX-V6, LX, LX-V6, SE, SE-V6	Lower K9671	2	R004	
Strut Mount					
2012-2011	2 Dr. Coupe, (Contains Spring Seat) 4 Dr. Sedan, (Contains Spring Seat)	K160216 ‡ K160337	2 2	R064 R064	
2010-2008	(Contains Spring Seat)	K160216 ‡	2	R064	
2007-2005	(Contains Spring Seat)	K160216 ‡	2	R004	
Strut Mounting Kit					
2017-2008		Upper K9492	2	R064	
2007-2006		Upper K9492	2	R004	
Strut Spring Seat					
2017-2008	(Insulator Only, Reduces Noise)	Lower K160254 ‡	2	R064	
2012-2011	2 Dr. Coupe, (Insulator Only, Reduces Noise)	Upper K160146 ‡	2	R064	
2010-2008	(Insulator Only, Reduces Noise)	Upper K160146 ‡	2	R064	
2007-2005	(Insulator Only, Reduces Noise) (Insulator Only, Reduces Noise)	Upper K160146 ‡ Lower K160254 ‡	2 2	R004 R004	
Sway Bar Bushing					
2017	1993cc(2.0L) 2354cc(2.4L), 2 Dr. Coupe 3471cc(3.5L), 2 Dr. Coupe	To Frame To Frame To Frame	K201651 K201651 K201651	1 1 1	R064 R064 R064
2017-2013	2354cc(2.4L), 4 Dr. Sedan 3471cc(3.5L), 4 Dr. Sedan	To Frame To Frame	K201273 K201274	1 1	R064 R064
2016	2 Dr. Coupe	To Frame	K201651	1	R064
2015-2014	1993cc(2.0L) 2354cc(2.4L), 2 Dr. Coupe 3471cc(3.5L), 2 Dr. Coupe	To Frame To Frame To Frame	K201651 K201651 K201651	1 1 1	R064 R064 R064
2012-2008	2 Dr. Coupe 2354cc(2.4L), 4 Dr. Sedan 3471cc(3.5L), 4 Dr. Sedan	To Frame To Frame To Frame	K201274 K201296 K201273	1 1 1	R064 R064 R064
2007-2005	(Design Allows Ease Of Installation)	To Frame	K200902 ‡	1	R004
Sway Bar Link					
2017-2008	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750152 ‡ K750153 ‡	1 1	R064 R064
2007-2006	(Superior Strength And Resistance To Socket Separation) (Superior Strength And Resistance To Socket Separation)	Left Right	K90343 ‡ K90342 ‡	1 1	R004 R004
Trailing Link					
2017-2013	(R-Series)		RK642941	2	R064
2007-2005	Front Disc, Rear Disc, (R-Series) Front Disc, Rear Disc, (R-Series) Front Disc, Rear Drum, (R-Series) Front Disc, Rear Drum, (R-Series)	Left Right Left Right	RK642115 RK642051 RK642114 RK642113	1 1 1 1	R004 R004 R004 R004
Trailing Link Bushing					
2007-2005	(High Quality Elastomer For Durability And Performance)	To Frame	K200241 ‡	2	R004
Wheel Hub & Bearing Assembly					
2016			512544	2	
2015-2014	Gasoline Gasoline/Electric		512544 512516	2 2	
2013			512544	2	
2012-2008			512353	2	
2007-2006	Gasoline		512188	2	
2007-2005	Gasoline/Electric		512327	2	

HONDA-Accord Crosstour


FRONT SUSPENSION



F200

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2011-2010	(Non-Adjustable, Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation) +/- 1 Degree Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Upper Lower Upper	K500128 ‡ K500289 ‡ K90492 ‡	2 2 2 F200 F200 F200
Strut Bumper Bellows				
2011-2010	(Contains Bumper)		K90467	2 F200
Strut Mounting Kit				
2011-2010		Upper	K9492	2 F200
Strut Spring Seat				
2011-2010	(Insulator Only, Reduces Noise)	Lower	K160140 ‡	2 F200
Sway Bar Link				
2011-2010	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K90456 ‡ K90457 ‡	1 1 F200 F200


STEERING



S133

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2011-2010			K150320	2 S133
Tie Rod End				
2011-2010		Left Outer Right Outer Inner	ES801163 ES801162 EV801060	1 1 2 S133 S133 S133


REAR SUSPENSION



R064

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2011-2010	(Non-Adjustable, R-Series) (Contains Bushings, R-Series) (Contains Bushings, R-Series) Plus Or Minus 1 Degree Camber, (Adjustable, R-Series) Plus Or Minus 1 Degree Toe, (Adjustable, R-Series)	Lower Rear Left Front Lower Right Front Lower Lower Rear Upper Front	RK642947 RK641747 RK641748 RK100110 RK100209	2 1 1 2 2	R064 R064 R064 R064 R064
Control Arm with Ball Joint					
2011-2010	(R-Series) (R-Series)	Left Rear Upper Right Rear Upper	RK621305 RK621306	1 1	R064 R064
Strut Bumper Bellows					
2011-2010	(Contains Bumper)		K90467	2	R064
Strut Mount					
2011-2010	(Contains Spring Seat)		K160216 ‡	2	R064
Strut Mounting Kit					
2011-2010		Upper	K9492	2	R064
Strut Spring Seat					
2011-2010	(Insulator Only, Reduces Noise)	Upper	K160146 ‡	2	R064
Sway Bar Bushing					
2011-2010	All Wheel Drive Front Wheel Drive	To Frame To Frame	K201274 K201273	1 1	R064 R064
Sway Bar Link					
2011-2010	(Improves Upon OE Design) (Improves Upon OE Design)	Left Right	K750642 ‡ K750643 ‡	1 1	R064 R064
Wheel Hub & Bearing Assembly					
2011-2010	All Wheel Drive Front Wheel Drive		512392 512344	2 2	

FRONT SUSPENSION




F345

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2015	DX, EX, EX-L, HF, Hybrid, LX, SE, (Greaseable Socket Reduces Corrosion/Wear)	Lower	K500234 ‡	2
2014	DX, EX, EX-L, Hybrid, LX, (Greaseable Socket Reduces Corrosion/Wear)	Lower	K500234 ‡	2
2013	DX, EX, EX-L, HF, Hybrid, LX, Natural Gas, Si, (Greaseable Socket Reduces Corrosion/Wear)	Lower	K500234 ‡	2
2012	DX, EX, EX-L, Hybrid, LX, (Greaseable Socket Reduces Corrosion/Wear)	Lower	K500234 ‡	2
2011-2006	(Bolt On Type, Powdered Metal Gusher Brg. For Better Lubrication)	Left Lower	K500070 ‡	1
	(Bolt On Type, Powdered Metal Gusher Brg. For Better Lubrication)	Right Lower	K500069 ‡	1
Control Arm				
2015-2014	5 Speed Manual Transaxle, (R-Series)	Left Lower	RK642519	1
	5 Speed Manual Transaxle, (R-Series)	Right Lower	RK642513	1
2013	Manual Transaxle, (R-Series)	Left Lower	RK642519	1
	Manual Transaxle, (R-Series)	Right Lower	RK642513	1
2012	(R-Series)	Left Lower	RK622038	1
	DX, EX, EX-L, LX, Si, (R-Series)	Right Lower	RK622039	1
	Hybrid, (R-Series)	Right Lower	RK642512	1
Control Arm Bushing				
2015-2012	CVT Automatic Transaxle, Automatic Transaxle	Lower Front	K201649	2
2011-2006	1339cc(1.3L)	Lower Rear	K201661	2
	1339cc(1.3L)	Lower Front	K201186	2
	1799cc(1.8L)	Lower Rear	K201661	2
	1799cc(1.8L)	Lower Front	K201186	2
Control Arm with Ball Joint				
2015-2014	6 Speed Manual Transaxle, (R-Series)	Left Lower	RK623053	1
	6 Speed Manual Transaxle, (R-Series)	Right Lower	RK623052	1
2011-2006	1339cc(1.3L), (R-Series)	Left Lower	RK620382	1
	1339cc(1.3L), (Contains Bushings, Greaseable Socket Reduces Corrosion/Wear)	Right Lower	CK620383 ‡	1
	1339cc(1.3L), (R-Series)	Right Lower	RK620383	1
	1799cc(1.8L), (R-Series)	Left Lower	RK620382	1
	1799cc(1.8L), (Contains Bushings, Greaseable Socket Reduces Corrosion/Wear)	Right Lower	CK620383 ‡	1
	1799cc(1.8L), (R-Series)	Right Lower	RK620383	1
Strut Bumper Bellows				
2015-2012	(Replacement Type, Contains Bumper)		K90460	2
2011-2006	(Replacement Type, Contains Bumper)		K90460	2
Strut Mount				
2015-2012	(Contains Bearing)		K160423	2
2011-2006	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160222 ‡	2
Strut Spring Seat				
2011-2006	(Contains Bellow)	Upper	K160373	2
Sway Bar Bushing				
2011-2006	1339cc(1.3L), (Reduces Noise)	To Frame	K200293 ‡	1
	1799cc(1.8L), 2 Dr. Coupe, (Reduces Noise)	To Frame	K200294 ‡	1
	1799cc(1.8L), 4 Dr. Sedan, (Reduces Noise)	To Frame	K200293 ‡	1
	1998cc(2.0L), (Reduces Noise)	To Frame	K200295 ‡	1
Sway Bar Link				
2018	1497cc(1.5L), Turbocharged		K750865 ‡	2


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018 (Cont.)	1997cc(2.0L), Naturally Aspirated	K750865 ‡	2	
2017-2016		K750865 ‡	2	
2015-2012	(Improves Upon OE Design) (Improves Upon OE Design)	Left K750605 ‡ Right K750604 ‡	1 1	
2011-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left K80769 ‡ Right K80768 ‡	1 1	F345 F345


STEERING



S125



S126



S341


Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2011-2006		K150284	2	S125, S126
Tie Rod End				
2018	EX, EX-L, EX-T, LX, Touring	Inner EV801274 ‡	2	
2017-2016		Inner EV801274 ‡	2	

HONDA-Civic (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2015-2012	(Design Allows Ease Of Installation)	Left Outer	ES800912 ‡	1 S341
	(Design Allows Ease Of Installation)	Right Outer	ES800913 ‡	1 S341
	(Design Allows Ease Of Installation)	Inner	EV800906 ‡	2 S341
2011-2006	(Powdered Metal Gusher Brg. For Better Lubrication, Optional)	Left Outer	ES800374 ‡	1 S125, S126
	(Powdered Metal Gusher Brg. For Better Lubrication, Optional)	Right Outer	ES800373 ‡	1 S125, S126
	1339cc(1.3L), (20mm Thread At Steering Gear, Design Allows Ease Of Installation)	Inner	EV800323 ‡	2 S126
	1799cc(1.8L), (18mm Thread At Steering Gear, Knurled Stud Provides Positive Grip When Making Toe Adjustments)	Inner	EV800246 ‡	2 S125
	1998cc(2.0L), (20mm Thread At Steering Gear, Design Allows Ease Of Installation)	Inner	EV800323 ‡	2 S125

REAR SUSPENSION



R027


Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2015-2007	Plus Or Minus 3 Degrees Camber	Upper	RK100391	2 R027
2011-2009	DX, DX-G, DX-VP, (R-Series) DX, DX-G, DX-VP, (R-Series)	Left Upper	RK642124	1 R027
		Right Upper	RK642125	1 R027
2008	DX, DX-G, (R-Series) DX, DX-G, (R-Series)	Left Upper	RK642124	1 R027
		Right Upper	RK642125	1 R027
2007-2006	(R-Series) (R-Series)	Left Upper	RK642124	1 R027
		Right Upper	RK642125	1 R027
Control Arm Bushing				
2007-2006		Lower Rear Outer	K200916	2 R027
Strut Bushing				
2011-2006		Lower	K90650	2 R027
Sway Bar Bushing				
2015-2013	(Reduces Noise)		K200734 ‡	2 R027
2012	DX, EX, EX-L, LX, (Split Design For Easier Installation) HF	To Frame	K200610 ‡	1 R027
		To Frame	K90574	1 R027
2011-2006	1339cc(1.3L)	To Frame	K90574	1 R027
	1799cc(1.8L), (Split Design For Easier Installation)	To Frame	K200610 ‡	1 R027
	1998cc(2.0L), (Reduces Noise)	To Frame	K200734 ‡	1 R027
Sway Bar Link				
2018	EX, EX-L, EX-T, LX, Sport, Sport Touring, Touring		K750874 ‡	2
2017-2016			K750874 ‡	2
2015-2006	(Link With 2 Studs, Powdered Metal Gusher Brg. For Better Lubrication) (Link With 2 Studs, Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750125 ‡	1 R027
		Right	K750126 ‡	1 R027
Wheel Hub & Bearing Assembly				
2018-2017	1497cc(1.5L), Turbocharged		512570	2
	1997cc(2.0L), Naturally Aspirated		512570	2
2016			512570	2
2015	EX, EX-L, SE, Si HF		512450	2
			512503	2
2015-2013	LX, Canada Built		512503	2
	LX, USA Built		512503	2
2014-2013	DX, HF		512503	2

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2014-2013 (Cont.)	EX, EX-L, Si	512450	2	
2012	DX, LX	512451	2	
	DX, LX, Canada Built	512451	2	
	DX, LX, USA Built	512502	2	
	EX, EX-L, HF, Si	512450	2	
	GX, Hybrid, Natural Gas	512322	2	
2011	EX, Si	512256	2	
2011-2009	DX, DX-VP, GX, LX, Sport	512257	2	
2011-2006	Hybrid	512322	2	
2010-2008	EX, EX-L, Si	512256	2	
2008	DX, GX, LX	512257	2	
2007-2006	DX, DX-G, GX, LX	512257	2	
	EX, Si	512256	2	
Wheel Hub Repair Kit				
2015-2013	Hybrid, Natural Gas	512504	2	
	LX, USA Built	512504	2	

FRONT SUSPENSION				
F200				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2015-2012	+/- 1 Degree Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Upper	K90492 ‡	2 F200
2014-2012	(Design Allows Ease Of Installation)	Lower	K500289 ‡	2 F200
Strut Bumper Bellows				
2015-2012	(Contains Bumper)		K90467	2 F200
Strut Mounting Kit				
2015-2012		Upper	K9492	2 F200
Strut Spring Seat				
2015-2012	(Insulator Only, Reduces Noise)	Lower	K160140 ‡	2 F200
Sway Bar Bushing				
2015-2013	3471cc(3.5L)	To Frame	K201576	1 F200
Sway Bar Link				
2015-2012	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K90456 ‡	1 F200
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K90457 ‡	1 F200

HONDA-Crosstour (Cont.)


STEERING



S133

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2015-2013	4 Cyl V6 Cyl	K150320 K150282	2 2	S133 S133
2012		K150320	2	S133
Tie Rod End				
2015	3471cc(3.5L)	Inner	EV801281 ‡	2 S133
2015-2013	4 Cyl	Inner	EV801060	2 S133
2014-2013	V6 Cyl	Inner	EV801281 ‡	2 S133
2013-2012		Left Outer	ES801163	1 S133
		Right Outer	ES801162	1 S133
2012		Inner	EV801060	2 S133

REAR SUSPENSION



R064


Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2015-2012	(Non-Adjustable, R-Series) (Contains Bushings, R-Series) (Contains Bushings, R-Series) Plus Or Minus 1 Degree Camber, (Adjustable, R-Series) Plus Or Minus 1 Degree Toe, (Adjustable, R-Series)	Lower Rear Left Front Lower Right Front Lower Lower Rear Upper Front	RK642947 RK641747 RK641748 RK100110 RK100209	2 1 1 2 2	R064 R064 R064 R064 R064
Control Arm with Ball Joint					
2015-2012	(R-Series) (R-Series)	Left Rear Upper Right Rear Upper	RK621305 RK621306	1 1	R064 R064
Strut Bumper Bellows					
2015-2012	(Contains Bumper)		K90467	2	R064
Strut Mount					
2015-2012	(Contains Spring Seat)		K160216 ‡	2	R064
Strut Mounting Kit					
2015-2012		Upper	K9492	2	R064

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Spring Seat				
2015-2012	(Insulator Only, Reduces Noise)	Upper	K160146 ‡	2 R064
Sway Bar Bushing				
2014-2013	All Wheel Drive 2354cc(2.4L), Front Wheel Drive 3471cc(3.5L), Front Wheel Drive	To Frame	K201273	1 R064
		To Frame	K201273	1 R064
		To Frame	K201274	1 R064
2012	All Wheel Drive Front Wheel Drive	To Frame	K201274	1 R064
		To Frame	K201273	1 R064
Sway Bar Link				
2015-2012	(Improves Upon OE Design) (Improves Upon OE Design)	Left	K750642 ‡	1 R064
		Right	K750643 ‡	1 R064
Wheel Hub & Bearing Assembly				
2015-2012	All Wheel Drive Front Wheel Drive		512392	2
			512344	2


CR-Z-HONDA

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2016-2013	(R-Series) (R-Series)	Left Lower	RK622000	1
		Right Lower	RK622001	1
Strut Bumper Bellows				
2016-2011	(Contains Bumper)		K90461	2
Strut Mount				
2016-2011	(Contains Bearing, Contains Upper Retainer, Superior Rubber To Steel Bonding For Durability)		K160295 ‡	2
Sway Bar Bushing				
2016-2012		To Frame	K201462	1
2011		To Frame	K201461	1
Sway Bar Link				
2016-2011	(Powdered Metal Gusher Brg. For Better Lubrication)		K750381 ‡	2
STEERING				
Tie Rod End				
2016-2013		Inner	EV801282 ‡	2
2012-2011	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800510 ‡	2
		Inner	EV801084	2
REAR SUSPENSION				
Wheel Hub & Bearing Assembly				
2016-2011			512481	2

FRONT SUSPENSION





F380



F411


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2014-2009	(Design Allows Ease Of Installation)	Lower	K500127 ‡	2 F411
2008-2007		Lower	K500260	2 F380
Control Arm with Ball Joint				
2014	DX, DX-A, LX, (R-Series)	Left Lower	RK621552	1 F411
	DX, DX-A, LX, (R-Series)	Right Lower	RK621553	1 F411
2013	Base Model, DX, DX-A, LX, Sport, (R-Series)	Left Lower	RK621552	1 F411
	Base Model, DX, DX-A, LX, Sport, (R-Series)	Right Lower	RK621553	1 F411
2012-2009	(R-Series)	Left Lower	RK621552	1 F411
	(R-Series)	Right Lower	RK621553	1 F411
2008-2007	(R-Series)	Left Lower	RK620502	1 F380
	(R-Series)	Right Lower	RK620503	1 F380
Strut Bumper Bellows				
2008-2007	(Contains Bumper)		K90461	2 F380
Strut Mount				
2014-2009	(Contains Bearing, Contains Upper Retainer, Superior Rubber To Steel Bonding For Durability)		K160295 ‡	2 F411
2008-2007	(Contains Bearing, Contains Upper Retainer, Superior Rubber To Steel Bonding For Durability)		K160295 ‡	2 F380
Sway Bar Bushing				
2014-2013	Gasoline	To Frame	K201463	1 F411
2012		To Frame	K201463	1 F411
2011-2009		To Frame	K201445	1 F411
2008-2007		To Frame	K201527	1 F380
Sway Bar Link				
2019-2015		Left	K750838 ‡	1
		Right	K750837 ‡	1

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2014-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	K750381 ‡	2	F411
2008-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750259 ‡	1
		Right	K750258 ‡	1
STEERING				
				
S180				
				
S181				
Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2010-2009		K150323	2	S181
Tie Rod End				
2019-2015		Inner	EV801283 ‡	2
2014	Except Electric Vehicle, (Design Allows Ease Of Installation) Except Electric Vehicle, (Design Allows Ease Of Installation) Except Electric Vehicle, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer	ES800592 ‡	1
		Right Outer	ES800591 ‡	1
		Inner	EV800633 ‡	2
2013-2009	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer	ES800592 ‡	1
		Right Outer	ES800591 ‡	1
		Inner	EV800633 ‡	2
2008-2007	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Outer	ES800470 ‡	2
		Left Inner	EV800553 ‡	1
		Right Inner	EV800554 ‡	1

HONDA-Fit (Cont.)

REAR SUSPENSION




R027

Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Link					
2014-2013	EV, (Link With 2 Studs, Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750125 ‡	1	R027
	EV, (Link With 2 Studs, Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750126 ‡	1	R027
Wheel Hub & Bearing Assembly					
2019-2015			512559	2	
2014-2013	Electric		512545	2	
	Gasoline		512323	2	
2012-2007			512323	2	


HONDA-Insight

FRONT SUSPENSION




F411

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2011-2010	(Design Allows Ease Of Installation)	Lower	K500127 ‡	2	F411
Control Arm with Ball Joint					
2014-2012	(R-Series)	Left Lower	RK622518	1	F411
	(R-Series)	Right Lower	RK622510	1	F411
2011-2010	(R-Series)	Left Lower	RK621552	1	F411
	(R-Series)	Right Lower	RK621553	1	F411
Strut Bumper Bellows					
2014-2010	(Contains Bumper)		K90461	2	F411
Strut Mount					
2014-2010	(Contains Bearing, Contains Upper Retainer, Superior Rubber To Steel Bonding For Durability)		K160295 ‡	2	F411

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Bushing					
2014-2010	To Frame	K201461	1	F411	
Sway Bar Link					
2019		K750865 ‡	2		
2014-2010	(Powdered Metal Gusher Brg. For Better Lubrication)	K750381 ‡	2	F411	
STEERING					
					
S177					
Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2014-2010		K150323	2	S177	
Tie Rod End					
2019		Inner	EV801274 ‡	2	
2014-2010	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer	ES800592 ‡	1	S177
		Right Outer	ES800591 ‡	1	S177
		Inner	EV800925 ‡	2	S177
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Link					
2019		K750874 ‡	2		
Wheel Hub & Bearing Assembly					
2019		512570	2		
2014-2010		512323	2		

S2000-HONDA


FRONT SUSPENSION				
				
F379				

HONDA-S2000 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009-2004	(Design Allows Ease Of Installation)	Lower	K500206 ‡	2 F379
Control Arm with Ball Joint				
2009-2007	(R-Series)	Left Upper	RK622523	1 F379
Strut Bumper Bellows				
2009-2007	(Contains Bumper)		K90467	2 F379
Strut Mount				
2009-2004	(Contains Spring Seat, Mount Base)		K160100 ‡	2 F379
Strut Mounting Kit				
2009-2004			K90647	2 F379
Strut Spring Seat				
2009-2004	(Reduces Noise) (Reduces Noise)	Upper Lower	K160082 ‡ K160081 ‡	2 2 F379
Sway Bar Bushing				
2009-2008	Base Model CR	To Frame To Frame	K201408 K201409	1 1 F379
2007-2004		To Frame	K90557	1 F379
Sway Bar Link				
2009-2004	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80487 ‡	1 F379
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K80488 ‡	1 F379


STEERING



S451

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2009-2004		Outer	ES801111	2 S451

REAR SUSPENSION




R217

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2009-2004	(R-Series)	Left Front Lower	1	R217
	(R-Series)	Right Front Lower	1	R217
Strut Bumper Bellows				
2009-2006	(Contains Bumper)	K90467	2	R217
Strut Mount				
2009-2004	(Contains Spring Seat, Mount Base)	K160100 ‡	2	R217
Strut Mounting Kit				
2009-2004		K90647	2	R217
Strut Spring Seat				
2009-2004	(Reduces Noise)	Upper K160082 ‡	2	R217
Sway Bar Bushing				
2009-2008	Base Model	To Frame K90573	1	R217
	CR	To Frame K201465	1	R217
2007-2004		To Frame K90573	1	R217
Sway Bar Link				
2009-2004	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750023 ‡	2	R217

Accent-HYUNDAI

FRONT SUSPENSION



F312


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2016	(Greaseable Socket Reduces Corrosion/Wear)	Lower K500305 ‡	2	
2015-2012	USA Built, (Greaseable Socket Reduces Corrosion/Wear)	Lower K500305 ‡	2	

HYUNDAI-Accent (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2015-2011	Korean Built, (Greaseable Socket Reduces Corrosion/Wear)	Lower	K500236 ‡	2
2011-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Lower	K500015 ‡	2 F312
Control Arm				
2016-2012	(R-Series)	Left Lower	RK622643	1
	(R-Series)	Right Lower	RK622645	1
2011-2007	(R-Series)	Left Lower	RK640404	1 F312
	(R-Series)	Right Lower	RK640403	1 F312
Strut Bumper Bellows				
2017-2011	(Design Allows Ease Of Installation)		K160285 ‡	2
2010-2007	(Contains Bumper)		K90461	2 F312
Strut Mount				
2017-2012	(Contains Bearing, Contains Upper Retainer)		K160417	2
2011-2007	(Contains Bearing)		K160300	2 F312
Sway Bar Bushing				
2017-2012		To Frame	K201451	1
2011-2007	Except Sport Suspension	To Frame	K200903	1 F312
	Sport Suspension	To Frame	K200904	1 F312
Sway Bar Link				
2017-2012	(Improves Upon OE Design)		K750523 ‡	2
2011-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80858 ‡	1 F312
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K80859 ‡	1 F312

STEERING




S019

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2012		Left Outer	ES801130	1
		Right Outer	ES801131	1
	(Design Allows Ease Of Installation)	Inner	EV800902 ‡	2
2011-2007	(Design Allows Ease Of Installation)	Inner	EV800365 ‡	2 S019
2011-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800287 ‡	1 S019
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800288 ‡	1 S019


REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2011-2007	(Contains Washer, Superior Rubber To Steel Bonding For Durability)		K160301 ‡	2
Strut Bumper Bellows				
2010-2007	(Replacement Type, Contains Bumper)		K90466	2
Wheel Hub & Bearing Assembly				
2017-2012			512483	2
2011-2007	Non ABS		512325	2
2011-2006	4 Wheel ABS		512324	2


FRONT SUSPENSION



F548



F584



F603



Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2014-2012	(Design Allows Ease Of Installation)	Lower	K500231 ‡	2 F548
2011-2007	(Design Allows Ease Of Installation)	Upper	K500072 ‡	2 F603
	+/- 1 Degree Camber/Caster, (Adjustable)	Upper	K7452 ‡	2 F603
2011-2006		Lower	K500035	2 F603
Control Arm				
2011-2006	(R-Series)	Left Lower	RK642315	1 F603


HYUNDAI-Azera (Cont.)

FRONT SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2011-2006 (Cont.)	(R-Series) Right Lower	RK642316	1	F603
Control Arm Bushing				
2011-2006	(Vertically Mounted) Lower Front	K201646	2	F603
Control Arm with Ball Joint				
2017-2015	(R-Series) Left Lower	RK622367	1	F584
	(R-Series) Right Lower	RK622368	1	F584
2014-2012	(R-Series) Left Lower	RK621592	1	F548
	(R-Series) Right Lower	RK621593	1	F548
2011-2006	(R-Series) Left Upper	RK621230	1	F603
	(R-Series) Right Upper	RK621229	1	F603
Strut Bumper Bellows				
2017-2015		K150274	2	F584
2014-2012		K150274	2	F548
2011-2009	(OE Material For Strut Performance And Longevity, Contains Bumper)	K90462 ‡	2	F603
2008-2006	(Replacement Type, Contains Bumper)	K90460	2	F603
Strut Mount				
2011-2006	(Bearing Not Included, Contains Spring Seat And Upper Washer, Superior Rubber To Steel Bonding For Durability)	K160225 ‡	2	F603
Strut Spring Seat				
2011-2006	(Insulator Only, Reduces Noise) Upper	K160257 ‡	2	F603
Sway Bar Bushing				
2011-2006	(Split Design For Easier Installation) To Frame	K200281 ‡	1	F603
Sway Bar Link				
2017-2015	(Improves Upon OE Design)	K750658 ‡	2	F584
2014-2012	(Improves Upon OE Design)	K750658 ‡	2	F548
2011-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	K80949 ‡	2	F603

STEERING




STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2012	(Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Left Outer Inner	ES800717 ‡ EV800974 ‡	1 2 S329
2016-2012	(Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800718 ‡	1 S329
2011-2008	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800334 ‡ ES800335 ‡	1 1 S323
2011-2006	(Design Allows Ease Of Installation)	Inner	EV800345 ‡	2 S323
2007	From 10/20/07, (Design Allows Ease Of Installation) From 10/20/07, (Design Allows Ease Of Installation) Thru 10/19/07 Thru 10/19/07	Left Outer Right Outer Left Outer Right Outer	ES800334 ‡ ES800335 ‡ ES800104 ES800105	1 1 1 1 S323 S323 S323 S323
REAR SUSPENSION				
				
R188				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2015	(R-Series)	Upper Rear	RK642829	2
2014-2012	(R-Series)	Upper Rear	RK643024	2
2011-2006	(Lateral Link, R-Series) (R-Series) (R-Series)	Lower Front Left Rear Lower Right Rear Lower	RK642347 RK641274 RK641275	2 1 1 R188 R188 R188
Control Arm Bushing				
2015-2012		At Knuckle, Lower	K201281	2
2011-2006	(Design Allows Ease Of Installation)	Upper	K200941 ‡	4 R188
Control Arm with Ball Joint				
2017-2013	(R-Series)	Upper Front	RK622764	2
2011-2006	(R-Series) (R-Series)	Left Upper Right Upper	RK620645 RK620646	1 1 R188 R188
Shock Mount				
2017-2012			K160442	2
2011-2006	(Design Allows Ease Of Installation)		K160224 ‡	2 R188
Strut Bumper Bellows				
2017-2012			K201597	2
2011-2006	(Original Equipment Type) (Replacement Type, Contains Bumper)		K201597 K90461	2 2 R188 R188
Sway Bar Bushing				
2011-2006	(Reduces Noise)	To Frame	K200743 ‡	1 R188
Sway Bar Link				
2014-2012	(Improves Upon OE Design)		K750603 ‡	2
2011-2006	(Improves Upon OE Design)		K80620 ‡	2 R188
Trailing Link				
2011-2010	(R-Series)		RK642356	2 R188
Wheel Hub & Bearing Assembly				
2017-2011			512437	2
2010-2006			512341	2

FRONT SUSPENSION



F585




F586

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017	GT, (Greaseable Socket Reduces Corrosion/Wear)	Lower	K500236 ‡	2 F586
2016-2014	Korean Built, (Greaseable Socket Reduces Corrosion/Wear)	Lower	K500236 ‡	2 F586
2016-2013	USA Built, (Greaseable Socket Reduces Corrosion/Wear)	Lower	K500305 ‡	2 F586
2012-2011	1798cc(1.8L), (Greaseable Socket Reduces Corrosion/Wear)	Lower	K500305 ‡	2 F586
	1975cc(2.0L), (Design Allows Ease Of Installation)	Lower	K500074 ‡	2 F585
2010-2007	(Design Allows Ease Of Installation)	Lower	K500074 ‡	2 F585
Control Arm				
2012-2011	1975cc(2.0L), (R-Series)	Left Lower	RK641580	1 F585
	1975cc(2.0L), (R-Series)	Right Lower	RK641581	1 F585
2010-2007	(R-Series)	Left Lower	RK641580	1 F585
	(R-Series)	Right Lower	RK641581	1 F585
Control Arm Bushing				
2012	1975cc(2.0L), (Vertically Mounted)	Lower Front	K201646	2 F585
2012-2011	1975cc(2.0L), (Horizontal Mount)	Lower Rear	K201358	2 F585
2012-2007	(Vertically Mounted)	Lower Front	K201646	2 F585
2010-2007	(Horizontal Mount)	Lower Rear	K201358	2 F585
Control Arm with Ball Joint				
2017	GT, Korean Built, (R-Series)	Left Lower	RK622232	1 F586
	GT, Korean Built, (R-Series)	Right Lower	RK622646	1 F586
2016-2013	Korean Built, (R-Series)	Left Lower	RK622232	1 F586
	Korean Built, (R-Series)	Right Lower	RK622646	1 F586
2012-2011	1798cc(1.8L), Korean Built, (R-Series)	Left Lower	RK622232	1 F586
	1798cc(1.8L), Korean Built, (R-Series)	Right Lower	RK622646	1 F586

FRONT SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure	
Strut Bumper Bellows					
2017-2013	5 Dr. Hatchback	K150274	2	F586	
2016-2013	2 Dr. Coupe, 4 Dr. Sedan, (Design Allows Ease Of Installation)	K160285 ‡	2	F586	
2012-2011	1798cc(1.8L), (Design Allows Ease Of Installation) 1975cc(2.0L), (Replacement Type, Contains Bumper)	K160285 ‡ K90460	2 2	F586 F585	
2010-2007	(Replacement Type, Contains Bumper)	K90460	2	F585	
Strut Mount					
2012-2011	1975cc(2.0L), (Contains Bearing)	K160298	2	F585	
2010-2007	(Contains Bearing)	K160298	2	F585	
Strut Spring Seat					
2012-2011	1975cc(2.0L), (Contains Spring Seat And Insulator) 1975cc(2.0L), (Insulator Only)	Upper Lower	K160354 K160352	2 2	F585 F585
2010-2007	(Contains Spring Seat And Insulator) (Insulator Only)	Upper Lower	K160354 K160352	2 2	F585 F585
Sway Bar Bushing					
2017	GT	To Frame	K201479	1	F586
2016	Korean Built USA Built	To Frame To Frame	K201451 K201479	1 1	F586 F586
2015	4 Dr. Sedan, Korean Built	To Frame	K201451	1	F586
2015-2013	4 Dr. Sedan, USA Built 5 Dr. Hatchback	To Frame To Frame	K201479 K201479	1 1	F586 F586
2014-2013	2 Dr. Coupe, 4 Dr. Sedan, Korean Built	To Frame	K201451	1	F586
2012-2011	4 Dr. Sedan Touring GL, Touring GLS, Touring GLS Sport, Touring L, Touring SE	To Frame To Frame	K201451 K200904	1 1	F586 F585
2010	Touring GLS, Touring SE	To Frame	K200904	1	F585
2010-2009	4 Dr. Sedan, Except Sport Suspension	To Frame	K200904	1	F585
2008-2007		To Frame	K200904	1	F585
Sway Bar Link					
2017	GT, (Improves Upon OE Design)		K750523 ‡	2	F586
2016-2013	(Improves Upon OE Design)		K750523 ‡	2	F586
2012-2011	1798cc(1.8L), (Improves Upon OE Design) 1975cc(2.0L), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750523 ‡ K750032 ‡	2 2	F586 F585
2010-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750032 ‡	2	F585

STEERING



HYUNDAI-Elantra (Cont.)


STEERING (Cont.)



S462

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2012-2011	1975cc(2.0L)	K150282	2	S462
Tie Rod End				
2018-2017		Inner EV801078	2	
2016-2013	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer ES801074	1	S462
		Right Outer ES801075	1	S462
		Inner EV800886 ‡	2	S462
2012-2011	1798cc(1.8L) 1798cc(1.8L) 1798cc(1.8L), (Powdered Metal Gusher Brg. For Better Lubrication) 1975cc(2.0L) 1975cc(2.0L) 1975cc(2.0L), (Design Allows Ease Of Installation)	Left Outer ES801074	1	S462
		Right Outer ES801075	1	S462
		Inner EV800886 ‡	2	S462
		Left Outer ES800229	1	S462
		Right Outer ES800230	1	S462
2010-2007	(Design Allows Ease Of Installation)	Left Outer ES800229	1	S351
		Right Outer ES800230	1	S351
		Inner EV800228 ‡	2	S351

REAR SUSPENSION



R121

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2012-2011	4 Dr. Hatchback, Plus Or Minus 2 Degree Camber/Toe, (Adjustable, R-Series) 1975cc(2.0L), (R-Series) 1975cc(2.0L), (R-Series)	Upper RK100120	2	R121
		Upper Rear RK641862	2	R121
		Lower Rear RK642116	2	R121
2010-2007	(R-Series) (R-Series) Plus Or Minus 2 Degree Camber/Toe, (Adjustable, R-Series)	Upper Rear RK641862	2	R121
		Lower Rear RK642116	2	R121
		Upper RK100120	2	R121
Control Arm Bushing				
2012-2007		At Knuckle, Lower K201281	2	R121

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2012-2011	1975cc(2.0L), (R-Series)	Lower Front	RK620506	2	R121
2010-2007	(R-Series)	Lower Front	RK620506	2	R121
Strut Bumper Bellows					
2012-2011	1975cc(2.0L), (Contains Bumper)		K90461	2	R121
2010-2009	4 Dr. Hatchback, (Contains Bumper)		K90461	2	R121
	4 Dr. Sedan, (Replacement Type, Contains Bumper)		K90460	2	R121
2008-2007	(Replacement Type, Contains Bumper)		K90460	2	R121
Sway Bar Bushing					
2012	1975cc(2.0L), 4 Dr. Station Wagon	To Frame	K201479	1	R121
2011-2009	4 Dr. Station Wagon	To Frame	K201479	1	R121
2010	Blue, GLS, (Reduces Noise)	To Frame	K200741 ‡	1	R121
2009	GLS, (Reduces Noise)	To Frame	K200741 ‡	1	R121
2008-2007	(Reduces Noise)	To Frame	K200741 ‡	1	R121
Sway Bar Link					
2012-2011	1975cc(2.0L), (Greaseable Socket Reduces Corrosion/Wear)		K750707 ‡	2	R121
2010-2007	(Improves Upon OE Design)		K750102 ‡	2	R121
Trailing Link					
2012-2011	1975cc(2.0L), (R-Series)	Left Lower	RK641757	1	R121
	1975cc(2.0L), (R-Series)	Right Lower	RK641758	1	R121
2010-2007	(R-Series)	Left Lower	RK641757	1	R121
	(R-Series)	Right Lower	RK641758	1	R121
Wheel Hub & Bearing Assembly					
2016-2013			512492	2	
2012-2011	1798cc(1.8L)		512492	2	
	1975cc(2.0L)		512340	2	
2010-2008	4 Wheel ABS		512340	2	
	Non ABS		512410	2	
2007			512340	2	

Equus-HYUNDAI

FRONT SUSPENSION					
F535					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2016-2011	(Design Allows Ease Of Installation)	Lower	K500238 ‡	2	F535
Control Arm					
2013-2011	(R-Series)	Left Rear Lower	RK641590	1	F535
	(R-Series)	Right Rear Lower	RK641591	1	F535
Control Arm with Ball Joint					
2016-2015	(R-Series)	Left Front Upper	RK622754	1	F535
	(R-Series)	Right Front Upper	RK622755	1	F535


HYUNDAI-Equus (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2015	(R-Series)	Left Rear Upper	RK622758	1	F535
	(R-Series)	Right Rear Upper	RK622759	1	F535
2014-2011	(R-Series)	Left Front Upper	RK621568	1	F535
	(R-Series)	Left Rear Upper	RK621569	1	F535
	(R-Series)	Right Front Upper	RK621570	1	F535
	(R-Series)	Right Rear Upper	RK621571	1	F535
2013-2011	(R-Series)	Left Front Lower	RK621598	1	F535
	(R-Series)	Right Front Lower	RK621599	1	F535
Sway Bar Link					
2016-2012	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750383 ‡	1	F535
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750384 ‡	1	F535
Wheel Hub & Bearing Assembly					
2016-2011		513278	2		

STEERING


SEDAN



S400

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2014-2012		Inner	EV801330 ‡	2	S400
2014-2011		Left Outer	ES801248	1	S400
		Right Outer	ES801247	1	S400
2011	(Design Allows Ease Of Installation)	Inner	EV800975 ‡	2	S400



REAR SUSPENSION



R184

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2015-2011	(R-Series)	Left Front Upper	RK641683	1	R184
	(R-Series)	Right Front Upper	RK641684	1	R184
2013-2011	(R-Series)	Left Rear Lower	RK642338	1	R184
	(R-Series)	Right Rear Lower	RK642339	1	R184
Control Arm Bushing					
2015-2011		At Knuckle, Lower	K201281	2	R184
Control Arm with Ball Joint					
2016-2011	(R-Series)	Left Rear Upper	RK622330	1	R184
	(R-Series)	Right Rear Upper	RK622331	1	R184
2015-2011	(R-Series)	Lower Front	RK621810	2	R184
Sway Bar Link					
2016-2011	(Powdered Metal Gusher Brg. For Better Lubrication)		K750390 ‡	2	R184
Trailing Link					
2013-2012	(R-Series)		RK642357	2	R184
Wheel Hub & Bearing Assembly					
2016-2011			512417	2	

Genesis-HYUNDAI

FRONT SUSPENSION					
					
F535					
					
F536					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2014-2009	4 Dr. Sedan, (Design Allows Ease Of Installation)	Lower	K500238 ‡	2	F535


HYUNDAI-Genesis (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2012-2009	4 Dr. Sedan, (R-Series) 4 Dr. Sedan, (R-Series)	Left Rear Lower Right Rear Lower	RK641590 RK641591	1 1 F535
Control Arm with Ball Joint				
2016-2015	3778cc(3.8L), 4 Dr. Sedan, Rear Wheel Drive, (R-Series) 3778cc(3.8L), 4 Dr. Sedan, Rear Wheel Drive, (R-Series) 3778cc(3.8L), 4 Dr. Sedan, Rear Wheel Drive, (R-Series) 3778cc(3.8L), 4 Dr. Sedan, Rear Wheel Drive, (R-Series) 308(5.0L), 4 Dr. Sedan, (R-Series) 308(5.0L), 4 Dr. Sedan, (R-Series) 308(5.0L), 4 Dr. Sedan, (R-Series) 308(5.0L), 4 Dr. Sedan, (R-Series)	Left Front Upper Left Rear Upper Right Front Upper Right Rear Upper Left Front Upper Left Rear Upper Right Front Upper Right Rear Upper	RK622756 RK622760 RK622757 RK622761 RK622756 RK622760 RK622757 RK622761	1 1 1 1 1 1 1 1 F535
2015-2010	2 Dr. Coupe, (R-Series) 2 Dr. Coupe, (R-Series)	Left Front Lower Right Front Lower	RK622017 RK622016	1 1 F536
2014-2009	4 Dr. Sedan, (R-Series) 4 Dr. Sedan, (R-Series) 4 Dr. Sedan, (R-Series) 4 Dr. Sedan, (R-Series) 4 Dr. Sedan, (R-Series) 4 Dr. Sedan, (R-Series)	Left Front Lower Left Front Upper Left Rear Upper Right Front Lower Right Front Upper Right Rear Upper	RK621598 RK621568 RK621569 RK621599 RK621570 RK621571	1 1 1 1 1 1 F535
2012-2010	2 Dr. Coupe, (R-Series) 2 Dr. Coupe, (R-Series)	Left Rear Lower Right Rear Lower	RK621584 RK621585	1 1 F536
Strut Bumper Bellows				
2016-2010	2 Dr. Coupe		K201503	2 F536
2014-2009	4 Dr. Sedan		K201554	2 F535
Strut Mount				
2016-2010	2 Dr. Coupe, (Contains Bearing)		K160370	2 F536
Sway Bar Bushing				
2016-2013	2 Dr. Coupe	To Frame	K201529	1 F536
2014-2009	4 Dr. Sedan, (Split Design For Easier Installation)	To Frame	K200280 ‡	1 F535
2012-2010	2 Dr. Coupe, Except Sport Suspension 2 Dr. Coupe, Sport Suspension, (Split Design For Easier Installation)	To Frame To Frame	K201529 K200280 ‡	1 1 F536
Sway Bar Link				
2016-2015	4 Dr. Sedan, All Wheel Drive 4 Dr. Sedan, All Wheel Drive 4 Dr. Sedan, Rear Wheel Drive 4 Dr. Sedan, Rear Wheel Drive	Left Right Left Right	K750844 ‡ K750845 ‡ K750843 K750842	1 1 1 1 F535
2016-2011	2 Dr. Coupe, (Improves Upon OE Design)		K750639 ‡	2 F536
2014-2009	4 Dr. Sedan, (Powdered Metal Gusher Brg. For Better Lubrication) 4 Dr. Sedan, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750383 ‡ K750384 ‡	1 1 F535
2011	2 Dr. Coupe, Thru 9/15/10, (Powdered Metal Gusher Brg. For Better Lubrication)		K750423 ‡	2 F536
2010	2 Dr. Coupe, (Powdered Metal Gusher Brg. For Better Lubrication)		K750423 ‡	2 F536
Wheel Hub & Bearing Assembly				
2016-2015	4 Dr. Sedan, All Wheel Drive 4 Dr. Sedan, Rear Wheel Drive		513407 513376	2 2
2016-2010	2 Dr. Coupe		513343	2
2014-2009	4 Dr. Sedan		513278	2


STEERING

SEDAN



S400


Coupe




S401

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2016-2010	2 Dr. Coupe, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800984 ‡	2	S401
	2 Dr. Coupe, (Design Allows Ease Of Installation)	Inner	EV800537 ‡	2	S401
2015	3778cc(3.8L), 4 Dr. Sedan, Rear Wheel Drive	Left Outer	ES801248	1	S400
	3778cc(3.8L), 4 Dr. Sedan, Rear Wheel Drive	Right Outer	ES801247	1	S400
2014-2012	308(5.0L), 4 Dr. Sedan, (Design Allows Ease Of Installation)	Inner	EV800975 ‡	2	S400
2014-2009	4 Dr. Sedan	Left Outer	ES801248	1	S400
	4 Dr. Sedan	Right Outer	ES801247	1	S400
	3778cc(3.8L), 4 Dr. Sedan	Inner	EV801086	2	S400
2012-2009	4627cc(4.6L), 4 Dr. Sedan, (Design Allows Ease Of Installation)	Inner	EV800975 ‡	2	S400

REAR SUSPENSION



R185



R186


Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2015-2010	2 Dr. Coupe, (R-Series)	Left Rear Lower	RK642334	1 R186
2014-2009	(R-Series)	Left Front Upper	RK641683	1 R185, R186
	(R-Series)	Right Front Upper	RK641684	1 R185, R186
	4 Dr. Sedan, (R-Series)	Left Rear Lower	RK642336	1 R185
	4 Dr. Sedan, (R-Series)	Right Rear Lower	RK642337	1 R185
Control Arm with Ball Joint				
2016-2015	4 Dr. Sedan, (R-Series)	Lower Front	RK622791	2
2015-2010	2 Dr. Coupe, (R-Series)	Lower Front	RK621811	2 R186
2014-2012	4 Dr. Sedan, (R-Series)	Left Rear Upper	RK622330	1 R185
		Right Rear Upper	RK622331	1 R185
2014-2010	4 Dr. Sedan, (R-Series)	Lower Front	RK621810	2 R185
2011	4 Dr. Sedan, Thru 2/15/11, (R-Series)	Left Rear Upper	RK621449	1 R185
2011-2009	4 Dr. Sedan, (R-Series)	Right Rear Upper	RK621486	1 R185
2010-2009	4 Dr. Sedan, (R-Series)	Left Rear Upper	RK621449	1 R185
2009	(R-Series)	Lower Front	RK621810	2 R185
Strut Bumper Bellows				
2016-2015	2 Dr. Coupe		K201554	2 R186
2014-2012			K201554	2 R185, R186
2011-2010	2 Dr. Coupe		K201554	2 R186
2011-2009	4 Dr. Sedan		K201597	2 R185
Sway Bar Bushing				
2012-2010	2 Dr. Coupe, Except Sport Suspension	To Frame	K201468	1 R186
		To Frame	K201469	1 R186
2009	3778cc(3.8L)	To Frame	K201471	1 R185

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009 (Cont.)	4627cc(4.6L)	To Frame	K201470	1 R185
Sway Bar Link				
2016-2015	4 Dr. Sedan	Left	K750862 ‡	1
	4 Dr. Sedan	Right	K750863 ‡	1
2015-2010	2 Dr. Coupe, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750425 ‡	1 R186
	2 Dr. Coupe, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750424 ‡	1 R186
2014-2010	4 Dr. Sedan, (Powdered Metal Gusher Brg. For Better Lubrication)		K750390 ‡	2 R185
2009	(Powdered Metal Gusher Brg. For Better Lubrication)		K750390 ‡	2 R185
Trailing Link				
2014-2009	4 Dr. Sedan, (R-Series)		RK642357	2 R185
Trailing Link Bushing				
2015-2010	2 Dr. Coupe	At Knuckle, Lower	K201281	2 R186
Wheel Hub & Bearing Assembly				
2016-2015	2 Dr. Coupe		512417	2
	4 Dr. Sedan		512554	2
2014-2009			512417	2

Ioniq-HYUNDAI


STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017		Inner	EV801078	2

Sonata-HYUNDAI




HYUNDAI-Sonata (Cont.)

FRONT SUSPENSION (Cont.)




F582



F583

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2014-2012	Gasoline, (Design Allows Ease Of Installation)	Lower	K500231 ‡	2 F582
2011	Gasoline, From 9/10, (Design Allows Ease Of Installation)	Lower	K500231 ‡	2 F582
	Gasoline, Thru 8/10, (Greaseable Socket Reduces Corrosion/Wear)	Lower	K500239 ‡	2 F582
2010-2007	(Design Allows Ease Of Installation)	Upper	K500072 ‡	2 F316
2010-2006	+/- 1 Degree Camber/Caster, (Adjustable)	Lower	K500035	2 F316
		Upper	K7452 ‡	2 F316
Ball Joint Bushing Extractor and Installer				
2008-2006	1-5/8", (Adjustable Ball Joint Adjusting Wrench)		T40268	1
Control Arm				
2010-2006	(R-Series)	Left Lower	RK641392	1 F316
	(R-Series)	Right Lower	RK641391	1 F316
Control Arm Bushing				
2010-2006	(Horizontal Mount)	Lower Rear	K201358	2 F316
	(Vertically Mounted)	Lower Front	K201646	2 F316
Control Arm with Ball Joint				
2015-2013	Hybrid, Hybrid Limited, (R-Series)	Left Lower	RK622367	1 F583
	Hybrid, Hybrid Limited, (R-Series)	Right Lower	RK622368	1 F583
2014-2012	GL, GLS, (R-Series)	Left Lower	RK622360	1 F582
	GL, GLS, (R-Series)	Right Lower	RK622361	1 F582
	Limited, Except Sport Suspension, (R-Series)	Left Lower	RK622360	1 F582
	Limited, Except Sport Suspension, (R-Series)	Right Lower	RK622361	1 F582
	Limited, Sport Suspension, (R-Series)	Left Lower	RK622362	1 F582
	Limited, Sport Suspension, (R-Series)	Right Lower	RK622363	1 F582
	SE, (R-Series)	Left Lower	RK622362	1 F582
	SE, (R-Series)	Right Lower	RK622363	1 F582
2012	Hybrid, (R-Series)	Left Lower	RK622367	1 F583


FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2012 (Cont.)	Hybrid, (R-Series)	Right Lower	RK622368	1	F583
2011	Gasoline, From 9/10, (R-Series) Gasoline, From 9/10, (R-Series) Gasoline, Thru 8/10, (R-Series) Gasoline, Thru 8/10, (R-Series) Gasoline/Electric, (R-Series) Gasoline/Electric, (R-Series)	Left Lower	RK622362	1	F582
		Right Lower	RK622363	1	F582
		Left Lower	RK622360	1	F582
		Right Lower	RK622361	1	F582
		Left Lower	RK622367	1	F583
		Right Lower	RK622368	1	F583
2010-2006	(R-Series) (R-Series)	Left Upper	RK621230	1	F316
		Right Upper	RK621229	1	F316
Strut Bumper Bellows					
2015	Hybrid, Hybrid Limited		K150274	2	F583
2014-2011			K150274	2	F582, F583
2010-2009	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2	F316
2008-2006	(Replacement Type, Contains Bumper)		K90460	2	F316
Strut Mount					
2010-2006	(Bearing Not Included, Contains Spring Seat And Upper Washer, Superior Rubber To Steel Bonding For Durability)		K160225 ‡	2	F316
Strut Spring Seat					
2010-2006	(Insulator Only, Reduces Noise)	Upper	K160257 ‡	2	F316
Sway Bar Bushing					
2010	Except Sport Suspension, (Split Design For Easier Installation) Sport Suspension, (Split Design For Easier Installation)	To Frame	K200280 ‡	1	F316
		To Frame	K200281 ‡	1	F316
2009	(Split Design For Easier Installation)	To Frame	K200281 ‡	1	F316
2008	2359cc(2.4L), (Split Design For Easier Installation) 3342cc(3.3L), (Split Design For Easier Installation)	To Frame	K200280 ‡	1	F316
		To Frame	K200281 ‡	1	F316
2007-2006	GL, GLS, (Split Design For Easier Installation)	To Frame	K200280 ‡	1	F316
Sway Bar Link					
2018		Left	K750792	1	
		Right	K750793	1	
2017	ECO, GLS, Limited, Limited 2.0T, SE, Sport, Sport 2.0T ECO, GLS, Limited, Limited 2.0T, SE, Sport, Sport 2.0T	Left	K750792	1	
		Right	K750793	1	
2016-2015	ECO, GL, GLS, Limited, Limited 2.0T, SE, Sport, Sport 2.0T, Ultimate 2.0T ECO, GL, GLS, Limited, Limited 2.0T, SE, Sport, Sport 2.0T, Ultimate 2.0T	Left	K750792	1	
		Right	K750793	1	
2014-2013	12.64" Stud To Stud, (Greaseable Socket Reduces Corrosion/Wear) 12.64" Stud To Stud, (Greaseable Socket Reduces Corrosion/Wear)	Left	K750436 ‡	1	F582, F583
		Right	K750437 ‡	1	F582, F583
2013	10.63" Stud To Stud, (Improves Upon OE Design)		K750658 ‡	2	F582, F583
2012	Thru 11/29/11, 13.82" Stud To Stud, (Improves Upon OE Design) Thru 11/29/11, 13.82" Stud To Stud, (Improves Upon OE Design)	Left	K750611 ‡	1	F583
		Right	K750610 ‡	1	F583
2012-2011	12.64" Stud To Stud, (Greaseable Socket Reduces Corrosion/Wear) 12.64" Stud To Stud, (Greaseable Socket Reduces Corrosion/Wear)	Left	K750436 ‡	1	F582
		Right	K750437 ‡	1	F582
2011	13.82" Stud To Stud, (Improves Upon OE Design) 13.82" Stud To Stud, (Improves Upon OE Design)	Left	K750611 ‡	1	F583
		Right	K750610 ‡	1	F583
2010-2006	(Powdered Metal Gusher Brg. For Better Lubrication)		K80949 ‡	2	F316
Wheel Hub & Bearing Assembly					
2018-2015			513374	2	

STEERING

S323

HYUNDAI-Sonata (Cont.)


STEERING (Cont.)



S329

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2015		Inner	EV801307	2
2015	ECO, GL, GLS, Limited, Limited 2.0T, SE, Sport, Sport 2.0T, Ultimate 2.0T ECO, GL, GLS, Limited, Limited 2.0T, SE, Sport, Sport 2.0T, Ultimate 2.0T Hybrid, Hybrid Limited, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer	ES801229 ‡	1
		Right Outer	ES801230 ‡	1
		Inner	EV800695 ‡	2
2014	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800695 ‡	2
2014-2011	GL, GLS, Limited, SE, (Greaseable Socket Reduces Corrosion/Wear) GL, GLS, Limited, SE, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800717 ‡	1
		Right Outer	ES800718 ‡	1
2013	Hybrid, Hybrid Limited, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800695 ‡	2
2013-2011	GL, GLS, Limited, SE, (Design Allows Ease Of Installation)	Inner	EV800974 ‡	2
2012-2011	Hybrid, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800695 ‡	2
2010-2009	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer	ES800334 ‡	1
		Right Outer	ES800335 ‡	1
2010-2006	(Design Allows Ease Of Installation)	Inner	EV800345 ‡	2
2008-2006		Left Outer	ES800104	1
		Right Outer	ES800105	1

REAR SUSPENSION




R188

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2016	Hybrid Limited, Hybrid SE, (R-Series) Hybrid Limited, Hybrid SE, (R-Series) Hybrid Limited, Hybrid SE, (R-Series)	Upper Rear	RK643024	2
		Left Rear Lower	RK642340	1
		Right Rear Lower	RK642341	1
2015-2013	Hybrid, Hybrid Limited, (R-Series) Hybrid, Hybrid Limited, (R-Series) Hybrid, Hybrid Limited, (R-Series)	Upper Rear	RK643024	2
		Left Rear Lower	RK642340	1
		Right Rear Lower	RK642341	1
2014-2011	GL, GLS, Limited, SE, (R-Series)	Upper Rear	RK642829	1
2012-2011	Hybrid, (R-Series) Hybrid, (R-Series)	Upper Rear	RK643024	2
		Left Rear Lower	RK642340	1

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2012-2011 (Cont.)	Hybrid, (R-Series)	Right Rear Lower	RK642341	1	
2011	GL, GLS, Thru 1/6/11, (R-Series) GL, GLS, Thru 1/6/11, (R-Series)	Left Rear Lower	RK642340	1	
		Right Rear Lower	RK642341	1	
2010-2008	(R-Series) (R-Series)	Lower Front	RK642347	2	R188
		Right Rear Lower	RK642335	1	R188
2010-2006	(R-Series)	Left Rear Lower	RK641274	1	R188
2007-2006	(R-Series)	Right Rear Lower	RK641275	1	R188
Control Arm Bushing					
2014-2011	GL, GLS, Limited, SE	At Knuckle, Lower	K201281	2	
2010-2007	(Design Allows Ease Of Installation)	Upper	K200941 ‡	4	R188
Control Arm with Ball Joint					
2015-2011	(R-Series)	Upper Front	RK622764	2	
2010-2006	(R-Series) (R-Series)	Left Upper	RK620645	1	R188
		Right Upper	RK620646	1	R188
Shock Mount					
2017-2011			K160442	2	
2010-2006	(Design Allows Ease Of Installation)		K160224 ‡	2	R188
Strut Bumper Bellows					
2017-2011			K201597	2	
2010-2006	(Original Equipment Type) (Replacement Type, Contains Bumper)		K201597	2	R188
			K90461	2	R188
Sway Bar Bushing					
2010-2009	Except Sport Suspension Sport Suspension, (Reduces Noise)	To Frame	K201526	1	R188
		To Frame	K200743 ‡	1	R188
2008	2359cc(2.4L), Except Sport Suspension 3342cc(3.3L), Sport Suspension, (Reduces Noise)	To Frame	K201526	1	R188
		To Frame	K200743 ‡	1	R188
2007-2006	(Reduces Noise)	To Frame	K200742 ‡	1	R188
Sway Bar Link					
2018-2016	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left	K750787 ‡	1	
		Right	K750788 ‡	1	
2015	ECO, GL, GLS, Limited, Limited 2.0T, SE, Sport, Sport 2.0T, Ultimate 2.0T, (Greaseable Socket Reduces Corrosion/Wear) ECO, GL, GLS, Limited, Limited 2.0T, SE, Sport, Sport 2.0T, Ultimate 2.0T, (Greaseable Socket Reduces Corrosion/Wear) Hybrid, Hybrid Limited, (Improves Upon OE Design)	Left	K750787 ‡	1	
		Right	K750788 ‡	1	
			K750603 ‡	2	
2014-2011	(Improves Upon OE Design)		K750603 ‡	2	
2010-2006	(Improves Upon OE Design)		K80620 ‡	2	R188
Trailing Link					
2010-2008	(R-Series)		RK642352	2	R188
2007-2006	(R-Series)		RK642356	2	R188
Wheel Hub & Bearing Assembly					
2018-2015			512553	2	
2014-2010			512437	2	
2009-2006			512265	2	


FRONT SUSPENSION



F318

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2008-2003	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500031 ‡	2	F318
Control Arm with Ball Joint					
2008-2007	(Without Sway Bar Mounting Tab, R-Series)	Left Lower	RK621578	1	F318
Strut Bumper Bellows					
2008-2003	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2	F318
Strut Mount					
2008-2003	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160297 ‡	2	F318
Strut Spring Seat					
2008-2003	(Reduces Noise)	Lower	K160249 ‡	2	F318
Sway Bar Bushing					
2008-2007	2657cc(2.7L), (Design Allows Ease Of Installation)	To Frame	K200730 ‡	1	F318
Sway Bar Link					
2008-2003	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80508 ‡	1	F318
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K80509 ‡	1	F318


STEERING



S019

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2008-2003	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer	ES3377 ‡	2	S019
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80310 ‡	2	S019

REAR SUSPENSION




R183

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2008-2003	(R-Series)	Lower Rear	RK641860	2	R183
	(R-Series)	Lower Front	RK641857	2	R183
Strut Bumper Bellows					
2008-2003	(Replacement Type, Contains Bumper)		K90460	2	R183
Strut Mount					
2008-2003	(Bearing Not Included)	Left	K90215	1	R183
	(Bearing Not Included)	Right	K90216	1	R183
Strut Spring Seat					
2008-2003	(Insulator Only)	Lower	K160353	2	R183
Sway Bar Bushing					
2008-2003		To Frame	K201402	1	R183
Sway Bar Link					
2008-2003	(Powdered Metal Gusher Brg. For Better Lubrication)		K90360 ‡	2	R183
Trailing Link					
2008-2003	(R-Series)	Left	RK642321	1	R183
	(R-Series)	Right	RK642322	1	R183
Wheel Hub & Bearing Assembly					
2008-2006			512428	2	

Veloster-HYUNDAI

FRONT SUSPENSION




F555

HYUNDAI-Veloster (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2012	(Greaseable Socket Reduces Corrosion/Wear)	Lower	K500236 ‡	2 F555
Control Arm with Ball Joint				
2017-2012	(R-Series)	Left Lower	RK622232	1 F555
	(R-Series)	Right Lower	RK622646	1 F555
Strut Bumper Bellows				
2017-2012	(Design Allows Ease Of Installation)		K160285 ‡	2 F555
Sway Bar Bushing				
2017-2016	Except Sport Suspension	To Frame	K201451	1 F555
	Sport Suspension	To Frame	K201479	1 F555
2015-2012		To Frame	K201537	1 F555
Sway Bar Link				
2017-2012	(Improves Upon OE Design)		K750523 ‡	2 F555

STEERING




S329

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017		Left Outer	ES801074	1
		Right Outer	ES801075	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800886 ‡	2
2016-2012		Left Outer	ES801074	1 S329
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES801075	1 S329
		Inner	EV800886 ‡	2 S329


REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2017-2012			512492	2

FRONT SUSPENSION



F432




F433

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2012-2011	(R-Series)	Left Upper	1	F432, F433	
	(R-Series)	Right Upper	1	F432, F433	
	Rear Wheel Drive, (R-Series)	Left Lower	1	F432	
	Rear Wheel Drive, (R-Series)	Right Lower	1	F432	
Strut Bumper Bellows					
2012-2011	All Wheel Drive	K201503	2	F433	
	Rear Wheel Drive	K150274	2	F432	
Strut Mount					
2012-2011		K160343	2	F432, F433	
Strut Spring Seat					
2012-2011	(Insulator Only)	Upper	K160349	2	F432, F433
Sway Bar Bushing					
2012-2011	All Wheel Drive	To Frame	K201504	1	F433
	Rear Wheel Drive, (Split Design For Easier Installation)	To Frame	K200283 ‡	1	F432
Sway Bar Link					
2012-2011	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750210 ‡	1	F433
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750209 ‡	1	F433
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750194 ‡	1	F432
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750193 ‡	1	F432
Wheel Hub & Bearing Assembly					
2012-2011	Rear Wheel Drive		513334	2	

INFINITI-G25 (Cont.)


STEERING



S213

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2012-2011	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800338 ‡	1 S213
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800337 ‡	1 S213
	All Wheel Drive	Inner	EV801326 ‡	2 S213
	Rear Wheel Drive	Inner	EV801145	2 S213


REAR SUSPENSION




R157

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2012-2011	Plus Or Minus 3 Degree Camber, Plus Or Minus 2 Degree Toe, (Adjustable, R-Series)	Lower Front	RK100091	2 R157
Control Arm with Ball Joint				
2012-2011	(R-Series)	Left Upper	RK622095	1 R157
	(R-Series)	Right Upper	RK622093	1 R157
Strut Bumper Bellows				
2012-2011	(Contains Bumper)		K90460	2 R157
Strut Mount				
2012-2011			K160346	2 R157
Sway Bar Bushing				
2012-2011	All Wheel Drive, (Reduces Noise)	To Frame	K200745 ‡	1 R157
	Rear Wheel Drive, (Split Design For Easier Installation)	To Frame	K200746 ‡	1 R157
Sway Bar Link				
2012-2011	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750044 ‡	1 R157
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750047 ‡	1 R157
Wheel Hub & Bearing Assembly				
2012-2011			512379	2


FRONT SUSPENSION



F430



F432




F433

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2007	2 Dr. Sport Coupe, (R-Series)	Left Front Lower	RK642009	1	F430
	2 Dr. Sport Coupe, (R-Series)	Right Front Lower	RK642008	1	F430
Control Arm with Ball Joint					
2008	(R-Series)	Left Upper	RK621601	1	F432, F433
	(R-Series)	Right Upper	RK621600	1	F432, F433
	All Wheel Drive, (R-Series)	Left Lower	RK622552	1	F433
	All Wheel Drive, (R-Series)	Right Lower	RK622549	1	F433


INFINITI-G35 (Cont.)
FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2008 (Cont.)	Rear Wheel Drive, (R-Series)	Left Lower	RK621597	1 F432
	Rear Wheel Drive, (R-Series)	Right Lower	RK621596	1 F432
2007	2 Dr. Sport Coupe, (R-Series)	Left Upper	RK621690	1 F430
	2 Dr. Sport Coupe, (R-Series)	Right Upper	RK621936	1 F430
	4 Dr. Sedan, (R-Series)	Left Upper	RK621601	1 F432, F433
	4 Dr. Sedan, (R-Series)	Right Upper	RK621600	1 F432, F433
	4 Dr. Sedan, All Wheel Drive, (R-Series)	Left Lower	RK622552	1 F433
	4 Dr. Sedan, All Wheel Drive, (R-Series)	Right Lower	RK622549	1 F433
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Left Lower	RK621597	1 F432
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Right Lower	RK621596	1 F432
2007-2003	2 Dr. Sport Coupe, (R-Series)	Left Rear Lower	RK621373	1 F430
	2 Dr. Sport Coupe, (R-Series)	Right Rear Lower	RK621372	1 F430
Strut Bumper Bellows				
2008	All Wheel Drive		K201503	2 F433
	Rear Wheel Drive		K150274	2 F432
2007	2 Dr. Sport Coupe		K150274	2 F430
	4 Dr. Sedan, All Wheel Drive		K201503	2 F433
	4 Dr. Sedan, Rear Wheel Drive		K150274	2 F432
Strut Mount				
2008-2007	4 Dr. Sedan		K160343	2 F432, F433
2007	2 Dr. Sport Coupe, (Bearing Not Included, Contains Insulator, Superior Rubber To Steel Bonding For Durability)		K160105 ‡	2 F430
Strut Spring Seat				
2008-2007	4 Dr. Sedan, (Insulator Only)	Upper	K160349	2 F432, F433
2007	2 Dr. Sport Coupe, (Reduces Noise)	Upper	K160124 ‡	2 F430
Sway Bar Bushing				
2008	All Wheel Drive	To Frame	K201504	1 F433
	Rear Wheel Drive, (Split Design For Easier Installation)	To Frame	K200283 ‡	1 F432
2007	4 Dr. Sedan, All Wheel Drive	To Frame	K201504	1 F433
	4 Dr. Sedan, Rear Wheel Drive, (Split Design For Easier Installation)	To Frame	K200283 ‡	1 F432
2007-2006	2 Dr. Sport Coupe, (Split Design For Easier Installation)	To Frame	K200284 ‡	1 F430
Sway Bar Link				
2008	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750194 ‡	1 F432
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750193 ‡	1 F432
2008-2007	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750210 ‡	1 F433
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750209 ‡	1 F433
2007	2 Dr. Sport Coupe, Except Sport Suspension, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750101 ‡	1 F430
	2 Dr. Sport Coupe, Except Sport Suspension, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750100 ‡	1 F430
	4 Dr. Sedan, Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750194 ‡	1 F432
	4 Dr. Sedan, Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750193 ‡	1 F432
Wheel Hub & Bearing Assembly				
2008	Rear Wheel Drive		513334	2
2007	2 Dr. Sport Coupe, Rear Wheel Drive		513268	2
	4 Dr. Sedan, Rear Wheel Drive		513334	2

STEERING



S212




S213

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2008-2007	4 Dr. Sedan, All Wheel Drive	K150317	2	S213	
Tie Rod End					
2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800338 ‡	1	S213
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800337 ‡	1	S213
	All Wheel Drive, (Design Allows Ease Of Installation)	Inner	EV800608 ‡	2	S213
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Inner	EV800607 ‡	2	S213
2007	2 Dr. Sport Coupe, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES80579 ‡	1	S212
	2 Dr. Sport Coupe, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES80578 ‡	1	S212
	2 Dr. Sport Coupe, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80279 ‡	2	S212
	4 Dr. Sedan, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800338 ‡	1	S213
	4 Dr. Sedan, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800337 ‡	1	S213
	4 Dr. Sedan, All Wheel Drive, (Design Allows Ease Of Installation)	Inner	EV800608 ‡	2	S213
	4 Dr. Sedan, Rear Wheel Drive, (Design Allows Ease Of Installation)	Inner	EV800607 ‡	2	S213

INFINITI-G35 (Cont.)


REAR SUSPENSION




R157

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2008-2007	4 Dr. Sedan, Plus Or Minus 3 Degree Camber, Plus Or Minus 2 Degree Toe, (Adjustable, R-Series) Lower Front	RK100090	2	R157
2007-2006	2 Dr. Sport Coupe, Except Rear Active Steer, Plus Or Minus 3 Degree Camber, Plus Or Minus 2 Degree Toe, (Adjustable, Straight Arm, R-Series) Lower Front	RK642963	2	R157
	2 Dr. Sport Coupe, Rear Active Steer, Plus Or Minus 3 Degree Camber, Plus Or Minus 2 Degree Toe, (Adjustable, R-Series) Lower Front	RK100090	2	R157
2007-2003	(Lateral Link, R-Series) Lower Front	RK642024	2	R157
Control Arm with Ball Joint				
2008-2003	(R-Series) Left Upper	RK621762	1	R157
	(R-Series) Right Upper	RK621689	1	R157
Shock Mount				
2007	2 Dr. Sport Coupe	K160011	2	R157
Strut Bumper Bellows				
2008	(Contains Bumper)	K90460	2	R157
2007	2 Dr. Sport Coupe, Except Sport Package, (Contains Bumper)	K90467	2	R157
	4 Dr. Sedan, (Contains Bumper)	K90460	2	R157
Strut Mount				
2008-2007	4 Dr. Sedan	K160346	2	R157
Sway Bar Bushing				
2007-2003	To Frame	K200975	1	R157
Sway Bar Link				
2008-2003	(Powdered Metal Gusher Brg. For Better Lubrication) Left	K750044 ‡	1	R157
	(Powdered Metal Gusher Brg. For Better Lubrication) Right	K750047 ‡	1	R157
Wheel Bearing Assembly				
2007	2 Dr. Sport Coupe	512346	2	
Wheel Hub & Bearing Assembly				
2008-2007	4 Dr. Sedan	512379	2	

FRONT SUSPENSION



F432



F433


Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2013-2009	2 Dr. Coupe Convertible, (R-Series)	Left Upper	RK622206	1 F432
	2 Dr. Sport Coupe, (R-Series)	Left Upper	RK622206	1 F432, F433
	4 Dr. Sedan, (R-Series)	Left Upper	RK621601	1 F432, F433
	4 Dr. Sedan, (R-Series)	Right Upper	RK621600	1 F432, F433
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Left Lower	RK621597	1 F432
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Right Lower	RK621596	1 F432
2008	(R-Series)	Left Upper	RK622206	1 F432
Strut Bumper Bellows				
2013-2009	All Wheel Drive		K201503	2 F433
	2 Dr. Coupe Convertible		K150274	2 F432
	2 Dr. Sport Coupe, Rear Wheel Drive, Except Sport Suspension		K150274	2 F432
	2 Dr. Sport Coupe, Rear Wheel Drive, Sport Suspension		K201503	2 F432
	4 Dr. Sedan, Rear Wheel Drive		K150274	2 F432
2008	Except Sport Suspension		K150274	2 F432
	Sport Suspension		K201503	2 F432
Strut Mount				
2013-2009	2 Dr. Coupe Convertible		K160342	2 F432
	2 Dr. Sport Coupe, 4 Dr. Sedan		K160343	2 F432, F433
2008			K160343	2 F432
Strut Spring Seat				
2013-2009	2 Dr. Coupe Convertible	Upper	K160348	2 F432
	2 Dr. Sport Coupe, 4 Dr. Sedan, (Insulator Only)	Upper	K160349	2 F432, F433
2008	(Insulator Only)	Upper	K160349	2 F432
Sway Bar Bushing				
2013-2009	All Wheel Drive	To Frame	K201504	1 F433
	Rear Wheel Drive, (Split Design For Easier Installation)	To Frame	K200283 ‡	1 F432

INFINITI-G37 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2008	(Split Design For Easier Installation)	To Frame	K200283 ‡	1 F432
Sway Bar Link				
2013-2009	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750210 ‡	1 F433
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750209 ‡	1 F433
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750194 ‡	1 F432
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750193 ‡	1 F432
2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750194 ‡	1 F432
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750193 ‡	1 F432
Wheel Hub & Bearing Assembly				
2013-2011	Rear Wheel Drive		513334	2
2012-2011	All Wheel Drive		513335	2
2010			513334	2
2009	All Wheel Drive		513335	2
	Rear Wheel Drive		513334	2
2008			513334	2


STEERING



S213

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2013-2012			K150282	2 S213
2011	2 Dr. Coupe Convertible		K150317	2 S213
	2 Dr. Sport Coupe, 4 Dr. Sedan, All Wheel Drive		K150317	2 S213
	2 Dr. Sport Coupe, 4 Dr. Sedan, Rear Wheel Drive		K150282	2 S213
2010-2009	2 Dr. Coupe Convertible	Left	K150317	1 S213
	2 Dr. Sport Coupe, All Wheel Drive	Left	K150317	1 S213
	4 Dr. Sedan, All Wheel Drive		K150317	2 S213
Tie Rod End				
2013		Inner	EV801071	2 S213
2013-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800338 ‡	1 S213
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800337 ‡	1 S213
2012-2011	2 Dr. Coupe Convertible, 2 Dr. Sport Coupe	Inner	EV801071	2 S213
	4 Dr. Sedan, All Wheel Drive	Inner	EV801326 ‡	2 S213
	4 Dr. Sedan, Rear Wheel Drive	Inner	EV801145	2 S213
2010	4 Dr. Sedan, All Wheel Drive, Thru 5/10, (Design Allows Ease Of Installation)	Inner	EV800608 ‡	2 S213
	4 Dr. Sedan, Rear Wheel Drive, From 6/10	Inner	EV801145	2 S213
	4 Dr. Sedan, Rear Wheel Drive, Thru 5/10, (Design Allows Ease Of Installation)	Inner	EV800607 ‡	2 S213
2010-2009	Base Model, Journey, Sport, 2 Dr. Sport Coupe, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800804 ‡	2 S213
	Base Model, Sport, 2 Dr. Coupe Convertible, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800804 ‡	2 S213
2009	4 Dr. Sedan, All Wheel Drive, (Design Allows Ease Of Installation)	Inner	EV800608 ‡	2 S213
	4 Dr. Sedan, Rear Wheel Drive, (Design Allows Ease Of Installation)	Inner	EV800607 ‡	2 S213
2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800804 ‡	2 S213

REAR SUSPENSION



R157

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2013-2009	2 Dr. Sport Coupe, 4 Dr. Sedan, Plus Or Minus 3 Degree Camber, Plus Or Minus 2 Degree Toe, (Adjustable, R-Series)	Lower Front	RK100090	2 R157
2008	Plus Or Minus 3 Degree Camber, Plus Or Minus 2 Degree Toe, (Adjustable, R-Series)	Lower Front	RK100090	2 R157
Control Arm with Ball Joint				
2012-2009	All Wheel Drive, (R-Series)	Left Upper	RK622095	1 R157
	All Wheel Drive, (R-Series)	Right Upper	RK622093	1 R157
	2 Dr. Coupe Convertible, Rear Wheel Drive, (R-Series)	Left Upper	RK622005	1 R157
	2 Dr. Coupe Convertible, Rear Wheel Drive, (R-Series)	Right Upper	RK622006	1 R157
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Left Upper	RK622095	1 R157
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Right Upper	RK622093	1 R157
Strut Bumper Bellows				
2013-2009	2 Dr. Coupe Convertible, (Contains Bumper)		K90467	2 R157
	2 Dr. Sport Coupe, 4 Dr. Sedan, (Replacement Type, Contains Bumper)		K90460	2 R157
2008	(Replacement Type, Contains Bumper)		K90460	2 R157
Strut Mount				
2013-2011	2 Dr. Coupe Convertible		K160347	2 R157
	2 Dr. Sport Coupe, 4 Dr. Sedan		K160346	2 R157
2010-2008			K160346	2 R157
Sway Bar Bushing				
2013	IPL (Infiniti Performance Line), 2 Dr. Coupe Convertible, (Split Design For Easier Installation)	To Frame	K200746 ‡	1 R157
2013-2012	2 Dr. Sport Coupe Base Model, Sport, 2 Dr. Coupe Convertible	To Frame	K201589	1 R157
		To Frame	K201508	1 R157
2013-2011	4 Dr. Sedan, Rear Wheel Drive, (Split Design For Easier Installation)	To Frame	K200746 ‡	1 R157
2013-2009	4 Dr. Sedan, All Wheel Drive, (Reduces Noise)	To Frame	K200745 ‡	1 R157
2011	Base Model, Sport, 2 Dr. Sport Coupe Journey, X, 2 Dr. Sport Coupe	To Frame	K201560	1 R157
		To Frame	K201589	1 R157
2011-2009	2 Dr. Coupe Convertible	To Frame	K201508	1 R157
2008		To Frame	K201589	1 R157
Sway Bar Link				
2013-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750044 ‡	1 R157
		Right	K750047 ‡	1 R157
Wheel Hub & Bearing Assembly				
2013-2008			512379	2

M35-INFINITI

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2010-2006	(R-Series)	Left Upper	RK622199	1
		Right Upper	RK622197	1
2007-2006	Rear Wheel Drive, (R-Series)	Left Lower	RK622551	1

INFINITI-M35 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2007-2006 (Cont.)	Rear Wheel Drive, (R-Series)	Right Lower	RK622548	1
Strut Bumper Bellows				
2010-2006	All Wheel Drive Rear Wheel Drive		K201503 K150274	2 2
Strut Mount				
2010-2006			K160345	2
Strut Spring Seat				
2010-2006	(Insulator Only)	Upper	K160350	2
Sway Bar Bushing				
2010-2008	Base Model, 2 Wheel Steering, (Split Design For Easier Installation)	To Frame	K200344 ‡	1
	Base Model, 4 Wheel Steering, (Split Design For Easier Installation)	To Frame	K200345 ‡	1
2010-2006	x AWD, (Split Design For Easier Installation)	To Frame	K200284 ‡	1
2007-2006	Base Model, (Split Design For Easier Installation)	To Frame	K200344 ‡	1
	Sport, (Split Design For Easier Installation)	To Frame	K200345 ‡	1
Sway Bar Link				
2010-2006	(Optional, Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750210 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750187 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750186 ‡	1
Wheel Hub & Bearing Assembly				
2010	All Wheel Drive		513335	2
2010-2006	Rear Wheel Drive		513334	2

STEERING

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2010-2009	All Wheel Drive Rear Wheel Drive	Left Right	K150317 K150317	1 1
Tie Rod End				
2010-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800338 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800337 ‡	1
	(Design Allows Ease Of Installation)	Inner	EV800567 ‡	2

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2010-2006	Plus Or Minus 3 Degree Camber, Plus Or Minus 2 Degree Toe, (Adjustable, R-Series)	Lower Front	RK100091	2
Control Arm Bushing				
2010-2007		Lower Front Outer Lower Rear Outer	K201010 K200967	2 2
Control Arm with Ball Joint				
2010-2006	(R-Series)	Left Upper	RK622569	1
	(R-Series)	Right Upper	RK622568	1
Shock Mount				
2010-2006			K160011	2
Strut Bumper Bellows				
2010-2006	(Replacement Type, Contains Bumper)		K90460	2
Sway Bar Bushing				
2010-2009	Base Model, Except Sport Package	To Frame	K201589	1
	Base Model, Sport Package	To Frame	K201588	1
	x AWD	To Frame	K201588	1
2008	Base Model, Except Sport Package, (Split Design For Easier Installation)	To Frame	K200747 ‡	1
	Base Model, Sport Package, (Split Design For Easier Installation)	To Frame	K200748 ‡	1
	x AWD, (Split Design For Easier Installation)	To Frame	K200748 ‡	1
2007-2006	Base Model, (Split Design For Easier Installation)	To Frame	K200747 ‡	1
	Sport, x AWD, (Split Design For Easier Installation)	To Frame	K200748 ‡	1
Sway Bar Link				
2010-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750044 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750047 ‡	1
Wheel Hub & Bearing Assembly				
2010-2008			512379	2

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2007-2006	All Wheel Drive Rear Wheel Drive	512375 512390	2 2	

M35h–INFINITI

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2013-2012		K150274	2	
Strut Mount				
2013-2012		K160342	2	
Strut Spring Seat				
2013-2012		Upper K160348	2	
Sway Bar Link				
2013-2012	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750194 ‡ K750193 ‡	1 1
Wheel Hub & Bearing Assembly				
2013-2012		513334	2	

STEERING

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2013-2012		K150317	2	
Tie Rod End				
2013-2012	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer Right Outer Inner	ES800338 ‡ ES800337 ‡ EV801324 ‡	1 1 2

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2013-2012	Plus Or Minus 1 Degree Setback, (Adjustable, R-Series) Plus Or Minus 3 Degree Toe, (Adjustable, R-Series) Plus Or Minus 3 Degrees Camber, (Adjustable, R-Series)	Lower Front Lower Rear Lower Center	RK100260 RK100261 RK100259	2 2 2
Sway Bar Bushing				
2013-2012		To Frame	K201508	1
Sway Bar Link				
2013-2012	M10-1.25 Thread, (Aluminum Arm, Ball Stud, Improves Upon OE Design) M10-1.25 Thread, (Aluminum Arm, Ball Stud, Improves Upon OE Design)	Left Right	K750576 ‡ K750577 ‡	1 1
Wheel Hub & Bearing Assembly				
2013-2012		512379	2	

M37–INFINITI

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2013-2011	All Wheel Drive Rear Wheel Drive	K201503 K150274	2 2	
Strut Mount				
2013-2011		K160342	2	
Strut Spring Seat				
2013-2011		Upper K160348	2	
Sway Bar Link				
2013-2011	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Left Right	K750210 ‡ K750194 ‡ K750193 ‡	1 1 1
2012-2011	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750209 ‡	1

INFINITI-M37 (Cont.)

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2013	Base Model, From 3/13 X, From 3/13	513334 513335	2 2	
2012-2011	Rear Wheel Drive	513334	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2013-2011		K150317	2	
Tie Rod End				
2013-2011	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive	Left Outer Right Outer Inner	ES800338 ‡ ES800337 ‡ EV801324 ‡	1 1 2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2013-2011	Plus Or Minus 1 Degree Setback, (Adjustable, R-Series) Plus Or Minus 3 Degree Toe, (Adjustable, R-Series) Plus Or Minus 3 Degrees Camber, (Adjustable, R-Series)	Lower Front Lower Rear Lower Center	RK100260 RK100261 RK100259	2 2 2
Sway Bar Bushing				
2013		To Frame	K201508	1
2012	Except Sport Package Sport Package	To Frame To Frame	K201508 K201589	1 1
2011	Base Model, Sport, Except Sport Package Base Model, Sport, Sport Package X	To Frame To Frame To Frame	K201508 K201589 K201508	1 1 1
Sway Bar Link				
2013-2011	M10-1.25 Thread, (Aluminum Arm, Ball Stud, Improves Upon OE Design) M10-1.25 Thread, (Aluminum Arm, Ball Stud, Improves Upon OE Design)	Left Right	K750576 ‡ K750577 ‡	1 1
Wheel Hub & Bearing Assembly				
2013-2011		512379	2	

INFINITI-M45

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2010-2006	(R-Series) (R-Series)	Left Upper Right Upper	RK622199 RK622197	1 1
Strut Bumper Bellows				
2010-2008	All Wheel Drive		K201503	2
2010-2006	Rear Wheel Drive		K150274	2
Strut Mount				
2010-2006			K160345	2
Strut Spring Seat				
2010-2006	(Insulator Only)	Upper	K160350	2
Sway Bar Bushing				
2010-2008	x AWD, (Split Design For Easier Installation)	To Frame	K200284 ‡	1
2010-2006	Base Model, (Split Design For Easier Installation) Sport, (Split Design For Easier Installation)	To Frame To Frame	K200344 ‡ K200345 ‡	1 1
Sway Bar Link				
2010-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750210 ‡ K750186 ‡	1 1
Wheel Hub & Bearing Assembly				
2010-2008	All Wheel Drive		513335	2
2010-2006	Rear Wheel Drive		513334	2


STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2010-2009	All Wheel Drive Rear Wheel Drive	Left Right	K150317 K150317	1 1
2008-2006		Left	K150317	1
Tie Rod End				
2010-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800338 ‡ ES800337 ‡ EV800567 ‡	1 1 2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2010-2006	Plus Or Minus 3 Degree Camber, Plus Or Minus 2 Degree Toe, (Adjustable, R-Series)	Lower Front	RK100091	2
Control Arm Bushing				
2010-2007		Lower Front Outer Lower Rear Outer	K201010 K200967	2 2
Control Arm with Ball Joint				
2010-2006	(R-Series) (R-Series)	Left Upper Right Upper	RK622569 RK622568	1 1
Shock Mount				
2010-2006			K160011	2
Strut Bumper Bellows				
2010-2007	(Replacement Type, Contains Bumper)		K90460	2
Sway Bar Bushing				
2010-2009	Base Model Sport, x AWD	To Frame To Frame	K201589 K201588	1 1
2008	Sport, x AWD, (Split Design For Easier Installation)	To Frame	K200748 ‡	1
2008-2006	Base Model, (Split Design For Easier Installation)	To Frame	K200747 ‡	1
2007-2006	Sport, (Split Design For Easier Installation)	To Frame	K200748 ‡	1
Sway Bar Link				
2010-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750044 ‡ K750047 ‡	1 1
Wheel Hub & Bearing Assembly				
2010-2008			512379	2
2007-2006			512390	2

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2013-2011	All Wheel Drive Rear Wheel Drive		K201503 K150274	2 2
Strut Mount				
2013-2011			K160342	2
Strut Spring Seat				
2013-2011		Upper	K160348	2
Sway Bar Link				
2013-2011	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Left Right	K750210 ‡ K750194 ‡ K750193 ‡	1 1 1
2012-2011	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750209 ‡	1
Wheel Hub & Bearing Assembly				
2013	Base Model, From 3/13 X, From 3/13		513334 513335	2 2
2012-2011	Rear Wheel Drive		513334	2


INFINITI-M56 (Cont.)

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2011	All Wheel Drive	K150317	2	
Tie Rod End				
2013-2011	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive	Left Outer Right Outer Inner	ES800338 ‡ ES800337 ‡ EV801324 ‡	1 1 2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2013-2011	Plus Or Minus 1 Degree Setback, (Adjustable, R-Series) Plus Or Minus 3 Degree Toe, (Adjustable, R-Series) Plus Or Minus 3 Degrees Camber, (Adjustable, R-Series)	Lower Front Lower Rear Lower Center	RK100260 RK100261 RK100259	2 2 2
Sway Bar Bushing				
2013		To Frame	K201508	1
2012	Except Sport Package Sport Package	To Frame To Frame	K201508 K201589	1 1
2011	Base Model, Sport, Except Sport Package Base Model, Sport, Sport Package X	To Frame To Frame To Frame	K201508 K201589 K201508	1 1 1
Sway Bar Link				
2013-2011	M10-1.25 Thread, (Aluminum Arm, Ball Stud, Improves Upon OE Design) M10-1.25 Thread, (Aluminum Arm, Ball Stud, Improves Upon OE Design)	Left Right	K750576 ‡ K750577 ‡	1 1
Wheel Hub & Bearing Assembly				
2013-2011			512379	2

INFINITI-Q40




FRONT SUSPENSION (Cont.)



F433

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2015	(R-Series) (R-Series) Rear Wheel Drive, (R-Series) Rear Wheel Drive, (R-Series)	Left Upper Right Upper Left Lower Right Lower	RK621601 RK621600 RK621597 RK621596	1 1 1 1	F432, F433 F432, F433 F432 F432
Strut Bumper Bellows					
2015	All Wheel Drive Rear Wheel Drive	K201503 K150274	2 2	F433 F432	
Strut Mount					
2015		K160343	2	F432, F433	
Strut Spring Seat					
2015	(Insulator Only)	Upper	K160349	2	F432, F433
Sway Bar Bushing					
2015	All Wheel Drive Rear Wheel Drive, (Split Design For Easier Installation)	To Frame To Frame	K201504 K200283 ‡	1 1	F433 F432
Sway Bar Link					
2015	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right Left Right	K750210 ‡ K750209 ‡ K750194 ‡ K750193 ‡	1 1 1 1	F433 F433 F432 F432
Wheel Hub & Bearing Assembly					
2015	All Wheel Drive Rear Wheel Drive	513335 513334	2 2		

STEERING



S213

INFINITI-Q40 (Cont.)

STEERING (Cont.)					
Year	Model/Application		Part	P/C Qty	Figure
Rack & Pinion Boot Kit					
2015	All Wheel Drive Rear Wheel Drive		K150317 K150282	2 2	S213 S213
Tie Rod End					
2015	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) All Wheel Drive Rear Wheel Drive	Left Outer Right Outer Inner Inner	ES800338 ‡ ES800337 ‡ EV801326 ‡ EV801145	1 1 2 2	S213 S213 S213 S213
REAR SUSPENSION					
Year	Model/Application		Part	P/C Qty	Figure
Control Arm					
2015	Plus Or Minus 3 Degree Camber, Plus Or Minus 2 Degree Toe, (Adjustable, R-Series)		Lower Front	RK100091	2
Control Arm with Ball Joint					
2015	(R-Series) (R-Series)	Left Upper Right Upper	RK622095 RK622093	1 1	
Strut Bumper Bellows					
2015	(Replacement Type, Contains Bumper)			K90460	2
Strut Mount					
2015				K160346	2
Sway Bar Bushing					
2015	All Wheel Drive, (Reduces Noise) Rear Wheel Drive, (Split Design For Easier Installation)	To Frame To Frame	K200745 ‡ K200746 ‡	1 1	
Sway Bar Link					
2015	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750044 ‡ K750047 ‡	1 1	
Wheel Hub & Bearing Assembly					
2015				512379	2

INFINITI-Q45

FRONT SUSPENSION					
F528					
Year	Model/Application		Part	P/C Qty	Figure
Control Arm with Ball Joint					
2007-2002	(R-Series) (R-Series)	Left Lower Right Lower	RK622195 RK622194	1 1	F528 F528
STEERING					
Year	Model/Application		Part	P/C Qty	Figure
Tie Rod End					
2007-2002	(Powdered Metal Gusher Brg. For Better Lubrication)		Outer	ES3466 ‡	2

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2018-2014	(R-Series)	Left Upper	RK622206	1
Strut Bumper Bellows				
2015-2014	(Design Allows Ease Of Installation)		K160285 ‡	2
Strut Mount				
2015-2014			K160342	2
Strut Spring Seat				
2015-2014		Upper	K160348	2
Sway Bar Bushing				
2018-2017		To Frame	K201504	1
2016	1991cc(2.0L) 2997cc(3.0L) 3498cc(3.5L), All Wheel Drive	To Frame	K201504	1
		To Frame	K201504	1
		To Frame	K201504	1
2016-2014	Rear Wheel Drive, (Split Design For Easier Installation)	To Frame	K200283 ‡	1
2015-2014	All Wheel Drive	To Frame	K201504	1
Sway Bar Link				
2017	2997cc(3.0L), (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750210 ‡	1
2017-2016	1991cc(2.0L), (Powdered Metal Gusher Brg. For Better Lubrication) 1991cc(2.0L), All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) 2997cc(3.0L), All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) 2997cc(3.0L), Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) 2997cc(3.0L), Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750210 ‡	1
		Right	K750209 ‡	1
		Right	K750209 ‡	1
		Left	K750194 ‡	1
		Right	K750193 ‡	1
2016	2997cc(3.0L), All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) 3498cc(3.5L), All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) 3498cc(3.5L), All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) 3498cc(3.5L), Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) 3498cc(3.5L), Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750210 ‡	1
		Left	K750210 ‡	1
		Right	K750209 ‡	1
		Left	K750194 ‡	1
		Right	K750193 ‡	1
2015-2014	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750210 ‡	1
		Right	K750209 ‡	1
		Left	K750194 ‡	1
		Right	K750193 ‡	1
Wheel Hub & Bearing Assembly				
2018			513335	2
2017-2014	All Wheel Drive Rear Wheel Drive		513335	2
			513334	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2018		Left	K150317	1
		Right	K150293	1
2017	1991cc(2.0L) 1991cc(2.0L)	Left	K150317	1
		Right	K150293	1
2016	1991cc(2.0L) 1991cc(2.0L)	Left	K150293	1
		Right	K150317	1
2014	3696cc(3.7L), All Wheel Drive, Except Electronic Control Power Steering		K150317	2
Tie Rod End				
2018-2016	Except Direct Adaptive Steering, (Design Allows Ease Of Installation)	Inner	EV800602 ‡	2
2018-2014	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) Direct Adaptive Steering	Left Outer	ES800338 ‡	1
		Right Outer	ES800337 ‡	1
		Inner	EV801325 ‡	2
2015-2014	All Wheel Drive, Except Direct Adaptive Steering, (Design Allows Ease Of Installation) Rear Wheel Drive, Except Direct Adaptive Steering	Inner	EV800602 ‡	2
		Inner	EV801071	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2014	Plus Or Minus 1 Degree Camber, (Adjustable, R-Series) Plus Or Minus 1 Degree Setback, (Adjustable, R-Series) Plus Or Minus 3 Degree Toe, (Adjustable, R-Series)	Lower Center	RK100259	2
		Lower Front	RK100260	2
		Lower Rear	RK100261	2
Strut Bumper Bellows				
2015-2014			K201554	2
Sway Bar Bushing				
2018		To Frame	K201508	1

INFINITI-Q50 (Cont.)

REAR SUSPENSION (Cont.)					
Year	Model/Application		Part	P/C Qty	Figure
Sway Bar Bushing					
2017	2.0T, 3.0T, S 3.0t Red Sport, All Wheel Drive 3.0t Red Sport, Rear Wheel Drive	To Frame	K201508	1	
		To Frame	K201508	1	
		To Frame	K201589	1	
2016-2014		To Frame	K201508	1	
Sway Bar Link					
2018-2017		Left	K750775	1	
		Right	K750776	1	
2016	Hybrid Premium, Hybrid S Hybrid Premium, Hybrid S 1991cc(2.0L), 2.0T 1991cc(2.0L), 2.0T	Left	K750775	1	
		Right	K750776	1	
		Left	K750775	1	
		Right	K750776	1	
2015-2014		Left	K750775	1	
		Right	K750776	1	
Wheel Hub & Bearing Assembly					
2018-2014			512379	2	

INFINITI-Q60

FRONT SUSPENSION					
Year	Model/Application		Part	P/C Qty	Figure
Control Arm with Ball Joint					
2018-2017	(R-Series)	Left Upper	RK622206	1	
2015-2014	(R-Series)	Left Upper	RK622206	1	
Strut Bumper Bellows					
2018-2017	Except Vehicle Dynamic Control, (Design Allows Ease Of Installation)		K160285 ‡	2	
2015-2014	All Wheel Drive 2 Dr. Coupe Convertible, Rear Wheel Drive 2 Dr. Sport Coupe, Rear Wheel Drive, 4 Piston Front Calipers 2 Dr. Sport Coupe, Rear Wheel Drive, Single Piston Front Calipers		K201503	2	
			K150274	2	
			K201503	2	
			K150274	2	
Strut Mount					
2018-2017			K160342	2	
2015-2014	2 Dr. Coupe Convertible 2 Dr. Sport Coupe		K160342	2	
			K160343	2	
Strut Spring Seat					
2018-2017	(Insulator Only)	Upper	K160348	2	
2015-2014	2 Dr. Coupe Convertible, (Insulator Only) 2 Dr. Sport Coupe, (Insulator Only)	Upper	K160348	2	
		Upper	K160349	2	
Sway Bar Bushing					
2018-2017	1991cc(2.0L) 2997cc(3.0L), (Split Design For Easier Installation)	To Frame	K201504	1	
		To Frame	K200283 ‡	1	
2015-2014	All Wheel Drive Rear Wheel Drive, (Split Design For Easier Installation)	To Frame	K201504	1	
		To Frame	K200283 ‡	1	
Sway Bar Link					
2017	2.0T, (Powdered Metal Gusher Brg. For Better Lubrication) 2.0T, 3.0T, S 3.0t, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750210 ‡	1	
		Right	K750209 ‡	1	
2015-2014	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750210 ‡	1	
		Right	K750209 ‡	1	
		Left	K750194 ‡	1	
		Right	K750193 ‡	1	
Wheel Hub & Bearing Assembly					
2018	2.0T, Rear Wheel Drive		513334	2	
			513335	2	
2018-2017	3.0T, S 3.0t		513334	2	
2017	2.0T, All Wheel Drive 2.0T, Rear Wheel Drive		513335	2	
			513334	2	
2015-2014	All Wheel Drive Rear Wheel Drive		513335	2	
			513334	2	
STEERING					
Year	Model/Application		Part	P/C Qty	Figure
Rack & Pinion Boot Kit					
2018		Left	K150317	1	
		Right	K150293	1	

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2017	2.0T 2.0T	Left	K150317	1
		Right	K150293	1
2015-2014	All Wheel Drive	Left	K150317	1
	All Wheel Drive	Right	K150293	1
	Rear Wheel Drive		K150282	2
Tie Rod End				
2018-2017	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) Direct Adaptive Steering Except Direct Adaptive Steering, (Design Allows Ease Of Installation)	Left Outer	ES800338 ‡	1
		Right Outer	ES800337 ‡	1
		Inner	EV801325 ‡	2
		Inner	EV800602 ‡	2
2015-2014	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive	Left Outer	ES800338 ‡	1
		Right Outer	ES800337 ‡	1
		Inner	EV801071	2
2014	2 Dr. Sport Coupe, All Wheel Drive, (Design Allows Ease Of Installation)	Inner	EV800602 ‡	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017	Plus Or Minus 1 Degree Camber, (Adjustable, R-Series) Plus Or Minus 1 Degree Setback, (Adjustable, R-Series) Plus Or Minus 3 Degree Toe, (Adjustable, R-Series)	Lower Center	RK100259	2
		Lower Front	RK100260	2
		Lower Rear	RK100261	2
Control Arm with Ball Joint				
2015-2014	2 Dr. Coupe Convertible, (R-Series) 2 Dr. Coupe Convertible, (R-Series)	Left Upper	RK622005	1
		Right Upper	RK622006	1
Strut Bumper Bellows				
2018-2017	Except Vehicle Dynamic Control		K201554	2
2015-2014	2 Dr. Coupe Convertible, (Contains Bumper) 2 Dr. Sport Coupe, (Replacement Type, Contains Bumper)		K90467	2
			K90460	2
Strut Mount				
2018-2017	Except Vehicle Dynamic Control		K160342	2
2015-2014	2 Dr. Coupe Convertible 2 Dr. Sport Coupe		K160347	2
			K160346	2
Strut Spring Seat				
2018-2017	Except Vehicle Dynamic Control, (Insulator Only)	Upper	K160348	2
Sway Bar Bushing				
2018-2017	1991cc(2.0L) 2997cc(3.0L)	To Frame	K201508	1
		To Frame	K201589	1
2015	Base Model, Journey, S, 2 Dr. Coupe Convertible S, S Limited, Sport, 2 Dr. Sport Coupe	To Frame	K201508	1
		To Frame	K201560	1
2015-2014	AWD, Journey, Premium, 2 Dr. Sport Coupe, Except Sport Suspension AWD, Journey, Premium, 2 Dr. Sport Coupe, Sport Suspension IPL (Infiniti Performance Line), (Split Design For Easier Installation)	To Frame	K201589	1
		To Frame	K201560	1
		To Frame	K200746 ‡	1
2014	Base Model, Journey, Premier, Premium, S, Sport, 2 Dr. Coupe Convertible S, Sport, 2 Dr. Sport Coupe	To Frame	K201508	1
		To Frame	K201560	1
Sway Bar Link				
2018-2017		Left	K750775	1
		Right	K750776	1
2015-2014	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750044 ‡	1
		Right	K750047 ‡	1
Wheel Hub & Bearing Assembly				
2018-2017			512379	2
2015-2014			512379	2

Q70-INFINITI

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2018-2014	All Wheel Drive Rear Wheel Drive		K201503	2
			K150274	2
Strut Mount				
2018-2014			K160342	2

INFINITI-Q70 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Strut Spring Seat				
2018-2014		Upper	K160348	2
Sway Bar Link				
2017-2014	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750210 ‡	1
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750209 ‡	1
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750194 ‡	1
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750193 ‡	1
Wheel Hub & Bearing Assembly				
2018	AWD , L		513335	2
	Base Model, S		513334	2
2017-2014	All Wheel Drive		513335	2
	Rear Wheel Drive		513334	2

STEERING

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2018-2014		Left	K150317	1
		Right	K150293	1
Tie Rod End				
2018-2015	AWD , Base Model, L, S, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800338 ‡	1
	AWD , Base Model, L, S, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800337 ‡	1
2018-2014	Rear Wheel Drive	Inner	EV801324 ‡	2
2016-2015	Hybrid, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800337 ‡	1
	Hybrid, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800338 ‡	1
2014	AWD , Base Model, X Sport, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800338 ‡	1
	AWD , Base Model, X Sport, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800337 ‡	1
	Hybrid, From 7/13, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800337 ‡	1
	Hybrid, From 7/13, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800338 ‡	1
	Hybrid, Thru 6/13, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800338 ‡	1
	Hybrid, Thru 6/13, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800337 ‡	1

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2014	Plus Or Minus 1 Degree Setback, (Adjustable, R-Series)	Lower Front	RK100260	2
	Plus Or Minus 3 Degree Toe, (Adjustable, R-Series)	Lower Rear	RK100261	2
	Plus Or Minus 3 Degrees Camber, (Adjustable, R-Series)	Lower Center	RK100259	2
Strut Bumper Bellows				
2018-2014			K201554	2
Sway Bar Bushing				
2018	AWD , Base Model, L, S	To Frame	K201508	1
2017-2014	Except Sport Suspension	To Frame	K201508	1
	Sport Suspension	To Frame	K201589	1
Sway Bar Link				
2018	AWD , Base Model, L, S	Left	K750775	1
	AWD , Base Model, L, S	Right	K750776	1
2017-2014		Left	K750775	1
		Right	K750776	1
Wheel Hub & Bearing Assembly				
2018	AWD , Base Model, L, S		512379	2
2017-2014			512379	2

JAGUAR-F-Type

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2016	Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750433 ‡	2
2015-2014	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750433 ‡	2
Wheel Hub & Bearing Assembly				
2017-2016	Rear Wheel Drive		513410	2
2015-2014			513410	2

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2015-2014	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750339 ‡ K750340 ‡	1 1

S-Type-JAGUAR

FRONT SUSPENSION				
F327				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2008-2003	(R-Series)	Lower Front	RK642022	2 F327
Control Arm with Ball Joint				
2008-2003	(R-Series)	Left Upper	RK622658	1 F327
	(R-Series)	Right Upper	RK622657	1 F327
Strut Mounting Kit				
2008-2003	(Bumper & Bellow Not Included)		K80906	2 F327
Strut Spring Seat				
2008-2003	(Contains Insulator)	Upper	K90410	2 F327
Sway Bar Link				
2008-2003	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750433 ‡	2 F327
Wheel Hub & Bearing Assembly				
2008-2003	(33.74" ABS Cord)		513411	2
	(35.43" ABS Cord)		513371	2

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2008-2003	(R-Series)	Left Upper	RK622866	1
	(R-Series)	Right Upper	RK622865	1
Strut Mounting Kit				
2008-2003	(Bumper & Bellow Not Included)		K80906	2
Strut Spring Seat				
2008-2003	(Contains Insulator)	Upper	K90410	2
Sway Bar Link				
2008-2003	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750339 ‡ K750340 ‡	1 1

XF-JAGUAR

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2015-2013	Rear Wheel Drive, (R-Series)	Left Upper	RK622705	1

JAGUAR-XF (Cont.)

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2015-2013 (Cont.)	Rear Wheel Drive, (R-Series)	Right Upper	RK622704	1
2012-2010	(R-Series) (R-Series)	Left Upper Right Upper	RK622705 RK622704	1 1
2009	(R-Series) (R-Series)	Left Upper Right Upper	RK622658 RK622657	1 1
Strut Mounting Kit				
2015-2009	(Bumper & Bellow Not Included)		K80906	2
Strut Spring Seat				
2015-2009	(Contains Insulator)	Upper	K90410	2
Sway Bar Link				
2015-2013	Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750433 ‡	2
2012-2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750433 ‡	2
Wheel Hub & Bearing Assembly				
2015-2010			513371	2
2009	(33.74" ABS Cord) (35.43" ABS Cord)		513411 513371	2 2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2015-2009	(R-Series) (R-Series)	Left Upper Right Upper	RK622866 RK622865	1 1
Strut Mounting Kit				
2012-2009	(Bumper & Bellow Not Included)		K80906	2
Strut Spring Seat				
2012-2009	(Contains Insulator)	Upper	K90410	2
Sway Bar Link				
2015-2009	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750339 ‡ K750340 ‡	1 1

JAGUAR-XFR-S

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2015-2013	(R-Series) (R-Series)	Left Upper Right Upper	RK622705 RK622704	1 1
Sway Bar Link				
2015-2013	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750433 ‡	2
Wheel Hub & Bearing Assembly				
2015-2013			513410	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2015-2013	(R-Series) (R-Series)	Left Upper Right Upper	RK622866 RK622865	1 1
Sway Bar Link				
2015-2013	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750339 ‡ K750340 ‡	1 1

JAGUAR-XJ

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2016-2013	Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750433 ‡	2
2012-2011	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750433 ‡	2

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2017-2013	Rear Wheel Drive	513371	2	
2012-2010		513371	2	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2016-2015	2995cc(3.0L), (R-Series) 2995cc(3.0L), (R-Series)	Left Upper	RK622866	1
		Right Upper	RK622865	1
2014-2010	(R-Series) (R-Series)	Left Upper	RK622866	1
		Right Upper	RK622865	1
Sway Bar Link				
2015-2011	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750339 ‡	1
		Right	K750340 ‡	1

XJ Sport and Super-JAGUAR

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
XJ Super V8				
Control Arm				
2009-2005	(R-Series)	Lower Front	RK642022	2
Control Arm with Ball Joint				
2009-2005	(R-Series) (R-Series)	Left Upper	RK621665	1
		Right Upper	RK621666	1
Sway Bar Link				
2009-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750433 ‡	2
Wheel Hub & Bearing Assembly				
2009-2005		513327	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
XJ Super V8				
Tie Rod End				
2009-2005		Right Outer	ES801363	1
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
XJ Super V8				
Control Arm with Ball Joint				
2009-2006	(R-Series)	Right Upper	RK622583	1
2009-2005	(R-Series)	Left Upper	RK622584	1
Sway Bar Link				
2009-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750339 ‡	1
		Right	K750340 ‡	1

XJ Vanden Plas-JAGUAR

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2009-2004	(R-Series)	Lower Front	RK642022	2
Control Arm with Ball Joint				
2009-2004	(R-Series) (R-Series)	Left Upper	RK621665	1
		Right Upper	RK621666	1
Sway Bar Link				
2009-2004	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750433 ‡	2
Wheel Hub & Bearing Assembly				
2009-2004		513327	2	

JAGUAR-XJ Vanden Plas (Cont.)

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2009-2004		Right Outer	ES801363	1
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2009-2004	(R-Series)	Left Upper	RK622584	1
	(R-Series)	Right Upper	RK622583	1
Sway Bar Link				
2009-2004	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750339 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750340 ‡	1

JAGUAR-XJ8

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2009-2004	(R-Series)	Lower Front	RK642022	2
Control Arm with Ball Joint				
2009-2004	(R-Series)	Left Upper	RK621665	1
	(R-Series)	Right Upper	RK621666	1
Sway Bar Link				
2009-2004	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750433 ‡	2
Wheel Hub & Bearing Assembly				
2009-2004			513327	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2009-2004		Right Outer	ES801363	1
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2009-2004	(R-Series)	Left Upper	RK622584	1
	(R-Series)	Right Upper	RK622583	1
Sway Bar Link				
2009-2004	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750339 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750340 ‡	1

JAGUAR-XJR

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2009-2004	(R-Series)	Lower Front	RK642022	2
Control Arm with Ball Joint				
2009-2004	(R-Series)	Left Upper	RK621665	1
	(R-Series)	Right Upper	RK621666	1
Sway Bar Link				
2016-2014	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750433 ‡	2
2009-2004	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750433 ‡	2
Wheel Hub & Bearing Assembly				
2017-2014			513371	2
2009-2004			513327	2

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2009-2004		Right Outer	ES801363	1
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2009-2004	(R-Series)	Left Upper	RK622584	1
	(R-Series)	Right Upper	RK622583	1
Sway Bar Link				
2015-2014	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750339 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750340 ‡	1
2009-2004	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750339 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750340 ‡	1

XK-JAGUAR

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2015-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750433 ‡	2
Wheel Hub & Bearing Assembly				
2015-2010			513371	2
2009-2007			513327	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2009-2007		Right Outer	ES801363	1
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2009-2007	(R-Series)	Left Upper	RK622866	1
	(R-Series)	Right Upper	RK622865	1
Sway Bar Link				
2015-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750339 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750340 ‡	1
Wheel Hub & Bearing Assembly				
2009-2007			512540	2

XKR-JAGUAR

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2015-2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750433 ‡	2
Wheel Hub & Bearing Assembly				
2015-2010			513371	2
2014	S-GT		513371	2
			513410	2
2009-2007			513327	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2009-2008		Right Outer	ES801363	1
2007-2003		Outer	ES3244	2


JAGUAR-XKR (Cont.)

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2009-2008	(R-Series) (R-Series)	Left Upper Right Upper	RK622866 RK622865	1 1
Strut Spring Seat				
2007	(Contains Isolators)	Upper	K90409	2
Sway Bar Link				
2015-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750339 ‡ K750340 ‡	1 1
Wheel Hub & Bearing Assembly				
2009-2007			512540	2

JAGUAR-X-Type

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2008-2002	(R-Series) (R-Series)	Left Lower Right Lower	RK621692 RK621691	1 1
Strut Bumper Bellows				
2008-2002	(Replacement Type, Contains Bumper)		K90460	2
Sway Bar Link				
2008-2002	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80486 ‡	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2008-2002		Outer	ES801260	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2008-2002	(R-Series) (R-Series)	Upper Lower Front	RK642703 RK642135	2 2
Strut Spring Seat				
2008-2002	(Contains Insulator)	Upper	K90408	2
Sway Bar Link				
2008-2002	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80860 ‡	2
Wheel Hub & Bearing Assembly				
2008-2002			512306	2


FRONT SUSPENSION



F603

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2009-2007	(Design Allows Ease Of Installation) +/- 1 Degree Camber/Caster, (Adjustable)	Upper Lower Upper	K500072 ‡ K500035 K7452 ‡	2 2 2	F603 F603 F603
Control Arm					
2009-2007	(Arm Only, R-Series) (Arm Only, R-Series)	Left Lower Right Lower	RK641586 RK641587	1 1	F603 F603
Control Arm Bushing					
2007		Lower Front	K201646	2	F603
Control Arm with Ball Joint					
2009-2007	(R-Series) (R-Series)	Left Upper Right Upper	RK621230 RK621229	1 1	F603 F603
Strut Bumper Bellows					
2009-2007	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2	F603
Strut Mount					
2009-2007	(Bearing Not Included, Contains Spring Seat And Upper Washer, Superior Rubber To Steel Bonding For Durability)		K160225 ‡	2	F603
Strut Spring Seat					
2009-2007	(Insulator Only, Reduces Noise)	Upper	K160257 ‡	2	F603
Sway Bar Bushing					
2009-2007	(Split Design For Easier Installation)	To Frame	K200280 ‡	1	F603
Sway Bar Link					
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K80949 ‡	2	F603

STEERING




S323

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2009-2007	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800343 ‡ ES800344 ‡ EV800345 ‡	1 1 2	S323 S323 S323

KIA-Amanti (Cont.)

REAR SUSPENSION



R188

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2009-2007	(R-Series)	Left Front Lower	RK642275	1	R188
	(R-Series)	Right Front Lower	RK642276	1	R188
	(R-Series)	Right Rear Lower	RK642351	1	R188
Control Arm Bushing					
2009-2007	(Design Allows Ease Of Installation)	Upper	K200941 ‡	4	R188
Shock Mount					
2009-2007	(Design Allows Ease Of Installation)		K160224 ‡	2	R188
Strut Bumper Bellows					
2009-2007	(Original Equipment Type)		K201597	2	R188
	(Replacement Type, Contains Bumper)		K90466	2	R188
Sway Bar Bushing					
2009-2007	(Reduces Noise)	To Frame	K200742 ‡	1	R188
Sway Bar Link					
2009-2007	(Link With 2 Studs, Improves Upon OE Design)		K80620 ‡	2	R188
Trailing Link					
2009	(R-Series)	Left	RK642354	1	R188
	(R-Series)	Right	RK642355	1	R188
2008	From 1/23/08, (R-Series)	Left	RK642354	1	R188
	From 1/23/08, (R-Series)	Right	RK642355	1	R188
Wheel Hub & Bearing Assembly					
2009-2007			512341	2	

KIA-Cadenza


FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2016-2014	(Design Allows Ease Of Installation)	Lower	K500231 ‡	2	
Control Arm with Ball Joint					
2016-2014	(R-Series)	Left Lower	RK622362	1	
	(R-Series)	Right Lower	RK622363	1	
Strut Bumper Bellows					
2016-2014			K150274	2	
Sway Bar Link					
2016-2014	(Improves Upon OE Design)		K750658 ‡	2	
Wheel Hub & Bearing Assembly					
2017			513374	2	

STEERING

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2017	Thru 10/19/16	Inner	EV801307	2	

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2016-2014	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800717 ‡ ES800718 ‡ EV800974 ‡	1 1 2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2015-2014	(R-Series)	Upper Rear	RK642829	2
Control Arm Bushing				
2015-2014		At Knuckle, Lower	K201281	2
Control Arm with Ball Joint				
2016-2014	(R-Series)	Upper Front	RK622764	2
Shock Mount				
2016-2014			K160442	2
Strut Bumper Bellows				
2016-2014			K201597	2
Sway Bar Link				
2017	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Right	K750787 ‡ K750788 ‡	1 1
Wheel Hub & Bearing Assembly				
2017			512553	2
2016-2014			512437	2



FRONT SUSPENSION				
				
F552				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2014	(Greaseable Socket Reduces Corrosion/Wear)	Lower	K500305 ‡	2
2013-2010	(Design Allows Ease Of Installation)	Lower	K500074 ‡	2 F552
Control Arm				
2013-2010	(R-Series) (R-Series)	Left Lower Right Lower	RK642256 RK642257	1 1 F552
Control Arm Bushing				
2013-2010	(Horizontal Mount) (Vertically Mounted)	Lower Rear Lower Front	K201358 K201646	2 2 F552
Strut Bumper Bellows				
2017-2014			K150274	2
2013-2010	(Replacement Type, Contains Bumper)		K90460	2 F552
Strut Mount				
2013-2010	(Contains Bearing)		K160372	2 F552

KIA-Forte (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2013-2010	1998cc(2.0L) To Frame	K200904	1	F552
Sway Bar Link				
2018-2014	(Improves Upon OE Design)	K750523 ‡	2	
2013-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750032 ‡	2	F552

STEERING




Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2014	Inner	EV801061	2	
2016-2014	Left Outer	ES801064	1	
	Right Outer	ES801065	1	
2013-2010	Left Outer	ES800229	1	S420, S421
	Right Outer	ES800230	1	S420, S421
	Inner	EV800228 ‡	2	S421
	Inner	EV800773 ‡	2	S420

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2018-2014		512492	2	
2013-2010		512436	2	


FRONT SUSPENSION



F552

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2016-2014	(Greaseable Socket Reduces Corrosion/Wear)	Lower	K500305 ‡	2
2013-2010	(Design Allows Ease Of Installation)	Lower	K500074 ‡	2 F552
Control Arm				
2013-2010	(R-Series) (R-Series)	Left Lower Right Lower	RK642256 RK642257	1 1 F552
Control Arm Bushing				
2013-2010	(Horizontal Mount) (Vertically Mounted)	Lower Rear Lower Front	K201358 K201646	2 2 F552
Strut Bumper Bellows				
2016-2014			K150274	2
2013-2010	(Replacement Type, Contains Bumper)		K90460	2 F552
Strut Mount				
2013-2010	(Contains Bearing)		K160372	2 F552
Sway Bar Bushing				
2013-2010	1998cc(2.0L)	To Frame	K200904	1 F552
Sway Bar Link				
2016-2014	(Improves Upon OE Design)		K750523 ‡	2
2013-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750032 ‡	2 F552


STEERING



S420

KIA-Forte Koup (Cont.)

STEERING (Cont.)



S421


Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2016	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) EX, SX, SX Luxury	Inner	EV800773 ‡	2	
		Left Outer	ES800229	1	
		Right Outer	ES800230	1	
2015-2014		Left Outer	ES801064	1	
		Right Outer	ES801065	1	
		Inner	EV801061	2	
2013-2010	Electronic Control Power Steering, (Design Allows Ease Of Installation) Except Electronic Control Power Steering, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer	ES800229	1	S420, S421
		Right Outer	ES800230	1	S420, S421
		Inner	EV800228 ‡	2	S421
		Inner	EV800773 ‡	2	S420

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2016-2014		512492	2	
2013-2010		512436	2	

KIA-K900

FRONT SUSPENSION



F535

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2017-2015	(Design Allows Ease Of Installation)	Lower	K500238 ‡	2	F535

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2017-2015	(R-Series) (R-Series) (R-Series) (R-Series)	Left Front Upper Left Rear Upper Right Front Upper Right Rear Upper	RK622754 RK622758 RK622755 RK622759	1 1 1 1	F535 F535 F535 F535
Strut Bumper Bellows					
2017-2015	(Original Equipment Type) (Replacement Type, Design Allows Ease Of Installation)		K201554 K160285 ‡	2 2	F535 F535
Wheel Hub & Bearing Assembly					
2016-2015			513377	2	
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2017-2015	(R-Series) (R-Series)	Left Front Upper Right Front Upper	RK641683 RK641684	1 1	
Control Arm with Ball Joint					
2017-2016	(R-Series) (R-Series)	Left Rear Upper Right Rear Upper	RK622330 RK622331	1 1	
2017-2015	(R-Series)	Lower Front	RK621810	2	
Strut Bumper Bellows					
2017-2015			K201554	2	
Sway Bar Link					
2017-2015	(Powdered Metal Gusher Brg. For Better Lubrication)		K750390 ‡	2	
Wheel Hub & Bearing Assembly					
2016-2015			512417	2	

Magentis-KIA


FRONT SUSPENSION					
F291					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2010-2007	(Design Allows Ease Of Installation)	Lower	K500074 ‡	2	F291
Ball Joint Bushing Extractor and Installer					
2007-2006	1-5/8", (Adjustable Ball Joint Adjusting Wrench)		T40268	1	
Strut Bumper Bellows					
2010-2007	(Replacement Type, Contains Bumper)		K90460	2	F291
Strut Mount					
2010-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability) (Contains Bearing, Superior Rubber To Steel Bonding For Durability)	Left Right	K160302 ‡ K160303 ‡	1 1	F291 F291
Strut Spring Seat					
2010-2007	(Insulator Only)	Lower	K160352	2	F291

KIA-Magentis (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2010-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750032 ‡	2	F291


STEERING



S351

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2010-2007	(Design Allows Ease Of Installation)	Left Outer	ES800346 ‡	1	S351
	(Design Allows Ease Of Installation)	Right Outer	ES800347 ‡	1	S351
	(Design Allows Ease Of Installation)	Inner	EV800370 ‡	2	S351

REAR SUSPENSION



R145

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2010-2007	(R-Series)	Lower Rear	RK642116	2	R145
2008-2007	Plus Or Minus 2 Degree Camber/Toe, (Adjustable, R-Series)	Upper	RK100120	2	R145
Control Arm with Ball Joint					
2010-2008	(R-Series)	Lower Front	RK622280	2	R145
2007	Except Coil Spring Over Shock, (R-Series)	Lower Front	RK622280	2	R145
Shock Mount					
2010-2007	(Design Allows Ease Of Installation)		K160224 ‡	2	R145
Strut Bumper Bellows					
2010-2007	(Original Equipment Type)		K201597	2	R145
	(Replacement Type, Contains Bumper)		K90461	2	R145
Sway Bar Link					
2010-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750357 ‡	2	R145	

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2010-2007		512266	2	


Niro-KIA

STEERING


Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2017		Inner EV801078	2	

Optima-KIA

FRONT SUSPENSION




F291



F553

FRONT SUSPENSION (Cont.)



F554

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2015	EX, LX, SX, USA Built, (Design Allows Ease Of Installation)	Lower	K500231 ‡	2 F553
2014	EX, SX, USA Built, (Design Allows Ease Of Installation)	Lower	K500231 ‡	2 F553
	LX, SX-T Gdi, SXL, (Design Allows Ease Of Installation)	Lower	K500231 ‡	2 F553
2013	EX, LX, SX, SXL, (Design Allows Ease Of Installation)	Lower	K500231 ‡	2 F553
2012-2011	EX, LX, SX, (Design Allows Ease Of Installation)	Lower	K500231 ‡	2 F553
2010-2007	(Design Allows Ease Of Installation)	Lower	K500074 ‡	2 F291
Ball Joint Bushing Extractor and Installer				
2007-2006	1-5/8", (Adjustable Ball Joint Adjusting Wrench)		T40268	1
Control Arm				
2010-2007	(R-Series)	Left Lower	RK641574	1 F291
	(R-Series)	Right Lower	RK641575	1 F291
Control Arm Bushing				
2010-2007	(Horizontal Mount)	Lower Rear	K201358	2 F291
	(Vertically Mounted)	Lower Front	K201646	2 F291
Control Arm with Ball Joint				
2016-2013	Hybrid EX, Hybrid LX, (R-Series)	Left Lower	RK622367	1 F554
	Hybrid EX, Hybrid LX, (R-Series)	Right Lower	RK622368	1 F554
2015-2014	EX, USA Built, (R-Series)	Left Lower	RK622825	1 F553
	EX, USA Built, (R-Series)	Right Lower	RK622826	1 F553
	EX, LX, SX, Korean Built, (R-Series)	Left Lower	RK622367	1 F554
	EX, LX, SX, Korean Built, (R-Series)	Right Lower	RK622368	1 F554
	SX-T Gdi, SXL, (R-Series)	Left Lower	RK622825	1 F553
	SX-T Gdi, SXL, (R-Series)	Right Lower	RK622826	1 F553
2013	EX, LX, SX, SXL, USA Built, (R-Series)	Left Lower	RK622362	1 F553
	EX, LX, SX, SXL, USA Built, (R-Series)	Right Lower	RK622363	1 F553
2012	EX, LX, SX, USA Built, (R-Series)	Left Lower	RK622362	1 F553
	EX, LX, SX, USA Built, (R-Series)	Right Lower	RK622363	1 F553
2012-2011	Hybrid, (R-Series)	Left Lower	RK622367	1 F554
	Hybrid, (R-Series)	Right Lower	RK622368	1 F554
2011	EX, LX, SX, From 9/28/10, (R-Series)	Left Lower	RK622362	1 F553
	EX, LX, SX, From 9/28/10, (R-Series)	Right Lower	RK622363	1 F553
	EX, LX, SX, Thru 9/27/10, (R-Series)	Left Lower	RK621592	1 F553
	EX, LX, SX, Thru 9/27/10, (R-Series)	Right Lower	RK621593	1 F553
Strut Bumper Bellows				
2016	Hybrid EX, Hybrid LX		K150274	2 F554
2015-2011			K150274	2 F553, F554
2010-2007	(Replacement Type, Contains Bumper)		K90460	2 F291
Strut Mount				
2010-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	Left	K160302 ‡	1 F291
	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	Right	K160303 ‡	1 F291
Strut Spring Seat				
2010-2007	(Insulator Only)	Lower	K160352	2 F291
Sway Bar Bushing				
2010-2007		To Frame	K200904	1 F291


FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Link					
2016	EX, LX, SX-T Gdi, SXL EX, LX, SX-T Gdi, SXL Hybrid EX, Hybrid LX, (Improves Upon OE Design)	Left	K750792	1	F553
		Right	K750793	1	F553
			K750658 ‡	2	F554
2015-2013	(Improves Upon OE Design)		K750658 ‡	2	F553, F554
2012	From 12/11, USA Built, (Improves Upon OE Design) From 12/23/11, Korean Built, (Improves Upon OE Design) Thru 11/11, USA Built, (Improves Upon OE Design) Thru 11/11, USA Built, (Improves Upon OE Design) Thru 12/22/11, Korean Built, (Improves Upon OE Design) Thru 12/22/11, Korean Built, (Improves Upon OE Design)		K750658 ‡	2	F553, F554
			K750658 ‡	2	F553, F554
		Left	K750611 ‡	1	F553, F554
		Right	K750610 ‡	1	F553, F554
		Left	K750611 ‡	1	F553, F554
		Right	K750610 ‡	1	F553, F554
2011	(Improves Upon OE Design) (Improves Upon OE Design)	Left	K750611 ‡	1	F553, F554
		Right	K750610 ‡	1	F553, F554
2010-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750032 ‡	2	F291
Wheel Hub & Bearing Assembly					
2016	EX, LX, SX-T Gdi, SXL		513374	2	
STEERING					
S329					
S351					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2016	Gasoline Gasoline Gasoline/Electric, (Greaseable Socket Reduces Corrosion/Wear) Gasoline/Electric, (Greaseable Socket Reduces Corrosion/Wear) Gasoline/Electric, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer	ES801229 ‡	1	
		Right Outer	ES801230 ‡	1	
		Left Outer	ES800717 ‡	1	S329
		Right Outer	ES800718 ‡	1	S329
		Inner	EV800695 ‡	2	S329
2015-2014	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear) 1998cc(2.0L), (Design Allows Ease Of Installation) 2359cc(2.4L), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer	ES800717 ‡	1	S329
		Right Outer	ES800718 ‡	1	S329
		Inner	EV800974 ‡	2	S329
		Inner	EV800695 ‡	2	S329
2013	EX, LX, SX, SXL, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800717 ‡	1	S329

KIA-Optima (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2013 (Cont.)	EX, LX, SX, SXL, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800718 ‡	1	S329
	EX, LX, SX, SXL, (Design Allows Ease Of Installation)	Inner	EV800974 ‡	2	S329
	Hybrid EX, Hybrid LX, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800695 ‡	2	S329
2012-2011	EX, LX, SX, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800717 ‡	1	S329
	EX, LX, SX, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800718 ‡	1	S329
	EX, LX, SX, (Design Allows Ease Of Installation)	Inner	EV800974 ‡	2	S329
	Hybrid, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800695 ‡	2	S329
2010-2007	(Design Allows Ease Of Installation)	Left Outer	ES800346 ‡	1	S351
	(Design Allows Ease Of Installation)	Right Outer	ES800347 ‡	1	S351
	(Design Allows Ease Of Installation)	Inner	EV800370 ‡	2	S351

REAR SUSPENSION



R145

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2016	Hybrid EX, Hybrid LX, (R-Series)	Upper Rear	RK642829	2	
2016-2014	Hybrid EX, Hybrid LX, (R-Series)	Left Rear Lower	RK642340	1	
		Right Rear Lower	RK642341	1	
2015	EX, Hybrid EX, Hybrid LX, LX, SX, SX-T Gdi, SXL, (R-Series)	Upper Rear	RK642829	2	
		Lower Rear	RK642829	2	
		Left Rear Lower	RK642340	1	
		Right Rear Lower	RK642341	1	
2014	EX, SX, Korean Built, (R-Series)	Left Rear Lower	RK642340	1	
		Right Rear Lower	RK642341	1	
		Upper Rear	RK642829	2	
2013	EX, LX, SX, SXL, Korean Built, (R-Series)	Upper Rear	RK643024	2	
		Upper Rear	RK642829	2	
		Upper Rear	RK642829	2	
2013-2012	2359cc(2.4L), (R-Series)	Left Rear Lower	RK642340	1	
		Right Rear Lower	RK642341	1	
2012	EX, LX, SX, Korean Built, (R-Series)	Upper Rear	RK643024	2	
		Upper Rear	RK642829	2	
2011	(R-Series)	Upper Rear	RK643024	2	
2010-2007	(R-Series)	Upper	RK641862	2	R145
		Lower Rear	RK642116	2	R145
2008-2007	Plus Or Minus 2 Degree Camber/Toe, (Adjustable, R-Series)	Upper	RK100120	2	R145
Control Arm Bushing					
2015-2014	EX, LX, SX, SX-T Gdi, SXL	At Knuckle, Lower	K201281	2	
2013	EX, LX, SX, SXL	At Knuckle, Lower	K201281	2	
2012-2011	EX, LX, SX	At Knuckle, Lower	K201281	2	
2010-2007		At Knuckle, Lower	K201281	2	R145
Control Arm with Ball Joint					
2016-2014	(R-Series)	Upper Front	RK622764	2	
2013-2012	1998cc(2.0L), (Lateral Link, R-Series)	Upper Front	RK622793	2	
		Upper Front	RK622764	2	
2011	EX, LX, SX, (Lateral Link, R-Series)	Upper Front	RK622793	2	

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2011 (Cont.)	Hybrid, (Lateral Link, R-Series)	Upper Front	RK622764	2	
2010-2008	(R-Series)	Lower Front	RK622280	2	R145
2007	Except Coil Spring Over Shock, (R-Series)	Lower Front	RK622280	2	R145
Shock Mount					
2018	EX, LX, S, SX-T Gdi, SXL		K160442	2	
2017	EX, LX, SX-T Gdi, SXL		K160442	2	
2016-2011			K160442	2	
2010-2007	(Design Allows Ease Of Installation)		K160224 ‡	2	R145
Strut Bumper Bellows					
2018	EX, LX, S, SX-T Gdi, SXL		K201597	2	
2017	EX, LX, SX-T Gdi, SXL		K201597	2	
2016-2011			K201597	2	
2010-2007	(Original Equipment Type) (Replacement Type, Contains Bumper)		K201597 K90461	2 2	R145 R145
Sway Bar Bushing					
2010-2007	Except Sport Suspension, (Reduces Noise) Sport Suspension, (Reduces Noise)	To Frame To Frame	K200740 ‡ K200741 ‡	1 1	R145 R145
Sway Bar Link					
2016	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Right	K750787 ‡ K750788 ‡	1 1	
2015-2014	EX, SX, SX-T Gdi, SXL, USA Built, (Improves Upon OE Design)		K750603 ‡	2	
2013	1998cc(2.0L), USA Built, (Improves Upon OE Design)		K750603 ‡	2	
2012-2011	(Improves Upon OE Design)		K750603 ‡	2	
2010-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750357 ‡	2	R145
Trailing Link					
2010-2007	(R-Series) (R-Series)	Left Right	RK642285 RK642286	1 1	R145 R145
Wheel Hub & Bearing Assembly					
2017-2016			512553	2	
2015-2011			512437	2	
2010-2007	4 Wheel ABS		512265	2	
2008-2007	Non ABS		512266	2	


FRONT SUSPENSION					
<p>The diagram illustrates the front suspension assembly with the following labeled components: MacPherson Strut Mount, Coil Spring, MacPherson Strut, Sway Bar Link, Control Arm (Lower Front and Lower Rear), Hub & Bearing, Ball Joint (Lower), Sway Bar Bushing (To Frame), Coil Spring Seat (Lower), MacPherson Strut Bumper & Below, Control Arm Bushing (Lower Rear), and Control Arm Bushing (Lower Front).</p>					
F312					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2016-2012	(Design Allows Ease Of Installation)	Lower	K500229 ‡	2	
2011-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Lower	K500015 ‡	2	F312

KIA-Rio (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2011-2006	(R-Series) (R-Series)	Left Lower Right Lower	RK640404 RK640403	1 1 F312
Control Arm with Ball Joint				
2016-2012	(R-Series) (R-Series)	Left Lower Right Lower	RK621981 RK621982	1 1
Strut Bumper Bellows				
2017-2012	(Original Equipment Type) (Replacement Type, Contains Bumper)		K150274 K90460	2 2
2011-2006	(Contains Bumper)		K90461	2 F312
Strut Mount				
2017-2012	(Contains Bearing, Contains Upper Retainer)		K160416	2
2011-2008	LX, SX, (Contains Bearing)		K160300	2 F312
Sway Bar Bushing				
2011-2006		To Frame	K200903	1 F312
Sway Bar Link				
2016-2012	(Improves Upon OE Design)		K750523 ‡	2
2011-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K80858 ‡ K80859 ‡	1 1 F312 F312

STEERING



S419


Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2011-2006			K150282	2 S419
Tie Rod End				
2017-2013		Left Outer Right Outer	ES801130 ES801131	1 1
2016-2012	(Design Allows Ease Of Installation)	Inner	EV800902 ‡	2
2012	From 7/8/11 From 7/8/11	Left Outer Right Outer	ES801130 ES801131	1 1
2011-2006	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) Manual Steering, (Design Allows Ease Of Installation) Power Steering, (Design Allows Ease Of Installation) Power Steering, (Design Allows Ease Of Installation)	Left Outer Right Outer Inner Left Inner Right Inner	ES800350 ‡ ES800349 ‡ EV800348 ‡ EV800351 ‡ EV800352 ‡	1 1 2 1 1 S419 S419 S419 S419 S419

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2011-2006	(Contains Washer, Superior Rubber To Steel Bonding For Durability)		K160301 ‡	2
Strut Bumper Bellows				
2011-2006	(Replacement Type, Contains Bumper)		K90466	2
Wheel Hub & Bearing Assembly				
2016-2012	4 Dr. Sedan		512483	2

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2011-2006	4 Wheel ABS Non ABS	512324 512325	2 2	


Rio 5-KIA**FRONT SUSPENSION**

F312

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2016-2014	(Design Allows Ease Of Installation)	Lower	K500229 ‡	2
2011-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Lower	K500015 ‡	2 F312
Control Arm				
2011-2006	(R-Series)	Left Lower	RK640404	1 F312
	(R-Series)	Right Lower	RK640403	1 F312
Control Arm with Ball Joint				
2016-2012	(R-Series)	Left Lower	RK621981	1
	(R-Series)	Right Lower	RK621982	1
Strut Bumper Bellows				
2017-2012	(Original Equipment Type)		K150274	2
	(Replacement Type, Contains Bumper)		K90460	2
2011-2006	(Contains Bumper)		K90461	2 F312
Strut Mount				
2017-2012	(Contains Bearing, Contains Upper Retainer)		K160416	2
2011-2008	LX, SX, (Contains Bearing)		K160300	2 F312
Sway Bar Bushing				
2011		To Frame	K200904	1 F312
2010-2006		To Frame	K200903	1 F312
Sway Bar Link				
2016-2012	(Improves Upon OE Design)		K750523 ‡	2
2011-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80858 ‡	1 F312
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K80859 ‡	1 F312

KIA-Rio 5 (Cont.)


STEERING



S419

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2011-2006		K150282	2	S419	
Tie Rod End					
2017-2013		Left Outer Right Outer	ES801130 ES801131	1 1	
2016-2012	(Design Allows Ease Of Installation)	Inner	EV800902 ‡	2	
2012	From 7/8/11 From 7/8/11	Left Outer Right Outer	ES801130 ES801131	1 1	
2011-2006	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Left Inner Right Inner	ES800350 ‡ ES800349 ‡ EV800351 ‡ EV800352 ‡	1 1 1 1	S419 S419 S419 S419
REAR SUSPENSION					
Shock Mount					
2011-2006	(Contains Washer, Superior Rubber To Steel Bonding For Durability)		K160301 ‡	2	
Strut Bumper Bellows					
2011-2006	(Replacement Type, Contains Bumper)		K90466	2	
Wheel Hub & Bearing Assembly					
2016-2012			512483	2	
2011-2010			512324	2	
2009-2006	4 Wheel ABS Non ABS		512324 512325	2 2	


FRONT SUSPENSION



F551

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2014		Lower	K500323	2
2013-2010	(Design Allows Ease Of Installation)	Lower	K500229 ‡	2 F551
Control Arm Bushing				
2013-2010		Lower Front	K201646	2 F551
Control Arm with Ball Joint				
2013-2010	Automatic Transaxle, (R-Series)	Left Lower	RK642260	1 F551
	Automatic Transaxle, (R-Series)	Right Lower	RK642261	1 F551
	Manual Transaxle, (R-Series)	Left Lower	RK622262	1 F551
	Manual Transaxle, (R-Series)	Right Lower	RK622263	1 F551
Strut Bumper Bellows				
2015-2014			K150274	2
Strut Mount				
2013-2010	(Contains Bearing And Retainers)		K160338	2 F551
Sway Bar Bushing				
2013-2012		To Frame	K201380	1 F551
2011	1599cc(1.6L), Except Sport Suspension	To Frame	K201380	1 F551
2011-2010	Sport Suspension	To Frame	K200904	1 F551
2010	Except Sport Suspension	To Frame	K201380	1 F551
Sway Bar Link				
2018-2014	(Improves Upon OE Design)		K750523 ‡	2
2013-2010	(Improves Upon OE Design)	Left	K750597 ‡	1 F551
	(Improves Upon OE Design)	Right	K750598 ‡	1 F551

STEERING




S327


KIA-Soul (Cont.)

STEERING (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2018-2014		Left Outer Right Outer Inner	ES801074 ES801075 EV801078	1 1 2	
2013-2012	(Design Allows Ease Of Installation)	Inner	EV800892 ‡	2	S327
2013-2010		Left Outer Right Outer	ES801190 ES801189	1 1	S327 S327
2011-2010	(Design Allows Ease Of Installation)	Inner	EV800843 ‡	2	S327
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Wheel Hub & Bearing Assembly					
2018-2014			512495	2	
2013-2011			512434	2	
2010	4 Wheel ABS Non ABS		512434 512435	2 2	

KIA-Spectra

FRONT SUSPENSION					
					
F577					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2009-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500031 ‡	2	F577
Control Arm Bushing					
2009-2005	(High Quality Elastomer For Durability And Performance)	Lower Front	K200692 ‡	2	F577
Control Arm with Ball Joint					
2009-2005	(R-Series) (R-Series)	Left Lower Right Lower	RK620520 RK620519	1 1	F577 F577
Strut Bumper Bellows					
2009-2005	(Replacement Type, Contains Bumper)		K90460	2	F577
Strut Mount					
2009-2005	(Contains Bearing)		K9794	2	F577
Strut Spring Seat					
2009-2005	(Contains Spring Seat And Insulator) (Reduces Noise)	Upper Lower	K160351 K160249 ‡	2 2	F577 F577
Sway Bar Bushing					
2009-2005	(Split Design For Easier Installation)	To Frame	K200739 ‡	1	F577
Sway Bar Link					
2009-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K80512 ‡ K80513 ‡	1 1	F577 F577


STEERING



S299

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2009-2005	(Design Allows Ease Of Installation)	K100181 ‡	2	S299
Tie Rod End				
2009-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer ES3377 ‡	2	S299
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner EV80310 ‡	2	S299
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2009-2007	(Lateral Link, R-Series)	Lower Rear RK642278	2	
Strut Bumper Bellows				
2009-2004	(Design Allows Ease Of Installation)	K160285 ‡	2	
Strut Mount				
2009-2005		Left K6491	1	
		Right K6510	1	
Strut Spring Seat				
2009-2005	(Insulator Only)	Lower K160353	2	
Sway Bar Bushing				
2009-2005		To Frame K201501	1	
Sway Bar Link				
2009-2005		K750017	2	
Trailing Link				
2009-2007	Front Disc, Rear Disc, (R-Series)	Right RK642555	1	
Wheel Hub & Bearing Assembly				
2009-2005	4 Wheel ABS	512195	2	
	Non ABS	512194	2	

FRONT SUSPENSION




F577

KIA-Spectra 5 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500031 ‡	2 F577
Control Arm Bushing				
2009-2007	(High Quality Elastomer For Durability And Performance)	Lower Front	K200692 ‡	2 F577
Control Arm with Ball Joint				
2009-2006	(R-Series)	Left Lower	RK620520	1 F577
2009-2005	(R-Series)	Right Lower	RK620519	1 F577
Strut Bumper Bellows				
2009-2005	(Replacement Type, Contains Bumper)		K90460	2 F577
Strut Mount				
2009-2005	(Contains Bearing)		K9794	2 F577
Strut Spring Seat				
2009-2005	(Contains Spring Seat And Insulator) (Reduces Noise)	Upper Lower	K160351 K160249 ‡	2 2 F577
Sway Bar Link				
2009-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K80512 ‡ K80513 ‡	1 1 F577

STEERING



S299


Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2009-2005	(Design Allows Ease Of Installation)		K100181 ‡	2 S299
Tie Rod End				
2009-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer	ES3377 ‡	2 S299
2009-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80310 ‡	2 S299

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2009-2007	(Lateral Link, R-Series) (R-Series)	Lower Rear Lower Rear	RK642278 RK642564	2 2
Strut Bumper Bellows				
2009-2005	(Design Allows Ease Of Installation)		K160285 ‡	2
Strut Mount				
2009-2005		Left Right	K6491 K6510	1 1
Strut Spring Seat				
2009-2005	(Insulator Only)	Lower	K160353	2
Sway Bar Bushing				
2009-2005		To Frame	K201403	1
Sway Bar Link				
2009-2006			K750017	2
Trailing Link				
2009-2007	Front Disc, Rear Disc, (R-Series)	Right	RK642555	1
Wheel Hub & Bearing Assembly				
2009-2006	4 Wheel ABS		512195	2

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2009-2006 (Cont.)	Non ABS	512194	2	


CT 200h-LEXUS**FRONT SUSPENSION**

F421

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2011	(Design Allows Ease Of Installation)	Lower	K500207 ‡	2 F421
Control Arm Bushing				
2017-2011		Lower Rear	K201648	2 F421
Control Arm with Ball Joint				
2017-2011	(R-Series)	Left Lower	RK622203	1 F421
	(R-Series)	Right Lower	RK622202	1 F421
Strut Bumper Bellows				
2017-2011	(Original Equipment Type)		K201415	2 F421
	(Replacement Type, Contains Bumper)		K90464	2 F421
Strut Mount				
2017-2011	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160265 ‡	2 F421
Sway Bar Bushing				
2017-2011		To Frame	K201559	1 F421
Sway Bar Link				
2017-2011	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750043 ‡	2 F421
Wheel Hub & Bearing Assembly				
2017-2011			513287	2

LEXUS-CT 200h (Cont.)

STEERING



S185


Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2011	(Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800842 ‡	1 S185
	(Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800841 ‡	1 S185

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2011	Plus Or Minus 2 Degree Camber, (Adjustable, R-Series)	Upper	RK100358	2
Shock Mount				
2017-2011			K201681	2
Sway Bar Bushing				
2017-2014	F Sport	To Frame	K201561	1
2013-2011		To Frame	K201561	1
Sway Bar Link				
2017-2011	(Improves Upon OE Design)		K750522 ‡	2
Wheel Hub & Bearing Assembly				
2017-2011			512547	2

LEXUS-ES Series

FRONT SUSPENSION




F034

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
ES250					
Control Arm with Ball Joint					
2014-2013	(R-Series) (R-Series)	Left Lower Right Lower	RK621477 RK621476	1 1	F034 F034
Sway Bar Link					
2014-2013	(Powdered Metal Gusher Brg. For Better Lubrication)		K750123 ‡	2	F034
ES300h					
Ball Joint					
2018-2013	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Lower Right Lower	K500044 ‡ K500043 ‡	1 1	F034 F034
Control Arm with Ball Joint					
2018-2013	(R-Series) (R-Series)	Left Lower Right Lower	RK621477 RK621476	1 1	F034 F034
Strut Bumper Bellows					
2017-2013	(Contains Bumper)		K90461	2	F034
Strut Mount					
2017-2013	(Contains Bearing)		K160434	2	F034
Sway Bar Bushing					
2018-2013	(Split Design For Easier Installation)	To Frame	K200616 ‡	1	F034
Sway Bar Link					
2018-2013	(Powdered Metal Gusher Brg. For Better Lubrication)		K750123 ‡	2	F034
ES350					
Ball Joint					
2018-2007	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Lower Right Lower	K500044 ‡ K500043 ‡	1 1	F034 F034
Control Arm					
2012-2007	(R-Series) (R-Series)	Left Lower Right Lower	RK642726 RK642725	1 1	F034 F034
Control Arm with Ball Joint					
2018-2017	(R-Series) (R-Series)	Left Lower Right Lower	RK621477 RK621476	1 1	F034 F034
2015-2013	(R-Series) (R-Series)	Left Lower Right Lower	RK621477 RK621476	1 1	F034 F034
Strut and Spring Assembly					
2009	Thru 6/09 Thru 6/09	Left Right	ST8624L ST8624R	1 1	F034 F034
2008-2007		Left Right	ST8624L ST8624R	1 1	F034 F034
Strut Bumper Bellows					
2017-2007	(Contains Bumper)		K90461	2	F034
Strut Mount					
2017-2013	(Contains Bearing)		K160434	2	F034
2012-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160263 ‡	2	F034
Strut Spring Seat					
2012-2007	(Contains Insulator) (Reduces Noise)	Upper Lower	K160014 K160251 ‡	2 2	F034 F034
Sway Bar Bushing					
2018-2007	(Split Design For Easier Installation)	To Frame	K200616 ‡	1	F034
Sway Bar Link					
2018-2013	(Powdered Metal Gusher Brg. For Better Lubrication)		K750123 ‡	2	F034
2012-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K750416 ‡ K750417 ‡	1 1	F034 F034
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K750170 ‡	2	F034

LEXUS-ES Series (Cont.)


STEERING



S035

Year	Model/Application	Part	P/C Qty	Figure
ES250				
Tie Rod End				
2014-2013		Left Outer Right Outer	ES801112 ES801113	1 1
ES300h				
Tie Rod End				
2018-2013		Left Outer Right Outer	ES801112 ES801113	1 1
ES350				
Tie Rod End				
2018-2013		Left Outer Right Outer	ES801112 ES801113	1 1
2012-2007	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer Right Outer Inner	ES80603 ‡ ES80602 ‡ EV800085 ‡	1 1 2


REAR SUSPENSION



R024


Year	Model/Application	Part	P/C Qty	Figure
ES250				
Sway Bar Link				
2014-2013	(Powdered Metal Gusher Brg. For Better Lubrication)	K90345 ‡	2	
Wheel Hub & Bearing Assembly				
2014		Left Right	512542 512541	1 1

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
ES300h					
Sway Bar Link					
2018-2013	(Powdered Metal Gusher Brg. For Better Lubrication)	K90345 ‡	2		
Wheel Hub & Bearing Assembly					
2018-2013		Left 512542 Right 512541	1 1		
ES350					
Control Arm					
2016	(R-Series) (R-Series)	Lower Front RK642840 Left Rear Lower RK643058	2 1		
2012-2007	(Adjustable, R-Series) (Adjustable, R-Series)	Left Rear Lower RK642299 Right Rear Lower RK642306	1 1	R024 R024	
Strut Bumper Bellows					
2012-2007	(Replacement Type, Contains Bumper)	K90460	2	R024	
Sway Bar Bushing					
2012-2007	(Reduces Noise)	To Frame K200751 ‡	1	R024	
Sway Bar Link					
2018-2013	(Powdered Metal Gusher Brg. For Better Lubrication)	K90345 ‡	2		
2012-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	K750011 ‡	2	R024	
Trailing Link					
2012-2007	(R-Series)	RK641472	2	R024	
Wheel Hub & Bearing Assembly					
2018-2013		Left 512542 Right 512541	1 1		
2012-2007		Left 512206 Right 512207	1 1		



LEXUS-GS Series (Cont.)

FRONT SUSPENSION (Cont.)



F297

Year	Model/Application	Part	P/C Qty	Figure
GS200t				
Sway Bar Link				
2017-2016	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Right	K750686 ‡ K750687 ‡	1 1
GS250				
Sway Bar Link				
2013	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Right	K750686 ‡ K750687 ‡	1 1
GS300				
Sway Bar Link				
2018	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Right	K750686 ‡ K750687 ‡	1 1
GS350				
Ball Joint				
2018-2013	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500126 ‡	2
2011-2007	Plus Or Minus 1.5 Degree Camber, (Adjustable)	Upper	K500240	1
	All Wheel Drive, (Design Allows Ease Of Installation)	Upper	K500114 ‡	2
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500126 ‡	2
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	K500124 ‡	1
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	K500123 ‡	1
Control Arm				
2011-2007	Rear Wheel Drive, (R-Series)	Left Lower	RK642162	1
	Rear Wheel Drive, (R-Series)	Right Lower	RK641920	1
Control Arm with Ball Joint				
2011-2007	Rear Wheel Drive, (R-Series)	Left Upper	RK621467	1
	Rear Wheel Drive, (R-Series)	Right Upper	RK621466	1
Shock Mount				
2014-2013	All Wheel Drive, Except Adaptive Variable Suspension, (Contains Bellow, Contains Bumper, Contains Upper Spring Seat)		K160364	2
	Rear Wheel Drive, (Contains Bellow, Contains Bumper, Contains Upper Spring Seat)		K160364	2
2011-2007	All Wheel Drive, (Contains Bellow, Contains Spring Seat, Contains Bumper)		K160364	2
Sway Bar Bushing				
2011-2007	(Split Design For Easier Installation)	To Frame	K200621 ‡	1
Sway Bar Link				
2018-2013	All Wheel Drive	Left	K750055	1
	All Wheel Drive	Right	K750056	1
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Left	K750686 ‡	1
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Right	K750687 ‡	1
2011-2007	All Wheel Drive	Left	K750055	1
	All Wheel Drive	Right	K750056	1
	Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750104 ‡	1
	Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750109 ‡	1


FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
GS350					
Wheel Hub & Bearing Assembly					
2018-2017	Base Model, F Sport Base Model, F Sport	Left	513365	1	
		Right	513366	1	
2016-2013	All Wheel Drive All Wheel Drive	Left	513365	1	
		Right	513366	1	
2015-2013	Rear Wheel Drive		513370	2	
2011-2007	All Wheel Drive All Wheel Drive Rear Wheel Drive Rear Wheel Drive	Left	513365	1	
		Right	513366	1	
		Left	513284	1	
		Right	513285	1	
GS430					
Ball Joint					
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Plus Or Minus 1.5 Degree Camber, (Adjustable)	Left Lower	K500124 ‡	1	F295
		Right Lower	K500123 ‡	1	F295
		Upper	K500240	1	F295
Control Arm					
2007-2006	(R-Series) (R-Series)	Left Lower	RK642162	1	F295
		Right Lower	RK641920	1	F295
Control Arm with Ball Joint					
2007-2006	(R-Series) (R-Series)	Left Upper	RK621467	1	F295
		Right Upper	RK621466	1	F295
Sway Bar Bushing					
2007-2006	(Split Design For Easier Installation)	To Frame	K200621 ‡	1	F295
Sway Bar Link					
2007-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750104 ‡	1	F295
		Right	K750109 ‡	1	F295
Wheel Hub & Bearing Assembly					
2007-2006		Left	513284	1	
		Right	513285	1	
GS450h					
Ball Joint					
2011-2007	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Plus Or Minus 1.5 Degree Camber, (Adjustable)	Left Lower	K500124 ‡	1	F295
		Right Lower	K500123 ‡	1	F295
		Upper	K500240	1	F295
Control Arm					
2011-2007	(R-Series) (R-Series)	Left Lower	RK642162	1	F295
		Right Lower	RK641920	1	F295
Control Arm with Ball Joint					
2011-2007	(R-Series) (R-Series)	Left Upper	RK621467	1	F295
		Right Upper	RK621466	1	F295
Shock Mount					
2014-2013	(Contains Bellow, Contains Spring Seat, Contains Bumper)		K160364	2	
Sway Bar Bushing					
2011-2007	(Split Design For Easier Installation)	To Frame	K200621 ‡	1	F295
Sway Bar Link					
2017		Right	K750056	1	
2017-2014	(Design Allows Ease Of Installation)	Left	K750686 ‡	1	
2016-2014	(Design Allows Ease Of Installation)	Right	K750687 ‡	1	
2013		Left	K750055	1	
		Right	K750056	1	
2011-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750104 ‡	1	F295
		Right	K750109 ‡	1	F295
Wheel Hub & Bearing Assembly					
2015	To 4/15		513370	2	
2014-2013			513370	2	
2011-2007		Left	513284	1	
		Right	513285	1	

LEXUS-GS Series (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
GS460				
Ball Joint				
2011-2008	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	K500124 ‡	1 F295
	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	K500123 ‡	1 F295
	Plus Or Minus 1.5 Degree Camber, (Adjustable)	Upper	K500240	1 F295
Control Arm				
2011-2008	(R-Series)	Left Lower	RK642162	1 F295
	(R-Series)	Right Lower	RK641920	1 F295
Control Arm with Ball Joint				
2011-2008	(R-Series)	Left Upper	RK621467	1 F295
	(R-Series)	Right Upper	RK621466	1 F295
Sway Bar Bushing				
2011-2008	(Split Design For Easier Installation)	To Frame	K200621 ‡	1 F295
Sway Bar Link				
2011-2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750104 ‡	1 F295
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750109 ‡	1 F295
Wheel Hub & Bearing Assembly				
2011-2008		Left	513284	1
		Right	513285	1
GS-F				
Ball Joint				
2019-2016	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500126 ‡	2
Sway Bar Link				
2019-2016	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750418 ‡	1
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750419 ‡	1

STEERING



S105


Year	Model/Application	Part	P/C Qty	Figure
GS350				
Tie Rod End				
2018	Base Model, F Sport, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800406 ‡	1
	Base Model, F Sport, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800405 ‡	1
2017-2013	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800406 ‡	1 S105
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800405 ‡	1 S105
2011-2007	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800406 ‡	1 S105
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800405 ‡	1 S105
	All Wheel Drive	Inner	EV800243	2 S105
	Rear Wheel Drive, (Includes Wrench Flats For Easier Service)	Left Outer	ES800213 ‡	1 S105
	Rear Wheel Drive, (Includes Wrench Flats For Easier Service)	Right Outer	ES800212 ‡	1 S105
	Rear Wheel Drive	Inner	EV800244	2 S105

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
GS430				
Tie Rod End				
2007-2006	(Includes Wrench Flats For Easier Service) (Includes Wrench Flats For Easier Service)	Left Outer Right Outer Inner	ES800213 ‡ ES800212 ‡ EV800244	1 1 2 S105 S105 S105
GS450h				
Tie Rod End				
2011-2007	(Includes Wrench Flats For Easier Service) (Includes Wrench Flats For Easier Service)	Left Outer Right Outer Inner	ES800213 ‡ ES800212 ‡ EV800244	1 1 2 S105 S105 S105
GS460				
Tie Rod End				
2011-2008	(Includes Wrench Flats For Easier Service) (Includes Wrench Flats For Easier Service)	Left Outer Right Outer Inner	ES800213 ‡ ES800212 ‡ EV800244	1 1 2 S105 S105 S105
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
GS200t				
Sway Bar Link				
2017-2016	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Right	K750786 ‡ K750785 ‡	1 1
Wheel Hub & Bearing Assembly				
2017-2016			512546	2
GS250				
Sway Bar Link				
2013	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Right	K750786 ‡ K750785 ‡	1 1
GS300				
Sway Bar Link				
2018	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Right	K750786 ‡ K750785 ‡	1 1
Wheel Hub & Bearing Assembly				
2018			512546	2
GS350				
Control Arm				
2016-2013	Plus Or Minus 3 Degrees Camber, (Adjustable, R-Series)	Upper Rear	RK100208	2
2011-2007	(R-Series) (R-Series)	Upper Front Lower Front	RK641830 RK641828	2 2
Control Arm with Ball Joint				
2011-2007	(R-Series) (R-Series) (R-Series) Plus Or Minus 1.5 Degree Camber, (Adjustable, R-Series)	Upper Rear Left Lower Center Right Lower Center Upper Rear	RK621829 RK621698 RK621697 RK100138	2 1 1 2
Strut Mounting Kit				
2011-2007	(Superior Rubber To Steel Bonding For Durability)		K160089 ‡	2
Sway Bar Link				
2018-2013	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Right	K750786 ‡ K750785 ‡	1 1
2011-2007	(Improves Upon OE Design)		K750288 ‡	2
Wheel Hub & Bearing Assembly				
2018-2013			512546	2
2011-2007			512337	2
GS430				
Control Arm				
2007-2006	(R-Series) (R-Series)	Upper Front Lower Front	RK641830 RK641828	2 2
Control Arm with Ball Joint				
2007-2006	(R-Series) (R-Series) (R-Series)	Upper Rear Left Lower Center Right Lower Center	RK621829 RK621698 RK621697	2 1 1

LEXUS-GS Series (Cont.)

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
GS430				
Strut Mounting Kit				
2007-2001	(Superior Rubber To Steel Bonding For Durability)	K160089 ‡	2	
Sway Bar Link				
2007-2006	(Improves Upon OE Design)	K750288 ‡	2	
Wheel Hub & Bearing Assembly				
2007-2006		512337	2	
GS450h				
Control Arm				
2011-2007	(R-Series)	Upper Front	RK641830	2
	(R-Series)	Lower Front	RK641828	2
Control Arm with Ball Joint				
2011-2007	(R-Series)	Upper Rear	RK621829	2
	(R-Series)	Left Lower Center	RK621698	1
	(R-Series)	Right Lower Center	RK621697	1
Strut Mounting Kit				
2011-2007	(Superior Rubber To Steel Bonding For Durability)	K160089 ‡	2	
Sway Bar Link				
2017-2013	(Greaseable Socket Reduces Corrosion/Wear)	Left	K750786 ‡	1
	(Greaseable Socket Reduces Corrosion/Wear)	Right	K750785 ‡	1
2011-2007	(Improves Upon OE Design)		K750288 ‡	2
Wheel Hub & Bearing Assembly				
2017-2013			512546	2
2011-2007			512337	2
GS460				
Control Arm				
2011-2008	(R-Series)	Upper Front	RK641830	2
	(R-Series)	Lower Front	RK641828	2
Control Arm with Ball Joint				
2011-2008	(R-Series)	Upper Rear	RK621829	2
Strut Mounting Kit				
2010-2008	(Superior Rubber To Steel Bonding For Durability)	K160089 ‡	2	
Sway Bar Bushing				
2011-2008	Active Sway Bar, (Reduces Noise)	To Frame	K200755 ‡	1
Sway Bar Link				
2011-2008	(Improves Upon OE Design)		K750288 ‡	2
Wheel Hub & Bearing Assembly				
2011-2008			512337	2
GS-F				
Wheel Hub & Bearing Assembly				
2019-2016			512337	2


FRONT SUSPENSION



F422

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2012-2010	Lower	K500322	2	F422	
Control Arm					
2012-2010	(R-Series) (R-Series)	Left Lower Right Lower	RK641289 RK641288	1 1	F422 F422
Strut Bumper Bellows					
2012-2010	(OEM Type) (Replacement Type, Contains Bumper)		K201416 K90464	2 2	F422 F422
Strut Mount					
2012-2010	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160315 ‡	2	F422
Sway Bar Bushing					
2012-2010	To Frame	K201559	1	F422	
Sway Bar Link					
2012-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750043 ‡	2	F422
Wheel Hub & Bearing Assembly					
2012-2010			513257	2	

STEERING




S185

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2012-2010	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800054 ‡ ES800053 ‡	1 1	S185 S185

LEXUS-HS250h (Cont.)

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2012-2010	Plus Or Minus 2 Degree Camber, (Adjustable, R-Series)	Upper	RK100358	2
Shock Mount				
2012-2010			K201681	2
Sway Bar Bushing				
2012-2010		To Frame	K201580	1
Sway Bar Link				
2012-2010	(Improves Upon OE Design)		K750522 ‡	2
Wheel Hub & Bearing Assembly				
2012-2010			512372	2

LEXUS-IS Series



Year	Model/Application	Part	P/C Qty	Figure
IS200t				
Ball Joint				
2016	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	K500124 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	K500123 ‡	1
Sway Bar Link				
2017	(Design Allows Ease Of Installation)	Left	K750686 ‡	1
	(Design Allows Ease Of Installation)	Right	K750687 ‡	1
2016		Left	K750816 ‡	1

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
IS200t					
Sway Bar Link					
2016 (Cont.)		Right	K750817 ‡	1	
Wheel Hub & Bearing Assembly					
2017-2016			513372	2	
IS250					
Ball Joint					
2015-2006	All Wheel Drive, (Design Allows Ease Of Installation)	Upper	K500114 ‡	2	F297
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500126 ‡	2	F297
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	K500124 ‡	1	F295
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	K500123 ‡	1	F295
2013-2006	Plus Or Minus 1.5 Degree Camber, (Adjustable)	Upper	K500240	1	F295, F297
Control Arm					
2013-2009	Rear Wheel Drive, Except Sport Suspension, (R-Series)	Left Lower	RK642162	1	F295
	Rear Wheel Drive, Except Sport Suspension, (R-Series)	Right Lower	RK641920	1	F295
Shock Mount					
2013-2006	All Wheel Drive, (Contains Bellow, Contains Spring Seat, Contains Bumper)		K160364	2	F297
	Rear Wheel Drive, (Contains Upper Spring Seat, Bellow And Bumper, Superior Rubber To Steel Bonding For Durability)		K160268 ‡	2	F295
Sway Bar Bushing					
2013-2006	(Split Design For Easier Installation)	To Frame	K200621 ‡	1	F295, F297
Sway Bar Link					
2015-2014	Rear Wheel Drive	Left	K750816 ‡	1	F295
	Rear Wheel Drive	Right	K750817 ‡	1	F295
2014-2006	All Wheel Drive	Left	K750055	1	F297
	All Wheel Drive	Right	K750056	1	F297
2013-2009	Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750104 ‡	1	F295
	Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750109 ‡	1	F295
2008-2006	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750206 ‡	1	F295
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750207 ‡	1	F295
Wheel Hub & Bearing Assembly					
2015-2014	Rear Wheel Drive		513372	2	
2015-2006	All Wheel Drive	Left	513365	1	
	All Wheel Drive	Right	513366	1	
2013-2006	Rear Wheel Drive	Left	513284	1	
	Rear Wheel Drive	Right	513285	1	
IS250C					
Ball Joint					
2015-2010	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	K500124 ‡	1	F295
	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	K500123 ‡	1	F295
	Plus Or Minus 1.5 Degree Camber, (Adjustable)	Upper	K500240	1	F295
Control Arm					
2015-2014	Base Model, (R-Series)	Left Lower	RK642162	1	F295
	Base Model, (R-Series)	Right Lower	RK641920	1	F295
2013-2010	Rear Wheel Drive, Except Sport Package, (R-Series)	Right Lower	RK641920	1	F295
	Rear Wheel Drive, Except Sport Suspension, (R-Series)	Left Lower	RK642162	1	F295
Shock Mount					
2014-2010	(Contains Upper Spring Seat, Bellow And Bumper, Superior Rubber To Steel Bonding For Durability)		K160268 ‡	2	F295
Sway Bar Bushing					
2015-2010	(Split Design For Easier Installation)	To Frame	K200621 ‡	1	F295
Sway Bar Link					
2015-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750104 ‡	1	F295
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750109 ‡	1	F295
Wheel Hub & Bearing Assembly					
2015-2014		Left	513284	1	
		Right	513285	1	
2013-2010	Rear Wheel Drive	Left	513284	1	
	Rear Wheel Drive	Right	513285	1	

LEXUS-IS Series (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
IS300				
Ball Joint				
2018	3456cc(3.5L), (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500126 ‡	2
2018-2016	(Design Allows Ease Of Installation)	Upper	K500114 ‡	2
2017-2016	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500126 ‡	2
Sway Bar Link				
2018	All Wheel Drive	Left	K750055	1
	All Wheel Drive	Right	K750056	1
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Left	K750686 ‡	1
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Right	K750687 ‡	1
2017-2016		Left	K750055	1
		Right	K750056	1
Wheel Hub & Bearing Assembly				
2018	1998cc(2.0L) 3456cc(3.5L) 3456cc(3.5L)	Left	513372	2
		Left	513365	1
		Right	513366	1
2017		Left	513365	1
		Right	513366	1
2016	All Wheel Drive	Left	513365	1
	All Wheel Drive	Right	513366	1
IS350				
Ball Joint				
2018-2017	(Design Allows Ease Of Installation)	Upper	K500114 ‡	2 F297
2018-2011	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Dust Lower	K500126 ‡	2 F297
2016-2011	All Wheel Drive, (Design Allows Ease Of Installation)	Upper	K500114 ‡	2 F297
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	K500124 ‡	1 F295
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	K500123 ‡	1 F295
	Plus Or Minus 1.5 Degree Camber, (Adjustable)	Upper	K500240	1 F295, F297
2010-2006	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	K500124 ‡	1 F295
		Right Lower	K500123 ‡	1 F295
		Right Lower	K500123 ‡	1 F295
		Upper	K500240	1 F295
Control Arm				
2013-2011	Rear Wheel Drive, Except Sport Suspension, (R-Series)	Left Lower	RK642162	1 F295
	Rear Wheel Drive, Except Sport Suspension, (R-Series)	Right Lower	RK641920	1 F295
2010-2009	Except Sport Suspension, (R-Series)	Left Lower	RK642162	1 F295
	Except Sport Suspension, (R-Series)	Right Lower	RK641920	1 F295
Shock Mount				
2013-2011	All Wheel Drive, (Contains Bellow, Contains Spring Seat, Contains Bumper)		K160364	2 F297
2013-2006	Rear Wheel Drive, (Contains Upper Spring Seat, Bellow And Bumper, Superior Rubber To Steel Bonding For Durability)		K160268 ‡	2 F295
Sway Bar Bushing				
2013-2011	(Split Design For Easier Installation)	To Frame	K200621 ‡	1 F295, F297
2010-2006	(Split Design For Easier Installation)	To Frame	K200621 ‡	1 F295
Sway Bar Link				
2018-2017	Rear Wheel Drive, (Design Allows Ease Of Installation)	Left	K750686 ‡	1
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Right	K750687 ‡	1
2018-2011	All Wheel Drive	Left	K750055	1 F297
	All Wheel Drive	Right	K750056	1 F297
2016	Base Model, F Sport, Rear Wheel Drive	Left	K750816 ‡	1 F295
	Base Model, F Sport, Rear Wheel Drive	Right	K750817 ‡	1 F295
2015-2014	Rear Wheel Drive	Left	K750816 ‡	1 F295
	Rear Wheel Drive	Right	K750817 ‡	1 F295
2013-2011	Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750104 ‡	1 F295
	Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750109 ‡	1 F295
2010-2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750104 ‡	1 F295
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750109 ‡	1 F295
2008-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750206 ‡	1 F295
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750207 ‡	1 F295

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
IS350					
Wheel Hub & Bearing Assembly					
2018-2017	AWD, F Sport, All Wheel Drive AWD, F Sport, All Wheel Drive	Left	513365	1	
		Right	513366	1	
2018-2016	Base Model, F Sport, Rear Wheel Drive		513372	2	
2016-2011	All Wheel Drive All Wheel Drive	Left	513365	1	
		Right	513366	1	
2015-2014	Rear Wheel Drive		513372	2	
2013-2011	Rear Wheel Drive Rear Wheel Drive	Left	513284	1	
		Right	513285	1	
2010-2006		Left	513284	1	
		Right	513285	1	
IS350C					
Ball Joint					
2015-2010	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Plus Or Minus 1.5 Degree Camber, (Adjustable)	Left Lower	K500124 ‡	1	F295
		Right Lower	K500123 ‡	1	F295
		Upper	K500240	1	F295
Control Arm					
2015-2014	Base Model, (R-Series) Base Model, (R-Series)	Left Lower	RK642162	1	F295
		Right Lower	RK641920	1	F295
2013-2010	Rear Wheel Drive, Except Sport Package, (R-Series) Rear Wheel Drive, Except Sport Suspension, (R-Series)	Right Lower	RK641920	1	F295
		Left Lower	RK642162	1	F295
Shock Mount					
2014-2010	(Contains Upper Spring Seat, Bellow And Bumper, Superior Rubber To Steel Bonding For Durability)		K160268 ‡	2	F295
Sway Bar Bushing					
2015-2010	(Split Design For Easier Installation)	To Frame	K200621 ‡	1	F295
Sway Bar Link					
2015-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750104 ‡	1	F295
		Right	K750109 ‡	1	F295
Wheel Hub & Bearing Assembly					
2015-2014		Left	513284	1	
		Right	513285	1	
2013-2011	Rear Wheel Drive Rear Wheel Drive	Left	513284	1	
		Right	513285	1	
2010		Left	513284	1	
		Right	513285	1	
IS-F					
Ball Joint					
2014-2008	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Plus Or Minus 1.5 Degree Camber, (Adjustable)	Left Lower	K500124 ‡	1	F295
		Right Lower	K500123 ‡	1	F295
		Upper	K500240	1	F295
Shock Mount					
2014-2008	(Contains Upper Spring Seat, Bellow And Bumper, Superior Rubber To Steel Bonding For Durability)		K160268 ‡	2	F295
Sway Bar Bushing					
2013-2008	(Split Design For Easier Installation)	To Frame	K200621 ‡	1	F295
Sway Bar Link					
2014-2008	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750206 ‡	1	F295
		Right	K750207 ‡	1	F295
Wheel Hub & Bearing Assembly					
2014		Left	513367	1	
2013-2010		Left	513284	1	
2013-2008		Right	513285	1	

LEXUS-IS Series (Cont.)

STEERING



S105

Year	Model/Application	Part	P/C Qty	Figure
IS200t				
Tie Rod End				
2017-2016	(Includes Wrench Flats For Easier Service) (Includes Wrench Flats For Easier Service)	Left Outer Right Outer	ES800213 ‡ ES800212 ‡	1 1 S105
IS250				
Tie Rod End				
2015-2014	All Wheel Drive	Inner	EV801275 ‡	2 S105
2015-2006	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive, (Includes Wrench Flats For Easier Service) Rear Wheel Drive, (Includes Wrench Flats For Easier Service)	Left Outer Right Outer Left Outer Right Outer	ES800406 ‡ ES800405 ‡ ES800213 ‡ ES800212 ‡	1 1 1 1 S105
2013-2006	All Wheel Drive Rear Wheel Drive	Inner Inner	EV800243 EV800244	2 2 S105
IS250C				
Tie Rod End				
2015-2010	(Includes Wrench Flats For Easier Service) (Includes Wrench Flats For Easier Service)	Left Outer Right Outer Inner	ES800213 ‡ ES800212 ‡ EV800244	1 1 2 S105
IS300				
Tie Rod End				
2018	1998cc(2.0L), (Includes Wrench Flats For Easier Service) 1998cc(2.0L), (Includes Wrench Flats For Easier Service) 3456cc(3.5L), (Powdered Metal Gusher Brg. For Better Lubrication) 3456cc(3.5L), (Powdered Metal Gusher Brg. For Better Lubrication) 3456cc(3.5L)	Left Outer Right Outer Left Outer Right Outer Inner	ES800213 ‡ ES800212 ‡ ES800406 ‡ ES800405 ‡ EV801275 ‡	1 1 1 1 2
2017-2016	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer Right Outer Inner	ES800406 ‡ ES800405 ‡ EV801275 ‡	1 1 2 S105
IS350				
Tie Rod End				
2018	AWD, F Sport, All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) AWD, F Sport, All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) AWD, F Sport, All Wheel Drive Base Model, F Sport, Rear Wheel Drive, (Includes Wrench Flats For Easier Service) Base Model, F Sport, Rear Wheel Drive, (Includes Wrench Flats For Easier Service)	Left Outer Right Outer Inner Left Outer Right Outer	ES800406 ‡ ES800405 ‡ EV801275 ‡ ES800213 ‡ ES800212 ‡	1 1 2 1 1
2017-2014	All Wheel Drive	Inner	EV801275 ‡	2 S105
2017-2011	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive, (Includes Wrench Flats For Easier Service) Rear Wheel Drive, (Includes Wrench Flats For Easier Service)	Left Outer Right Outer Left Outer Right Outer	ES800406 ‡ ES800405 ‡ ES800213 ‡ ES800212 ‡	1 1 1 1 S105
2013-2011	All Wheel Drive Rear Wheel Drive	Inner Inner	EV800243 EV800244	2 2 S105
2010-2006	(Includes Wrench Flats For Easier Service) (Includes Wrench Flats For Easier Service)	Left Outer Right Outer Inner	ES800213 ‡ ES800212 ‡ EV800244	1 1 2 S105

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
IS350C				
Tie Rod End				
2015-2012		Inner	EV800244	2 S105
2015-2010	(Includes Wrench Flats For Easier Service) (Includes Wrench Flats For Easier Service)	Left Outer Right Outer	ES800213 ‡ ES800212 ‡	1 S105 1 S105
2011	Rear Wheel Drive	Inner	EV800244	2 S105
2010		Inner	EV800244	2 S105
IS-F				
Tie Rod End				
2014-2008	(Includes Wrench Flats For Easier Service) (Includes Wrench Flats For Easier Service)	Left Outer Right Outer Inner	ES800213 ‡ ES800212 ‡ EV800244	1 S105 1 S105 2 S105
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
IS200t				
Sway Bar Link				
2017-2016	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Right	K750786 ‡ K750785 ‡	1 1
Wheel Hub & Bearing Assembly				
2017-2016			512546	2
IS250				
Control Arm				
2015-2014	Plus Or Minus 3 Degrees Camber, (Adjustable, R-Series)	Upper Rear	RK100208	2
2013-2010	(R-Series)	Upper Front	RK641830	2
2013-2006	(R-Series)	Lower Front	RK641828	2
Control Arm with Ball Joint				
2013-2011	Except Sport Suspension, (R-Series) Except Sport Suspension, (R-Series)	Left Lower Center Right Lower Center	RK621698 RK621697	1 1
2013-2006	(R-Series) Plus Or Minus 1.5 Degree Camber, (Adjustable, R-Series)	Upper Rear Upper Rear	RK621829 RK100138	2 2
2010-2006	(R-Series) (R-Series)	Left Lower Center Right Lower Center	RK621698 RK621697	1 1
Strut Mounting Kit				
2013-2006	(Superior Rubber To Steel Bonding For Durability)		K160089 ‡	2
Sway Bar Bushing				
2013	All Wheel Drive, (Reduces Noise)	To Frame	K200754 ‡	1
2013-2011	Rear Wheel Drive, Sport Suspension, (Reduces Noise)	To Frame	K200754 ‡	1
2010-2006	All Wheel Drive, (Reduces Noise) Rear Wheel Drive, (Reduces Noise)	To Frame To Frame	K200754 ‡ K200755 ‡	1 1
Sway Bar Link				
2015-2014	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Right	K750786 ‡ K750785 ‡	1 1
2013-2006	(Improves Upon OE Design)		K750288 ‡	2
Wheel Hub & Bearing Assembly				
2015-2014			512546	2
2013-2006			512337	2
IS250C				
Control Arm				
2015-2010	(R-Series)	Upper Front	RK641830	2
Control Arm with Ball Joint				
2015-2013	F Sport, (R-Series)	Upper Rear	RK621829	2
2015-2010	Plus Or Minus 1.5 Degree Camber, (Adjustable, R-Series)	Upper Rear	RK100138	2
2013	F Sport, Except Sport Suspension, (R-Series) F Sport, Except Sport Suspension, (R-Series)	Left Lower Center Right Lower Center	RK621698 RK621697	1 1
Strut Mounting Kit				
2014-2010	(Superior Rubber To Steel Bonding For Durability)		K160089 ‡	2
Sway Bar Bushing				
2015-2013	Base Model, (Reduces Noise) F Sport, (Reduces Noise)	To Frame To Frame	K200754 ‡ K200755 ‡	1 1

LEXUS-IS Series (Cont.)

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
IS250C					
Sway Bar Bushing					
2012-2010	(Reduces Noise)	To Frame	K200754 ‡	1	
Sway Bar Link					
2015-2010	(Improves Upon OE Design)		K750288 ‡	2	
Wheel Hub & Bearing Assembly					
2015-2010			512337	2	
IS300					
Sway Bar Link					
2018	(Greaseable Socket Reduces Corrosion/Wear)	Left	K750786 ‡	1	
2018-2017	(Greaseable Socket Reduces Corrosion/Wear)	Right	K750785 ‡	1	
2016	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left	K750786 ‡	1	
	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Right	K750785 ‡	1	
Wheel Hub & Bearing Assembly					
2018-2016			512546	2	
IS350					
Control Arm					
2016-2014	Plus Or Minus 3 Degrees Camber, (Adjustable, R-Series)	Upper Rear	RK100208	2	
2013-2011	Except Sport Suspension, (R-Series)	Lower Front	RK641828	2	
2013-2009	(R-Series)	Upper Front	RK641830	2	
2010-2006	(R-Series)	Lower Front	RK641828	2	
Control Arm with Ball Joint					
2013-2011	Except Sport Suspension, (R-Series)	Left Lower Center	RK621698	1	
	Except Sport Suspension, (R-Series)	Right Lower Center	RK621697	1	
2013-2006	(R-Series)	Upper Rear	RK621829	2	
	Plus Or Minus 1.5 Degree Camber, (Adjustable, R-Series)	Upper Rear	RK100138	2	
2010-2006	(R-Series)	Left Lower Center	RK621698	1	
	(R-Series)	Right Lower Center	RK621697	1	
Strut Mounting Kit					
2013-2006	(Superior Rubber To Steel Bonding For Durability)		K160089 ‡	2	
Sway Bar Bushing					
2013-2011	All Wheel Drive, (Reduces Noise)	To Frame	K200754 ‡	1	
	Rear Wheel Drive, Sport Suspension, (Reduces Noise)	To Frame	K200754 ‡	1	
2010-2006	(Reduces Noise)	To Frame	K200755 ‡	1	
Sway Bar Link					
2018-2014	(Greaseable Socket Reduces Corrosion/Wear)	Left	K750786 ‡	1	
	(Greaseable Socket Reduces Corrosion/Wear)	Right	K750785 ‡	1	
2013-2006	(Improves Upon OE Design)		K750288 ‡	2	
Wheel Hub & Bearing Assembly					
2018-2014			512546	2	
2013-2006			512337	2	
IS350C					
Control Arm					
2015-2010	(R-Series)	Upper Front	RK641830	2	
Control Arm with Ball Joint					
2015-2013	F Sport, (R-Series)	Upper Rear	RK621829	2	
2015-2010	Plus Or Minus 1.5 Degree Camber, (Adjustable, R-Series)	Upper Rear	RK100138	2	
2013	F Sport, Except Sport Suspension, (R-Series)	Left Lower Center	RK621698	1	
	F Sport, Except Sport Suspension, (R-Series)	Right Lower Center	RK621697	1	
Strut Mounting Kit					
2014-2010	(Superior Rubber To Steel Bonding For Durability)		K160089 ‡	2	
Sway Bar Bushing					
2015-2013	Base Model, (Reduces Noise)	To Frame	K200754 ‡	1	
	F Sport, (Reduces Noise)	To Frame	K200755 ‡	1	
2012-2010	(Reduces Noise)	To Frame	K200754 ‡	1	
Sway Bar Link					
2015-2010	(Improves Upon OE Design)		K750288 ‡	2	
Wheel Hub & Bearing Assembly					
2015-2010			512337	2	

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
IS-F				
Control Arm				
2014-2011	(R-Series)	Upper Front	RK641830	2
2010-2008	(R-Series)	Lower Front	RK641828	2
Control Arm with Ball Joint				
2014-2013	(R-Series)	Left Lower Center	RK642358	1
	(R-Series)	Right Lower Center	RK622359	1
2014-2008	Plus Or Minus 1.5 Degree Camber, (Adjustable, R-Series)	Upper Rear	RK100138	2
2012-2011	(R-Series)	Upper Rear	RK621829	2
Strut Mounting Kit				
2014-2008	(Superior Rubber To Steel Bonding For Durability)		K160089 ‡	2
Sway Bar Bushing				
2010-2008	(Reduces Noise)	To Frame	K200755 ‡	1
Sway Bar Link				
2014-2008	(Improves Upon OE Design)		K750288 ‡	2
Wheel Hub & Bearing Assembly				
2014-2008			512337	2


LC500-LEXUS

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2018			512453	2

LC500h-LEXUS


REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2018			512453	2

LS Series-LEXUS



LEXUS-LS Series (Cont.)


FRONT SUSPENSION (Cont.)




F397

Year	Model/Application	Part	P/C Qty	Figure
LS460				
Control Arm				
2012-2009	Rear Wheel Drive, (R-Series) Rear Wheel Drive, (R-Series)	Left Rear Lower Right Rear Lower	RK642208 RK642988	1 1 F396 F396
2008-2007	(R-Series) (R-Series)	Left Rear Lower Right Rear Lower	RK642208 RK642988	1 1 F396 F396
Control Arm with Ball Joint				
2012-2009	Rear Wheel Drive, (R-Series) Rear Wheel Drive, (R-Series)	Left Front Lower Right Front Lower	RK622209 RK622207	1 1 F396 F396
2008-2007	(R-Series) (R-Series)	Left Front Lower Right Front Lower	RK622209 RK622207	1 1 F396 F396
Sway Bar Link				
2017-2009	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750171 ‡ K750172 ‡	1 1 F396, F397 F396, F397
2008-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750171 ‡ K750172 ‡	1 1 F396 F396
Wheel Hub & Bearing Assembly				
2017		Right	513314	1
2016-2009	All Wheel Drive		513351	2
2015-2009	Rear Wheel Drive Rear Wheel Drive	Left Right	513313 513314	1 1
2008-2007		Left Right	513313 513314	1 1
LS600h L				
Sway Bar Link				
2016-2008	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750171 ‡ K750172 ‡	1 1 F397 F397
Wheel Hub & Bearing Assembly				
2016			513351	2
2015-2008	All Wheel Drive		513351	2

STEERING



S156



S157

Year	Model/Application	Part	P/C Qty	Figure
LS460				
Tie Rod End				
2017	(Design Allows Ease Of Installation)	Inner	EV800908 ‡	2 S156
2017-2009	Rear Wheel Drive, (Design Allows Ease Of Installation)	Left Outer	ES800315 ‡	1 S156
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800316 ‡	1 S156
2016	(Design Allows Ease Of Installation)	Inner	EV800908 ‡	2 S157, S156
2016-2009	All Wheel Drive, (Design Allows Ease Of Installation)	Left Outer	ES800317 ‡	1 S157
	All Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800318 ‡	1 S157
2015-2009	All Wheel Drive	Inner	EV801083	2 S157
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Inner	EV800908 ‡	2 S156
2008-2007	(Design Allows Ease Of Installation)	Left Outer	ES800315 ‡	1 S156
	(Design Allows Ease Of Installation)	Right Outer	ES800316 ‡	1 S156
	(Design Allows Ease Of Installation)	Inner	EV800908 ‡	2 S156
LS600h L				
Tie Rod End				
2016	(Design Allows Ease Of Installation)	Inner	EV800908 ‡	2 S157
2016-2010	(Design Allows Ease Of Installation)	Left Outer	ES800317 ‡	1 S157
	(Design Allows Ease Of Installation)	Right Outer	ES800318 ‡	1 S157
2015-2009		Inner	EV801083	2 S157
2009-2008	All Wheel Drive, (Design Allows Ease Of Installation)	Left Outer	ES800317 ‡	1 S157
	All Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800318 ‡	1 S157
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
LS460				
Sway Bar Link				
2017-2007	(Improves Upon OE Design)	Left	K750648 ‡	1
	(Improves Upon OE Design)	Right	K750631 ‡	1

LEXUS-LS Series (Cont.)

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
LS460				
Wheel Hub & Bearing Assembly				
2017-2007		512453	2	
LS600h L				
Sway Bar Link				
2016-2008	(Improves Upon OE Design)	Left	K750648 ‡	1
	(Improves Upon OE Design)	Right	K750631 ‡	1
Wheel Hub & Bearing Assembly				
2016-2008		512453	2	

LEXUS-RC200t

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2017	(Design Allows Ease Of Installation)	Left	K750686 ‡	1
	(Design Allows Ease Of Installation)	Right	K750687 ‡	1
2016	Rear Wheel Drive, (Design Allows Ease Of Installation)	Left	K750686 ‡	1
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Right	K750687 ‡	1
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2017	(Greaseable Socket Reduces Corrosion/Wear)	Left	K750786 ‡	1
	(Greaseable Socket Reduces Corrosion/Wear)	Right	K750785 ‡	1
2016	Rear Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left	K750786 ‡	1
	Rear Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Right	K750785 ‡	1
Wheel Hub & Bearing Assembly				
2017-2016		512546	2	


LEXUS-RC300

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500126 ‡	2
2017-2016	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500126 ‡	2
Sway Bar Link				
2018	All Wheel Drive	Left	K750055	1
	All Wheel Drive	Right	K750056	1
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Left	K750686 ‡	1
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Right	K750687 ‡	1
2017-2016		Left	K750055	1
		Right	K750056	1
Wheel Hub & Bearing Assembly				
2018	All Wheel Drive	Left	513365	1
	All Wheel Drive	Right	513366	1
2017-2016		Left	513365	2
		Right	513366	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800406 ‡	1
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800405 ‡	1
2017-2016	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800406 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800405 ‡	1

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018-2016	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left	K750786 ‡	1
		Right	K750785 ‡	1
Wheel Hub & Bearing Assembly				
2018-2016		512546	2	

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2015	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500126 ‡	2
Sway Bar Link				
2018-2015	All Wheel Drive	Left	K750055	1
	All Wheel Drive	Right	K750056	1
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Left	K750686 ‡	1
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Right	K750687 ‡	1
Wheel Hub & Bearing Assembly				
2018-2015	All Wheel Drive	Left	513365	1
	All Wheel Drive	Right	513366	1
2016-2015	Rear Wheel Drive		513372	2

STEERING



S105

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800406 ‡	1
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800405 ‡	1
2017-2015	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800406 ‡	1
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800405 ‡	1

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2015	Plus Or Minus 3 Degrees Camber, (Adjustable, R-Series)	Upper Rear	RK100208	2
Sway Bar Link				
2018-2015	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left	K750786 ‡	1
		Right	K750785 ‡	1
Wheel Hub & Bearing Assembly				
2018-2015		512546	2	


LEXUS-RC-F

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2019-2015	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500126 ‡	2
Sway Bar Link				
2019-2015	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750418 ‡	1
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750419 ‡	1
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2019-2015			512337	2

LEXUS-SC Series


FRONT SUSPENSION



F294

Year	Model/Application	Part	P/C Qty	Figure
SC430				
Ball Joint				
2010-2002	(Design Allows Ease Of Installation) (Premium Sealed Boot Keeps Contaminants Out)	Left Lower Right Lower	K500102 ‡ K500101 ‡	1 1 F294 F294
Control Arm				
2010-2002	(Arm Only, R-Series) (Arm Only, R-Series)	Left Lower Right Lower	RK640410 RK640409	1 1 F294 F294
Control Arm with Ball Joint				
2010-2002	(R-Series) (R-Series)	Left Upper Right Upper	RK620336 RK620335	1 1 F294 F294
Strut Bumper Bellows				
2010-2002	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F294
Strut Mount				
2010-2002	(Bearing Not Included)		K90286	2 F294
Sway Bar Bushing				
2010-2002	(Split Design For Easier Installation)	To Frame	K200622 ‡	1 F294
Sway Bar Link				
2010-2002		Left Right	K90675 K90679	1 1 F294 F294

STEERING



S108


Year	Model/Application	Part	P/C Qty	Figure
------	-------------------	------	---------	--------

SC430

Tie Rod End

2010-2002	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Left Outer	ES80585 ‡	1	S108
		Right Outer	ES80584 ‡	1	S108
		Inner	EV800543 ‡	2	S108

REAR SUSPENSION



R189

Year	Model/Application	Part	P/C Qty	Figure
------	-------------------	------	---------	--------

SC430

Strut Mounting Kit

2010-2002	(Superior Rubber To Steel Bonding For Durability)	K160090 ‡	2	R189
-----------	---	-----------	---	------

Sway Bar Bushing

2010-2002	13mm Sway Bar Diameter	To Frame	K90524	1	R189
-----------	------------------------	----------	--------	---	------

Sway Bar Link

2010-2002			K750035	2	R189
-----------	--	--	---------	---	------

Continental Series-LINCOLN

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
------	-------------------	------	---------	--------

Continental

Sway Bar Link

2018-2017	(Greaseable Socket Reduces Corrosion/Wear)	K750740 ‡	2	
-----------	--	-----------	---	--

LINCOLN-Continental Series (Cont.)

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Continental				
Tie Rod End				
2018-2017		Right Outer ES801109	1	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Continental				
Wheel Hub & Bearing Assembly				
2018-2017	All Wheel Drive Front Wheel Drive	513394 512580	2 2	

LINCOLN-MKS

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2014-2013	(High Quality Elastomer For Durability And Performance)	Lower Rear	K201262 ‡	2
2013-2009	(High Quality Elastomer For Durability And Performance)	Lower Front	K200362 ‡	2
2012-2009	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200363 ‡	2
Control Arm with Ball Joint				
2013-2009	(R-Series) (R-Series)	Left Lower Right Lower	RK622916 RK622917	1 1
Strut Mount				
2011-2009	(Contains Spring Seat, Spacer And Bearing, Superior Rubber To Steel Bonding For Durability)		K160208 ‡	2
Sway Bar Bushing				
2012-2010	Naturally Aspirated, (Design Allows Ease Of Installation)	To Frame	K200888 ‡	1
	Twin Turbocharged, (Design Allows Ease Of Installation)	To Frame	K200878 ‡	1
Sway Bar Link				
2016-2010	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750388 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750389 ‡	1
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750376 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750377 ‡	1
Wheel Hub & Bearing Assembly				
2016-2009			513275	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2016-2013	(MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800776 ‡	2
2016-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800222 ‡	2
2012-2010	3496cc(3.5L), (MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800776 ‡	2
	3726cc(3.7L), (MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800775 ‡	2
2009	(MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800775 ‡	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2016-2012		Upper Rear	K201348	2
2015-2010		Upper Front	K201349	2
2014-2009		Lower Inner	K201540	2
2011-2009		Upper Rear	K201345	2
Knuckle Bushing				
2014-2009		Arm To Knuckle, Lower Front	K201347	2
		Arm To Knuckle, Upper	K201346	2
		At Shock	K201541	2
Lateral Arm				
2011	Thru 9/20/10, (Adjustable Arm With Ball Joint, R-Series)	Upper Front	RK623059	2
Sway Bar Link				
2016-2010	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750393 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750394 ‡	1

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750369 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750370 ‡	1
Trailing Link				
2016-2010	(R-Series)		RK642920	2
Wheel Hub & Bearing Assembly				
2016-2009			513275	2


FRONT SUSPENSION				
F274				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2012-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500041 ‡	2
	+/- 1 Degree Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Upper	K500013 ‡	2
Control Arm Bushing				
2018-2013		Lower Front	K201329	2
2012-2007	(High Quality Elastomer For Durability And Performance)	Lower Front Inner	K200252 ‡	2
	(High Quality Elastomer For Durability And Performance)	Lower Front Outer	K200251 ‡	2
	(High Quality Elastomer For Durability And Performance)	Lower Rear Inner	K200250 ‡	2
2010-2007	(High Quality Elastomer For Durability And Performance)	Upper	K200249 ‡	2
Control Arm with Ball Joint				
2018-2013	(R-Series)	Left Lower	RK623001	1
	(R-Series)	Right Lower	RK623000	1
2012-2008	(Contains Bushings, R-Series)	Lower Front	RK620149	2
2012-2007	(R-Series)	Left Upper	RK620636	1
	(R-Series)	Right Upper	RK620635	1
	(Contains Bushing, OE Ball Joint Separator Tool And Adaptor Required, Greaseable Socket Reduces Corrosion/Wear)	Left Rear Lower	CK620278 ‡	1
	(OE Ball Joint Separator Tool And Adaptor Required, R-Series)	Left Rear Lower	RK620492	1
	(Contains Bushing, OE Ball Joint Separator Tool And Adaptor Required, Greaseable Socket Reduces Corrosion/Wear)	Right Rear Lower	CK620277 ‡	1
	(OE Ball Joint Separator Tool And Adaptor Required, R-Series)	Right Rear Lower	RK620493	1
	(R-Series)	Right Rear Lower	RK621250	1
2007	From 8/30/06, (Contains Bushings, R-Series)	Lower Front	RK620149	2
	Thru 8/29/06, (Contains Bushing, R-Series)	Lower Front	RK620148	2
Complete Knuckle Assembly				
2012-2007	(Contains Snap Ring, Bearing, Knuckle, 2 Knuckle Inserts, Hub Assembly, Backing Plate And Axle Nut)	Left	LK011 ‡	1
	(Contains Snap Ring, Bearing, Knuckle, 2 Knuckle Inserts, Hub Assembly, Backing Plate And Axle Nut)	Right	LK012 ‡	1
Steering Knuckle Insert				
2012-2007		Front	K150403	2
	(Design Allows Ease Of Installation)	Rear	K150349 ‡	2

LINCOLN-MKZ (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Strut Bumper Bellows					
2017-2013	(Replacement Type, Contains Bumper)	K90460	2		
2012-2007	(Design Allows Ease Of Installation)	K160285 ‡	2	F274	
Strut Mount					
2012-2007	(Contains Bearing And Spring Seat, Superior Rubber To Steel Bonding For Durability)	K160103 ‡	2	F274	
Sway Bar Bushing					
2012-2010	(Split Design For Easier Installation)	To Frame	K200627 ‡	1	F274
2009	From 2/4/09, (Split Design For Easier Installation) Thru 2/3/09, (Reduces Noise)	To Frame	K200627 ‡	1	F274
		To Frame	K200296 ‡	1	F274
2008-2007	(Reduces Noise)	To Frame	K200296 ‡	1	F274
Sway Bar Link					
2018-2013	(Greaseable Socket Reduces Corrosion/Wear)		K750740 ‡	2	
2012-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750415 ‡	2	F274
2009	From 2/4/09, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Thru 2/3/09, (Powdered Metal Gusher Brg. For Better Lubrication) Thru 2/3/09, (Powdered Metal Gusher Brg. For Better Lubrication)		K750415 ‡	2	F274
		Left	K80251 ‡	1	F274
		Right	K80250 ‡	1	F274
2008-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K80251 ‡	1	F274
		Right	K80250 ‡	1	F274
Wheel Hub & Bearing Assembly					
2018-2017			513394	2	
2016-2013			512498	2	


STEERING



S330



S331

STEERING (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2012-2010	3496cc(3.5L)	K150350	2	S330	
2009-2007		K150350	2	S330	
Tie Rod End					
2018-2013		Left Outer Right Outer	ES801110 ES801109	1 1	
2012-2011	2488cc(2.5L), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 3496cc(3.5L), (Powdered Metal Gusher Brg. For Better Lubrication) 3496cc(3.5L), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner Left Outer Inner	EV800774 ‡ ES800102 ‡ EV800531 ‡	2 1 2	S331 S330 S330
2010	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800781 ‡ ES800782 ‡	1 1	S330 S330
2010-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer Inner	ES800102 ‡ EV800531 ‡	1 2	S330 S330
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800101 ‡	1	S330
REAR SUSPENSION					
					
R154					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2017-2013	Plus Or Minus 2 Degree Camber, (Threaded Type, R-Series) Front Wheel Drive, Plus Or Minus 2 Degree Camber, (Slotted Type, R-Series)	Upper Upper	RK100212 RK100352	2 2	
2012-2007	(R-Series) Plus Or Minus 2 Degree Camber, (Adjustable, R-Series) Front Wheel Drive, (Lateral Link, R-Series)	Upper Upper Lower Front	RK641942 RK100171 RK641279	2 2 2	R154 R154 R154
Control Arm Bushing					
2018-2017		Upper	K201327	2	
2016-2013		Arm To Knuckle, Lower Front To Frame, Lower Front	K201606 K201607	2 2	
2014-2013	Front Wheel Drive	Upper Front Upper Rear	K201328 K201327	2 2	
Sway Bar Bushing					
2012	AWD, Base Model, (Reduces Noise) Hybrid, (Reduces Noise)	To Frame To Frame	K200298 ‡ K200297 ‡	1 1	R154 R154
2011-2010	All Wheel Drive, 17" Wheels, (Reduces Noise) Front Wheel Drive, 16" Wheels, (Reduces Noise) Front Wheel Drive, 18" Wheels, (Reduces Noise)	To Frame To Frame To Frame	K200298 ‡ K200297 ‡ K200298 ‡	1 1 1	R154 R154 R154
2009	All Wheel Drive, From 2/4/09, 17" Wheels, (Reduces Noise) All Wheel Drive, Thru 2/3/09, (Reduces Noise) Front Wheel Drive, From 2/4/09, 16" Wheels, (Reduces Noise) Front Wheel Drive, From 2/4/09, 18" Wheels, (Reduces Noise) Front Wheel Drive, Thru 2/3/09, (Reduces Noise)	To Frame To Frame To Frame To Frame To Frame	K200298 ‡ K200298 ‡ K200297 ‡ K200298 ‡ K200297 ‡	1 1 1 1 1	R154 R154 R154 R154 R154
2008-2007	All Wheel Drive, (Reduces Noise) Front Wheel Drive, (Reduces Noise)	To Frame To Frame	K200298 ‡ K200297 ‡	1 1	R154 R154
Sway Bar Link					
2018-2013	(Design Allows Ease Of Installation)		K750744 ‡	2	
2012-2007			K750029	2	R154


LINCOLN-MKZ (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2016-2015	Front Wheel Drive, (Contains ABS Cap)	512497	2	
2015-2014	All Wheel Drive	512498	2	
2014	Front Wheel Drive, From 1/18/14, (Contains ABS Cap)	512497	2	
	Front Wheel Drive, Thru 1/17/14	512498	2	
2013		512498	2	
2012-2007	Front Wheel Drive	512271	2	

LINCOLN-Town Car


FRONT SUSPENSION



F263

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2011-2003	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K80141 ‡	2 F263
Control Arm Bushing				
2011-2007		Left Lower	K80833	1 F263
		Right Lower	K80834	1 F263
Control Arm Bushing Set				
2011-2003	For Forged Arm, (Contains Front And Rear Bushings) Stamped Steel Arm, (Contains Front And Rear Bushings)	Upper	K8837	2 F263
		Upper	K200450 ‡	2 F263
Control Arm with Ball Joint				
2011-2003	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series)	Left Upper	CK80040 ‡	1 F263
		Left Upper	RK80040	1 F263
		Right Upper	CK80038 ‡	1 F263
		Right Upper	RK80038	1 F263
Strut and Spring Assembly				
2011-2003	Except Limo, Hearse		ST8620	2 F263
Strut Mount				
2011-2003	(Bearing Not Included)		K160328	2 F263
Strut Mounting Kit				
2011-2003	(Contains Two Bushings And Two Washers)		K80145	2 F263
Sway Bar Bushing				
2011-2003	25mm To 26mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200165 ‡	1 F263
	26.5mm To 27mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200166 ‡	1 F263
	27.8mm To 28.5mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200167 ‡	1 F263
	29mm To 29.5mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200168 ‡	1 F263
Sway Bar Link				
2011-2003	(Powdered Metal Gusher Brg. For Better Lubrication)		K80140 ‡	2 F263
Wheel Hub & Bearing Assembly				
2011-2006			513230	2


STEERING



S113

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2011-2003	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer Right Outer Inner	ES3694 ‡ ES3693 ‡ EV455 ‡	1 1 2	S113 S113 S113

REAR SUSPENSION




R201

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2011-1998	(R-Series) (R-Series)	Upper Lower	RK641800 RK641799	2 2	R201 R201
Sway Bar Repair Kit					
2011-1998	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700537 ‡	2	R201
Track Bar					
2011-2003	(Complete Assembly)		K660169	1	R201

MAZDA-Mazda Speed 3


FRONT SUSPENSION



F278

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009-2007	Grand Touring, Sport, (Design Allows Ease Of Installation)	Lower	K500209 ‡	2 F278
Control Arm Bushing				
2013-2010	(Design Allows Ease Of Installation)	Lower Rear	K200860 ‡	2 F278
2009-2007	Turbocharged/Intercooled	Lower Front	K201191	1 F278
Control Arm with Ball Joint				
2013-2010	Turbocharged/Intercooled, (R-Series)	Left Lower	RK621460	1 F278
	Turbocharged/Intercooled, (R-Series)	Right Lower	RK621461	1 F278
2009-2007	Turbocharged/Intercooled, (R-Series)	Left Lower	RK620068	1 F278
	Turbocharged/Intercooled, (R-Series)	Right Lower	RK620067	1 F278
Strut Bumper Bellows				
2013-2007	Turbocharged/Intercooled, (Original Equipment Type)		K160034	2 F278
Strut Mount				
2009-2007	(Contains Bearing And Spring Seat)		K160228 ‡	2 F278
Sway Bar Bushing				
2013-2007	Turbocharged/Intercooled, (Split Design For Easier Installation)	To Frame	K200675 ‡	1 F278
Sway Bar Link				
2013-2010	(Greaseable Socket Reduces Corrosion/Wear)		K750554 ‡	2 F278
2009-2007	Turbocharged/Intercooled, (Powdered Metal Gusher Brg. For Better Lubrication)		K750073 ‡	2 F278


STEERING



S398

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2013-2007	(Design Allows Ease Of Installation)	Left Outer	ES800026 ‡	1 S398
		Right Outer	ES800025	1 S398
		Inner	EV800024	2 S398


REAR SUSPENSION



R031

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2013-2007	(Lateral Link, R-Series) Up To Minus 1-1/2 To Plus 5 Degrees Camber, (Lateral Link, R-Series)	Lower Front Upper	RK641438 RK100002	2 2	R031 R031
2012-2007	(R-Series)	Upper	RK641985	2	R031
Shock Mount					
2013-2007	(Design Allows Ease Of Installation)		K160229 ‡	2	R031
Strut Bumper Bellows					
2013-2007			K201412	2	R031
Sway Bar Bushing					
2013-2007	Turbocharged/Intercooled, (Split Design For Easier Installation)	To Frame	K200804 ‡	1	R031
Sway Bar Link					
2013-2007	Turbocharged/Intercooled, (Powdered Metal Gusher Brg. For Better Lubrication)		K750069 ‡	2	R031
Trailing Link Bushing					
2013-2012			K201371	2	R031
2011-2010	2261cc(2.3L)		K201371	2	R031
Wheel Hub & Bearing Assembly					
2013-2010			512347	2	
2009-2007	4 Wheel ABS Non ABS		512347 512348	2 2	

FRONT SUSPENSION




F308

MAZDA-Mazda Speed 6 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2007	+/- 1 Degree Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Upper	K500013 ‡	2 F308
2007-2006	Turbocharged/Intercooled	Upper	K500039	2 F308
Control Arm Bushing				
2007-2006	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Lower Control Arm At Strut Lower Front Inner	K200101 ‡ K200905 ‡	2 F308 2 F308
Control Arm with Ball Joint				
2007	(OE Ball Joint Separator Tool And Adaptor Required, R-Series) (OE Ball Joint Separator Tool And Adaptor Required, R-Series) Turbocharged/Intercooled, (R-Series)	Left Rear Lower Right Rear Lower Right Upper	RK620492 RK620493 RK622914	1 F308 1 F308 1 F308
2007-2006	Turbocharged/Intercooled, (R-Series)	Lower Front	RK620070	2 F308
Strut Bumper Bellows				
2007-2006	(Design Allows Ease Of Installation)		K160285 ‡	2 F308
Strut Mount				
2007-2006	(Contains Bearing And Spring Seat, Superior Rubber To Steel Bonding For Durability)		K160103 ‡	2 F308
Sway Bar Bushing				
2007-2006	(Split Design For Easier Installation)	To Frame	K200627 ‡	1 F308
Sway Bar Link				
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K80251 ‡ K80250 ‡	1 F308 1 F308


STEERING



S402

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2007-2006			K150350	2 S402
Tie Rod End				
2007-2006	(Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800028 ES800027 EV800029 ‡	1 S402 1 S402 2 S402

REAR SUSPENSION




R176

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2007-2006	(R-Series) Plus Or Minus 2 Degree Camber, (Adjustable, R-Series)	Upper Upper	2 2	R176 R176
Sway Bar Bushing				
2007-2006	22mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200807 ‡	1 R176
Sway Bar Link				
2007-2006			K750007	2 R176
Wheel Hub & Bearing Assembly				
2007-2006			512271	2

Mazda2-MAZDA

FRONT SUSPENSION




F544

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2014-2011		Lower	K500255	2 F544
Control Arm with Ball Joint				
2014-2011	(R-Series) (R-Series)	Left Lower Right Lower	RK621614 RK621613	1 F544 1 F544
Strut Bumper Bellows				
2014-2011	(Replacement Type, Contains Bumper)		K90460	2 F544
Sway Bar Bushing				
2014-2011		To Frame	K201558	1 F544
Sway Bar Link				
2014-2011	(Powdered Metal Gusher Brg. For Better Lubrication)		K80104 ‡	2 F544

MAZDA-Mazda2 (Cont.)

STEERING



S412


Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2014-2011	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800942 ‡ ES800941 ‡ EV800932 ‡	1 1 2	S412 S412 S412

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2014-2011		K201412	2	
Wheel Hub & Bearing Assembly				
2014-2011		512468	2	



MAZDA-Mazda3

FRONT SUSPENSION



F278

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2013-2010	(Design Allows Ease Of Installation)	Lower Rear	K200860 ‡	2 F278
Control Arm with Ball Joint				
2013-2010	Naturally Aspirated, (R-Series) Naturally Aspirated, (R-Series)	Left Lower Right Lower	RK621271 RK621270	1 1 F278 F278
2009-2007	Naturally Aspirated, (R-Series) Naturally Aspirated, (R-Series)	Left Lower Right Lower	RK620041 RK620040	1 1 F278 F278
Strut and Spring Assembly				
2013-2007	Naturally Aspirated Naturally Aspirated	Left Right	ST8614L ST8614R	1 1 F278 F278
Strut Bumper Bellows				
2017-2014	(Replacement Type, Contains Bumper)		K90460	2
2013-2012	1998cc(2.0L), (Original Equipment Type)		K150276	2 F278


FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Strut Bumper Bellows					
2013-2010	1999cc(2.0L), (Original Equipment Type)	K150276	2	F278	
	2489cc(2.5L), (Original Equipment Type)	K150276	2	F278	
2011-2010	1999cc(2.0L), (Replacement Type, Contains Bumper)	K90460	2	F278	
	2489cc(2.5L), (Replacement Type, Contains Bumper)	K90460	2	F278	
2009-2007	Naturally Aspirated, (Replacement Type, Contains Bumper)	K90460	2	F278	
Strut Mount					
2013-2012	1998cc(2.0L), (Contains Bearing And Spring Seat)	K160228 ‡	2	F278	
2013-2010	1999cc(2.0L), (Contains Bearing And Spring Seat)	K160228 ‡	2	F278	
	2489cc(2.5L), (Contains Bearing And Spring Seat)	K160228 ‡	2	F278	
2009-2004	(Contains Bearing And Spring Seat)	K160228 ‡	2	F278	
Sway Bar Bushing					
2013-2007	Naturally Aspirated, (Split Design For Easier Installation)	To Frame	K200628 ‡	1	F278
Sway Bar Link					
2017-2014	(Design Allows Ease Of Installation)	Left	K750752 ‡	1	
	(Design Allows Ease Of Installation)	Right	K750751 ‡	1	
2013-2010	(Greaseable Socket Reduces Corrosion/Wear)		K750554 ‡	2	F278
2009-2007	Naturally Aspirated, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80235 ‡	2	F278
Wheel Hub & Bearing Assembly					
2017	Japan Built		512523	1	
	Mexico Built		512552	1	
2016-2014	Japan Built		513354	2	
STEERING					
					
S398					
					
S407					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2017	(Design Allows Ease Of Installation)	Left Outer	ES801063	1	
		Right Outer	ES801062	1	
		Inner	EV801067 ‡	1	
2016-2014		Left Outer	ES801063	1	S407
		Right Outer	ES801062	1	S407

MAZDA-Mazda3 (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2016-2014 (Cont.)	(Design Allows Ease Of Installation)	Inner	EV801067 ‡	2 S407
2013-2005		Inner	EV800024	2 S398
2013-2004	(Design Allows Ease Of Installation)	Left Outer	ES800026 ‡	1 S398
		Right Outer	ES800025	1 S398


REAR SUSPENSION



R031

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2016-2014	Plus Or Minus 3 Degree Camber, Plus Or Minus 1.5 Degree Toe, (Adjustable, Contains Extended Range Toe Cam, R-Series)	Lower Front	RK100303	2
2013-2004	(Lateral Link, R-Series)	Lower Front	RK641438	2 R031
	Up To Minus 1-1/2 To Plus 5 Degrees Camber, (Lateral Link, R-Series)	Upper	RK100002	2 R031
	Naturally Aspirated, (R-Series)	Lower Rear	RK641468	2 R031
2012-2004	(R-Series)	Upper	RK641985	2 R031
Shock Mount				
2013-2004	(Design Allows Ease Of Installation)		K160229 ‡	2 R031
Strut Bumper Bellows				
2013-2004			K201412	2 R031
Sway Bar Bushing				
2013-2012	1998cc(2.0L), Naturally Aspirated, 13mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200808 ‡	1 R031
2013-2010	1999cc(2.0L), Naturally Aspirated, 13mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200808 ‡	1 R031
	2489cc(2.5L), Naturally Aspirated, 15.2mm Sway Bar Diameter	To Frame	K201476	1 R031
2011	2489cc(2.5L), Naturally Aspirated, 13mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200808 ‡	1 R031
2009-2007	Naturally Aspirated, 13mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200808 ‡	1 R031
Sway Bar Link				
2017-2014	(Design Allows Ease Of Installation)	Left	K750671 ‡	1
	(Design Allows Ease Of Installation)	Right	K750670 ‡	1
2013-2007	Naturally Aspirated, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80867 ‡	2 R031
Trailing Link Bushing				
2013-2012			K201371	2 R031
2011-2010	1999cc(2.0L)		K201371	2 R031
	2489cc(2.5L)		K201371	2 R031
2009-2007	Naturally Aspirated		K200064	2 R031
Wheel Hub & Bearing Assembly				
2017-2014	Japan Built		512523	1
2016-2014	Mexico Built		512552	2
2013-2010			512347	2
2009-2004	4 Wheel ABS		512347	2
	Non ABS		512348	2

FRONT SUSPENSION




F278


Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2013-2010	(Design Allows Ease Of Installation) Lower Rear	K200860 ‡	2	F278
Control Arm with Ball Joint				
2013-2010	Naturally Aspirated, (R-Series) Left Lower	RK621271	1	F278
	Naturally Aspirated, (R-Series) Right Lower	RK621270	1	F278
2009-2007	Naturally Aspirated, (R-Series) Left Lower	RK620041	1	F278
	Naturally Aspirated, (R-Series) Right Lower	RK620040	1	F278
Strut and Spring Assembly				
2013-2007	Naturally Aspirated Left	ST8614L	1	F278
	Naturally Aspirated Right	ST8614R	1	F278
Strut Bumper Bellows				
2017-2014	(Replacement Type, Contains Bumper)	K90460	2	
2013-2010	1999cc(2.0L), (Original Equipment Type)	K150276	2	F278
	2489cc(2.5L), (Original Equipment Type)	K150276	2	F278
2011-2010	1999cc(2.0L), (Replacement Type, Contains Bumper)	K90460	2	F278
	2489cc(2.5L), (Replacement Type, Contains Bumper)	K90460	2	F278
2009-2007	Naturally Aspirated, (Replacement Type, Contains Bumper)	K90460	2	F278
Strut Mount				
2013-2010	1999cc(2.0L), (Contains Bearing And Spring Seat)	K160228 ‡	2	F278
	2489cc(2.5L), (Contains Bearing And Spring Seat)	K160228 ‡	2	F278
2009-2004	(Contains Bearing And Spring Seat)	K160228 ‡	2	F278
Sway Bar Bushing				
2013-2007	Naturally Aspirated, (Split Design For Easier Installation) To Frame	K200628 ‡	1	F278
Sway Bar Link				
2017-2014	(Design Allows Ease Of Installation) Left	K750752 ‡	1	
	(Design Allows Ease Of Installation) Right	K750751 ‡	1	
2013-2010	(Greaseable Socket Reduces Corrosion/Wear)	K750554 ‡	2	F278
2009-2007	Naturally Aspirated, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80235 ‡	2	F278
Wheel Hub & Bearing Assembly				
2016-2014	Japan Built	513354	2	

MAZDA-Mazda3 Sport (Cont.)

STEERING




S398



S407

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2016-2015	(Design Allows Ease Of Installation)	Inner	EV801067 ‡	2 S407
2016-2014		Left Outer	ES801063	1 S407
		Right Outer	ES801062	1 S407
2013-2005		Inner	EV800024	2 S398
2013-2004	(Design Allows Ease Of Installation)	Left Outer	ES800026 ‡	1 S398
		Right Outer	ES800025	1 S398


REAR SUSPENSION



R031


Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2016-2014	Plus Or Minus 3 Degree Camber, Plus Or Minus 1.5 Degree Toe, (Adjustable, Contains Extended Range Toe Cam, R-Series)	Lower Front	RK100303	2

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2013-2006	Up To Minus 1-1/2 To Plus 5 Degrees Camber, (Lateral Link, R-Series) Naturally Aspirated, (R-Series)	Upper Lower Rear	RK100002 RK641468	2 2 R031
2013-2004	(Lateral Link, R-Series)	Lower Front	RK641438	2 R031
2012-2004	(R-Series)	Upper	RK641985	2 R031
Shock Mount				
2013-2004	(Design Allows Ease Of Installation)		K160229 ‡	2 R031
Strut Bumper Bellows				
2013-2004			K201412	2 R031
Sway Bar Bushing				
2013-2010	1999cc(2.0L), Naturally Aspirated, 13mm Sway Bar Diameter, (Split Design For Easier Installation) To Frame		K200808 ‡	1 R031
	2489cc(2.5L), Naturally Aspirated, 13mm Sway Bar Diameter, (Split Design For Easier Installation) To Frame		K200808 ‡	1 R031
2012-2010	1999cc(2.0L), Naturally Aspirated, 15.2mm Sway Bar Diameter 2489cc(2.5L), Naturally Aspirated, 15.2mm Sway Bar Diameter	To Frame To Frame	K201476 K201476	1 1 R031 R031
2009-2007	Naturally Aspirated, 13mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200808 ‡	1 R031
Sway Bar Link				
2016-2015	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Right	K750671 ‡ K750670 ‡	1 1
2013-2007	Naturally Aspirated, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80867 ‡	2 R031
Trailing Link Bushing				
2013-2012			K201371	2 R031
2011-2010	1999cc(2.0L) 2489cc(2.5L)		K201371 K201371	2 2 R031 R031
2009-2007	Naturally Aspirated		K200064	2 R031
Wheel Hub & Bearing Assembly				
2016-2014	Japan Built Mexico Built		512523 512552	2 2
2013-2009			512347	2






MAZDA-Mazda6 (Cont.)

FRONT SUSPENSION (Cont.)



F456

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2008-2007	+/- 1 Degree Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Upper	K500013 ‡	2 F308
Control Arm Bushing				
2013-2009		Lower Front	K201330	2 F456
		Left Rear Lower	K201331	1 F456
		Lower Control Arm At Strut	K201339	2 F456
2008-2003	(Design Allows Ease Of Installation)	Lower Front Inner	K200905 ‡	2 F308
2007-2003	(Design Allows Ease Of Installation)	Lower Control Arm At Strut	K200101 ‡	2 F308
Control Arm with Ball Joint				
2013-2009	(R-Series)	Left Lower	RK622045	1 F456
	(R-Series)	Right Lower	RK622046	1 F456
	16" Wheels, (R-Series)	Left Upper	RK622915	1 F456
	16" Wheels, (R-Series)	Right Upper	RK622914	1 F456
	17" Or 18" Wheels, (R-Series)	Left Upper	RK622913	1 F456
	17" Or 18" Wheels, (R-Series)	Right Upper	RK622912	1 F456
2008	(R-Series)	Left Upper	RK620636	1 F308
	(R-Series)	Right Upper	RK620635	1 F308
	(R-Series)	Lower Front	RK620070	2 F308
	(R-Series)	Left Rear Lower	RK621249	1 F308
	(R-Series)	Right Rear Lower	RK621250	1 F308
2007	(OE Ball Joint Separator Tool And Adaptor Required, R-Series)	Left Rear Lower	RK620492	1 F308
	Naturally Aspirated, (Contains Bushing, OE Ball Joint Separator Tool And Adaptor Required, Greaseable Socket Reduces Corrosion/Wear)	Left Rear Lower	CK620278 ‡	1 F308
2007-2006	Naturally Aspirated, (R-Series)	Left Upper	RK620636	1 F308
	Naturally Aspirated, (R-Series)	Right Upper	RK620635	1 F308
	Naturally Aspirated, (Contains Bushings, R-Series)	Lower Front	RK620815	2 F308
	Naturally Aspirated, (Contains Bushing, OE Ball Joint Separator Tool And Adaptor Required, Greaseable Socket Reduces Corrosion/Wear)	Right Rear Lower	CK620277 ‡	1 F308
	Naturally Aspirated, (OE Ball Joint Separator Tool And Adaptor Required, R-Series)	Right Rear Lower	RK620493	1 F308
Strut and Spring Assembly				
2008-2003	V6 Cyl		ST8687	2 F308
Strut Bumper Bellows				
2017-2014	(Original Equipment Type)		K201416	2
	(Replacement Type, Contains Bumper)		K90464	2
2013-2009	(Original Equipment Type)		K160034	2 F456
2008-2003	(Design Allows Ease Of Installation)		K160285 ‡	2 F308
Strut Mount				
2008-2005	(Contains Bearing And Spring Seat, Superior Rubber To Steel Bonding For Durability)		K160103 ‡	2 F308
Sway Bar Bushing				
2013-2009		To Frame	K201534	1 F456
2008-2006	(Split Design For Easier Installation)	To Frame	K200627 ‡	1 F308
Sway Bar Link				
2017-2014	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80296 ‡	2
2013-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K80251 ‡	1 F456
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K80250 ‡	1 F456
2008-2003	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K80251 ‡	1 F308


FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2008-2003 (Cont.)	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K80250 ‡	1 F308
Wheel Hub & Bearing Assembly				
2017-2014			513347	2
STEERING				
				
S402				
				
S405				
				
S407				
Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2008-2003			K150350	2 S402
Tie Rod End				
2017-2014	(Design Allows Ease Of Installation)	Right Outer Inner	ES801062 EV801067 ‡	1 2 S407 S407

MAZDA-Mazda6 (Cont.)


STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2013-2009	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800856 ‡ ES800855 ‡ EV800833 ‡	1 1 2	S405 S405 S405
2008-2003	(Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800028 ES800027 EV800029 ‡	1 1 2	S402 S402 S402

REAR SUSPENSION



R125



R134


Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2013-2009	(R-Series) (R-Series) Plus Or Minus 2 Degree Camber, (Adjustable, R-Series)	Left Rear Lower Right Rear Lower Upper	RK642606 RK642605 RK100171	1 1 2	R134 R134 R134
2008	(Lateral Link, R-Series)	Lower Front	RK641279	2	R125
2008-2003	(R-Series) Plus Or Minus 2 Degree Camber, (Adjustable, R-Series)	Upper Upper	RK641005 RK100171	2 2	R125 R125
2007-2006	Naturally Aspirated, (Lateral Link, R-Series)	Lower Front	RK641279	2	R125
Sway Bar Bushing					
2013-2009		To Frame	K201535	1	R134
2008-2006	18mm Sway Bar Diameter, (Split Design For Easier Installation) 22mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame To Frame	K200806 ‡ K200807 ‡	1 1	R125 R125
Sway Bar Link					
2017-2014	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Right	K750671 ‡ K750670 ‡	1 1	
2013-2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750403 ‡	2	R134
2008-2003			K750007	2	R125
Trailing Link Bushing					
2008-2006			K201425	2	R125
Wheel Hub & Bearing Assembly					
2017-2014			512519	2	

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2013-2009		512409	2	
2008-2005		512271	2	

MX-5-MAZDA

FRONT SUSPENSION




F306

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2017-2006	(R-Series)	Left Upper	RK622099	1	F306
	(R-Series)	Right Upper	RK622098	1	F306
2015-2006	(R-Series)	Left Lower	RK622082	1	F306
	(R-Series)	Right Lower	RK622081	1	F306
Shock Hardware Kit					
2015-2006	(Contains Bushing And Washers)		K160230 ‡	2	F306
Strut Bumper Bellows					
2015-2006	(Replacement Type, Contains Bumper)		K90460	2	F306
Sway Bar Bushing					
2015-2007	Except Retractable Hardtop, (Split Design For Easier Installation) Retractable Hardtop, (Split Design For Easier Installation)	To Frame	K200625 ‡	1	F306
		To Frame	K200626 ‡	1	F306
Sway Bar Link					
2014-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80158 ‡	1	F306
		Right	K80157 ‡	1	F306
Wheel Hub & Bearing Assembly					
2015-2009			513350	2	
2008-2006	4 Wheel ABS		513350	2	

MAZDA-MX-5 (Cont.)


STEERING



S413

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2015-2006		Left Right	K150282 K150290	1 1	S413 S413
Tie Rod End					
2015-2006	(Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Outer Inner	ES800867 ‡ EV800713 ‡	2 2	S413 S413


REAR SUSPENSION



R178

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2015-2006	(R-Series) (R-Series)	Left Rear Upper Right Rear Upper	RK642627 RK642626	1 1	R178 R178
2014-2006	(R-Series) (R-Series)	Left Rear Lower Right Rear Lower	RK642625 RK642624	1 1	R178 R178
Shock Hardware Kit					
2015-2006	(Contains Bushing And Washers)		K160230 ‡	2	R178
Strut Bumper Bellows					
2015-2006			K201554	2	R178
Sway Bar Bushing					
2015	Except Sport Suspension Sport Suspension, (Split Design For Easier Installation)	To Frame To Frame	K90643 K200803 ‡	1 1	R178 R178
2014-2009	Except Limited Slip Differential Limited Slip Differential, (Split Design For Easier Installation)	To Frame To Frame	K90643 K200803 ‡	1 1	R178 R178
2008-2006	Except Sport Suspension Sport Suspension, (Split Design For Easier Installation)	To Frame To Frame	K90643 K200803 ‡	1 1	R178 R178
Sway Bar Link					
2015-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750133 ‡	2	R178


FRONT SUSPENSION



F306

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2011-2009	(R-Series)	Left Upper	RK622099	1	F306
	(R-Series)	Right Upper	RK622098	1	F306
2008-2006	(R-Series)	Left Lower	RK622109	1	F306
	(R-Series)	Right Lower	RK622108	1	F306
Shock Hardware Kit					
2011-2004	(Contains Bushing And Washers)	K160230 ‡	2	F306	
Strut Bumper Bellows					
2011-2004	(Replacement Type, Contains Bumper)	K90460	2	F306	
Sway Bar Bushing					
2011-2009		To Frame	K201592	1	F306
2008-2004	(Split Design For Easier Installation)	To Frame	K200626 ‡	1	F306
Sway Bar Link					
2011-2004	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80158 ‡	1	F306
		Right	K80157 ‡	1	F306
Wheel Hub & Bearing Assembly					
2011-2009	Dynamic Stability Control Except Dynamic Stability Control	513345	2		
		513341	2		
2008-2004		513341	2		

STEERING



S414


Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2011-2004	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer	ES800823 ‡	1	S414
		Right Outer	ES800822 ‡	1	S414

MAZDA-RX-8 (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2011-2004 (Cont.)	(Design Allows Ease Of Installation)	Inner	EV800821 ‡	2	S414

REAR SUSPENSION



R178

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2008-2006	(R-Series) (R-Series) (R-Series) Except Dynamic Stability Control, (R-Series)	Left Rear Upper Right Rear Lower Right Rear Upper Left Rear Lower	RK642604 RK642601 RK642603 RK642602	1 1 1 1	R178 R178 R178 R178
Shock Hardware Kit					
2011-2004	(Contains Bushing And Washers)		K160230 ‡	2	R178
Strut Bumper Bellows					
2011-2004			K201554	2	R178
Sway Bar Link					
2011-2004	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750133 ‡	2	R178

MERCEDES BENZ-AMG GT

STEERING


Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2018	Base Model, C, S, (Design Allows Ease Of Installation)	Left Outer	ES800646 ‡	1	
	Base Model, C, S, (Design Allows Ease Of Installation)	Right Outer	ES800811 ‡	1	
2017	Base Model, S, (Design Allows Ease Of Installation)	Left Outer	ES800646 ‡	1	
	Base Model, S, (Design Allows Ease Of Installation)	Right Outer	ES800811 ‡	1	
2016	(Design Allows Ease Of Installation)	Left Outer	ES800646 ‡	1	
	(Design Allows Ease Of Installation)	Right Outer	ES800811 ‡	1	

MERCEDES BENZ-B F-Cell

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure	
Wheel Hub & Bearing Assembly					
2014			512561	2	

B200-MERCEDES BENZ

FRONT SUSPENSION				
				
F483				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2011-2006	Lower	K500258	2	F483
Control Arm with Ball Joint				
2011-2006	(R-Series) (R-Series)	Left Lower Right Lower	1 1	F483 F483
		RK621703 RK621704		
Strut Mount				
2011-2006	(Contains Bearing)	K160339	2	F483
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2011-2006		512561	2	

B250-MERCEDES BENZ

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2018	Except Variable Dampening Suspension, (R-Series) Except Variable Dampening Suspension, (R-Series)	Left Lower Right Lower	1 1	
		RK622910 RK622911		
2017-2013	(R-Series) (R-Series)	Left Lower Right Lower	1 1	
		RK622910 RK622911		
Sway Bar Link				
2018-2013		K750875	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2013		Left Outer Right Outer Inner	1 1 2	
		ES801272 ‡ ES801273 ‡ EV801036 ‡		
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2018-2013	(R-Series)	Lower Front	2	
		RK642798		


MERCEDES BENZ-B250 4Matic

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2018	Except Variable Dampening Suspension, (R-Series) Except Variable Dampening Suspension, (R-Series)	Left Lower	RK622910	1
		Right Lower	RK622911	1
2017-2015	(R-Series) (R-Series)	Left Lower	RK622910	1
		Right Lower	RK622911	1
Sway Bar Link				
2018-2015		K750875	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2015		Left Outer	ES801272 ‡	1
		Right Outer	ES801273 ‡	1
		Inner	EV801036 ‡	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2018-2015	(R-Series)	Lower Front	RK642798	2


MERCEDES BENZ-B-Electric Drive

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2017-2014		K750875	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2014		Left Outer	ES801272 ‡	1
		Right Outer	ES801273 ‡	1
		Inner	EV801036 ‡	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2014	(R-Series)	Lower Front	RK642798	2
Wheel Hub & Bearing Assembly				
2017-2014		512561	2	


FRONT SUSPENSION



F270



F271



F353

Year	Model/Application	Part	P/C Qty	Figure
C55 AMG				
Control Arm with Ball Joint				
2007-2005	(R-Series)	Left Rear Lower	1	F270
	(R-Series)	Right Rear Lower	1	F270
Strut Bumper Bellows				
2007-2005	(Contains Bumper)	K90464	2	F270

MERCEDES BENZ-C Series (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
C63 AMG				
Control Arm Bushing				
2013-2008	(Design Allows Ease Of Installation)	Lower Front Inner	K200085 ‡	2 F353
Control Arm with Ball Joint				
2015	2 Dr. Coupe, (Stud Points Down, R-Series)	Left Front Lower	RK620086	1 F353
	2 Dr. Coupe, (Stud Points Down, R-Series)	Right Front Lower	RK620087	1 F353
2014-2008	(Stud Points Down, R-Series)	Left Front Lower	RK620086	1 F353
	(Stud Points Down, R-Series)	Right Front Lower	RK620087	1 F353
Strut Bumper Bellows				
2015-2012	2 Dr. Coupe		K201416	2 F353
2014-2012	4 Dr. Sedan, (Original Equipment Type)		K201416	2 F353
	4 Dr. Sedan, (Replacement Type, Contains Bumper)		K90460	2 F353
2011-2008	(Original Equipment Type)		K201416	2 F353
	(Replacement Type, Contains Bumper)		K90460	2 F353
Strut Mount				
2015	2 Dr. Coupe, (Contains Bearing)		K160340	2 F353
2014-2008	(Contains Bearing)		K160340	2 F353
Sway Bar Link				
2015-2014	Base Coupe , 2 Dr. Coupe, Except Adjustable Suspension, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750337 ‡	1 F353
	Base Coupe , 2 Dr. Coupe, Except Adjustable Suspension, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750338 ‡	1 F353
	Edition 507, Except Adjustable Suspension, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750337 ‡	1 F353
	Edition 507, Except Adjustable Suspension, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750338 ‡	1 F353
2014	Base Sedan , 4 Dr. Sedan, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750337 ‡	1 F353
	Base Sedan , 4 Dr. Sedan, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750338 ‡	1 F353
2013-2012	Base Coupe , Except Adjustable Suspension, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750337 ‡	1 F353
	Base Coupe , Except Adjustable Suspension, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750338 ‡	1 F353
	Base Sedan , 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750337 ‡	1 F353
	Base Sedan , 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750338 ‡	1 F353
2012	Black Series Coupe		K80495	2 F353
2011-2008	12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750337 ‡	1 F353
	12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750338 ‡	1 F353
Wheel Bearing Assembly				
2012			512432	2
Wheel Hub & Bearing Assembly				
2014-2013			513360	2
C230				
Control Arm with Ball Joint				
2009-2008	Rear Wheel Drive, (Stud Points Down, R-Series)	Left Front Lower	RK620086	1 F353
	Rear Wheel Drive, (Stud Points Down, R-Series)	Right Front Lower	RK620087	1 F353
2007-2006	(R-Series)	Left Rear Lower	RK80533	1 F270
	(R-Series)	Right Rear Lower	RK80534	1 F270
Strut Bumper Bellows				
2007-2006	(Contains Bumper)		K90464	2 F270
Sway Bar Bushing				
2007-2006	4 Dr. Sedan	To Frame	K201543	1 F270
Sway Bar Link				
2009-2008	Rear Wheel Drive, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750337 ‡	1 F353
	Rear Wheel Drive, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750338 ‡	1 F353
2007-2006	(M10 Stud At Sway Bar End, Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80490 ‡	2 F270
	12mm Stud		K80491	2 F270
C230 4Matic				
Control Arm with Ball Joint				
2009-2008	All Wheel Drive, (R-Series)	Left Rear Lower	RK621159	1 F353
	All Wheel Drive, (R-Series)	Right Rear Lower	RK621158	1 F353
Sway Bar Link				
2009-2008	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750335 ‡	1 F353
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750336 ‡	1 F353

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
C250				
Control Arm Bushing				
2015-2013	(Design Allows Ease Of Installation)	Lower Front Inner	K200085 ‡	2 F353
Control Arm with Ball Joint				
2015-2013	(Stud Points Down, R-Series)	Left Front Lower	RK620086	1 F353
	(Stud Points Down, R-Series)	Right Front Lower	RK620087	1 F353
2014-2010	Rear Wheel Drive, (Stud Points Up, Contains Bushing, R-Series)	Left Rear Lower	RK620981	1 F353
	Rear Wheel Drive, (Stud Points Up, Contains Bushing, R-Series)	Right Rear Lower	RK620980	1 F353
2012-2010	Rear Wheel Drive, (Stud Points Down, R-Series)	Left Front Lower	RK620086	1 F353
	Rear Wheel Drive, (Stud Points Down, R-Series)	Right Front Lower	RK620087	1 F353
Strut Bumper Bellows				
2015	2 Dr. Coupe, Rear Wheel Drive, (Original Equipment Type)		K201416	2 F353
2015-2012	2 Dr. Coupe, Rear Wheel Drive, (Replacement Type, Contains Bumper)		K90460	2 F353
2014-2012	4 Dr. Sedan, Rear Wheel Drive, Except Sport Suspension, (Replacement Type, Contains Bumper)		K90461	2 F353
	4 Dr. Sedan, Rear Wheel Drive, Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2 F353
2014-2010	Rear Wheel Drive, (Original Equipment Type)		K201416	2 F353
2011-2010	Rear Wheel Drive, Except Sport Suspension, (Replacement Type, Contains Bumper)		K90461	2 F353
	Rear Wheel Drive, Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2 F353
Strut Mount				
2015	2 Dr. Coupe, (Contains Bearing)		K160340	2 F353
2014-2010	(Contains Bearing)		K160340	2 F353
Sway Bar Link				
2015-2013	12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750337 ‡	1 F353
	12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750338 ‡	1 F353
2012-2010	Rear Wheel Drive, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750337 ‡	1 F353
	Rear Wheel Drive, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750338 ‡	1 F353
Wheel Hub & Bearing Assembly				
2015	2 Dr. Coupe		520003	2
2014-2012			520003	2
C250 4MATIC				
Control Arm with Ball Joint				
2012-2010	All Wheel Drive, (R-Series)	Left Rear Lower	RK621159	1 F353
	All Wheel Drive, (R-Series)	Right Rear Lower	RK621158	1 F353
Strut Mount				
2012-2010	(Contains Bearing)		K160340	2 F353
Sway Bar Link				
2012-2010	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750335 ‡	1 F353
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750336 ‡	1 F353
Wheel Hub & Bearing Assembly				
2012			520003	2
C280				
Control Arm with Ball Joint				
2007-2006	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK80533	1 F270
	Rear Wheel Drive, (R-Series)	Right Rear Lower	RK80534	1 F270
Strut Bumper Bellows				
2007-2006	Rear Wheel Drive, (Contains Bumper)		K90464	2 F270
Sway Bar Bushing				
2007-2006	4 Dr. Sedan, Rear Wheel Drive	To Frame	K201543	1 F270
Sway Bar Link				
2007-2006	Rear Wheel Drive, 12mm Stud		K80491	2 F270
	Rear Wheel Drive, Except Sport Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80490 ‡	2 F270
C280 4Matic				
Control Arm with Ball Joint				
2007-2006	All Wheel Drive, (R-Series)	Left Lower	RK622163	1 F271
	All Wheel Drive, (R-Series)	Right Lower	RK622042	1 F271
Strut Bumper Bellows				
2007-2006	All Wheel Drive		K201416	2 F271
Sway Bar Bushing				
2007-2006	4 Dr. Sedan, All Wheel Drive	To Frame	K201543	1 F271

MERCEDES BENZ-C Series (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
C300				
Control Arm with Ball Joint				
2011-2009	Rear Wheel Drive, (Stud Points Up, Contains Bushing, R-Series)	Left Rear Lower	RK620981	1 F353
	Rear Wheel Drive, (Stud Points Up, Contains Bushing, R-Series)	Right Rear Lower	RK620980	1 F353
2011-2008	Rear Wheel Drive, (Stud Points Down, R-Series)	Left Front Lower	RK620086	1 F353
	Rear Wheel Drive, (Stud Points Down, R-Series)	Right Front Lower	RK620087	1 F353
2008	Rear Wheel Drive, From 2/28/08, (Stud Points Up, Contains Bushing, R-Series)	Left Rear Lower	RK620981	1 F353
	Rear Wheel Drive, From 2/28/08, (Stud Points Up, Contains Bushing, R-Series)	Right Rear Lower	RK620980	1 F353
	Rear Wheel Drive, Thru 2/27/08, (Stud Points Up, R-Series)	Left Rear Lower	RK621154	1 F353
	Rear Wheel Drive, Thru 2/27/08, (Stud Points Up, R-Series)	Right Rear Lower	RK621155	1 F353
Strut Bumper Bellows				
2011-2008	Rear Wheel Drive, (Original Equipment Type)		K201416	2 F353
	Rear Wheel Drive, Except Sport Suspension, (Replacement Type, Contains Bumper)		K90461	2 F353
	Rear Wheel Drive, Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2 F353
Strut Mount				
2011-2008	(Contains Bearing)		K160340	2 F353
Sway Bar Link				
2011-2008	Rear Wheel Drive, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750337 ‡	1 F353
	Rear Wheel Drive, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750338 ‡	1 F353
C300 4Matic				
Control Arm with Ball Joint				
2014-2008	All Wheel Drive, (R-Series)	Left Rear Lower	RK621159	1 F353
	All Wheel Drive, (R-Series)	Right Rear Lower	RK621158	1 F353
Strut Bumper Bellows				
2014-2008	All Wheel Drive, (Replacement Type, Contains Bumper)		K90460	2 F353
Strut Mount				
2014-2008	(Contains Bearing)		K160340	2 F353
Sway Bar Link				
2014-2008	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750335 ‡	1 F353
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750336 ‡	1 F353
Wheel Hub & Bearing Assembly				
2015	All Wheel Drive		513388	2
C350				
Control Arm with Ball Joint				
2015-2008	Rear Wheel Drive, (Stud Points Down, R-Series)	Left Front Lower	RK620086	1 F353
	Rear Wheel Drive, (Stud Points Down, R-Series)	Right Front Lower	RK620087	1 F353
2012-2009	Rear Wheel Drive, (Stud Points Up, Contains Bushing, R-Series)	Left Rear Lower	RK620981	1 F353
	Rear Wheel Drive, (Stud Points Up, Contains Bushing, R-Series)	Right Rear Lower	RK620980	1 F353
2008	Rear Wheel Drive, From 2/28/08, (Stud Points Up, Contains Bushing, R-Series)	Left Rear Lower	RK620981	1 F353
	Rear Wheel Drive, From 2/28/08, (Stud Points Up, Contains Bushing, R-Series)	Right Rear Lower	RK620980	1 F353
	Rear Wheel Drive, Thru 2/27/08, (Stud Points Up, R-Series)	Left Rear Lower	RK621154	1 F353
	Rear Wheel Drive, Thru 2/27/08, (Stud Points Up, R-Series)	Right Rear Lower	RK621155	1 F353
2007-2006	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK80533	1 F270
	Rear Wheel Drive, (R-Series)	Right Rear Lower	RK80534	1 F270
Strut Bumper Bellows				
2015	2 Dr. Coupe, Rear Wheel Drive, (Original Equipment Type)		K201416	2 F353
2015-2012	2 Dr. Coupe, Rear Wheel Drive, (Replacement Type, Contains Bumper)		K90460	2 F353
2014-2012	4 Dr. Sedan, Rear Wheel Drive, Except Sport Suspension, (Replacement Type, Contains Bumper)		K90461	2 F353
	4 Dr. Sedan, Rear Wheel Drive, Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2 F353
2014-2008	Rear Wheel Drive, (Original Equipment Type)		K201416	2 F353
2011-2008	Rear Wheel Drive, Except Sport Suspension, (Replacement Type, Contains Bumper)		K90461	2 F353
	Rear Wheel Drive, Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2 F353
2007-2006	Rear Wheel Drive, (Contains Bumper)		K90464	2 F270
Strut Mount				
2015	2 Dr. Coupe, (Contains Bearing)		K160340	2 F353
2014-2008	(Contains Bearing)		K160340	2 F353
Sway Bar Bushing				
2007-2006	4 Dr. Sedan, Rear Wheel Drive	To Frame	K201543	1 F270
Sway Bar Link				
2015-2008	Rear Wheel Drive, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750337 ‡	1 F353
	Rear Wheel Drive, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750338 ‡	1 F353
2007-2006	Rear Wheel Drive, 12mm Stud		K80491	2 F270


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
C350				
Sway Bar Link				
2007-2006 (Cont.)	Rear Wheel Drive, Except Sport Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80490 ‡	2	F270
Wheel Hub & Bearing Assembly				
2015-2013		520003	2	
C350 4Matic				
Control Arm with Ball Joint				
2015-2008	All Wheel Drive, (Stud Points Up, R-Series)	Left Rear Lower RK621159	1	F353
	All Wheel Drive, (Stud Points Up, R-Series)	Right Rear Lower RK621158	1	F353
2007-2006	All Wheel Drive, (R-Series)	Left Lower RK622163	1	F271
	All Wheel Drive, (R-Series)	Right Lower RK622042	1	F271
Strut Bumper Bellows				
2015-2012	2 Dr. Coupe, All Wheel Drive, (Replacement Type, Contains Bumper)	K90460	2	F353
2007-2006	All Wheel Drive	K201416	2	F271
Strut Mount				
2015	2 Dr. Coupe, (Contains Bearing)	K160340	2	F353
2014-2008	(Contains Bearing)	K160340	2	F353
Sway Bar Bushing				
2007-2006	4 Dr. Sedan, All Wheel Drive	To Frame K201543	1	F271
Sway Bar Link				
2015-2008	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left K750335 ‡	1	F353
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right K750336 ‡	1	F353
C400 4Matic				
Wheel Hub & Bearing Assembly				
2015		513388	2	

STEERING



S128



S361

MERCEDES BENZ-C Series (Cont.)


STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
C43 AMG 4Matic					
Tie Rod End					
2017		Left Outer Right Outer	ES801312 ‡ ES801313 ‡	1 1	
C55 AMG					
Tie Rod End					
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer Right Outer Inner	ES80687 ES80688 EV80975 ‡	1 1 2	S128 S128 S128
C63 AMG					
Tie Rod End					
2017-2015		Inner	EV801300	2	
2015-2008	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800646 ‡ ES800811 ‡	1 1	S361 S361
2014-2008		Inner	EV801311	2	
C230					
Tie Rod End					
2009-2008	Rear Wheel Drive, (Design Allows Ease Of Installation) Rear Wheel Drive, (Design Allows Ease Of Installation) Rear Wheel Drive, (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800646 ‡ ES800811 ‡ EV800394 ‡	1 1 2	S361 S361 S361
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer Right Outer Inner	ES80687 ES80688 EV80975 ‡	1 1 2	S128 S128 S128
C230 4Matic					
Tie Rod End					
2009-2008	All Wheel Drive, (Design Allows Ease Of Installation) All Wheel Drive, (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800863 ‡ ES800790 ‡	1 1	S361 S361
C250					
Tie Rod End					
2015-2013	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800646 ‡ ES800811 ‡ EV800394 ‡	1 1 2	S361 S361 S361
2012-2010	Rear Wheel Drive, (Design Allows Ease Of Installation) Rear Wheel Drive, (Design Allows Ease Of Installation) Rear Wheel Drive, (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800646 ‡ ES800811 ‡ EV800394 ‡	1 1 2	S361 S361 S361
C250 4MATIC					
Tie Rod End					
2012-2010	All Wheel Drive, (Design Allows Ease Of Installation) All Wheel Drive, (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800863 ‡ ES800790 ‡	1 1	S361 S361
C280					
Tie Rod End					
2007-2006	Rear Wheel Drive Rear Wheel Drive Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer Right Outer Inner	ES80687 ES80688 EV80975 ‡	1 1 2	S128 S128 S128
C280 4Matic					
Tie Rod End					
2007-2006	All Wheel Drive	Left Outer Right Outer Inner	ES801223 ES801224 EV80974	1 1 2	S128 S128 S128
C300					
Tie Rod End					
2017-2015	Rear Wheel Drive	Inner	EV801300	2	
2011-2008	Rear Wheel Drive, (Design Allows Ease Of Installation) Rear Wheel Drive, (Design Allows Ease Of Installation) Rear Wheel Drive, (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800646 ‡ ES800811 ‡ EV800394 ‡	1 1 2	S361 S361 S361
C300 4Matic					
Tie Rod End					
2017-2015	All Wheel Drive All Wheel Drive	Left Outer Right Outer	ES801312 ‡ ES801313 ‡	1 1	
2014-2012		Inner	EV801002	2	S361
2014-2008	All Wheel Drive, (Design Allows Ease Of Installation) All Wheel Drive, (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800863 ‡ ES800790 ‡	1 1	S361 S361

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
C300 4Matic				
Tie Rod End				
2011-2008	All Wheel Drive	Inner	EV801002	2 S361
C350				
Tie Rod End				
2015	Electric Steering Rear Wheel Drive, Except Electronic Control Power Steering, (Design Allows Ease Of Installation)	Inner	EV801300	2
		Inner	EV800394 ‡	2 S361
2015-2008	Rear Wheel Drive, (Design Allows Ease Of Installation)	Left Outer	ES800646 ‡	1 S361
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800811 ‡	1 S361
2014-2008	Rear Wheel Drive, (Design Allows Ease Of Installation)	Inner	EV800394 ‡	2 S361
2007-2006	Rear Wheel Drive	Left Outer	ES80687	1 S128
	Rear Wheel Drive	Right Outer	ES80688	1 S128
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV80975 ‡	2 S128
C350 4Matic				
Tie Rod End				
2015	Electric Steering All Wheel Drive, Except Electronic Control Power Steering	Inner	EV801300	2
		Inner	EV801002	2 S361
2015-2008	All Wheel Drive, (Design Allows Ease Of Installation)	Left Outer	ES800863 ‡	1 S361
	All Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800790 ‡	1 S361
2014-2012	All Wheel Drive	Inner	EV801002	2 S361
2007-2006	All Wheel Drive	Left Outer	ES801223	1 S128
	All Wheel Drive	Right Outer	ES801224	1 S128
	All Wheel Drive	Inner	EV80974	2 S128
C350e Hybrid				
Tie Rod End				
2017-2016		Inner	EV801300	2
C400 4Matic				
Tie Rod End				
2015		Left Outer	ES801312 ‡	1
		Right Outer	ES801313 ‡	1
C450 AMG 4Matic				
Tie Rod End				
2016		Left Outer	ES801312 ‡	1
		Right Outer	ES801313 ‡	1
REAR SUSPENSION				
R043				

MERCEDES BENZ-C Series (Cont.)

REAR SUSPENSION (Cont.)



R205

Year	Model/Application	Part	P/C Qty	Figure	
C43 AMG 4Matic					
Control Arm Bushing					
2017		Lower Rear Outer	K201727	2	
C55 AMG					
Control Arm					
2007-2005	(Straight Arm, Contains Bushing, R-Series) (Straight Arm, Lateral Link, R-Series)	Upper Front Lower Center	RK620090 RK640726	2 2	R043 R043
Control Arm Bushing					
2007-2005	(Design Allows Ease Of Installation) Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers) Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers)	Lower Rear Outer Upper Front Outer Upper Rear Outer	K200082 ‡ K100302 K100302	2 2 2	R043 R043 R043
Control Arm with Ball Joint					
2007-2005	(Contains Bushing, R-Series)	Lower Front	RK620729	2	R043
Sway Bar Link					
2007-2005		Left Right	K80456 K80455	1 1	R043 R043
C63 AMG					
Control Arm					
2011-2008	(R-Series, Thrust Arm) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series)	Lower Front Left Front Upper Left Lower Center Left Rear Upper Right Front Upper Right Lower Center Right Rear Upper	RK641986 RK641423 RK641425 RK641421 RK641422 RK641424 RK641420	2 1 1 1 1 1 1	R205 R205 R205 R205 R205 R205 R205
Control Arm Bushing					
2017-2008		Lower Rear Outer	K201727	2	R205
2013-2008		Arm To Knuckle, Lower Front	K200088	2	R205
Strut Bumper Bellows					
2015-2012	2 Dr. Coupe		K201597	2	R205
2014-2012	4 Dr. Sedan		K201554	2	R205
2011-2008			K201554	2	R205
Sway Bar Link					
2014-2008	(Improves Upon OE Design) (Improves Upon OE Design)	Left Right	K700342 ‡ K700341 ‡	1 1	R205 R205
Wheel Bearing Assembly					
2014-2008			512433	2	
C230					
Control Arm					
2009-2008	(R-Series, Thrust Arm) (R-Series) (R-Series)	Lower Front Left Front Upper Left Lower Center	RK641986 RK641423 RK641425	2 1 1	R205 R205 R205

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
C230				
Control Arm				
2009-2008 (Cont.)	(R-Series)	Left Rear Upper	RK641421	1 R205
	(R-Series)	Right Front Upper	RK641422	1 R205
	(R-Series)	Right Lower Center	RK641424	1 R205
	(R-Series)	Right Rear Upper	RK641420	1 R205
2007-2006	(Straight Arm, Lateral Link, R-Series)	Lower Center	RK640726	2 R043
	Rear Wheel Drive, (Bent Arm, R-Series)	Upper Rear	RK642637	2 R043
Control Arm Bushing				
2009-2008	Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Lower Front	K200088	2 R205
		Arm To Knuckle, Upper	K100239	2 R205
2007-2006	Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers)	Upper Front Outer	K100302	2 R043
		Upper Rear Outer	K100302	2 R043
Control Arm with Ball Joint				
2007-2006	(Contains Bushing, R-Series)	Lower Front	RK620729	2 R043
Sway Bar Bushing				
2007-2006	13mm Sway Bar Diameter 15mm Sway Bar Diameter	To Frame	K201388	1 R043
		To Frame	K201520	1 R043
Sway Bar Link				
2009-2008	(Improves Upon OE Design) (Improves Upon OE Design)	Left	K700342 ‡	1 R205
		Right	K700341 ‡	1 R205
2007		Left	K80456	1 R043
		Right	K80455	1 R043
Wheel Bearing Assembly				
2009-2008			512433	2
C230 4Matic				
Control Arm				
2009-2008	(R-Series, Thrust Arm) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series)	Lower Front	RK641986	2 R205
		Left Front Upper	RK641423	1 R205
		Left Lower Center	RK641425	1 R205
		Left Rear Upper	RK641421	1 R205
		Right Front Upper	RK641422	1 R205
		Right Lower Center	RK641424	1 R205
		Right Rear Upper	RK641420	1 R205
Control Arm Bushing				
2009-2008	Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Lower Front	K200088	2 R205
		Arm To Knuckle, Upper	K100239	2 R205
Sway Bar Link				
2009-2008	(Improves Upon OE Design) (Improves Upon OE Design)	Left	K700342 ‡	1 R205
		Right	K700341 ‡	1 R205
Wheel Bearing Assembly				
2009-2008			512433	2
C250				
Control Arm				
2015	Except Sport Package, (R-Series) Except Sport Package, (R-Series) Sport Package, (R-Series) Sport Package, (R-Series)	Left Front Upper	RK641423	1 R205
		Right Front Upper	RK641422	1 R205
		Left Front Upper	RK642441	1 R205
		Right Front Upper	RK642442	1 R205
2015-2010	(R-Series, Thrust Arm) (R-Series) (R-Series)	Lower Front	RK641986	2 R205
		Left Lower Center	RK641425	1 R205
		Right Lower Center	RK641424	1 R205
2014-2012	2 Dr. Coupe, Except Sport Package, (R-Series) 2 Dr. Coupe, Except Sport Package, (R-Series) 2 Dr. Coupe, Sport Package, (R-Series) 2 Dr. Coupe, Sport Package, (R-Series) 4 Dr. Sedan, (R-Series) 4 Dr. Sedan, (R-Series)	Left Front Upper	RK641423	1 R205
		Right Front Upper	RK641422	1 R205
		Left Front Upper	RK642441	1 R205
		Right Front Upper	RK641422	1 R205
		Left Front Upper	RK641423	1 R205
		Right Front Upper	RK641422	1 R205
2014-2010	(R-Series) (R-Series)	Left Rear Upper	RK641421	1 R205
		Right Rear Upper	RK641420	1 R205
2011-2010	(R-Series) (R-Series)	Left Front Upper	RK641423	1 R205
		Right Front Upper	RK641422	1 R205
Control Arm Bushing				
2015		Lower Rear Outer	K201727	2 R205

MERCEDES BENZ-C Series (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
C250				
Control Arm Bushing				
2015 (Cont.)	2 Dr. Coupe, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100239	2 R205
2015-2010		Arm To Knuckle, Lower Front	K200088	2 R205
2014-2010	Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100239	2 R205
2011-2010		Lower Rear Outer	K201727	2 R205
Strut Bumper Bellows				
2015	2 Dr. Coupe		K201554	2 R205
2014-2010			K201554	2 R205
Sway Bar Link				
2015-2010	(Improves Upon OE Design)	Left	K700342 ‡	1 R205
	(Improves Upon OE Design)	Right	K700341 ‡	1 R205
Wheel Bearing Assembly				
2015	2 Dr. Coupe		512433	2
2014-2010			512433	2
C250 4MATIC				
Control Arm				
2012-2010	(R-Series, Thrust Arm)	Lower Front	RK641986	2 R205
	(R-Series)	Left Front Upper	RK641423	1 R205
	(R-Series)	Left Lower Center	RK641425	1 R205
	(R-Series)	Left Rear Upper	RK641421	1 R205
	(R-Series)	Right Front Upper	RK641422	1 R205
	(R-Series)	Right Lower Center	RK641424	1 R205
	(R-Series)	Right Rear Upper	RK641420	1 R205
Control Arm Bushing				
2012-2010		Arm To Knuckle, Lower Front	K200088	2 R205
		Lower Rear Outer	K201727	2 R205
	Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100239	2 R205
Strut Bumper Bellows				
2012-2010			K201554	2 R205
Sway Bar Link				
2012-2010	(Improves Upon OE Design)	Left	K700342 ‡	1 R205
	(Improves Upon OE Design)	Right	K700341 ‡	1 R205
Wheel Bearing Assembly				
2012-2010			512433	2
C280				
Control Arm				
2007-2006	(Straight Arm, Contains Bushing, R-Series)	Upper Front	RK620090	2 R043
	(Straight Arm, Lateral Link, R-Series)	Lower Center	RK640726	2 R043
Control Arm Bushing				
2007-2006	(Design Allows Ease Of Installation)	Lower Front Inner	K200083 ‡	2 R043
	(Design Allows Ease Of Installation)	Lower Rear Outer	K200082 ‡	2 R043
	Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers)	Upper Front Outer	K100302	2 R043
	Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers)	Upper Rear Outer	K100302	2 R043
Control Arm with Ball Joint				
2007-2006	(Contains Bushing, R-Series)	Lower Front	RK620729	2 R043
Sway Bar Bushing				
2007-2006	13mm Sway Bar Diameter	To Frame	K201388	1 R043
	15mm Sway Bar Diameter	To Frame	K201520	1 R043
Sway Bar Link				
2007-2006		Left	K80456	1 R043
		Right	K80455	1 R043
C280 4Matic				
Control Arm				
2007-2006	(Straight Arm, Contains Bushing, R-Series)	Upper Front	RK620090	2 R043
	(Straight Arm, Lateral Link, R-Series)	Lower Center	RK640726	2 R043
Control Arm Bushing				
2007-2006	(Design Allows Ease Of Installation)	Lower Front Inner	K200083 ‡	2 R043
	(Design Allows Ease Of Installation)	Lower Rear Outer	K200082 ‡	2 R043

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
C280 4Matic					
Control Arm Bushing					
2007-2006 (Cont.)	Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers)	Upper Front Outer	K100302	2	R043
	Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers)	Upper Rear Outer	K100302	2	R043
Control Arm with Ball Joint					
2007-2006	(Contains Bushing, R-Series)	Lower Front	RK620729	2	R043
Sway Bar Bushing					
2007-2006	13mm Sway Bar Diameter 15mm Sway Bar Diameter	To Frame	K201388	1	R043
		To Frame	K201520	1	R043
Sway Bar Link					
2007-2006		Left	K80456	1	R043
		Right	K80455	1	R043
C300					
Control Arm					
2017-2015	(R-Series, Thrust Arm)	Lower Front	RK641986	2	R205
		Left Front Upper	RK641423	1	
		Left Lower Center	RK641425	1	
		Left Rear Upper	RK641421	1	
		Right Front Upper	RK641422	1	
		Right Lower Center	RK641424	1	
2011-2008	(R-Series, Thrust Arm)	Lower Front	RK641986	2	R205
		Left Front Upper	RK641423	1	R205
		Left Lower Center	RK641425	1	R205
		Left Rear Upper	RK641421	1	R205
		Right Front Upper	RK641422	1	R205
		Right Lower Center	RK641424	1	R205
2011-2008	(R-Series, Thrust Arm)	Lower Front	RK641986	2	R205
		Left Front Upper	RK641423	1	R205
		Left Lower Center	RK641425	1	R205
		Left Rear Upper	RK641421	1	R205
		Right Front Upper	RK641422	1	R205
		Right Lower Center	RK641424	1	R205
2011-2008	(R-Series, Thrust Arm)	Lower Front	RK641986	2	R205
		Left Front Upper	RK641423	1	R205
		Left Lower Center	RK641425	1	R205
		Left Rear Upper	RK641421	1	R205
		Right Front Upper	RK641422	1	R205
		Right Lower Center	RK641424	1	R205
2011-2008	(R-Series, Thrust Arm)	Lower Front	RK641986	2	R205
		Left Front Upper	RK641423	1	R205
		Left Lower Center	RK641425	1	R205
		Left Rear Upper	RK641421	1	R205
		Right Front Upper	RK641422	1	R205
		Right Lower Center	RK641424	1	R205
Control Arm Bushing					
2017	2 Dr. Coupe, 4 Dr. Sedan, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100299	2	R205
2017-2015		Arm To Knuckle, Lower Front	K200088	2	R205
		Lower Rear Outer	K201727	2	R205
2016-2015	4 Dr. Sedan, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100299	2	R205
2011		Lower Rear Outer	K201727	2	R205
2011-2008	Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Lower Front	K200088	2	R205
		Arm To Knuckle, Upper	K100239	2	R205
Strut Bumper Bellows					
2011-2008			K201554	2	R205
Sway Bar Link					
2011-2008	(Improves Upon OE Design) (Improves Upon OE Design)	Left	K700342 ‡	1	R205
		Right	K700341 ‡	1	R205
Wheel Bearing Assembly					
2011-2008			512433	2	
C300 4Matic					
Control Arm					
2017-2015	(R-Series)	Left Front Upper	RK641423	1	
		Left Lower Center	RK641425	1	
		Left Rear Upper	RK641421	1	
		Right Front Upper	RK641422	1	
		Right Lower Center	RK641424	1	
		Right Rear Upper	RK641420	1	
2017-2008	(R-Series, Thrust Arm)	Lower Front	RK641986	2	R205
2014-2008	(R-Series)	Left Front Upper	RK641423	1	R205
		Left Lower Center	RK641425	1	R205
		Left Rear Upper	RK641421	1	R205
		Right Front Upper	RK641422	1	R205
		Right Lower Center	RK641424	1	R205
		Right Rear Upper	RK641420	1	R205
Control Arm Bushing					
2017	2 Dr. Coupe, 4 Dr. Sedan, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100299	2	
2017-2015		Arm To Knuckle, Lower Front	K200088	2	
		Lower Rear Outer	K201727	2	
2016-2015	4 Dr. Sedan, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100299	2	
2014-2008		Arm To Knuckle, Lower Front	K200088	2	R205

MERCEDES BENZ-C Series (Cont.)


REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
C300 4Matic					
Control Arm Bushing					
2014-2008 (Cont.)	Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Lower Rear Outer	K201727	2	R205
		Arm To Knuckle, Upper	K100239	2	R205
Strut Bumper Bellows					
2014-2008			K201554	2	R205
Sway Bar Link					
2014-2008	(Improves Upon OE Design) (Improves Upon OE Design)	Left	K700342 ‡	1	R205
		Right	K700341 ‡	1	R205
Wheel Bearing Assembly					
2014-2008			512433	2	
C300d 4MATIC					
Control Arm Bushing					
2017	Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100299	2	
C350					
Control Arm					
2015-2008	(R-Series) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series)	Left Front Upper	RK641423	1	R205
		Left Lower Center	RK641425	1	R205
		Left Rear Upper	RK641421	1	R205
		Right Front Upper	RK641422	1	R205
		Right Lower Center	RK641424	1	R205
		Right Rear Upper	RK641420	1	R205
2014-2008	(R-Series, Thrust Arm)	Lower Front	RK641986	2	R205
2007-2006	(Straight Arm, Contains Bushing, R-Series) (Straight Arm, Lateral Link, R-Series)	Upper Front	RK620090	2	R043
		Lower Center	RK640726	2	R043
Control Arm Bushing					
2015	2 Dr. Coupe, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100239	2	R205
2015-2008		Arm To Knuckle, Lower Front	K200088	2	R205
		Lower Rear Outer	K201727	2	R205
2014-2008	Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100239	2	R205
2007-2006	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers) Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers)	Lower Front Inner	K200083 ‡	2	R043
		Lower Rear Outer	K200082 ‡	2	R043
		Upper Front Outer	K100302	2	R043
		Upper Rear Outer	K100302	2	R043
Control Arm with Ball Joint					
2007-2006	(Contains Bushing, R-Series)	Lower Front	RK620729	2	R043
Strut Bumper Bellows					
2015	2 Dr. Coupe		K201554	2	R205
2014-2008			K201554	2	R205
Sway Bar Bushing					
2007-2006	13mm Sway Bar Diameter 15mm Sway Bar Diameter	To Frame	K201388	1	R043
		To Frame	K201520	1	R043
Sway Bar Link					
2015-2008	(Improves Upon OE Design) (Improves Upon OE Design)	Left	K700342 ‡	1	R205
		Right	K700341 ‡	1	R205
2007-2006		Left	K80456	1	R043
		Right	K80455	1	R043
Wheel Bearing Assembly					
2015-2008			512433	2	
C350 4Matic					
Control Arm					
2015-2008	(R-Series, Thrust Arm) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series)	Lower Front	RK641986	2	R205
		Left Front Upper	RK641423	1	R205
		Left Lower Center	RK641425	1	R205
		Left Rear Upper	RK641421	1	R205
		Right Front Upper	RK641422	1	R205
		Right Lower Center	RK641424	1	R205
		Right Rear Upper	RK641420	1	R205
2007-2006	(Straight Arm, Contains Bushing, R-Series) (Straight Arm, Lateral Link, R-Series)	Upper Front	RK620090	2	R043
		Lower Center	RK640726	2	R043


REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
C350 4Matic					
Control Arm Bushing					
2015	2 Dr. Coupe, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100239	2	R205
2015-2008		Arm To Knuckle, Lower Front	K200088	2	R205
		Lower Rear Outer	K201727	2	R205
2014-2008	Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100239	2	R205
2007-2006	(Design Allows Ease Of Installation)	Lower Front Inner	K200083 ‡	2	R043
	(Design Allows Ease Of Installation)	Lower Rear Outer	K200082 ‡	2	R043
	Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers)	Upper Front Outer	K100302	2	R043
	Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers)	Upper Rear Outer	K100302	2	R043
Control Arm with Ball Joint					
2007-2006	(Contains Bushing, R-Series)	Lower Front	RK620729	2	R043
Strut Bumper Bellows					
2015	2 Dr. Coupe		K201554	2	R205
2014-2008			K201554	2	R205
Sway Bar Bushing					
2007-2006	13mm Sway Bar Diameter	To Frame	K201388	1	R043
	15mm Sway Bar Diameter	To Frame	K201520	1	R043
Sway Bar Link					
2015-2008	(Improves Upon OE Design)	Left	K700342 ‡	1	R205
	(Improves Upon OE Design)	Right	K700341 ‡	1	R205
2007-2006		Left	K80456	1	R043
		Right	K80455	1	R043
Wheel Bearing Assembly					
2015-2008			512433	2	
C350e Hybrid					
Control Arm					
2017-2016	(R-Series, Thrust Arm)	Lower Front	RK641986	2	
	(R-Series)	Left Front Upper	RK641423	1	
	(R-Series)	Left Lower Center	RK641425	1	
	(R-Series)	Left Rear Upper	RK641421	1	
	(R-Series)	Right Front Upper	RK641422	1	
	(R-Series)	Right Lower Center	RK641424	1	
	(R-Series)	Right Rear Upper	RK641420	1	
Control Arm Bushing					
2017-2016		Arm To Knuckle, Lower Front	K200088	2	
		Lower Rear Outer	K201727	2	
	Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100299	2	
C400 4Matic					
Control Arm					
2015	(R-Series, Thrust Arm)	Lower Front	RK641986	2	
	(R-Series)	Left Front Upper	RK641423	1	
	(R-Series)	Left Lower Center	RK641425	1	
	(R-Series)	Left Rear Upper	RK641421	1	
	(R-Series)	Right Front Upper	RK641422	1	
	(R-Series)	Right Lower Center	RK641424	1	
	(R-Series)	Right Rear Upper	RK641420	1	
Control Arm Bushing					
2015		Arm To Knuckle, Lower Front	K200088	2	
		Lower Rear Outer	K201727	2	
	Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100299	2	
C450 AMG 4Matic					
Control Arm Bushing					
2016		Lower Rear Outer	K201727	2	

MERCEDES BENZ-CL Class

FRONT SUSPENSION



F359




F360

Year	Model/Application	Part	P/C Qty	Figure
CL63 AMG				
Control Arm with Ball Joint				
2014-2008	(Contains Bushings, R-Series)	Left Upper	RK621127	1 F360
	(Contains Bushings, R-Series)	Right Upper	RK621128	1 F360
	(Contains Bushing, R-Series)	Left Front Lower	RK620986	1 F360
	(Contains Bushing, R-Series)	Left Rear Lower	RK620984	1 F360
	(Contains Bushing, R-Series)	Right Rear Lower	RK620998	1 F360
2009-2008	(Contains Bushing, R-Series)	Right Front Lower	RK620985	1 F360
Wheel Hub Repair Kit				
2014-2008			520005	2
2013-2012	(Optional)		520001	2
CL65 AMG				
Ball Joint				
2007-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Lower Rear	K500056 ‡	2
Control Arm				
2007-2005	(R-Series)	Lower Rear	RK620537	2
Control Arm with Ball Joint				
2014-2008	(Contains Bushings, R-Series)	Left Upper	RK621127	1 F360
	(Contains Bushings, R-Series)	Right Upper	RK621128	1 F360
	(Contains Bushing, R-Series)	Left Front Lower	RK620986	1 F360
	(Contains Bushing, R-Series)	Left Rear Lower	RK620984	1 F360
	(Contains Bushing, R-Series)	Right Rear Lower	RK620998	1 F360
2009-2008	(Contains Bushing, R-Series)	Right Front Lower	RK620985	1 F360
2007-2005	(R-Series)	Left Upper	RK620093	1
	(R-Series)	Right Upper	RK620094	1
	(R-Series)	Left Front Lower	RK620092	1

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
CL65 AMG					
Control Arm with Ball Joint					
2007-2005 (Cont.)	(R-Series)	Right Front Lower	RK620091	1	
Wheel Hub Repair Kit					
2014-2008			520005	2	
CL550					
Control Arm with Ball Joint					
2008-2007	(Contains Bushings, R-Series)	Left Upper	RK621127	1	F360
	(Contains Bushings, R-Series)	Right Upper	RK621128	1	F360
	(Contains Bushing, R-Series)	Left Front Lower	RK620986	1	F360
	(Contains Bushing, R-Series)	Left Rear Lower	RK620984	1	F360
	(Contains Bushing, R-Series)	Right Front Lower	RK620985	1	F360
	(Contains Bushing, R-Series)	Right Rear Lower	RK620998	1	F360
Wheel Hub Repair Kit					
2008-2007			520005	2	
CL550 4MATIC					
Control Arm with Ball Joint					
2014-2009	(Contains Bushings, R-Series)	Left Upper	RK621127	1	F359
	(Contains Bushings, R-Series)	Right Upper	RK621128	1	F359
	(Contains Bushing, R-Series)	Left Front Lower	RK620986	1	F359
	(R-Series)	Left Rear Lower	RK621763	1	F359
	(R-Series)	Right Rear Lower	RK621764	1	F359
Sway Bar Link					
2014-2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80870 ‡	1	F359
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K80871 ‡	1	F359
CL600					
Control Arm with Ball Joint					
2014-2007	(Contains Bushings, R-Series)	Left Upper	RK621127	1	F360
	(Contains Bushings, R-Series)	Right Upper	RK621128	1	F360
	(Contains Bushing, R-Series)	Left Front Lower	RK620986	1	F360
	(Contains Bushing, R-Series)	Left Rear Lower	RK620984	1	F360
	(Contains Bushing, R-Series)	Right Rear Lower	RK620998	1	F360
2009-2007	(Contains Bushing, R-Series)	Right Front Lower	RK620985	1	F360
Wheel Hub Repair Kit					
2014-2007			520005	2	
STEERING					
Year	Model/Application	Part	P/C Qty	Figure	
CL63 AMG					
Tie Rod End					
2014-2008	(Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Outer	ES800818 ‡	2	
		Inner	EV800385 ‡	2	
CL65 AMG					
Tie Rod End					
2014-2008	(Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Outer	ES800818 ‡	2	
		Inner	EV800385 ‡	2	
2007-2005	(Design Allows Ease Of Installation) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES80978 ‡	2	
		Inner	EV80975 ‡	2	
CL550					
Tie Rod End					
2008-2007	(Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Outer	ES800818 ‡	2	
		Inner	EV800385 ‡	2	
CL550 4MATIC					
Tie Rod End					
2014-2009		Left Outer	ES801159	1	
		Right Outer	ES801160	1	
		Inner	EV801002	2	
CL600					
Tie Rod End					
2014-2007	(Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Outer	ES800818 ‡	2	
		Inner	EV800385 ‡	2	

MERCEDES BENZ-CL Class (Cont.)

REAR SUSPENSION



R051

Year	Model/Application	Part	P/C Qty	Figure
CL55 AMG				
Control Arm Bushing				
2007-2003	(Design Allows Ease Of Installation)	Lower Rear Outer	K200082 ‡	2
Control Arm with Ball Joint				
2007-2003	(Contains Bushing, R-Series)	Lower Front	RK620146	2
CL63 AMG				
Control Arm				
2014-2012	(R-Series)	Lower Rear	RK642448	2 R051
2014-2011	(R-Series)	Left Front Upper	RK641708	1 R051
	(R-Series)	Left Lower Center	RK641705	1 R051
	(R-Series)	Right Lower Center	RK641706	1 R051
2014-2008	(R-Series)	Left Front Lower	RK641765	1 R051
	(R-Series)	Right Front Lower	RK641835	1 R051
	(R-Series)	Right Front Upper	RK641707	1 R051
2010-2008	(R-Series)	Lower Rear	RK642448	2 R051
	(R-Series)	Left Front Upper	RK641957	1 R051
	(R-Series)	Left Lower Center	RK641960	1 R051
	(R-Series)	Right Lower Center	RK641961	1 R051
Control Arm Bushing				
2010-2008		Lower Rear Outer	K201727	2
2009-2008	(Design Allows Ease Of Installation)	Lower Front Inner	K200083 ‡	2 R051
Sway Bar Link				
2014-2008	(Improves Upon OE Design) (Improves Upon OE Design)	Left	K750324 ‡	1 R051
		Right	K750323 ‡	1 R051
Wheel Bearing Assembly				
2014-2008			512432	2
CL65 AMG				
Control Arm				
2014-2010	(R-Series)	Left Front Upper	RK641708	1 R051
	(R-Series)	Left Lower Center	RK641705	1 R051
	(R-Series)	Right Lower Center	RK641706	1 R051
2014-2008	(R-Series)	Left Front Lower	RK641765	1 R051
	(R-Series)	Right Front Lower	RK641835	1 R051
	(R-Series)	Right Front Upper	RK641707	1 R051
2009-2008	(R-Series)	Left Front Upper	RK641957	1 R051
	(R-Series)	Left Lower Center	RK641960	1 R051
	(R-Series)	Right Lower Center	RK641961	1 R051
2007-2005	(R-Series)	Lower Rear	RK642446	2
Control Arm Bushing				
2007-2005	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Lower Front Inner	K200850 ‡	2
		Lower Rear Outer	K200082 ‡	2
Control Arm with Ball Joint				
2007-2005	(Contains Bushing, R-Series)	Lower Front	RK620146	2

(Cont.) CL Class–MERCEDES BENZ

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
CL65 AMG				
Sway Bar Link				
2014-2008	(Improves Upon OE Design)	Left	K750324 ‡	1 R051
	(Improves Upon OE Design)	Right	K750323 ‡	1 R051
Wheel Bearing Assembly				
2014-2008			512432	2
CL550				
Control Arm				
2008-2007	(R-Series)	Lower Rear	RK642448	2 R051
	(R-Series)	Left Front Lower	RK641765	1 R051
	(R-Series)	Left Front Upper	RK641957	1 R051
	(R-Series)	Left Lower Center	RK641960	1 R051
	(R-Series)	Right Front Lower	RK641835	1 R051
	(R-Series)	Right Front Upper	RK641707	1 R051
	(R-Series)	Right Lower Center	RK641961	1 R051
Control Arm Bushing				
2008-2007		Lower Rear Outer	K201727	2
Sway Bar Link				
2008-2007	(Improves Upon OE Design)	Left	K750324 ‡	1 R051
	(Improves Upon OE Design)	Right	K750323 ‡	1 R051
Wheel Bearing Assembly				
2008-2007			512432	2
CL550 4MATIC				
Control Arm				
2014-2009	(R-Series)	Lower Rear	RK642448	2 R051
	(R-Series)	Left Front Lower	RK641765	1 R051
	(R-Series)	Left Front Upper	RK641957	1 R051
	(R-Series)	Right Front Lower	RK641835	1 R051
	(R-Series)	Right Front Upper	RK641707	1 R051
2013-2009	(R-Series)	Left Lower Center	RK641960	1 R051
	(R-Series)	Right Lower Center	RK641961	1 R051
Sway Bar Link				
2014-2009	(Improves Upon OE Design)	Left	K750324 ‡	1 R051
	(Improves Upon OE Design)	Right	K750323 ‡	1 R051
Wheel Bearing Assembly				
2014-2009			512432	2
CL600				
Control Arm				
2014-2009	(R-Series)	Left Front Upper	RK641708	1 R051
	(R-Series)	Left Lower Center	RK641705	1 R051
	(R-Series)	Right Lower Center	RK641706	1 R051
2014-2007	(R-Series)	Lower Rear	RK642448	2 R051
	(R-Series)	Left Front Lower	RK641765	1 R051
	(R-Series)	Right Front Lower	RK641835	1 R051
	(R-Series)	Right Front Upper	RK641707	1 R051
2008-2007	(R-Series)	Left Front Upper	RK641957	1 R051
	(R-Series)	Left Lower Center	RK641960	1 R051
	(R-Series)	Right Lower Center	RK641961	1 R051
Sway Bar Link				
2014-2007	(Improves Upon OE Design)	Left	K750324 ‡	1 R051
	(Improves Upon OE Design)	Right	K750323 ‡	1 R051
Wheel Bearing Assembly				
2014-2007			512432	2

CLA Class–MERCEDES BENZ

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
CLA 45 AMG 4MATIC				
Sway Bar Link				
2017-2014			K750875	2

MERCEDES BENZ-CLA Class (Cont.)


STEERING				
Year	Model/Application	Part	P/C Qty	Figure
CLA 45 AMG 4MATIC				
Tie Rod End				
2017-2014		Left Outer Right Outer Inner	ES801272 ‡ ES801273 ‡ EV801036 ‡	1 1 2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
CLA 45 AMG 4MATIC				
Wheel Hub & Bearing Assembly				
2016-2014		512532	2	
FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
CLA 250				
Control Arm with Ball Joint				
2017-2014	(R-Series) (R-Series)	Left Lower Right Lower	RK622910 RK622911	1 1
Sway Bar Link				
2017-2014		K750875	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
CLA 250				
Tie Rod End				
2017-2014		Left Outer Right Outer Inner	ES801272 ‡ ES801273 ‡ EV801036 ‡	1 1 2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
CLA 250				
Control Arm				
2017-2014	Except Sport Package, (R-Series)	Lower Front	RK642798	2
Wheel Hub & Bearing Assembly				
2015-2014	Front Wheel Drive	512561	2	
FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
CLA 250 4MATIC				
Control Arm with Ball Joint				
2017-2014	(R-Series)	Right Lower	RK622911	1
2015-2014	(R-Series)	Left Lower	RK622910	1
Sway Bar Link				
2017-2014		K750875	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
CLA 250 4MATIC				
Tie Rod End				
2017-2014		Left Outer Right Outer Inner	ES801272 ‡ ES801273 ‡ EV801036 ‡	1 1 2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
CLA 250 4MATIC				
Control Arm				
2017-2014	Except Sport Package, (R-Series)	Lower Front	RK642798	2

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
CLA 250 4MATIC				
Wheel Hub & Bearing Assembly				
2015-2014	All Wheel Drive	512532	2	

CLK Class-MERCEDES BENZ

FRONT SUSPENSION




F270

Year	Model/Application	Part	P/C Qty	Figure
CLK63 AMG				
Control Arm Bushing				
2009-2007	(Design Allows Ease Of Installation)	Lower Front Inner	K200085 ‡	2 F270
Control Arm with Ball Joint				
2009-2007	(Stud Points Down, R-Series)	Left Front Lower	RK620086	1 F270
	(Stud Points Up, R-Series)	Left Rear Lower	RK80533	1 F270
	(Stud Points Down, R-Series)	Right Front Lower	RK620087	1 F270
Sway Bar Link				
2008-2007	12mm Stud, Sport Package		K80491	2 F270
CLK350				
Control Arm with Ball Joint				
2009-2006	(R-Series)	Left Rear Lower	RK80533	1 F270
	(R-Series)	Right Rear Lower	RK80534	1 F270
Sway Bar Bushing				
2009-2006		To Frame	K201562	1 F270
Sway Bar Link				
2009-2006	12mm Stud, Sport Package		K80491	2 F270
	Except Sport Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80490 ‡	2 F270
CLK550				
Control Arm with Ball Joint				
2009-2007	(R-Series)	Left Rear Lower	RK80533	1 F270
	(R-Series)	Right Rear Lower	RK80534	1 F270
Sway Bar Link				
2009-2007	12mm Stud, Sport Package		K80491	2 F270
	Except Sport Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80490 ‡	2 F270

MERCEDES BENZ-CLK Class (Cont.)

STEERING



S128

Year	Model/Application	Part	P/C Qty	Figure
------	-------------------	------	---------	--------

CLK63 AMG

Tie Rod End

2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV80975 ‡	2	S128
2009-2007		Left Outer	ES80687	1	S128
		Right Outer	ES80688	1	S128
2008	209.477, (Powdered Metal Gusher Brg. For Better Lubrication) Black Edition 209.377, (Design Allows Ease Of Installation)	Inner	EV80975 ‡	2	S128
		Inner	EV800394 ‡	2	S128
2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV80975 ‡	2	S128

CLK350

Tie Rod End


2009-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES80687	1	S128
		Right Outer	ES80688	1	S128
		Inner	EV80975 ‡	2	S128

CLK550

Tie Rod End

2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES80687	1	S128
		Right Outer	ES80688	1	S128
		Inner	EV80975 ‡	2	S128

REAR SUSPENSION



R043

Year	Model/Application	Part	P/C Qty	Figure
------	-------------------	------	---------	--------

CLK63 AMG

Control Arm

2009	(Straight Arm, Contains Bushing, R-Series)	Upper Front	RK620090	2	R043
2009-2007	209.477, (Straight Arm, Lateral Link, R-Series)	Lower Center	RK640726	2	R043
2008	209.477, (Straight Arm, Contains Bushing, R-Series)	Upper Front	RK620090	2	R043
2007	(Straight Arm, Contains Bushing, R-Series)	Upper Front	RK620090	2	R043


Control Arm Bushing

2009		Lower Rear Inner	K201079	2	R043
------	--	------------------	---------	---	------

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
CLK63 AMG					
Control Arm Bushing					
2009-2007	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers) Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers)	Lower Front Inner	K200083 ‡	2	R043
		Lower Rear Outer	K200082 ‡	2	R043
		Upper Front Outer	K100302	2	R043
		Upper Rear Outer	K100302	2	R043
2008	209.477	Lower Rear Inner	K201079	2	R043
2007		Lower Rear Inner	K201079	2	R043
Control Arm with Ball Joint					
2009-2007	209.477, (Contains Bushing, R-Series)	Lower Front	RK620729	2	R043
Sway Bar Link					
2009-2007		Left	K80456	1	R043
		Right	K80455	1	R043
CLK350					
Control Arm					
2009	Rear Wheel Drive, (Bent Arm, R-Series)	Upper Rear	RK642637	2	R043
2009-2006	(Straight Arm, Lateral Link, R-Series)	Lower Center	RK640726	2	R043
2008-2006	(Straight Arm, Contains Bushing, R-Series)	Upper Front	RK620090	2	R043
Control Arm Bushing					
2009-2006	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers) Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers)	Lower Front Inner	K200083 ‡	2	R043
		Lower Rear Outer	K200082 ‡	2	R043
		Upper Front Outer	K100302	2	R043
		Upper Rear Outer	K100302	2	R043
Control Arm with Ball Joint					
2009-2006	(Contains Bushing, R-Series)	Lower Front	RK620729	2	R043
Sway Bar Bushing					
2008-2006		To Frame	K201520	1	R043
Sway Bar Link					
2009-2006		Left	K80456	1	R043
		Right	K80455	1	R043
CLK550					
Control Arm					
2009-2007	(Straight Arm, Lateral Link, R-Series)	Lower Center	RK640726	2	R043
2008-2007	(Straight Arm, Contains Bushing, R-Series)	Upper Front	RK620090	2	R043
Control Arm Bushing					
2009-2007	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers) Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers)	Lower Front Inner	K200083 ‡	2	R043
		Lower Rear Outer	K200082 ‡	2	R043
		Upper Front Outer	K100302	2	R043
		Upper Rear Outer	K100302	2	R043
Control Arm with Ball Joint					
2009-2007	(Contains Bushing, R-Series)	Lower Front	RK620729	2	R043
Sway Bar Link					
2009-2007		Left	K80456	1	R043
		Right	K80455	1	R043

MERCEDES BENZ-CLS Class

FRONT SUSPENSION



F361

Year	Model/Application	Part	P/C Qty	Figure	
CLS55 AMG					
Ball Joint					
2007-2006	(Design Allows Ease Of Installation) (Greaseable Socket Reduces Corrosion/Wear)	Upper Lower Rear Outer	K500222 ‡ K500168 ‡	2 2	F361 F361
Control Arm Bushing					
2007-2006	(Design Allows Ease Of Installation)	Lower Rear Outer	K200086 ‡	2	F361
Control Arm with Ball Joint					
2007-2006	(Contains Bushing, R-Series) (R-Series) (Contains Bushing, R-Series)	Left Front Lower Left Rear Lower Right Front Lower	RK620727 RK620187 RK620728	1 1 1	F361 F361 F361
Sway Bar Link					
2007-2006		Left Right	K80492 K80493	1 1	F361 F361
CLS63 AMG					
Ball Joint					
2011-2007	(Design Allows Ease Of Installation) (Greaseable Socket Reduces Corrosion/Wear)	Upper Lower Rear Outer	K500222 ‡ K500168 ‡	2 2	F361 F361
Control Arm					
2011-2007	(R-Series)	Right Rear Lower	RK620183	1	F361
Control Arm Bushing					
2011-2007	(Design Allows Ease Of Installation)	Lower Rear Outer	K200086 ‡	2	F361
2009-2007	(Design Allows Ease Of Installation)	Lower Rear Inner	K200085 ‡	2	F361
Control Arm with Ball Joint					
2011-2007	(Contains Bushings, R-Series) (Contains Bushings, R-Series) (Contains Bushing, R-Series) (R-Series) (Contains Bushing, R-Series)	Left Upper Right Upper Left Front Lower Left Rear Lower Right Front Lower	RK620027 RK620735 RK620727 RK620187 RK620728	1 1 1 1 1	F361 F361 F361 F361 F361
Shock Mount					
2011-2007	Except Air Suspension, (Superior Rubber To Steel Bonding For Durability)		K160304 ‡	2	F361
Sway Bar Link					
2013-2012	12.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 12.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K750410 ‡ K750411 ‡	1 1	
2011-2007		Left Right	K80492 K80493	1 1	F361 F361
CLS63 AMG 4Matic					
Sway Bar Link					
2017-2014	10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K750412 ‡ K750413 ‡	1 1	
CLS400					
Sway Bar Link					
2017-2015	Rear Wheel Drive, 12.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750410 ‡	1	


FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
CLS400				
Sway Bar Link				
2017-2015 (Cont.)	Rear Wheel Drive, 12.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750411 ‡	1
Wheel Hub Repair Kit				
2015			520004	2
CLS400 4Matic				
Control Arm with Ball Joint				
2017-2015	All Wheel Drive, (R-Series)	Lower Rear	RK622443	2
	All Wheel Drive, (R-Series)	Left Front Lower	RK622444	1
	All Wheel Drive, (R-Series)	Right Front Lower	RK622445	1
Sway Bar Link				
2017-2015	All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750412 ‡	1
	All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750413 ‡	1
CLS500				
Sway Bar Link				
2013-2012	Rear Wheel Drive, 12.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750410 ‡	1
	Rear Wheel Drive, 12.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750411 ‡	1
CLS500 4Matic				
Control Arm with Ball Joint				
2013-2012	All Wheel Drive, (R-Series)	Lower Rear	RK622443	2
	All Wheel Drive, (R-Series)	Left Front Lower	RK622444	1
	All Wheel Drive, (R-Series)	Right Front Lower	RK622445	1
Sway Bar Link				
2013-2012	All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750412 ‡	1
	All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750413 ‡	1
CLS550				
Ball Joint				
2011-2007	(Design Allows Ease Of Installation)	Upper	K500222 ‡	2
	(Greaseable Socket Reduces Corrosion/Wear)	Lower Rear Outer	K500168 ‡	2
Control Arm				
2011-2007	(R-Series)	Right Rear Lower	RK620183	1
Control Arm Bushing				
2010-2007	(Design Allows Ease Of Installation)	Lower Rear Outer	K200086 ‡	2
2009-2007	(Design Allows Ease Of Installation)	Lower Rear Inner	K200085 ‡	2
Control Arm with Ball Joint				
2011-2007	(Contains Bushings, R-Series)	Left Upper	RK620027	1
	(Contains Bushings, R-Series)	Right Upper	RK620735	1
	(Contains Bushing, R-Series)	Left Front Lower	RK620727	1
	(R-Series)	Left Rear Lower	RK620187	1
	(Contains Bushing, R-Series)	Right Front Lower	RK620728	1
Shock Mount				
2011-2007	Except Air Suspension, (Superior Rubber To Steel Bonding For Durability)		K160304 ‡	2
Sway Bar Link				
2017-2012	Rear Wheel Drive, 12.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750410 ‡	1
	Rear Wheel Drive, 12.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750411 ‡	1
2011-2007		Left	K80492	1
		Right	K80493	1
Wheel Hub Repair Kit				
2015-2012			520004	2
CLS550 4Matic				
Control Arm with Ball Joint				
2017-2012	All Wheel Drive, (R-Series)	Lower Rear	RK622443	2
	All Wheel Drive, (R-Series)	Left Front Lower	RK622444	1
	All Wheel Drive, (R-Series)	Right Front Lower	RK622445	1

MERCEDES BENZ-CLS Class (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
CLS550 4Matic				
Sway Bar Link				
2017-2012	All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750412 ‡	1
	All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750413 ‡	1
Wheel Hub Repair Kit				
2014-2012			520004	2


STEERING



S127

Year	Model/Application	Part	P/C Qty	Figure
CLS63 AMG				
Tie Rod End				
2011-2007	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800386 ‡	1
		Right Outer	ES800387 ‡	1
		Inner	EV80975 ‡	2
CLS63 AMG 4Matic				
Tie Rod End				
2018-2014		Left Outer	ES801365	1
		Right Outer	ES801366	1
CLS550				
Tie Rod End				
2011-2007	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800386 ‡	1
		Right Outer	ES800387 ‡	1
		Inner	EV80975 ‡	2

REAR SUSPENSION



R052

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
CLS55 AMG					
Control Arm					
2007-2006	(Contains Bushing, R-Series) (R-Series, Contains Bushing) (Contains Bushing, R-Series) (Contains Bushings, R-Series)	Left Front Upper Left Rear Lower Right Front Upper Right Rear Lower	RK620101 RK641995 RK620102 RK641766	1 1 1 1	R052 R052 R052 R052
Sway Bar Link					
2007-2006			K80494	2	R052
CLS63 AMG					
Control Arm					
2012	(R-Series, Thrust Arm) (R-Series) (R-Series)	Lower Front Left Front Upper Right Front Upper	RK641986 RK642441 RK642442	2 1 1	
2011-2007	(Contains Bushing, R-Series) (R-Series, Contains Bushing) (Contains Bushing, R-Series) (Contains Bushings, R-Series)	Left Front Upper Left Rear Lower Right Front Upper Right Rear Lower	RK620101 RK641995 RK620102 RK641766	1 1 1 1	R052 R052 R052 R052
Control Arm Bushing					
2013-2012		Lower Rear Outer	K201727	2	
Sway Bar Link					
2013-2012	(Improves Upon OE Design) (Improves Upon OE Design)	Left Right	K700342 ‡ K700341 ‡	1 1	
2011-2007			K80494	2	R052
Wheel Bearing Assembly					
2013-2007			512432	2	
CLS63 AMG 4Matic					
Control Arm Bushing					
2017-2014		Lower Rear Outer	K201727	2	
Sway Bar Link					
2018-2014	(Improves Upon OE Design) (Improves Upon OE Design)	Left Right	K700342 ‡ K700341 ‡	1 1	
Wheel Bearing Assembly					
2016	S-Model 218.376		512432	2	
2015-2014			512432	2	
CLS400					
Control Arm					
2017-2015	(R-Series, Thrust Arm) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series)	Lower Front Left Front Upper Left Lower Center Left Rear Upper Right Front Upper Right Lower Center Right Rear Upper	RK641986 RK641423 RK641425 RK641421 RK641422 RK641424 RK641420	2 1 1 1 1 1 1	
Control Arm Bushing					
2017-2015		Lower Rear Outer	K201727	2	
Sway Bar Link					
2017-2015	(Improves Upon OE Design) (Improves Upon OE Design)	Left Right	K700342 ‡ K700341 ‡	1 1	
Wheel Bearing Assembly					
2016-2015			512432	2	
CLS400 4Matic					
Control Arm					
2017-2015	(R-Series, Thrust Arm) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series)	Lower Front Left Front Upper Left Lower Center Left Rear Upper Right Front Upper Right Lower Center Right Rear Upper	RK641986 RK641423 RK641425 RK641421 RK641422 RK641424 RK641420	2 1 1 1 1 1 1	
Control Arm Bushing					
2017-2015		Lower Rear Outer	K201727	2	
Sway Bar Link					
2017-2015	(Improves Upon OE Design)	Left	K700342 ‡	1	


MERCEDES BENZ-CLS Class (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
CLS400 4Matic				
Sway Bar Link				
2017-2015 (Cont.)	(Improves Upon OE Design)	Right	K700341 ‡	1
Wheel Bearing Assembly				
2016-2015			512432	2
CLS500				
Control Arm				
2013-2012	(R-Series, Thrust Arm)	Lower Front	RK641986	2
	(R-Series)	Left Front Upper	RK641423	1
	(R-Series)	Left Lower Center	RK641425	1
	(R-Series)	Left Rear Upper	RK641421	1
	(R-Series)	Right Front Upper	RK641422	1
	(R-Series)	Right Lower Center	RK641424	1
	(R-Series)	Right Rear Upper	RK641420	1
Control Arm Bushing				
2013-2012		Arm To Knuckle, Lower Front	K200088	2
		Lower Rear Outer	K201727	2
Sway Bar Link				
2013-2012	(Improves Upon OE Design)	Left	K700342 ‡	1
	(Improves Upon OE Design)	Right	K700341 ‡	1
CLS500 4Matic				
Control Arm				
2013-2012	(R-Series, Thrust Arm)	Lower Front	RK641986	2
	(R-Series)	Left Front Upper	RK641423	1
	(R-Series)	Left Lower Center	RK641425	1
	(R-Series)	Left Rear Upper	RK641421	1
	(R-Series)	Right Front Upper	RK641422	1
	(R-Series)	Right Lower Center	RK641424	1
	(R-Series)	Right Rear Upper	RK641420	1
Control Arm Bushing				
2013-2012		Arm To Knuckle, Lower Front	K200088	2
		Lower Rear Outer	K201727	2
Sway Bar Link				
2013-2012	(Improves Upon OE Design)	Left	K700342 ‡	1
	(Improves Upon OE Design)	Right	K700341 ‡	1
CLS550				
Control Arm				
2017-2012	(R-Series, Thrust Arm)	Lower Front	RK641986	2
	(R-Series)	Left Front Upper	RK641423	1
	(R-Series)	Left Lower Center	RK641425	1
	(R-Series)	Left Rear Upper	RK641421	1
	(R-Series)	Right Front Upper	RK641422	1
	(R-Series)	Right Lower Center	RK641424	1
	(R-Series)	Right Rear Upper	RK641420	1
2011-2007	(Contains Bushing, R-Series)	Lower Front	RK620098	2
	(Contains Bushing, R-Series)	Left Front Upper	RK620101	1
	(R-Series, Contains Bushing)	Left Rear Lower	RK641995	1
	(Contains Bushing, R-Series)	Left Rear Upper	RK620099	1
	(Contains Bushing, R-Series)	Right Front Upper	RK620102	1
	(Contains Bushings, R-Series)	Right Rear Lower	RK641766	1
	(Contains Bushing, R-Series)	Right Rear Upper	RK620100	1
Control Arm Bushing				
2017		Lower Rear Outer	K201727	2
2016-2012		Arm To Knuckle, Lower Front	K200088	2
2015-2013		Lower Rear Outer	K201727	2
2011-2007		Arm To Knuckle, Lower Front	K200088	2
				R052
Sway Bar Link				
2017-2012	(Improves Upon OE Design)	Left	K700342 ‡	1
	(Improves Upon OE Design)	Right	K700341 ‡	1
2011-2007			K80494	2
				R052
Wheel Bearing Assembly				
2016-2007			512432	2


REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
CLS550 4Matic				
Control Arm				
2017-2012	(R-Series, Thrust Arm)	Lower Front	RK641986	2
	(R-Series)	Left Front Upper	RK641423	1
	(R-Series)	Left Lower Center	RK641425	1
	(R-Series)	Left Rear Upper	RK641421	1
	(R-Series)	Right Front Upper	RK641422	1
	(R-Series)	Right Lower Center	RK641424	1
	(R-Series)	Right Rear Upper	RK641420	1
Control Arm Bushing				
2017-2012		Lower Rear Outer	K201727	2
2016-2012		Arm To Knuckle, Lower Front	K200088	2
Sway Bar Link				
2017-2012	(Improves Upon OE Design)	Left	K700342 ‡	1
	(Improves Upon OE Design)	Right	K700341 ‡	1
Wheel Bearing Assembly				
2015-2012			512432	2

E Series—MERCEDES BENZ



MERCEDES BENZ-E Series (Cont.)

FRONT SUSPENSION (Cont.)



F362

Year	Model/Application	Part	P/C Qty	Figure
E63 AMG				
Ball Joint				
2009-2007	(Design Allows Ease Of Installation) (Greaseable Socket Reduces Corrosion/Wear)	Upper Lower Rear Outer	2 2	F361 F361
Control Arm				
2009-2007	(R-Series)	Right Rear Lower	1	F361
Control Arm Bushing				
2009-2007	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Lower Rear Inner Lower Rear Outer	2 2	F361 F361
Control Arm with Ball Joint				
2009-2007	(Contains Bushings, R-Series) (Contains Bushings, R-Series) (Contains Bushing, R-Series) (R-Series) (Contains Bushing, R-Series)	Left Upper Right Upper Left Front Lower Left Rear Lower Right Front Lower	1 1 1 1 1	F361 F361 F361 F361 F361
Sway Bar Link				
2013-2010	12.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 12.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	1 1	
2009-2007		Left Right	1 1	F361 F361
Wheel Hub Repair Kit				
2013-2012			2	
E63 AMG 4MATIC				
Sway Bar Link				
2015-2014	All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	1 1	
Wheel Hub Repair Kit				
2015-2014			2	
E63 AMG S-Model 4MATIC				
Sway Bar Link				
2016-2014	All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	1 1	
E250 BlueTec				
Control Arm Bushing				
2016-2014	Rear Wheel Drive	Lower Front Inner	2	
Control Arm with Ball Joint				
2016-2014	Rear Wheel Drive, (R-Series)	Right Front Lower	1	
2015-2014	Rear Wheel Drive, (R-Series)	Left Front Lower	1	
Strut Bumper Bellows				
2016-2014	(Original Equipment Type)		2	

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
E250 BlueTec				
Strut Bumper Bellows				
2016-2014 (Cont.)	(Replacement Type, Contains Bumper)	K90460	2	
Sway Bar Link				
2016-2014	Rear Wheel Drive, 12.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)			
	Left	K750410 ‡	1	
2016-2014	Rear Wheel Drive, 12.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)			
	Right	K750411 ‡	1	
Wheel Hub Repair Kit				
2016-2014	212.004	520001	2	
E250 BlueTec 4Matic				
Control Arm with Ball Joint				
2016-2014	All Wheel Drive, (R-Series)	Lower Rear	RK622443	2
	All Wheel Drive, (R-Series)	Left Front Lower	RK622444	1
	All Wheel Drive, (R-Series)	Right Front Lower	RK622445	1
Strut Bumper Bellows				
2016-2014	(Original Equipment Type)	K201416	2	
	(Replacement Type, Contains Bumper)	K90460	2	
Sway Bar Link				
2016-2014	All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)			
	Left	K750412 ‡	1	
2016-2014	All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)			
	Right	K750413 ‡	1	
E300 4Matic				
Control Arm Bushing				
2009-2008	(Design Allows Ease Of Installation)	Lower Rear	K200084 ‡	2 F362
Control Arm with Ball Joint				
2016-2015	All Wheel Drive, (R-Series)	Lower Rear	RK622443	2
	All Wheel Drive, (R-Series)	Left Front Lower	RK622444	1
	All Wheel Drive, (R-Series)	Right Front Lower	RK622445	1
2013-2012	All Wheel Drive, (R-Series)	Lower Rear	RK622443	2
	All Wheel Drive, (R-Series)	Left Front Lower	RK622444	1
	All Wheel Drive, (R-Series)	Right Front Lower	RK622445	1
2009-2008	All Wheel Drive, (R-Series)	Left Upper	RK621712	1 F362
	All Wheel Drive, (R-Series)	Right Upper	RK621711	1 F362
Sway Bar Link				
2016-2015	All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)			
	Left	K750412 ‡	1	
2016-2015	All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)			
	Right	K750413 ‡	1	
2013-2012	10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750412 ‡	1
	10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750413 ‡	1
Sway Bar Repair Kit				
2009-2008	(Design Allows Ease Of Installation)	Left	K750722 ‡	1 F362
	(Design Allows Ease Of Installation)	Right	K750721 ‡	1 F362
E320 BlueTEC				
Ball Joint				
2009-2007	(Design Allows Ease Of Installation)	Upper	K500222 ‡	2 F361
	(Greaseable Socket Reduces Corrosion/Wear)	Lower Rear Outer	K500168 ‡	2 F361
Control Arm				
2009-2007	(R-Series)	Right Rear Lower	RK620183	1 F361
Control Arm Bushing				
2009-2008	(Design Allows Ease Of Installation)	Lower Rear Outer	K200086 ‡	2 F361
2009-2007	(Design Allows Ease Of Installation)	Lower Rear Inner	K200085 ‡	2 F361
Control Arm with Ball Joint				
2009-2007	(Contains Bushings, R-Series)	Left Upper	RK620027	1 F361
	(Contains Bushings, R-Series)	Right Upper	RK620735	1 F361
	(Contains Bushing, R-Series)	Left Front Lower	RK620727	1 F361
	(R-Series)	Left Rear Lower	RK620187	1 F361
	(Contains Bushing, R-Series)	Right Front Lower	RK620728	1 F361
Shock Mount				
2009-2007	(Superior Rubber To Steel Bonding For Durability)		K160304 ‡	2 F361

MERCEDES BENZ-E Series (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
E320 BlueTEC					
Strut Bumper Bellows					
2009-2007	Except Sport Suspension, (Replacement Type, Contains Bumper) Sport Suspension	K90460 K150275	2 2	F361 F361	
Sway Bar Link					
2009-2007		Left Right	K80492 K80493	1 1	F361 F361
E350					
Ball Joint					
2009-2006	Rear Wheel Drive, (Design Allows Ease Of Installation) Rear Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Upper Lower Rear Outer	K500222 ‡ K500168 ‡	2 2	F361 F361
Control Arm					
2013-2010	4 Dr. Sedan, Rear Wheel Drive, (R-Series) 4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Left Rear Lower Right Rear Lower	RK641954 RK641953	1 1	
2009-2006	Rear Wheel Drive, (R-Series)	Right Rear Lower	RK620183	1	F361
Control Arm Bushing					
2016-2010	4 Dr. Sedan, Rear Wheel Drive	Lower Front Inner	K201180	2	
2009-2006	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Lower Rear Inner Lower Rear Outer	K200085 ‡ K200086 ‡	2 2	F361 F361
Control Arm with Ball Joint					
2016-2010	4 Dr. Sedan, Rear Wheel Drive, (R-Series) 4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Left Front Lower Right Front Lower	RK621955 RK621956	1 1	
2014	2 Dr. Convertible, Rear Wheel Drive, (Stud Points Down, R-Series) 2 Dr. Convertible, Rear Wheel Drive, (Stud Points Up, Contains Bushing, R-Series) 2 Dr. Convertible, Rear Wheel Drive, (Stud Points Down, R-Series) 2 Dr. Convertible, Rear Wheel Drive, (Stud Points Up, Contains Bushing, R-Series) 2 Dr. Convertible, 2 Dr. Coupe, (Stud Points Down, R-Series) 2 Dr. Convertible, 2 Dr. Coupe, (Stud Points Down, R-Series)	Left Front Lower Left Rear Lower Right Front Lower Right Rear Lower Left Front Lower Right Front Lower	RK620086 RK620981 RK620087 RK620980 RK620086 RK620087	1 1 1 1 1 1	F353 F353 F353 F353 F353 F353
2013-2011	2 Dr. Convertible, 2 Dr. Coupe, Rear Wheel Drive, (Stud Points Down, R-Series) 2 Dr. Convertible, 2 Dr. Coupe, Rear Wheel Drive, (Stud Points Down, R-Series)	Left Front Lower Right Front Lower	RK620086 RK620087	1 1	F353 F353
2011	2 Dr. Convertible, 2 Dr. Coupe, Rear Wheel Drive, (Contains Bushing, R-Series) 2 Dr. Convertible, 2 Dr. Coupe, Rear Wheel Drive, (Contains Bushing, R-Series)	Left Rear Lower Right Rear Lower	RK620981 RK620980	1 1	F353 F353
2010	2 Dr. Coupe, Rear Wheel Drive, (Stud Points Down, R-Series) 2 Dr. Coupe, Rear Wheel Drive, (Contains Bushing, R-Series) 2 Dr. Coupe, Rear Wheel Drive, (Stud Points Down, R-Series) 2 Dr. Coupe, Rear Wheel Drive, (Contains Bushing, R-Series)	Left Front Lower Left Rear Lower Right Front Lower Right Rear Lower	RK620086 RK620981 RK620087 RK620980	1 1 1 1	F353 F353 F353 F353
2009-2006	Rear Wheel Drive, (Contains Bushings, R-Series) Rear Wheel Drive, (Contains Bushings, R-Series) Rear Wheel Drive, (Contains Bushing, R-Series) Rear Wheel Drive, (R-Series) Rear Wheel Drive, (Contains Bushing, R-Series)	Left Upper Right Upper Left Front Lower Left Rear Lower Right Front Lower	RK620027 RK620735 RK620727 RK620187 RK620728	1 1 1 1 1	F361 F361 F361 F361 F361
Shock Mount					
2009-2007	Rear Wheel Drive, (Superior Rubber To Steel Bonding For Durability)		K160304 ‡	2	F361
Strut Bumper Bellows					
2016-2015	4 Dr. Sedan, Except Air Suspension, (Original Equipment Type) 4 Dr. Sedan, Except Air Suspension, (Replacement Type, Contains Bumper)		K201416 K90460	2 2	
2014-2012	2 Dr. Convertible, (Original Equipment Type) 2 Dr. Convertible, (Replacement Type, Contains Bumper) 2 Dr. Coupe, Rear Wheel Drive, (Original Equipment Type) 2 Dr. Coupe, Rear Wheel Drive, (Replacement Type, Contains Bumper) 4 Dr. Sedan, 4 Dr. Station Wagon, Except Air Suspension, (Original Equipment Type) 4 Dr. Sedan, 4 Dr. Station Wagon, Except Air Suspension, (Replacement Type, Contains Bumper)		K201416 K90460 K201416 K90460 K201416 K90460	2 2 2 2 2 2	F353 F353 F353 F353
2011	2 Dr. Convertible, 2 Dr. Coupe, (Original Equipment Type) 2 Dr. Convertible, 2 Dr. Coupe, (Replacement Type, Contains Bumper)		K201416 K90460	2 2	F353 F353
2011-2010	4 Dr. Sedan, Except Air Suspension, (Original Equipment Type) 4 Dr. Sedan, Except Air Suspension, (Replacement Type, Contains Bumper)		K201416 K90460	2 2	
2010	2 Dr. Coupe, (Original Equipment Type) 2 Dr. Coupe, (Replacement Type, Contains Bumper)		K201416 K90460	2 2	F353 F353
2009-2007	Sport Suspension		K150275	2	F361
Strut Mount					
2014-2011	2 Dr. Convertible, 2 Dr. Coupe, (Contains Bearing)		K160340	2	F353
2010	2 Dr. Coupe, (Contains Bearing)		K160340	2	F353
Sway Bar Link					
2016-2010	4 Dr. Sedan, Rear Wheel Drive, 12.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750410 ‡	1	

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
E350				
Sway Bar Link				
2016-2010 (Cont.)	4 Dr. Sedan, Rear Wheel Drive, 12.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750411 ‡	1
2014-2013	2 Dr. Convertible, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750337 ‡	1 F353
	2 Dr. Convertible, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750338 ‡	1 F353
	2 Dr. Coupe, Rear Wheel Drive, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750337 ‡	1 F353
2012-2011	2 Dr. Coupe, Rear Wheel Drive, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750338 ‡	1 F353
	2 Dr. Convertible, 2 Dr. Coupe, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750337 ‡	1 F353
2010	2 Dr. Convertible, 2 Dr. Coupe, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750338 ‡	1 F353
	2 Dr. Coupe, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750337 ‡	1 F353
2009-2006	2 Dr. Coupe, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750338 ‡	1 F353
	Rear Wheel Drive	Left	K80492	1 F361
	Rear Wheel Drive	Right	K80493	1 F361
Wheel Hub & Bearing Assembly				
2014-2012	2 Dr. Convertible, 2 Dr. Coupe		520003	2
E350 4Matic				
Ball Joint				
2009-2006	All Wheel Drive, (Design Allows Ease Of Installation)	Lower	K9918 ‡	2 F362
Control Arm Bushing				
2009-2006	All Wheel Drive, (Design Allows Ease Of Installation)	Lower Rear	K200084 ‡	2 F362
Control Arm with Ball Joint				
2016-2013	4 Dr. Sedan, 4 Dr. Station Wagon, All Wheel Drive, (R-Series)	Lower Rear	RK622443	2
2016-2011	4 Dr. Sedan, 4 Dr. Station Wagon, All Wheel Drive, (R-Series)	Left Front Lower	RK622444	1
	4 Dr. Sedan, 4 Dr. Station Wagon, All Wheel Drive, (R-Series)	Right Front Lower	RK622445	1
2014-2012	2 Dr. Coupe, All Wheel Drive, (R-Series)	Left Rear Lower	RK621159	1 F353
	2 Dr. Coupe, All Wheel Drive, (R-Series)	Right Rear Lower	RK621158	1 F353
2011	4 Dr. Sedan, 4 Dr. Station Wagon, All Wheel Drive, (R-Series)	Lower Rear	RK622443	2
2010	4 Dr. Sedan, All Wheel Drive, (R-Series)	Lower Rear	RK622443	2
	4 Dr. Sedan, All Wheel Drive, (R-Series)	Left Front Lower	RK622444	1
	4 Dr. Sedan, All Wheel Drive, (R-Series)	Right Front Lower	RK622445	1
2009-2006	All Wheel Drive, (R-Series)	Left Upper	RK621712	1 F362
	All Wheel Drive, (R-Series)	Right Upper	RK621711	1 F362
Strut Bumper Bellows				
2016-2011	4 Dr. Sedan, 4 Dr. Station Wagon, Except Air Suspension, (Original Equipment Type)		K201416	2
	4 Dr. Sedan, 4 Dr. Station Wagon, Except Air Suspension, (Replacement Type, Contains Bumper)		K90460	2
2014-2012	2 Dr. Coupe, All Wheel Drive, (Replacement Type, Contains Bumper)		K90460	2 F353
2010	4 Dr. Sedan, Except Air Suspension, (Original Equipment Type)		K201416	2
	4 Dr. Sedan, Except Air Suspension, (Replacement Type, Contains Bumper)		K90460	2
2009-2007	Sport Suspension		K150275	2 F362
Strut Mount				
2014-2012	2 Dr. Coupe, (Contains Bearing)		K160340	2 F353
Sway Bar Link				
2016-2013	4 Dr. Sedan, 4 Dr. Station Wagon, All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750412 ‡	1
	4 Dr. Sedan, 4 Dr. Station Wagon, All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750413 ‡	1
2014-2012	2 Dr. Coupe, All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750335 ‡	1 F353
	2 Dr. Coupe, All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750336 ‡	1 F353
2012-2011	4 Dr. Station Wagon, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750412 ‡	1
	4 Dr. Station Wagon, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750413 ‡	1
2012-2010	4 Dr. Sedan, All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750412 ‡	1
	4 Dr. Sedan, All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750413 ‡	1
Sway Bar Repair Kit				
2009-2006	All Wheel Drive, (Design Allows Ease Of Installation)	Left	K750722 ‡	1 F362
	All Wheel Drive, (Design Allows Ease Of Installation)	Right	K750721 ‡	1 F362

MERCEDES BENZ-E Series (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
E350 BlueTec				
Control Arm				
2013-2011	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Left Rear Lower	RK641954	1
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Right Rear Lower	RK641953	1
Control Arm Bushing				
2013-2011	4 Dr. Sedan, Rear Wheel Drive	Lower Front Inner	K201180	2
Control Arm with Ball Joint				
2013-2011	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Left Front Lower	RK621955	1
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Right Front Lower	RK621956	1
Strut Bumper Bellows				
2013-2011	4 Dr. Sedan, Except Air Suspension, (Original Equipment Type)		K201416	2
	4 Dr. Sedan, Except Air Suspension, (Replacement Type, Contains Bumper)		K90460	2
Sway Bar Link				
2013-2011	4 Dr. Sedan, Rear Wheel Drive, 12.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750410 ‡	1
	4 Dr. Sedan, Rear Wheel Drive, 12.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750411 ‡	1
E400				
Control Arm Bushing				
2016-2015	4 Dr. Sedan, Rear Wheel Drive	Lower Front Inner	K201180	2
Control Arm with Ball Joint				
2018-2017	Rear Wheel Drive, (Stud Points Up, Contains Bushing, R-Series)	Left Rear Lower	RK620981	1
	Rear Wheel Drive, (Stud Points Up, Contains Bushing, R-Series)	Right Rear Lower	RK620980	1
2016-2015	2 Dr. Convertible, 2 Dr. Coupe, Rear Wheel Drive, (Stud Points Down, R-Series)	Left Front Lower	RK620086	1
	2 Dr. Convertible, 2 Dr. Coupe, Rear Wheel Drive, (Stud Points Up, Contains Bushing, R-Series)	Left Rear Lower	RK620981	1
	2 Dr. Convertible, 2 Dr. Coupe, Rear Wheel Drive, (Stud Points Down, R-Series)	Right Front Lower	RK620087	1
	2 Dr. Convertible, 2 Dr. Coupe, Rear Wheel Drive, (Stud Points Up, Contains Bushing, R-Series)	Right Rear Lower	RK620980	1
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Left Front Lower	RK621955	1
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Right Front Lower	RK621956	1
Strut Bumper Bellows				
2016-2015	2 Dr. Convertible, (Original Equipment Type)		K201416	2
	2 Dr. Convertible, (Replacement Type, Contains Bumper)		K90460	2
	2 Dr. Coupe, Rear Wheel Drive, (Original Equipment Type)		K201416	2
	2 Dr. Coupe, Rear Wheel Drive, (Replacement Type, Contains Bumper)		K90460	2
	4 Dr. Sedan, Except Air Suspension, (Original Equipment Type)		K201416	2
	4 Dr. Sedan, Except Air Suspension, (Replacement Type, Contains Bumper)		K90460	2
Strut Mount				
2016-2015	2 Dr. Convertible, 2 Dr. Coupe, (Contains Bearing)		K160340	2
Sway Bar Link				
2018-2017	Rear Wheel Drive, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750337 ‡	1
	Rear Wheel Drive, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750338 ‡	1
2016-2015	2 Dr. Convertible, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750337 ‡	1
	2 Dr. Convertible, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750338 ‡	1
	2 Dr. Coupe, Rear Wheel Drive, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750337 ‡	1
	2 Dr. Coupe, Rear Wheel Drive, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750338 ‡	1
	4 Dr. Sedan, Rear Wheel Drive, 12.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750410 ‡	1
	4 Dr. Sedan, Rear Wheel Drive, 12.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750411 ‡	1
Wheel Hub & Bearing Assembly				
2018			520003	2
2017-2015	2 Dr. Convertible, 2 Dr. Coupe		520003	2
E400 4Matic				
Control Arm with Ball Joint				
2018-2015	2 Dr. Coupe, All Wheel Drive, (R-Series)	Left Rear Lower	RK621159	1
	2 Dr. Coupe, All Wheel Drive, (R-Series)	Right Rear Lower	RK621158	1
2016-2015	4 Dr. Sedan, 4 Dr. Station Wagon, All Wheel Drive, (R-Series)	Lower Rear	RK622443	2
	4 Dr. Sedan, 4 Dr. Station Wagon, All Wheel Drive, (R-Series)	Left Front Lower	RK622444	1
	4 Dr. Sedan, 4 Dr. Station Wagon, All Wheel Drive, (R-Series)	Right Front Lower	RK622445	1
Strut Bumper Bellows				
2016-2015	2 Dr. Coupe, All Wheel Drive, (Replacement Type, Contains Bumper)		K90460	2
	4 Dr. Sedan, 4 Dr. Station Wagon, Except Air Suspension, (Original Equipment Type)		K201416	2


FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
E400 4Matic					
Strut Bumper Bellows					
2016-2015 (Cont.)	4 Dr. Sedan, 4 Dr. Station Wagon, Except Air Suspension, (Replacement Type, Contains Bumper)	K90460	2		
Strut Mount					
2016-2015	2 Dr. Coupe, All Wheel Drive, (Contains Bearing)	K160340	2	F353	
Sway Bar Link					
2018	2 Dr. Coupe, (Powdered Metal Gusher Brg. For Better Lubrication)	Left K750335 ‡	1	F353	
	2 Dr. Coupe, (Powdered Metal Gusher Brg. For Better Lubrication)	Right K750336 ‡	1	F353	
2017-2015	2 Dr. Coupe, All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left K750335 ‡	1	F353	
	2 Dr. Coupe, All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right K750336 ‡	1	F353	
2016-2015	4 Dr. Sedan, All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left K750412 ‡	1		
	4 Dr. Sedan, All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right K750413 ‡	1		
2015	4 Dr. Station Wagon, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left K750412 ‡	1		
	4 Dr. Station Wagon, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right K750413 ‡	1		
Wheel Hub & Bearing Assembly					
2018-2017	4 Dr. Sedan, 4 Dr. Station Wagon	513388	2		
E400 H					
Control Arm					
2015-2013	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Left Rear Lower RK641954	1		
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Right Rear Lower RK641953	1		
Control Arm Bushing					
2015-2013	4 Dr. Sedan, Rear Wheel Drive	Lower Front Inner K201180	2		
Control Arm with Ball Joint					
2015-2013	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Left Front Lower RK621955	1		
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Right Front Lower RK621956	1		
Strut Bumper Bellows					
2015-2013	4 Dr. Sedan, Except Air Suspension, (Original Equipment Type)	K201416	2		
	4 Dr. Sedan, Except Air Suspension, (Replacement Type, Contains Bumper)	K90460	2		
Sway Bar Link					
2015-2013	12.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left K750410 ‡	1		
	12.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right K750411 ‡	1		
Wheel Hub Repair Kit					
2014-2013		520001	2		
E550					
Ball Joint					
2009-2007	Rear Wheel Drive, (Design Allows Ease Of Installation)	Upper K500222 ‡	2	F361	
	Rear Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Lower Rear Outer K500168 ‡	2	F361	
Control Arm					
2011-2010	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Left Rear Lower RK641954	1		
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Right Rear Lower RK641953	1		
2009-2007	Rear Wheel Drive, (R-Series)	Right Rear Lower RK620183	1	F361	
Control Arm Bushing					
2011-2010	4 Dr. Sedan, Rear Wheel Drive	Lower Front Inner K201180	2		
2009-2007	Rear Wheel Drive, (Design Allows Ease Of Installation)	Lower Rear Inner K200085 ‡	2	F361	
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Lower Rear Outer K200086 ‡	2	F361	
Control Arm with Ball Joint					
2017-2015	Rear Wheel Drive, (Stud Points Up, Contains Bushing, R-Series)	Left Rear Lower RK620981	1	F353	
	Rear Wheel Drive, (Stud Points Up, Contains Bushing, R-Series)	Right Rear Lower RK620980	1	F353	
2016-2012	Rear Wheel Drive, (Stud Points Down, R-Series)	Left Front Lower RK620086	1	F353	
	Rear Wheel Drive, (Stud Points Down, R-Series)	Right Front Lower RK620087	1	F353	
2014-2012	Rear Wheel Drive, (Contains Bushing, R-Series)	Left Rear Lower RK620981	1	F353	
	Rear Wheel Drive, (Contains Bushing, R-Series)	Right Rear Lower RK620980	1	F353	
2011	2 Dr. Convertible, 2 Dr. Coupe, (Stud Points Down, R-Series)	Left Front Lower RK620086	1	F353	
	2 Dr. Convertible, 2 Dr. Coupe, (Stud Points Down, R-Series)	Right Front Lower RK620087	1	F353	
	2 Dr. Convertible, 2 Dr. Coupe, Rear Wheel Drive, (Contains Bushing, R-Series)	Left Rear Lower RK620981	1	F353	
	2 Dr. Convertible, 2 Dr. Coupe, Rear Wheel Drive, (Contains Bushing, R-Series)	Right Rear Lower RK620980	1	F353	
2011-2010	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Left Front Lower RK621955	1		
	4 Dr. Sedan, Rear Wheel Drive, (R-Series)	Right Front Lower RK621956	1		

MERCEDES BENZ-E Series (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
E550					
Control Arm with Ball Joint					
2010	2 Dr. Coupe, (Stud Points Down, R-Series)	Left Front Lower	RK620086	1	F353
	2 Dr. Coupe, (Stud Points Down, R-Series)	Right Front Lower	RK620087	1	F353
	2 Dr. Coupe, Rear Wheel Drive, (Contains Bushing, R-Series)	Left Rear Lower	RK620981	1	F353
	2 Dr. Coupe, Rear Wheel Drive, (Contains Bushing, R-Series)	Right Rear Lower	RK620980	1	F353
2009-2007	Rear Wheel Drive, (Contains Bushings, R-Series)	Left Upper	RK620027	1	F361
	Rear Wheel Drive, (Contains Bushings, R-Series)	Right Upper	RK620735	1	F361
	Rear Wheel Drive, (Contains Bushing, R-Series)	Left Front Lower	RK620727	1	F361
	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK620187	1	F361
	Rear Wheel Drive, (Contains Bushing, R-Series)	Right Front Lower	RK620728	1	F361
Strut Bumper Bellows					
2016-2011	2 Dr. Convertible, 2 Dr. Coupe, (Original Equipment Type)		K201416	2	F353
	2 Dr. Convertible, 2 Dr. Coupe, (Replacement Type, Contains Bumper)		K90460	2	F353
2010	2 Dr. Coupe, (Original Equipment Type)		K201416	2	F353
	2 Dr. Coupe, (Replacement Type, Contains Bumper)		K90460	2	F353
Strut Mount					
2016-2011	2 Dr. Convertible, 2 Dr. Coupe, (Contains Bearing)		K160340	2	F353
2010	2 Dr. Coupe, (Contains Bearing)		K160340	2	F353
Sway Bar Link					
2017	12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750337 ‡	1	F353
	12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750338 ‡	1	F353
2016-2012	Rear Wheel Drive, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750337 ‡	1	F353
	Rear Wheel Drive, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750338 ‡	1	F353
2011	2 Dr. Convertible, 2 Dr. Coupe, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750337 ‡	1	F353
	2 Dr. Convertible, 2 Dr. Coupe, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750338 ‡	1	F353
2011-2010	4 Dr. Sedan, Rear Wheel Drive, 12.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750410 ‡	1	
	4 Dr. Sedan, Rear Wheel Drive, 12.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750411 ‡	1	
2010	2 Dr. Coupe, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750337 ‡	1	F353
	2 Dr. Coupe, 12.05" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750338 ‡	1	F353
2009-2007	Rear Wheel Drive	Left	K80492	1	F361
	Rear Wheel Drive	Right	K80493	1	F361
Wheel Hub & Bearing Assembly					
2017-2010			520003	2	
E550 4 Matic					
Ball Joint					
2009-2007	All Wheel Drive, (Design Allows Ease Of Installation)	Lower	K9918 ‡	2	F362
Control Arm Bushing					
2009-2007	All Wheel Drive, (Design Allows Ease Of Installation)	Lower Front	K200084 ‡	2	F362
Control Arm with Ball Joint					
2016-2010	All Wheel Drive, (R-Series)	Lower Rear	RK622443	2	
	All Wheel Drive, (R-Series)	Left Front Lower	RK622444	1	
	All Wheel Drive, (R-Series)	Right Front Lower	RK622445	1	
2009-2007	All Wheel Drive, (R-Series)	Left Upper	RK621712	1	F362
	All Wheel Drive, (R-Series)	Right Upper	RK621711	1	F362
Strut Bumper Bellows					
2016-2012	4 Dr. Sedan, Except Air Suspension, (Original Equipment Type)		K201416	2	
	4 Dr. Sedan, Except Air Suspension, (Replacement Type, Contains Bumper)		K90460	2	
Sway Bar Link					
2016-2012	All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750412 ‡	1	
	All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750413 ‡	1	
2011-2010	4 Dr. Sedan, All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750412 ‡	1	
	4 Dr. Sedan, All Wheel Drive, 10.8" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750413 ‡	1	
Sway Bar Repair Kit					
2009-2007	All Wheel Drive, (Design Allows Ease Of Installation)	Left	K750722 ‡	1	F362
	All Wheel Drive, (Design Allows Ease Of Installation)	Right	K750721 ‡	1	F362


STEERING



S127



S360



S361

Year	Model/Application	Part	P/C Qty	Figure
E43 AMG 4Matic				
Tie Rod End				
2018-2017		Left Outer	ES801312 ‡	1
		Right Outer	ES801313 ‡	1
E63 AMG				
Tie Rod End				
2013-2010	Except Limited Slip Differential	Inner	EV801362	2 S361
2011-2010	Limited Slip Differential	Inner	EV801299 ‡	2 S361
2009-2007	(Design Allows Ease Of Installation)	Left Outer	ES800386 ‡	1 S127
	(Design Allows Ease Of Installation)	Right Outer	ES800387 ‡	1 S127
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV80975 ‡	2 S127

MERCEDES BENZ-E Series (Cont.)

STEERING (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
E63 AMG 4MATIC					
Tie Rod End					
2015-2014	Except Electronic Control Power Steering	Left Outer	ES801365	1	S361
		Right Outer	ES801366	1	S361
		Inner	EV801002	2	S361
E63 AMG S-Model 4MATIC					
Tie Rod End					
2016-2014	Except Electronic Control Power Steering	Left Outer	ES801365	1	S361
		Right Outer	ES801366	1	S361
2015-2014		Inner	EV801002	2	S361
E250 BlueTec					
Tie Rod End					
2016-2015	Limited Slip Differential	Inner	EV801299 ‡	2	
2016-2014	Except Limited Slip Differential	Inner	EV801362	2	
E250 BlueTec 4Matic					
Tie Rod End					
2016-2014	All Wheel Drive, Except Electronic Control Power Steering	Left Outer	ES800919	1	
	All Wheel Drive, Except Electronic Control Power Steering	Right Outer	ES801367	1	
E300					
Tie Rod End					
2017	Rear Wheel Drive	Inner	EV801300	2	
E300 4Matic					
Tie Rod End					
2017	All Wheel Drive	Left Outer	ES801312 ‡	1	
	All Wheel Drive	Right Outer	ES801313 ‡	1	
2015	All Wheel Drive, Except Electronic Control Power Steering	Left Outer	ES800919	1	S361
	All Wheel Drive, Except Electronic Control Power Steering	Right Outer	ES801367	1	S361
2013-2012	All Wheel Drive, Except Electronic Control Power Steering	Left Outer	ES800919	1	S361
	All Wheel Drive, Except Electronic Control Power Steering	Right Outer	ES801367	1	S361
2009-2008		Left Outer	ES80976	1	
		Right Outer	ES80977	1	
E320 BlueTEC					
Tie Rod End					
2009-2007	(Design Allows Ease Of Installation)	Left Outer	ES800386 ‡	1	S127
	(Design Allows Ease Of Installation)	Right Outer	ES800387 ‡	1	S127
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV80975 ‡	2	S127
E350					
Tie Rod End					
2016-2015	4 Dr. Sedan, Rear Wheel Drive, Except Limited Slip Differential	Inner	EV801362	2	S361
	4 Dr. Sedan, Rear Wheel Drive, Limited Slip Differential	Inner	EV801299 ‡	2	S361
2014-2012	4 Dr. Sedan, 4 Dr. Station Wagon, Rear Wheel Drive, Except Limited Slip Differential	Inner	EV801362	2	S361
	4 Dr. Sedan, 4 Dr. Station Wagon, Rear Wheel Drive, Limited Slip Differential	Inner	EV801299 ‡	2	S361
2014-2011	2 Dr. Convertible, (Design Allows Ease Of Installation)	Left Outer	ES800646 ‡	1	S361
	2 Dr. Convertible, (Design Allows Ease Of Installation)	Right Outer	ES800811 ‡	1	S361
	2 Dr. Convertible, 2 Dr. Coupe, Rear Wheel Drive, (Design Allows Ease Of Installation)	Inner	EV800394 ‡	2	S361
2014-2010	2 Dr. Coupe, Rear Wheel Drive, (Design Allows Ease Of Installation)	Left Outer	ES800646 ‡	1	S361
	2 Dr. Coupe, Rear Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800811 ‡	1	S361
2013-2010	4 Dr. Sedan, Rear Wheel Drive, (MOOG Engineered Steel Composition Enhances Strength)	Left Outer	ES800921 ‡	1	S361
	4 Dr. Sedan, Rear Wheel Drive, (Includes Wrench Flats For Easier Service)	Right Outer	ES800924 ‡	1	S361
2011-2010	4 Dr. Sedan, Rear Wheel Drive, Except Limited Slip Differential	Inner	EV801362	2	S361
	4 Dr. Sedan, Rear Wheel Drive, Limited Slip Differential	Inner	EV801299 ‡	2	S361
2010	2 Dr. Coupe, Rear Wheel Drive, (Design Allows Ease Of Installation)	Inner	EV800394 ‡	2	S361
2009-2006	Rear Wheel Drive, (Design Allows Ease Of Installation)	Left Outer	ES800386 ‡	1	S127
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800387 ‡	1	S127
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV80975 ‡	2	S127
E350 4Matic					
Tie Rod End					
2015-2013	4 Dr. Sedan, 4 Dr. Station Wagon, All Wheel Drive, Except Electronic Control Power Steering	Left Outer	ES800919	1	S361
	4 Dr. Sedan, 4 Dr. Station Wagon, All Wheel Drive, Except Electronic Control Power Steering	Right Outer	ES801367	1	S361
2015-2012	All Wheel Drive, Except Electronic Control Power Steering	Inner	EV801002	2	S361


STEERING (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
E350 4Matic					
Tie Rod End					
2014-2012	2 Dr. Coupe, All Wheel Drive, (Design Allows Ease Of Installation)	Left Outer	ES800863 ‡	1	S361
	2 Dr. Coupe, All Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800790 ‡	1	S361
2012	4 Dr. Sedan, 4 Dr. Station Wagon, All Wheel Drive	Left Outer	ES800919	1	S361
	4 Dr. Sedan, 4 Dr. Station Wagon, All Wheel Drive	Right Outer	ES801367	1	S361
2011-2010	All Wheel Drive	Left Outer	ES800919	1	S361
	All Wheel Drive	Right Outer	ES801367	1	S361
	All Wheel Drive	Inner	EV801002	2	S361
2009-2006	All Wheel Drive	Left Outer	ES80976	1	S127
	All Wheel Drive	Right Outer	ES80977	1	S127
E350 BlueTec					
Tie Rod End					
2013-2011	4 Dr. Sedan, Rear Wheel Drive, (MOOG Engineered Steel Composition Enhances Strength)	Left Outer	ES800921 ‡	1	S361
	4 Dr. Sedan, Rear Wheel Drive, (Includes Wrench Flats For Easier Service)	Right Outer	ES800924 ‡	1	S361
	4 Dr. Sedan, Rear Wheel Drive, Except Limited Slip Differential	Inner	EV801362	2	S361
	4 Dr. Sedan, Rear Wheel Drive, Limited Slip Differential	Inner	EV801299 ‡	2	S361
E400					
Tie Rod End					
2018	(Design Allows Ease Of Installation)	Left Outer	ES800646 ‡	1	
	(Design Allows Ease Of Installation)	Right Outer	ES800811 ‡	1	
2018-2017		Inner	EV801300	2	
2017	Rear Wheel Drive, (Design Allows Ease Of Installation)	Left Outer	ES800646 ‡	1	S361
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800811 ‡	1	S361
2016-2015	2 Dr. Convertible, (Design Allows Ease Of Installation)	Left Outer	ES800646 ‡	1	S361
	2 Dr. Convertible, (Design Allows Ease Of Installation)	Right Outer	ES800811 ‡	1	S361
	2 Dr. Convertible, 2 Dr. Coupe, Electronic Control Power Steering	Inner	EV801300	2	
	2 Dr. Coupe, Rear Wheel Drive, (Design Allows Ease Of Installation)	Left Outer	ES800646 ‡	1	S361
	2 Dr. Coupe, Rear Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800811 ‡	1	S361
2015	2 Dr. Convertible, Except Electronic Control Power Steering, (Design Allows Ease Of Installation)	Right Inner	EV800394 ‡	1	S361
	2 Dr. Coupe, Rear Wheel Drive, Except Electronic Control Power Steering, (Design Allows Ease Of Installation)	Right Inner	EV800394 ‡	1	S361
E400 4Matic					
Tie Rod End					
2018-2017	2 Dr. Coupe, (Design Allows Ease Of Installation)	Left Outer	ES800863 ‡	1	
	2 Dr. Coupe, (Design Allows Ease Of Installation)	Right Outer	ES800790 ‡	1	
	4 Dr. Sedan, 4 Dr. Station Wagon	Left Outer	ES801312 ‡	1	
2017	2 Dr. Coupe	Inner	EV801300	2	
2016-2015	2 Dr. Coupe, All Wheel Drive, (Design Allows Ease Of Installation)	Left Outer	ES800863 ‡	1	S361
	2 Dr. Coupe, All Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800790 ‡	1	S361
	4 Dr. Sedan, 4 Dr. Station Wagon, All Wheel Drive, Except Electronic Control Power Steering	Left Outer	ES800919	1	S361
	4 Dr. Sedan, 4 Dr. Station Wagon, All Wheel Drive, Except Electronic Control Power Steering	Right Outer	ES801367	1	S361
	4 Dr. Station Wagon, Except Electronic Control Power Steering	Inner	EV801002	2	S361
2015	2 Dr. Coupe, All Wheel Drive, Except Electronic Control Power Steering	Inner	EV801002	2	S361
	4 Dr. Sedan, All Wheel Drive, Except Air Suspension	Inner	EV801002	2	S361
E400 H					
Tie Rod End					
2015-2013	Except Limited Slip Differential	Inner	EV801362	2	S360
	Limited Slip Differential	Inner	EV801299 ‡	2	S360
2014-2013	(MOOG Engineered Steel Composition Enhances Strength)	Left Outer	ES800921 ‡	1	S360
	(Includes Wrench Flats For Easier Service)	Right Outer	ES800924 ‡	1	S360
E550					
Tie Rod End					
2017	(Design Allows Ease Of Installation)	Left Outer	ES800646 ‡	1	S361
	(Design Allows Ease Of Installation)	Right Outer	ES800811 ‡	1	S361
2017-2014		Inner	EV801300	2	
2016-2012	Rear Wheel Drive, (Design Allows Ease Of Installation)	Left Outer	ES800646 ‡	1	S361
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800811 ‡	1	S361
2013-2012	Rear Wheel Drive, Except Electronic Control Power Steering, Except Limited Slip Differential, (Design Allows Ease Of Installation)	Inner	EV800394 ‡	2	S361
2011	2 Dr. Convertible, (Design Allows Ease Of Installation)	Left Outer	ES800646 ‡	1	S361

MERCEDES BENZ-E Series (Cont.)


STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
E550				
Tie Rod End				
2011 (Cont.)	2 Dr. Convertible, (Design Allows Ease Of Installation)	Right Outer	ES800811 ‡	1 S361
	2 Dr. Convertible, Except Electronic Control Power Steering, Except Limited Slip Differential, (Design Allows Ease Of Installation)	Inner	EV800394 ‡	2 S361
2011-2010	4 Dr. Sedan, Rear Wheel Drive, (MOOG Engineered Steel Composition Enhances Strength)	Left Outer	ES800921 ‡	1 S361
	4 Dr. Sedan, Rear Wheel Drive, (Includes Wrench Flats For Easier Service)	Right Outer	ES800924 ‡	1 S361
	4 Dr. Sedan, Rear Wheel Drive, Except Limited Slip Differential	Inner	EV801362	2 S361
	4 Dr. Sedan, Rear Wheel Drive, Limited Slip Differential	Inner	EV801299 ‡	2 S361
2010	2 Dr. Coupe, Rear Wheel Drive, (Design Allows Ease Of Installation)	Left Outer	ES800646 ‡	1 S361
	2 Dr. Coupe, Rear Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800811 ‡	1 S361
	2 Dr. Coupe, Rear Wheel Drive, Except Electronic Control Power Steering, Except Limited Slip Differential, (Design Allows Ease Of Installation)	Inner	EV800394 ‡	2 S361
2009-2007	Rear Wheel Drive, (Design Allows Ease Of Installation)	Left Outer	ES800386 ‡	1 S127
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800387 ‡	1 S127
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV80975 ‡	2 S127
E550 4 Matic				
Tie Rod End				
2015-2010	All Wheel Drive, Except Electronic Control Power Steering	Left Outer	ES800919	1 S361
	All Wheel Drive, Except Electronic Control Power Steering	Right Outer	ES801367	1 S361
2014-2010	All Wheel Drive, Except Electronic Control Power Steering	Inner	EV801002	2 S361
2009-2007	All Wheel Drive	Left Outer	ES80976	1 S127
	All Wheel Drive	Right Outer	ES80977	1 S127

REAR SUSPENSION



R052



R144

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
E43 AMG 4Matic				
Control Arm Bushing				
2018-2017		Lower Rear Outer	K201727	2
E63 AMG				
Control Arm				
2013	(R-Series)	Right Front Upper	RK642442	1 R144
2012-2010	(R-Series, Thrust Arm)	Lower Front	RK641986	2 R144
2011-2010	(Contains Bushing, R-Series) (R-Series) (R-Series)	Lower Front	RK620098	2 R144
		Left Front Upper	RK642441	1 R144
		Right Front Upper	RK642442	1 R144
2009-2007	(Contains Bushing, R-Series) (R-Series, Contains Bushing) (Contains Bushing, R-Series) (Contains Bushings, R-Series)	Left Front Upper	RK620101	1 R052
		Left Rear Lower	RK641995	1 R052
		Right Front Upper	RK620102	1 R052
		Right Rear Lower	RK641766	1 R052
Control Arm Bushing				
2013-2012		Lower Rear Outer	K201727	2 R144
2010		Arm To Knuckle, Lower Front	K200088	2 R144
		Lower Rear Outer	K201727	2 R144
Sway Bar Link				
2013-2010	(Improves Upon OE Design) (Improves Upon OE Design)	Left	K700342 ‡	1 R144
		Right	K700341 ‡	1 R144
2009-2007			K80494	2 R052
Wheel Bearing Assembly				
2013-2007			512432	2
E63 AMG 4MATIC				
Control Arm Bushing				
2015-2014		Lower Rear Outer	K201727	2 R144
Sway Bar Link				
2015-2014	(Improves Upon OE Design) (Improves Upon OE Design)	Left	K700342 ‡	1 R144
		Right	K700341 ‡	1 R144
Wheel Bearing Assembly				
2015-2014			512432	2
E63 AMG S-Model 4MATIC				
Control Arm Bushing				
2016-2014		Lower Rear Outer	K201727	2 R144
2014		Arm To Knuckle, Lower Front	K200088	2 R144
Sway Bar Link				
2016-2014	(Improves Upon OE Design) (Improves Upon OE Design)	Left	K700342 ‡	1 R144
		Right	K700341 ‡	1 R144
Wheel Bearing Assembly				
2016-2014			512432	2
E250 BlueTec				
Control Arm				
2016-2014	(R-Series, Thrust Arm) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series)	Lower Front	RK641986	2 R144
		Left Front Upper	RK641423	1 R144
		Left Lower Center	RK641425	1 R144
		Left Rear Upper	RK641421	1 R144
		Right Front Upper	RK641422	1 R144
		Right Lower Center	RK641424	1 R144
		Right Rear Upper	RK641420	1 R144
Control Arm Bushing				
2016-2014		Arm To Knuckle, Lower Front	K200088	2 R144
		Lower Rear Outer	K201727	2 R144
		Arm To Knuckle, Upper	K100299	2 R144
Sway Bar Link				
2016-2014	(Improves Upon OE Design) (Improves Upon OE Design)	Left	K700342 ‡	1 R144
		Right	K700341 ‡	1 R144
Wheel Bearing Assembly				
2016-2014			512432	2

MERCEDES BENZ-E Series (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
E250 BlueTec 4Matic					
Control Arm					
2016-2014	(R-Series, Thrust Arm)	Lower Front	RK641986	2	R144
	(R-Series)	Left Front Upper	RK641423	1	R144
	(R-Series)	Left Lower Center	RK641425	1	R144
	(R-Series)	Left Rear Upper	RK641421	1	R144
	(R-Series)	Right Front Upper	RK641422	1	R144
	(R-Series)	Right Lower Center	RK641424	1	R144
	(R-Series)	Right Rear Upper	RK641420	1	R144
Control Arm Bushing					
2016-2014		Arm To Knuckle, Lower Front	K200088	2	R144
		Lower Rear Outer	K201727	2	R144
	Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100299	2	R144
Sway Bar Link					
2016-2014	(Improves Upon OE Design)	Left	K700342 ‡	1	R144
	(Improves Upon OE Design)	Right	K700341 ‡	1	R144
Wheel Bearing Assembly					
2016-2014			512432	2	
E280 4Matic					
Control Arm Bushing					
2007	(Design Allows Ease Of Installation)	Lower Front Inner	K200083 ‡	2	
Wheel Bearing Assembly					
2007			512432	2	
E300					
Control Arm					
2017	(R-Series, Thrust Arm)	Lower Front	RK641986	2	
	(R-Series)	Left Front Upper	RK641423	1	R144
	(R-Series)	Left Lower Center	RK641425	1	R144
	(R-Series)	Left Rear Upper	RK641421	1	R144
	(R-Series)	Right Front Upper	RK641422	1	R144
	(R-Series)	Right Lower Center	RK641424	1	R144
	(R-Series)	Right Rear Upper	RK641420	1	R144
Control Arm Bushing					
2017		Lower Rear Outer	K201727	2	R144
2010	Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100299	2	R144
E300 4Matic					
Control Arm					
2017-2015	(R-Series, Thrust Arm)	Lower Front	RK641986	2	
	(R-Series)	Left Front Upper	RK641423	1	R144
	(R-Series)	Left Lower Center	RK641425	1	R144
	(R-Series)	Left Rear Upper	RK641421	1	R144
	(R-Series)	Right Front Upper	RK641422	1	R144
	(R-Series)	Right Lower Center	RK641424	1	R144
	(R-Series)	Right Rear Upper	RK641420	1	R144
2013-2012	(R-Series, Thrust Arm)	Lower Front	RK641986	2	
	(R-Series)	Left Front Upper	RK641423	1	R144
	(R-Series)	Left Lower Center	RK641425	1	R144
	(R-Series)	Left Rear Upper	RK641421	1	R144
	(R-Series)	Right Front Upper	RK641422	1	R144
	(R-Series)	Right Lower Center	RK641424	1	R144
	(R-Series)	Right Rear Upper	RK641420	1	R144
2009-2008	(Contains Bushing, R-Series)	Lower Front	RK620098	2	R052
	(Contains Bushing, R-Series)	Left Front Upper	RK620101	1	R052
	(R-Series, Contains Bushing)	Left Rear Lower	RK641995	1	R052
	(Contains Bushing, R-Series)	Left Rear Upper	RK620099	1	R052
	(Contains Bushing, R-Series)	Right Front Upper	RK620102	1	R052
	(Contains Bushings, R-Series)	Right Rear Lower	RK641766	1	R052
	(Contains Bushing, R-Series)	Right Rear Upper	RK620100	1	R052
Control Arm Bushing					
2017-2015		Lower Rear Outer	K201727	2	R144
2016-2015		Arm To Knuckle, Lower Front	K200088	2	R144
	Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100299	2	R144
2013-2012		Arm To Knuckle, Lower Front	K200088	2	R144
		Lower Rear Outer	K201727	2	R144
	Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100299	2	R144
Sway Bar Link					
2016-2015	(Improves Upon OE Design)	Left	K700342 ‡	1	R144

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
E300 4Matic				
Sway Bar Link				
2016-2015 (Cont.)	(Improves Upon OE Design)	Right	K700341 ‡	1 R144
2013-2012	(Improves Upon OE Design) (Improves Upon OE Design)	Left	K700342 ‡	1 R144
		Right	K700341 ‡	1 R144
2009-2008			K80494	2 R052
Wheel Bearing Assembly				
2016-2015			512432	2
2013-2012			512432	2
2009-2008			512432	2
E320 BlueTEC				
Control Arm				
2009-2007	(Contains Bushing, R-Series) (Contains Bushing, R-Series) (R-Series, Contains Bushing) (Contains Bushing, R-Series) (Contains Bushing, R-Series) (Contains Bushings, R-Series) (Contains Bushing, R-Series)	Lower Front	RK620098	2 R052
		Left Front Upper	RK620101	1 R052
		Left Rear Lower	RK641995	1 R052
		Left Rear Upper	RK620099	1 R052
		Right Front Upper	RK620102	1 R052
		Right Rear Lower	RK641766	1 R052
		Right Rear Upper	RK620100	1 R052
Sway Bar Link				
2009-2007			K80494	2 R052
Wheel Bearing Assembly				
2009-2007			512432	2
E350				
Control Arm				
2016-2010	(R-Series, Thrust Arm) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series)	Lower Front	RK641986	2 R144
		Left Front Upper	RK641423	1 R144
		Left Lower Center	RK641425	1 R144
		Left Rear Upper	RK641421	1 R144
		Right Front Upper	RK641422	1 R144
		Right Lower Center	RK641424	1 R144
		Right Rear Upper	RK641420	1 R144
2009-2006	(Contains Bushing, R-Series) (Contains Bushing, R-Series) (Contains Bushing, R-Series) (Contains Bushing, R-Series) (Contains Bushing, R-Series)	Lower Front	RK620098	2 R052
		Left Front Upper	RK620101	1 R052
		Left Rear Upper	RK620099	1 R052
		Right Front Upper	RK620102	1 R052
		Right Rear Upper	RK620100	1 R052
Control Arm Bushing				
2016-2015	4 Dr. Sedan, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100299	2 R144
2016-2010		Arm To Knuckle, Lower Front	K200088	2 R144
		Lower Rear Outer	K201727	2 R144
2014-2012	4 Dr. Sedan, 4 Dr. Station Wagon, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100299	2 R144
2014-2011	2 Dr. Convertible, 2 Dr. Coupe, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100239	2 R144
2011-2010	4 Dr. Sedan, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100299	2 R144
2010	2 Dr. Coupe, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100239	2 R144
Strut Bumper Bellows				
2014-2011	2 Dr. Convertible, 2 Dr. Coupe		K201554	2 R144
2010	2 Dr. Coupe		K201554	2 R144
Sway Bar Link				
2016-2010	(Improves Upon OE Design) (Improves Upon OE Design)	Left	K700342 ‡	1 R144
		Right	K700341 ‡	1 R144
2009-2006			K80494	2 R052
Wheel Bearing Assembly				
2016-2015			512432	2
2014	2 Dr. Convertible, 2 Dr. Coupe		512433	2
2014-2012	4 Dr. Sedan		512432	2
2011-2006			512432	2
E350 4Matic				
Control Arm				
2016-2010	(R-Series, Thrust Arm)	Lower Front	RK641986	2 R144

MERCEDES BENZ-E Series (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
E350 4Matic				
Control Arm				
2016-2010 (Cont.)	(R-Series)	Left Front Upper	RK641423	1 R144
	(R-Series)	Left Lower Center	RK641425	1 R144
	(R-Series)	Left Rear Upper	RK641421	1 R144
	(R-Series)	Right Front Upper	RK641422	1 R144
	(R-Series)	Right Lower Center	RK641424	1 R144
	(R-Series)	Right Rear Upper	RK641420	1 R144
2009-2006	(Contains Bushing, R-Series)	Lower Front	RK620098	2 R052
	(Contains Bushing, R-Series)	Left Front Upper	RK620101	1 R052
	(Contains Bushing, R-Series)	Left Rear Upper	RK620099	1 R052
	(Contains Bushing, R-Series)	Right Front Upper	RK620102	1 R052
	(Contains Bushing, R-Series)	Right Rear Upper	RK620100	1 R052
Control Arm Bushing				
2016-2013		Arm To Knuckle, Lower Front	K200088	2 R144
		Lower Rear Outer	K201727	2 R144
2016-2011	4 Dr. Sedan, 4 Dr. Station Wagon, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100299	2 R144
2014-2012	2 Dr. Coupe, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100239	2 R144
2011-2010		Arm To Knuckle, Lower Front	K200088	2 R144
		Lower Rear Outer	K201727	2 R144
2010	4 Dr. Sedan, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100299	2 R144
Strut Bumper Bellows				
2014-2012	2 Dr. Coupe		K201554	2 R144
Sway Bar Link				
2016-2010	(Improves Upon OE Design) (Improves Upon OE Design)	Left	K700342 ‡	1 R144
		Right	K700341 ‡	1 R144
2009-2006			K80494	2 R052
Wheel Bearing Assembly				
2016-2015			512432	2
2014	2 Dr. Coupe		512433	2
2014-2012	4 Dr. Sedan		512432	2
2011-2006			512432	2
E350 BlueTec				
Control Arm				
2013-2011	(R-Series, Thrust Arm) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series)	Lower Front	RK641986	2 R144
		Left Front Upper	RK641423	1 R144
		Left Lower Center	RK641425	1 R144
		Left Rear Upper	RK641421	1 R144
		Right Front Upper	RK641422	1 R144
		Right Lower Center	RK641424	1 R144
		Right Rear Upper	RK641420	1 R144
Control Arm Bushing				
2013-2011	Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Lower Front	K200088	2 R144
		Lower Rear Outer	K201727	2 R144
		Arm To Knuckle, Upper	K100299	2 R144
Sway Bar Link				
2013-2011	(Improves Upon OE Design) (Improves Upon OE Design)	Left	K700342 ‡	1 R144
		Right	K700341 ‡	1 R144
Wheel Bearing Assembly				
2013-2012	4 Dr. Sedan		512432	2
2011			512432	2
E400				
Control Arm				
2018-2015	(R-Series, Thrust Arm) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series)	Lower Front	RK641986	2 R144
		Left Front Upper	RK641423	1 R144
		Left Lower Center	RK641425	1 R144
		Left Rear Upper	RK641421	1 R144
		Right Front Upper	RK641422	1 R144
		Right Lower Center	RK641424	1 R144
		Right Rear Upper	RK641420	1 R144
Control Arm Bushing				
2018-2015		Lower Rear Outer	K201727	2 R144
2017-2015		Arm To Knuckle, Lower Front	K200088	2 R144

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
E400				
Control Arm Bushing				
2017-2015 (Cont.)	2 Dr. Convertible, 2 Dr. Coupe, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100239	2 R144
2016-2015	4 Dr. Sedan, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100299	2 R144
Strut Bumper Bellows				
2016-2015	2 Dr. Convertible, 2 Dr. Coupe		K201554	2 R144
Sway Bar Link				
2018	(Improves Upon OE Design)	Left	K700342 ‡	1
	(Improves Upon OE Design)	Right	K700341 ‡	1
2017	Rear Wheel Drive, (Improves Upon OE Design)	Left	K700342 ‡	1 R144
	Rear Wheel Drive, (Improves Upon OE Design)	Right	K700341 ‡	1 R144
2016-2015	(Improves Upon OE Design)	Left	K700342 ‡	1 R144
	(Improves Upon OE Design)	Right	K700341 ‡	1 R144
Wheel Bearing Assembly				
2018-2017			512433	2
2016-2015	2 Dr. Convertible, 2 Dr. Coupe		512433	2
	4 Dr. Sedan		512432	2
E400 4Matic				
Control Arm				
2018-2015	(R-Series, Thrust Arm)	Lower Front	RK641986	2 R144
	(R-Series)	Left Front Upper	RK641423	1 R144
	(R-Series)	Left Lower Center	RK641425	1 R144
	(R-Series)	Left Rear Upper	RK641421	1 R144
	(R-Series)	Right Front Upper	RK641422	1 R144
	(R-Series)	Right Lower Center	RK641424	1 R144
	(R-Series)	Right Rear Upper	RK641420	1 R144
Control Arm Bushing				
2018	2 Dr. Coupe	Lower Front Outer	K200088	2
2018-2017		Lower Rear Outer	K201727	2
2017	2 Dr. Coupe	Lower Front Outer	K200088	2 R144
2017-2015		Lower Rear Outer	K201727	2 R144
	2 Dr. Coupe, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100239	2 R144
2016-2015		Lower Front Outer	K200088	2 R144
	4 Dr. Sedan, 4 Dr. Station Wagon, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100299	2 R144
Strut Bumper Bellows				
2016-2015	2 Dr. Coupe		K201554	2 R144
Sway Bar Link				
2018	2 Dr. Coupe, (Improves Upon OE Design)	Left	K700342 ‡	1 R144
	2 Dr. Coupe, (Improves Upon OE Design)	Right	K700341 ‡	1 R144
2017	2 Dr. Coupe, All Wheel Drive, (Improves Upon OE Design)	Left	K700342 ‡	1 R144
	2 Dr. Coupe, All Wheel Drive, (Improves Upon OE Design)	Right	K700341 ‡	1 R144
2016-2015	(Improves Upon OE Design)	Left	K700342 ‡	1 R144
	(Improves Upon OE Design)	Right	K700341 ‡	1 R144
Wheel Bearing Assembly				
2018-2017	4 Dr. Sedan, 4 Dr. Station Wagon		512560	2
2018-2015	2 Dr. Coupe		512433	2
2016	4 Dr. Sedan, 4 Dr. Station Wagon		512432	2
2015	4 Dr. Sedan		512432	2
E400 H				
Control Arm				
2015-2013	(R-Series, Thrust Arm)	Lower Front	RK641986	2 R144
	(R-Series)	Left Front Upper	RK641423	1 R144
	(R-Series)	Left Lower Center	RK641425	1 R144
	(R-Series)	Left Rear Upper	RK641421	1 R144
	(R-Series)	Right Front Upper	RK641422	1 R144
	(R-Series)	Right Lower Center	RK641424	1 R144
	(R-Series)	Right Rear Upper	RK641420	1 R144
Control Arm Bushing				
2015-2013		Arm To Knuckle, Lower Front	K200088	2 R144
		Lower Rear Outer	K201727	2 R144
	Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100299	2 R144

MERCEDES BENZ-E Series (Cont.)

REAR SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
E400 H				
Sway Bar Link				
2015-2013	(Improves Upon OE Design) (Improves Upon OE Design)	Left Right	K700342 ‡ K700341 ‡	1 1 R144 R144
Wheel Bearing Assembly				
2015	4 Dr. Sedan		512432	2
2014-2013			512432	2
E550				
Control Arm				
2017-2010	(R-Series, Thrust Arm) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series)	Lower Front Left Front Upper Left Lower Center Left Rear Upper Right Front Upper Right Lower Center Right Rear Upper	RK641986 RK641423 RK641425 RK641421 RK641422 RK641424 RK641420	2 1 1 1 1 1 1 R144 R144 R144 R144 R144 R144 R144
2009-2007	(Contains Bushing, R-Series) (Contains Bushing, R-Series) (R-Series, Contains Bushing) (Contains Bushing, R-Series) (Contains Bushings, R-Series) Except Armored Vehicles, (Contains Bushing, R-Series) Except Armored Vehicles, (Contains Bushing, R-Series)	Lower Front Left Front Upper Left Rear Lower Right Front Upper Right Rear Lower Left Rear Upper Right Rear Upper	RK620098 RK620101 RK641995 RK620102 RK641766 RK620099 RK620100	2 1 1 1 1 1 1 R052 R052 R052 R052 R052 R052 R052
Control Arm Bushing				
2017	2 Dr. Convertible, 2 Dr. Coupe, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100239	2 R144
2017-2010		Lower Rear Outer	K201727	2 R144
2016-2012	Rear Wheel Drive, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100239	2 R144
2016-2010		Arm To Knuckle, Lower Front	K200088	2 R144
2011	2 Dr. Convertible, 2 Dr. Coupe, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100239	2 R144
2011-2010	4 Dr. Sedan, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100299	2 R144
2010	2 Dr. Coupe, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100239	2 R144
2009-2007		Arm To Knuckle, Lower Front	K200088	2 R052
Strut Bumper Bellows				
2016-2011	2 Dr. Convertible, 2 Dr. Coupe		K201554	2 R144
2010	2 Dr. Coupe		K201554	2 R144
Sway Bar Link				
2017-2010	(Improves Upon OE Design) (Improves Upon OE Design)	Left Right	K700342 ‡ K700341 ‡	1 1 R144 R144
2009-2007			K80494	2 R052
Wheel Bearing Assembly				
2017-2014			512433	2
2016-2012	2 Dr. Convertible, 2 Dr. Coupe		512433	2
2011-2007			512432	2
E550 4 Matic				
Control Arm				
2016-2010	(R-Series, Thrust Arm) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series) (R-Series)	Lower Front Left Front Upper Left Lower Center Left Rear Upper Right Front Upper Right Lower Center Right Rear Upper	RK641986 RK641423 RK641425 RK641421 RK641422 RK641424 RK641420	2 1 1 1 1 1 1 R144 R144 R144 R144 R144 R144 R144
2009-2007	(Contains Bushing, R-Series) (Contains Bushing, R-Series) (R-Series, Contains Bushing) (Contains Bushing, R-Series) (Contains Bushings, R-Series) Except Armored Vehicles, (Contains Bushing, R-Series) Except Armored Vehicles, (Contains Bushing, R-Series)	Lower Front Left Front Upper Left Rear Lower Right Front Upper Right Rear Lower Left Rear Upper Right Rear Upper	RK620098 RK620101 RK641995 RK620102 RK641766 RK620099 RK620100	2 1 1 1 1 1 1 R052 R052 R052 R052 R052 R052 R052
Control Arm Bushing				
2016-2012	All Wheel Drive, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100299	2 R144
2016-2010		Arm To Knuckle, Lower Front Lower Rear Outer	K200088 K201727	2 2 R144 R144

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
E550 4 Matic				
Control Arm Bushing				
2011-2010	4 Dr. Sedan, Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100299	2 R144
2009-2007		Arm To Knuckle, Lower Front	K200088	2 R052
Sway Bar Link				
2016-2010	(Improves Upon OE Design)	Left	K700342 ‡	1 R144
	(Improves Upon OE Design)	Right	K700341 ‡	1 R144
2009-2007			K80494	2 R052
Wheel Bearing Assembly				
2016-2012	212.091		512432	2
2011-2007			512432	2

Maybach S600–MERCEDES BENZ


FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2018-2016	Except Active Body Control And Z07 Special Protection Vehicle	Lower Rear Outer	K201727	2
Wheel Hub & Bearing Assembly				
2018-2016	Except Z07 Special Protection Vehicle		513381	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2018-2016	Z07 Special Protection Vehicle	Lower Rear Outer	K201727	2
Wheel Bearing Assembly				
2018-2016	Except Z07 Special Protection Vehicle		512560	2

S Series–MERCEDES BENZ



MERCEDES BENZ-S Series (Cont.)

FRONT SUSPENSION (Cont.)




F360

Year	Model/Application	Part	P/C Qty	Figure
Maybach S550 4Matic				
Control Arm Bushing				
2018-2017	Except Active Body Control And Z07 Special Protection Vehicle	Lower Rear Outer	K201727	2
S63 AMG				
Control Arm with Ball Joint				
2013	(Contains Bushing, R-Series)	Left Rear Lower	RK620984	1 F360
	(Contains Bushing, R-Series)	Right Rear Lower	RK620998	1 F360
	Except Active Suspension, (R-Series)	Left Rear Lower	RK621763	1 F360
	Except Active Suspension, (R-Series)	Right Rear Lower	RK621764	1 F360
2013-2008	(Contains Bushings, R-Series)	Left Upper	RK621127	1 F360
	(Contains Bushings, R-Series)	Right Upper	RK621128	1 F360
	(Contains Bushing, R-Series)	Left Front Lower	RK620986	1 F360
	(Contains Bushing, R-Series)	Right Front Lower	RK620985	1 F360
2012-2008	Except Active Suspension, Except Armored Vehicles, (R-Series)	Left Rear Lower	RK621763	1 F360
	Except Active Suspension, Except Armored Vehicles, (R-Series)	Right Rear Lower	RK621764	1 F360
2009-2008	Active Suspension, (Contains Bushing, R-Series)	Left Rear Lower	RK620984	1 F360
	Active Suspension, (Contains Bushing, R-Series)	Right Rear Lower	RK620998	1 F360
Sway Bar Link				
2013-2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80870 ‡	1 F360
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K80871 ‡	1 F360
Wheel Hub & Bearing Assembly				
2014			513361	2
Wheel Hub Repair Kit				
2013-2008			520005	2
S63 AMG 4Matic				
Control Arm Bushing				
2017-2014		Lower Rear Outer	K201727	2
Wheel Hub & Bearing Assembly				
2015-2014			513361	2
S65 AMG				
Control Arm with Ball Joint				
2013-2007	(Contains Bushings, R-Series)	Left Upper	RK621127	1 F360
	(Contains Bushings, R-Series)	Right Upper	RK621128	1 F360
	(Contains Bushing, R-Series)	Left Front Lower	RK620986	1 F360
	(Contains Bushing, R-Series)	Right Front Lower	RK620985	1 F360
	Except Active Suspension, Except Armored Vehicles, (R-Series)	Left Rear Lower	RK621763	1 F360
	Except Active Suspension, Except Armored Vehicles, (R-Series)	Right Rear Lower	RK621764	1 F360
2009-2007	Active Suspension, (Contains Bushing, R-Series)	Left Rear Lower	RK620984	1 F360
	Active Suspension, (Contains Bushing, R-Series)	Right Rear Lower	RK620998	1 F360
Sway Bar Link				
2009-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80870 ‡	1 F360
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K80871 ‡	1 F360
Wheel Hub Repair Kit				
2013-2007			520005	2

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
S350 BlueTEC 4MATIC					
Control Arm with Ball Joint					
2013-2012	(Contains Bushings, R-Series) (Contains Bushings, R-Series) (Contains Bushing, R-Series) (R-Series) (R-Series)	Left Upper Right Upper Left Front Lower Left Rear Lower Right Rear Lower	RK621127 RK621128 RK620986 RK621763 RK621764	1 1 1 1 1	F359 F359 F359 F359 F359
Sway Bar Link					
2013-2012	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K80870 ‡ K80871 ‡	1 1	F359 F359
S400					
Control Arm with Ball Joint					
2013-2010	(Contains Bushings, R-Series) (Contains Bushings, R-Series) (Contains Bushing, R-Series) Active Suspension, (Contains Bushing, R-Series) Active Suspension, (Contains Bushing, R-Series) Except Active Suspension, Except Armored Vehicles, (R-Series) Except Active Suspension, Except Armored Vehicles, (R-Series)	Left Upper Right Upper Left Front Lower Left Rear Lower Right Rear Lower Left Rear Lower Right Rear Lower	RK621127 RK621128 RK620986 RK620984 RK620998 RK621763 RK621764	1 1 1 1 1 1 1	F360 F360 F360 F360 F360 F360 F360
Sway Bar Link					
2013-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K80870 ‡ K80871 ‡	1 1	F359 F359
Wheel Hub Repair Kit					
2013-2010			520005	2	
S450					
Control Arm with Ball Joint					
2011-2008	(Contains Bushings, R-Series) (Contains Bushings, R-Series) (Contains Bushing, R-Series) (R-Series)	Left Upper Right Upper Left Front Lower Left Rear Lower	RK621127 RK621128 RK620986 RK621763	1 1 1 1	F359 F359 F359 F359
S550					
Control Arm Bushing					
2017-2016	4 Dr. Sedan	Lower Rear Outer	K201727	2	
2015-2014		Lower Rear Outer	K201727	2	
Control Arm with Ball Joint					
2013-2007	(Contains Bushings, R-Series) (Contains Bushings, R-Series) Rear Wheel Drive, Except Active Suspension, Except Armored Vehicles, (R-Series) Rear Wheel Drive, Except Active Suspension, Except Armored Vehicles, (R-Series)	Left Upper Right Upper Left Rear Lower Right Rear Lower	RK621127 RK621128 RK621763 RK621764	1 1 1 1	F360 F360 F360 F360
2009-2007	Rear Wheel Drive, (Contains Bushing, R-Series) Rear Wheel Drive, Active Suspension, (Contains Bushing, R-Series) Rear Wheel Drive, Active Suspension, (Contains Bushing, R-Series)	Right Front Lower Left Rear Lower Right Rear Lower	RK620985 RK620984 RK620998	1 1 1	F360 F360 F360
Sway Bar Link					
2013-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K80870 ‡ K80871 ‡	1 1	F360 F360
Wheel Hub & Bearing Assembly					
2015-2014			513381	2	
Wheel Hub Repair Kit					
2013-2012	221.173		520005	2	
2011-2007	221.171		520005	2	
S550 4 Matic					
Control Arm Bushing					
2017-2016	4 Dr. Sedan	Lower Rear Outer	K201727	2	
2015-2014		Lower Rear Outer	K201727	2	
Control Arm with Ball Joint					
2013-2007	(Contains Bushings, R-Series) (Contains Bushings, R-Series) (Contains Bushing, R-Series) All Wheel Drive, (R-Series) All Wheel Drive, (R-Series)	Left Upper Right Upper Left Front Lower Left Rear Lower Right Rear Lower	RK621127 RK621128 RK620986 RK621763 RK621764	1 1 1 1 1	F359 F359 F359 F359 F359
2009-2007	All Wheel Drive, (R-Series)	Right Front Lower	RK622447	1	F359
Sway Bar Link					
2013-2007	All Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) All Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K80870 ‡ K80871 ‡	1 1	F359 F359

MERCEDES BENZ-S Series (Cont.)
FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
S550 4 Matic					
Wheel Hub & Bearing Assembly					
2014		513381	2		
S550e					
Control Arm Bushing					
2017-2016	Lower Rear Outer	K201727	2		
S600					
Control Arm with Ball Joint					
2013-2007	(Contains Bushings, R-Series)	Left Upper	RK621127	1	F360
	(Contains Bushings, R-Series)	Right Upper	RK621128	1	F360
	(Contains Bushing, R-Series)	Left Front Lower	RK620986	1	F360
	Except Active Suspension, Except Armored Vehicles, (R-Series)	Left Rear Lower	RK621763	1	F360
	Except Active Suspension, Except Armored Vehicles, (R-Series)	Right Rear Lower	RK621764	1	F360
2009-2007	Active Suspension, (Contains Bushing, R-Series)	Left Rear Lower	RK620984	1	F360
	Active Suspension, (Contains Bushing, R-Series)	Right Rear Lower	RK620998	1	F360
Sway Bar Link					
2011	Except Active Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Except Active Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80870 ‡	1	F360
		Right	K80871 ‡	1	F360
2010-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80870 ‡	1	F360
		Right	K80871 ‡	1	F360
Wheel Hub & Bearing Assembly					
2015		513381	2		
Wheel Hub Repair Kit					
2013-2007		520005	2		
STEERING					
Year	Model/Application	Part	P/C Qty	Figure	
Maybach S550 4Matic					
Tie Rod End					
2018-2017	Except Z07 Special Protection Vehicle Except Z07 Special Protection Vehicle	Left Outer	ES801278 ‡	1	
		Right Outer	ES801279 ‡	1	
S63 AMG					
Tie Rod End					
2014		Left Outer	ES801278 ‡	1	
		Right Outer	ES801279 ‡	1	
2013-2008	(Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Outer	ES800818 ‡	2	
		Inner	EV800385 ‡	2	
S63 AMG 4Matic					
Tie Rod End					
2017-2014		Left Outer	ES801278 ‡	1	
		Right Outer	ES801279 ‡	1	
S65 AMG					
Tie Rod End					
2013-2007	(Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Outer	ES800818 ‡	2	
		Inner	EV800385 ‡	2	
S350 BlueTEC 4MATIC					
Tie Rod End					
2013-2012		Left Outer	ES801159	1	
		Right Outer	ES801160	1	
		Inner	EV801002	2	
S400					
Tie Rod End					
2013-2010	(Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Outer	ES800818 ‡	2	
		Inner	EV800385 ‡	2	
S450					
Tie Rod End					
2011-2008		Left Outer	ES801159	1	
		Right Outer	ES801160	1	

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
S550				
Tie Rod End				
2013-2007	Rear Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear) Rear Wheel Drive, (Design Allows Ease Of Installation)	Outer Inner	ES800818 ‡ EV800385 ‡	2 2
S550 4 Matic				
Tie Rod End				
2017-2014		Left Outer Right Outer	ES801278 ‡ ES801279 ‡	1 1
2013-2007	All Wheel Drive All Wheel Drive All Wheel Drive	Left Outer Right Outer Inner	ES801159 ES801160 EV801002	1 1 2
S600				
Tie Rod End				
2013-2007	(Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Outer Inner	ES800818 ‡ EV800385 ‡	2 2
REAR SUSPENSION				
				
R051				
Year	Model/Application	Part	P/C Qty	Figure
Maybach S550 4Matic				
Control Arm Bushing				
2018-2017	Z07 Special Protection Vehicle	Lower Rear Outer	K201727	2
Wheel Bearing Assembly				
2018-2017	Except Z07 Special Protection Vehicle		512560	2
S55 AMG				
Control Arm with Ball Joint				
2007-2006	(Contains Bushing, R-Series)	Lower Front	RK620146	2
S63 AMG				
Control Arm				
2013-2011	(R-Series) (R-Series) (R-Series)	Left Front Upper Left Lower Center Right Lower Center	RK641708 RK641705 RK641706	1 1 1
2013-2008	(R-Series) (R-Series) (R-Series) (R-Series)	Lower Rear Left Front Lower Right Front Lower Right Front Upper	RK642448 RK641765 RK641835 RK641707	2 1 1 1
2010-2008	(R-Series) (R-Series) (R-Series)	Left Front Upper Left Lower Center Right Lower Center	RK641957 RK641960 RK641961	1 1 1
Control Arm Bushing				
2014-2013		Lower Rear Outer	K201727	2
2010-2008		Lower Rear Outer	K201727	2
Sway Bar Link				
2013-2008	(Improves Upon OE Design)	Left	K750324 ‡	1

MERCEDES BENZ-S Series (Cont.)
REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
S63 AMG					
Sway Bar Link					
2013-2008 (Cont.)	(Improves Upon OE Design)	Right K750323 ‡	1	R051	
Wheel Bearing Assembly					
2014		512560	2		
2013-2008		512432	2		
S63 AMG 4Matic					
Wheel Bearing Assembly					
2016-2014	Except Z07 Special Protection Vehicle	512560	2		
S65 AMG					
Control Arm					
2013-2007	(R-Series)	Left Front Lower	RK641765	1	R051
	(R-Series)	Left Front Upper	RK641708	1	R051
	(R-Series)	Left Lower Center	RK641705	1	R051
	(R-Series)	Right Front Lower	RK641835	1	R051
	(R-Series)	Right Front Upper	RK641707	1	R051
	(R-Series)	Right Lower Center	RK641706	1	R051
Control Arm Bushing					
2013		Lower Rear Outer	K201727	2	
Sway Bar Link					
2010-2008	(Improves Upon OE Design)	Left	K750324 ‡	1	R051
	(Improves Upon OE Design)	Right	K750323 ‡	1	R051
Wheel Bearing Assembly					
2015	Except Z07 Special Protection Vehicle	512560	2		
2013-2007		512432	2		
S350 BlueTEC 4MATIC					
Control Arm					
2013-2012	(R-Series)	Lower Rear	RK642448	2	R051
	(R-Series)	Left Front Upper	RK641957	1	R051
	(R-Series)	Left Lower Center	RK641960	1	R051
	(R-Series)	Right Front Upper	RK641707	1	R051
	(R-Series)	Right Lower Center	RK641961	1	R051
	Except Armored Vehicles, (R-Series)	Left Front Lower	RK641765	1	R051
	Except Armored Vehicles, (R-Series)	Right Front Lower	RK641835	1	R051
Control Arm Bushing					
2013-2012		Lower Rear Outer	K201727	2	
Sway Bar Link					
2013-2012	(Improves Upon OE Design)	Left	K750324 ‡	1	R051
	(Improves Upon OE Design)	Right	K750323 ‡	1	R051
Wheel Bearing Assembly					
2012		512432	2		
S400					
Control Arm					
2013-2010	(R-Series)	Lower Rear	RK642448	2	R051
	(R-Series)	Left Front Lower	RK641765	1	R051
	(R-Series)	Left Front Upper	RK641957	1	R051
	(R-Series)	Left Lower Center	RK641960	1	R051
	(R-Series)	Right Front Lower	RK641835	1	R051
	(R-Series)	Right Front Upper	RK641707	1	R051
	(R-Series)	Right Lower Center	RK641961	1	R051
Control Arm Bushing					
2013-2010		Lower Rear Outer	K201727	2	
Sway Bar Link					
2012-2010	(Improves Upon OE Design)	Left	K750324 ‡	1	R051
	(Improves Upon OE Design)	Right	K750323 ‡	1	R051
Wheel Bearing Assembly					
2013-2010		512432	2		
S450					
Control Arm					
2011-2008	(R-Series)	Lower Rear	RK642448	2	R051
	(R-Series)	Left Front Lower	RK641765	1	R051
	(R-Series)	Left Front Upper	RK641957	1	R051

REAR SUSPENSION (Cont.)					
Year	Model/Application		Part	P/C Qty	Figure
S450					
Control Arm					
2011-2008 (Cont.)	(R-Series)	Left Lower Center	RK641705	1	R051
	(R-Series)	Right Front Lower	RK641835	1	R051
	(R-Series)	Right Front Upper	RK641707	1	R051
	(R-Series)	Right Lower Center	RK641706	1	R051
Control Arm Bushing					
2011-2008		Lower Rear Outer	K201727	2	
Sway Bar Link					
2011-2008	(Improves Upon OE Design)	Left	K750324 ‡	1	R051
	(Improves Upon OE Design)	Right	K750323 ‡	1	R051
Wheel Bearing Assembly					
2011-2008			512432	2	
S550					
Control Arm					
2013-2007	(R-Series)	Lower Rear	RK642448	2	R051
	(R-Series)	Left Front Lower	RK641765	1	R051
	(R-Series)	Left Front Upper	RK641957	1	R051
	(R-Series)	Left Lower Center	RK641960	1	R051
	(R-Series)	Right Front Lower	RK641835	1	R051
	(R-Series)	Right Front Upper	RK641707	1	R051
	(R-Series)	Right Lower Center	RK641961	1	R051
Control Arm Bushing					
2013		Lower Rear Outer	K201727	2	
2010-2007		Lower Rear Outer	K201727	2	
Sway Bar Link					
2013-2007	(Improves Upon OE Design)	Left	K750324 ‡	1	R051
	(Improves Upon OE Design)	Right	K750323 ‡	1	R051
Wheel Bearing Assembly					
2016-2014			512560	2	
2013-2007			512432	2	
S550 4 Matic					
Control Arm					
2013-2007	(R-Series)	Lower Rear	RK642448	2	R051
	(R-Series)	Left Front Lower	RK641765	1	R051
	(R-Series)	Left Front Upper	RK641957	1	R051
	(R-Series)	Left Lower Center	RK641960	1	R051
	(R-Series)	Right Front Lower	RK641835	1	R051
	(R-Series)	Right Front Upper	RK641707	1	R051
	(R-Series)	Right Lower Center	RK641961	1	R051
Control Arm Bushing					
2013		Lower Rear Outer	K201727	2	
2010-2007		Lower Rear Outer	K201727	2	
Sway Bar Link					
2013-2007	(Improves Upon OE Design)	Left	K750324 ‡	1	R051
	(Improves Upon OE Design)	Right	K750323 ‡	1	R051
Wheel Bearing Assembly					
2016-2014	Except Z07 Special Protection Vehicle		512560	2	
2013-2007			512432	2	
S550e					
Wheel Bearing Assembly					
2016			512560	2	
S600					
Control Arm					
2013-2007	(R-Series)	Lower Rear	RK642448	2	R051
	(R-Series)	Left Front Lower	RK641765	1	R051
	(R-Series)	Left Front Upper	RK641708	1	R051
	(R-Series)	Left Lower Center	RK641705	1	R051
	(R-Series)	Right Front Lower	RK641835	1	R051
	(R-Series)	Right Front Upper	RK641707	1	R051
	(R-Series)	Right Lower Center	RK641706	1	R051

MERCEDES BENZ-S Series (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
S600				
Control Arm Bushing				
2017-2015		Lower Rear Outer	K201727	2
2013		Lower Rear Outer	K201727	2
Sway Bar Link				
2013-2007	(Improves Upon OE Design)	Left	K750324 ‡	1
	(Improves Upon OE Design)	Right	K750323 ‡	1
Wheel Bearing Assembly				
2018-2015	Except Z07 Special Protection Vehicle		512560	2
2013-2007			512432	2

MERCEDES BENZ-SL Class

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
SL55 AMG				
Ball Joint				
2008-2007	(Design Allows Ease Of Installation)	Upper	K500222 ‡	2
2008-2003	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Lower Rear	K500056 ‡	2
Control Arm with Ball Joint				
2008-2003	(Contains Bushing, R-Series)	Left Front Lower	RK620727	1
	(Contains Bushing, R-Series)	Right Front Lower	RK620728	1
	Except Black Series, (R-Series)	Left Upper	RK622204	1
	Except Black Series, (R-Series)	Right Upper	RK622205	1
SL63 AMG				
Ball Joint				
2012-2009	(Design Allows Ease Of Installation)	Upper	K500222 ‡	2
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Lower Rear	K500056 ‡	2
Control Arm Bushing				
2017-2014		Lower Rear Outer	K201727	2
2017-2009	(Design Allows Ease Of Installation)	Lower Front Inner	K200085 ‡	2
Control Arm with Ball Joint				
2013-2009	(Contains Bushing, R-Series)	Left Front Lower	RK620727	1
	(Contains Bushing, R-Series)	Right Front Lower	RK620728	1
	Except Black Series, (R-Series)	Left Upper	RK622204	1
	Except Black Series, (R-Series)	Right Upper	RK622205	1
Wheel Hub & Bearing Assembly				
2016-2013			513355	2
SL65 AMG				
Ball Joint				
2011-2010	(Design Allows Ease Of Installation)	Upper	K500222 ‡	2
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Lower Rear	K500056 ‡	2
2009	230.479, (Design Allows Ease Of Installation)	Upper	K500222 ‡	2
	230.479, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Lower Rear	K500056 ‡	2
2008-2005	(Design Allows Ease Of Installation)	Upper	K500222 ‡	2
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Lower Rear	K500056 ‡	2
Control Arm Bushing				
2017-2014		Lower Rear Outer	K201727	2
2017-2013	(Design Allows Ease Of Installation)	Lower Front Inner	K200085 ‡	2
2011-2005	(Design Allows Ease Of Installation)	Lower Front Inner	K200085 ‡	2
Control Arm with Ball Joint				
2011-2010	(Contains Bushing, R-Series)	Left Front Lower	RK620727	1
	(Contains Bushing, R-Series)	Right Front Lower	RK620728	1
2010-2005	Except Black Series, (R-Series)	Left Upper	RK622204	1
	Except Black Series, (R-Series)	Right Upper	RK622205	1
2009	230.479, (Contains Bushing, R-Series)	Left Front Lower	RK620727	1
	230.479, (Contains Bushing, R-Series)	Right Front Lower	RK620728	1
2008-2005	(Contains Bushing, R-Series)	Left Front Lower	RK620727	1
	(Contains Bushing, R-Series)	Right Front Lower	RK620728	1
Wheel Hub & Bearing Assembly				
2016-2013			513355	2

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
SL400				
Control Arm Bushing				
2016-2015		Lower Rear Outer	K201727	2
Wheel Hub & Bearing Assembly				
2016-2015			513355	2
SL450				
Control Arm Bushing				
2017		Lower Rear Outer	K201727	2
SL550				
Ball Joint				
2012-2007	(Design Allows Ease Of Installation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Upper Lower Rear	K500222 ‡ K500056 ‡	2 2
Control Arm Bushing				
2017-2014		Lower Rear Outer	K201727	2
Control Arm with Ball Joint				
2012-2007	(Contains Bushing, R-Series) (Contains Bushing, R-Series) Except Black Series, (R-Series) Except Black Series, (R-Series)	Left Front Lower Right Front Lower Left Upper Right Upper	RK620727 RK620728 RK622204 RK622205	1 1 1 1
Wheel Hub & Bearing Assembly				
2016-2013			513355	2
SL600				
Ball Joint				
2010-2007	(Design Allows Ease Of Installation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Upper Lower Rear	K500222 ‡ K500056 ‡	2 2
Control Arm with Ball Joint				
2010	Thru Chassis / VIN Number F018536, (Contains Bushing, R-Series) Thru Chassis / VIN Number F018536, (Contains Bushing, R-Series)	Left Front Lower Right Front Lower	RK620727 RK620728	1 1
2010-2007	Except Black Series, (R-Series) Except Black Series, (R-Series)	Left Upper Right Upper	RK622204 RK622205	1 1
2009-2007	(Contains Bushing, R-Series) (Contains Bushing, R-Series)	Left Front Lower Right Front Lower	RK620727 RK620728	1 1
SL Special Edition				
Control Arm Bushing				
2016		Lower Rear Outer	K201727	2
STEERING				
S127				
Year	Model/Application	Part	P/C Qty	Figure
SL55 AMG				
Tie Rod End				
2008-2003	(Design Allows Ease Of Installation) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES80978 ‡ EV80975 ‡	2 2
SL63 AMG				
Rack & Pinion Boot Kit				
2011-2009			K150291	2
Tie Rod End				
2017-2013		Inner	EV801255 ‡	2

MERCEDES BENZ-SL Class (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
SL63 AMG					
Tie Rod End					
2012-2009	(Design Allows Ease Of Installation) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES80978 ‡ EV80975 ‡	2 2	S127 S127
SL65 AMG					
Rack & Pinion Boot Kit					
2011-2005			K150291	2	S127
Tie Rod End					
2017-2013		Inner	EV801255 ‡	2	
2011-2005	(Design Allows Ease Of Installation) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES80978 ‡ EV80975 ‡	2 2	S127 S127
SL400					
Tie Rod End					
2016-2015		Inner	EV801255 ‡	2	
SL450					
Tie Rod End					
2017		Inner	EV801255 ‡	2	
SL550					
Rack & Pinion Boot Kit					
2011-2007			K150291	2	S127
Tie Rod End					
2017-2013		Inner	EV801255 ‡	2	
2012-2007	(Design Allows Ease Of Installation) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES80978 ‡ EV80975 ‡	2 2	S127 S127
SL600					
Rack & Pinion Boot Kit					
2010-2007			K150291	2	S127
Tie Rod End					
2010-2007	(Design Allows Ease Of Installation) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES80978 ‡ EV80975 ‡	2 2	S127 S127
SL Special Edition					
Tie Rod End					
2016		Inner	EV801255 ‡	2	

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure	
SL55 AMG					
Control Arm					
2008-2003	(Contains Bushings, R-Series)	Right Rear Upper	RK641766	1	
Control Arm Bushing					
2008-2003	(Design Allows Ease Of Installation)	Lower Rear Outer	K200082 ‡	2	
Sway Bar Link					
2008-2003			K80494	2	
Wheel Bearing Assembly					
2008-2003			512433	2	
SL63 AMG					
Control Arm					
2012-2009	(Contains Bushing, R-Series) (Contains Bushing, R-Series)	Left Front Upper Right Front Upper	RK620101 RK620102	1 1	
Control Arm Bushing					
2017-2013		Lower Rear Outer	K201727	2	
2012-2009	(Design Allows Ease Of Installation)	Lower Rear Outer	K200082 ‡	2	
Sway Bar Link					
2009			K80494	2	
Wheel Bearing Assembly					
2016-2013			512432	2	
2012-2009			512433	2	

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
SL65 AMG				
Control Arm				
2011-2005	(Contains Bushing, R-Series) (Contains Bushing, R-Series)	Left Front Upper Right Front Upper	RK620101 RK620102	1 1
2008-2007	(Contains Bushings, R-Series)	Right Rear Lower	RK641766	1
Control Arm Bushing				
2017-2013		Lower Rear Outer	K201727	2
2009-2005	(Design Allows Ease Of Installation)	Lower Rear Outer	K200082 ‡	2
Sway Bar Link				
2011-2005	(Link With 1 Stud)		K80494	2
Wheel Bearing Assembly				
2016-2013			512432	2
2011-2009			512432	2
SL400				
Control Arm				
2016-2015	(R-Series) (R-Series)	Left Front Upper Right Front Upper	RK642441 RK642442	1 1
Control Arm Bushing				
2016-2015		Lower Rear Outer	K201727	2
Wheel Bearing Assembly				
2016-2015			512432	2
SL450				
Control Arm				
2017	(R-Series) (R-Series)	Left Front Upper Right Front Upper	RK642441 RK642442	1 1
Control Arm Bushing				
2017		Lower Rear Outer	K201727	2
SL550				
Control Arm				
2017-2013	(R-Series) (R-Series)	Left Front Upper Right Front Upper	RK642441 RK642442	1 1
2012-2007	(Contains Bushing, R-Series) (Contains Bushing, R-Series) (R-Series, Contains Bushing) (Contains Bushing, R-Series) (Contains Bushing, R-Series) (Contains Bushings, R-Series) (Contains Bushing, R-Series)	Lower Front Left Front Upper Left Rear Lower Left Rear Upper Right Front Upper Right Rear Lower Right Rear Upper	RK620098 RK620101 RK641995 RK620099 RK620102 RK641766 RK620100	2 1 1 1 1 1 1
Control Arm Bushing				
2017-2013		Lower Rear Outer	K201727	2
2012-2009		Arm To Knuckle, Lower Front	K200088	2
2009-2007	(Design Allows Ease Of Installation)	Lower Rear Outer	K200082 ‡	2
Sway Bar Link				
2012-2007			K80494	2
Wheel Bearing Assembly				
2016-2013			512432	2
2012-2007			512433	2
SL600				
Control Arm				
2010-2007	(Contains Bushing, R-Series) (R-Series, Contains Bushing) (Contains Bushing, R-Series) (Contains Bushings, R-Series)	Left Front Upper Left Rear Lower Right Front Upper Right Rear Lower	RK620101 RK641995 RK620102 RK641766	1 1 1 1
Control Arm Bushing				
2009-2007	(Design Allows Ease Of Installation)	Lower Rear Outer	K200082 ‡	2
Sway Bar Link				
2010-2007			K80494	2
Wheel Bearing Assembly				
2010-2007			512433	2

MERCEDES BENZ-SL Class (Cont.)

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
SL Special Edition				
Control Arm				
2016	(R-Series)	Left Front Upper	RK642441	1
	(R-Series)	Right Front Upper	RK642442	1
Control Arm Bushing				
2016		Lower Rear Outer	K201727	2


MERCEDES BENZ-SLC43 AMG

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2017	(Improves Upon OE Design)	Left	K750628 ‡	1
	(Improves Upon OE Design)	Right	K750627 ‡	1
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017	(Design Allows Ease Of Installation)	Left Outer	ES800646 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800811 ‡	1
		Inner	EV801311	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2017	(Design Allows Ease Of Installation)	Lower Front Inner	K200083 ‡	2
		Lower Rear Outer	K201727	2
Sway Bar Link				
2017	(Improves Upon OE Design)		K750644 ‡	2


MERCEDES BENZ-SLC300

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2017	(Contains Bushing, R-Series)	Left Rear Lower	RK620981	1
	(Contains Bushing, R-Series)	Right Rear Lower	RK620980	1
Sway Bar Link				
2017	(Improves Upon OE Design)	Left	K750628 ‡	1
	(Improves Upon OE Design)	Right	K750627 ‡	1
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017	(Design Allows Ease Of Installation)	Left Outer	ES800646 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800811 ‡	1
		Inner	EV801311	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017	(R-Series)	Lower Rear	RK642437	2
Control Arm Bushing				
2017	(Design Allows Ease Of Installation)	Lower Front Inner	K200083 ‡	2
		Lower Rear Outer	K201727	2
Sway Bar Link				
2017	(Improves Upon OE Design)		K750644 ‡	2

FRONT SUSPENSION



F268



F353


Year	Model/Application	Part	P/C Qty	Figure
SLK55 AMG				
Control Arm Bushing				
2016-2012	(Design Allows Ease Of Installation)	Lower Front Inner	K200085 ‡	2 F353
2011-2009	(Design Allows Ease Of Installation)	Lower Front Inner	K200085 ‡	2 F268
Control Arm with Ball Joint				
2016-2012	(Contains Bushing, R-Series)	Left Rear Lower	RK620981	1 F353
	(Contains Bushing, R-Series)	Right Rear Lower	RK620980	1 F353
2011	(R-Series)	Left Front Lower	RK620086	1 F268
	(R-Series)	Right Front Lower	RK620087	1 F268
2010-2005	(R-Series)	Left Rear Lower	RK80533	1 F268
	(R-Series)	Right Rear Lower	RK80534	1 F268
Strut Bumper Bellows				
2011-2005			K150275	2 F268
Sway Bar Link				
2016-2012	(Improves Upon OE Design)	Left	K750628 ‡	1 F353
	(Improves Upon OE Design)	Right	K750627 ‡	1 F353
2010-2005			K80495	2 F268
Wheel Hub & Bearing Assembly				
2015-2014			520003	2
SLK250				
Control Arm with Ball Joint				
2015-2012	(Stud Points Down, R-Series)	Left Front Lower	RK620086	1 F353
	(Stud Points Down, R-Series)	Right Front Lower	RK620087	1 F353
2014-2012	(Contains Bushing, R-Series)	Left Rear Lower	RK620981	1 F353
	(Contains Bushing, R-Series)	Right Rear Lower	RK620980	1 F353

MERCEDES BENZ-SLK Class (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
SLK250				
Sway Bar Link				
2015-2012	(Improves Upon OE Design) (Improves Upon OE Design)	Left Right	K750628 ‡ K750627 ‡	1 1 F353 F353
Wheel Hub & Bearing Assembly				
2015-2014			520003	2
SLK280				
Control Arm with Ball Joint				
2008-2006	(R-Series) (R-Series)	Left Rear Lower Right Rear Lower	RK80533 RK80534	1 1 F268 F268
Strut Bumper Bellows				
2008-2006	(Original Equipment Type) (Replacement Type, Contains Bumper)		K150276 K90460	2 2 F268 F268
Sway Bar Link				
2008-2006			K80495	2 F268
SLK300				
Control Arm with Ball Joint				
2016	(Stud Points Down, R-Series) (Contains Bushing, R-Series) (Stud Points Down, R-Series) (Contains Bushing, R-Series)	Left Front Lower Left Rear Lower Right Front Lower Right Rear Lower	RK620086 RK620981 RK620087 RK620980	1 1 1 1 F353 F353 F353 F353
2011-2009	(Stud Points Down, R-Series) (Stud Points Up, R-Series) (Stud Points Down, R-Series)	Left Front Lower Left Rear Lower Right Front Lower	RK620086 RK80533 RK620087	1 1 1 F268 F268 F268
Strut Bumper Bellows				
2011-2009	(Original Equipment Type) (Replacement Type, Contains Bumper)		K150276 K90460	2 2 F268 F268
Sway Bar Link				
2016	(Improves Upon OE Design) (Improves Upon OE Design)	Left Right	K750628 ‡ K750627 ‡	1 1 F353 F353
2011-2009			K80495	2 F268
Wheel Hub & Bearing Assembly				
2016			520003	2
SLK350				
Control Arm with Ball Joint				
2016	(Stud Points Down, R-Series) (Stud Points Down, R-Series)	Left Front Lower Right Front Lower	RK620086 RK620087	1 1 F353 F353
2016-2012	(Contains Bushing, R-Series) (Contains Bushing, R-Series)	Left Rear Lower Right Rear Lower	RK620981 RK620980	1 1 F353 F353
2015-2012	(R-Series) (R-Series)	Left Front Lower Right Front Lower	RK620086 RK620087	1 1 F353 F353
2011	(Stud Points Up, R-Series)	Left Rear Lower	RK80533	1 F268
2011-2009	(Stud Points Down, R-Series) (Stud Points Down, R-Series)	Left Front Lower Right Front Lower	RK620086 RK620087	1 1 F268 F268
2010-2005	(R-Series) (R-Series)	Left Rear Lower Right Rear Lower	RK80533 RK80534	1 1 F268 F268
Strut Bumper Bellows				
2011-2005	(Original Equipment Type) (Replacement Type, Contains Bumper)		K150276 K90460	2 2 F268 F268
Sway Bar Link				
2016-2012	(Improves Upon OE Design) (Improves Upon OE Design)	Left Right	K750628 ‡ K750627 ‡	1 1 F353 F353
2011-2005			K80495	2 F268
Wheel Hub & Bearing Assembly				
2016-2012			520003	2

STEERING



S127

Year	Model/Application	Part	P/C Qty	Figure
SLK55 AMG				
Tie Rod End				
2016-2013		Inner	EV801311	2
2016-2012	(Design Allows Ease Of Installation)	Left Outer	ES800646 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800811 ‡	1
2010-2005		Left Outer	ES80687	1
	(Design Allows Ease Of Installation)	Right Outer	ES80688	1
		Inner	EV800682 ‡	2
SLK250				
Tie Rod End				
2015-2012	(Design Allows Ease Of Installation)	Left Outer	ES800646 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800811 ‡	1
		Inner	EV801311	2
SLK280				
Tie Rod End				
2008-2006		Left Outer	ES80687	1
	(Design Allows Ease Of Installation)	Right Outer	ES80688	1
		Inner	EV800682 ‡	2
SLK300				
Tie Rod End				
2016	(Design Allows Ease Of Installation)	Left Outer	ES800646 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800811 ‡	1
		Inner	EV801311	2
2011-2009		Left Outer	ES80687	1
	(Design Allows Ease Of Installation)	Right Outer	ES80688	1
		Inner	EV800682 ‡	2
SLK350				
Tie Rod End				
2016-2012	(Design Allows Ease Of Installation)	Left Outer	ES800646 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800811 ‡	1
		Inner	EV801311	2
2011-2005		Left Outer	ES80687	1
	(Design Allows Ease Of Installation)	Right Outer	ES80688	1
		Inner	EV800682 ‡	2

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
SLK55 AMG				
Control Arm				
2016-2005	(R-Series)	Lower Rear	RK642437	2
2010-2005	(Straight Arm, Contains Bushing, R-Series)	Upper Front	RK620090	2
	(Straight Arm, Lateral Link, R-Series)	Lower Center	RK640726	2
Control Arm Bushing				
2016-2013		Lower Rear Outer	K201727	2
2016-2012	(Design Allows Ease Of Installation)	Lower Front Inner	K200083 ‡	2
2012	(Design Allows Ease Of Installation)	Lower Rear Outer	K200082 ‡	2
2011-2005	Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers)	Upper Front Outer	K100302	2
	Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers)	Upper Rear Outer	K100302	2

MERCEDES BENZ-SLK Class (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
SLK55 AMG				
Control Arm Bushing				
2010-2005	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Lower Front Inner Lower Rear Outer	K200083 ‡ K200082 ‡	2 2
Control Arm with Ball Joint				
2010-2005	(Contains Bushing, R-Series)	Lower Front	RK620729	2
Sway Bar Link				
2016-2012	(Improves Upon OE Design)		K750644 ‡	2
2010-2005			K80267	2
Wheel Bearing Assembly				
2016-2012			512433	2
SLK250				
Control Arm				
2015-2012	(R-Series)	Lower Rear	RK642437	2
Control Arm Bushing				
2015-2013		Lower Rear Outer	K201727	2
2015-2012	(Design Allows Ease Of Installation)	Lower Front Inner	K200083 ‡	2
Sway Bar Link				
2015-2012	(Improves Upon OE Design)		K750644 ‡	2
Wheel Bearing Assembly				
2015-2012			512433	2
SLK280				
Control Arm				
2008-2006	(Straight Arm, Contains Bushing, R-Series) (Straight Arm, Lateral Link, R-Series)	Upper Front Lower Center	RK620090 RK640726	2 2
Control Arm Bushing				
2008-2006	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers) Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers)	Lower Front Inner Lower Rear Outer Upper Front Outer Upper Rear Outer	K200083 ‡ K200082 ‡ K100302 K100302	2 2 2 2
Control Arm with Ball Joint				
2008-2006	(Contains Bushing, R-Series)	Lower Front	RK620729	2
Sway Bar Link				
2008-2006			K80267	2
SLK300				
Control Arm				
2016	(R-Series)	Lower Rear	RK642437	2
2011-2009	(Straight Arm, Contains Bushing, R-Series) (R-Series) (Straight Arm, Lateral Link, R-Series)	Upper Front Lower Rear Lower Center	RK620090 RK642437 RK640726	2 2 2
Control Arm Bushing				
2016	(Design Allows Ease Of Installation)	Lower Front Inner Lower Rear Outer	K200083 ‡ K201727	2 2
2011-2009	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers) Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers)	Lower Front Inner Lower Rear Outer Upper Front Outer Upper Rear Outer	K200083 ‡ K200082 ‡ K100302 K100302	2 2 2 2
Control Arm with Ball Joint				
2011-2009	(Contains Bushing, R-Series)	Lower Front	RK620729	2
Sway Bar Link				
2016	(Improves Upon OE Design)		K750644 ‡	2
2011-2009			K80267	2
Wheel Bearing Assembly				
2016			512433	2
SLK350				
Control Arm				
2016-2005	(R-Series)	Lower Rear	RK642437	2

(Cont.) SLK Class–MERCEDES BENZ


REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
SLK350				
Control Arm				
2011-2005	(Straight Arm, Contains Bushing, R-Series) (Straight Arm, Lateral Link, R-Series)	Upper Front Lower Center	RK620090 RK640726	2 2
Control Arm Bushing				
2016-2013		Lower Rear Outer	K201727	2
2016-2005	(Design Allows Ease Of Installation)	Lower Front Inner	K200083 ‡	2
2012-2005	(Design Allows Ease Of Installation)	Lower Rear Outer	K200082 ‡	2
2011-2005	Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers) Upper Front Outer Plus Or Minus 1-1/4 Degree Camber, (Adjustable, Contains Bolts, Cams, Nuts, Sleeves, And Washers) Upper Rear Outer		K100302 K100302	2 2
Control Arm with Ball Joint				
2011-2005	(Contains Bushing, R-Series)	Lower Front	RK620729	2
Sway Bar Link				
2016-2012	(Improves Upon OE Design)		K750644 ‡	2
2011-2005			K80267	2
Wheel Bearing Assembly				
2016-2012			512433	2

SLS AMG–MERCEDES BENZ

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2015-2011			513360	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2015-2011	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800646 ‡ ES800811 ‡	1 1
2012		Inner	EV801311	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Bearing Assembly				
2015			512433	2
2014	Black Series GT		512432 512433	2 2
2013-2012			512433	2

MERCURY-Grand Marquis


FRONT SUSPENSION



F263

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2011-2003	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K80141 ‡	2 F263
Control Arm Bushing				
2010-2003		Left Rear Lower	K80833	1 F263
		Right Rear Lower	K80834	1 F263
Control Arm Bushing Set				
2011-2003	For Forged Arm, (Contains Front And Rear Bushings)	Upper	K8837	2 F263
	Stamped Steel Arm, (Contains Front And Rear Bushings)	Upper	K200450 ‡	2 F263
Control Arm with Ball Joint				
2011-2007	Heavy Duty Suspension, (Contains Bushings, R-Series)	Left Lower	RK620219	1 F263
	Heavy Duty Suspension, (Contains Bushings, R-Series)	Right Lower	RK620218	1 F263
2011-2003	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Left Upper	CK80040 ‡	1 F263
	(R-Series)	Left Upper	RK80040	1 F263
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Right Upper	CK80038 ‡	1 F263
	(R-Series)	Right Upper	RK80038	1 F263
Strut and Spring Assembly				
2011-2003			ST8620	2 F263
Strut Mount				
2011-2003	(Bearing Not Included)		K160328	2 F263
Strut Mounting Kit				
2011-2003	(Contains Two Bushings And Two Washers)		K80145	2 F263
Sway Bar Bushing				
2011-2003	25mm To 26mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200165 ‡	1 F263
	26.5mm To 27mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200166 ‡	1 F263
	27.8mm To 28.5mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200167 ‡	1 F263
	29mm To 29.5mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200168 ‡	1 F263
Sway Bar Link				
2011-2003	(Link Only, Powdered Metal Gusher Brg. For Better Lubrication)		K80140 ‡	2 F263
Wheel Hub & Bearing Assembly				
2011-2006			513230	2


STEERING



S113

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2011-2003	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer Right Outer Inner	ES3694 ‡ ES3693 ‡ EV455 ‡	1 1 2	S113 S113 S113


REAR SUSPENSION



R201

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2011-1998	(R-Series) (R-Series)	Upper Lower	RK641800 RK641799	2 2	R201 R201
Sway Bar Repair Kit					
2011-1998	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700537 ‡	2	R201
Track Bar					
2011-2003	(Complete Assembly)		K660169	1	R201

FRONT SUSPENSION





F274

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2011-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500041 ‡	2 F274
2011-2007	+/- 1 Degree Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Upper	K500013 ‡	2 F274
2008-2007	Front Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500041 ‡	2 F274
Control Arm Bushing				
2011-2007	(High Quality Elastomer For Durability And Performance)	Lower Front Inner	K200252 ‡	2 F274
2011-2006	(High Quality Elastomer For Durability And Performance) (High Quality Elastomer For Durability And Performance)	Lower Front Outer	K200251 ‡	2 F274
		Lower Rear Inner	K200250 ‡	2 F274
2009	(High Quality Elastomer For Durability And Performance)	Upper	K200249 ‡	2 F274
2008-2007	16" Wheels, (High Quality Elastomer For Durability And Performance)	Upper	K200249 ‡	2 F274
Control Arm with Ball Joint				
2011-2008	(Contains Bushings, R-Series)	Lower Front	RK620149	2 F274
2011-2006	(R-Series)	Left Upper	RK620636	1 F274
	(R-Series)	Right Upper	RK620635	1 F274
	(Contains Bushing, OE Ball Joint Separator Tool And Adaptor Required, Greaseable Socket Reduces Corrosion/Wear)	Left Rear Lower	CK620278 ‡	1 F274
	(OE Ball Joint Separator Tool And Adaptor Required, R-Series)	Left Rear Lower	RK620492	1 F274
	(Contains Bushing, OE Ball Joint Separator Tool And Adaptor Required, Greaseable Socket Reduces Corrosion/Wear)	Right Rear Lower	CK620277 ‡	1 F274
	(OE Ball Joint Separator Tool And Adaptor Required, R-Series)	Right Rear Lower	RK620493	1 F274
	(R-Series)	Right Rear Lower	RK621250	1 F274
2007	From 8/30/06, (Contains Bushings, R-Series) Thru 8/29/06, (Contains Bushing, R-Series)	Lower Front	RK620149	2 F274
		Lower Front	RK620148	2 F274
Complete Knuckle Assembly				
2011-2006	(Contains Snap Ring, Bearing, Knuckle, 2 Knuckle Inserts, Hub Assembly, Backing Plate And Axle Nut)	Left	LK011 ‡	1 F274
		Right	LK012 ‡	1 F274
Steering Knuckle Insert				
2011-2006	(Design Allows Ease Of Installation)	Front	K150403	2 F274
		Rear	K150349 ‡	2 F274
Strut and Spring Assembly				
2011-2010	4 Cyl V6 Cyl		ST8688	2 F274
			ST8685	2 F274
2009-2006	4 Cyl V6 Cyl		ST8687	2 F274
			ST8683	2 F274
Strut Bumper Bellows				
2011-2006	(Design Allows Ease Of Installation)		K160285 ‡	2 F274
Strut Mount				
2011-2006	(Contains Bearing And Spring Seat, Superior Rubber To Steel Bonding For Durability)		K160103 ‡	2 F274
Sway Bar Bushing				
2011-2010	(Split Design For Easier Installation)	To Frame	K200627 ‡	2 F274
2009	2261cc(2.3L), (Reduces Noise)	To Frame	K200296 ‡	1 F274
	181(3.0L), All Wheel Drive, (Reduces Noise)	To Frame	K200296 ‡	1 F274
	181(3.0L), Front Wheel Drive, (Split Design For Easier Installation)	To Frame	K200627 ‡	1 F274
2008-2006	(Split Design For Easier Installation)	To Frame	K200627 ‡	1 F274

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2011-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750415 ‡	2	F274
2009-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K80251 ‡	1
		Right	K80250 ‡	1


STEERING



Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2009-2006		K150350	2	S330
Tie Rod End				
2011-2010	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer	ES800798 ‡	1
		Right Outer	ES800797 ‡	1
		Inner	EV800774 ‡	2
2009-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer	ES800102 ‡	1
		Right Outer	ES800101 ‡	1
		Inner	EV800531 ‡	2

MERCURY-Milan (Cont.)

REAR SUSPENSION




R154

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2011-2006	(R-Series)	Upper	2	R154	
	(R-Series)	Lower Front	2	R154	
	Plus Or Minus 2 Degree Camber, (Adjustable, R-Series)	Upper	2	R154	
Sway Bar Bushing					
2011-2010	All Wheel Drive, 17" Wheels, (Reduces Noise)	To Frame	K200298 ‡	1	R154
	Front Wheel Drive, 16" Wheels, (Reduces Noise)	To Frame	K200297 ‡	1	R154
	Front Wheel Drive, 18" Wheels, (Reduces Noise)	To Frame	K200298 ‡	1	R154
2009	All Wheel Drive, From 2/4/09, 17" Wheels, (Reduces Noise)	To Frame	K200298 ‡	1	R154
	All Wheel Drive, Thru 2/3/09, (Reduces Noise)	To Frame	K200298 ‡	1	R154
	Front Wheel Drive, From 2/4/09, 16" Wheels, (Reduces Noise)	To Frame	K200297 ‡	1	R154
	Front Wheel Drive, From 2/4/09, 18" Wheels, (Reduces Noise)	To Frame	K200298 ‡	1	R154
	Front Wheel Drive, Thru 2/3/09, (Reduces Noise)	To Frame	K200297 ‡	1	R154
2008-2007	All Wheel Drive, (Reduces Noise)	To Frame	K200298 ‡	1	R154
	Front Wheel Drive, (Reduces Noise)	To Frame	K200297 ‡	1	R154
Sway Bar Link					
2011-2006			K750029	2	R154
Wheel Hub & Bearing Assembly					
2011-2008	Front Wheel Drive		512271	2	
2007-2006	Front Wheel Drive, 4 Wheel ABS		512271	2	
	Front Wheel Drive, Non ABS		512272	2	

MERCURY-Montego


FRONT SUSPENSION



F275

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm Bushing					
2007-2005	(High Quality Elastomer For Durability And Performance) All Wheel Drive, (High Quality Elastomer For Durability And Performance) Front Wheel Drive, (High Quality Elastomer For Durability And Performance)	Lower Front Lower Rear Lower Rear	K200362 ‡ K200364 ‡ K200363 ‡	2 2 2	F275 F275 F275
Control Arm with Ball Joint					
2007-2005	All Wheel Drive, (R-Series) All Wheel Drive, (R-Series)	Left Lower Right Lower	RK621604 RK621603	1 1	F275 F275
Strut Mount					
2007-2005	(Contains Bearing And Spring Seat, Superior Rubber To Steel Bonding For Durability)		K160209 ‡	2	F275
Sway Bar Link					
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750019 ‡ K750048 ‡	1 1	F275 F275
Wheel Hub & Bearing Assembly					
2007-2005			513223	2	
STEERING					
S058					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800222 ‡ EV800221 ‡	2 2	S058 S058
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm Bushing					
2007-2005	All Wheel Drive All Wheel Drive All Wheel Drive Front Wheel Drive	Upper Front Upper Rear Arm to Frame, Lower Rear Arm To Knuckle, Lower Rear Arm To Knuckle, Lower Rear	K201381 K201352 K201373 K201372 K201385	2 2 2 2 2	
Strut Mount					
2007-2005	All Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability) All Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability) Front Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability) Front Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability)	Left Right Left Right	K160204 ‡ K160203 ‡ K160202 ‡ K160201 ‡	1 1 1 1	
Sway Bar Link					
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication)		K750018 ‡	2	
Track Bar Bushing					
2007-2005			K201353	4	
Trailing Link Bushing					
2007-2005	All Wheel Drive Front Wheel Drive	Arm To Knuckle To Frame To Frame	K201369 K201293 K201435	2 2 2	
Wheel Hub & Bearing Assembly					
2007-2005	All Wheel Drive Front Wheel Drive		512300 512299	2 2	


FRONT SUSPENSION



F275

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2009-2008	(High Quality Elastomer For Durability And Performance)	Lower Front	K200362 ‡	2 F275
	All Wheel Drive, (High Quality Elastomer For Durability And Performance)	Lower Rear	K200364 ‡	2 F275
	Front Wheel Drive, (High Quality Elastomer For Durability And Performance)	Lower Rear	K200363 ‡	2 F275
Strut Mount				
2009	(Contains Bearing And Spring Seat, Superior Rubber To Steel Bonding For Durability)		K160206 ‡	2 F275
2008	From 3/11/08, (Contains Bearing And Spring Seat, Superior Rubber To Steel Bonding For Durability)		K160206 ‡	2 F275
	Thru 3/10/08, From 4/30/07, (Contains Bearing And Spring Seat, Superior Rubber To Steel Bonding For Durability)		K160207 ‡	2 F275
Sway Bar Link				
2009-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750019 ‡	1 F275
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750048 ‡	1 F275
Wheel Hub & Bearing Assembly				
2009-2008			513223	2

STEERING




S058

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2009	(MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800580 ‡	2 S058
2009-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800222 ‡	2 S058
2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800221 ‡	2 S058


REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2009-2008	All Wheel Drive	Upper Front	K201381	2
	All Wheel Drive	Arm to Frame, Lower Rear	K201373	2
	Front Wheel Drive	Arm To Knuckle, Lower Rear	K201372	2
		Arm To Knuckle, Lower Rear	K201385	2
Strut Mount				
2009-2008	All Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability)	Left	K160204 ‡	1
	All Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability)	Right	K160203 ‡	1

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Mount				
2009-2008 (Cont.)	Front Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability)	Left	K160202 ‡	1
	Front Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability)	Right	K160201 ‡	1
Sway Bar Link				
2009-2008	(Powdered Metal Gusher Brg. For Better Lubrication)		K750018 ‡	2
Track Bar Bushing				
2009-2008			K201353	4
Trailing Link Bushing				
2009-2008	All Wheel Drive Front Wheel Drive	Arm To Knuckle	K201369	2
		To Frame	K201293	2
		To Frame	K201373	2
Wheel Hub & Bearing Assembly				
2009-2008	All Wheel Drive Front Wheel Drive		512300	2
			512299	2



F290




F570

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2015-2014	1598cc(1.6L), (Design Allows Ease Of Installation) 1598cc(1.6L), (Design Allows Ease Of Installation)	Left Lower	K500219 ‡	1
		Right Lower	K500220 ‡	1
2013-2009	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Lower	K500219 ‡	1
		Right Lower	K500220 ‡	1
2008-2007	DOHC 16 Valve, DOHC High Output 16 Valve, (Design Allows Ease Of Installation)	Left Lower	K500219 ‡	1


MINI-Cooper (Cont.)

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2008-2007 (Cont.)	DOHC 16 Valve, DOHC High Output 16 Valve, (Design Allows Ease Of Installation)	Right Lower	K500220 ‡	1	F570
	W10B16A SOHC, (Design Allows Ease Of Installation)	Lower Left Inner	K500110 ‡	1	F290
	W10B16A SOHC, (Design Allows Ease Of Installation)	Lower Outer	K500006 ‡	2	F290
	W10B16A SOHC, (Design Allows Ease Of Installation)	Lower Right Inner	K500111 ‡	1	F290
Control Arm					
2008-2007	W10B16A SOHC, (R-Series)	Left Lower	RK640417	1	F290
	W10B16A SOHC, (R-Series)	Right Lower	RK640416	1	F290
Control Arm with Ball Joint					
2015-2014	1598cc(1.6L), (R-Series)	Left Lower	RK621263	1	F570
	1598cc(1.6L), (R-Series)	Right Lower	RK621262	1	F570
2013-2009	(R-Series)	Left Lower	RK621263	1	F570
	(R-Series)	Right Lower	RK621262	1	F570
2008-2007	DOHC 16 Valve, DOHC High Output 16 Valve, (R-Series)	Left Lower	RK621263	1	F570
	DOHC 16 Valve, DOHC High Output 16 Valve, (R-Series)	Right Lower	RK621262	1	F570
Strut Bumper Bellows					
2015-2014	1598cc(1.6L)		K150275	2	F570
2013-2009			K150275	2	F570
2008	DOHC 16 Valve, 2 Dr. Hatchback, 3 Dr. Station Wagon		K150275	2	F570
	DOHC High Output 16 Valve, 2 Dr. Hatchback, 3 Dr. Station Wagon		K150275	2	F570
2008-2007	W10B16A SOHC, 2 Dr. Convertible, (OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2	F290
2007	DOHC 16 Valve, DOHC High Output 16 Valve, 2 Dr. Hatchback		K150275	2	F570
Strut Mount					
2015-2014	1598cc(1.6L), (Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160288 ‡	2	F570
2013-2009	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160288 ‡	2	F570
2008	DOHC 16 Valve, 2 Dr. Hatchback, 3 Dr. Station Wagon, (Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160288 ‡	2	F570
	DOHC High Output 16 Valve, 2 Dr. Hatchback, 3 Dr. Station Wagon, (Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160288 ‡	2	F570
2008-2007	W10B16A SOHC, 2 Dr. Convertible, (Contains Bearing)		K80902	2	F290
2007	DOHC 16 Valve, DOHC High Output 16 Valve, 2 Dr. Hatchback, (Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160288 ‡	2	F570
Sway Bar Bushing					
2014	1598cc(1.6L), 21.5mm Sway Bar Diameter	To Frame	K201573	1	F570
	1598cc(1.6L), 22.5mm Sway Bar Diameter, 23mm Sway Bar Diameter	To Frame	K201523	1	F570
2013-2010	21.5mm Sway Bar Diameter	To Frame	K201573	1	F570
2013-2009	22.5mm Sway Bar Diameter, 23mm Sway Bar Diameter	To Frame	K201523	1	F570
2009	22.5mm Sway Bar Diameter, 23mm Sway Bar Diameter	To Frame	K201523	1	
2008-2007	22.5mm Sway Bar Diameter, 23mm Sway Bar Diameter	To Frame	K201523	1	F290, F570
Sway Bar Link					
2017-2016	(Greaseable Socket Reduces Corrosion/Wear)		K750807 ‡	2	
2015-2014	1499cc(1.5L), (Greaseable Socket Reduces Corrosion/Wear)		K750807 ‡	2	
	1598cc(1.6L), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80497 ‡	2	F570
2013-2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80497 ‡	2	F570
2008-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80497 ‡	2	F290, F570
Wheel Hub & Bearing Assembly					
2017	M12 X 1.25		513390	2	
2016	M12 X 1.5		513384	2	
2015-2014	2 Dr. Convertible, 2 Dr. Coupe		513309	2	
	2 Dr. Hatchback, F56 Body, M12 X 1.5		513384	2	
2013-2007			513309	2	

STEERING




S067



S315

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2015-2009		K150317	2	S315	
2008	Clubman, John Cooper Works Clubman	K150317	2	S315	
Tie Rod End					
2015-2009	(Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800814 ‡	1	S315
	(Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800815 ‡	1	S315
2014-2009		Inner	EV801198 ‡	2	S315
2008-2007	DOHC 16 Valve, DOHC High Output 16 Valve, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800814 ‡	1	S315
	DOHC 16 Valve, DOHC High Output 16 Valve, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800815 ‡	1	S315
	DOHC 16 Valve, DOHC High Output 16 Valve	Inner	EV801198 ‡	2	S315
	W10B16A SOHC	Left Outer	ES800094	1	S067
	W10B16A SOHC	Right Outer	ES800093	1	S067
	W10B16A SOHC, (Design Allows Ease Of Installation)	Inner	EV800092 ‡	2	S067

REAR SUSPENSION



R204


MINI-Cooper (Cont.)

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2015-2014	1598cc(1.6L), Plus Or Minus 4 Degrees Camber, (Adjustable, R-Series)	Lower	RK100003	2	R204
2015-2002	(R-Series)	Lower	RK641987	2	R204
2013-2002	Plus Or Minus 4 Degrees Camber, (Adjustable, R-Series)	Lower	RK100003	2	R204
Shock Hardware Kit					
2015-2014	1598cc(1.6L)	Upper	K80903	2	R204
2013-2002		Upper	K80903	2	R204
Strut Bumper Bellows					
2015	2 Dr. Convertible, (Original Equipment Type)		K201554	2	R204
	2 Dr. Convertible, (Replacement Type, Design Allows Ease Of Installation)		K160285 ‡	2	R204
2015-2012	2 Dr. Coupe, Except Sport Suspension, (Design Allows Ease Of Installation)		K160285 ‡	2	R204
	2 Dr. Coupe, Sport Suspension, (Original Equipment Type)		K201554	2	R204
	2 Dr. Coupe, Sport Suspension, (Replacement Type, Design Allows Ease Of Installation)		K160285 ‡	2	R204
2014-2009	2 Dr. Convertible, 3 Dr. Station Wagon, (Original Equipment Type)		K201554	2	R204
	2 Dr. Convertible, 3 Dr. Station Wagon, (Replacement Type, Design Allows Ease Of Installation)		K160285 ‡	2	R204
2013-2007	2 Dr. Hatchback, Except Sport Suspension, (Original Equipment Type)		K201554	2	R204
	2 Dr. Hatchback, Except Sport Suspension, (Replacement Type, Design Allows Ease Of Installation)		K160285 ‡	2	R204
	2 Dr. Hatchback, Sport Suspension, (Design Allows Ease Of Installation)		K160285 ‡	2	R204
2008	3 Dr. Station Wagon, (Original Equipment Type)		K201554	2	R204
	3 Dr. Station Wagon, (Replacement Type, Design Allows Ease Of Installation)		K160285 ‡	2	R204
2008-2005	2 Dr. Convertible		K201554	2	R204
Sway Bar Bushing					
2015	2 Dr. Convertible, 2 Dr. Coupe, 16mm Sway Bar Diameter		K201528	1	R204
	2 Dr. Convertible, 2 Dr. Coupe, 17mm Sway Bar Diameter		K201512	1	R204
2015-2007	18mm Sway Bar Diameter	To Frame	K201525	1	R204
2014	2 Dr. Convertible, 2 Dr. Coupe, 3 Dr. Station Wagon, 16mm Sway Bar Diameter		K201528	1	R204
	2 Dr. Convertible, 2 Dr. Coupe, 3 Dr. Station Wagon, 17mm Sway Bar Diameter		K201512	1	R204
2013-2009	16mm Sway Bar Diameter		K201528	1	R204
2013-2002	17mm Sway Bar Diameter		K201512	1	R204
2008-2007	2 Dr. Hatchback, 16mm Sway Bar Diameter		K201528	1	R204
Sway Bar Link					
2014-2007	(Greaseable Socket Reduces Corrosion/Wear)		K750556 ‡	2	R204
Trailing Link Bushing					
2008-2005	2 Dr. Convertible	Bracket End	K201602	2	R204
Wheel Hub & Bearing Assembly					
2017-2016			512569	2	
2015-2007			512427	2	

MINI-Cooper Clubman

FRONT SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Link					
2017-2016			K750861 ‡	2	
Wheel Hub & Bearing Assembly					
2017	M12 X 1.25		513390	2	
2016	M12 X 1.5		513384	2	
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Wheel Hub & Bearing Assembly					
2017	All Wheel Drive		512582	2	
	Front Wheel Drive		512569	2	
2016			512569	2	


FRONT SUSPENSION



F569

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2016-2011	(Design Allows Ease Of Installation)	Lower Outer	K500230 ‡	2 F569
Strut Bumper Bellows				
2016-2011	Except Sport Suspension, (Original Equipment Type)		K150276	2 F569
	Except Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2 F569
	Sport Suspension		K150275	2 F569
Strut Mount				
2016-2011	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160288 ‡	2 F569
Sway Bar Bushing				
2016-2011	21.5mm Sway Bar Diameter, 22mm Sway Bar Diameter	To Frame	K201573	1 F569
2015-2011	23mm Sway Bar Diameter	To Frame	K201523	1 F569
Sway Bar Link				
2017			K750861 ‡	2
2016-2011	(Improves Upon OE Design)	Left	K750623 ‡	1 F569
	(Improves Upon OE Design)	Right	K750622 ‡	1 F569
Wheel Hub & Bearing Assembly				
2017	M12 X 1.25		513390	2
2016-2011			512573	2

STEERING



S315

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2016-2011			K150317	2 S315


REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2016-2011	(R-Series)	Lower	RK641987	2

MINI-Cooper Countryman (Cont.)

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2016-2011 (Cont.)	Plus Or Minus 4 Degrees Camber, (Adjustable, R-Series)	Lower	RK100003	2
Shock Hardware Kit				
2016-2011		Upper	K80903	2
Strut Bumper Bellows				
2016-2011	Except Sport Suspension, (Original Equipment Type)		K201554	2
	Except Sport Suspension, (Replacement Type, Design Allows Ease Of Installation)		K160285 ‡	2
	Sport Suspension, (Design Allows Ease Of Installation)		K160285 ‡	2
Sway Bar Bushing				
2016-2011	16mm Sway Bar Diameter		K201528	1
	17mm Sway Bar Diameter		K201512	1
Sway Bar Link				
2016-2011	(Design Allows Ease Of Installation)	Left	K750685 ‡	1
	(Design Allows Ease Of Installation)	Right	K750684 ‡	1
Wheel Hub & Bearing Assembly				
2017	All Wheel Drive		512582	2
2016-2011	All Wheel Drive		512573	2
	Front Wheel Drive		512543	2


MINI-Cooper S




FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2015-2014	1598cc(1.6L), (Design Allows Ease Of Installation) 1598cc(1.6L), (Design Allows Ease Of Installation)	Left Lower	K500219 ‡	1	F570
		Right Lower	K500220 ‡	1	F570
2013-2009	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Lower	K500219 ‡	1	F570
		Right Lower	K500220 ‡	1	F570
2008-2007	DOHC 16 Valve, (Design Allows Ease Of Installation) DOHC 16 Valve, (Design Allows Ease Of Installation) W11B16A SOHC, (Design Allows Ease Of Installation) W11B16A SOHC, (Design Allows Ease Of Installation) W11B16A SOHC, (Design Allows Ease Of Installation)	Left Lower	K500219 ‡	1	F570
		Right Lower	K500220 ‡	1	F570
		Lower Left Inner	K500110 ‡	1	F290
		Lower Outer	K500006 ‡	2	F290
		Lower Right Inner	K500111 ‡	1	F290
Control Arm					
2008-2007	W11B16A SOHC, (R-Series) W11B16A SOHC, (R-Series)	Left Lower	RK640417	1	F290
		Right Lower	RK640416	1	F290
Control Arm with Ball Joint					
2015-2014	1598cc(1.6L), (R-Series) 1598cc(1.6L), (R-Series)	Left Lower	RK621263	1	F570
		Right Lower	RK621262	1	F570
2013-2009	(R-Series) (R-Series)	Left Lower	RK621263	1	F570
		Right Lower	RK621262	1	F570
2008-2007	DOHC 16 Valve, (R-Series) DOHC 16 Valve, (R-Series)	Left Lower	RK621263	1	F570
		Right Lower	RK621262	1	F570
Strut Bumper Bellows					
2015-2014	1598cc(1.6L)		K150275	2	F570
2013-2009			K150275	2	F570
2008	DOHC 16 Valve, 2 Dr. Hatchback, 3 Dr. Station Wagon		K150275	2	F570
2007	DOHC 16 Valve, 2 Dr. Hatchback		K150275	2	F570
Strut Mount					
2015-2014	1598cc(1.6L), (Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160288 ‡	2	F570
2013-2009	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160288 ‡	2	F570
2008	DOHC 16 Valve, 2 Dr. Hatchback, 3 Dr. Station Wagon, (Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160288 ‡	2	F570
2008-2007	W11B16A SOHC, 2 Dr. Convertible, (Contains Bearing)		K80902	2	F290
2007	DOHC 16 Valve, 2 Dr. Hatchback, (Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160288 ‡	2	F570
Sway Bar Bushing					
2014	1598cc(1.6L), 22.5mm Sway Bar Diameter, 23mm Sway Bar Diameter 1598cc(1.6L), 23.5mm Sway Bar Diameter, 24mm Sway Bar Diameter	To Frame	K201523	1	F570
		To Frame	K201524	1	F570
2013-2009	23.5mm Sway Bar Diameter, 24mm Sway Bar Diameter	To Frame	K201524	1	F570
2012-2011	21.5mm Sway Bar Diameter	To Frame	K201573	1	F570
2008-2007	23.5mm Sway Bar Diameter, 24mm Sway Bar Diameter	To Frame	K201524	1	F290, F570
Sway Bar Link					
2017-2016	(Greaseable Socket Reduces Corrosion/Wear)		K750807 ‡	2	
2015-2014	1598cc(1.6L), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 1998cc(2.0L), (Greaseable Socket Reduces Corrosion/Wear)		K80497 ‡	2	F570
			K750807 ‡	2	
2013-2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80497 ‡	2	F570
2008-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80497 ‡	2	F290, F570
Wheel Hub & Bearing Assembly					
2017	M12 X 1.25		513390	2	
2016	M12 X 1.5		513384	2	
2015-2014	2 Dr. Convertible, 2 Dr. Coupe 2 Dr. Hatchback, F56 Body, M12 X 1.5		513309	2	
			513384	2	
2013-2007			513309	2	

MINI-Cooper S (Cont.)

STEERING




S067



S315

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2015-2011		K150317	2	S315	
Tie Rod End					
2015-2009	(Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800814 ‡	1	S315
		Right Outer	ES800815 ‡	1	S315
2014-2009		Inner	EV801198 ‡	2	S315
2008-2007	DOHC 16 Valve, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800814 ‡	1	S315
	DOHC 16 Valve, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800815 ‡	1	S315
	DOHC 16 Valve	Inner	EV801198 ‡	2	S315
	W11B16A SOHC	Left Outer	ES800094	1	S067
W11B16A SOHC	Right Outer	ES800093	1	S067	
W11B16A SOHC, (Design Allows Ease Of Installation)	Inner	EV800092 ‡	2	S067	

REAR SUSPENSION



R204


REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2015-2014	1598cc(1.6L), Plus Or Minus 4 Degrees Camber, (Adjustable, R-Series)	Lower RK100003	2	R204
2015-2002	(R-Series)	Lower RK641987	2	R204
2013-2002	Plus Or Minus 4 Degrees Camber, (Adjustable, R-Series)	Lower RK100003	2	R204
Shock Hardware Kit				
2015-2014	1598cc(1.6L)	Upper K80903	2	R204
2013-2002		Upper K80903	2	R204
Strut Bumper Bellows				
2015	2 Dr. Convertible, (Original Equipment Type)	K201554	2	R204
	2 Dr. Convertible, (Replacement Type, Design Allows Ease Of Installation)	K160285 ‡	2	R204
2015-2012	2 Dr. Coupe, Except Sport Suspension, (Design Allows Ease Of Installation)	K160285 ‡	2	R204
	2 Dr. Coupe, Sport Suspension, (Original Equipment Type)	K201554	2	R204
	2 Dr. Coupe, Sport Suspension, (Replacement Type, Design Allows Ease Of Installation)	K160285 ‡	2	R204
2014-2009	2 Dr. Convertible, 3 Dr. Station Wagon, (Original Equipment Type)	K201554	2	R204
	2 Dr. Convertible, 3 Dr. Station Wagon, (Replacement Type, Design Allows Ease Of Installation)	K160285 ‡	2	R204
2013-2007	2 Dr. Hatchback, Except Sport Suspension, (Original Equipment Type)	K201554	2	R204
	2 Dr. Hatchback, Except Sport Suspension, (Replacement Type, Design Allows Ease Of Installation)	K160285 ‡	2	R204
	2 Dr. Hatchback, Sport Suspension, (Design Allows Ease Of Installation)	K160285 ‡	2	R204
2008	3 Dr. Station Wagon, (Original Equipment Type)	K201554	2	R204
	3 Dr. Station Wagon, (Replacement Type, Design Allows Ease Of Installation)	K160285 ‡	2	R204
2008-2005	2 Dr. Convertible	K201554	2	R204
Sway Bar Bushing				
2015	2 Dr. Convertible, 2 Dr. Coupe, 16mm Sway Bar Diameter	K201528	1	R204
	2 Dr. Convertible, 2 Dr. Coupe, 17mm Sway Bar Diameter	K201512	1	R204
2015-2007	18mm Sway Bar Diameter To Frame	K201525	1	R204
2014	2 Dr. Convertible, 2 Dr. Coupe, 3 Dr. Station Wagon, 16mm Sway Bar Diameter	K201528	1	R204
	2 Dr. Convertible, 2 Dr. Coupe, 3 Dr. Station Wagon, 17mm Sway Bar Diameter	K201512	1	R204
2013-2009	16mm Sway Bar Diameter	K201528	1	R204
2013-2002	17mm Sway Bar Diameter	K201512	1	R204
2008-2007	2 Dr. Hatchback, 16mm Sway Bar Diameter	K201528	1	R204
Sway Bar Link				
2014-2007	(Greaseable Socket Reduces Corrosion/Wear)	K750556 ‡	2	R204
Trailing Link Bushing				
2008-2005	2 Dr. Convertible Bracket End	K201602	2	R204
Wheel Hub & Bearing Assembly				
2017-2016		512569	2	
2015-2007		512427	2	

John Cooper Works-MINI

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2013	(Design Allows Ease Of Installation)	Left Lower K500219 ‡	1	
	(Design Allows Ease Of Installation)	Right Lower K500220 ‡	1	
Control Arm with Ball Joint				
2013	(R-Series)	Left Lower RK621263	1	
	(R-Series)	Right Lower RK621262	1	
Sway Bar Link				
2017-2016	(Greaseable Socket Reduces Corrosion/Wear)	K750807 ‡	2	
2013	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80497 ‡	2	
Wheel Hub & Bearing Assembly				
2017	M12 X 1.25	513390	2	
2016	M12 X 1.5	513384	2	
2013		513309	2	

MINI–John Cooper Works (Cont.)


STEERING



S315

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2013	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Outer Right Outer	ES800814 ‡ ES800815 ‡	1 1	S315 S315

REAR SUSPENSION




R204

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2013	(R-Series) Plus Or Minus 4 Degrees Camber, (Adjustable, R-Series)	Lower Lower	RK641987 RK100003	2 2	R204 R204
Shock Hardware Kit					
2013		Upper	K80903	2	R204
Sway Bar Link					
2013	(Greaseable Socket Reduces Corrosion/Wear)		K750556 ‡	2	R204
Wheel Hub & Bearing Assembly					
2017-2016			512569	2	
2013			512427	2	


MINI–Paceman

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2016-2013	(Design Allows Ease Of Installation)	Lower Outer	K500230 ‡	2	
Strut Bumper Bellows					
2016-2013	Except Sport Suspension, (Original Equipment Type) Except Sport Suspension, (Replacement Type, Contains Bumper) Sport Suspension		K150276 K90460 K150275	2 2 2	

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Mount				
2016-2013	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160288 ‡	2	
Sway Bar Bushing				
2016-2013	21.5mm Sway Bar Diameter, 22mm Sway Bar Diameter	To Frame K201573	1	
2015-2013	23mm Sway Bar Diameter	To Frame K201523	1	
Sway Bar Link				
2016-2013	(Improves Upon OE Design)	Left K750623 ‡	1	
	(Improves Upon OE Design)	Right K750622 ‡	1	
Wheel Hub & Bearing Assembly				
2016-2013		512573	2	
STEERING				
				
S315				
Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2016-2013		K150317	2	S315
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2016-2013	Plus Or Minus 4 Degrees Camber, (Adjustable, R-Series)	Lower RK100003	2	
2015-2013	(R-Series)	Lower RK641987	2	
Shock Hardware Kit				
2016-2013		Upper K80903	2	
Strut Bumper Bellows				
2016-2013	Except Sport Suspension, (Original Equipment Type)	K201554	2	
	Except Sport Suspension, (Replacement Type, Design Allows Ease Of Installation)	K160285 ‡	2	
	Sport Suspension, (Design Allows Ease Of Installation)	K160285 ‡	2	
Sway Bar Bushing				
2016-2013	16mm Sway Bar Diameter	K201528	1	
	17mm Sway Bar Diameter	K201512	1	
Sway Bar Link				
2016-2013	(Design Allows Ease Of Installation)	Left K750685 ‡	1	
	(Design Allows Ease Of Installation)	Right K750684 ‡	1	
Wheel Hub & Bearing Assembly				
2016-2013	All Wheel Drive	512573	2	
	Front Wheel Drive	512543	2	


FRONT SUSPENSION



F304

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2012-2006	(Design Allows Ease Of Installation)	Lower	K500068 ‡	2	F304
Control Arm Bushing					
2012-2006		Lower Rear	K200939	2	F304
Strut Bumper Bellows					
2012-2006	(Replacement Type, Contains Bumper)		K90460	2	F304
Strut Mount					
2012-2006	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160104 ‡	2	F304
Sway Bar Bushing					
2012	GT, GT-P, Spyder GS, Spyder GS Sport, Spyder GT, Spyder GT-P, Spyder SE, (Split Design For Easier Installation)	To Frame	K200264 ‡	1	F304
2011	GT, GT-P, Spyder GS, Spyder GS Sport, Spyder GT, Spyder GT-P, (Split Design For Easier Installation)	To Frame	K200264 ‡	1	F304
2010	GS, GS Sport, (Split Design For Easier Installation)	To Frame	K200263 ‡	1	F304
2010-2009	GT, GT-P, Spyder GS, Spyder GT, Spyder GT-P, (Split Design For Easier Installation)	To Frame	K200264 ‡	1	F304
2009	GS, (Split Design For Easier Installation)	To Frame	K200263 ‡	1	F304
2008	2379cc(2.4L), From 3/08, (Split Design For Easier Installation)	To Frame	K200264 ‡	1	F304
2008-2006	3828cc(3.8L), (Split Design For Easier Installation)	To Frame	K200264 ‡	1	F304
Sway Bar Link					
2012-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80296 ‡	2	F304
Wheel Hub & Bearing Assembly					
2012-2006			513219	2	

STEERING



S017

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2012-2006	(Design Allows Ease Of Installation) (Knurled Stud Provides Positive Grip When Making Toe Adjustments)	Outer	ES800219 ‡	2	S017
		Inner	EV800045 ‡	2	S017

REAR SUSPENSION


Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2007	Thru 8/06, (R-Series)	Lower Rear	RK642486	2	

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2011-2006	(Design Allows Ease Of Installation) Arm To Knuckle, Lower Rear	K200267 ‡	2	
Strut Bumper Bellows				
2012-2007	(Replacement Type, Contains Bumper)	K90460	2	
Strut Mounting Kit				
2012-2006	Upper	K80916	2	
Sway Bar Link				
2012-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750030 ‡	2	
Wheel Hub & Bearing Assembly				
2012-2006		512274	2	

FRONT SUSPENSION				
F304				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2011-2004	(Design Allows Ease Of Installation) Lower	K500068 ‡	2	F304
Control Arm Bushing				
2012-2004	Lower Rear	K200939	2	F304
Control Arm with Ball Joint				
2012-2011	2379cc(2.4L), (R-Series)	Left Lower RK621003	1	F304
	2379cc(2.4L), (R-Series)	Right Lower RK621004	1	F304
2010-2004	(R-Series)	Left Lower RK621003	1	F304
	(R-Series)	Right Lower RK621004	1	F304
Strut Bumper Bellows				
2012-2007	(Replacement Type, Contains Bumper)	K90460	2	F304
Strut Mount				
2012-2004	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160104 ‡	2	F304
Sway Bar Bushing				
2012-2010	(Split Design For Easier Installation) To Frame	K200263 ‡	1	F304
2009-2007	2379cc(2.4L), (Split Design For Easier Installation)	To Frame K200263 ‡	1	F304
	3828cc(3.8L), Ralliart, (Split Design For Easier Installation)	To Frame K200264 ‡	1	F304
Sway Bar Link				
2012-2004	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80296 ‡	2	F304
Wheel Hub & Bearing Assembly				
2012-2009		513219	2	
2008-2007	3828cc(3.8L)	513219	2	
2008-2004	2379cc(2.4L)	513157	2	

MITSUBISHI-Galant (Cont.)

STEERING



S114


Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2012-2004	(Design Allows Ease Of Installation) (Knurled Stud Provides Positive Grip When Making Toe Adjustments)	Outer Inner	ES800219 ‡ EV800045 ‡	2 2	S114 S114
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2007	Ralliart, Thru 8/06, (R-Series)	Lower Rear	RK642486	2	
Control Arm Bushing					
2011-2004	(Design Allows Ease Of Installation)	Arm To Knuckle, Lower Rear	K200267 ‡	2	
Strut Bumper Bellows					
2012-2006	(Replacement Type, Contains Bumper)		K90460	2	
Strut Mounting Kit					
2012-2004		Upper	K80916	2	
Sway Bar Link					
2012-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750030 ‡	2	
Wheel Hub & Bearing Assembly					
2012-2009			512274	2	
2008-2004	4 Wheel ABS Non ABS		512274 512275	2 2	

MITSUBISHI-i-MiEV

STEERING

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2018-2014	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3704 ‡	2	

FRONT SUSPENSION



F305


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2007	(Greaseable Socket Reduces Corrosion/Wear)	Lower	K80373 ‡	2 F305
Control Arm Bushing				
2017-2015	Front Wheel Drive, (Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear	K200800 ‡	2 F305
2017-2008	Front Wheel Drive	Lower Rear	K201357	2 F305
		Lower Front	K201474	2 F305
2014-2011	Turbocharged/Intercooled, Ralliart, (Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear	K200800 ‡	2 F305
		Lower Rear	K200800 ‡	2 F305
2014-2008	Naturally Aspirated, (Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear	K200800 ‡	2 F305
2010-2009	Turbocharged/Intercooled, Ralliart, Sportback Ralliart, (Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear	K200800 ‡	2 F305
2007-2002	Naturally Aspirated	Lower Rear	K201357	2 F305
		Lower Front	K201474	2 F305
Control Arm with Ball Joint				
2017	DE, ES, SE Limited Edition, Sportback GT, Sportback SE Limited, (R-Series)	Left Lower	RK620548	1 F305
		Right Lower	RK620549	1 F305
2016	DE, ES, ES AWC, GT, GT AWC, GTS, SE, SE AWC Limited Edition, SE Limited Edition, SEL AWC, Sportback GT, Sportback SE, Sportback SE Limited, (R-Series)	Left Lower	RK620548	1 F305
		Right Lower	RK620549	1 F305
2015	DE, ES, GT, SE, SE Limited Edition, Sportback GT, Sportback SE, Sportback SE Limited, (R-Series)	Left Lower	RK620548	1 F305
		Right Lower	RK620549	1 F305
		Left Lower	RK622989	1 F305
		Right Lower	RK622990	1 F305
2014	DE, ES, GT, Limited Edition, Ralliart, SE, Sportback ES, Sportback GT, Sportback SE, (R-Series)	Left Lower	RK620548	1 F305
		Right Lower	RK620549	1 F305
2014-2011	Evolution GSR, Evolution MR, Evolution MR Touring, (R-Series)	Left Lower	RK622989	1 F305
		Right Lower	RK622990	1 F305
2013-2012	DE, ES, GT, Ralliart, SE, Sportback ES, Sportback GT, Sportback SE, (R-Series)	Left Lower	RK620548	1 F305
		Right Lower	RK620549	1 F305
2011	DE, ES, GT, GTS, Ralliart, SE, Sportback GT, Sportback SE, (R-Series)	Left Lower	RK620548	1 F305
		Right Lower	RK620549	1 F305
2010	Turbocharged/Intercooled, Evolution GSR, Evolution MR, Evolution MR Touring, (R-Series)	Left Lower	RK622989	1 F305
		Right Lower	RK622990	1 F305
2010-2009	Turbocharged/Intercooled, Ralliart, Sportback Ralliart, (R-Series)	Left Lower	RK620548	1 F305
		Right Lower	RK620549	1 F305
2010-2008	Naturally Aspirated, (R-Series)	Left Lower	RK620548	1 F305
		Right Lower	RK620549	1 F305
2009	Turbocharged/Intercooled, Evolution GSR, Evolution MR, (R-Series)	Left Lower	RK622989	1 F305
		Right Lower	RK622990	1 F305
2007	(R-Series)	Left Lower	RK620384	1 F305
		Right Lower	RK620345	1 F305
Strut Bearing				
2014-2008	Front Wheel Drive		K160381	2 F305

MITSUBISHI-Lancer (Cont.)

FRONT SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Strut Bearing				
2007		K160381	2	F305
Strut Bumper Bellows				
2016	(Original Equipment Type) (Replacement Type, Contains Bumper)	K201416 K90464	2 2	
2015-2009	(Original Equipment Type) (Replacement Type, Contains Bumper)	K201416 K90464	2 2	F305 F305
2008	Evolution GSR, Evolution MR, (Contains Bumper) Naturally Aspirated, (Original Equipment Type) Naturally Aspirated, (Replacement Type, Contains Bumper)	K90463 K201416 K90464	2 2 2	F305 F305 F305
2007	(Replacement Type, Contains Bumper)	K90460	2	F305
Strut Mount				
2016	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160305 ‡	2	
2015	GT AWC, Ralliart, SE, SE AWC, SE AWC Limited Edition, All Wheel Drive, (Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160305 ‡	2	F305
2015-2008	Front Wheel Drive, (Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160305 ‡	2	F305
2014-2013	GT AWC, Ralliart, SE, SE AWC, All Wheel Drive, (Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160305 ‡	2	F305
2007	(Contains Bearing)	K80917	2	F305
Sway Bar Link				
2015-2010	Evolution GSR, Evolution MR, Evolution MR Touring, All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Left	K750196 ‡	1	F305
	Evolution GSR, Evolution MR, Evolution MR Touring, All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Right	K750198 ‡	1	F305
2009	Evolution GSR, Evolution MR, All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Left	K750196 ‡	1	F305
	Evolution GSR, Evolution MR, All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Right	K750198 ‡	1	F305
2008-2007	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Left	K750196 ‡	1	F305
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Right	K750198 ‡	1	F305
Sway Bar Repair Kit				
2007		K90247	2	F305
Wheel Hub & Bearing Assembly				
2015-2010	Evolution GSR, Evolution MR, Evolution MR Touring, All Wheel Drive	513300	2	
2009	Evolution GSR, Evolution MR, All Wheel Drive	513300	2	
2008	Evolution GSR, Evolution MR, SE, All Wheel Drive	513300	2	

STEERING




S091

STEERING (Cont.)



S313



S314

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2017-2016	(Design Allows Ease Of Installation) 1998cc(2.0L) 2360cc(2.4L), (MOOG Engineered Steel Composition Enhances Strength)	Outer Inner Inner	ES800471 ‡ EV801085 EV800638 ‡	2 2 2	
2015	Evolution Final Edition, Evolution GSR, Evolution MR, Evolution MR Touring, (Design Allows Ease Of Installation) 1998cc(2.0L), Naturally Aspirated 1998cc(2.0L), Naturally Aspirated, DE, ES, GT, SE, SE Limited Edition, Sportback GT, Sportback SE, Sportback SE Limited, (Design Allows Ease Of Installation) 1998cc(2.0L), Turbocharged/Intercooled, Ralliart, (MOOG Engineered Steel Composition Enhances Strength) 2360cc(2.4L), Naturally Aspirated, GT, GT AWC, SE AWC, SE AWC Limited Edition, (MOOG Engineered Steel Composition Enhances Strength) 2360cc(2.4L), Naturally Aspirated, GT, GT AWC, SE, SE AWC, SE AWC Limited Edition, (Design Allows Ease Of Installation)	Outer Inner Outer Inner Inner Outer	ES800219 ‡ EV801085 ES800471 ‡ EV800638 ‡ EV800638 ‡ ES800471 ‡	2 2 2 2 2 2	S313, S314 S313 S313, S314 S314 S314 S313, S314
2015-2014	Ralliart, (Design Allows Ease Of Installation)	Outer	ES800471 ‡	2	S313, S314
2014	(Design Allows Ease Of Installation) Evolution GSR, Evolution MR, Evolution MR Touring, (Design Allows Ease Of Installation) 1998cc(2.0L), Naturally Aspirated, DE, ES, GT, SE, Sportback GT, Sportback SE, (Design Allows Ease Of Installation) 2360cc(2.4L), Naturally Aspirated, GT, GT AWC, SE, SE AWC, (Design Allows Ease Of Installation)	Outer Outer Outer Outer	ES800471 ‡ ES800219 ‡ ES800471 ‡ ES800471 ‡	2 2 2 2	S313, S314 S313, S314 S313, S314 S313, S314
2013-2012	DE, ES, GT, SE, Sportback ES, Sportback GT, Sportback SE, (Design Allows Ease Of Installation) DE, ES, Sportback ES, Sportback SE 1998cc(2.0L), GT, SE, Sportback GT 2360cc(2.4L), GT, SE, Sportback GT, (MOOG Engineered Steel Composition Enhances Strength)	Outer Inner Inner Inner	ES800471 ‡ EV801085 EV801085 EV800638 ‡	2 2 2 2	S313 S313 S313 S313
2013-2011	Ralliart, (Design Allows Ease Of Installation) Ralliart, (MOOG Engineered Steel Composition Enhances Strength)	Outer Inner	ES800471 ‡ EV800638 ‡	2 2	S314 S314
2013-2010	Evolution GSR, Evolution MR, Evolution MR Touring, (Design Allows Ease Of Installation)	Outer	ES800219 ‡	2	S314
2011	DE, ES, GT, GTS, SE, Sportback GT, Sportback SE, (Design Allows Ease Of Installation) DE, ES, GT, SE, Sportback GT, Sportback SE GTS, (MOOG Engineered Steel Composition Enhances Strength)	Outer Inner Inner	ES800471 ‡ EV801085 EV800638 ‡	2 2 2	S313 S313 S313
2010	DE, ES, GTS, SE, Sportback GTS, (Design Allows Ease Of Installation) DE, ES, GTS, SE, Sportback GTS, (MOOG Engineered Steel Composition Enhances Strength)	Outer Inner	ES800471 ‡ EV800638 ‡	2 2	S313 S313
2010-2009	Ralliart, Sportback Ralliart, (Design Allows Ease Of Installation) Ralliart, Sportback Ralliart, (MOOG Engineered Steel Composition Enhances Strength)	Outer Inner	ES800471 ‡ EV800638 ‡	2 2	S314 S314
2009	DE, ES, ES Sport, GT, GTS, SE, Sportback GTS, (Design Allows Ease Of Installation) DE, ES, ES Sport, GT, GTS, SE, Sportback GTS, (MOOG Engineered Steel Composition Enhances Strength)	Outer Inner	ES800471 ‡ EV800638 ‡	2 2	S313 S313
2009-2008	Evolution GSR, Evolution MR, (Design Allows Ease Of Installation)	Outer	ES800219 ‡	2	S314
2008	DE, ES, GTS, SE, (Design Allows Ease Of Installation)	Outer	ES800471 ‡	2	S313


MITSUBISHI-Lancer (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner	ES3704 ‡ EV80587 ‡	2 2 S091 S091


REAR SUSPENSION

Except EVO's




R167

EVO's Only



R168

Except EVO's



R169

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2016	2 Degree Camber Plus Or Minus, (Eccentric Adjustment, Design Allows Ease Of Installation, R-Series)	Upper RK100114 ‡	2	R167
	Plus Or Minus 2 Degree Camber, (Turnbuckle Adjustment, R-Series)	Upper RK100321	2	R167
2015	DE, ES, GT, GT AWC, Ralliart, SE, SE AWC, SE AWC Limited Edition, SE Limited Edition, Sportback GT, Sportback SE, Sportback SE Limited, 2 Degree Camber Plus Or Minus, (Eccentric Adjustment, Design Allows Ease Of Installation, R-Series)	Upper RK100114 ‡	2	R167
	DE, ES, GT, GT AWC, Ralliart, SE, SE AWC, SE AWC Limited Edition, SE Limited Edition, Sportback GT, Sportback SE, Sportback SE Limited, Plus Or Minus 2 Degree Camber, (Turnbuckle Adjustment, R-Series)	Upper RK100321	2	R167
2015-2012	Ralliart, (R-Series)	Lower Rear RK642487	2	R167
	Ralliart, (R-Series)	Lower Front RK642642	2	R167
2014	DE, ES, GT, GT AWC, Limited Edition, Ralliart, SE, SE AWC, Sportback ES, Sportback GT, Sportback SE, 2 Degree Camber Plus Or Minus, (Eccentric Adjustment, Design Allows Ease Of Installation, R-Series)	Upper RK100114 ‡	2	R167
	DE, ES, GT, GT AWC, Limited Edition, Ralliart, SE, SE AWC, Sportback ES, Sportback GT, Sportback SE, Plus Or Minus 2 Degree Camber, (Turnbuckle Adjustment, R-Series)	Upper RK100321	2	R167
2014-2012	2360cc(2.4L), GT, Sportback GT, (R-Series)	Upper RK642134	2	R167
	2360cc(2.4L), GT, Sportback GT, (R-Series)	Lower Rear RK642487	2	R167
2013	10th Anniversary Edition, DE, ES, GT, GT AWC, Ralliart, SE, SE AWC, Sportback ES, Sportback GT, Sportback SE, 2 Degree Camber Plus Or Minus, (Eccentric Adjustment, Design Allows Ease Of Installation, R-Series)	Upper RK100114 ‡	2	R167
	10th Anniversary Edition, DE, ES, GT, GT AWC, Ralliart, SE, SE AWC, Sportback ES, Sportback GT, Sportback SE, Plus Or Minus 2 Degree Camber, (Turnbuckle Adjustment, R-Series)	Upper RK100321	2	R167
2012	DE, ES, GT, Ralliart, SE, SE AWC, Sportback ES, Sportback GT, Sportback SE, 2 Degree Camber Plus Or Minus, (Eccentric Adjustment, Design Allows Ease Of Installation, R-Series)	Upper RK100114 ‡	2	R167
	DE, ES, GT, Ralliart, SE, SE AWC, Sportback ES, Sportback GT, Sportback SE, Plus Or Minus 2 Degree Camber, (Turnbuckle Adjustment, R-Series)	Upper RK100321	2	R167
2011	DE, ES, From 3/11, Thru 5/20/11, Except California Emission, (R-Series)	Upper RK642134	2	R167
	DE, ES, Thru 2/11, (R-Series)	Upper RK642134	2	R167
	DE, ES, GT, GTS, Ralliart, SE, Sportback ES, Sportback GT, Sportback GTS, Sportback Ralliart, Sportback SE, 2 Degree Camber Plus Or Minus, (Eccentric Adjustment, Design Allows Ease Of Installation, R-Series)	Upper RK100114 ‡	2	R167
	DE, ES, GT, GTS, Ralliart, SE, Sportback ES, Sportback GT, Sportback GTS, Sportback Ralliart, Sportback SE, Plus Or Minus 2 Degree Camber, (Turnbuckle Adjustment, R-Series)	Upper RK100321	2	R167
	DE, ES, Sportback ES, Thru 2/11, (R-Series)	Lower Rear RK642487	2	R167
	DE, ES, Sportback ES, Thru 6/11, From 3/11, Except California Emission, (R-Series)	Lower Rear RK642487	2	R167
	GT, SE, Sportback ES, Sportback GT, Sportback SE, Thru 5/20/11, (R-Series)	Upper RK642134	2	R167
	GT, SE, Sportback GT, Sportback SE, Thru 6/11, (R-Series)	Lower Rear RK642487	2	R167
	GTS, Ralliart, (R-Series)	Lower Front RK642642	2	R167
	GTS, Ralliart, Sportback GTS, Sportback Ralliart, (R-Series)	Lower Rear RK642487	2	R167
	GTS, Sportback GTS, (R-Series)	Upper RK642134	2	R167
2010	DE, ES, GTS, Ralliart, SE, Sportback GTS, Sportback Ralliart, 2 Degree Camber Plus Or Minus, (Eccentric Adjustment, Design Allows Ease Of Installation, R-Series)	Upper RK100114 ‡	2	R167
	DE, ES, GTS, Ralliart, SE, Sportback GTS, Sportback Ralliart, Plus Or Minus 2 Degree Camber, (Turnbuckle Adjustment, R-Series)	Upper RK100321	2	R167
	DE, ES, GTS, SE, Sportback GTS, (R-Series)	Upper RK642134	2	R167
	DE, ES, GTS, SE, Sportback GTS, (R-Series)	Lower Rear RK642487	2	R167
	DE, ES, GTS, Sportback GTS, (R-Series)	Lower Front RK642642	2	R167
	Ralliart, Sportback Ralliart, From 1/21/10, (R-Series)	Lower Rear RK642487	2	R167
	Ralliart, Sportback Ralliart, From 11/09, (R-Series)	Lower Front RK642642	2	R167
2009	DE, ES, ES Sport, GT, GTS, Ralliart, SE, Sportback GTS, Sportback Ralliart, 2 Degree Camber Plus Or Minus, (Eccentric Adjustment, Design Allows Ease Of Installation, R-Series)	Upper RK100114 ‡	2	R167
	DE, ES, ES Sport, GT, GTS, Ralliart, SE, Sportback GTS, Sportback Ralliart, Plus Or Minus 2 Degree Camber, (Turnbuckle Adjustment, R-Series)	Upper RK100321	2	R167
	DE, ES, ES Sport, GT, GTS, SE, Sportback GTS, (R-Series)	Upper RK642134	2	R167
	DE, ES, ES Sport, GT, GTS, SE, Sportback GTS, (R-Series)	Lower Rear RK642487	2	R167
	DE, ES, ES Sport, GT, GTS, SE, Sportback GTS, (R-Series)	Lower Front RK642642	2	R167
2008	DE, ES, GTS, SE, 2 Degree Camber Plus Or Minus, (Eccentric Adjustment, Design Allows Ease Of Installation, R-Series)	Upper RK100114 ‡	2	R167
	DE, ES, GTS, SE, Plus Or Minus 2 Degree Camber, (Turnbuckle Adjustment, R-Series)	Upper RK100321	2	R167
	DE, ES, SE, (R-Series)	Lower Rear RK642487	2	R167
	DE, ES, SE, (R-Series)	Lower Front RK642642	2	R167
	DE, ES, SE, From 6/07, (R-Series)	Upper RK642134	2	R167
2007	Plus Or Minus 2 Degree Camber, (Turnbuckle Adjustment, R-Series)	Upper RK100321	2	R169
2007-2002	ES, (Contains Bushings, R-Series)	Upper RK640993	2	R169
Lateral Arm				
2007	ES, LS, (R-Series)	Lower Front RK641280	2	R169
2006-2002	ES, (R-Series)	Lower Front RK641280	2	R169
Strut Bumper Bellows				
2016		K201597	2	R167
2015	DE, ES, GT, GT AWC, Ralliart, SE, SE AWC, SE AWC Limited Edition, SE Limited Edition, Sportback GT, Sportback SE, Sportback SE Limited	K201597	2	R167

MITSUBISHI-Lancer (Cont.)

REAR SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2015 (Cont.)	Evolution Final Edition, Evolution GSR, Evolution MR, Evolution MR Touring, (Contains Bumper)	K90461	2	R168
2014	DE, ES, GT, GT AWC, Limited Edition, Ralliart, SE, SE AWC, Sportback ES, Sportback GT, Sportback SE	K201597	2	R167
2014-2010	Evolution GSR, Evolution MR, Evolution MR Touring, (Contains Bumper)	K90461	2	R168
2013	10th Anniversary Edition, DE, ES, GT, GT AWC, Ralliart, SE, SE AWC, Sportback ES, Sportback GT, Sportback SE	K201597	2	R167
2012	DE, ES, GT, Ralliart, SE, SE AWC, Sportback ES, Sportback GT, Sportback SE	K201597	2	R167
2011	DE, ES, GT, GTS, Ralliart, SE, Sportback ES, Sportback GT, Sportback GTS, Sportback Ralliart, Sportback SE	K201597	2	R167
2010	DE, ES, GTS, Ralliart, SE, Sportback GTS, Sportback Ralliart	K201597	2	R167
2009	DE, ES, ES Sport, GT, GTS, Ralliart, SE, Sportback GTS, Sportback Ralliart	K201597	2	R167
2009-2008	Evolution GSR, Evolution MR, (Contains Bumper)	K90461	2	R168
2008	DE, ES, GTS, SE	K201597	2	R167
2007	(Contains Bumper)	K90467	2	R169
Strut Mount				
2015	Evolution Final Edition, Evolution GSR, Evolution MR, Evolution MR Touring, (Bearing Not Included, Design Allows Ease Of Installation)	K160148 ‡	2	R168
2014-2010	Evolution GSR, Evolution MR, Evolution MR Touring, (Bearing Not Included, Design Allows Ease Of Installation)	K160148 ‡	2	R168
2009-2008	Evolution GSR, Evolution MR, (Bearing Not Included, Design Allows Ease Of Installation)	K160148 ‡	2	R168
2007-2002	(Bearing Not Included, Design Allows Ease Of Installation)	K160148 ‡	2	R169
Strut Mounting Kit				
2016		K7226	2	R167
2015-2008		K7226	2	R167, R168
2007-2002		K7226	2	R169
Strut Spring Seat				
2015	Evolution Final Edition, Evolution GSR, Evolution MR, Evolution MR Touring	Upper K90724	2	R168
2014-2010	Evolution GSR, Evolution MR, Evolution MR Touring	Upper K90724	2	R168
2009-2008	Evolution GSR, Evolution MR	Upper K90724	2	R168
2007-2002		Upper K90724	2	R169
Sway Bar Bushing				
2007	(Split Design For Easier Installation)	To Frame K200830 ‡	1	R169
Sway Bar Link				
2017-2016	(Improves Upon OE Design)	K750289 ‡	2	R167
2015	ES, GT, Ralliart, SE, (Improves Upon OE Design)	K750289 ‡	2	R167
2015-2010	Evolution GSR, Evolution MR, Evolution MR Touring, (Greaseable Socket Reduces Corrosion/Wear)	K750568 ‡	2	R168
2014	ES, GT, Limited Edition, Ralliart, SE, Sportback ES, Sportback GT, Sportback SE, (Improves Upon OE Design)	K750289 ‡	2	R167
2013-2012	DE, ES, GT, Ralliart, SE, Sportback ES, Sportback GT, Sportback SE, (Improves Upon OE Design)	K750289 ‡	2	R167
2011	DE, ES, GTS, Ralliart, Sportback GT, Sportback SE, (Improves Upon OE Design)	K750289 ‡	2	R167
2010	DE, ES, GTS, Ralliart, Sportback GTS, Sportback Ralliart, (Improves Upon OE Design)	K750289 ‡	2	R167
2009	DE, ES, ES Sport, GTS, Ralliart, (Improves Upon OE Design)	K750289 ‡	2	R167
2009-2008	Evolution GSR, Evolution MR, (Greaseable Socket Reduces Corrosion/Wear)	K750568 ‡	2	R168
2008	DE, ES, GTS, (Improves Upon OE Design)	K750289 ‡	2	R167
2007	(Improves Upon OE Design)	K80374 ‡	2	R169
Wheel Hub & Bearing Assembly				
2017-2016	All Wheel Drive	512381	2	
2017-2010	Front Wheel Drive	512394	2	
2015	GT AWC, SE AWC, SE AWC Limited Edition, All Wheel Drive	512381	2	
2015-2012	Evolution GSR, Evolution MR, Evolution MR Touring, Ralliart, All Wheel Drive	512382	2	
2011-2010	Evolution GSR, Evolution MR, Evolution MR Touring, Ralliart, Sportback Ralliart, All Wheel Drive	512382	2	
2009	Evolution GSR, Evolution MR, All Wheel Drive	512382	2	
2009-2008	Front Wheel Drive, 4 Wheel ABS Front Wheel Drive, Non ABS	512394 512376	2 2	
2008	Evolution GSR, Evolution MR, SE, All Wheel Drive	512382	2	
2007	ES, LS, Front Wheel Drive	512276	2	
2006	ES, Front Wheel Drive	512276	2	

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2017		Outer ES801202 ‡	2	
2015-2014		Outer ES801202 ‡	2	

Mirage G4-MITSUBISHI

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2017		Outer ES801202 ‡	2	


350Z-NISSAN



Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2009-2007	(R-Series) (R-Series)	Left Front Lower Right Front Lower	RK642009 RK642008	1 1 F430 F430
Control Arm with Ball Joint				
2009-2007	(R-Series) (R-Series) (R-Series) (R-Series)	Left Upper Right Upper Left Rear Lower Right Rear Lower	RK621690 RK621936 RK621373 RK621372	1 1 1 1 F430 F430 F430 F430
Strut Bumper Bellows				
2009-2007			K150274	2 F430
Strut Mount				
2009-2007	(Bearing Not Included, Contains Insulator, Superior Rubber To Steel Bonding For Durability)		K160105 ‡	2 F430
Strut Spring Seat				
2009-2007	(Reduces Noise)	Upper	K160124 ‡	2 F430
Sway Bar Bushing				
2009-2007	(Design Allows Ease Of Installation)	To Frame	K200845 ‡	1 F430
Sway Bar Link				
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750101 ‡ K750100 ‡	1 1 F430 F430
Wheel Hub & Bearing Assembly				
2009-2007			513268	2

NISSAN-350Z (Cont.)


STEERING



S212

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2009-2008		Left	K150317	1 S212
		Right	K150293	1 S212
2007	From 11/06 From 11/06 Thru 10/06 Thru 10/06	Left	K150317	1 S212
		Right	K150293	1 S212
		Left	K150293	1 S212
		Right	K150317	1 S212
Tie Rod End				
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer	ES80579 ‡	1 S212
		Right Outer	ES80578 ‡	1 S212
		Inner	EV80279 ‡	2 S212
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2009-2007	(Lateral Link, R-Series) Plus Or Minus 3 Degree Camber, Plus Or Minus 2 Degree Toe, (Adjustable, R-Series) Plus Or Minus 3 Degree Camber, Plus Or Minus 2 Degree Toe, (Adjustable, Straight Arm, R-Series)	Lower Front	RK642024	2
		Lower Front	RK100123	2
		Lower Front	RK642963	2
Control Arm Bushing				
2009-2007		Lower Front Outer	K201010	2
		Lower Rear Outer	K200967	1
Control Arm with Ball Joint				
2009-2007	(R-Series) (R-Series)	Left Upper	RK621762	1
		Right Upper	RK621689	1
Shock Mount				
2009-2007			K160011	2
Strut Bumper Bellows				
2009-2007			K201554	2
Sway Bar Bushing				
2009-2007		To Frame	K200975	1
Sway Bar Link				
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750044 ‡	1
		Right	K750047 ‡	1
Trailing Link				
2009-2007	(R-Series)	Lower	RK641761	2
Wheel Bearing Assembly				
2009-2007			512346	2

FRONT SUSPENSION




F432

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2018-2009	(R-Series) Left Upper	RK622206	1	F432
Strut Bumper Bellows				
2017-2014	Base Model, Sport, Touring, Touring Sport, (Design Allows Ease Of Installation)	K160285 ‡	2	F432
2017-2010	NISMO	K201503	2	F432
2013-2011	Base Model, Touring, (Design Allows Ease Of Installation)	K160285 ‡	2	F432
2010	40th Anniversary Edition, Base Model, Touring, (Design Allows Ease Of Installation)	K160285 ‡	2	F432
2009	(Design Allows Ease Of Installation)	K160285 ‡	2	F432
Strut Mount				
2017-2009		K160343	2	F432
Strut Spring Seat				
2017-2009	(Insulator Only) Upper	K160349	2	F432
Sway Bar Bushing				
2018	(Split Design For Easier Installation)	K200283 ‡	1	F432
2017-2015	Base Model, Sport, Touring, Touring Sport, (Split Design For Easier Installation) To Frame	K200283 ‡	1	F432
2015-2010	NISMO To Frame	K201574	1	F432
2014-2011	Base Model, Touring, (Split Design For Easier Installation) To Frame	K200283 ‡	1	F432
2010	40th Anniversary Edition, Base Model, Touring, (Split Design For Easier Installation) To Frame	K200283 ‡	1	F432
2009	Base Model, Touring, (Split Design For Easier Installation) To Frame	K200283 ‡	1	F432
Sway Bar Link				
2017-2009	(Powdered Metal Gusher Brg. For Better Lubrication) Left	K750194 ‡	1	F432
	(Powdered Metal Gusher Brg. For Better Lubrication) Right	K750193 ‡	1	F432
Wheel Hub & Bearing Assembly				
2018-2009		513334	2	

NISSAN-370Z (Cont.)


STEERING



S213

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2018-2009		K150282	2	S213	
Tie Rod End					
2018-2009	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer Right Outer Inner	ES800338 ‡ ES800337 ‡ EV800804 ‡	1 1 2	S213 S213 S213
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2019-2009	Plus Or Minus 3 Degree Camber, Plus Or Minus 2 Degree Toe, (Adjustable, R-Series)	Lower Front	RK100090	2	
Control Arm with Ball Joint					
2018-2009	(R-Series) (R-Series)	Left Upper Right Upper	RK622095 RK622093	1 1	
Strut Bumper Bellows					
2017-2009			K201554	2	
Strut Mount					
2017-2009			K160346	2	
Sway Bar Bushing					
2018	(Split Design For Easier Installation)		K200746 ‡	1	
2017-2015	Base Model, Sport, Touring, Touring Sport, (Split Design For Easier Installation)	To Frame	K200746 ‡	1	
2017-2011	NISMO	To Frame	K201560	1	
2014-2012	Base Model, Touring, (Split Design For Easier Installation)	To Frame	K200746 ‡	1	
2011	Base Model, Manual Transmission Touring, (Split Design For Easier Installation)	To Frame To Frame	K201560 K200746 ‡	1 1	
2011-2010	Base Model, Automatic Transmission, (Split Design For Easier Installation)	To Frame	K200746 ‡	1	
2010	40th Anniversary Edition, Touring, (Split Design For Easier Installation)	To Frame	K200746 ‡	1	
2009	Automatic Transmission, (Split Design For Easier Installation)	To Frame	K200746 ‡	1	
Sway Bar Link					
2018-2009	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750044 ‡ K750047 ‡	1 1	
Wheel Hub & Bearing Assembly					
2018-2009			512379	2	

FRONT SUSPENSION




F346


Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2018-2015	(R-Series)	Left Lower	RK622839	1	F346
	(R-Series)	Right Lower	RK622838	1	F346
2013	2.5S, 2 Dr. Coupe, (R-Series)	Left Lower	RK620195	1	F346
	2.5S, 2 Dr. Coupe, (R-Series)	Right Lower	RK620196	1	F346
2012-2007	(R-Series)	Left Lower	RK620195	1	F346
	(R-Series)	Right Lower	RK620196	1	F346
Strut and Spring Assembly					
2012-2007		Left	ST8659L	1	F346
		Right	ST8659R	1	F346
Strut Bumper Bellows					
2017-2007	(Contains Bumper)		K90461	2	F346
Strut Mount					
2017-2014	(Contains Bearing)		K160421	2	F346
2013	2 Dr. Coupe, (Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160232 ‡	2	F346
	4 Dr. Sedan, (Contains Bearing)		K160421	2	F346
2012-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160232 ‡	2	F346
Sway Bar Bushing					
2013	2.5S, 2 Dr. Coupe, (Reduces Noise)	To Frame	K200299 ‡	1	F346
2012	(Reduces Noise)	To Frame	K200299 ‡	1	F346
2011-2007	23.2mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200299 ‡	1	F346
	24.4mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200300 ‡	1	F346
Sway Bar Link					
2018-2014	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750282 ‡	1	F346
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750283 ‡	1	F346
2013	4 Dr. Sedan, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750282 ‡	1	F346
	4 Dr. Sedan, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750283 ‡	1	F346
Wheel Hub & Bearing Assembly					
2018-2016			513296	2	
2015-2013	(32 Tooth Spline)		513296	2	
2012-2008	2488cc(2.5L), (29 Splines)		513294	2	
2012-2007	3498cc(3.5L), (32 Tooth Spline)		513296	2	
2007	2488cc(2.5L), 4 Wheel ABS, (29 Splines)		513294	2	

NISSAN-Altima (Cont.)

STEERING




S317



S459

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2013	2 Dr. Coupe	Left	K150321	1 S317
		Right	K150293	1 S317
2012		Left	K150321	1 S317
		Right	K150293	1 S317
2011	2.5, 2.5S, 3.5S, 3.5SR	Left	K150321	1 S317
		Right	K150293	1 S317
2010	2.5, 2.5S, 3.5S, 3.5SL, 3.5SR	Left	K150321	1 S317
		Right	K150293	1 S317
2009-2008	2.5, 2.5S, 3.5S, 3.5SE, 3.5SL	Left	K150321	1 S317
2009-2007	2.5, 2.5S, 3.5S, 3.5SE, 3.5SL	Right	K150293	1 S317
2007	2.5, 2.5S, 3.5S, 3.5SE, 3.5SL	Left	K150317	1 S317
Tie Rod End				
2018-2014	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Left Outer	ES801197 ‡	1 S459
		Right Outer	ES801196 ‡	1 S459
		Inner	EV801066 ‡	2 S459
2013	2 Dr. Coupe, (Design Allows Ease Of Installation) 2 Dr. Coupe, (Design Allows Ease Of Installation) 2 Dr. Coupe, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 4 Dr. Sedan, (Powdered Metal Gusher Brg. For Better Lubrication) 4 Dr. Sedan, (Powdered Metal Gusher Brg. For Better Lubrication) 4 Dr. Sedan, (Design Allows Ease Of Installation)	Left Outer	ES800357 ‡	1 S317
		Right Outer	ES800358 ‡	1 S317
		Inner	EV800356 ‡	2 S317
		Left Outer	ES801197 ‡	1 S459
		Right Outer	ES801196 ‡	1 S459
2012	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer	ES800357 ‡	1 S317
		Right Outer	ES800358 ‡	1 S317
		Inner	EV800356 ‡	2 S317
2011	2.5, 2.5S, 3.5S, 3.5SR, (Design Allows Ease Of Installation) 2.5, 2.5S, 3.5S, 3.5SR, (Design Allows Ease Of Installation) 2.5, 2.5S, 3.5SR, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer	ES800357 ‡	1 S317
		Right Outer	ES800358 ‡	1 S317
		Inner	EV800356 ‡	2 S317
2011-2007	Hybrid, (Design Allows Ease Of Installation) Hybrid, (Design Allows Ease Of Installation)	Left Outer	ES800512 ‡	1 S317
		Right Outer	ES800511 ‡	1 S317
2010	2.5, 2.5S, 3.5S, 3.5SL, 3.5SR, (Design Allows Ease Of Installation) 2.5, 2.5S, 3.5S, 3.5SL, 3.5SR, (Design Allows Ease Of Installation) 2.5, 2.5S, 3.5SL, 3.5SR, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer	ES800357 ‡	1 S317
		Right Outer	ES800358 ‡	1 S317
		Inner	EV800356 ‡	2 S317
2009	2.5, 2.5S, 3.5SE, 3.5SL, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800356 ‡	2 S317
2009-2007	2.5, 2.5S, 3.5S, 3.5SE, 3.5SL, (Design Allows Ease Of Installation) 2.5, 2.5S, 3.5S, 3.5SE, 3.5SL, (Design Allows Ease Of Installation)	Left Outer	ES800357 ‡	1 S317
		Right Outer	ES800358 ‡	1 S317
2008-2007	2.5, 2.5S, 3.5S, 3.5SE, 3.5SL, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800356 ‡	2 S317

REAR SUSPENSION



R074

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2014	2-1/2 Degree Camber Plus Or Minus, (Adjustable, R-Series) Upper	RK100342	2	
2013	2 Dr. Coupe, Plus Or Minus 3 Degree Camber, Plus Or Minus 2 Degree Toe, (Adjustable, R-Series) Lower Front	RK100123	2	R074
	4 Dr. Sedan, 2-1/2 Degree Camber Plus Or Minus, (Adjustable, R-Series) Upper	RK100342	2	
2013-2007	(R-Series) Lower Front	RK643060	2	R074
2012-2007	Plus Or Minus 3 Degree Camber, Plus Or Minus 2 Degree Toe, (Adjustable, R-Series) Lower Front	RK100123	2	R074
2009-2007	(R-Series) Lower Rear	RK642563	2	R074
Control Arm Bushing				
2013	2.5S, 2 Dr. Coupe Lower Rear Outer	K200970	2	R074
2012	2.5S, 3.5S, 3.5SR Lower Rear Outer	K200970	2	R074
2011	2.5S, 3.5S, 3.5SR, Hybrid Lower Rear Outer	K200970	2	R074
2010-2007	Lower Rear Outer	K200970	2	R074
Control Arm with Ball Joint				
2013	2 Dr. Coupe, (R-Series) Left Upper	RK622766	1	R074
	2 Dr. Coupe, (R-Series) Right Upper	RK622765	1	R074
2012-2007	(R-Series) Left Upper	RK622766	1	R074
	(R-Series) Right Upper	RK622765	1	R074
Strut Bumper Bellows				
2017-2013	(Design Allows Ease Of Installation)	K160285 ‡	2	
2012-2007	(Design Allows Ease Of Installation)	K160285 ‡	2	R074
Strut Mounting Kit				
2017-2013		K160317	2	
2012-2002		K160317	2	R074
Sway Bar Bushing				
2013	2488cc(2.5L), 2 Dr. Coupe, (Reduces Noise) To Frame	K200301 ‡	1	R074
2012	3498cc(3.5L), (Reduces Noise) To Frame	K200303 ‡	1	R074
2012-2009	2488cc(2.5L), (Reduces Noise) To Frame	K200301 ‡	1	R074
2011-2010	3498cc(3.5L), 3.5SR, (Reduces Noise) To Frame	K200303 ‡	1	R074
2009-2008	3498cc(3.5L), 3.5SE, (Reduces Noise) To Frame	K200303 ‡	1	R074
2008	2488cc(2.5L), 16mm Sway Bar Diameter, (Reduces Noise) To Frame	K200301 ‡	1	R074
	2488cc(2.5L), 17mm Sway Bar Diameter, (Reduces Noise) To Frame	K200302 ‡	1	R074
2007	2488cc(2.5L), (Reduces Noise) To Frame	K200302 ‡	1	R074
	3498cc(3.5L), (Reduces Noise) To Frame	K200303 ‡	1	R074
Sway Bar Link				
2018	2.5, 2.5S, 2.5SL, 2.5SV, 3.5SL, (Improves Upon OE Design) Left	K750662 ‡	1	
	2.5S, 2.5SL, 2.5SV, 3.5SL, (Improves Upon OE Design) Right	K750663 ‡	1	
2017-2014	(Improves Upon OE Design) Left	K750662 ‡	1	
	(Improves Upon OE Design) Right	K750663 ‡	1	
2013	2 Dr. Coupe, (Powdered Metal Gusher Brg. For Better Lubrication) Left	K750256 ‡	1	R074
	2 Dr. Coupe, (Powdered Metal Gusher Brg. For Better Lubrication) Right	K750255 ‡	1	
	4 Dr. Sedan, (Improves Upon OE Design) Left	K750662 ‡	1	R074
	4 Dr. Sedan, (Improves Upon OE Design) Right	K750663 ‡	1	
2012-2007	(Powdered Metal Gusher Brg. For Better Lubrication) Left	K750256 ‡	1	R074


NISSAN-Altima (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Link					
2012-2007 (Cont.)	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750255 ‡	1	R074
Trailing Link					
2013-2011	2 Dr. Coupe, (R-Series)		RK642893	2	R074
Wheel Hub & Bearing Assembly					
2018-2008			512388	2	
2007	4 Wheel ABS Non ABS		512388 512389	2 2	

NISSAN-Cube

FRONT SUSPENSION



F537

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2014-2009	(R-Series)	Left Lower	RK620567	1	F537
	(R-Series)	Right Lower	RK620566	1	F537
Strut Bumper Bellows					
2014-2009			K150274	2	F537
Strut Mount					
2014-2009	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	Left	K160239 ‡	1	F537
	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	Right	K160240 ‡	1	F537
Sway Bar Bushing					
2014-2009		To Frame	K201577	1	F537
Sway Bar Link					
2014-2009	(Greaseable Socket Reduces Corrosion/Wear)		K750098 ‡	2	F537
Wheel Hub & Bearing Assembly					
2014-2009			513344	2	

STEERING				
S386				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2014-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800249 ‡	1 S386
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800248 ‡	1 S386
	(Design Allows Ease Of Installation)	Inner	EV800322 ‡	2 S386
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2014-2009		Upper	K201713	2
Strut Bumper Bellows				
2014-2009			K201597	2

GT-R-NISSAN

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2017-2009	(Design Allows Ease Of Installation)		K160285 ‡	2
Strut Mount				
2017-2009			K160343	2
Strut Spring Seat				
2017-2009	(Insulator Only)	Upper	K160349	2
Sway Bar Link				
2018-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750187 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750186 ‡	1
2011-2009	(Optional, Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750210 ‡	1
Wheel Hub & Bearing Assembly				
2018	Base Model, Premium		513356	2
	NISMO, Track Pack		513385	2
2017	Base Model, Premium, Track Pack		513356	2
2017-2015	NISMO		513385	2
2016-2015	Base Model, Black Edition, Premium, Track Pack		513356	2
2014-2009			513356	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2009		Inner	EV801081	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2017-2009	(Replacement Type, Contains Bumper)		K90460	2


NISSAN-GT-R (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Strut Spring Seat				
2017-2009	(Reduces Noise)	Upper	K160124 ‡	2
Sway Bar Link				
2018-2009	(Powdered Metal Gusher Brg. For Better Lubrication)		K750380 ‡	2
Wheel Hub & Bearing Assembly				
2018	Base Model, Premium NISMO, Track Pack	512390 512565	2 2	
2017	Base Model, Premium, Track Pack	512390	2	
2017-2015	NISMO	512565	2	
2016-2015	Base Model, Black Edition, Premium, Track Pack	512390	2	
2014-2009		512390	2	

NISSAN-Juke


FRONT SUSPENSION



F539

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2017	NISMO, Nismo-RS, S, SL, SV, (R-Series) Nismo-RS, (R-Series)	Right Lower Left Lower	RK621156 RK621157	1 1 F539
2016-2011	(R-Series) (R-Series)	Left Lower Right Lower	RK621157 RK621156	1 1 F539
Strut Bumper Bellows				
2017-2011			K201538	2 F539
Strut Mount				
2017-2011	(Contains Bearing) (Contains Bearing)	Left Right	K160418 K160419	1 1 F539 F539
Sway Bar Bushing				
2017-2011		To Frame	K201298	1 F539
Sway Bar Link				
2017-2011	(Design Allows Ease Of Installation)		K750719 ‡	2 F539
Wheel Hub & Bearing Assembly				
2017-2011			513336	2

STEERING




S403

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2011		Left Outer Right Outer	1 1	S403 S403

REAR SUSPENSION


AWD



R166

Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2017-2011		Upper	K201710	2 R166
Strut Bumper Bellows				
2017-2011			K201554	2 R166
Sway Bar Bushing				
2017-2011	All Wheel Drive, (Split Design For Easier Installation)	To Frame	K200747 ‡	1 R166
Sway Bar Link				
2017-2011	All Wheel Drive, (Improves Upon OE Design)	Left	K700569 ‡	1 R166
	All Wheel Drive, (Improves Upon OE Design)	Right	K700570 ‡	1 R166
Wheel Hub & Bearing Assembly				
2017-2015	All Wheel Drive		512535	2
2017-2011	Front Wheel Drive		512494	2
2014	All Wheel Drive, From 10/1/14		512535	2
	All Wheel Drive, Thru 4/14		512373	2
2013-2011	All Wheel Drive		512373	2


FRONT SUSPENSION



F539

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2013-2011	(R-Series) (R-Series)	Left Lower Right Lower	RK621157 RK621156	1 1	F539 F539
Strut Bumper Bellows					
2017-2011			K201538	2	F539
Strut Mount					
2017-2011	(Contains Bearing) (Contains Bearing)	Left Right	K160418 K160419	1 1	F539 F539
Sway Bar Link					
2018-2013	(Greaseable Socket Reduces Corrosion/Wear)		K750746 ‡	2	F539
2012-2011	(Design Allows Ease Of Installation)		K750719 ‡	2	F539
Wheel Hub & Bearing Assembly					
2017-2013			513364	2	
2012-2011			513336	2	

STEERING



S404

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2018	(Design Allows Ease Of Installation)	Inner	EV800951 ‡	2	S404
2018-2015	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer	ES800966 ‡	1	S404
		Right Outer	ES800965 ‡	1	S404
2014	From 12/13, (Design Allows Ease Of Installation)	Left Outer	ES800966 ‡	1	S404
	From 12/13, (Design Allows Ease Of Installation)	Right Outer	ES800965 ‡	1	S404
	Thru 11/13	Left Outer	ES801171	1	S404
	Thru 11/13	Right Outer	ES801168	1	S404
2013-2011		Left Outer	ES801168	1	S404
		Right Outer	ES801171	1	S404

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2017-2011	Upper	K201710	2	
Strut Bumper Bellows				
2017-2011		K201554	2	
Wheel Hub & Bearing Assembly				
2017-2013		512550	2	
2012-2011		512494	2	

Maxima-NISSAN

FRONT SUSPENSION				
F251				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2008-2004	Lower Front	K201647	2	F251
Control Arm with Ball Joint				
2018-2016	(R-Series) (R-Series)	Left Lower Right Lower	RK622839 RK622838	1 1
2014-2009	(R-Series) (R-Series)	Left Lower Right Lower	RK622059 RK622054	1 1
2008-2004	(R-Series) (R-Series)	Left Lower Right Lower	RK620167 RK620166	1 1
Complete Knuckle Assembly				
2008-2004	29 Splines, (Contains 2 Snap Rings, Bearing, Knuckle, Hub Assembly, Backing Plate And Axle Nut)	Left	LK009 ‡	1
	29 Splines, (Contains 2 Snap Rings, Bearing, Knuckle, Hub Assembly, Backing Plate And Axle Nut)	Right	LK010 ‡	1
Strut and Spring Assembly				
2008-2004		Left Right	ST8670L ST8670R	1 1
Strut Bumper Bellows				
2018-2016	(Contains Bumper)		K90461	2
2014-2009	(Contains Bumper)		K90461	2
2008-2004	(Contains Bumper)		K90463	2
Strut Mount				
2018-2016	(Contains Bearing)		K160421	2
2014-2009	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160232 ‡	2
2008-2004	(Contains Bearing)		K90655	2
Strut Spring Seat				
2008-2004	(Reduces Noise)	Lower	K160244 ‡	2
Sway Bar Bushing				
2018	SR, 25mm Sway Bar Diameter		K201304	1
2017	SR, 25mm Sway Bar Diameter	To Frame	K201304	1
2016	SR	To Frame	K201304	1

NISSAN–Maxima (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Bushing					
2014-2009	25mm Sway Bar Diameter 26mm Sway Bar Diameter	To Frame	K201304	1	
		To Frame	K201499	1	
2008-2007	Except Sport Package Sport Package	To Frame	K201304	1	F251
		To Frame	K201499	1	F251
Sway Bar Link					
2018-2016	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750282 ‡	1	
		Right	K750283 ‡	1	
2014-2009	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750282 ‡	1	
		Right	K750283 ‡	1	
2008-2004	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K90352 ‡	1	F251
		Right	K90353 ‡	1	F251
Wheel Hub & Bearing Assembly					
2017-2016			513296	2	
2014-2009	(32 Tooth Spline)		513296	2	
Wheel Hub Repair Kit					
2008-2002			518516	2	

STEERING

S316

The diagram illustrates the components of a rack and pinion steering system. At the top is the main rack and pinion assembly. Below it, a bracketed group of two boots is labeled 'R&P Boot Kit'. Further down, four tie rod ends are shown, labeled 'Tie Rod End (Outer)', 'Tie Rod End (Inner)', 'Tie Rod End (Inner)', and 'Tie Rod End (Outer)' from left to right.

S317

The diagram shows two tie rod ends, one labeled 'Tie Rod End (Inner)' and one 'Tie Rod End (Outer)'. Next to them are two 'R&P Boot Kit' components. To the right, another tie rod end assembly is shown, labeled 'Tie Rod End (Inner)' and 'Tie Rod End (Outer)'.

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2014-2011		Left	K150321	1	S317
		Right	K150293	1	S317
2008-2005			K150318	2	S316
Tie Rod End					
2018-2016	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Left Outer	ES801197 ‡	1	
		Right Outer	ES801196 ‡	1	
		Inner	EV801066 ‡	2	
2014-2009	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer	ES800357 ‡	1	S317
		Right Outer	ES800358 ‡	1	S317
		Inner	EV800770 ‡	2	S317
2008-2004	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV427 ‡	2	S316
2008-2002	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3438 ‡	2	S316

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2014-2004	Plus Or Minus 3 Degree Camber, Plus Or Minus 2 Degree Toe, (Adjustable, R-Series)	Lower Front	RK100123	2
	Plus Or Minus 3 Degree Camber, Plus Or Minus 2 Degree Toe, (Adjustable, Straight Arm, R-Series)	Lower Front	RK642963	2
Control Arm Bushing				
2014		Lower Rear Outer	K200970	2
2012-2004		Lower Rear Outer	K200970	2
Strut Bumper Bellows				
2018-2016	(Design Allows Ease Of Installation)		K160285 ‡	2
2014-2009	(Design Allows Ease Of Installation)		K160285 ‡	2
2008-2002	(Contains Bumper)		K90467	2
Strut Mounting Kit				
2018-2016			K160317	2
2014-2004			K160317	2
Sway Bar Bushing				
2014-2009		To Frame	K201472	1
2008-2004	Except 25mm Sway Bar Diameter	To Frame	K90599	1
Sway Bar Link				
2017-2016	(Improves Upon OE Design)	Left	K750662 ‡	1
	(Improves Upon OE Design)	Right	K750663 ‡	1
2014-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750256 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750255 ‡	1
2008-2004	(Powdered Metal Gusher Brg. For Better Lubrication)		K90684 ‡	2
Trailing Link				
2014-2011	(R-Series)		RK642893	2
Wheel Hub & Bearing Assembly				
2018-2016			512388	2
2014-2009			512388	2
2008-2004	(Improved Design)		512292	2

Micra–NISSAN

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Mount				
2017-2014	(Contains Bearing, Contains Upper Retainer)		K160420	2
Sway Bar Link				
2016-2015	(Greaseable Socket Reduces Corrosion/Wear)		K750098 ‡	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2017-2014		Upper	K201719	2

Sentra–NISSAN


FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2017	Naturally Aspirated, (Design Allows Ease Of Installation)	Lower	K500223 ‡	2
	Turbocharged/Intercooled	Lower	K500350	2
2016-2007	(Design Allows Ease Of Installation)	Lower	K500223 ‡	2
Control Arm				
2016-2013	(Vertical Assist Link, R-Series)	Left Upper	RK641724	1
	(Vertical Assist Link, R-Series)	Right Upper	RK641723	1
Control Arm Bushing				
2012-2007		Lower Rear	K201336	2
		Lower Front	K201337	2

NISSAN-Sentra (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2018-2017	Naturally Aspirated, (R-Series) Naturally Aspirated, (R-Series)	Left Lower	RK622160	1
		Right Lower	RK622159	1
2016-2013	(R-Series) (R-Series)	Left Lower	RK622160	1
		Right Lower	RK622159	1
2012-2007	(R-Series) (R-Series)	Left Lower	RK620374	1
		Right Lower	RK620373	1
Strut and Spring Assembly				
2012-2007	1997cc(2.0L) 1997cc(2.0L)	Left	ST8656L	1
		Right	ST8656R	1
Strut Bumper Bellows				
2018-2017	FE+S, S, SL, SR, SR Turbo, SV, (Original Equipment Type) FE+S, S, SL, SR, SR Turbo, SV, (Replacement Type, Contains Bumper)		K201538	2
			K90464	2
2016-2013	(Original Equipment Type) (Replacement Type, Contains Bumper)		K201538	2
			K90464	2
2012-2007	(Replacement Type, Contains Bumper)		K90460	2
Strut Mount				
2018-2013	(Contains Bearing) (Contains Bearing)	Left	K160418	1
		Right	K160419	1
2012-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability) (Contains Bearing, Superior Rubber To Steel Bonding For Durability)	Left	K160234 ‡	1
		Right	K160233 ‡	1
Sway Bar Bushing				
2018-2017	FE+S, S, SL, SR, SV, (Split Design For Easier Installation)	To Frame	K200873 ‡	1
2016-2013	(Split Design For Easier Installation)	To Frame	K200873 ‡	1
2012-2011	(Split Design For Easier Installation)	To Frame	K200615 ‡	1
2010-2007	1997cc(2.0L), (Split Design For Easier Installation)	To Frame	K200615 ‡	1
2009-2007	2488cc(2.5L), CVT Automatic Transaxle, (Split Design For Easier Installation)	To Frame	K200615 ‡	1
Sway Bar Link				
2018-2015	(Greaseable Socket Reduces Corrosion/Wear)		K750746 ‡	2
2017-2013	(Design Allows Ease Of Installation)		K750719 ‡	2
2012-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750096 ‡	2
Wheel Hub & Bearing Assembly				
2018-2013			513364	2
2012-2007	1997cc(2.0L), 4 Wheel ABS 1997cc(2.0L), Non ABS 2488cc(2.5L)		513297	2
			513299	2
			513298	2

STEERING



S386

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2017	FE+S, S, SL, SR, SV, (Design Allows Ease Of Installation) FE+S, S, SL, SR, SV, (Design Allows Ease Of Installation) Naturally Aspirated, (Design Allows Ease Of Installation)	Left Outer	ES800966 ‡	1 S386
		Right Outer	ES800965 ‡	1 S386
		Inner	EV800951 ‡	2 S386
2016-2013	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer	ES800966 ‡	1 S386
		Right Outer	ES800965 ‡	1 S386
		Inner	EV800951 ‡	2 S386
2012-2007	(Design Allows Ease Of Installation)	Left Outer	ES800575 ‡	1 S386

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2012-2007 (Cont.)	(Design Allows Ease Of Installation)	Right Outer	ES800574 ‡	1 S386
	(Design Allows Ease Of Installation)	Inner	EV800820 ‡	2 S386
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2018-2013		Upper	K201711	2
Wheel Hub & Bearing Assembly				
2018-2013			512530	2
2012-2007	1997cc(2.0L), 4 Wheel ABS 1997cc(2.0L), Non ABS 2488cc(2.5L)		512384	2
			512385	2
			512383	2

FRONT SUSPENSION				
<p>1.8L Engine</p>				
F537				
<p>1.6L Engine</p>				
F538				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2012	1798cc(1.8L), (Vertical Assist Link, R-Series) 1798cc(1.8L), (Vertical Assist Link, R-Series)	Left Upper	RK641724	1 F537
		Right Upper	RK641723	1 F537
2011-2007	(Vertical Assist Link, R-Series) (Vertical Assist Link, R-Series)	Left Upper	RK641724	1 F537
		Right Upper	RK641723	1 F537

NISSAN-Versa (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2018-2013	(R-Series) (R-Series)	Left Lower	RK621577	1	F538
		Right Lower	RK621576	1	F538
2012	1598cc(1.6L), (R-Series) 1598cc(1.6L), (R-Series) 1798cc(1.8L), (R-Series) 1798cc(1.8L), (R-Series)	Left Lower	RK621577	1	F538
		Right Lower	RK621576	1	F538
		Left Lower	RK620567	1	F537
		Right Lower	RK620566	1	F537
2011-2007	(R-Series) (R-Series)	Left Lower	RK620567	1	F537
		Right Lower	RK620566	1	F537
Strut Bumper Bellows					
2017-2013	(Original Equipment Type) (Replacement Type, Contains Bumper)		K150276	2	F538
			K90460	2	F538
2012	1598cc(1.6L), (Original Equipment Type) 1598cc(1.6L), (Replacement Type, Contains Bumper) 1798cc(1.8L)		K150276	2	F538
			K90460	2	F538
			K150274	2	F537
2011-2007			K150274	2	F537
Strut Mount					
2017-2013	(Contains Bearing, Contains Upper Retainer)		K160420	2	F538
2012	1598cc(1.6L), (Contains Bearing, Contains Upper Retainer) 1798cc(1.8L), (Contains Bearing, Superior Rubber To Steel Bonding For Durability) 1798cc(1.8L), (Contains Bearing, Superior Rubber To Steel Bonding For Durability)	Left	K160420	2	F538
		Right	K160237 ‡	1	F537
		Right	K160238 ‡	1	F537
2011-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability) (Contains Bearing, Superior Rubber To Steel Bonding For Durability)	Left	K160237 ‡	1	F537
		Right	K160238 ‡	1	F537
Sway Bar Bushing					
2016-2014	(Split Design For Easier Installation)	To Frame	K200874 ‡	1	F538
2013	From 4/13, (Split Design For Easier Installation) Thru 3/13, (Split Design For Easier Installation)	To Frame	K200874 ‡	1	F538
		To Frame	K200875 ‡	1	F538
2012	1598cc(1.6L), (Split Design For Easier Installation) 1798cc(1.8L), (Split Design For Easier Installation)	To Frame	K200873 ‡	1	F538
		To Frame	K200873 ‡	1	F537
2011-2007	(Split Design For Easier Installation)	To Frame	K200873 ‡	1	F537
Sway Bar Link					
2018-2013	(Greaseable Socket Reduces Corrosion/Wear)		K750098 ‡	2	F538
2012	1598cc(1.6L), (Greaseable Socket Reduces Corrosion/Wear) 1798cc(1.8L), (Greaseable Socket Reduces Corrosion/Wear)		K750098 ‡	2	F538
			K750098 ‡	2	F537
2011-2007	(Greaseable Socket Reduces Corrosion/Wear)		K750098 ‡	2	F537
Wheel Hub & Bearing Assembly					
2012	1798cc(1.8L)		513373	2	
2011-2007	4 Wheel Antilock Brakes Non ABS		513373	2	
			513308	2	

STEERING

The diagram shows various steering components. At the top, there are two 'R&P Boot Kit' parts, which are cylindrical boots with a central rod. Below these are four 'Tie Rod End' parts: two labeled 'Tie Rod End (Outer)' and two labeled 'Tie Rod End (Inner)'. The outer tie rod ends have a ball joint at one end, while the inner ones have a different joint configuration. The inner tie rod ends are shown with a long threaded shaft.

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2018-2013		Left Outer	ES801200 ‡	1	S386
		Right Outer	ES801201 ‡	1	S386
		Inner	EV800862	2	S386
2012	4 Dr. Hatchback, (Powdered Metal Gusher Brg. For Better Lubrication) 4 Dr. Hatchback, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800249 ‡	1	S386
		Right Outer	ES800248 ‡	1	S386

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2012 (Cont.)	4 Dr. Hatchback, (Design Allows Ease Of Installation)	Inner	EV800322 ‡	2 S386
	4 Dr. Sedan	Left Outer	ES801200 ‡	1 S386
	4 Dr. Sedan	Right Outer	ES801201 ‡	1 S386
	4 Dr. Sedan	Inner	EV800862	2 S386
2011-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Left Outer	ES800249 ‡	1 S386
		Right Outer	ES800248 ‡	1 S386
		Inner	EV800322 ‡	2 S386
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2017-2013		Upper	K201719	2
2012	1598cc(1.6L) 1798cc(1.8L)	Upper	K201719	2
		Upper	K201712	2
2011-2007		Upper	K201712	2
Strut Bumper Bellows				
2017-2013			K201554	2
2012	1598cc(1.6L) 1798cc(1.8L)		K201554	2
			K201597	2
2011-2007			K201597	2
Wheel Hub & Bearing Assembly				
2012	1798cc(1.8L)		512386	2
2011-2007	4 Wheel ABS Non ABS		512386	2
			512387	2

Versa Note-NISSAN

FRONT SUSPENSION				
F538				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2018	(R-Series)	Left Lower	RK621577	1
	(R-Series)	Right Lower	RK621576	1
2017-2014	(R-Series)	Left Lower	RK621577	1 F538
	(R-Series)	Right Lower	RK621576	1 F538
Strut Bumper Bellows				
2017-2014	(Original Equipment Type)		K150276	2 F538
	(Replacement Type, Contains Bumper)		K90460	2 F538
Strut Mount				
2017-2014	(Contains Bearing, Contains Upper Retainer)		K160420	2 F538
Sway Bar Bushing				
2016-2014	(Split Design For Easier Installation)	To Frame	K200874 ‡	1 F538

NISSAN-Versa Note (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018-2014	(Greaseable Socket Reduces Corrosion/Wear)	K750098 ‡	2	F538

STEERING

S386

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2014	Left Outer	ES801200 ‡	1	S386
	Right Outer	ES801201 ‡	1	S386
2016-2014	Inner	EV800862	2	S386

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2017-2014	Upper	K201719	2	
Strut Bumper Bellows				
2017-2014		K201554	2	

PONTIAC-G3


FRONT SUSPENSION

F257

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2010-2009	Lower	K500034	2	F257	
Control Arm Bushing					
2010-2009	(Durable Socket Design Eases Installation)	Lower Rear	K200854 ‡	2	F257
	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear	K201716 ‡	2	F257
	(Design Allows Ease Of Installation)	Lower Front	K200853 ‡	2	F257

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm Bushing					
2009	Lower Front Inner	K200937	2	F257	
Control Arm with Ball Joint					
2010	Thru VIN 091390, (R-Series)	Right Lower	RK620165	1	F257
2010-2009	(Contains Bushings, R-Series)	Left Lower	RK620164	1	F257
2009	(R-Series)	Right Lower	RK620165	1	F257
Strut Bumper Bellows					
2010-2009	(Replacement Type, Contains Bumper)	K90460	2	F257	
Strut Mount					
2010-2009	(Contains Bearing)	K80907	2	F257	
Sway Bar Bushing					
2010-2009	To Frame	K201359	1	F257	
Sway Bar Link					
2010-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	K750011 ‡	2	F257	


STEERING



S115

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2010-2009		Left Outer	ES800033	1	S115
		Right Outer	ES800034	1	S115

REAR SUSPENSION



R130

Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2010-2009		K80908	2	R130


PONTIAC-G3 (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2010-2009	(Replacement Type, Contains Bumper)	K90466	2	R130
Wheel Hub & Bearing Assembly				
2009	4 Wheel ABS Non ABS	541009 541010	2 2	

PONTIAC-G3 Wave


FRONT SUSPENSION



F257

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2010-2009		Lower K500034	2	F257
Control Arm Bushing				
2010-2009	(Durable Socket Design Eases Installation) (Durable Socket Design Eases Installation, Vertical Mount) (Design Allows Ease Of Installation)	Lower Rear K200854 ‡ Lower Rear K201716 ‡ Lower Front K200853 ‡ Lower Front Inner K200937	2 2 2 2	F257 F257 F257 F257
Control Arm with Ball Joint				
2010	Thru VIN 091390, (R-Series)	Right Lower RK620165	1	F257
2010-2009	(Contains Bushings, R-Series)	Left Lower RK620164	1	F257
2009	(R-Series)	Right Lower RK620165	1	F257
Strut Bumper Bellows				
2010-2009	(Replacement Type, Contains Bumper)	K90460	2	F257
Strut Mount				
2010-2009	(Contains Bearing)	K80907	2	F257
Sway Bar Link				
2010-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	K750011 ‡	2	F257


STEERING



S115

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2010	(Design Allows Ease Of Installation)	Inner	EV800577 ‡	2 S115
2010-2009		Left Outer	ES800033	1 S115
		Right Outer	ES800034	1 S115


REAR SUSPENSION



R130

Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2010-2009		K80908	2	R130
Strut Bumper Bellows				
2010-2009	(Replacement Type, Contains Bumper)	K90466	2	R130
Wheel Hub & Bearing Assembly				
2010	4 Wheel ABS	541009	2	
	Non ABS	541010	2	


FRONT SUSPENSION



F062

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2010-2007	FE1 Soft Ride Suspension, Steel Arm, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80566 ‡	2 F062
	FE5 Performance And Handling Suspension, FE3 Sport Suspension, Aluminum Arm, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80567 ‡	2 F062
Control Arm Bushing				
2010-2007	(Horizontal Mount, High Quality Elastomer For Durability And Performance)	Lower Front	K200361 ‡	2 F062
	FE1 Soft Ride Suspension, (For Use On Steel Control Arms, Vertical Mount)	Lower Rear	K6698 ‡	2 F062
	FE3 Sport Suspension, (Vertical Mount, Contains Zinc Coating For Use On Aluminum Control Arms)	Lower Rear	K201285 ‡	2 F062
2009-2007	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear	K200792 ‡	2 F062
Control Arm with Ball Joint				
2010-2007	FE1 Soft Ride Suspension, (Greaseable Socket Reduces Corrosion/Wear, Contains Ball And Socket Design Vertical Bushing)	Left Lower	CK620302 ‡	1 F062
	FE1 Soft Ride Suspension, (R-Series)	Left Lower	RK620302	1 F062
	FE1 Soft Ride Suspension, (Greaseable Socket Reduces Corrosion/Wear, Contains Ball And Socket Design Vertical Bushing)	Right Lower	CK620301 ‡	1 F062
	FE1 Soft Ride Suspension, (R-Series)	Right Lower	RK620301	1 F062
	FE3 Sport Suspension, (Contains Bushings, R-Series)	Left Lower	RK620898	1 F062
	FE3 Sport Suspension, (Contains Bushings, R-Series)	Right Lower	RK620897	1 F062
Strut and Spring Assembly				
2009-2007		Left	ST8597L	1 F062
		Right	ST8597R	1 F062
Strut Bumper Bellows				
2009-2007	(Replacement Type, Contains Bumper)		K90460	2 F062
Strut Mount				
2010-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160052 ‡	2 F062
Strut Spring Seat				
2010-2007	(Contains Insulator)	Upper	K160136 ‡	2 F062
	(Insulator Only, Reduces Noise)	Lower	K160137 ‡	2 F062
Sway Bar Bushing				
2010-2007	18mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201614 ‡	1 F062
	18mm Sway Bar Diameter, (Standard Design)	To Frame	K200045	1 F062
	22mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201613 ‡	1 F062
	22mm Sway Bar Diameter, (Standard Design)	To Frame	K200047	1 F062
Sway Bar Link				
2010-2007	Except FE5 Suspension, 11.80" Overall Length, (Powdered Metal Gusher Brg. For Better Lubrication)		K80252 ‡	2 F062
2009-2007	FE3 Sport Suspension, (Powdered Metal Gusher Brg. For Better Lubrication)		K750012 ‡	2 F062
Wheel Hub & Bearing Assembly				
2010-2007	4 Wheel ABS, (4 Stud Hub)		513204	2
	4 Wheel ABS, (5 Stud Hub)		513206	2
	Non ABS, (4 Stud Hub)		513205	2


STEERING



S122

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2010-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner	ES800030 ‡ EV80445 ‡	2 2	S122 S122


REAR SUSPENSION



R129

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm Bushing					
2010-2007	(High Quality Elastomer For Durability And Performance)	Lower	K200522 ‡	2	R129
Wheel Hub & Bearing Assembly					
2010-2007	4 Wheel ABS, (4 Stud Hub) 4 Wheel ABS, (5 Stud Hub) Non ABS, (4 Stud Hub)		512247 512250 512248	2 2 2	


FRONT SUSPENSION



F060

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2010-2005	(Design Allows Ease Of Installation) (High Quality Elastomer For Durability And Performance)	Lower Rear Lower Front	K200898 ‡ K200247 ‡	2 2 F060 F060
Control Arm with Ball Joint				
2010-2005	(Contains Front And Rear Bushings, Powdered Metal Gusher Brg. For Better Lubrication)	Left Lower	CK621201 ‡	1 F060
	(Contains Front Bushings, R-Series)	Left Lower	RK620179	1 F060
	(Contains Front Bushings, Powdered Metal Gusher Brg. For Better Lubrication)	Right Lower	CK620180 ‡	1 F060
	(Contains Front Bushings, R-Series)	Right Lower	RK620180	1 F060
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Lower	CK621200 ‡	1 F060
Strut and Spring Assembly				
2010-2005		Left Right	ST8601L ST8601R	1 1 F060 F060
Strut Bumper Bellows				
2010-2005	(Replacement Type, Contains Bumper)		K90460	2 F060
Strut Mount				
2010-2005	(Contains Bearing) (Contains Bearing)	Left Right	K160002 K160003	1 1 F060 F060
Strut Spring Seat				
2010-2005	(Contains Insulator) (Insulator Only, Reduces Noise)	Upper Lower	K160136 ‡ K160137 ‡	2 2 F060 F060
Sway Bar Bushing				
2010-2007	(Reduces Noise)	To Frame	K200320 ‡	1 F060
Sway Bar Link				
2010	(Improves Upon OE Design)		K750519 ‡	2 F060
2009-2005	11.80" Overall Length, (Powdered Metal Gusher Brg. For Better Lubrication)		K80252 ‡	2 F060
Wheel Hub & Bearing Assembly				
2010-2008			513214	2
2007-2005	4 Wheel ABS Non ABS		513214 513215	2 2


STEERING



S123

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2010-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner	ES800086 ‡ EV80988 ‡	2 2 S123 S123
REAR SUSPENSION				
R156				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2010-2005	(Arm Only, R-Series) (Arm Only, R-Series) (Lateral Link, R-Series)	Upper Lower Rear Lower Front	RK641876 RK641849 RK641786	2 2 2 R156 R156 R156
Control Arm Bushing				
2010-2005	(Design Allows Ease Of Installation)	Arm To Knuckle, Lower Rear Lower Rear Inner	K200268 ‡ K201691	2 2 R156 R156
Shock Mount				
2010-2005			K160004	2 R156
Sway Bar Bushing				
2010-2005	19mm Sway Bar Diameter, (Reduces Noise) 20mm Sway Bar Diameter, (Reduces Noise)	To Frame To Frame	K200306 ‡ K200307 ‡	1 1 R156 R156
Sway Bar Link				
2010-2005			K80851	2 R156
Trailing Link				
2010	(R-Series) (R-Series)	Left Right	RK643043 RK643042	1 1 R156 R156
2008-2006	(R-Series) (R-Series)	Left Right	RK643043 RK643042	1 1 R156 R156
Wheel Hub & Bearing Assembly				
2010-2008			512285	2
2007-2005	4 Wheel ABS Non ABS		512285 512287	2 2


FRONT SUSPENSION



F395

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2009-2008	(R-Series) Left Front Lower	RK621253	1	F395
	(R-Series) Left Rear Lower	RK621251	1	F395
	(R-Series) Right Front Lower	RK621254	1	F395
	(R-Series) Right Rear Lower	RK621252	1	F395
Strut Bumper Bellows				
2009-2008	(OE Material For Strut Performance And Longevity, Contains Bumper)	K90462 ‡	2	F395
Strut Mount				
2009-2008	(Contains Bearing, Contains Washer, Contains Upper Retainer)	K6515	2	F395
Sway Bar Link				
2009-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Left K750162 ‡	1	F395
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right K750163 ‡	1	F395
Wheel Hub & Bearing Assembly				
2009-2008		513280	2	


STEERING



S155

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2009-2008	(Design Allows Ease Of Installation)	Left Outer ES800606	1	S155
		Right Outer ES800605	1	S155
		Inner EV800604 ‡	2	S155

REAR SUSPENSION




R073

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2009-2008	(R-Series) Left Rear Lower	RK642423	1	R073
Strut Bumper Bellows				
2009-2008	(OE Material For Strut Performance And Longevity, Contains Bumper)	K90462 ‡	2	R073
Sway Bar Link				
2009-2008	(Greaseable Socket Reduces Corrosion/Wear, Single Bend Fitting) (Powdered Metal Gusher Brg. For Better Lubrication)	K750561 ‡ K750184 ‡	2 2	R073 R073

Grand Prix-PONTIAC


FRONT SUSPENSION



F019

PONTIAC-Grand Prix (Cont.)


FRONT SUSPENSION (Cont.)



F020

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2008	(Bolt On Type, Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K5331 ‡	2 F020
2007-2004	Aluminum Arm, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K5333 ‡	2 F019
	Steel Arm, (Bolt On Type, Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K5331 ‡	2 F020
Control Arm Bushing				
2008	GM Brake Code JA2, 1.890" Outside Diameter, (One Piece Bushing, Horizontal Mount)	Lower Rear	K6715	2 F019, F020
2008-2006	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Front	K200787 ‡	2 F019, F020
2008-2004	(Horizontal Mount, 2 Piece Bushing Design Allows Easier Installation)	Lower Rear	K80778 ‡	2 F019, F020
	(Vertical Mount)	Lower Front	K6712	2 F019, F020
2007-2004	1.890" Outside Diameter, (One Piece Bushing, Horizontal Mount)	Lower Rear	K6715	2 F019, F020
Control Arm with Ball Joint				
2008-2004	231(3.8L), 34mm Sway Bar Diameter, Sport Suspension, (Greaseable Socket Reduces Corrosion/Wear, Contains Ball And Socket Design Vertical Bushing)	Left Lower	CK620675 ‡	1 F020
	231(3.8L), 34mm Sway Bar Diameter, Sport Suspension, (R-Series)	Left Lower	RK620675	1 F020
	231(3.8L), 34mm Sway Bar Diameter, Sport Suspension, (Greaseable Socket Reduces Corrosion/Wear, Contains Ball And Socket Design Vertical Bushing)	Right Lower	CK620676 ‡	1 F020
	231(3.8L), 34mm Sway Bar Diameter, Sport Suspension, (R-Series)	Right Lower	RK620676	1 F020
Strut and Spring Assembly				
2008-2005	231(3.8L)		ST8648	2 F020
Strut Bumper Bellows				
2008-2004	(Contains Bumper)		K90463	2 F019, F020
	(Contains Retainer)		K201271	2 F019, F020
Strut Mount				
2008-2005	231(3.8L), (Contains Bearing)		K6521	2 F019, F020
Strut Mounting Kit				
2008-2004	(Super Kit Contains Bearing And OE Style Bumper / Bellow)		K160391	2 F019, F020
Strut Spring Seat				
2008-2004	(Contains Insulator And Retainer)	Upper	K80926	2 F019, F020
	(Spring Seat Only)	Upper	K80923	2 F019, F020
	(Insulator Only)	Lower	K5349	2 F019, F020
Sway Bar Bushing				
2008-2004	20mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201610 ‡	1 F019
	20mm Sway Bar Diameter, (Standard Design)	To Frame	K80812	1 F019
	34mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201608 ‡	1 F020
	34mm Sway Bar Diameter, (Standard Design)	To Frame	K80815	1 F020
Sway Bar Link				
2008-2004	20mm Sway Bar Diameter, (Powdered Metal Gusher Brg. For Better Lubrication)		K80852 ‡	2 F019
Sway Bar Repair Kit				
2008-2004	34mm Sway Bar Diameter, (OEM Type, Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700527 ‡	2 F020
Wheel Hub & Bearing Assembly				
2008-2004	4 Wheel ABS		513179	2
	Non ABS		513203	2


STEERING



S068

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2008-2004		K6298	2	S068	
Steering Rack Insulator Bushing					
2008-2004		K6349	1	S068	
Tie Rod End					
2008-2004	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner	ES3459 ‡ EV195 ‡	2 2	S068 S068

REAR SUSPENSION



R013

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2008-2004	(R-Series) (R-Series)	Lower Rear Lower Front	RK660276 RK660275	2 2	R013 R013
Strut and Spring Assembly					
2008-2004	16" Wheels, (Coated For Corrosion Resistance, Strut, Spring & Top Mount) 16" Wheels, (Coated For Corrosion Resistance, Strut, Spring & Top Mount)	Left Right	ST8569L ‡ ST8569R ‡	1 1	R013 R013
Strut Bumper Bellows					
2008-2004	(Contains Bumper)		K90464	2	R013
Strut Mount					
2008-2004	(Universal Type) (Bearing Not Included)	Right	K6567 K160385	2 1	R013 R013
Strut Mounting Kit					
2008-2004	(Super Kit Contains Universal Mount And OE Style Bumper / Bellows)		K160388	2	R013
Strut Spring Seat					
2008-2004	(Insulator Only)	Lower	K5350	2	R013
Sway Bar Bushing					
2008-2006	231(3.8L), (Reduces Noise)	To Frame	K200317 ‡	1	R013
2008-2005	325(5.3L), (Reduces Noise)	To Frame	K200318 ‡	1	R013


PONTIAC-Grand Prix (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Link					
2008-2004	(Powdered Metal Gusher Brg. For Better Lubrication)	K6662 ‡	2	R013	
Trailing Link					
2008	FE1 Soft Ride Suspension, (R-Series)	RK6402	2	R013	
2007-2006	FE1 Soft Ride Suspension, FE2 Ride And Handling Suspension, (R-Series)	RK6402	2	R013	
Trailing Link Bushing					
2008	FE1 Soft Ride Suspension, (High Quality Elastomer For Durability And Performance)	Front	K200102 ‡	2	R013
	FE1 Soft Ride Suspension, (High Quality Elastomer For Durability And Performance)	Rear	K200103 ‡	2	R013
2007-2006	FE1 Soft Ride Suspension, FE2 Ride And Handling Suspension, (High Quality Elastomer For Durability And Performance)	Front	K200102 ‡	2	R013
	FE1 Soft Ride Suspension, FE2 Ride And Handling Suspension, (High Quality Elastomer For Durability And Performance)	Rear	K200103 ‡	2	R013
Wheel Hub & Bearing Assembly					
2008-2004	4 Wheel ABS Non ABS		512357	2	
			512221	2	

PONTIAC-Solstice


FRONT SUSPENSION



F455

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6537 ‡	2	F455
Strut Bumper Bellows					
2009-2006	(Design Allows Ease Of Installation)		K160285 ‡	2	F455
Strut Mount					
2009-2006	(Bearing Not Included, Contains Spring Seat And Insulator)		K6702	2	F455
Sway Bar Link					
2010-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750071 ‡	1	F455
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750072 ‡	1	F455
Wheel Hub & Bearing Assembly					
2009			513259	2	
2008-2007	4 Wheel ABS		513259	2	
2008-2006	Non ABS		513260	2	


STEERING



S311

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2010-2006	(Design Allows Ease Of Installation)	Inner	EV800545 ‡	2


REAR SUSPENSION



R132

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2010-2006	(R-Series)	Left Upper	RK622384	1
	(R-Series)	Right Upper	RK622385	1
	(R-Series)	Left Lower	RK622377	1
	(R-Series)	Right Lower	RK622378	1
Strut Bumper Bellows				
2009-2006	(Design Allows Ease Of Installation)		K160285 ‡	2
Sway Bar Link				
2010-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750071 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750072 ‡	1
Wheel Hub & Bearing Assembly				
2009			513259	2
2008-2007	Non ABS		513260	2
2008-2006	4 Wheel ABS		513259	2


FRONT SUSPENSION




F423

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2010-2009	1798cc(1.8L), (Greaseable Socket Reduces Corrosion/Wear)	Lower	K500175 ‡	2 F423
	2362cc(2.4L), (Greaseable Socket Reduces Corrosion/Wear)	Lower	K500174 ‡	2 F423
2008-2003		Lower	K80595	2 F423
Control Arm				
2008-2003	(Ball Joint Not Included, R-Series)	Left Lower	RK640361	1 F423
	(Ball Joint Not Included, R-Series)	Right Lower	RK640360	1 F423
Control Arm Bushing				
2010-2003	(Horizontal Mount, High Quality Elastomer For Durability And Performance)	Lower Front Inner	K200782 ‡	2 F423
Strut and Spring Assembly				
2008-2003		Left	ST8642L	1 F423
		Right	ST8642R	1 F423
Strut Bumper Bellows				
2010-2003	(Contains Bumper)		K90461	2 F423
Strut Mount				
2010-2009	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160264 ‡	2 F423
2008-2003	(Contains Bearing)		K90330	2 F423
Strut Spring Seat				
2010-2009	(Contains Insulator)	Upper	K160376	2 F423
2010-2003	(Insulator Only, Reduces Noise)	Lower	K160143 ‡	2 F423
2008-2003	(Contains Isolators)	Upper	K160259 ‡	2 F423
Sway Bar Bushing				
2010-2007	(Split Design For Easier Installation)		K200146 ‡	1 F423
2010-2003	(Split Design For Easier Installation)	To Frame	K200146 ‡	1 F423
Sway Bar Link				
2010-2003	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80230 ‡	2 F423

STEERING




S192

STEERING (Cont.)

S193


Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2010-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800634 ‡	2	S192, S193
2008-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer	ES3713	2	S192
		Inner	EV800058 ‡	2	S192

REAR SUSPENSION

R213

Year	Model/Application	Part	P/C Qty	Figure	
Strut and Spring Assembly					
2008-2007		Left Right	ST8645L ST8645R	1 1	
Strut Bumper Bellows					
2010-2009	Base Model, Front Wheel Drive, (Design Allows Ease Of Installation)		K160285 ‡	2	
2008-2003	Front Wheel Drive, (Design Allows Ease Of Installation)		K160285 ‡	2	
Strut Mounting Kit					
2010-2009	AWD, GT		K160392	2	R213
2010-2003	Base Model		K160392	2	
Sway Bar Bushing					
2010-2009	All Wheel Drive GT, Front Wheel Drive	To Frame To Frame	K201446 K201446	1 1	R213 R213
Sway Bar Link					
2010-2009	All Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) GT, Front Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K90718 ‡ K90718 ‡	2 2	R213 R213
Wheel Hub & Bearing Assembly					
2010-2009	All Wheel Drive 1798cc(1.8L), Front Wheel Drive		512404 512403	2 2	
2009	2362cc(2.4L), GT, Front Wheel Drive, Sport Suspension		512405	2	
2008-2003	Front Wheel Drive, 4 Wheel ABS Front Wheel Drive, Non ABS		512217 512218	2 2	


FRONT SUSPENSION



F257

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2008-2005		Lower	K500034	2 F257
Control Arm Bushing				
2008-2005	(Durable Socket Design Eases Installation)	Lower Rear	K200854 ‡	2 F257
	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear	K201716 ‡	2 F257
	(Design Allows Ease Of Installation)	Lower Front	K200853 ‡	2 F257
		Lower Front Inner	K200937	2 F257
Control Arm with Ball Joint				
2008-2005	(Contains Bushings, R-Series)	Left Lower	RK620164	1 F257
	(R-Series)	Right Lower	RK620165	1 F257
Strut Bumper Bellows				
2008-2005	(Replacement Type, Contains Bumper)		K90460	2 F257
Strut Mount				
2008-2005	(Contains Bearing)		K80907	2 F257
Sway Bar Bushing				
2008-2005		To Frame	K201359	1 F257
Sway Bar Link				
2008-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K750011 ‡	2 F257


STEERING



S115

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2008-2005		Left Outer	ES800033	1 S115
		Right Outer	ES800034	1 S115
	(Design Allows Ease Of Installation)	Inner	EV800577 ‡	2 S115

REAR SUSPENSION




R130

Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2008-2005		K80908	2	R130
Strut Bumper Bellows				
2008-2005	(Replacement Type, Contains Bumper)	K90466	2	R130

Wave 5-PONTIAC

FRONT SUSPENSION



F257


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2008-2005		Lower K500034	2	F257
Control Arm Bushing				
2008-2005		Lower Front Inner K200937	2	F257
2007	(Durable Socket Design Eases Installation) (Durable Socket Design Eases Installation, Vertical Mount) (Design Allows Ease Of Installation)	Lower Rear K200854 ‡	2	F257
		Lower Rear K201716 ‡	2	F257
		Lower Front K200853 ‡	2	F257
Control Arm with Ball Joint				
2008-2005	(Contains Bushings, R-Series) (R-Series)	Left Lower RK620164	1	F257
		Right Lower RK620165	1	F257
Strut Bumper Bellows				
2008-2005	(Replacement Type, Contains Bumper)	K90460	2	F257
Strut Mount				
2008-2005	(Contains Bearing)	K80907	2	F257

PONTIAC-Wave 5 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2008-2005	To Frame	K201359	1	F257
Sway Bar Link				
2008-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	K750011 ‡	2	F257


STEERING



S115

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2008-2005	Left Outer	ES800033	1	S115
	Right Outer	ES800034	1	S115
2007	(Design Allows Ease Of Installation) Inner	EV800577 ‡	2	S115

REAR SUSPENSION



R130

Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2008-2005		K80908	2	R130
Strut Bumper Bellows				
2007	(Replacement Type, Contains Bumper)	K90466	2	R130

PORSCHE-718 Boxster

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018-2017	Left	K750799	1	
	Right	K750800	1	

(Cont.) 718 Boxster-PORSCHE

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2017		Inner	EV801207 ‡	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018-2017	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750081 ‡	1
		Right	K750083 ‡	1

718 Cayman-PORSCHE

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018-2017		Left	K750799	1
		Right	K750800	1
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2017		Inner	EV801207 ‡	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018-2017	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750081 ‡	1
		Right	K750083 ‡	1

911 Series-PORSCHE

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
911				
Sway Bar Link				
2018-2017	Carrera, Carrera 4, Carrera 4S, Carrera S, Targa 4, Targa 4s, Turbo, Turbo S, Except Dynamic Stability Control	Left	K750799	1
		Right	K750800	1
2016	Black Edition, Carrera, Carrera 4, Carrera 4 GTS, Carrera 4S, Carrera GTS, Carrera S, Targa 4, Targa 4s, Turbo, Turbo S, Except Dynamic Stability Control	Left	K750799	1
		Right	K750800	1
2015	Carrera, Carrera 4, Carrera 4 GTS, Carrera 4S, Carrera GTS, Carrera S, Targa 4, Targa 4s, Turbo, Turbo S, Except Dynamic Stability Control	Left	K750799	1
		Right	K750800	1
2014	50th Anniversary, Carrera, Carrera 4, Carrera 4S, Carrera S, Turbo, Turbo S, Except Dynamic Stability Control	Left	K750799	1
		Right	K750800	1
2012	Carrera 4, Carrera 4S, GT3 RS 4.0, Targa 4, Targa 4s, Turbo, Turbo S, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750191 ‡	1
		Right	K750192 ‡	1
	Carrera, Carrera 4, Carrera 4S, GT3 RS 4.0, Targa 4, Targa 4s, Turbo, Turbo S, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750081 ‡	1
		Right	K750083 ‡	1
2011	Carrera 4, Carrera 4S, Targa 4, Targa 4s, Turbo, Turbo S, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750191 ‡	1
		Right	K750192 ‡	1
	Carrera, Carrera GTS, Carrera S, GT2 RS, GT3, GT3 RS, Speedster, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750081 ‡	1
		Right	K750083 ‡	1

PORSCHE-911 Series (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
911				
Sway Bar Link				
2010	Carrera, Carrera S, GT3, GT3 RS, Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left K750081 ‡	1	
	Carrera, Carrera S, GT3, GT3 RS, Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right K750083 ‡	1	
	Targa 4, Targa 4s, Turbo, (Powdered Metal Gusher Brg. For Better Lubrication)	Right K750192 ‡	1	
2010-2008	Carrera 4, Carrera 4S, Targa 4, Targa 4s, Turbo, (Powdered Metal Gusher Brg. For Better Lubrication)	Left K750191 ‡	1	
2009	Carrera 4S, Targa 4, Targa 4s, Turbo, (Powdered Metal Gusher Brg. For Better Lubrication)	Right K750192 ‡	1	
	Carrera, Carrera S, GT2, Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left K750081 ‡	1	
	Carrera, Carrera S, GT2, Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right K750083 ‡	1	
2008	Carrera 4, Carrera 4S, Targa 4, Targa 4s, Turbo, (Powdered Metal Gusher Brg. For Better Lubrication)	Right K750192 ‡	1	
	Carrera, Carrera S, GT2, GT3, GT3 RS, Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left K750081 ‡	1	
	Carrera, Carrera S, GT2, GT3, GT3 RS, Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right K750083 ‡	1	
2007	Carrera 4, Carrera 4S, Targa 4, Targa 4s, Turbo, Turbo S, (Powdered Metal Gusher Brg. For Better Lubrication)	Left K750191 ‡	1	
	Carrera 4, Carrera 4S, Targa 4, Targa 4s, Turbo, Turbo S, (Powdered Metal Gusher Brg. For Better Lubrication)	Right K750192 ‡	1	
	Carrera, Carrera S, GT3, GT3 RS, Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left K750081 ‡	1	
	Carrera, Carrera S, GT3, GT3 RS, Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right K750083 ‡	1	
2006-2005	Carrera, Carrera S, Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left K750081 ‡	1	
	Carrera, Carrera S, Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right K750083 ‡	1	
Wheel Hub & Bearing Assembly				
2015-2014	GT3	513340	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
911				
Tie Rod End				
2018-2014		Inner EV801207 ‡	2	
2013	Carrera, Carrera 4, Carrera 4 GTS, Carrera 4S, Carrera S, Targa 4 Edition 918 Spyder, Turbo, Turbo S Edition 918 Spyder, Turbo, Turbo S	Inner EV801207 ‡	2	
		Outer ES3641	2	
		Inner EV801069	2	
2012	Black Edition, Carrera, Carrera 4, Carrera 4 GTS, Carrera 4S, Carrera GTS, GT2 RS, GT3 RS 4.0, Targa 4, Targa 4s, Turbo, Turbo S Carrera S	Inner EV801069	2	
		Inner EV801207 ‡	2	
2012-2002		Outer ES3641	2	
2011-2006		Inner EV801069	2	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
911				
Control Arm				
2013-2012	Twin Turbocharged/Intercooled, (Lateral Link, R-Series)	Upper RK642467	4	
2012	Naturally Aspirated, Type 997, (Lateral Link, R-Series)	Upper RK642467	4	
2011-2006	(Lateral Link, R-Series)	Upper RK642467	4	
Control Arm with Ball Joint				
2012	3996cc(4.0L), Twin Turbocharged/Intercooled, (Lateral Link, R-Series)	Lower Rear RK622464	2	
2012-2011	3596cc(3.6L), Naturally Aspirated, (Lateral Link, R-Series) 3824cc(3.8L), Naturally Aspirated, (Lateral Link, R-Series) 3824cc(3.8L), Twin Turbocharged/Intercooled, (Lateral Link, R-Series)	Lower Rear RK622464	2	
		Lower Rear RK622464	2	
		Lower Rear RK622464	2	
2010-2007	(Lateral Link, R-Series)	Lower Rear RK622464	2	
Sway Bar Link				
2018-2017	Carrera, Carrera 4, Carrera 4S, Carrera S, Targa 4, Targa 4s, Turbo, Turbo S, Except Dynamic Stability Control, (Greaseable Socket Reduces Corrosion/Wear)	K750806 ‡	2	
2016	Black Edition, Carrera, Carrera 4, Carrera 4 GTS, Carrera 4S, Carrera GTS, Carrera S, Targa 4, Targa 4s, Turbo, Turbo S, Except Dynamic Stability Control, (Greaseable Socket Reduces Corrosion/Wear)	K750806 ‡	2	

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
911				
Sway Bar Link				
2015	Carrera, Carrera 4, Carrera 4 GTS, Carrera 4S, Carrera GTS, Carrera S, Targa 4, Targa 4s, Turbo, Turbo S, Except Dynamic Stability Control, (Greaseable Socket Reduces Corrosion/Wear)	K750806 ‡	2	
2014	50th Anniversary, Carrera, Carrera 4, Carrera 4S, Carrera S, Turbo, Turbo S, Except Dynamic Stability Control, (Greaseable Socket Reduces Corrosion/Wear)	K750806 ‡	2	
2013-2006	(Improves Upon OE Design) (Improves Upon OE Design)	Left K750595 ‡ Right K750596 ‡	1 1	
Wheel Hub & Bearing Assembly				
2017	GT3 RS, R	513340	2	
2016	GT3, GT3 RS	513340	2	
2015-2014	GT3	513340	2	

918 Spyder-PORSCHE

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2015		Inner EV801207 ‡	2	

Boxster-PORSCHE

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2016-2013		Left K750799 Right K750800	1 1	
2012-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left K750081 ‡ Right K750083 ‡	1 1	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2016-2013		Inner EV801207 ‡	2	
2012-2005		Inner EV801069	2	
2012-2000		Outer ES3641	2	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2012-2000	(Lateral Link, R-Series)	Lower Rear RK622464	2	
Sway Bar Link				
2016-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left K750081 ‡ Right K750083 ‡	1 1	

Cayman-PORSCHE

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2016	Base Model, GTS, S Base Model, GTS, S	Left K750799 Right K750800	1 1	
2015-2014		Left K750799 Right K750800	1 1	
2012-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left K750081 ‡ Right K750083 ‡	1 1	
Wheel Hub & Bearing Assembly				
2016		513340	2	

PORSCHE-Cayman (Cont.)

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2016-2014		Inner	EV801207 ‡	2
2012-2006		Outer	ES3641	2
		Inner	EV801069	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2012-2006	(Lateral Link, R-Series)	Lower Rear	RK622464	2
Sway Bar Link				
2016-2014	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750081 ‡	1
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750083 ‡	1
2012-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750081 ‡	1
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750083 ‡	1
Wheel Hub & Bearing Assembly				
2016	GT4		513340	2

PORSCHE-Panamera

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2016-2015	Active Sway Bar, (Greaseable Socket Reduces Corrosion/Wear)		K750805 ‡	2
2016-2010	Except Active Sway Bar, (Improves Upon OE Design)		K750636 ‡	2
2014-2010	Active Sway Bar		K750727	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2016-2010		Inner	EV801249 ‡	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2016-2010			K750726	2

ROLLS-ROYCE-Dawn


FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2018-2016	(R-Series)	Left Front Lower	RK641507	1
	(R-Series)	Right Front Lower	RK641508	1
Wheel Hub & Bearing Assembly				
2018-2016			513323	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2016	(Design Allows Ease Of Installation)	Left Outer	ES800914 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800915 ‡	1
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2018-2016	(R-Series)	Right Front Upper	RK642870	1
Control Arm Bushing				
2018-2016		Arm To Knuckle, Lower Outer	K201367	2

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Link				
2018-2016	(R-Series) Arm To Knuckle, Lower Front	RK643049	2	
Control Arm with Ball Joint				
2018-2016	(R-Series) Upper Rear	RK621946	2	
Sway Bar Link				
2018-2016	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750409 ‡	2	

Ghost-ROLLS-ROYCE

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2014-2010	(R-Series) Left Front Lower	RK641507	1	
	(R-Series) Right Front Lower	RK641508	1	
2011-2010	(R-Series) Upper	RK621905	2	
Wheel Hub & Bearing Assembly				
2014-2010		513323	2	

STEERING



Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2014-2010	(Design Allows Ease Of Installation) Left Outer	ES800914 ‡	1	S357
	(Design Allows Ease Of Installation) Right Outer	ES800915 ‡	1	S357


REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2014-2010	(R-Series) Right Front Upper	RK642870	1	
Control Arm Bushing				
2014-2010	Arm To Knuckle, Lower Outer	K201367	2	
Control Arm Link				
2014-2010	(R-Series) Arm To Knuckle, Lower Front	RK643049	2	
Control Arm with Ball Joint				
2014-2010	(R-Series) Upper Rear	RK621946	2	
Sway Bar Link				
2014-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750409 ‡	2	
Wheel Bearing Assembly				
2014-2010		512511	2	

ROLLS-ROYCE-Ghost II

FRONT SUSPENSION					
Year	Model/Application		Part	P/C Qty	Figure
Control Arm with Ball Joint					
2018-2015	(R-Series)	Left Front Lower	RK641507	1	
	(R-Series)	Right Front Lower	RK641508	1	
Wheel Hub & Bearing Assembly					
2018-2015			513323	2	

STEERING



S357

Year	Model/Application		Part	P/C Qty	Figure
Tie Rod End					
2018-2016	(Design Allows Ease Of Installation)	Left Outer	ES800914 ‡	1	
	(Design Allows Ease Of Installation)	Right Outer	ES800915 ‡	1	
2015	(Design Allows Ease Of Installation)	Left Outer	ES800914 ‡	1	S357
	(Design Allows Ease Of Installation)	Right Outer	ES800915 ‡	1	S357

REAR SUSPENSION

Year	Model/Application		Part	P/C Qty	Figure
Control Arm					
2018-2015	(R-Series)	Left Front Upper	RK642869	1	
	(R-Series)	Right Front Upper	RK642870	1	
Control Arm Bushing					
2018-2015	Arm To Knuckle, Lower Outer		K201367	2	
Control Arm Link					
2018-2015	(R-Series)	Arm To Knuckle, Lower Front	RK643049	2	
Control Arm with Ball Joint					
2018-2015	(R-Series)	Upper Rear	RK621946	2	
Sway Bar Link					
2018-2015	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750409 ‡	2	
Wheel Bearing Assembly					
2015			512511	2	

ROLLS-ROYCE-Phantom II

REAR SUSPENSION					
Year	Model/Application		Part	P/C Qty	Figure
Control Arm with Ball Joint					
2017-2013	(Contains Bushing, R-Series)		Upper Front	RK620185	2

FRONT SUSPENSION					
Year	Model/Application		Part	P/C Qty	Figure
Control Arm with Ball Joint					
2018-2014	(R-Series)	Left Front Lower	RK641507	1	
	(R-Series)	Right Front Lower	RK641508	1	
Wheel Hub & Bearing Assembly					
2018-2014			513323	2	
STEERING					
S357					
Year	Model/Application		Part	P/C Qty	Figure
Tie Rod End					
2018-2016	(Design Allows Ease Of Installation)	Left Outer	ES800914 ‡	1	
	(Design Allows Ease Of Installation)	Right Outer	ES800915 ‡	1	
2015-2014	(Design Allows Ease Of Installation)	Left Outer	ES800914 ‡	1	S357
	(Design Allows Ease Of Installation)	Right Outer	ES800915 ‡	1	S357
REAR SUSPENSION					
Year	Model/Application		Part	P/C Qty	Figure
Control Arm					
2018-2014	(R-Series)	Left Front Upper	RK642869	1	
	(R-Series)	Right Front Upper	RK642870	1	
Control Arm Bushing					
2018-2014		Arm To Knuckle, Lower Outer	K201367	2	
Control Arm Link					
2018-2014	(R-Series)	Arm To Knuckle, Lower Front	RK643049	2	
Control Arm with Ball Joint					
2018-2014	(R-Series)	Upper Rear	RK621946	2	
Sway Bar Link					
2018-2014	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750409 ‡	2	
Wheel Bearing Assembly					
2015-2014			512511	2	

9-3-SAAB

FRONT SUSPENSION					
Year	Model/Application		Part	P/C Qty	Figure
Control Arm Bushing					
2012-2006	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200715 ‡	2	
Control Arm with Ball Joint					
2012-2006	(R-Series)	Left Lower	RK620570	1	
	(R-Series)	Right Lower	RK620571	1	
Strut Bumper Bellows					
2012-2006	(Replacement Type, Contains Bumper)		K90460	2	

SAAB-9-3 (Cont.)

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Mount				
2012-2006	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160241 ‡	2	
Sway Bar Link				
2012-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80477 ‡	2	
Wheel Hub & Bearing Assembly				
2012-2006		513191	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2012-2010		Inner EV801333 ‡	2	
2012-2006	(Design Allows Ease Of Installation)	Left Outer ES800409 ‡	1	
	(Design Allows Ease Of Installation)	Right Outer ES800410 ‡	1	
2009	4 Cyl	Inner EV801333 ‡	2	
2009-2006	V6 Cyl, (Design Allows Ease Of Installation)	Inner EV800381 ‡	2	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2012-2008	Front Wheel Drive, (Ball Joint Not Included, Contains Bushings, R-Series)	Upper RK640742	2	
2011-2008	Front Wheel Drive, (R-Series)	Lower Front RK622925	2	
2007-2006	(Ball Joint Not Included, Contains Bushings, R-Series)	Upper RK640742	2	
	(R-Series)	Lower Front RK622925	2	
Control Arm Bushing				
2012-2006	(Design Allows Ease Of Installation)	Arm To Knuckle, Lower Rear K200268 ‡	2	
Strut Spring Seat				
2011-2008	Front Wheel Drive, (Contains Bumper)	Lower K90407	2	
2007-2006	(Contains Bumper)	Lower K90407	2	
Sway Bar Link				
2012-2008	All Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750399 ‡	2	
	Front Wheel Drive	K80851	2	
2007-2006		K80851	2	
Wheel Hub & Bearing Assembly				
2011-2006		512307	2	

SAAB-9-3x

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2011-2010	(High Quality Elastomer For Durability And Performance)	Lower Rear K200715 ‡	2	
Control Arm with Ball Joint				
2011-2010	(R-Series)	Left Lower RK620570	1	
	(R-Series)	Right Lower RK620571	1	
Strut Bumper Bellows				
2011-2010		K150275	2	
Strut Mount				
2011-2010	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160241 ‡	2	
Sway Bar Link				
2011-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80477 ‡	2	
Wheel Hub & Bearing Assembly				
2011-2010		513191	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2011-2010	(Design Allows Ease Of Installation)	Left Outer ES800409 ‡	1	
	(Design Allows Ease Of Installation)	Right Outer ES800410 ‡	1	
		Inner EV801333 ‡	2	

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2011-2010	(Design Allows Ease Of Installation)	Arm To Knuckle, Lower Rear	K200268 ‡	2
Wheel Hub & Bearing Assembly				
2011-2010			513191	2

9-5-SAAB

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009-2006	(Design Allows Ease Of Installation)	Lower	K500204 ‡	2
Control Arm				
2011-2010	Performance Suspension, (R-Series)	Left Lower	RK642799	1
	Performance Suspension, (R-Series)	Right Lower	RK642800	1
Control Arm Bushing				
2009-2006		Lower Front	K200068	2
Control Arm with Ball Joint				
2007-2006	(R-Series)	Left Lower	RK621611	1
	(R-Series)	Right Lower	RK621142	1
Strut Bumper Bellows				
2011-2010	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2
2009-2006	(Replacement Type, Contains Bumper)		K90460	2
Strut Mount				
2011-2010	(Contains Bearing, Contains Washer, Contains Upper Retainer, Contains Upper Spring Seat)		K160431	2
2009-2006	(Contains Bearing)		K90276	2
Sway Bar Link				
2011-2010	Except Sport Suspension, (Improves Upon OE Design)		K750519 ‡	2
	Sport Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750400 ‡	2
2009-2006	(Powdered Metal Gusher Brg. For Better Lubrication)		K5345 ‡	2
Wheel Hub & Bearing Assembly				
2011-2010			513288	2
2009-2006			513192	2

STEERING

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2011	High Performance Suspension	Left Outer	ES801166	1
	High Performance Suspension	Right Outer	ES801169	1
	High Performance Suspension	Inner	EV801089	2
	Standard Suspension, (Design Allows Ease Of Installation)	Outer	ES800852 ‡	2
	Standard Suspension, (Design Allows Ease Of Installation)	Inner	EV800900 ‡	2
2010		Left Outer	ES801166	1
		Right Outer	ES801169	1
		Inner	EV801089	2
2009-2006	(Design Allows Ease Of Installation)	Left Outer	ES800409 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800410 ‡	1
	(Design Allows Ease Of Installation)	Inner	EV800669 ‡	2

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2011-2010	Front Wheel Drive, 4 Link Rear Suspension, (R-Series)	Lower Front	RK642743	2
2009-2008	(R-Series)	Upper	RK642373	2
2009-2006	Except Auto Leveling Headlamps, Plus Or Minus 4 Degrees Camber, (R-Series)	Lower	RK641842	2
Control Arm Bushing				
2009-2006	(2 Per Side)	At Knuckle	K200013	4
Control Arm Link				
2011-2010	All Wheel Drive, (Vertical Assist Link)		K700780	2
Shock Mount				
2011-2010	(Design Allows Ease Of Installation)	Left	K160293 ‡	1
	(Design Allows Ease Of Installation)	Right	K160292 ‡	1

SAAB-9-5 (Cont.)

REAR SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2011-2010		K201554	2	
2009-2006	Auto Leveling System, (Replacement Type, Contains Bumper) Except Auto Leveling System, (Contains Bumper)	K90466 K90467	2 2	
Sway Bar Link				
2011	Front Wheel Drive, (Improves Upon OE Design)	K750521 ‡	2	
2011-2010	All Wheel Drive, (Improves Upon OE Design)	K750520 ‡	2	
2009-2006	(Link With Sockets, Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750135 ‡	2	
Trailing Link				
2011-2010	4 Link Rear Suspension, (R-Series) 4 Link Rear Suspension, (R-Series)	Left RK642851 Right RK642852	1 1	
Wheel Hub & Bearing Assembly				
2011-2010		513288	2	
2009-2006		512232	2	

SATURN-Astra

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009-2008	(Greaseable Socket Reduces Corrosion/Wear)	Lower K80957 ‡	2	
Control Arm with Ball Joint				
2009-2008	(Contains Bushing, R-Series) (Contains Bushing, R-Series)	Left Lower RK620079 Right Lower RK620150	1 1	
Strut Bumper Bellows				
2009-2008	(OE Material For Strut Performance And Longevity, Contains Bumper)	K90462 ‡	2	
Strut Mount				
2009-2008	(Contains Bearing And Retainers)	K160335	2	
Sway Bar Link				
2009-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	K750298 ‡	2	
Wheel Hub & Bearing Assembly				
2009-2008		513283	2	

STEERING



S312

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2009-2008	Except Variable Ratio	K150322	2	S312
Tie Rod End				
2009-2008	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) Except Variable Steering, (Design Allows Ease Of Installation) Variable Steering, (Design Allows Ease Of Installation)	Left Outer ES800263 ‡ Right Outer ES800264 ‡ Inner EV800672 ‡ Inner EV800673 ‡	1 1 2 2	S312 S312 S312 S312


REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2009-2008		512362	2	

Astra-SATURN

FRONT SUSPENSION				
F060				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2010-2007	(Design Allows Ease Of Installation) (High Quality Elastomer For Durability And Performance)	Lower Rear Lower Front	K200898 ‡ K200247 ‡	2 2 F060 F060
Control Arm with Ball Joint				
2009-2007	(Contains Front And Rear Bushings, Powdered Metal Gusher Brg. For Better Lubrication) (Contains Front Bushings, R-Series) (Contains Front Bushings, Powdered Metal Gusher Brg. For Better Lubrication) (Contains Front Bushings, R-Series) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Lower Left Lower Right Lower Right Lower Right Lower	CK621201 ‡ RK620179 CK620180 ‡ RK620180 CK621200 ‡	1 1 1 1 1 F060 F060 F060 F060 F060
Strut and Spring Assembly				
2009-2007		Left Right	ST8601L ST8601R	1 1 F060 F060
Strut Bumper Bellows				
2009-2007	(Replacement Type, Contains Bumper)		K90460	2 F060
Strut Mount				
2009-2007	(Contains Bearing) (Contains Bearing)	Left Right	K160002 K160003	1 1 F060 F060
Strut Spring Seat				
2009-2007	(Contains Insulator) (Insulator Only, Reduces Noise)	Upper Lower	K160136 ‡ K160137 ‡	2 2 F060 F060
Sway Bar Bushing				
2010-2007	(Reduces Noise)	To Frame	K200320 ‡	1 F060
Sway Bar Link				
2010-2007	11.80" Overall Length, (Powdered Metal Gusher Brg. For Better Lubrication)		K80252 ‡	2 F060
Wheel Hub & Bearing Assembly				
2009-2007			513214	2

SATURN-Aura (Cont.)


STEERING



S123

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2010-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner	ES800086 ‡ EV80988 ‡	2 2	S123 S123


REAR SUSPENSION



R053

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2010-2007	(Arm Only, R-Series) (Arm Only, R-Series) (Lateral Link, R-Series)	Upper Lower Rear Lower Front	RK641876 RK641849 RK641786	2 2 2	R053 R053 R053
Control Arm Bushing					
2010-2007	(Design Allows Ease Of Installation)	Arm To Knuckle, Lower Rear Lower Rear Inner	K200268 ‡ K201691	2 2	R053 R053
Shock Mount					
2009-2007			K160004	2	R053
Sway Bar Bushing					
2010-2007	4 Cyl, (Reduces Noise) V6 Cyl, (Reduces Noise)	To Frame To Frame	K200306 ‡ K200307 ‡	1 1	R053 R053
Sway Bar Link					
2010-2007			K80851	2	R053
Trailing Link					
2010-2007	(R-Series) (R-Series)	Left Right	RK643043 RK643042	1 1	R053 R053
Wheel Hub & Bearing Assembly					
2009-2007			512285	2	

FRONT SUSPENSION




F097

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2007-2003	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80566 ‡	2 F097
Control Arm Bushing				
2007-2003	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear	K200792 ‡	2 F097
	(For Use On Steel Control Arms, Vertical Mount)	Lower Rear	K6698 ‡	2 F097
Control Arm with Ball Joint				
2007-2006	(Greaseable Socket Reduces Corrosion/Wear, Contains Ball And Socket Design Vertical Bushing)	Left Lower	CK620302 ‡	1 F097
	(R-Series)	Left Lower	RK620302	1 F097
	(Greaseable Socket Reduces Corrosion/Wear, Contains Ball And Socket Design Vertical Bushing)	Right Lower	CK620301 ‡	1 F097
	(R-Series)	Right Lower	RK620301	1 F097
Strut and Spring Assembly				
2007-2003			ST8630	2 F097
Strut Bumper Bellows				
2007-2003	(Replacement Type, Contains Bumper)		K90460	2 F097
Strut Mount				
2007-2003	(Contains Bearing)		K160012	2 F097
Sway Bar Bushing				
2007-2003	18mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201614 ‡	1 F097
	18mm Sway Bar Diameter, (Standard Design)	To Frame	K200045	1 F097
	20mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200046 ‡	1 F097
	22mm Or 23mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201613 ‡	1 F097
	22mm Or 23mm Sway Bar Diameter, (Standard Design)	To Frame	K200047	1 F097
	24mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200048 ‡	1 F097
Sway Bar Link				
2007-2003	11.80" Overall Length, (Powdered Metal Gusher Brg. For Better Lubrication)		K80252 ‡	2 F097
Wheel Hub & Bearing Assembly				
2007-2003	4 Wheel ABS, (4 Stud Hub)		513204	2
	4 Wheel ABS, (5 Stud Hub)		513206	2
	Non ABS, (4 Stud Hub)		513205	2

SATURN-Ion (Cont.)


STEERING



S122

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2007-2003	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner	ES800030 ‡ EV80445 ‡	2 2	S122 S122


REAR SUSPENSION



R129

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm Bushing					
2007-2003	(High Quality Elastomer For Durability And Performance)	Lower	K200522 ‡	2	R129
Strut Spring Seat					
2007-2006	15" Wheels 16" Wheels	Upper Upper	K6684 K6685	2 2	R129 R129
Wheel Hub & Bearing Assembly					
2007-2004	4 Wheel ABS, (5 Stud Hub)		512250	2	
2007-2003	4 Wheel ABS, (4 Stud Hub) Non ABS, (4 Stud Hub)		512247 512248	2 2	


FRONT SUSPENSION



F455

Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2010-2007	(Design Allows Ease Of Installation)	K160285 ‡	2	F455
Sway Bar Link				
2010-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left K750071 ‡	1	F455
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right K750072 ‡	1	F455
Wheel Hub & Bearing Assembly				
2010-2007		513259	2	

STEERING




S311

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2010-2007	(Design Allows Ease Of Installation)	Inner EV800545 ‡	2	S311

SATURN-SKY (Cont.)

REAR SUSPENSION



R132


Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2010-2007	(R-Series)	Left Upper	RK622384	1	R132
	(R-Series)	Right Upper	RK622385	1	R132
	(R-Series)	Left Lower	RK622377	1	R132
	(R-Series)	Right Lower	RK622378	1	R132
Strut Bumper Bellows					
2010-2007	(Design Allows Ease Of Installation)	K160285 ‡	2	R132	
Sway Bar Link					
2010-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750071 ‡	1	R132
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750072 ‡	1	R132
Wheel Hub & Bearing Assembly					
2010-2007		513259	2		

SCION-FR-S

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure	
Strut Bumper Bellows					
2016-2013	(Original Equipment Type)	K201503	2		
	(Replacement Type, Design Allows Ease Of Installation)	K160285 ‡	2		
Strut Mount					
2016-2013	(Contains Bearing)	K9559	2		
Sway Bar Link					
2016-2013	(Design Allows Ease Of Installation)	K750668 ‡	2		
Wheel Hub & Bearing Assembly					
2016-2013		513352	2		
STEERING					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2016-2013		Left Outer	ES801270	1	
		Right Outer	ES801269	1	
		Inner	EV801210 ‡	2	

REAR SUSPENSION



R193

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2016-2013	Plus Or Minus 2 Degrees Camber And 1.5 Degree Fixed Toe, (Adjustable, R-Series)	Lower Rear	RK100136	2 R193
Control Arm with Ball Joint				
2016-2013	Plus Or Minus 3 Degree Toe, (Adjustable, Greaseable, R-Series)	Lower Front	RK100124	2 R193
Strut Bumper Bellows				
2016-2013	(Design Allows Ease Of Installation)		K160285 ‡	2 R193
Strut Mount				
2016-2013			K160378	2 R193
Sway Bar Link				
2016-2013	(Improves Upon OE Design)		K750486 ‡	2 R193
Wheel Hub & Bearing Assembly				
2016-2013			512401	2

iA-SCION

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2016			K201416	2
Sway Bar Link				
2016	(Greaseable Socket Reduces Corrosion/Wear)		K750820 ‡	2

STEERING

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2016		Inner	EV801327 ‡	2

iM-SCION

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2016	(Design Allows Ease Of Installation)	Lower	K500062 ‡	2
Control Arm				
2016	(R-Series)	Left Lower	RK641289	1
	(R-Series)	Right Lower	RK641288	1
Strut Bumper Bellows				
2016	(Replacement Type, Contains Bumper)		K90460	2
Strut Mount				
2016	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160265 ‡	2

SCION-iM (Cont.)

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2016	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750043 ‡	2	
Wheel Hub & Bearing Assembly				
2016		513257	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2016	(Design Allows Ease Of Installation)	Left Outer	ES800485 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800341 ‡	1
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2016	Plus Or Minus 2 Degree Camber, (Adjustable, R-Series)	Upper	RK100358	2
Shock Mount				
2016		K201681	2	
Sway Bar Bushing				
2016		To Frame	K201553	1
Sway Bar Link				
2016	(Improves Upon OE Design)		K750522 ‡	2
Wheel Hub & Bearing Assembly				
2016		512372	2	


SCION-iQ

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2015-2012	(Replacement Type, Contains Bumper)	K90460	2	
Sway Bar Link				
2015-2011	(Greaseable Socket Reduces Corrosion/Wear)	K750572 ‡	2	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2015-2012		K201682	2	
Wheel Hub & Bearing Assembly				
2015-2014		512522	2	
2013	Base Model	512522	2	
2012		512522	2	


SCION-iQ EV

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2013	(Replacement Type, Contains Bumper)	K90460	2	
Sway Bar Link				
2013	(Greaseable Socket Reduces Corrosion/Wear)	K750572 ‡	2	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2013		K201682	2	
Wheel Hub & Bearing Assembly				
2013	Base Model	512370	2	

FRONT SUSPENSION





F277



F422


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2016-2011	(Design Allows Ease Of Installation)	Lower	K500062 ‡	2 F422
2010-2005		Lower	K500040	2 F277
Control Arm				
2016-2011	(R-Series)	Left Lower	RK641289	1 F422
	(R-Series)	Right Lower	RK641288	1 F422
2010-2005	(Arm Only, Contains Bushings, R-Series)	Left Lower	RK640754	1 F277
	(Arm Only, Contains Bushings, R-Series)	Right Lower	RK640753	1 F277
Strut Bumper Bellows				
2016-2011	(Original Equipment Type)		K201416	2 F422
	(Replacement Type, Contains Bumper)		K90464	2 F422
Strut Mount				
2016-2011	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160315 ‡	2 F422
2010-2005	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160264 ‡	2 F277
Strut Spring Seat				
2010-2005	(Contains Isolators)	Upper	K160259 ‡	2 F277
Sway Bar Bushing				
2016-2011		To Frame	K201482	1 F422
2010-2005		Stabilizer To Frame	K201502	1 F277
Sway Bar Link				
2016-2011	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750043 ‡	2 F422
2010-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80230 ‡	2 F277
Wheel Hub & Bearing Assembly				
2016-2011	Automatic Transaxle		513257	2
	Manual Transaxle		513258	2

STEERING




Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2016-2011	(Design Allows Ease Of Installation)	Left Outer	ES800054 ‡	1 S185
	(Design Allows Ease Of Installation)	Right Outer	ES800053 ‡	1 S185
2010-2005	(Design Allows Ease Of Installation)	Left Outer	ES3654	1 S190
		Right Outer	ES3655	1 S190
		Inner	EV800096 ‡	2 S190

REAR SUSPENSION




Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2016-2011	Plus Or Minus 2 Degree Camber, (Adjustable, R-Series)	Upper	RK100358	2
2010-2005	Up To Plus Or Minus 3 Degrees Camber, (R-Series)	Upper	RK641843	2 R029
Shock Mount				
2016-2011			K201681	2

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Strut Bumper Bellows					
2010-2005	(Contains Bumper)	K90467	2	R029	
Strut Mounting Kit					
2010-2005		K160392	2	R029	
Sway Bar Bushing					
2016-2011		To Frame	K201553	1	
2010-2005	Automatic Transaxle	To Frame	K201659	1	R029
	Manual Transaxle	To Frame	K201653	1	R029
Sway Bar Link					
2016-2011	(Improves Upon OE Design)		K750522 ‡	2	
2010-2005	(Improves Upon OE Design)	Left	K750009 ‡	1	R029
	(Improves Upon OE Design)	Right	K750008 ‡	1	R029
Wheel Hub & Bearing Assembly					
2016-2011			512372	2	
2010-2005			512329	2	

FRONT SUSPENSION					
					
F422					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2015-2008	(Design Allows Ease Of Installation)	Lower	K500062 ‡	2	F422
Control Arm					
2015-2008	(R-Series)	Left Lower	RK641289	1	F422
	(R-Series)	Right Lower	RK641288	1	F422
Strut Bumper Bellows					
2015-2008	(Original Equipment Type)		K201415	2	F422
	(Replacement Type, Contains Bumper)		K90464	2	F422
Strut Mount					
2015-2008	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160265 ‡	2	F422
Sway Bar Bushing					
2015-2008		To Frame	K201279	1	F422
Sway Bar Link					
2015-2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750043 ‡	2	F422
Wheel Hub & Bearing Assembly					
2015-2008			513257	2	

SCION-xB (Cont.)

STEERING



S185


Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2015-2008	(Design Allows Ease Of Installation)	Left Outer	ES800485 ‡	1 S185
	(Design Allows Ease Of Installation)	Right Outer	ES800341 ‡	1 S185

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2015-2008		K201681	2	
Wheel Hub & Bearing Assembly				
2015-2008		512418	2	

SCION-xD

FRONT SUSPENSION



F434

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2014-2008	(Horizontal Mount)	Lower Front	K201307	2 F434
		Lower Rear Inner	K201351	2 F434
Control Arm with Ball Joint				
2014-2008	(R-Series)	Left Lower	RK620572	1 F434
	(R-Series)	Right Lower	RK620573	1 F434
Strut Bumper Bellows				
2014-2008	(Original Equipment Type)		K201416	2 F434
	(Replacement Type, Contains Bumper)		K90461	2 F434

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Mount				
2014-2008	(Contains Bearing And Upper Washer, Superior Rubber To Steel Bonding For Durability)	K160267 ‡	2	F434
Sway Bar Bushing				
2014-2008	To Frame	K201459	1	F434
Sway Bar Link				
2014-2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80879 ‡	2	F434
STEERING				
S185				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2014-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3306 ‡	2	S185
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2014-2008		K201682	2	
Wheel Hub & Bearing Assembly				
2014-2008		512425	2	

Fortwo-SMART

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2014-2005	(R-Series)	Lower RK641845	2	
Sway Bar Bushing				
2012-2008	(Reduces Noise)	To Frame K200728 ‡	1	
Sway Bar Link				
2016-2008	M10 - 1.5 Thread, (Ball Stud, Improves Upon OE Design)	K750570 ‡	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2015-2014		Outer ES801216	2	
2013-2012	Brabus, Passion, Pure	Outer ES801216	2	
2011-2008		Outer ES801216	2	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2014-2005	(R-Series)	Lower Rear RK641844	2	

SMART-Fortwo (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2016	Electric Drive	512473	2	
2015-2008		512473	2	

SRT-Viper

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2013	(Powdered Metal Gusher Brg. For Better Lubrication)	K750254 ‡	2	
Wheel Hub & Bearing Assembly				
2014-2013		513132	2	

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2014-2013		513109	2	

SUBARU-BRZ


FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2015-2013	(Original Equipment Type) (Replacement Type, Design Allows Ease Of Installation)	K201503 K160285 ‡	2 2	
Sway Bar Link				
2017-2013	(Design Allows Ease Of Installation)	K750668 ‡	2	
Wheel Hub & Bearing Assembly				
2017-2013		513352	2	

STEERING

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2017-2013		K150290	2	
Tie Rod End				
2017-2014	Right Outer	ES801269	1	
2017-2013	Left Outer Inner	ES801270 EV801210 ‡	1 2	

REAR SUSPENSION




REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2013	Plus Or Minus 2 Degrees Camber And 1.5 Degree Fixed Toe, (Adjustable, R-Series)	Lower Rear Lower Rear	RK643086 RK100136	2 2 R193
Control Arm with Ball Joint				
2017-2013	Plus Or Minus 3 Degree Toe, (Adjustable, Greaseable, R-Series)	Lower Front	RK100124	2 R193
Strut Bumper Bellows				
2017-2013	(Design Allows Ease Of Installation)		K160285 ‡	2 R193
Strut Mount				
2017-2013			K160378	2 R193
Sway Bar Link				
2017-2013	(Improves Upon OE Design)		K750486 ‡	2 R193
Wheel Hub & Bearing Assembly				
2016-2013			512401	2

Crosstrek-SUBARU


FRONT SUSPENSION				
F517				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2016	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K9513 ‡	2 F517
Control Arm Bushing				
2017-2016		Lower Rear	K201605	2 F517
Strut Bumper Bellows				
2016	(Replacement Type, Contains Bumper)		K90460	2 F517
Strut Mount				
2016	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160313 ‡	2 F517
Sway Bar Link				
2017-2016	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750084 ‡	2 F517
Wheel Hub & Bearing Assembly				
2018-2016			513413	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2016	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner	ES3712 ‡ EV800982 ‡	2 2

SUBARU-Crosstrek (Cont.)

REAR SUSPENSION




R152




R193

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2016	Plus Or Minus 2 Degrees Camber And 1.5 Degree Fixed Toe, (Adjustable, R-Series)	Lower Rear Lower Rear	2 2	R152 R193
Control Arm with Ball Joint				
2017-2016	Plus Or Minus 3 Degree Toe, (Adjustable, Greaseable, R-Series)	Lower Front	2	
Strut Bumper Bellows				
2016		K150274	2	R193
Strut Mount				
2016		K160378	2	R193
Sway Bar Link				
2017-2016	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750404 ‡	2	R193
Wheel Hub & Bearing Assembly				
2017-2016		512518	2	

FRONT SUSPENSION



F096



F333


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K9513 ‡	2 F333
2007-2002	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K9513 ‡	2 F096
Control Arm Bushing				
2015-2008		Lower Rear	K201605	2 F333
Control Arm with Ball Joint				
2007	WRX TR, (R-Series) WRX, WRX Limited, 4 Dr. Sedan, (R-Series)	Right Lower Right Lower	RK621928 RK621928	1 F096 1 F096
Strut Bumper Bellows				
2015	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F333
2014-2012	2.0i, 2.0i Limited, 2.0i Premium, 2.0i Sport Limited, 2.0i Sport Premium, WRX, WRX Limited, WRX Premium, (OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡ K201503	2 F333 2 F333
2011	2.5i, 2.5i Limited, 2.5i Premium, Outback Sport, WRX, WRX Limited, (OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F333
2011-2008	WRX STi		K201503	2 F333
2010	2.5 GT, 2.5i, 2.5i Limited, 2.5i Premium, Outback Sport, Sport, WRX, WRX Limited, WRX Premium, WRX265, (OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F333
2009	2.5 GT, 2.5i, 2.5i Premium, Outback Sport, Sport, WRX, WRX Premium, WRX265, (OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F333
2008	2.5i, Outback Sport, Sport, WRX, (OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F333
2007-2002	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F096
Strut Mount				
2015-2008	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160313 ‡	2 F333
2007-2002	(Contains Bearing)		K9559	2 F096

SUBARU–Impreza (Cont.)

FRONT SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2007-2002	19mm Sway Bar Diameter, (Split Design For Easier Installation) To Frame	K200635 ‡	1	F096
Sway Bar Link				
2015-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	K750049 ‡	2	F333
2007-2004	4 Dr. Sedan, (Powdered Metal Gusher Brg. For Better Lubrication)	K750049 ‡	2	F096
2007-2002	4 Dr. Station Wagon, (Design Allows Ease Of Installation)	K80693 ‡	2	F096
Wheel Hub & Bearing Assembly				
2018		513413	2	
2016-2015		513413	2	
2014	1995cc(2.0L), From 1/15/14 1995cc(2.0L), Thru 1/14/14 2457cc(2.5L), WRX, WRX Limited, WRX Premium	513413 513303 513303	2 2 2	
2014-2012	WRX STi, WRX STi Limited	513302	2	
2013	2.0i, 2.0i Limited, 2.0i Premium, 2.0i Sport Limited, 2.0i Sport Premium, WRX, WRX Limited	513303	2	
2012	2.0i, 2.0i Limited, 2.0i Premium, 2.0i Sport Limited, 2.0i Sport Premium, WRX	513303	2	
2011	2.5i, 2.5i Limited, 2.5i Premium, Outback Sport, WRX, WRX Limited	513303	2	
2011-2008	WRX STi	513302	2	
2010	2.5 GT, 2.5i, 2.5i Limited, 2.5i Premium, Outback Sport, Sport, WRX, WRX Limited, WRX Premium, WRX265	513303	2	
2009	2.5 GT, 2.5i, Outback Sport, Sport, WRX, WRX Premium, WRX265 2.5i Premium	513303 513302 513303	2 2 2	
2008	2.5i, Outback Sport, Sport, WRX	513303	2	
2007	2.5i SE, WRX STi, WRX STi Limited WRX Limited, WRX TR	513302 513358	2 2	
2006-2004	WRX STi	513302	2	

STEERING




S214


STEERING (Cont.)



S220



S435



S436


Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2014	WRX, WRX Limited, WRX Premium, WRX STi, WRX STi Limited	Right	K150281	1	S435
2013-2012		Right	K150281	1	S435, S436
2011-2008		Right	K150281	1	S220
2007		Right	K150281	1	S214
Tie Rod End					
2018-2017	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800982 ‡	2	

SUBARU-Impreza (Cont.)


STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2016-2015	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES3712 ‡ EV801185 ‡	2 2 S436 S436
2014-2012	(Powdered Metal Gusher Brg. For Better Lubrication) 1995cc(2.0L), (Powdered Metal Gusher Brg. For Better Lubrication) 2457cc(2.5L), (Design Allows Ease Of Installation)	Outer Inner Inner	ES3712 ‡ EV801185 ‡ EV800360 ‡	2 2 2 S435, S436 S436 S435
2011-2010	Naturally Aspirated, (Design Allows Ease Of Installation) Turbocharged/Intercooled, (Design Allows Ease Of Installation)	Inner Inner	EV800049 ‡ EV800360 ‡	2 2 S220 S220
2011-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3712 ‡	2 S220
2009	2.5 GT, 2.5i, 2.5i Premium, Outback Sport, Sport, WRX, WRX Premium, WRX265, (Design Allows Ease Of Installation)	Ease Inner	EV800049 ‡	2 S220
2009-2008	WRX STi, (Design Allows Ease Of Installation)	Inner	EV800360 ‡	2 S220
2008	2.5i, Outback Sport, Sport, WRX, (Design Allows Ease Of Installation)	Inner	EV800049 ‡	2 S220
2007-2005	(Design Allows Ease Of Installation)	Inner	EV800049 ‡	2 S214
2007-2002	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3712 ‡	2 S214

REAR SUSPENSION




R109




R110


REAR SUSPENSION (Cont.)



R152



R234




R236

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2016-2013		Lower Rear	RK643086	2	R234, R236
2016-2012	Plus Or Minus 2 Degrees Camber And 1.5 Degree Fixed Toe, (Adjustable, R-Series)	Lower Rear	RK100136	2	R234, R236
2011-2008	Plus Or Minus 2 Degrees Camber And 1.5 Degree Fixed Toe, (Adjustable, R-Series)	Lower Rear	RK100136	2	R152
2007	2.5i, 2.5i SE, WRX, 4 Dr. Sedan, (R-Series) WRX Limited, WRX TR, (R-Series)	Lower Front	RK642837	2	R109
		Lower Front	RK642837	2	R109
2007-2006	2.5i, WRX, 4 Dr. Station Wagon, (R-Series)	Right Rear Lower	RK642481	1	R109

SUBARU–Impreza (Cont.)

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2007-2004	Outback Sport, (R-Series)	Right Rear Lower	RK642481	1	R109
2007-2002	Plus Or Minus 1-1/2 Degree Camber/Toe, (Contains Front And Rear Arms, R-Series) 4 Dr. Station Wagon, (Lateral Link, R-Series) 4 Dr. Station Wagon, (Lateral Link, R-Series)	Lower	RK641841	2	R109
		Left Rear	RK642902	1	R109
		Right Rear	RK642898	1	R109
2006	2.5i, 4 Dr. Sedan, (R-Series)	Lower Front	RK642837	2	R109
Control Arm with Ball Joint					
2016-2012	Plus Or Minus 3 Degree Toe, (Adjustable, Greaseable, R-Series)	Lower Front	RK100124	2	R234, R236
2011-2008	Plus Or Minus 3 Degree Toe, (Adjustable, Greaseable, R-Series)	Lower Front	RK100124	2	R152
Strut Bumper Bellows					
2014-2012	2.0i, 2.0i Limited, 2.0i Premium, 2.0i Sport Limited, 2.0i Sport Premium WRX, WRX Limited, WRX Premium, WRX STi, WRX STi Limited		K150274	2	R236
			K201554	2	R234
2011-2008			K201554	2	R152
2007-2004	(Contains Bumper)		K90461	2	R109, R110
Strut Mount					
2015-2012			K160378	2	R234, R236
2011-2008			K160378	2	R152
2007-2004	(Contains Insulator)		K90657	2	R109, R110
Sway Bar Bushing					
2007-2006	17mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200816 ‡	1	R109, R110
2007-2005	13mm Sway Bar Diameter, (Split Design For Easier Installation) 19mm To 20mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200815 ‡	1	R109, R110
		To Frame	K200817 ‡	1	R109, R110
Sway Bar Link					
2016-2012	(Improves Upon OE Design)		K750486 ‡	2	R234, R236
2011	WRX, WRX Limited, WRX STi, (Improves Upon OE Design)		K750486 ‡	2	R152
2010-2008	(Improves Upon OE Design)		K750486 ‡	2	R152
2007	2.5i, 2.5i SE, Outback Sport, WRX, WRX Limited, WRX TR WRX STi, WRX STi Limited, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80875	2	R109
			K750041 ‡	2	R110
2006	2.5i, Outback Sport, WRX, WRX Limited, WRX TR		K80875	2	R109
2006-2004	WRX STi, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750041 ‡	2	R110
2005-2004	Outback Sport		K80875	2	R109
Wheel Hub & Bearing Assembly					
2016-2015			512518	2	
2014	WRX STi, WRX STi Limited WRX, WRX Limited, WRX Premium		512401	2	
			512402	2	
2014-2013	2.0i, 2.0i Limited, 2.0i Premium, 2.0i Sport Limited, 2.0i Sport Premium		512518	2	
2013	WRX, WRX Limited, WRX Premium, WRX STi, WRX STi Limited		512401	2	
2012	2.0i, 2.0i Limited, 2.0i Premium WRX, WRX Limited, WRX STi Limited		512518	2	
			512401	2	
2011	2.5i, 2.5i Limited, 2.5i Premium, Outback Sport, WRX, WRX Limited		512401	2	
2010	2.5 GT, 2.5i, 2.5i Limited, 2.5i Premium, Outback Sport, Sport, WRX, WRX Limited, WRX Premium, WRX265 Sport, WRX STi, WRX265, (Optional)		512401	2	
			512402	2	
2009	2.5 GT, 2.5i, 2.5i Premium, Outback Sport, Sport, WRX, WRX Premium, WRX265 2.5i Premium, WRX STi, WRX265, (Optional)		512401	2	
			512402	2	
2008	2.5i, Outback Sport, Sport, WRX WRX STi, (Optional)		512401	2	
			512402	2	

FRONT SUSPENSION




F333

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K9513 ‡	2 F333
Control Arm				
2009	2.5 GT LTD., 2.5i, 2.5i LTD., 2.5i SE, 3.0R, 3.0R Limited, (R-Series)	Left Lower	RK622031	1 F333
	2.5 GT LTD., 2.5i, 2.5i LTD., 2.5i SE, 3.0R, 3.0R Limited, (R-Series)	Right Lower	RK622030	1 F333
2008	2.5 GT, 2.5 GT LTD., 2.5i, 2.5i LTD., 2.5i SE, 3.0R Limited, (R-Series)	Left Lower	RK622031	1 F333
	2.5 GT, 2.5 GT LTD., 2.5i, 2.5i LTD., 2.5i SE, 3.0R Limited, (R-Series)	Right Lower	RK622030	1 F333
2007	2.5 GT, 2.5 GT LTD., 2.5i, 2.5i LTD., 2.5i SE, (R-Series)	Left Lower	RK622031	1 F333
	2.5 GT, 2.5 GT LTD., 2.5i, 2.5i LTD., 2.5i SE, (R-Series)	Right Lower	RK622030	1 F333
2006	2.5 GT LTD., 2.5i, 2.5i LTD., (R-Series)	Left Lower	RK622031	1 F333
	2.5 GT LTD., 2.5i, 2.5i LTD., (R-Series)	Right Lower	RK622030	1 F333
Control Arm Bushing				
2009	2.5 GT LTD., 2.5 GT Spec. B, 2.5i, 2.5i LTD., 2.5i SE, 3.0R, 3.0R Limited	Lower Rear	K201605	2 F333
	2.5 GT LTD., 2.5i, 2.5i LTD., 2.5i SE, 3.0R, 3.0R Limited	Lower Front	K201604	2 F333
2008	2.5 GT LTD., 2.5 GT Spec. B, 2.5i, 2.5i LTD., 2.5i SE, 3.0R Limited	Lower Rear	K201605	2 F333
	2.5 GT LTD., 2.5i, 2.5i LTD., 2.5i SE, 3.0R Limited	Lower Front	K201604	2 F333
2007	2.5 GT, 2.5 GT LTD., 2.5 GT Spec. B, 2.5i, 2.5i LTD., 2.5i SE	Lower Rear	K201605	2 F333
	2.5 GT, 2.5 GT LTD., 2.5i, 2.5i LTD., 2.5i SE	Lower Front	K201604	2 F333
2006	2.5 GT LTD., 2.5 GT Spec. B, 2.5i, 2.5i LTD.	Lower Rear	K201605	2 F333
	2.5 GT LTD., 2.5i, 2.5i LTD.	Lower Front	K201604	2 F333
Strut Bumper Bellows				
2016-2008	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F333
2007-2005	(Replacement Type, Contains Bumper)		K90460	2 F333
Strut Mount				
2016-2010	(Contains Bearing)		K9559	2 F333
2009-2005	Except Sport Suspension, (Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160313 ‡	2 F333
Sway Bar Bushing				
2009	2.5 GT LTD., 3.0R, (Split Design For Easier Installation)	To Frame	K200813 ‡	1 F333
Sway Bar Link				
2014-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750422 ‡	2 F333
2009-2005	(Powdered Metal Gusher Brg. For Better Lubrication)		K750049 ‡	2 F333
Wheel Hub & Bearing Assembly				
2018-2015			513302	2
2014-2005			513220	2

SUBARU-Legacy (Cont.)


STEERING



S220

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2009-2005		K150281	2	S220	
Tie Rod End					
2018-2015	(Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES801218 ES801217 EV800513 ‡	1 1 2	S220 S220 S220
2014-2010	(Design Allows Ease Of Installation)	Inner	EV800049 ‡	2	S220
2014-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3712 ‡	2	S220
2009-2005	(Design Allows Ease Of Installation)	Inner	EV800051 ‡	2	S220

REAR SUSPENSION




R152

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2017-2015	Plus Or Minus 2 Degrees Camber And 1.5 Degree Fixed Toe, (Adjustable, R-Series)	Lower Rear	RK100136	2	
2014-2010	Plus Or Minus 2 Degrees Camber And 1.5 Degree Fixed Toe, (Adjustable, R-Series)	Lower Rear	RK100136	2	R152
2009-2005		Lower Rear	RK643085	2	
Control Arm with Ball Joint					
2018-2015	Plus Or Minus 3 Degree Toe, (Adjustable, Greaseable, R-Series)	Lower Front	RK100124	1	
2014-2010	Plus Or Minus 3 Degree Toe, (Adjustable, Greaseable, R-Series)	Lower Front	RK100124	2	R152
Strut Bumper Bellows					
2016-2015			K201554	2	
2014-2010			K201554	2	R152
2009-2005	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2	

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Mount				
2014-2013		K160378	2	R152
2012-2010		K160377	2	R152
2009-2005	(Bearing Not Included, Contains Spring Seat)	K90329	2	
Sway Bar Bushing				
2009	2.5 GT LTD., 3.0R, (Split Design For Easier Installation)	To Frame	K200813 ‡	1
2008-2005	16mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200813 ‡	1
Sway Bar Link				
2018-2015	(Improves Upon OE Design)		K750486 ‡	2
2014-2010	(Improves Upon OE Design)		K750486 ‡	2
2009-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750023 ‡	2
Wheel Hub & Bearing Assembly				
2018-2015			512536	2
2014-2010			512401	2
2009-2005			512293	2

Outback-SUBARU


FRONT SUSPENSION				
				
F333				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K9513 ‡	2
Control Arm				
2009-2005	(R-Series)	Left Lower	RK622031	1
	(R-Series)	Right Lower	RK622030	1
Control Arm Bushing				
2009-2007		Lower Rear	K201605	2
		Lower Front	K201604	2
Strut Bumper Bellows				
2016-2008	(Replacement Type, Contains Bumper)		K90460	2
2014-2005	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2
Strut Mount				
2016-2010	(Contains Bearing)		K9559	2
2009-2005	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160313 ‡	2
Strut Spring Seat				
2014-2010	(Contains Insulator, Reduces Noise)	Upper	K160246 ‡	2
Sway Bar Link				
2014-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750084 ‡	2
2009-2005	(Powdered Metal Gusher Brg. For Better Lubrication)		K750049 ‡	2
Wheel Hub & Bearing Assembly				
2018-2015			513302	2

SUBARU-Outback (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2014-2005		513220	2	


STEERING



S220

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2018-2015	(Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES801218 ES801217 EV800513 ‡	1 1 2	S220 S220 S220
2014-2010	(Design Allows Ease Of Installation)	Inner	EV800049 ‡	2	S220
2014-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3712 ‡	2	S220
2009-2005	(Design Allows Ease Of Installation)	Inner	EV800051 ‡	2	S220

REAR SUSPENSION



R152

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2017-2010	Plus Or Minus 2 Degrees Camber And 1.5 Degree Fixed Toe, (Adjustable, R-Series)	Lower Rear	RK100136	2	R152
2009-2002		Lower Rear	RK643085	2	
Control Arm with Ball Joint					
2018	Plus Or Minus 3 Degree Toe, (Adjustable, Greaseable, R-Series)	Lower Front	RK100124	1	
2017-2010	Plus Or Minus 3 Degree Toe, (Adjustable, Greaseable, R-Series)	Lower Front	RK100124	2	R152
Strut Bumper Bellows					
2016-2010			K201554	2	R152
2009-2002	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2	


REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Mount				
2014-2013		K160378	2	R152
2012-2010		K160377	2	R152
2009-2002	(Bearing Not Included, Contains Spring Seat)	K90329	2	
Sway Bar Link				
2018	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750404 ‡	1	
2017-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750404 ‡	2	R152
2009-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750023 ‡	2	
Trailing Link Bushing				
2007-2002		K201705	2	
Wheel Hub & Bearing Assembly				
2018-2015		512536	2	
2014-2010		512401	2	
2009-2005		512293	2	

WRX-SUBARU


FRONT SUSPENSION				
F333				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2013	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower K9513 ‡	2	F333
Control Arm Bushing				
2014-2013		Lower Rear K201605	2	F333
Strut Bumper Bellows				
2015	Base Model, Limited, Premium, Sport, (OE Material For Strut Performance And Longevity, Contains Bumper)	K90462 ‡	2	F333
	STi, STi Limited, STi Launch Edition, STi Sport	K201503	2	F333
2014-2013	Base Model, Limited, (OE Material For Strut Performance And Longevity, Contains Bumper)	K90462 ‡	2	F333
	STi Sport-tech, STi	K201503	2	F333
Strut Mount				
2015-2013	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160313 ‡	2	F333
Sway Bar Link				
2018-2015	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750084 ‡	1	F333
2014-2013	(Powdered Metal Gusher Brg. For Better Lubrication)	K750049 ‡	2	F333
Wheel Hub & Bearing Assembly				
2018-2015		513358	2	
2014	2457cc(2.5L), Base Model, Limited	513303	2	
2014-2013	STi Sport-tech, STi	513302	2	
2013	Base Model, Limited	513303	2	

SUBARU-WRX (Cont.)

STEERING




S435




S436

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2018		Right	K150281	1
2017-2016	2457cc(2.5L)	Right	K150281	1
2014	Base Model, Limited, STI Sport-tech, STI	Right	K150281	1 S435
2013		Right	K150281	1 S435, S436
Tie Rod End				
2018-2016	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3712 ‡	2
	1998cc(2.0L), (Design Allows Ease Of Installation)	Inner	EV800513 ‡	2
	2457cc(2.5L), (Design Allows Ease Of Installation)	Inner	EV800360 ‡	2
2015	Base Model, Limited, Premium, Sport, (Design Allows Ease Of Installation)	Inner	EV800513 ‡	2
	STI, STI Limited, STI Launch Edition, STI Sport, (Design Allows Ease Of Installation)	Inner	EV800360 ‡	2
	1998cc(2.0L), (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3712 ‡	2
2014-2013	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3712 ‡	2 S435, S436
	2457cc(2.5L), (Design Allows Ease Of Installation)	Inner	EV800360 ‡	2 S435

REAR SUSPENSION



R152




R193

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2015	Plus Or Minus 2 Degrees Camber And 1.5 Degree Fixed Toe, (Adjustable, R-Series)	Lower Rear	RK100136	2 R193
2014-2013	Plus Or Minus 2 Degrees Camber And 1.5 Degree Fixed Toe, (Adjustable, R-Series)	Lower Rear	RK643086	2
		Lower Rear	RK100136	2 R152
Control Arm with Ball Joint				
2017-2015	Plus Or Minus 3 Degree Toe, (Adjustable, Greaseable, R-Series)	Lower Front	RK100124	2 R193
2014-2013	Plus Or Minus 3 Degree Toe, (Adjustable, Greaseable, R-Series)	Lower Front	RK100124	2 R152
Strut Bumper Bellows				
2015	(Design Allows Ease Of Installation)	K160285 ‡	2	R193
2014-2013	Base Model, Limited, STI Sport-tech, STI	K201554	2	
Strut Mount				
2015		K160378	2	R193
2014-2013		K160378	2	R152
Sway Bar Link				
2018-2015	(Improves Upon OE Design)	K750486 ‡	1	R193
2014-2013	(Improves Upon OE Design)	K750486 ‡	2	R152
Wheel Hub & Bearing Assembly				
2018	STI, STI Limited	513358	2	
2018-2017	Base Model, Limited, Premium, Sport	512536	2	
2017	STI, STI Limited, STI Sport	513358	2	
2016-2015		512536	2	
2014	Base Model, Limited	512402	2	
	STI Sport-tech, STI	512401	2	
2013	Base Model, Limited, STI Sport-tech, STI	512401	2	

SUBARU-XV Crosstrek

FRONT SUSPENSION




F517

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2015-2013	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K9513 ‡	2	F517
Control Arm Bushing					
2015-2013		Lower Rear	K201605	2	F517
Strut Bumper Bellows					
2015-2013	(Replacement Type, Contains Bumper)		K90460	2	F517
Strut Mount					
2015-2013	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160313 ‡	2	F517
Sway Bar Link					
2015-2013	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750084 ‡	2	F517
Wheel Hub & Bearing Assembly					
2015			513413	2	
2014	From 1/15/14 Thru 1/14/14		513413 513303	2 2	
2013			513303	2	

STEERING


Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2015-2013	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner	ES3712 ‡ EV800982 ‡	2 2	

REAR SUSPENSION



R152

REAR SUSPENSION (Cont.)




R193

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2015-2013	Plus Or Minus 2 Degrees Camber And 1.5 Degree Fixed Toe, (Adjustable, R-Series)	Lower Rear Lower Rear	RK643086 RK100136	2 2	R152 R193
Control Arm with Ball Joint					
2015-2013	Plus Or Minus 3 Degree Toe, (Adjustable, Greaseable, R-Series)	Lower Front	RK100124	2	R193
Strut Bumper Bellows					
2015-2013			K150274	2	R193
Strut Mount					
2015-2013			K160378	2	R193
Sway Bar Link					
2015-2013	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750404 ‡	2	R193
Wheel Hub & Bearing Assembly					
2015-2013			512518	2	

Aerio-SUZUKI

FRONT SUSPENSION



F323

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2007-2004	(R-Series) (R-Series)	Left Lower Right Lower	RK621297 RK621296	1 1	F323 F323
Strut Bumper Bellows					
2007	(Replacement Type, Contains Bumper)		K90460	2	F323


SUZUKI-Aerio (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Strut Mount				
2007-2004	(Contains Bearing)	K160361	2	F323
Sway Bar Link				
2007-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750060 ‡	2	F323
Sway Bar Repair Kit				
2007-2004		K90128	2	F323
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2007-2004	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Outer Inner	ES800472 ‡ EV800440 ‡	2 2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2007-2006	(R-Series) (R-Series)	Lower Rear Lower Front	RK642091 RK642090	2 2
Strut Bumper Bellows				
2007-2006	(Replacement Type, Contains Bumper)	K90460	2	
Strut Mount				
2007-2004	(Bearing Not Included)	K160026	2	
Sway Bar Bushing				
2007-2004	Front Wheel Drive, (Split Design For Easier Installation)	To Frame	K200809 ‡	1
Sway Bar Link				
2007-2004	(Powdered Metal Gusher Brg. For Better Lubrication)	K750149 ‡	2	
Wheel Hub & Bearing Assembly				
2007-2006	Front Wheel Drive	512424	2	

SUZUKI-Foreza

FRONT SUSPENSION



F347


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2008-2006	(Design Allows Ease Of Installation)	Lower	K500090 ‡	2 F347
Control Arm with Ball Joint				
2008-2006	(R-Series) (R-Series)	Left Lower Right Lower	RK641517 RK641518	1 1 F347 F347
Strut Bumper Bellows				
2008-2006	(Replacement Type, Contains Bumper)	K90460	2	F347

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2008-2006	4 Dr. Sedan, (Split Design For Easier Installation)	To Frame	K200634 ‡	1 F347
Sway Bar Link				
2008-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750040 ‡	1 F347
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750039 ‡	1 F347
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2008-2006		Left Outer	ES800057	1
		Right Outer	ES800052	1
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800294 ‡	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2008-2006	(Contains Bumper)		K90461	2
Sway Bar Bushing				
2008-2006	(Split Design For Easier Installation)	To Frame	K200811 ‡	1
Sway Bar Link				
2008-2006	9.965" Overall Length, (Powdered Metal Gusher Brg. For Better Lubrication)		K750089 ‡	2
Wheel Hub & Bearing Assembly				
2008-2007			512316	2

Kizashi-SUZUKI

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2013-2010	(Replacement Type, Contains Bumper)		K90460	2
Sway Bar Link				
2013-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750060 ‡	2
Wheel Hub & Bearing Assembly				
2013-2010			513333	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2013-2010			K201554	2
Sway Bar Link				
2013-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80299 ‡	2
Wheel Hub & Bearing Assembly				
2013-2010	All Wheel Drive		513290	2
	Front Wheel Drive		512487	2

FRONT SUSPENSION



F347

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2008-2006	(Design Allows Ease Of Installation)	Lower	K500090 ‡	2	F347
Control Arm with Ball Joint					
2008-2006	(R-Series)	Left Lower	RK641517	1	F347
	(R-Series)	Right Lower	RK641518	1	F347
Strut Bumper Bellows					
2008-2006	(Replacement Type, Contains Bumper)		K90460	2	F347
Sway Bar Bushing					
2008-2006	(Split Design For Easier Installation)	To Frame	K200634 ‡	1	F347
Sway Bar Link					
2008-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750040 ‡	1	F347
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750039 ‡	1	F347


STEERING

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2008-2006		Left Outer	ES800057	1	
		Right Outer	ES800052	1	
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800294 ‡	2	

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure	
Strut Bumper Bellows					
2008-2006	(Contains Bumper)		K90461	2	
Sway Bar Bushing					
2008-2006	(Split Design For Easier Installation)	To Frame	K200811 ‡	1	
Sway Bar Link					
2008-2006	9.965" Overall Length, (Powdered Metal Gusher Brg. For Better Lubrication)		K750089 ‡	2	
Wheel Hub & Bearing Assembly					
2008-2006	4 Wheel ABS		512316	2	
	Non ABS		512317	2	

FRONT SUSPENSION




F257

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2010-2004		Lower K500034	2	F257
Control Arm with Ball Joint				
2009-2004	(Contains Bushings, R-Series) (R-Series)	Left Lower RK620164 Right Lower RK620165	1 1	F257 F257
Strut Bumper Bellows				
2009-2004	(Replacement Type, Contains Bumper)	K90460	2	F257
Strut Mount				
2009-2004	(Contains Bearing)	K80907	2	F257
Sway Bar Link				
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	K750011 ‡	2	F257
STEERING				
Tie Rod End				
2010-2004		Left Outer ES800033 Right Outer ES800034	1 1	
2009-2004	(Design Allows Ease Of Installation)	Inner EV800577 ‡	2	
REAR SUSPENSION				
Shock Mount				
2009-2004		K80908	2	
Strut Bumper Bellows				
2009-2004	(Replacement Type, Contains Bumper)	K90466	2	
Wheel Hub & Bearing Assembly				
2009-2008		541009	2	
2007-2004		541010	2	

SUZUKI-SX4

FRONT SUSPENSION



F348

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2013-2007	(R-Series)	Left Lower	RK620577	1	F348
	(R-Series)	Right Lower	RK620576	1	F348
Strut Bumper Bellows					
2013-2007	(Replacement Type, Contains Bumper)		K90460	2	F348
Strut Mount					
2013-2007	(Contains Bearing And Retainers)		K160359	2	F348
Sway Bar Link					
2013-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750060 ‡	2	F348

STEERING

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2013-2007	(Design Allows Ease Of Installation)	Outer	ES800363 ‡	2	
	16mm Coarse Thread, (Design Allows Ease Of Installation)	Inner	EV800714 ‡	2	

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure	
Wheel Hub & Bearing Assembly					
2013-2008	Front Wheel Drive		512486	2	
2013-2007	All Wheel Drive		512393	2	

TOYOTA-86


FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure	
Strut Bumper Bellows					
2017	(Replacement Type)		K201503	2	
	(Replacement Type, Design Allows Ease Of Installation)		K160285 ‡	2	
Strut Mount					
2017	(Contains Bearing)		K9559	2	
Sway Bar Link					
2019-2017	(Design Allows Ease Of Installation)		K750668 ‡	2	
Wheel Hub & Bearing Assembly					
2019-2017			513352	2	

STEERING

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2019-2017		Left Outer	ES801270	1	
		Right Outer	ES801269	1	
		Inner	EV801210 ‡	2	

REAR SUSPENSION




R193

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017	Plus Or Minus 2 Degrees Camber And 1.5 Degree Fixed Toe, (Adjustable, R-Series)	Lower Rear	RK100136	2 R193
Strut Bumper Bellows				
2017	(Design Allows Ease Of Installation)		K160285 ‡	2 R193
Strut Mount				
2017			K160378	2 R193
Sway Bar Link				
2019-2017	(Improves Upon OE Design)		K750486 ‡	2 R193
Wheel Hub & Bearing Assembly				
2019-2017			512401	2

Avalon-TOYOTA

FRONT SUSPENSION



F034


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2005	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Lower Right Lower	K500044 ‡ K500043 ‡	1 F034 1 F034
Control Arm Bushing				
2018-2013	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear Lower Rear	K201640 K200912 ‡	2 F034 2 F034
Control Arm with Ball Joint				
2018-2005	(R-Series) (R-Series)	Left Lower Right Lower	RK621477 RK621476	1 F034 1 F034

TOYOTA-Avalon (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Strut and Spring Assembly					
2012-2007		Left Right	ST8624L ST8624R	1 1	F034 F034
Strut Bumper Bellows					
2017-2005	(Contains Bumper)		K90461	2	F034
Strut Mount					
2017-2013	(Contains Bearing)		K160434	2	F034
2012-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160263 ‡	2	F034
Strut Spring Seat					
2015-2005	(Contains Insulator)	Upper	K160014	2	F034
2012-2005	(Reduces Noise)	Lower	K160251 ‡	2	F034
Sway Bar Bushing					
2018-2013	(Split Design For Easier Installation)	To Frame	K200617 ‡	1	F034
2012-2005		To Frame	K90526	1	F034
Sway Bar Link					
2018-2013	(Powdered Metal Gusher Brg. For Better Lubrication)		K750123 ‡	2	F034
2012-2005	(Powdered Metal Gusher Brg. For Better Lubrication)		K90344 ‡	2	F034

STEERING



S034




S035

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2013	(Design Allows Ease Of Installation)		K150286 ‡	2	S035
2012-2005	(Design Allows Ease Of Installation)		K150286 ‡	2	S034
Tie Rod End					
2018-2013	(Design Allows Ease Of Installation)	Left Outer	ES800931 ‡	1	S035

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2013 (Cont.)	(Design Allows Ease Of Installation)	Right Outer	ES800930 ‡	1 S035
2012-2005	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer Right Outer Inner	ES80603 ‡ ES80602 ‡ EV800085 ‡	1 S034 1 S034 2 S034
REAR SUSPENSION				
R024				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2018-2015	(Adjustable, R-Series)	Left Rear Lower	RK643058	1
2018-2013	(R-Series) Hybrid XLE, XLE, Except High Intensity Discharge Headlights, (Adjustable, R-Series)	Lower Front Right Rear Lower	RK642840 RK643058	2 1
2012-2005	(Adjustable, R-Series) (Non-Adjustable, R-Series) (Adjustable, R-Series) (Adjustable, R-Series)	Lower Rear Lower Front Left Rear Lower Right Rear Lower	RK641864 RK642027 RK642299 RK642306	2 R024 2 R024 1 R024 1 R024
Strut and Spring Assembly				
2012-2008		Left Right	ST8625L ST8625R	1 R024 1 R024
Strut Bumper Bellows				
2012-2005	(Replacement Type, Contains Bumper)		K90460	2 R024
Sway Bar Bushing				
2012-2007	(Reduces Noise)	To Frame	K200751 ‡	1 R024
Sway Bar Link				
2018-2013	(Powdered Metal Gusher Brg. For Better Lubrication)		K90345 ‡	2
2012-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K750011 ‡	2 R024
Trailing Link				
2018-2013	(R-Series)		RK642958	2
2012-2005	(R-Series)		RK641934	2 R024
Wheel Hub & Bearing Assembly				
2018-2013		Left Right	512454 512455	1 1
2012-2005		Left Right	512206 512207	1 1

FRONT SUSPENSION




F034

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2007	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Lower Right Lower	K500044 ‡ K500043 ‡	1 1 F034 F034
Control Arm				
2011-2007	Japan Built - 1st Digit Of VIN J, (R-Series) Japan Built - 1st Digit Of VIN J, (R-Series)	Left Lower Right Lower	RK642726 RK642725	1 1 F034 F034
Control Arm Bushing				
2017-2007		Lower Rear	K201640	2 F034
2017-2002	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear	K200912 ‡	2 F034
2012-2007	(High Quality Elastomer For Durability And Performance) (High Quality Elastomer For Durability And Performance)	Lower Rear Lower Front	K200780 ‡ K200781 ‡	2 2 F034 F034
Control Arm with Ball Joint				
2017-2012	(R-Series) (R-Series)	Left Lower Right Lower	RK621477 RK621476	1 1 F034 F034
2011-2007	North American Built - 1st Digit Of VIN 1, 2 Or 4, (R-Series) North American Built - 1st Digit Of VIN 1, 2 Or 4, (R-Series)	Left Lower Right Lower	RK621477 RK621476	1 1 F034 F034
Strut and Spring Assembly				
2011-2010	2494cc(2.5L) 2494cc(2.5L)	Left Right	ST8634L ST8634R	1 1 F034 F034
2011-2007	2362cc(2.4L) 2362cc(2.4L) 3456cc(3.5L) 3456cc(3.5L)	Left Right Left Right	ST8634L ST8634R ST8624L ST8624R	1 1 1 1 F034 F034 F034 F034
Strut Bumper Bellows				
2017-2002	(Contains Bumper)		K90461	2 F034
Strut Mount				
2017-2012	(Contains Bearing)		K160434	2 F034
2011-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160263 ‡	2 F034
Strut Spring Seat				
2015-2002	(Contains Insulator)	Upper	K160014	2 F034
2011-2004	(Reduces Noise)	Lower	K160251 ‡	2 F034
Sway Bar Bushing				
2017	Hybrid SE, SE, XLE, XSE, (Split Design For Easier Installation)	To Frame	K200617 ‡	1 F034
2017-2015	Hybrid LE, Hybrid XLE	To Frame	K90526	1 F034
2016	Hybrid SE, LE, SE, SE Special Edition, XLE, XSE, (Split Design For Easier Installation)	To Frame	K200617 ‡	1 F034
2015	Hybrid SE, L, LE, SE, XLE, XSE, (Split Design For Easier Installation)	To Frame	K200617 ‡	1 F034
2014	Hybrid LE, Hybrid SE, Hybrid XLE	To Frame	K90526	1 F034
2014-2012	L, LE, SE, XLE, (Split Design For Easier Installation)	To Frame	K200617 ‡	1 F034
2013-2012	Hybrid LE, Hybrid XLE	To Frame	K90526	1 F034
2011-2009	Base Model, Hybrid, LE, XLE, North American Built - 1st Digit Of VIN 1, 2 Or 4 SE, North American Built - 1st Digit Of VIN 1, 2 Or 4, (Split Design For Easier Installation)	To Frame To Frame	K90526 K200617 ‡	1 1 F034 F034
2011-2007	Japan Built - 1st Digit Of VIN J	To Frame	K90526	1 F034
2008	Base Model, SE, North American Built - 1st Digit Of VIN 1, 2 Or 4, (Split Design For Easier Installation)	To Frame	K200617 ‡	1 F034

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2008-2007	Hybrid, LE, XLE, North American Built - 1st Digit Of VIN 1, 2 Or 4 To Frame	K90526	1	F034
2007	CE, SE, North American Built - 1st Digit Of VIN 1, 2 Or 4, (Split Design For Easier Installation) To Frame	K200617 ‡	1	F034
Sway Bar Link				
2016-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	K750123 ‡	2	F034


STEERING



S035

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2014-2007	(Design Allows Ease Of Installation)	K150272 ‡	2	S035	
Tie Rod End					
2017-2012	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800931 ‡ ES800930 ‡	1 1	S035 S035
2011-2008	Base Model, LE, SE, XLE, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800085 ‡	2	S035
2011-2007	Hybrid, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800306 ‡	2	S035
2011-2004	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES80603 ‡ ES80602 ‡	1 1	S035 S035
2007	CE, LE, SE, XLE, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800085 ‡	2	S035

REAR SUSPENSION



R024

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2017	Hybrid LE, Hybrid XLE, XLE, (R-Series) Hybrid SE, SE, XSE, (R-Series)	Lower Front Lower Front	RK642986 RK642840	2 2	R024


TOYOTA-Camry (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2015	(Adjustable, R-Series) 2494cc(2.5L), (Adjustable, R-Series)	Left Rear Lower Right Rear Lower	RK643058 RK643058	1 1
2016	Hybrid LE, Hybrid XLE, LE, XLE, (R-Series) Hybrid SE, SE, SE Special Edition, XSE, (R-Series)	Lower Front Lower Front	RK642986 RK642840	2 2
2015	Hybrid SE, SE, XSE, (R-Series)	Lower Front	RK642840	2
2015-2012	Hybrid LE, Hybrid XLE, L, LE, XLE, (R-Series)	Lower Front	RK642986	2
2014	Hybrid SE, SE, (R-Series)	Lower Front	RK642840	2
2014-2012	(Adjustable, R-Series)	Lower Rear	RK643058	2
2013-2012	SE, (R-Series)	Lower Front	RK642840	2
2011-2007	(Non-Adjustable, R-Series) Japan Built, (Adjustable, R-Series) Japan Built, (R-Series) USA Built, (Adjustable, R-Series)	Lower Front Left Rear Lower Right Rear Lower Lower Rear	RK642027 RK642299 RK641864 RK641864	2 1 1 2
Strut and Spring Assembly				
2011-2007		Left Right	ST8625L ST8625R	1 1
Strut Bumper Bellows				
2011-2002	(Replacement Type, Contains Bumper)		K90460	2
Sway Bar Bushing				
2011-2010	Base Model, LE, SE, XLE, USA Built, (Reduces Noise)	To Frame	K200751 ‡	1
2009-2008	Base Model, LE, SE, XLE, (Reduces Noise)	To Frame	K200751 ‡	1
2007	CE, LE, SE, XLE, (Reduces Noise)	To Frame	K200751 ‡	1
Sway Bar Link				
2017-2012	(Powdered Metal Gusher Brg. For Better Lubrication)		K90345 ‡	2
2011-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K750011 ‡	2
Trailing Link				
2017-2012	(R-Series)		RK642958	2
2011-2007	Japan Built, (R-Series) USA Built, (R-Series)		RK641472 RK641934	2 2
Wheel Hub & Bearing Assembly				
2017-2012		Left Right	512454 512455	1 1
2011-2006		Left Right	512206 512207	1 1

TOYOTA-Corolla


FRONT SUSPENSION



F423

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2019	4 Dr. Sedan 5 Dr. Hatchback, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Lower Lower	K500040 K90309 ‡	2 2


FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2009		Lower	K500040	2 F423
2008-2003	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Lower	K90309 ‡	2 F423
Control Arm				
2013-2009	(R-Series) USA Built, (R-Series)	Right Lower Left Lower	RK641277 RK641278	1 1 F423
2013-2008	Japan Built, (R-Series) Japan Built, (R-Series)	Left Lower Right Lower	RK640361 RK640360	1 1 F423
2007-2003	Except Japan Built, (R-Series) Except Japan Built, (R-Series)	Left Lower Right Lower	RK640361 RK640360	1 1 F423
Control Arm Bushing				
2012-2003	(Horizontal Mount, High Quality Elastomer For Durability And Performance) (Vertical Mount)	Lower Front Inner Lower Rear Inner	K200782 ‡ K200907	2 2 F423
Strut and Spring Assembly				
2008-2003		Left Right	ST8629L ST8629R	1 1 F423
Strut Bumper Bellows				
2018-2014	(Original Equipment Type) (Replacement Type, Contains Bumper)		K201416 K90460	2 2 F423
2013-2003	(Contains Bumper)		K90461	2 F423
Strut Mount				
2018-2014	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160264 ‡	2 F423
2013-2009	10mm Bolts, USA Built, (Contains Bearing, Superior Rubber To Steel Bonding For Durability) 8mm Bolts, Japan Built, (Contains Bearing)		K160264 ‡ K90330	2 2 F423
2008-2003	(Contains Bearing)		K90330	2 F423
Strut Spring Seat				
2013-2009	(Contains Insulator)	Upper	K160376	2 F423
2013-2003	(Insulator Only, Reduces Noise)	Lower	K160143 ‡	2 F423
2008-2003	(Contains Isolators, Requires Bumper Bellow)	Upper	K160259 ‡	2 F423
Sway Bar Bushing				
2019	4 Dr. Sedan, (Split Design For Easier Installation)	To Frame	K200146 ‡	1 F423
2018-2003	(Split Design For Easier Installation)	To Frame	K200146 ‡	1 F423
Sway Bar Link				
2019	4 Dr. Sedan, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 5 Dr. Hatchback		K80230 ‡ K750864 ‡	2 2 F423
2018-2003	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80230 ‡	2 F423
Wheel Hub & Bearing Assembly				
2019	5 Dr. Hatchback		513402	2

STEERING

S190

TOYOTA-Corolla (Cont.)

STEERING (Cont.)



S191

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2013-2009	(Design Allows Ease Of Installation)	K150272 ‡	2	S191
2008-2003	(Design Allows Ease Of Installation)	K150272 ‡	2	S190
Tie Rod End				
2019	4 Dr. Sedan, 5.62" Length, 5.62" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES800525 ‡	2	S191
2018	5.62" Length, 5.62" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES800525 ‡	2	S191
2017-2014	5.62" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES800525 ‡	2	S191
2013-2009	Japan Built - 1st Digit Of VIN J, 6.9" Length, (Design Allows Ease Of Installation) North American Built - 1st Digit Of VIN 1, 2, 4 Or 5, 5.62" Length, (Powdered Metal Gusher Brg. For Better Lubrication) 1798cc(1.8L), North American Built - 1st Digit Of VIN 1, 2, 4 Or 5	Outer ES800530 ‡	2	S191
		Outer ES800525 ‡ Inner EV801193 ‡	2 2	S191 S191
2008-2003	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer ES80432	1	S190
		Right Outer ES80431	1	S190
		Inner EV470 ‡	2	S190

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Strut and Spring Assembly				
2008-2003		Left ST8645L	1	
		Right ST8645R	1	
Strut Bumper Bellows				
2018-2003	(Design Allows Ease Of Installation)	K160285 ‡	2	
Strut Mounting Kit				
2018-2003		K160392	2	
Wheel Hub & Bearing Assembly				
2019	4 Dr. Sedan 5 Dr. Hatchback	512403	2	
		512547	2	
2018-2009		512403	2	
2008-2003	4 Wheel ABS Non ABS	512217	2	
		512218	2	


TOYOTA-Corolla iM

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018		Lower K500040	2	
2017	(Design Allows Ease Of Installation)	Lower K500062 ‡	2	
Control Arm				
2017	(R-Series) (R-Series)	Left Lower RK641289	1	
		Right Lower RK641288	1	
Strut Bumper Bellows				
2017	(Replacement Type, Contains Bumper)	K90460	2	
Strut Mount				
2017	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160265 ‡	2	

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2018	(Split Design For Easier Installation)	To Frame	K200146 ‡	1
Sway Bar Link				
2018	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80230 ‡	2
2017	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750043 ‡	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018	5.62" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800525 ‡	2
2017	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer	ES800485 ‡	1
		Right Outer	ES800341 ‡	1
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017	Plus Or Minus 2 Degree Camber, (Adjustable, R-Series)	Upper	RK100358	2
Shock Mount				
2017			K201681	2
Sway Bar Bushing				
2017		To Frame	K201553	1
Sway Bar Link				
2017	(Improves Upon OE Design)		K750522 ‡	2
Wheel Hub & Bearing Assembly				
2018-2017			512403	2

Matrix-TOYOTA



FRONT SUSPENSION				
				
F423				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2013-2009	1798cc(1.8L) 2362cc(2.4L), (Greaseable Socket Reduces Corrosion/Wear)	Lower	K500040	2
		Lower	K500174 ‡	2
2008-2003		Lower	K80595	2
Control Arm				
2014-2009	(R-Series) (R-Series)	Left Lower	RK641278	1
		Right Lower	RK641277	1
2008-2003	(Ball Joint Not Included, R-Series) (Ball Joint Not Included, R-Series)	Left Lower	RK640361	1
		Right Lower	RK640360	1
Control Arm Bushing				
2014-2009	(High Quality Elastomer For Durability And Performance)	Lower Front	K200782 ‡	2
2014-2008	(Vertical Mount)	Lower Rear	K200907	2

TOYOTA-Matrix (Cont.)

FRONT SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2008-2003	(Horizontal Mount, High Quality Elastomer For Durability And Performance)	Lower Front	K200782 ‡	2 F423
Strut and Spring Assembly				
2008-2003		Left	ST8642L	1 F423
		Right	ST8642R	1 F423
Strut Bumper Bellows				
2013-2003	(Contains Bumper)		K90461	2 F423
Strut Mount				
2013-2009	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160264 ‡	2 F423
2008-2003	(Contains Bearing)		K90330	2 F423
Strut Spring Seat				
2013-2009	(Contains Insulator)	Upper	K160376	2 F423
2013-2003	(Insulator Only, Reduces Noise)	Lower	K160143 ‡	2 F423
2008-2003	(Contains Isolators)	Upper	K160259 ‡	2 F423
Sway Bar Bushing				
2014-2003	(Split Design For Easier Installation)	To Frame	K200146 ‡	1 F423
Sway Bar Link				
2014-2003	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80230 ‡	2 F423

STEERING



Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2008-2007	(Design Allows Ease Of Installation)		K150272 ‡	2 S192
Tie Rod End				
2014-2009	5.62" Length, (Powdered Metal Gusher Brg. For Better Lubrication) 1798cc(1.8L)	Outer	ES800525 ‡	2 S192, S193
		Inner	EV801193 ‡	2 S192, S193
2013-2009	2362cc(2.4L), S	Inner	EV801193 ‡	2 S192, S193
2008-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer	ES3713	2 S192
		Inner	EV800058 ‡	2 S192

REAR SUSPENSION



R200

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2013	Front Wheel Drive, Independent Rear Suspension, (R-Series)	Upper	RK642456	2 R200
2013-2009	All Wheel Drive, (R-Series)	Upper	RK642456	2 R200
2011-2009	Front Wheel Drive, Independent Rear Suspension, (R-Series)	Upper	RK642456	2 R200
Strut and Spring Assembly				
2008-2007		Left Right	ST8645L ST8645R	1 1
Strut Bumper Bellows				
2013-2009	Front Wheel Drive, Except Independent Rear Suspension, (Design Allows Ease Of Installation)		K160285 ‡	2
2008-2007	(Design Allows Ease Of Installation)		K160285 ‡	2
Strut Mounting Kit				
2013-2003			K160392	2
Sway Bar Bushing				
2013-2009	All Wheel Drive Front Wheel Drive, Independent Rear Suspension	To Frame To Frame	K201446 K201446	1 1 R200
Sway Bar Link				
2013-2009	All Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Front Wheel Drive, Independent Rear Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K90718 ‡ K90718 ‡	2 2 R200
Wheel Hub & Bearing Assembly				
2014			512403	2
2013-2011	All Wheel Drive 1798cc(1.8L), Front Wheel Drive 2362cc(2.4L), Front Wheel Drive		512404 512403 512405	2 2 2
2010	2362cc(2.4L), All Wheel Drive 2362cc(2.4L), S, XR, Front Wheel Drive 2362cc(2.4L), XRS, Front Wheel Drive		512404 512405 512406	2 2 2
2010-2009	1798cc(1.8L), Base Model, Front Wheel Drive		512403	2
2009	All Wheel Drive		512404	2
2008-2003	Front Wheel Drive, 4 Wheel ABS Front Wheel Drive, Non ABS		512217 512218	2 2

Mirai-TOYOTA

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2018-2016	(R-Series) (R-Series)	Left Lower Right Lower	RK641289 RK641288	1 1
Sway Bar Link				
2018-2016	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750043 ‡	2
Wheel Hub & Bearing Assembly				
2018-2016			513258	2

TOYOTA-Mirai (Cont.)

STEERING


Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2016	(Design Allows Ease Of Installation)	Left Outer	ES800054 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800053 ‡	1

REAR SUSPENSION


Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2018-2016		512509	2	

TOYOTA-Prius

FRONT SUSPENSION



F421



F422

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2016	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Lower	K90309 ‡	2
2015-2010	(Design Allows Ease Of Installation)	Lower	K500207 ‡	F422
Control Arm				
2009-2004	(Contains Bushings, R-Series)	Left Lower	RK640960	1 F421
	(Contains Bushings, R-Series)	Right Lower	RK640959	1 F421
Control Arm Bushing				
2015-2010		Lower Rear	K201648	2 F422
Control Arm with Ball Joint				
2015-2010	(R-Series)	Left Lower	RK622203	1 F422
	(R-Series)	Right Lower	RK622202	1 F422

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut and Spring Assembly				
2009-2004		Left Right	ST8690L ST8690R	1 1 F421 F421
Strut Bumper Bellows				
2015-2010	(Original Equipment Type) (Replacement Type, Contains Bumper)		K201416 K90464	2 2 F422 F422
2009-2004	(Contains Bumper)		K90461	2 F421
Strut Mount				
2015-2010	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160315 ‡	2 F422
2009-2004	(Contains Bearing)		K90330	2 F421
Strut Spring Seat				
2009-2004	(Contains Isolators) (Insulator Only, Reduces Noise)	Upper Lower	K160259 ‡ K160143 ‡	2 2 F421 F421
Sway Bar Bushing				
2015-2010		To Frame	K201482	1 F422
2009-2004	(Split Design For Easier Installation)	To Frame	K200705 ‡	1 F421
Sway Bar Link				
2018-2016			K750864 ‡	2
2015-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750043 ‡	2 F422
2009-2004	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80230 ‡	2 F421
Wheel Hub & Bearing Assembly				
2018-2017			513402	2
2016-2010			513287	2
2009-2004			513265	2
STEERING				
<p>S185</p>				
<p>S189</p>				
Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2009-2004			K150317	2 S189

TOYOTA-Prius (Cont.)

STEERING (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2016-2010	(Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800841 ‡	1	S185
2015-2010	(Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800842 ‡	1	S185
2009-2004		Left Outer	ES80303	1	S189
		Right Outer	ES80302	1	S189
		Inner	EV80304	2	S189
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Shock Mount					
2015-2010			K201681	2	
Strut Bumper Bellows					
2009-2001	(Design Allows Ease Of Installation)		K160285 ‡	2	
Strut Mounting Kit					
2009-2001			K160392	2	
Wheel Hub & Bearing Assembly					
2018-2016			512547	2	
2015-2010			512505	2	
2009-2004			512217	2	

TOYOTA-Prius C

FRONT SUSPENSION					
F414					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2019	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500118 ‡	2	
2018-2012	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500118 ‡	2	F414
Control Arm Bushing					
2019-2012	(Horizontal Mount)	Lower Front	K201307	2	F414
2018-2012		Lower Rear Inner	K201351	2	F414
Control Arm with Ball Joint					
2019-2012	(R-Series)	Left Lower	RK620572	1	F414
	(R-Series)	Right Lower	RK620573	1	F414
Strut Bumper Bellows					
2017-2016	(Original Equipment Type)		K150276	2	F414
	(Replacement Type, Contains Bumper)		K90460	2	F414
2015-2012	(Original Equipment Type)		K201416	2	F414
	(Replacement Type, Contains Bumper)		K90461	2	F414
Strut Mount					
2017-2012	(Contains Bearing And Upper Washer, Superior Rubber To Steel Bonding For Durability)		K160267 ‡	2	F414
Sway Bar Bushing					
2019-2012	(Split Design For Easier Installation)	To Frame	K200619 ‡	1	F414


FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Link					
2019-2012	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80879 ‡	2	F414	
STEERING					
S185					
Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2013-2012	(Design Allows Ease Of Installation)	K150272 ‡	2	S185	
Tie Rod End					
2019	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800311 ‡ ES800312 ‡	1 1	S185 S185
2018-2012	Except 16" Aluminum Wheels, (Design Allows Ease Of Installation) Except 16" Aluminum Wheels, (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800311 ‡ ES800312 ‡	1 1	S185 S185
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Shock Mount					
2014-2012		K201682	2		
Wheel Hub & Bearing Assembly					
2016-2012		512370	2		

Prius V-TOYOTA

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2012	(R-Series) (R-Series)	Left Lower Right Lower	RK641289 RK641288	1 1
Strut Bumper Bellows				
2017-2012	(Original Equipment Type) (Replacement Type, Contains Bumper)		K201416 K90464	2 2
Strut Mount				
2017-2012	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160315 ‡	2
Sway Bar Bushing				
2015-2012		To Frame	K201483	1
Wheel Hub & Bearing Assembly				
2017-2012			513257	2

TOYOTA-Prius V (Cont.)

STEERING



S185

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2012	(Design Allows Ease Of Installation)	Left Outer	ES800485 ‡	1 S185
	(Design Allows Ease Of Installation)	Right Outer	ES800341 ‡	1 S185

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2017-2012		K201680	2	
Wheel Hub & Bearing Assembly				
2017-2012		512509	2	

TOYOTA-Prius Prime


FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2017	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Lower	K90309 ‡	2
Sway Bar Link				
2018-2017		K750864 ‡	2	
Wheel Hub & Bearing Assembly				
2018-2017		513402	2	

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2018-2017		512547	2	


FRONT SUSPENSION



F034

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2008-2004	(Standard Design) (Standard Design)	Left Lower Right Lower	K90346 K90347	1 1	F034 F034
Control Arm with Ball Joint					
2008-2004	(R-Series) (R-Series)	Left Lower Right Lower	RK620334 RK620333	1 1	F034 F034
Strut Bumper Bellows					
2008-2004	(Contains Bumper)		K90461	2	F034
Strut Mount					
2008-2004	(Contains Bearing)		K90658	2	F034
Strut Spring Seat					
2008-2005	(Reduces Noise)	Lower	K160251 ‡	2	F034
2008-2004	(Contains Insulator)	Upper	K160014	2	F034
Sway Bar Bushing					
2008-2004	23mm Sway Bar Diameter 24mm Sway Bar Diameter	To Frame To Frame	K90539 K90526	1 1	F034 F034
Sway Bar Link					
2008-2004	(Powdered Metal Gusher Brg. For Better Lubrication)		K90344 ‡	2	F034

STEERING



S035


Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2008-2005	(Design Allows Ease Of Installation)		K150272 ‡	2	S035

TOYOTA-Solara (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2008-2004	(Design Allows Ease Of Installation)	Left Outer	ES80603 ‡	1 S035
	(Design Allows Ease Of Installation)	Right Outer	ES80602 ‡	1 S035
	(Design Allows Ease Of Installation)	Inner	EV420 ‡	2 S035

REAR SUSPENSION




R024

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2008-2004	(Adjustable, R-Series)	Lower Rear	RK641864	2 R024
	(R-Series)	Lower Front	RK642133	2 R024
Strut Bumper Bellows				
2007-2004	(Replacement Type, Contains Bumper)		K90460	2 R024
Sway Bar Link				
2008-2004	(Powdered Metal Gusher Brg. For Better Lubrication)		K90345 ‡	2 R024
Trailing Link				
2008-2004	2 Dr. Convertible, (R-Series)		RK641472	2 R024
	2 Dr. Coupe, (R-Series)		RK641934	2 R024
Wheel Hub & Bearing Assembly				
2008-2004		Left	512206	1
		Right	512207	1

TOYOTA-Yaris

FRONT SUSPENSION



F414

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2008-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500118 ‡	2	F414
Control Arm Bushing					
2018	2 Dr. Hatchback, 4 Dr. Hatchback, (Horizontal Mount)	Lower Front	K201307	2	F414
2017-2006	(Horizontal Mount)	Lower Front	K201307	2	F414
2014	Japan Built	Lower Rear Inner	K201351	2	F414
2013-2006		Lower Rear Inner	K201351	2	F414
Control Arm with Ball Joint					
2014	Japan Built, (R-Series)	Left Lower	RK620572	1	F414
	Japan Built, (R-Series)	Right Lower	RK620573	1	F414
2013-2006	(R-Series)	Left Lower	RK620572	1	F414
	(R-Series)	Right Lower	RK620573	1	F414
Strut Bumper Bellows					
2017	4 Dr. Sedan		K201416	2	
2017-2016	2 Dr. Hatchback, 4 Dr. Hatchback, (Original Equipment Type)		K201416	2	F414
	2 Dr. Hatchback, 4 Dr. Hatchback, (Replacement Type, Contains Bumper)		K90461	2	F414
2015-2007	(Original Equipment Type)		K201416	2	F414
	(Replacement Type, Contains Bumper)		K90461	2	F414
Strut Mount					
2017-2016	2 Dr. Hatchback, 4 Dr. Hatchback, (Contains Bearing And Upper Washer, Superior Rubber To Steel Bonding For Durability)		K160267 ‡	2	F414
2015-2007	(Contains Bearing And Upper Washer, Superior Rubber To Steel Bonding For Durability)		K160267 ‡	2	F414
Sway Bar Bushing					
2014-2007	(Split Design For Easier Installation)	To Frame	K200619 ‡	1	F414
Sway Bar Link					
2018	L, LE, SE, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80879 ‡	2	
2017	CE, L, LE, SE, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80879 ‡	2	
2016	2 Dr. Hatchback, 4 Dr. Hatchback, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80879 ‡	2	
2015-2014	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80879 ‡	2	
2014-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80879 ‡	2	F414
STEERING					
S185					
Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2013-2006	(Design Allows Ease Of Installation)		K150272 ‡	2	S185
Tie Rod End					
2017	iA	Inner	EV801327 ‡	2	
2016	4 Dr. Sedan	Inner	EV801327 ‡	2	
	SE, 4 Dr. Hatchback, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3306 ‡	2	S185
2015-2012	Front Disc, Rear Disc, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3306 ‡	2	S185
2014-2012	Front Disc, Rear Drum, (Design Allows Ease Of Installation)	Left Outer	ES800311 ‡	1	S185
	Front Disc, Rear Drum, (Design Allows Ease Of Installation)	Right Outer	ES800312 ‡	1	S185
2011-2006	(Design Allows Ease Of Installation)	Left Outer	ES800311 ‡	1	S185

TOYOTA-Yaris (Cont.)


STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2011-2006 (Cont.)	(Design Allows Ease Of Installation)	Right Outer	ES800312 ‡	1 S185
2008-2006	(Design Allows Ease Of Installation)	Inner	EV800325 ‡	2 S185
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2014-2012			K201682	2
Wheel Hub & Bearing Assembly				
2014-2012	Japan Built - 1st Digit Of VIN J		512370	2
2013-2012	Japan Built		512370	2
2011-2008			512370	2
2007-2006	4 Wheel ABS Non ABS		512370 512371	2 2

VOLKSWAGEN-Beetle


FRONT SUSPENSION				
F057				
Year	Model/Application	Part	P/C Qty	Figure
New Beetle				
Ball Joint				
2018-2012	(For Vehicles With Aluminum Steering Knuckles Only) (For Vehicles With Aluminum Steering Knuckles Only)	Left Lower Right Lower	K80662 K80663	1 1
2010-2008	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Lower Right Lower	K500107 ‡ K500100 ‡	1 1 F057
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Lower Right Lower	K90355 ‡ K90357 ‡	1 1 F057
Control Arm				
2010-2006	(R-Series)	Lower	RK640176	2 F057
Control Arm Bushing				
2017-2012	(High Quality Elastomer For Durability And Performance) (Design Allows Ease Of Installation)	Lower Rear Lower Rear Lower Front	K201725 K201630 ‡ K200094 ‡	2 2 2
2010-2006	(High Quality Elastomer For Durability And Performance)	Lower Rear Lower Front	K200093 ‡ K90719	2 2 F057
Control Arm with Ball Joint				
2010-2006	(Contains Bushings, Greaseable Socket Reduces Corrosion/Wear) (R-Series) (Contains Bushings, Greaseable Socket Reduces Corrosion/Wear) (R-Series)	Left Lower Left Lower Right Lower Right Lower	CK620717 ‡ RK620717 CK620718 ‡ RK620718	1 1 F057 1 F057 1 F057
Complete Knuckle Assembly				
2010-2006	(Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts And Axle Nut, With Integral Caliper Bracket)	Left	LK007 ‡	1 F057

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
New Beetle				
Complete Knuckle Assembly				
2010-2006 (Cont.)	(Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts And Axle Nut, With Integral Caliper Bracket)	Right	LK008 ‡	1 F057
Strut and Spring Assembly				
2013-2012			ST8657	2
2010-2006	(Strut, Spring & Top Mount)		ST8602	2 F057
Strut Bumper Bellows				
2017-2012	55mm Bumper Length 70mm Bumper Length, (Replacement Type, Contains Bumper)		K160034 K90460	2 2
2010-2006	(Original Equipment Type)		K201503	2 F057
Strut Mount				
2017-2012	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160132 ‡	2
2010-2006	(Contains Bearing)		K90241	2 F057
Strut Spring Seat				
2010-2006	(Reduces Noise)	Upper	K160087 ‡	2 F057
Sway Bar Bushing				
2010-2006	(Design Allows Ease Of Installation)	To Frame	K200702 ‡	1 F057
Sway Bar Link				
2017-2012	(Greaseable Socket Reduces Corrosion/Wear)		K80478 ‡	2
2010-2006			K90715	2 F057
Wheel Hub & Bearing Assembly				
2017-2012			513253	2

STEERING



S061




S320

VOLKSWAGEN-Beetle (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
New Beetle				
Rack & Pinion Boot Kit				
2010-2006	(Design Allows Ease Of Installation)	K100184 ‡	2	S061
Tie Rod Assembly				
2010-2006	(Contains Inner And Outer Ends, Design Allows Ease Of Installation)	Left ES3709A ‡	1	S061
	(Contains Inner And Outer Ends, Design Allows Ease Of Installation)	Right ES3710A ‡	1	S061
Tie Rod End				
2017-2012	(Design Allows Ease Of Installation)	Inner EV800899 ‡	2	S320
	Electro Hydraulic Steering, (Design Allows Ease Of Installation)	Left Outer ES800505 ‡	1	S320
	Electro Hydraulic Steering	Right Outer ES800506	1	S320
	Except Electro Hydraulic Steering, (Design Allows Ease Of Installation)	Left Outer ES80666 ‡	1	
	Except Electro Hydraulic Steering, (Design Allows Ease Of Installation)	Right Outer ES80667 ‡	1	
2010-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer ES3525 ‡	1	S061
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer ES3524 ‡	1	S061
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner EV400 ‡	2	S061

REAR SUSPENSION




R209

Year	Model/Application	Part	P/C Qty	Figure
New Beetle				
Control Arm				
2017-2012	(R-Series)	Upper RK642639	2	R209
	(R-Series)	Lower Rear RK642309	2	R209
	(Lateral Link, R-Series)	Lower Front RK642013	2	R209
Shock Mount				
2017-2013	(Design Allows Ease Of Installation)	Upper K160271 ‡	2	R209
2012	Front Disc, Rear Disc, (Design Allows Ease Of Installation)	Upper K160271 ‡	2	R209
Strut Bumper Bellows				
2017-2012	108mm Bumper Length, (Contains Bumper)	K90466	2	R209
	115mm Or 118mm Bumper Length	K201556	2	R209
	133mm Bumper Length	K201412	2	R209
2010-2006	115mm Bumper Length	K201556	2	
	128mm Bumper Length	K201412	2	
Strut Mount				
2010-2006	(Bearing Not Included)	K90245	2	
Sway Bar Link				
2017-2016	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80482 ‡	2	R209
2014-2013	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80482 ‡	2	R209
Trailing Link				
2017-2012	(R-Series)	Left RK642140	1	R209
	(R-Series)	Right RK642139	1	R209
Wheel Hub & Bearing Assembly				
2017-2016		512319	2	
2015-2014	1798cc(1.8L)	512319	2	
2015-2013	1968cc(2.0L)	512319	2	


REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
New Beetle				
Wheel Hub & Bearing Assembly				
2015-2012	1984cc(2.0L) 2480cc(2.5L)	512319 512336	2 2	
2010-2006		512012	2	

CC-VOLKSWAGEN

FRONT SUSPENSION					
					
F391					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2017-2009		Left Lower Right Lower	K500016 K500030	1 1	F391 F391
Control Arm Bushing					
2017-2009	(Design Allows Ease Of Installation)	Lower Front	K200094 ‡	2	F391
Control Arm with Ball Joint					
2017-2011	Stamped Steel Arm, (R-Series) Stamped Steel Arm, (R-Series)	Left Lower Right Lower	RK622854 RK622855	1 1	F391 F391
2017-2009	Aluminum Arm, (Contains Bushings, R-Series) Aluminum Arm, (Contains Bushings, R-Series)	Left Lower Right Lower	RK620589 RK620711	1 1	F391 F391
Strut Bumper Bellows					
2017-2009			K160034	2	F391
Strut Mount					
2017-2009	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160132 ‡	2	F391
Sway Bar Bushing					
2013-2009	23mm Sway Bar Diameter, 23.5mm Sway Bar Diameter, (Design Allows Ease Of Installation)	To Frame	K200889 ‡	1	F391
Sway Bar Link					
2017-2009	(Greaseable Socket Reduces Corrosion/Wear)		K80478 ‡	2	F391
Wheel Hub & Bearing Assembly					
2017-2009			513253	2	

VOLKSWAGEN-CC (Cont.)


STEERING



S449

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2009	(Design Allows Ease Of Installation)	Left Outer	ES800505 ‡	1 S449
		Right Outer	ES800506	1 S449
	(Design Allows Ease Of Installation)	Inner	EV80665 ‡	2 S449

REAR SUSPENSION



R209

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2009	(R-Series)	Lower Rear	RK642309	2 R209
	(Lateral Link, R-Series)	Left Front Lower	RK640386	1 R209
	(Lateral Link, R-Series)	Right Front Lower	RK640385	1 R209
2012-2009	(R-Series)	Upper	RK640613	2 R209
Sway Bar Link				
2017-2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80482 ‡	2 R209
Trailing Link				
2015-2010	(R-Series)	Left	RK641996	1 R209
	(R-Series)	Right	RK641997	1 R209
Wheel Hub & Bearing Assembly				
2017-2016			512319	2
2015-2009	All Wheel Drive		513253	2
	Front Wheel Drive		512319	2

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2016		Left Lower Right Lower	K500016 K500030	1 1
2015	(For Vehicles With Aluminum Steering Knuckles Only) (For Vehicles With Aluminum Steering Knuckles Only)	Left Lower Right Lower	K80662 K80663	1 1
Control Arm with Ball Joint				
2017-2015	(R-Series) (R-Series)	Left Lower Right Lower	RK622882 RK622883	1 1
Strut Bumper Bellows				
2017-2015	(Original Equipment Type) (Replacement Type, Contains Bumper)		K201416 K90460	2 2
Sway Bar Link				
2017-2015			K750803	2
Wheel Hub & Bearing Assembly				
2017-2015			513262	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2016	Pr Code g18 Located On Build Sticker, (Design Allows Ease Of Installation) Pr Code g18 Located On Build Sticker, (Design Allows Ease Of Installation) Pr Code g33 Located On Build Sticker, (Design Allows Ease Of Installation) Pr Code g33 Located On Build Sticker	Left Outer Right Outer Left Outer Right Outer	ES80666 ‡ ES80667 ‡ ES800505 ‡ ES800506	1 1 1 1
2017-2015	(Design Allows Ease Of Installation)	Inner	EV80665 ‡	2
2015	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES80666 ‡ ES80667 ‡	1 1
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2017-2015	(Greaseable Socket Reduces Corrosion/Wear)		K750809 ‡	2
Wheel Hub & Bearing Assembly				
2017-2015			512336	2


FRONT SUSPENSION				
F546				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2016-2007	(For Vehicles With Aluminum Steering Knuckles Only) (For Vehicles With Aluminum Steering Knuckles Only)	Left Lower Right Lower	K80662 K80663	1 1
Control Arm				
2016-2010	Stamped Steel Arm, (R-Series)	Left Lower	RK620141	1

VOLKSWAGEN-Eos (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2016-2010 (Cont.)	Stamped Steel Arm, (R-Series)	Right Lower	RK620143	1 F546
2014-2010	Cast Iron Arm, (Contains Bushings, R-Series) Cast Iron Arm, (Contains Bushings, R-Series)	Left Lower	RK620140	1 F546
		Right Lower	RK620142	1 F546
2009-2007	(Contains Bushings, R-Series) (Contains Bushings, R-Series)	Left Lower	RK620140	1 F546
		Right Lower	RK620142	1 F546
Control Arm Bushing				
2016-2007	(Design Allows Ease Of Installation)	Lower Front	K200094 ‡	2 F546
Strut and Spring Assembly				
2011-2009			ST8657	2 F546
2008-2007	1984cc(2.0L)		ST8657	2 F546
Strut Bumper Bellows				
2016-2007	55mm Bumper Length		K160034	2 F546
Strut Mount				
2016-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160132 ‡	2 F546
Sway Bar Link				
2016			K750803	2 F546
2015-2007	(Greaseable Socket Reduces Corrosion/Wear)		K80478 ‡	2 F546
Wheel Hub & Bearing Assembly				
2016-2007	3 Bolt Flange 4 Bolt Flange		513262	2
			513253	2

STEERING




S309



S320

STEERING (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2016-2009	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES80666 ‡ ES80667 ‡ EV80665 ‡	1 1 2	S320 S320 S320
2008-2007	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES80666 ‡ ES80667 ‡ EV80665 ‡	1 1 2	S309 S309 S309
REAR SUSPENSION					
R230					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2016-2010	(Lateral Link, R-Series)	Lower Front	RK642013	2	R230
2016-2007	(R-Series)	Lower Rear	RK642309	2	R230
2012-2007	(R-Series)	Upper	RK640613	2	R230
2009	From 11/3/08, (Lateral Link, R-Series) Thru 11/2/08, (Lateral Link, R-Series) Thru 11/2/08, (Lateral Link, R-Series)	Lower Front Left Front Lower Right Front Lower	RK642013 RK640386 RK640385	2 1 1	R230 R230 R230
2008-2007	(Lateral Link, R-Series) (Lateral Link, R-Series)	Left Front Lower Right Front Lower	RK640386 RK640385	1 1	R230 R230
Shock Mount					
2016-2007	PR Code 1JA, 1JC, 1JK, 1JR, Or 1JS Located On Build Sticker, (Design Allows Ease Of Installation)		K160270 ‡	2	R230
Strut Bumper Bellows					
2016-2007	133mm Bumper Length, PR Code 1JA, 1JR, Or 1JS Located On Build Sticker, (Original Equipment Type)		K201412	2	R230
	133mm Bumper Length, PR Code 1JA, 1JR, Or 1JS Located On Build Sticker, (Replacement Type, Contains Bumper)		K90466	2	R230
	PR Code 1JC Or 1JK Located On Build Sticker, 118mm Bumper Length		K201556	2	R230
Sway Bar Link					
2016-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80482 ‡	2	R230
Trailing Link					
2016-2009	(R-Series)	Left	RK642140	1	R230
	(R-Series)	Right	RK642139	1	R230
Wheel Hub & Bearing Assembly					
2016-2007			512319	2	


FRONT SUSPENSION




F391

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2012	(For Vehicles With Aluminum Steering Knuckles Only)	Left Lower	K80662	1
	(For Vehicles With Aluminum Steering Knuckles Only)	Right Lower	K80663	1
2009-2008	(For Vehicles With Aluminum Steering Knuckles Only)	Left Lower	K80662	1 F391
	(For Vehicles With Aluminum Steering Knuckles Only)	Right Lower	K80663	1 F391
Control Arm				
2009-2008	Auto Headlight Range Control, (Contains Bushings, R-Series)	Left Lower	RK620140	1 F391
	Auto Headlight Range Control, (Contains Bushings, R-Series)	Right Lower	RK620142	1 F391
	Except Auto Headlight Range Control, (R-Series)	Left Lower	RK620141	1 F391
	Except Auto Headlight Range Control, (R-Series)	Right Lower	RK620143	1 F391
Control Arm Bushing				
2012	(Design Allows Ease Of Installation)	Lower Front	K200094 ‡	2
2009-2008	(Design Allows Ease Of Installation)	Lower Front	K200094 ‡	2 F391
Control Arm with Ball Joint				
2012	(R-Series)	Left Lower	RK621949	1
	(R-Series)	Right Lower	RK621950	1
Strut Bumper Bellows				
2012	(Replacement Type, Contains Bumper)		K90460	2
2009-2008	(Replacement Type, Contains Bumper)		K90460	2 F391
Strut Mount				
2012	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160132 ‡	2
2009-2008	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160132 ‡	2 F391
Sway Bar Link				
2012	(Greaseable Socket Reduces Corrosion/Wear)		K80478 ‡	2
2009-2008	(Greaseable Socket Reduces Corrosion/Wear)		K80478 ‡	2 F391
Wheel Hub & Bearing Assembly				
2012			513253	2
2009-2008			513253	2

STEERING




S309



S320

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2012	(Design Allows Ease Of Installation)	Inner	EV80665 ‡	2 S320
2009-2008	(Design Allows Ease Of Installation)	Left Outer	ES80666 ‡	1 S309
		Right Outer	ES80667 ‡	1 S309
		Inner	EV80665 ‡	2 S309

REAR SUSPENSION



R230

VOLKSWAGEN-GLI (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2012	(R-Series) Lower Rear	RK642309	2	R230
2009	(R-Series) Upper	RK642639	2	R230
	From 12/08, (Lateral Link, R-Series) Lower Front	RK642013	2	R230
	Thru 11/08, (Lateral Link, R-Series) Left Front Lower	RK640386	1	R230
	Thru 11/08, (Lateral Link, R-Series) Right Front Lower	RK640385	1	R230
2009-2008	(R-Series) Lower Rear	RK642309	2	R230
2008	(R-Series) Upper	RK640613	2	R230
	(Lateral Link, R-Series) Left Front Lower	RK640386	1	R230
	(Lateral Link, R-Series) Right Front Lower	RK640385	1	R230
Strut Bumper Bellows				
2009-2008	(Replacement Type, Contains Bumper)	K90466	2	R230
Sway Bar Link				
2009-2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80482 ‡	2	R230
Wheel Hub & Bearing Assembly				
2012	Front Torsion Bar Suspension	512336	2	
	Independent Rear Suspension	512319	2	
2009-2008		512319	2	

VOLKSWAGEN-Golf

FRONT SUSPENSION

F057				
F391				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2016	Left Lower	K500016	1	
	Right Lower	K500030	1	


FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2014-2011	(For Vehicles With Aluminum Steering Knuckles Only) (For Vehicles With Aluminum Steering Knuckles Only)	Left Lower	K80662	1	F391
		Right Lower	K80663	1	F391
2010	7th And 8th Digit Of VIN Is AJ Or 1K, (For Vehicles With Aluminum Steering Knuckles Only) 7th And 8th Digit Of VIN Is AJ Or 1K, (For Vehicles With Aluminum Steering Knuckles Only)	Left Lower	K80662	1	F391
		Right Lower	K80663	1	F391
Control Arm					
2014	Cast Iron Arm, (Contains Bushings, R-Series) Cast Iron Arm, (Contains Bushings, R-Series) Stamped Steel Arm, (R-Series) Stamped Steel Arm, (R-Series)	Left Lower	RK620140	1	F391
		Right Lower	RK620142	1	F391
		Left Lower	RK620141	1	F391
		Right Lower	RK620143	1	F391
2013-2012	1968cc(2.0L), Diesel, Cast Iron Arm, (Contains Bushings, R-Series) 1968cc(2.0L), Diesel, Cast Iron Arm, (Contains Bushings, R-Series) 1968cc(2.0L), Diesel, Stamped Steel Arm, (R-Series) 1984cc(2.0L), Gasoline, Cast Iron Arm, (Contains Bushings, R-Series) 1984cc(2.0L), Gasoline, Cast Iron Arm, (Contains Bushings, R-Series) 2480cc(2.5L), Stamped Steel Arm, (R-Series) 2480cc(2.5L), Stamped Steel Arm, (R-Series) 2480cc(2.5L), Gasoline, Cast Iron Arm, (Contains Bushings, R-Series) 2480cc(2.5L), Gasoline, Cast Iron Arm, (Contains Bushings, R-Series)	Left Lower	RK620140	1	F391
		Right Lower	RK620142	1	F391
		Right Lower	RK620143	1	F391
		Left Lower	RK620140	1	F391
		Right Lower	RK620142	1	F391
		Left Lower	RK620141	1	F391
		Right Lower	RK620143	1	F391
		Left Lower	RK620140	1	F391
Right Lower	RK620142	1	F391		
2012	1968cc(2.0L), Diesel, Stamped Steel Arm, (R-Series)	Left Lower	RK620141	1	F391
2011	Stamped Steel Arm, (R-Series) Stamped Steel Arm, (R-Series)	Left Lower	RK620141	1	F391
		Right Lower	RK620143	1	F391
2011-2010	Cast Iron Arm, (Contains Bushings, R-Series) Cast Iron Arm, (Contains Bushings, R-Series)	Left Lower	RK620140	1	F391
		Right Lower	RK620142	1	F391
Control Arm Bushing					
2014-2011	(Design Allows Ease Of Installation)	Lower Front	K200094 ‡	2	F391
2010	7th And 8th Digit Of VIN Is AJ Or 1K, (Design Allows Ease Of Installation) 7th And 8th Digit Of Vin Is BE, (High Quality Elastomer For Durability And Performance) 7th And 8th Digit Of Vin Is BE	Lower Front	K200094 ‡	2	F391
		Lower Rear	K200093 ‡	2	F057
		Lower Front	K90719	2	F057
2009-2007	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200093 ‡	2	F057
		Lower Front	K90719	2	F057
Control Arm with Ball Joint					
2016-2015	R, (R-Series) R, (R-Series)	Left Lower	RK622882	1	
		Right Lower	RK622883	1	
2013-2012	Driving School Vehicle, (R-Series) Driving School Vehicle, (R-Series)	Left Lower	RK622867	1	F391
		Right Lower	RK622868	1	F391
2010-2007	(Contains Bushings, Greaseable Socket Reduces Corrosion/Wear) (R-Series) (Contains Bushings, Greaseable Socket Reduces Corrosion/Wear) (R-Series)	Left Lower	CK620717 ‡	1	F057
		Left Lower	RK620717	1	F057
		Right Lower	CK620718 ‡	1	F057
		Right Lower	RK620718	1	F057
Complete Knuckle Assembly					
2010	1984cc(2.0L), 7th And 8th Digit Of Vin Is BE, (Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts And Axle Nut, With Integral Caliper Bracket) 1984cc(2.0L), 7th And 8th Digit Of Vin Is BE, (Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts And Axle Nut, With Integral Caliper Bracket)	Left	LK007 ‡	1	F057
		Right	LK008 ‡	1	F057
2009-2007	(Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts And Axle Nut, With Integral Caliper Bracket) (Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts And Axle Nut, With Integral Caliper Bracket)	Left	LK007 ‡	1	F057
		Right	LK008 ‡	1	F057
Strut and Spring Assembly					
2012	Base Model, Comfortline, Comfortline Sportwagon, Highline, Sportline, Trendline, Trendline Sportwagon, 55mm Lower Strut Housing		ST8657	2	F391
2011	55mm Lower Strut Housing		ST8657	2	F391
2010	7th And 8th Digit Of VIN Is AJ Or 1K, 55mm Lower Strut Housing		ST8657	2	F391
Strut Bumper Bellows					
2017-2015	55mm Or 57mm Bumper Length 70mm Bumper Length, (Original Equipment Type) 70mm Bumper Length, (Replacement Type, Contains Bumper) 80mm Bumper Length, (Original Equipment Type) 80mm Bumper Length, (Replacement Type, Contains Bumper) 90mm Bumper Length, (Contains Bumper)		K160034	2	
			K150276	2	
			K90460	2	
			K201416	2	
			K90460	2	
			K90461	2	
2014-2011	55mm Or 57mm Bumper Length 90mm Bumper Length, (Contains Bumper)		K160034	2	F391
			K90461	2	F391
2010	7th And 8th Digit Of VIN Is AJ Or 1K, 55mm Or 57mm Bumper Length 7th And 8th Digit Of VIN Is AJ Or 1K, 90mm Bumper Length, (Contains Bumper) 7th And 8th Digit Of Vin Is BE, (Original Equipment Type) 7th And 8th Digit Of Vin Is BE, (Replacement Type, Contains Bumper)		K160034	2	F391
			K90461	2	F391
			K201503	2	F057
			K90460	2	F057

VOLKSWAGEN-Golf (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2009-2007	(Original Equipment Type) (Replacement Type, Contains Bumper)	K201503 K90460	2 2	F057 F057
Strut Mount				
2014-2011	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160132 ‡	2	F391
2010	7th And 8th Digit Of VIN Is AJ Or 1K, (Contains Bearing, Superior Rubber To Steel Bonding For Durability) 7th And 8th Digit Of Vin Is BE, (Contains Bearing)	K160132 ‡ K90241	2 2	F391 F057
2009-2007	(Contains Bearing)	K90241	2	F057
Strut Spring Seat				
2010	7th And 8th Digit Of Vin Is BE, (Reduces Noise)	Upper K160087 ‡	2	F057
2009-2007	(Reduces Noise)	Upper K160087 ‡	2	F057
Sway Bar Bushing				
2014-2011	4 Dr. Station Wagon, PR Code 0AG Located On Build Sticker, (Design Allows Ease Of Installation) To Frame	K200890 ‡	1	F391
Sway Bar Link				
2017-2016		K750803	2	
2014-2010	(Greaseable Socket Reduces Corrosion/Wear)	K80478 ‡	2	F391
Wheel Hub & Bearing Assembly				
2017-2015	Brake Code 1LV, 1ZB Brake Code 1ZE, 1ZP	513379 513262	2 2	
2016	R, Brake Code 1LV, 1ZB	513379	2	
2014-2010		513253	2	
2009-2007		513262	2	

STEERING



S060



S320

STEERING (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod Assembly					
2010	7th And 8th Digit Of Vin Is BE, (Contains Inner And Outer Ends, Design Allows Ease Of Installation)	Left	ES3709A ‡	1 S060	
	7th And 8th Digit Of Vin Is BE, (Contains Inner And Outer Ends, Design Allows Ease Of Installation)	Right	ES3710A ‡	1 S060	
2009-2007	(Contains Inner And Outer Ends, Design Allows Ease Of Installation)	Left	ES3709A ‡	1 S060	
		Right	ES3710A ‡	1 S060	
Tie Rod End					
2017-2011	(Design Allows Ease Of Installation)	Left Outer	ES80666 ‡	1 S320	
		Right Outer	ES80667 ‡	1 S320	
		Inner	EV80665 ‡	2 S320	
2010	7th And 8th Digit Of VIN Is AJ Or 1K, (Design Allows Ease Of Installation)	Left Outer	ES80666 ‡	1 S320	
		Right Outer	ES80667 ‡	1 S320	
		Inner	EV80665 ‡	2 S320	
		7th And 8th Digit Of Vin Is BE, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES3525 ‡	1 S060
		7th And 8th Digit Of Vin Is BE, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES3524 ‡	1 S060
		7th And 8th Digit Of Vin Is BE, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV400 ‡	2 S060
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES3525 ‡	1 S060	
		Right Outer	ES3524 ‡	1 S060	
		Inner	EV400 ‡	2 S060	
REAR SUSPENSION					
R230					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2015	(Lateral Link, R-Series)	Lower Front	RK642013	2	
2014-2011	(Lateral Link, R-Series)	Lower Front	RK642013	2 R230	
2014-2010	(R-Series)	Lower Rear	RK642309	2 R230	
2013-2011	(R-Series)	Upper	RK640613	2 R230	
2010	7th And 8th Digit Of VIN Is AJ Or 1K, (R-Series)	Upper	RK640613	2 R230	
		Lower Front	RK642013	2 R230	
Shock Mount					
2014-2011	PR Code 1JA Or 1JB Located On Build Sticker, (Uses 64mm Wide Bumper, Design Allows Ease Of Installation)	PR Code 1JA, 1JC, 1JE, 1JH, 1JK, Or 1JM Located On Build Sticker, (Uses 58mm Wide Bumper, Design Allows Ease Of Installation)	K160271 ‡	2 R230	
		PR Code 1JC, 1JK, Or UA1 Located On Build Sticker, (Uses 64mm Wide Bumper, Design Allows Ease Of Installation)	K160273 ‡	2 R230	
		7th And 8th Digit Of VIN Is AJ Or 1K, PR Code 1JA Or 1JB Located On Build Sticker, From 4/28/09, (Uses 64mm Wide Bumper, Uses Round Bumper, Design Allows Ease Of Installation)	K160273 ‡	2 R230	
2010	7th And 8th Digit Of VIN Is AJ Or 1K, PR Code 1JA Or 1JB Located On Build Sticker, Thru 4/27/09, (Uses Oval Bumper, Design Allows Ease Of Installation)	7th And 8th Digit Of VIN Is AJ Or 1K, PR Code 1JA, 1JC, 1JE, 1JH, 1JK, Or 1JM Located On Build Sticker, (Uses 58mm Wide Bumper, Uses Round Bumper, Design Allows Ease Of Installation)	K160271 ‡	2 R230	
		7th And 8th Digit Of VIN Is AJ Or 1K, PR Code 1JC, 1JK, Or UA1 Located On Build Sticker, (Uses 64mm Wide Bumper, Design Allows Ease Of Installation)	K160273 ‡	2 R230	
		7th And 8th Digit Of VIN Is AJ Or 1K, PR Code 1JA Or 1JB Located On Build Sticker, From 4/28/09, (Uses 64mm Wide Bumper, Uses Round Bumper, Design Allows Ease Of Installation)	K160273 ‡	2 R230	
		7th And 8th Digit Of VIN Is AJ Or 1K, PR Code 1JA Or 1JB Located On Build Sticker, Thru 4/27/09, (Uses Oval Bumper, Design Allows Ease Of Installation)	K160272 ‡	2 R230	
Strut Bumper Bellows					
2017-2015	2 Dr. Hatchback, 4 Dr. Hatchback, Front Wheel Drive, PR Code 1JA+0K0 Located On Build Sticker, Rear Torsion Beam Suspension, Except Electronic Suspension		K201412	2	


VOLKSWAGEN-Golf (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2017-2015 (Cont.)	2 Dr. Hatchback, 4 Dr. Hatchback, Front Wheel Drive, PR Code 1JC Or 1JD Located On Build Sticker, Rear Torsion Beam Suspension, Except Electronic Suspension	K201412	2	
2014-2011	PR Code 1JA, 1JH, Or 1JM Located On Build Sticker, 133mm Bumper Length And 58mm Bumper Width	K201412	2	R230
	PR Code 1JC, 1JE, Or 1JK Located On Build Sticker, 118mm Bumper Length And 58mm Bumper Width	K201556	2	R230
2010	7th And 8th Digit Of VIN Is AJ Or 1K, PR Code 1JA, 1JH, Or 1JM Located On Build Sticker, 133mm Bumper Length And 58mm Bumper Width, (Round)	K201412	2	R230
	7th And 8th Digit Of VIN Is AJ Or 1K, PR Code 1JC, 1JE, Or 1JK Located On Build Sticker, 118mm Bumper Length And 58mm Bumper Width	K201556	2	R230
Strut Mount				
2010	7th And 8th Digit Of Vin Is BE, (Bearing Not Included)	K90245	2	
2009-2007	(Bearing Not Included)	K90245	2	
Sway Bar Link				
2017-2016	(Greaseable Socket Reduces Corrosion/Wear)	K750809 ‡	2	
2015	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80482 ‡	2	
2014-2011	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80482 ‡	2	R230
Trailing Link				
2015	(R-Series)	Left	RK642140	1
	(R-Series)	Right	RK642139	1
2014-2010	(R-Series)	Left	RK642140	1
	(R-Series)	Right	RK642139	1
Wheel Hub & Bearing Assembly				
2017-2016		512336	2	
2016-2015	R	512566	2	
2015	Comfortline, Highline, Launch Edition, S, SE, SEL, Sportwagen, Trendline	512319	2	
2014-2013		512319	2	
2012-2010	30mm Inside Diameter	512336	2	
	32mm Inside Diameter	512319	2	
2010		512319	2	
2009-2007		512336	2	

VOLKSWAGEN-GTI

FRONT SUSPENSION




F581

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2015		Left Lower	K500016	1
		Right Lower	K500030	1
2014-2007	(For Vehicles With Aluminum Steering Knuckles Only)	Left Lower	K80662	1
	(For Vehicles With Aluminum Steering Knuckles Only)	Right Lower	K80663	1
Control Arm				
2013-2007	Cast Iron Arm, (Contains Bushings, R-Series)	Left Lower	RK620140	1

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2013-2007 (Cont.)	Cast Iron Arm, (Contains Bushings, R-Series)	Right Lower	RK620142	1 F581
	Stamped Steel Arm, (R-Series)	Left Lower	RK620141	1 F581
	Stamped Steel Arm, (R-Series)	Right Lower	RK620143	1 F581
Control Arm Bushing				
2014-2007	(Design Allows Ease Of Installation)	Lower Front	K200094 ‡	2 F581
Control Arm with Ball Joint				
2017-2016	(R-Series)	Left Lower	RK622882	1
	(R-Series)	Right Lower	RK622883	1
Strut Bumper Bellows				
2017-2015	55mm Or 57mm Bumper Length		K160034	2
	70mm Bumper Length, (Original Equipment Type)		K150276	2
	70mm Bumper Length, (Replacement Type, Contains Bumper)		K90460	2
	80mm Bumper Length, (Original Equipment Type)		K201416	2
	80mm Bumper Length, (Replacement Type, Contains Bumper)		K90460	2
	90mm Bumper Length, (Contains Bumper)		K90461	2
2014-2010	55mm Or 57mm Bumper Length		K160034	2 F581
	90mm Bumper Length, (Contains Bumper)		K90461	2 F581
2009-2007	55mm Bumper Length		K160034	2 F581
	70mm Bumper Length, (Replacement Type, Contains Bumper)		K90460	2 F581
Strut Mount				
2014-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160132 ‡	2 F581
Sway Bar Link				
2017-2015			K750803	2
2014-2007	(Greaseable Socket Reduces Corrosion/Wear)		K80478 ‡	2 F581
Wheel Hub & Bearing Assembly				
2017-2015			513379	2
2014-2010			513253	2
2009-2006			513262	2
STEERING				
<p>The diagram shows an exploded view of steering components. At the top center is the 'Steering Rack Insulator Bushing'. Below it are two 'R&P Boot Kit' components. To the left are two 'Tie Rod End' components, labeled '(Outer)' and '(Inner)'. To the right are two more 'Tie Rod End' components, labeled '(Inner)' and '(Outer)'. The central part of the diagram shows the steering rack assembly with various mounting points and components.</p>				
S309				

VOLKSWAGEN-GTI (Cont.)


STEERING (Cont.)



S320

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2017-2010	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer	ES80666 ‡	1	S320
		Right Outer	ES80667 ‡	1	S320
		Inner	EV80665 ‡	2	S320
2009	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer	ES80666 ‡	1	S309, S320
		Right Outer	ES80667 ‡	1	S309, S320
		Inner	EV80665 ‡	2	S309, S320
2008-2007	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer	ES80666 ‡	1	S309
		Right Outer	ES80667 ‡	1	S309
		Inner	EV80665 ‡	2	S309

REAR SUSPENSION



R231

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2015	(R-Series)	Upper	RK640613	2	
2014-2010	(Lateral Link, R-Series)	Lower Front	RK642013	2	R231
2014-2006	(R-Series) (R-Series)	Upper	RK640613	2	R231
		Lower Rear	RK642309	2	R231
2009	From 11/4/08, (Lateral Link, R-Series) Thru 11/3/08, (Lateral Link, R-Series) Thru 11/3/08, (Lateral Link, R-Series)	Lower Front	RK642013	2	R231
		Left Front Lower	RK640386	1	R231
		Right Front Lower	RK640385	1	R231
2008-2006	(Lateral Link, R-Series) (Lateral Link, R-Series)	Left Front Lower	RK640386	1	R231
		Right Front Lower	RK640385	1	R231
Shock Mount					
2014-2011	PR Code 1JA Or 1JB Located On Build Sticker, (Uses 64mm Wide Bumper, Design Allows Ease Of Installation) PR Code 1JA, 1JC, 1JE, 1JH, 1JK, Or 1JM Located On Build Sticker, (Uses 58mm Wide Bumper, Design Allows Ease Of Installation)		K160273 ‡	2	R231
			K160271 ‡	2	R231

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2014-2010	PR Code 1JC, 1JK, Or UA1 Located On Build Sticker, (Uses 64mm Wide Bumper, Design Allows Ease Of Installation)	K160273 ‡	2	R231
2010	PR Code 1JA Or 1JB Located On Build Sticker, From 4/28/09, (Uses 64mm Wide Bumper, Uses Round Bumper, Design Allows Ease Of Installation)	K160273 ‡	2	R231
	PR Code 1JA Or 1JB Located On Build Sticker, Thru 4/27/09, (Uses Oval Bumper, Design Allows Ease Of Installation)	K160272 ‡	2	R231
	PR Code 1JA, 1JC, 1JE, 1JH, 1JK, Or 1JM Located On Build Sticker, (Uses 58mm Wide Bumper, Uses Round Bumper, Design Allows Ease Of Installation)	K160271 ‡	2	R231
2009-2007	(Uses 58mm Wide Bumper, Design Allows Ease Of Installation)	K160271 ‡	2	R231
	(Uses 64mm Wide Bumper, Design Allows Ease Of Installation)	K160273 ‡	2	R231
Strut Bumper Bellows				
2014-2011	PR Code 1JA, 1JH, Or 1JM Located On Build Sticker, 133mm Bumper Length And 58mm Bumper Width	K201412	2	R231
2014-2010	PR Code 1JC, 1JE, Or 1JK Located On Build Sticker, 118mm Bumper Length And 58mm Bumper Width	K201556	2	R231
2010	PR Code 1JA, 1JH, Or 1JM Located On Build Sticker, 133mm Bumper Length And 58mm Bumper Width, (Round)	K201412	2	R231
2009-2007	118mm Bumper Length And 58mm Bumper Width	K201556	2	R231
	133mm Bumper Length And 58mm Bumper Width	K201412	2	R231
Sway Bar Link				
2017-2015	(Greaseable Socket Reduces Corrosion/Wear)	K750809 ‡	2	
2014-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80482 ‡	2	R231
Trailing Link				
2014-2007	(R-Series)	Left RK642140	1	
	(R-Series)	Right RK642139	1	
Wheel Hub & Bearing Assembly				
2017-2015		512336	2	
2014-2010		512319	2	
2009-2006		512336	2	

Jetta A4-VOLKSWAGEN


FRONT SUSPENSION				
F057				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009-2007	Thru VIN 9M7631263, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Lower	K90355 ‡	1
	Thru VIN 9M7631263, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Lower	K90355 ‡	1
2007	From VIN 9M7631264, (Design Allows Ease Of Installation)	Left Lower	K500107 ‡	1
	From VIN 9M7631264, (Design Allows Ease Of Installation)	Right Lower	K500100 ‡	1
Control Arm				
2009-2007	(R-Series)	Lower	RK640176	2
Control Arm Bushing				
2009-2007	7th And 8th Digit Of Vin Is 9M Or 1J, (High Quality Elastomer For Durability And Performance)	Lower Rear	K200093 ‡	2

VOLKSWAGEN-Jetta A4 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2009-2007 (Cont.)	7th And 8th Digit Of Vin Is 9M Or 1J	Lower Front	K90719	2 F057
Strut and Spring Assembly				
2009-2007	City, 4 Dr. Sedan, 7th And 8th Digit Of Vin Is 9M Or 1J, (Strut, Spring & Top Mount)		ST8602	2 F057
Strut Bumper Bellows				
2009-2007	(Replacement Type, Contains Bumper)		K90460	2 F057
Wheel Hub & Bearing Assembly				
2009-2007			513253	2 F057

STEERING




S060

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2009-2007	7th And 8th Digit Of Vin Is 9M Or 1J, (Design Allows Ease Of Installation)		K100184 ‡	2 S060
Tie Rod End				
2009-2007	7th And 8th Digit Of Vin Is 9M Or 1J, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES3525 ‡	1 S060
		Right Outer	ES3524 ‡	1 S060

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2009-2007	(Original Equipment Type)		K201412	2
Wheel Hub & Bearing Assembly				
2009-2007			512012	2

FRONT SUSPENSION



F391


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2014-2011	(For Vehicles With Aluminum Steering Knuckles Only) Left Lower	K80662	1	F391
	(For Vehicles With Aluminum Steering Knuckles Only) Right Lower	K80663	1	F391
2010	7th And 8th Digit Of VIN Is AJ Or 1K, (For Vehicles With Aluminum Steering Knuckles Only) Left Lower	K80662	1	F391
	7th And 8th Digit Of VIN Is AJ Or 1K, (For Vehicles With Aluminum Steering Knuckles Only) Right Lower	K80663	1	F391
2009-2005	7th And 8th Digit Of Vin Is 1K, (For Vehicles With Aluminum Steering Knuckles Only) Left Lower	K80662	1	F391
	7th And 8th Digit Of Vin Is 1K, (For Vehicles With Aluminum Steering Knuckles Only) Right Lower	K80663	1	F391
Control Arm				
2014-2011	4 Dr. Station Wagon, Auto Headlight Range Control, (Contains Bushings, R-Series) Left Lower	RK620140	1	F391
	4 Dr. Station Wagon, Auto Headlight Range Control, (Contains Bushings, R-Series) Right Lower	RK620142	1	F391
	4 Dr. Station Wagon, Except Auto Headlight Range Control, (R-Series) Left Lower	RK620141	1	F391
	4 Dr. Station Wagon, Except Auto Headlight Range Control, (R-Series) Right Lower	RK620143	1	F391
2010	7th And 8th Digit Of VIN Is AJ Or 1K, Auto Headlight Range Control, (Contains Bushings, R-Series) Left Lower	RK620140	1	F391
	7th And 8th Digit Of VIN Is AJ Or 1K, Auto Headlight Range Control, (Contains Bushings, R-Series) Right Lower	RK620142	1	F391
	7th And 8th Digit Of VIN Is AJ Or 1K, Except Auto Headlight Range Control, (R-Series) Left Lower	RK620141	1	F391
	7th And 8th Digit Of VIN Is AJ Or 1K, Except Auto Headlight Range Control, (R-Series) Right Lower	RK620143	1	F391
2009-2008	7th And 8th Digit Of Vin Is 1K, Auto Headlight Range Control, (Contains Bushings, R-Series) Left Lower	RK620140	1	F391
	7th And 8th Digit Of Vin Is 1K, Auto Headlight Range Control, (Contains Bushings, R-Series) Right Lower	RK620142	1	F391
	7th And 8th Digit Of Vin Is 1K, Except Auto Headlight Range Control, (R-Series) Left Lower	RK620141	1	F391
	7th And 8th Digit Of Vin Is 1K, Except Auto Headlight Range Control, (R-Series) Right Lower	RK620143	1	F391
2007	2.0 T, 2.5, Base Model, Wolfsburg, 7th And 8th Digit Of Vin Is 1K, (R-Series) Left Lower	RK620141	1	F391
	2.0 T, 2.5, Base Model, Wolfsburg, 7th And 8th Digit Of Vin Is 1K, (R-Series) Right Lower	RK620143	1	F391
2007-2006	GLI, 7th And 8th Digit Of Vin Is 1K, (Contains Bushings, R-Series) Left Lower	RK620140	1	F391
	GLI, 7th And 8th Digit Of Vin Is 1K, (Contains Bushings, R-Series) Right Lower	RK620142	1	F391
2006	2.0 T, 2.5, Base Model, 7th And 8th Digit Of Vin Is 1K, (R-Series) Left Lower	RK620141	1	F391
	2.0 T, 2.5, Base Model, 7th And 8th Digit Of Vin Is 1K, (R-Series) Right Lower	RK620143	1	F391
Control Arm Bushing				
2014-2011	(Design Allows Ease Of Installation) Lower Front	K200094 ‡	2	F391
2013-2012	4 Dr. Station Wagon Lower Rear	K201724	2	F391
2010	7th And 8th Digit Of VIN Is AJ Or 1K, (Design Allows Ease Of Installation) Lower Front	K200094 ‡	2	F391
2009-2005	7th And 8th Digit Of Vin Is 1K, (Design Allows Ease Of Installation) Lower Front	K200094 ‡	2	F391
Strut and Spring Assembly				
2014-2011	4 Dr. Station Wagon	ST8657	2	F391
2010	7th And 8th Digit Of VIN Is AJ Or 1K, Except Sport Suspension	ST8657	2	F391
2009-2005	7th And 8th Digit Of Vin Is 1K, Except Sport Suspension	ST8657	2	F391
Strut Bumper Bellows				
2014-2011	4 Dr. Station Wagon, (Replacement Type, Contains Bumper)	K90460	2	F391
2010-2006	(Replacement Type, Contains Bumper)	K90460	2	F391
Strut Mount				
2014-2010	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160132 ‡	2	F391
2009-2005	7th And 8th Digit Of Vin Is 1K, (Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160132 ‡	2	F391

VOLKSWAGEN-Jetta A5 (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2014-2011	4 Dr. Station Wagon, PR Code 0AG Located On Build Sticker, (Design Allows Ease Of Installation) To Frame	K200890 ‡	1	F391
2010	7th And 8th Digit Of VIN Is AJ Or 1K, PR Code 0AG Located On Build Sticker, (Design Allows Ease Of Installation) To Frame	K200890 ‡	1	F391
2009-2006	7th And 8th Digit Of Vin Is 1K, PR Code 0AG Located On Build Sticker, (Design Allows Ease Of Installation) To Frame	K200890 ‡	1	F391
Sway Bar Link				
2014-2011	(Greaseable Socket Reduces Corrosion/Wear)	K80478 ‡	2	F391
2010	7th And 8th Digit Of VIN Is AJ Or 1K, (Greaseable Socket Reduces Corrosion/Wear)	K80478 ‡	2	F391
2009-2005	7th And 8th Digit Of Vin Is 1K, (Greaseable Socket Reduces Corrosion/Wear)	K80478 ‡	2	F391
Wheel Hub & Bearing Assembly				
2014-2006		513253	2	

STEERING




S309



S320

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2014-2011	(Design Allows Ease Of Installation) 4 Dr. Station Wagon, (Design Allows Ease Of Installation) 4 Dr. Station Wagon, (Design Allows Ease Of Installation)	Inner Left Outer Right Outer	EV80665 ‡ ES80666 ‡ ES80667 ‡	2 1 1 S309, S320 S309 S309
2010	7th And 8th Digit Of VIN Is AJ Or 1K, (Design Allows Ease Of Installation) 7th And 8th Digit Of VIN Is AJ Or 1K, (Design Allows Ease Of Installation) 7th And 8th Digit Of VIN Is AJ Or 1K, (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES80666 ‡ ES80667 ‡ EV80665 ‡	1 1 2 S309 S309 S309
2009-2005	7th And 8th Digit Of Vin Is 1K, (Design Allows Ease Of Installation) 7th And 8th Digit Of Vin Is 1K, (Design Allows Ease Of Installation) 7th And 8th Digit Of Vin Is 1K, (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES80666 ‡ ES80667 ‡ EV80665 ‡	1 1 2 S309 S309 S309

REAR SUSPENSION



R206

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2014-2011	4 Dr. Station Wagon, (R-Series)	Upper	RK642639	2 R206
2014-2010	(Lateral Link, R-Series)	Lower Front	RK642013	2 R206
2014-2005	(R-Series)	Lower Rear	RK642309	2 R206
2010-2009	(R-Series)	Upper	RK642639	2 R206
2009	From 11/3/08, (Lateral Link, R-Series) Thru 11/2/08, (Lateral Link, R-Series) Thru 11/2/08, (Lateral Link, R-Series)	Lower Front	RK642013	2 R206
		Left Front Lower	RK640386	1 R206
		Right Front Lower	RK640385	1 R206
2008-2005	(R-Series) (Lateral Link, R-Series) (Lateral Link, R-Series)	Upper	RK640613	2 R206
		Left Front Lower	RK640386	1 R206
		Right Front Lower	RK640385	1 R206
Shock Mount				
2014-2011	4 Dr. Station Wagon, (Design Allows Ease Of Installation)		K160271 ‡	2 R206
2010	7th And 8th Digit Of VIN Is AJ Or 1K, (Oval, Design Allows Ease Of Installation) 7th And 8th Digit Of VIN Is AJ Or 1K, (Round, Design Allows Ease Of Installation)		K160272 ‡	2 R206
			K160271 ‡	2 R206
2009-2007	7th And 8th Digit Of Vin Is 1K, (Oval, Design Allows Ease Of Installation) 7th And 8th Digit Of Vin Is 1K, (Round, Design Allows Ease Of Installation)		K160272 ‡	2 R206
			K160271 ‡	2 R206
Strut Bumper Bellows				
2014-2012	4 Dr. Station Wagon, (Original Equipment Type) 4 Dr. Station Wagon, (Replacement Type, Contains Bumper)		K201412	2 R206
			K90466	2 R206
2011-2005	(Original Equipment Type) (Replacement Type, Contains Bumper)		K201412	2 R206
			K90466	2 R206
Sway Bar Link				
2014-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80482 ‡	2 R206
Trailing Link				
2014-2007	(R-Series) (R-Series)	Left	RK642140	1 R206
		Right	RK642139	1 R206
Wheel Hub & Bearing Assembly				
2014-2011	Front Torsion Bar Suspension Independent Rear Suspension		512336	2
			512319	2
2010-2006			512319	2

Jetta A6-VOLKSWAGEN

FRONT SUSPENSION


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2011	(For Vehicles With Aluminum Steering Knuckles Only) (For Vehicles With Aluminum Steering Knuckles Only)	Left Lower	K80662	1
		Right Lower	K80663	1
Control Arm Bushing				
2017-2015	(High Quality Elastomer For Durability And Performance)	Lower Rear	K201725	2
		Lower Rear	K201630 ‡	2
2017-2011	(Design Allows Ease Of Installation)	Lower Front	K200094 ‡	2
2014-2011	4 Dr. Sedan	Lower Rear	K201725	2

VOLKSWAGEN-Jetta A6 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2014-2011 (Cont.)	4 Dr. Sedan, (High Quality Elastomer For Durability And Performance)	Lower Rear	K201630 ‡	2
Control Arm with Ball Joint				
2017-2015	(R-Series) (R-Series)	Left Lower Right Lower	RK621949 RK621950	1 1
2014-2011	4 Dr. Sedan, (R-Series) 4 Dr. Sedan, (R-Series)	Left Lower Right Lower	RK621949 RK621950	1 1
Strut Bumper Bellows				
2014-2011	4 Dr. Sedan, 55mm, (Replacement Type, OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2
	4 Dr. Sedan, 70mm Length, (Replacement Type, Contains Bumper)		K90460	2
Strut Mount				
2014-2011	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160132 ‡	2
Sway Bar Link				
2017-2011	(Greaseable Socket Reduces Corrosion/Wear)		K80478 ‡	2
Wheel Hub & Bearing Assembly				
2017-2011			513253	2


STEERING



S320

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2015	(Design Allows Ease Of Installation)	Left Outer Right Outer	ES800505 ‡ ES800506	1 1
2017-2011	(Design Allows Ease Of Installation)	Inner	EV80665 ‡	2
2014-2011	4 Dr. Sedan, (Design Allows Ease Of Installation)	Left Outer	ES800505 ‡	1
	4 Dr. Sedan	Right Outer	ES800506	1


REAR SUSPENSION



R230

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2017-2011	(R-Series)	Lower Rear	RK642309	2	R230
2014-2011	(Lateral Link, R-Series)	Lower Front	RK642013	2	R230
Shock Mount					
2014-2012	GLI, GLI Autobahn, 4 Dr. Sedan, (Design Allows Ease Of Installation)		K160271 ‡	2	
Strut Bumper Bellows					
2012	Base Model, Comfortline, Highline, S, SE, SEL, Sportline, TDI, Trendline, Trendline+, 4 Dr. Sedan, (Original Equipment Type)		K201412	2	R230
	Base Model, Comfortline, Highline, S, SE, SEL, Sportline, TDI, Trendline, Trendline+, 4 Dr. Sedan, (Replacement Type, Contains Bumper)		K90466	2	R230
2011	(Original Equipment Type)		K201412	2	R230
	(Replacement Type, Contains Bumper)		K90466	2	R230
Sway Bar Link					
2017-2011	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80482 ‡	2	R230
Trailing Link					
2017-2012	(R-Series)	Left	RK642140	1	
	(R-Series)	Right	RK642139	1	
Wheel Hub & Bearing Assembly					
2017-2015			512319	2	
2014-2011	Front Torsion Bar Suspension		512336	2	
	Independent Rear Suspension		512319	2	

FRONT SUSPENSION




F391

VOLKSWAGEN-Passat (Cont.)

FRONT SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2012	(For Vehicles With Aluminum Steering Knuckles Only)	Left Lower	K80662	1
	(For Vehicles With Aluminum Steering Knuckles Only)	Right Lower	K80663	1
2011-2006		Left Lower	K500016	1
		Right Lower	K500030	1
Control Arm Bushing				
2017-2014		Lower Rear	K201725	2
2017-2012	(High Quality Elastomer For Durability And Performance)	Lower Rear	K201630 ‡	2
	(Design Allows Ease Of Installation)	Lower Front	K200094 ‡	2
2013-2012		Lower Rear	K201724	2
2010-2006	(Design Allows Ease Of Installation)	Lower Front	K200094 ‡	2
Control Arm with Ball Joint				
2011-2006	(Contains Bushings, R-Series)	Left Lower	RK620589	1
	(Contains Bushings, R-Series)	Right Lower	RK620711	1
Strut Bumper Bellows				
2017-2012	70mm Bumper Length, (Replacement Type, Contains Bumper)		K90460	2
	90mm Bumper Length, (Contains Bumper)		K90461	2
2010-2006	55mm Bumper Length, PR Code G03, G08, G23, Or G28 Located On Build Sticker		K160034	2
	70mm Bumper Length, PR Code G07 Or G15 Located On Build Sticker, (Replacement Type, Contains Bumper)		K90460	2
Strut Mount				
2017	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160132 ‡	2
2016-2012	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160132 ‡	2
2010-2006	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160132 ‡	2
Sway Bar Link				
2018-2017			K750803	2
2016-2012	(Greaseable Socket Reduces Corrosion/Wear)		K80478 ‡	2
2011-2006	(Greaseable Socket Reduces Corrosion/Wear)		K80478 ‡	2
Wheel Hub & Bearing Assembly				
2017-2012			513253	2
2010-2006			513253	2

STEERING




S309

STEERING (Cont.)




S447



S448

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2012	(Design Allows Ease Of Installation)	Left Outer	ES80666 ‡	1 S447, S448
	(Design Allows Ease Of Installation)	Right Outer	ES80667 ‡	1 S447, S448
	(Design Allows Ease Of Installation)	Inner	EV800899 ‡	2 S447, S448
2011-2007	(Design Allows Ease Of Installation)	Left Outer	ES800505 ‡	1 S309
		Right Outer	ES800506	1 S309
2011-2006	(Design Allows Ease Of Installation)	Inner	EV80665 ‡	2 S309

REAR SUSPENSION



R209


VOLKSWAGEN-Passat (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2014	(R-Series) Lower Rear	RK642309	2	R209
2015-2006	(R-Series) Upper	RK640613	2	R209
2013	Thru 10/1/12, (Lateral Link, R-Series) Lower Front	RK642013	2	R209
2012	(Lateral Link, R-Series) Lower Front	RK642013	2	R209
2012-2006	(R-Series) Lower Rear	RK642309	2	R209
2011-2006	(Lateral Link, R-Series) Left Front Lower	RK640386	1	R209
	(Lateral Link, R-Series) Right Front Lower	RK640385	1	R209
Sway Bar Link				
2017-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80482 ‡	2	R209
Trailing Link				
2013-2012	(R-Series) Left	RK642140	1	R209
	(R-Series) Right	RK642139	1	R209
2010-2006	(R-Series) Left	RK641996	1	R209
	(R-Series) Right	RK641997	1	R209
Wheel Hub & Bearing Assembly				
2017-2012		512319	2	
2010-2007	All Wheel Drive	513253	2	
2010-2006	Front Wheel Drive	512319	2	

VOLKSWAGEN-Passat CC

FRONT SUSPENSION




F391

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2012-2009	Left Lower	K500016	1	F391
	Right Lower	K500030	1	F391
Control Arm Bushing				
2012-2009	(Design Allows Ease Of Installation) Lower Front	K200094 ‡	2	F391
Control Arm with Ball Joint				
2013-2011	(R-Series) Left Lower	RK622854	1	F391
	(R-Series) Right Lower	RK622855	1	F391
Strut Bumper Bellows				
2013-2009		K160034	2	F391
Strut Mount				
2013-2009	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160132 ‡	2	F391
Sway Bar Bushing				
2013-2009	23mm Sway Bar Diameter, 23.5mm Sway Bar Diameter, (Design Allows Ease Of Installation) To Frame	K200889 ‡	1	F391
Sway Bar Link				
2012-2009	(Greaseable Socket Reduces Corrosion/Wear)	K80478 ‡	2	F391

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2012-2009		513253	2	
STEERING				
S449				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2012	(Design Allows Ease Of Installation)	Inner	EV80665 ‡	2 S449
2012-2011	(Design Allows Ease Of Installation)	Left Outer	ES800505 ‡	1 S449
		Right Outer	ES800506	1 S449
REAR SUSPENSION				
R209				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2012	(Lateral Link, R-Series)	Left Front Lower	RK640386	1 R209
	(Lateral Link, R-Series)	Right Front Lower	RK640385	1 R209
2010-2009	(R-Series)	Lower Rear	RK642309	2 R209
Trailing Link				
2012-2009	(R-Series)	Left	RK641996	1 R209
	(R-Series)	Right	RK641997	1 R209
Wheel Hub & Bearing Assembly				
2012-2009	All Wheel Drive Front Wheel Drive	513253 512319	2 2	

VOLKSWAGEN-R32


FRONT SUSPENSION



F546

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2008	(For Vehicles With Aluminum Steering Knuckles Only)	Left Lower	K80662	1 F546
	(For Vehicles With Aluminum Steering Knuckles Only)	Right Lower	K80663	1 F546
Control Arm				
2008	(Contains Bushings, R-Series)	Left Lower	RK620140	1 F546
	(Contains Bushings, R-Series)	Right Lower	RK620142	1 F546
Control Arm Bushing				
2008	(Design Allows Ease Of Installation)	Lower Front	K200094 ‡	2 F546
Strut Bumper Bellows				
2008	(Replacement Type, Contains Bumper)		K90460	2 F546
Strut Mount				
2008	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160132 ‡	2 F546
Sway Bar Link				
2008	(Greaseable Socket Reduces Corrosion/Wear)		K80478 ‡	2 F546
Wheel Hub & Bearing Assembly				
2008			513253	2


STEERING



S309

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2008	(Design Allows Ease Of Installation)	Left Outer	ES80666 ‡	1 S309
	(Design Allows Ease Of Installation)	Right Outer	ES80667 ‡	1 S309
	(Design Allows Ease Of Installation)	Inner	EV80665 ‡	2 S309

REAR SUSPENSION




R207

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2008	(R-Series) (Lateral Link, R-Series) (Lateral Link, R-Series)	Upper Left Front Lower Right Front Lower	2 1 1	R207 R207 R207
Shock Mount				
2008	(Design Allows Ease Of Installation)	K160273 ‡	2	R207
Wheel Hub & Bearing Assembly				
2008		513253	2	

Rabbit-VOLKSWAGEN

FRONT SUSPENSION



F391


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009-2006	(For Vehicles With Aluminum Steering Knuckles Only) (For Vehicles With Aluminum Steering Knuckles Only)	Left Lower Right Lower	1 1	F391 F391
Control Arm				
2009-2006	(R-Series) (R-Series)	Left Lower Right Lower	1 1	F391 F391
Control Arm Bushing				
2009-2006	(Design Allows Ease Of Installation)	Lower Front	2	F391
Strut Bumper Bellows				
2009-2006	55mm Bumper Length 70mm Bumper Length, (Replacement Type, Contains Bumper)	K160034 K90460	2 2	F391 F391
Strut Mount				
2009-2006	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160132 ‡	2	F391

VOLKSWAGEN-Rabbit (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2009-2006	(Greaseable Socket Reduces Corrosion/Wear)	K80478 ‡	2	F391
Wheel Hub & Bearing Assembly				
2009-2006	3 Bolt Flange	513262	2	
	4 Bolt Flange	513253	2	


STEERING



S309

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2009-2006	(Design Allows Ease Of Installation)	Left Outer	ES80666 ‡	1	S309
	(Design Allows Ease Of Installation)	Right Outer	ES80667 ‡	1	S309
	(Design Allows Ease Of Installation)	Inner	EV80665 ‡	2	S309

REAR SUSPENSION



R206

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2009-2006	(R-Series)	Upper	RK640613	2	R206
	(Lateral Link, R-Series)	Left Front Lower	RK640386	1	R206
	(Lateral Link, R-Series)	Right Front Lower	RK640385	1	R206
Shock Mount					
2009-2006	(Uses 58mm Wide Bumper, Design Allows Ease Of Installation)		K160271 ‡	2	R206
	(Uses 64mm Wide Bumper, Design Allows Ease Of Installation)		K160273 ‡	2	R206
Strut Bumper Bellows					
2009-2006	118mm Bumper Length And 58mm Bumper Width		K201556	2	R206
	133mm Bumper Length And 58mm Bumper Width, (Original Equipment Type)		K201412	2	R206


REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2009-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80482 ‡	2	R206
Trailing Link				
2009-2008	(R-Series)	Left RK642140	1	R206
	(R-Series)	Right RK642139	1	R206
Wheel Hub & Bearing Assembly				
2009-2006		512336	2	

C Series-VOLVO

FRONT SUSPENSION				
F559				
Year	Model/Application	Part	P/C Qty	Figure
C30				
Control Arm with Ball Joint				
2013-2007	Except Sport Suspension, 18mm Diameter Stud, (Contains Bushings, R-Series)	Left Lower	RK620598	1 F559
	Except Sport Suspension, 18mm Diameter Stud, (Contains Bushings, R-Series)	Right Lower	RK620599	1 F559
Strut Bumper Bellows				
2013-2008	(Replacement Type, Contains Bumper)	K90460	2	F559
2013-2007	(Original Equipment Type)	K150276	2	F559
Strut Mount				
2013-2007	(Contains Bearing And Spring Seat)	K160228 ‡	2	F559
Sway Bar Link				
2013-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80880 ‡	2	F559
Wheel Hub & Bearing Assembly				
2013-2007		513255	2	
C70				
Control Arm with Ball Joint				
2013-2007	18mm Diameter Stud, (Contains Bushings, R-Series)	Left Lower	RK620598	1 F559
	18mm Diameter Stud, (Contains Bushings, R-Series)	Right Lower	RK620599	1 F559
Strut Bumper Bellows				
2013-2010	(Replacement Type, Contains Bumper)	K90460	2	F559
2009-2006	(Contains Bumper)	K90466	2	F559
Strut Mount				
2013-2006	(Contains Bearing And Spring Seat)	K160228 ‡	2	F559
Sway Bar Link				
2013-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80880 ‡	2	F559
Wheel Hub & Bearing Assembly				
2013-2006		513255	2	

VOLVO-C Series (Cont.)


STEERING



S429

Year	Model/Application	Part	P/C Qty	Figure	
C30					
Tie Rod End					
2013-2008	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800861 ‡ ES800860 ‡ EV800458 ‡	1 1 2	S429 S429 S429
C70					
Tie Rod End					
2013-2006	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800861 ‡ ES800860 ‡ EV800458 ‡	1 1 2	S429 S429 S429


REAR SUSPENSION



R194


Year	Model/Application	Part	P/C Qty	Figure	
C30					
Control Arm					
2013-2007	(R-Series) (Straight Arm, Lateral Link) (Straight Arm, Lateral Link, R-Series) Up To Minus 1-1/2 To Plus 5 Degrees Camber, (Lateral Link, R-Series)	Upper Lower Front Lower Front Upper	RK641985 CK660012 RK660012 RK100002	2 2 2 2	R194 R194 R194 R194
Shock Mount					
2013-2008	Shocks Marked 1 Or 49, (Design Allows Ease Of Installation)	K160229 ‡	2	R194	
Strut Bumper Bellows					
2013-2007	(Original Equipment Type) (Replacement Type, Contains Bumper)	K201597 K90466	2 2	R194 R194	
Sway Bar Link					
2013-2007	Sport Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80867 ‡	2	R194	

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
C30					
Trailing Link Bushing					
2013-2007		K200064	2	R194	
Wheel Hub & Bearing Assembly					
2013-2007		512411	2		
C70					
Control Arm					
2013-2006	(Straight Arm, Lateral Link) (Straight Arm, Lateral Link, R-Series) Up To Minus 1-1/2 To Plus 5 Degrees Camber, (Lateral Link, R-Series)	Lower Front Lower Front Upper	CK660012 RK660012 RK100002	2 2 2	R194 R194 R194
Sway Bar Link					
2013-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80867 ‡	2	R194	
Trailing Link Bushing					
2013-2006		K200064	1	R194	
Wheel Hub & Bearing Assembly					
2013-2006		512411	2		



VOLVO-S Series (Cont.)


FRONT SUSPENSION (Cont.)



F565

Year	Model/Application	Part	P/C Qty	Figure
S40				
Control Arm with Ball Joint				
2011-2007	18mm Diameter Stud, (Contains Bushings, R-Series)	Left Lower	RK620598	1 F559
	18mm Diameter Stud, (Contains Bushings, R-Series)	Right Lower	RK620599	1 F559
Strut Bumper Bellows				
2011-2005	(Replacement Type, Contains Bumper)		K90460	2 F559
Strut Mount				
2011-2005	(Contains Bearing And Spring Seat)		K160228 ‡	2 F559
Sway Bar Link				
2011	T5, T5 R-Design, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80880 ‡	2 F559
2010-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80880 ‡	2 F559
Wheel Hub & Bearing Assembly				
2011-2005			513255	2
S60				
Ball Joint				
2009-2008	(Design Allows Ease Of Installation)	Lower	K500153 ‡	2 F564
2007	From Chassis Serial Number 626502, (Design Allows Ease Of Installation)	Lower	K500153 ‡	2 F564
	Thru Chassis Serial Number 626501	Lower	K80700	2 F564
Control Arm				
2009-2008	(Contains Bushings, R-Series)	Left Lower	RK640831	1 F564
	(Contains Bushings, R-Series)	Right Lower	RK640832	1 F564
2007	Front Wheel Drive, From Chassis Serial Number 626502, (Contains Bushings, R-Series)	Left Lower	RK640831	1 F564
	Front Wheel Drive, From Chassis Serial Number 626502, (Contains Bushings, R-Series)	Right Lower	RK640832	1 F564
	Front Wheel Drive, Thru Chassis Serial Number 626501, (R-Series)	Left Lower	RK640368	1 F564
	Front Wheel Drive, Thru Chassis Serial Number 626501, (R-Series)	Right Lower	RK640367	1 F564
Control Arm Bushing				
2007-2003		Lower Front Inner	K201173	1 F564
Control Arm with Ball Joint				
2018-2016	T5 Cross Country, (R-Series)	Left Lower	RK621746	1 F565
	T5 Cross Country, (R-Series)	Right Lower	RK621745	1 F565
2014	Sweden Production From Chassis Number 297017, Belgium Production From Chassis Number 299307, (R-Series)	Left Lower	RK620600	1 F565
	Sweden Production From Chassis Number 297017, Belgium Production From Chassis Number 299307, (R-Series)	Right Lower	RK620601	1 F565
2011	Thru Chassis / Vin Number 6847, (R-Series)	Left Lower	RK620600	1 F565
	Thru Chassis / Vin Number 6847, (R-Series)	Right Lower	RK620601	1 F565
Strut Bumper Bellows				
2016-2011	(Original Equipment Type)		K150276	2 F565
	(Replacement Type, Contains Bumper)		K90460	2 F565
2008-2003	Except Electric Adjustable Suspension, (OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F564
Strut Mount				
2009-2003	(Contains Bearing)		K80931	2 F564


FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
S60				
Strut Spring Seat				
2009-2003		Upper	K90229	2 F564
Sway Bar Link				
2017-2011	(Powdered Metal Gusher Brg. For Better Lubrication)		K750158 ‡	2 F565
2009-2003	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80501 ‡	2 F564
Wheel Hub & Bearing Assembly				
2017-2011			513328	2
2009-2003			513194	2
S80				
Control Arm with Ball Joint				
2012	Thru Chassis / Vin Number 151013, (R-Series) Thru Chassis / Vin Number 151013, (R-Series)	Left Lower Right Lower	RK620600 RK620601	1 F565 1 F565
2011-2007	(R-Series) (R-Series)	Left Lower Right Lower	RK620600 RK620601	1 F565 1 F565
Strut Bumper Bellows				
2016-2007	(Original Equipment Type) (Replacement Type, Contains Bumper)		K150276 K90460	2 F565 2 F565
Sway Bar Link				
2016-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K750158 ‡	2 F565
Wheel Hub & Bearing Assembly				
2016-2007			513328	2
S90				
Sway Bar Link				
2019-2017		Left Right	K750825 K750826	1 1

STEERING


S429

VOLVO-S Series (Cont.)

STEERING (Cont.)



S433




S441


Year	Model/Application	Part	P/C Qty	Figure
S40				
Tie Rod End				
2011-2005	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800861 ‡ ES800860 ‡ EV800458 ‡	1 1 2 S429 S429
S60				
Tie Rod End				
2018	Polestar, T5, T5 Cross Country, T6 R-Design, (Design Allows Ease Of Installation) Polestar, T5, T5 Cross Country, T6 R-Design, (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800848 ‡ ES800849 ‡	1 1
2017	Polestar, T5, T5 Cross Country, T6, T6 R-Design, (Design Allows Ease Of Installation) Polestar, T5, T5 Cross Country, T6, T6 R-Design, (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800848 ‡ ES800849 ‡	1 1
2016	T5 Cross Country, Except Speed Sensing Power Steering, (MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800772 ‡	2
2016-2015	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800848 ‡ ES800849 ‡	1 1
2014-2013	(MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800772 ‡	2 S441
2014-2011	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800848 ‡ ES800849 ‡	1 1 S441 S441
2012	T5, Speed Sensing Power Steering, 76.5 mm, (Design Allows Ease Of Installation) 2954cc(3.0L), (MOOG Engineered Steel Composition Enhances Strength)	Inner Inner	EV800771 ‡ EV800772 ‡	2 2 S441 S441
2011	(MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800772 ‡	2 S441
2009-2004	(Greaseable Socket Reduces Corrosion/Wear)	Inner	EV800043 ‡	2 S433
2009-2003	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer Right Outer	ES80981 ‡ ES80982 ‡	1 1 S433 S433

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
S80				
Tie Rod End				
2016-2013	(MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800772 ‡	2 S441
2016-2007	(Design Allows Ease Of Installation) Speed Sensing Power Steering, 76.5 mm, (Design Allows Ease Of Installation)	Left Outer	ES800848 ‡	1 S441
		Right Outer	ES800849 ‡	1 S441
		Inner	EV800771 ‡	2 S441
2012-2008	Except Speed Sensing Power Steering, (MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800772 ‡	2 S441
2007	(MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800772 ‡	2 S441

REAR SUSPENSION




R195



R198

VOLVO-S Series (Cont.)

REAR SUSPENSION (Cont.)




R199


Year	Model/Application	Part	P/C Qty	Figure	
S40					
Control Arm					
2011	(R-Series) (Straight Arm, Lateral Link) (Straight Arm, Lateral Link, R-Series)	Upper Lower Front Lower Front	RK641985 CK660012 RK660012	2 2 2	R195 R195 R195
2011-2005	Up To Minus 1-1/2 To Plus 5 Degrees Camber, (Lateral Link, R-Series)	Upper	RK100002	2	R195
2010-2005	Front Wheel Drive, (R-Series) Front Wheel Drive, (Straight Arm, Lateral Link) Front Wheel Drive, (Straight Arm, Lateral Link, R-Series)	Upper Lower Front Lower Front	RK641985 CK660012 RK660012	2 2 2	R195 R195 R195
Strut Bumper Bellows					
2011-2005	(Contains Bumper)		K90466	2	R195
Sway Bar Link					
2011	T5 R-Design, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80867 ‡	2	R195
2010-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80867 ‡	2	R195
Trailing Link Bushing					
2011-2005			K200064	2	R195
Wheel Hub & Bearing Assembly					
2011-2005	Front Wheel Drive		512411	2	
2010-2005	All Wheel Drive		512412	2	
S60					
Control Arm					
2018-2016	T5 Cross Country, All Wheel Drive, (R-Series) T5 Cross Country, All Wheel Drive, (R-Series)	Left Upper Right Upper	RK642408 RK642409	1 1	
2016	Polestar, T5, T6, T6 R-Design, Thru Chassis Number 394198, (R-Series)	Lower Rear	RK642406	2	
2015-2011	(R-Series)	Lower Rear	RK642406	2	
2009-2006	All Wheel Drive, (R-Series)	Right Upper	RK642404	1	R199
2009-2004	Front Wheel Drive, Except Active Suspension, (R-Series) Front Wheel Drive, Except Active Suspension, (R-Series)	Left Front Lower Right Front Lower	RK642370 RK642371	1 1	R198 R198
2009-2003	(R-Series) All Wheel Drive, (R-Series)	Lower Rear Left Upper	RK642372 RK642403	2 1	R198, R199 R199
Control Arm Bushing					
2009-2008	All Wheel Drive	Lower Rear Inner	K201720	2	R199
2007-2005	2.5T AWD, T5, All Wheel Drive	Lower Rear Inner	K201720	2	R199
Strut Mount					
2009-2004	Front Wheel Drive, Except Adjustable Suspension, (Bearing Not Included)		K160031	2	R198
Sway Bar Link					
2018	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750398 ‡	2	
2017-2016	T5, T5 Cross Country, T5 Inscription, T6, T6 R-Design, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750398 ‡	2	
2015-2011	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750398 ‡	2	
2009-2003	(Powdered Metal Gusher Brg. For Better Lubrication)		K80425 ‡	2	R198, R199
Wheel Hub & Bearing Assembly					
2018-2015	All Wheel Drive Front Wheel Drive		512414 512528	2 2	

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
S60				
Wheel Hub & Bearing Assembly				
2014	2954cc(3.0L)	512414	2	
2014-2012	2521cc(2.5L)	512413	2	
2011		512414	2	
2009-2004	Front Wheel Drive	512233	2	
2009-2003	All Wheel Drive	512253	2	
S80				
Control Arm				
2016	Except Auto Leveling System, (R-Series)	Upper	RK642410	2
2016-2010	(R-Series)	Lower Rear	RK642406	2
2015	Front Wheel Drive, Except Auto Leveling System, (R-Series)	Upper	RK642410	2
2014-2009	Except Auto Leveling System, (R-Series)	Upper	RK642410	2
2008	From Chassis 181942, Except Auto Leveling System, (R-Series)	Upper	RK642410	2
Sway Bar Link				
2015-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750398 ‡	2
Wheel Hub & Bearing Assembly				
2016-2015			512528	2
2014	195(3.2L)		512528	2
2014-2007	All Wheel Drive		512414	2
2013-2007	Front Wheel Drive		512413	2
S90				
Sway Bar Link				
2019-2017	(Greaseable Socket Reduces Corrosion/Wear)	Left	K750818 ‡	1
	(Greaseable Socket Reduces Corrosion/Wear)	Right	K750819 ‡	1
Wheel Hub & Bearing Assembly				
2018-2017	Front Wheel Drive		512576	2


V Series-VOLVO



FRONT SUSPENSION (Cont.)



F564




F565

Year	Model/Application	Part	P/C Qty	Figure
V50				
Control Arm with Ball Joint				
2011-2007	18mm Diameter Stud, (Contains Bushings, R-Series)	Left Lower	RK620598	1 F559
	18mm Diameter Stud, (Contains Bushings, R-Series)	Right Lower	RK620599	1 F559
Strut Bumper Bellows				
2011-2005	(Replacement Type, Contains Bumper)		K90460	2 F559
Strut Mount				
2011-2005	(Contains Bearing And Spring Seat)		K160228 ‡	2 F559
Sway Bar Link				
2011-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80880 ‡	2 F559
Wheel Hub & Bearing Assembly				
2011-2005			513255	2
V60				
Control Arm with Ball Joint				
2018-2015	T5 Cross Country, (R-Series)	Left Lower	RK621746	1 F565
	T5 Cross Country, (R-Series)	Right Lower	RK621745	1 F565
Strut Bumper Bellows				
2016-2015	(Original Equipment Type)		K150276	2 F565
	(Replacement Type, Contains Bumper)		K90460	2 F565
Sway Bar Link				
2017-2015	(Powdered Metal Gusher Brg. For Better Lubrication)		K750158 ‡	2 F565
Wheel Hub & Bearing Assembly				
2018	Polestar, T5, T6 R-Design, Thru Chassis Number 390897		513328	2
	T5 Cross Country, Thru Chassis Number 49696		513328	2


FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
V60				
Wheel Hub & Bearing Assembly				
2017-2015		513328	2	
V70				
Ball Joint				
2007-2001	Lower	K80700	2	F564
Control Arm				
2007-2001	Front Wheel Drive, (R-Series) Front Wheel Drive, (R-Series)	Left Lower Right Lower	RK640368 RK640367	1 1 F564 F564
Control Arm Bushing				
2007-2001	Lower Front Inner	K201173	1	F564
Control Arm with Ball Joint				
2010-2008	(R-Series) (R-Series)	Left Lower Right Lower	RK620600 RK620601	1 1 F565 F565
Strut Bumper Bellows				
2007-2001	(OE Material For Strut Performance And Longevity, Contains Bumper)	K90462 ‡	2	F564
Strut Mount				
2007-2001	(Contains Bearing)	K80931	2	F564
Strut Spring Seat				
2007-2001		Upper K90229	2	F564
Sway Bar Link				
2010-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	K750158 ‡	2	F565
2007-2001	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80501 ‡	2	F564
Wheel Hub & Bearing Assembly				
2010-2008		513328	2	
2007-2001		513194	2	
V90				
Sway Bar Link				
2019-2017		Left Right	K750825 K750826	1 1

STEERING




S431

STEERING (Cont.)




S433




S441

Year	Model/Application	Part	P/C Qty	Figure	
V50					
Tie Rod End					
2011-2005	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800861 ‡ ES800860 ‡ EV800458 ‡	1 1 2	S431 S431 S431
V60					
Tie Rod End					
2018-2015	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800848 ‡ ES800849 ‡	1 1	
V70					
Tie Rod End					
2010-2009	Speed Sensing Power Steering, 76.5 mm, (Design Allows Ease Of Installation)	Inner	EV800771 ‡	2	S441
2010-2008	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) Except Speed Sensing Power Steering, (MOOG Engineered Steel Composition Enhances Strength)	Left Outer Right Outer Inner	ES800848 ‡ ES800849 ‡ EV800772 ‡	1 1 2	S441 S441 S441
2007-2004	(Greaseable Socket Reduces Corrosion/Wear)	Inner	EV800043 ‡	2	S433
2007-2003	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer Right Outer	ES80981 ‡ ES80982 ‡	1 1	S433 S433


REAR SUSPENSION



R194



R198




R199

Year	Model/Application	Part	P/C Qty	Figure
V50				
Control Arm				
2011	(R-Series) (Straight Arm, Lateral Link) (Straight Arm, Lateral Link, R-Series)	Upper Lower Front Lower Front	2 2 2	R194 R194 R194
2011-2005	Up To Minus 1-1/2 To Plus 5 Degrees Camber, (Lateral Link, R-Series)	Upper	2	R194
2010-2009	149(2.4L), (R-Series)	Upper	2	R194
2010-2005	Front Wheel Drive, (Straight Arm, Lateral Link) Front Wheel Drive, (Straight Arm, Lateral Link, R-Series)	Lower Front Lower Front	2 2	R194 R194

VOLVO-V Series (Cont.)

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
V50					
Control Arm					
2008-2005	Front Wheel Drive, (R-Series)	Upper	RK641985	2	R194
Strut Bumper Bellows					
2011-2005	(Contains Bumper)		K90466	2	R194
Sway Bar Link					
2011-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80867 ‡	2	R194
Trailing Link Bushing					
2011-2005			K200064	2	R194
Wheel Hub & Bearing Assembly					
2011			512411	2	
2010-2005	All Wheel Drive Front Wheel Drive		512412 512411	2 2	
V60					
Control Arm					
2018	T5, Front Wheel Drive, (R-Series)	Upper	RK642410	2	
2018-2015	T5 Cross Country, (R-Series)	Left Upper	RK642408	1	
	T5 Cross Country, (R-Series)	Right Upper	RK642409	1	
2017-2015	4 Cyl, Front Wheel Drive, Except Auto Leveling System, (R-Series)	Upper	RK642410	2	
2016	Polestar, T5, T6 R-Design, Thru Chassis Number 286075, (R-Series)	Lower Rear	RK642406	2	
	T5 Cross Country, Thru Chassis Number 4902, (R-Series)	Lower Rear	RK642407	2	
2015	Polestar, T5, T6, T6 R-Design, (R-Series)	Lower Rear	RK642406	2	
	T5 Cross Country, (R-Series)	Lower Rear	RK642407	2	
Sway Bar Link					
2018-2016	T5, T5 Cross Country, T6 R-Design, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750398 ‡	2	
2015	T5, T5 Cross Country, T6, T6 R-Design, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750398 ‡	2	
Wheel Hub & Bearing Assembly					
2018-2015	All Wheel Drive Front Wheel Drive		512414 512528	2 2	
V70					
Control Arm					
2010	(R-Series) Except Active Suspension, Except Auto Leveling System, (R-Series)	Lower Rear Upper	RK642406 RK642410	2 2	
2007	All Wheel Drive, (R-Series)	Left Upper	RK642403	1	R199
	All Wheel Drive, (R-Series)	Right Upper	RK642404	1	R199
2007-2001	(R-Series) Front Wheel Drive, Except Active Suspension, (R-Series)	Lower Rear	RK642372	2	R198, R199
	Front Wheel Drive, Except Active Suspension, (R-Series)	Left Front Lower	RK642370	1	R198
	Front Wheel Drive, Except Active Suspension, (R-Series)	Right Front Lower	RK642371	1	R198
Sway Bar Link					
2010-2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750398 ‡	2	
2007-2001	(Powdered Metal Gusher Brg. For Better Lubrication)		K80425 ‡	2	R198, R199
Wheel Hub & Bearing Assembly					
2010-2008	Front Wheel Drive		512413	2	
2007-2004	All Wheel Drive		512253	2	
2007-2001	Front Wheel Drive		512233	2	
V90					
Sway Bar Link					
2019-2017	(Greaseable Socket Reduces Corrosion/Wear)	Left	K750818 ‡	1	
	(Greaseable Socket Reduces Corrosion/Wear)	Right	K750819 ‡	1	
Wheel Hub & Bearing Assembly					
2018-2017	Front Wheel Drive		512592	2	

FRONT SUSPENSION




F370

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2013-2007	(R-Series) (R-Series)	Left Lower Right Lower	RK622037 RK621549	1 1	F370 F370
Strut Bumper Bellows					
2013-2007	(Contains Bumper)		K90461	2	F370
Strut Mount					
2013-2007	Except Sport Suspension, (Contains Bearing, Superior Rubber To Steel Bonding For Durability) Sport Suspension, (Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160218 ‡ K160219 ‡	2 2	F370 F370
Sway Bar Bushing					
2017-2014	Front Wheel Drive, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) Front Wheel Drive, (Standard Design)	To Frame To Frame	K201620 ‡ K90559	1 1	
2013-2010	Advance Package, 24mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) Advance Package, 24mm Sway Bar Diameter, (Standard Design) Except Advance Package, 22mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) Except Advance Package, 22mm Sway Bar Diameter, (Standard Design) Except Advance Package, 23mm Sway Bar Diameter	To Frame To Frame To Frame To Frame To Frame	K201619 ‡ K90554 K201620 ‡ K90559 K201660	1 1 1 1 1	F370 F370 F370 F370 F370
2009-2007	22mm Sway Bar Diameter, Except Sport Suspension, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 22mm Sway Bar Diameter, Except Sport Suspension, (Standard Design) 23mm Sway Bar Diameter, Except Sport Suspension Sport Suspension, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) Sport Suspension, (Standard Design)	To Frame To Frame To Frame To Frame To Frame	K201620 ‡ K90559 K201660 K201619 ‡ K90554	1 1 1 1 1	F370 F370 F370 F370 F370
Sway Bar Link					
2019-2014	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Right	K750679 ‡ K750678 ‡	1 1	
2013-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K750124 ‡	2	F370
Wheel Hub & Bearing Assembly					
2013-2007			513267	2	

ACURA TRUCK-MDX (Cont.)


STEERING



S131

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2019-2014		Left Outer Right Outer Inner	1 1 2	
2013-2007	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	1 1 2	S131 S131 S131



REAR SUSPENSION



R057

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2014	Plus Or Minus 3 Degrees Camber, (Adjustable)	Upper	K100199	2
Control Arm				
2013-2007	(Lateral Link, R-Series)	Lower Front	RK642895	2 R057
Control Arm with Ball Joint				
2013-2007	Minus 2 To Plus 4 Degrees Camber, (Adjustable, Non-Greasable, R-Series) Except Sport Suspension, Minus 2 To Plus 4 Degrees Camber, (Adjustable, Greaseable, R-Series)	Upper Upper	RK621904 RK100122	2 R057 2 R057
Sway Bar Bushing				
2019	Front Wheel Drive	To Frame	K201420	1 R057
2019-2014	All Wheel Drive	To Frame	K201568	1 R057
2018-2014	Front Wheel Drive	To Frame	K201420	1
2013-2010	Electronic Suspension Except Electronic Suspension	To Frame To Frame	K201568 K201522	1 R057 1 R057
2009-2007	Except Sport Package, (Reduces Noise) Sport Package, (Reduces Noise)	To Frame To Frame	K200736 ‡ K200735 ‡	1 R057 1 R057

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Link					
2019-2014		Left Right	K750867 ‡ K750866 ‡	1 1	
2013-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750749 ‡ K750750 ‡	1 1	R057 R057
Wheel Hub & Bearing Assembly					
2019-2017	All Wheel Drive Front Wheel Drive		512629 512628	2 2	
2016-2014	All Wheel Drive Front Wheel Drive		512531 512527	2 2	
2013-2007			512342	2	


FRONT SUSPENSION					
					
F373					
					
F604					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2018	(Design Allows Ease Of Installation)	Lower	K500103 ‡	2	F604
2017-2013	(Bolt On Type, Design Allows Ease Of Installation)	Lower	K500103 ‡	2	F604
2012-2007	(Bolt On Type, Design Allows Ease Of Installation)	Lower	K500103 ‡	2	F373
Control Arm with Ball Joint					
2012-2007	(R-Series) (R-Series)	Left Lower Right Lower	RK621548 RK621547	1 1	F373 F373
Strut Bumper Bellows					
2013	(Contains Bumper)		K90461	2	F604

ACURA TRUCK-RDX (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Strut Bumper Bellows					
2012-2007	(Contains Bumper)	K90461	2	F373	
Strut Mount					
2013	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160296 ‡	2	F604	
2012-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160296 ‡	2	F373	
Sway Bar Bushing					
2018-2016	(Contains Bushing And Brackets)	To Frame	K200519 ‡	1	F604
2015-2013		To Frame	K201464	1	F604
2012-2007	(Contains Bushing And Brackets)	To Frame	K200519 ‡	1	F373
Sway Bar Link					
2018-2013	(Design Allows Ease Of Installation)	Left	K750667 ‡	1	F604
	(Design Allows Ease Of Installation)	Right	K750666 ‡	1	F604
2012-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750297 ‡	2	F373


STEERING



S132


Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2012-2007		K150282	2	S132	
Tie Rod End					
2018-2013		Outer	ES801146	2	
		Inner	EV801147	2	
2012-2007	(Design Allows Ease Of Installation)	Outer	ES801172	2	S132
		Inner	EV800555 ‡	2	S132

REAR SUSPENSION




R058

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2018-2007	(R-Series) (R-Series)	Left Rear Lower Right Rear Lower	RK642532 RK642529	1 1 R058
Control Arm with Ball Joint				
2018-2007	(R-Series) (R-Series)	Left Upper Right Upper	RK622544 RK622542	1 1 R058 R058
Strut Bushing				
2012-2007		Lower	K90213	2 R058
Sway Bar Link				
2018-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K750380 ‡	2 R058
Wheel Hub & Bearing Assembly				
2018-2013	Front Wheel Drive		512448	2
2015-2013	All Wheel Drive		512501	2
2012-2007			512345	2

FRONT SUSPENSION				
				
F391				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2015	(For Vehicles With Aluminum Steering Knuckles Only) (For Vehicles With Aluminum Steering Knuckles Only)	Left Lower Right Lower	K80662 K80663	1 1 F391 F391
Control Arm Bushing				
2017-2015	(Design Allows Ease Of Installation)	Lower Front	K200094 ‡	2 F391
Strut Mount				
2016-2015	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160132 ‡	2 F391
Sway Bar Link				
2017-2015	(Greaseable Socket Reduces Corrosion/Wear)		K80478 ‡	2 F391
Wheel Hub & Bearing Assembly				
2017-2015			513253	2

AUDI TRUCK-Q3 (Cont.)


STEERING



S415

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2015	(Design Allows Ease Of Installation)	Left Outer	ES800505 ‡	1 S415
		Right Outer	ES800506	1 S415
	(Design Allows Ease Of Installation)	Inner	EV80665 ‡	2 S415


REAR SUSPENSION



R209

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2015	(R-Series) (Lateral Link, R-Series) (Lateral Link, R-Series)	Lower Rear	RK642309	2 R209
		Left Front Lower	RK640386	1 R209
		Right Front Lower	RK640385	1 R209
Strut Bumper Bellows				
2016-2015	PR Code UC3 Located On Build Sticker	K201412	2	R209
Sway Bar Link				
2017-2015	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80482 ‡	2	R209
Trailing Link				
2017-2015	(R-Series) (R-Series)	Left	RK641996	1 R209
		Right	RK641997	1 R209
Wheel Hub & Bearing Assembly				
2017-2015	All Wheel Drive Front Wheel Drive	513253 512319	2 2	

FRONT SUSPENSION



F363



Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2012	Thru 8/14/11, (Design Allows Ease Of Installation)	Lower	K500225 ‡	2 F363
2011-2009	(Design Allows Ease Of Installation)	Lower	K500225 ‡	2 F363
Control Arm				
2017-2013	(R-Series)	Left Front Lower	RK641964	1 F363
	(R-Series)	Right Front Lower	RK641965	1 F363
2012	From 8/15/11, (R-Series)	Left Front Lower	RK641964	1 F363
	From 8/15/11, (R-Series)	Right Front Lower	RK641965	1 F363
	Thru 8/14/11, (R-Series)	Left Front Lower	RK641152	1 F363
	Thru 8/14/11, (R-Series)	Right Front Lower	RK641153	1 F363
2011-2009	(R-Series)	Left Front Lower	RK641152	1 F363
	(R-Series)	Right Front Lower	RK641153	1 F363
Control Arm with Ball Joint				
2017-2010	(R-Series)	Left Rear Lower	RK622786	1 F363
	(R-Series)	Right Rear Lower	RK622650	1 F363
2017-2009	Plus Or Minus 1.5 Degree Camber/Caster, (Adjustable, Contains Front And Rear Arms, R-Series)	Upper	RK100218	2 F363
2016-2013	(Contains Bushing, R-Series)	Left Front Upper	RK621002	1 F363
	(Contains Bushing, R-Series)	Left Rear Upper	RK621000	1 F363
	(Contains Bushing, R-Series)	Right Front Upper	RK621001	1 F363
	(Contains Bushing, R-Series)	Right Rear Upper	RK620999	1 F363
2012	From 8/13/12, (Contains Bushing, R-Series)	Left Front Upper	RK621002	1 F363
	From 8/13/12, (Contains Bushing, R-Series)	Left Rear Upper	RK621000	1 F363
	From 8/13/12, (Contains Bushing, R-Series)	Right Front Upper	RK621001	1 F363
	From 8/13/12, (Contains Bushing, R-Series)	Right Rear Upper	RK620999	1 F363
	Thru 8/12/12, (R-Series)	Left Front Upper	RK621125	1 F363
	Thru 8/12/12, (R-Series)	Left Rear Upper	RK621123	1 F363
	Thru 8/12/12, (R-Series)	Right Front Upper	RK621126	1 F363
	Thru 8/12/12, (R-Series)	Right Rear Upper	RK621124	1 F363
2011-2009	(R-Series)	Left Front Upper	RK621125	1 F363
	(R-Series)	Left Rear Upper	RK621123	1 F363
	(R-Series)	Right Front Upper	RK621126	1 F363
	(R-Series)	Right Rear Upper	RK621124	1 F363
2009	(Contains Bushing, R-Series)	Left Rear Lower	RK620802	1 F363
	(Contains Bushing, R-Series)	Right Rear Lower	RK620803	1 F363
Strut Bumper Bellows				
2017-2009	PR Code 1BA, 1BV, Or 2MT Located On Build Sticker, (Original Equipment Type)		K201415	2 F363
	PR Code 1BA, 1BV, Or 2MT Located On Build Sticker, (Replacement Type, Contains Bumper)		K90461	2 F363
Strut Mount				
2017-2009	(Bearing Not Included, Contains Washer)		K160365	2 F363
Sway Bar Bushing				
2017-2009	1.09" Inside Diameter	To Frame	K201571	1 F363
2013-2009	1.06" Inside Diameter	To Frame	K201023	1 F363
Sway Bar Link				
2017-2009	(Durable, All Metal Construction For Longer Life)		K750359 ‡	2 F363
Wheel Bearing Assembly				
2017-2009	15mm Inner Ring Length		513301	2

AUDI TRUCK-Q5 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Wheel Bearing Assembly				
2017-2009 (Cont.)	19mm Inner Ring Length	512574	2	

STEERING



Year	Model/Application	Part	P/C Qty	Figure
------	-------------------	------	---------	--------

Rack & Pinion Boot Kit				
2013		K150283	2	S340
2012-2009		K150283	2	S339, S340

Tie Rod End					
2017-2013	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800670 ‡ ES800671 ‡ EV801035	1 1 2	S340 S340 S340
2012-2009	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800670 ‡ ES800671 ‡ EV800390 ‡	1 1 2	S339, S340 S339, S340 S339, S340

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2011	(R-Series) (R-Series)	Left Upper Right Upper	RK642745 RK642746	1 1
2011	Thru 11/7/10, (R-Series) Thru 11/7/10, (R-Series) Thru 11/7/10, (R-Series)	Left Front Lower Left Rear Lower Right Front Lower	RK642651 RK642597 RK642652	1 1 1
2010	From 11/2/09, (R-Series) From 11/2/09, (R-Series) Thru 11/1/09, (R-Series) Thru 11/1/09, (R-Series)	Left Upper Right Upper Left Upper Right Upper	RK642745 RK642746 RK642653 RK642654	1 1 1 1
2010-2009	(R-Series) (R-Series) (R-Series)	Left Front Lower Left Rear Lower Right Front Lower	RK642651 RK642597 RK642652	1 1 1


REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2009	(R-Series) (R-Series)	Left Upper Right Upper	RK642653 RK642654	1 1
Shock Mount				
2017-2009		K160284	2	
Sway Bar Link				
2017-2009	(Durable, All Metal Construction For Longer Life)	K750361 ‡	2	
Wheel Bearing Assembly				
2017-2009	15mm Inner Ring Length 19mm Inner Ring Length	513301 512574	2 2	

Q7-AUDI TRUCK

FRONT SUSPENSION				
F470				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2015-2011	(R-Series)	Upper	RK622884	2 F470
2010	Stamped Steel Arm, (R-Series) Stamped Steel Arm, (R-Series)	Left Lower	RK621971	1 F470
		Right Lower	RK621972	1 F470
2010-2009	Aluminum Arm, (R-Series) Aluminum Arm, (R-Series)	Left Lower	RK620456	1 F470
		Right Lower	RK620457	1 F470
2010-2007	(Contains Bushings, R-Series)	Upper	RK620768	2 F470
2008	From Chassis 4L-8-053-605, Aluminum Arm, (R-Series) From Chassis 4L-8-053-605, Aluminum Arm, (R-Series)	Left Lower	RK620456	1 F470
		Right Lower	RK620457	1 F470
Strut Bumper Bellows				
2015-2007	Air Suspension, (Contains Bumper) Except Air Suspension, (Replacement Type, Contains Bumper)	K90463	2	F470
		K90460	2	F470
Strut Mount				
2015-2007	(Bearing Not Included, Superior Rubber To Steel Bonding For Durability)	K160193 ‡	2	F470
Sway Bar Bushing				
2015-2007		To Frame	K201442	1 F470
Sway Bar Link				
2017	Standard Suspension, (Durable, All Metal Construction For Longer Life)	K750359 ‡	2	
2015-2007	(Improves Upon OE Design)	K750120 ‡	2	F470

AUDI TRUCK-Q7 (Cont.)

STEERING



S416


Year	Model/Application	Part	P/C Qty	Figure
Tie Rod Assembly				
2015-2007	(Contains Inner And Outer Ends)	Left	ES800657A ‡	1 S416
	(Contains Inner And Outer Ends)	Right	ES800658A ‡	1 S416
Tie Rod End				
2015-2007	(Design Allows Ease Of Installation)	Left Outer	ES800655 ‡	1 S416
	(Design Allows Ease Of Installation)	Right Outer	ES800656 ‡	1 S416
		Inner	EV801090	2 S416

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2015-2007	(R-Series)	Upper Front	RK642021	2
	(R-Series)	Lower Rear	RK642287	2
	(R-Series)	Left Rear Upper	RK641973	1
	(R-Series)	Right Front Lower	RK642589	1
	(R-Series)	Right Rear Upper	RK641974	1
Strut Mount				
2015-2007	(Bearing Not Included, Superior Rubber To Steel Bonding For Durability)		K160193 ‡	2
Sway Bar Bushing				
2015-2007		To Frame	K201440	1
Sway Bar Link				
2015-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80484 ‡	1
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K80485 ‡	1

AUDI TRUCK-SQ5

FRONT SUSPENSION



F363

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2014	(R-Series) (R-Series)	Left Front Lower Right Front Lower	RK641964 RK641965	1 1 F363
Control Arm with Ball Joint				
2017-2014	Plus Or Minus 1.5 Degree Camber/Caster, (Adjustable, Contains Front And Rear Arms, R-Series)	Upper	RK100218	2 F363
2016-2014	(Contains Bushing, R-Series) (Contains Bushing, R-Series) (Contains Bushing, R-Series) (Contains Bushing, R-Series)	Left Front Upper Left Rear Upper Right Front Upper Right Rear Upper	RK621002 RK621000 RK621001 RK620999	1 1 1 1 F363 F363 F363 F363
Strut Bumper Bellows				
2017-2014	PR Code 1BA, 1BV, Or 2MT Located On Build Sticker, (Original Equipment Type) PR Code 1BA, 1BV, Or 2MT Located On Build Sticker, (Replacement Type, Contains Bumper)		K201415 K90461	2 2 F363 F363
Strut Mount				
2017-2014	(Bearing Not Included, Contains Washer)		K160365	2 F363
Sway Bar Bushing				
2017-2014		To Frame	K201571	1 F363
Sway Bar Link				
2017-2015	(Durable, All Metal Construction For Longer Life)		K750359 ‡	2 F363
Wheel Bearing Assembly				
2017-2014	19mm Inner Ring Length		512574	2
2015-2014	15mm Inner Ring Length		513301	2
STEERING				
S340				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2014	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800670 ‡ ES800671 ‡ EV801035	1 1 2 S340 S340 S340
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2014	(R-Series) (R-Series)	Left Upper Right Upper	RK642745 RK642746	1 1
Shock Mount				
2017-2014			K160284	2
Sway Bar Link				
2017-2014	(Durable, All Metal Construction For Longer Life)		K750361 ‡	2
Wheel Bearing Assembly				
2017-2014	19mm Inner Ring Length		512574	2
2016-2014	15mm Inner Ring Length		513301	2

BLUE BIRD-450 LXi

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
King Bolt Set				
2007-2006	14,000 lb. (I-140SA, I-146SA) Axle, 14,600 lb. (I-140SA, I-146SA) Axle, 1.859" Pin Diameter, 10.77" Length, (Design Allows Ease Of Installation, Contains Composite Bushing)	8006C ‡	1	
	14,000 lb. (FG931, FG933, FG941, FG943) Axle, 10.39" Length, 1.790" Pin Diameter, (Contains Composite Bushing, Two Keyways)	80063C	1	
	14,000 lb. (FG931, FG933, FG941, FG943) Axle, 10.39" Length, 1.790" Pin Diameter, (Contains Metal Bushing, Two Keyways)	8611B	1	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2007-2006	14,600 lb. (I-146SA) Axle, 12.69" Length, 1.875" - 12 Threads	Left ES3031L	1	
	14,600 lb. (I-146SA) Axle, 12.69" Length, 1.875" - 12 Threads	Right ES3030R	1	
	14,000 lb. (FG931, FG933, FG941, FG943, I-140SA, I-146SA) Axle, 14,600 lb. (FG931, FG933, FG941, FG943, I-140SA, I-146SA) Axle, 5.440" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Left ES423L ‡	1	
	14,000 lb. (FG931, FG933, FG941, FG943, I-140SA, I-146SA) Axle, 14,600 lb. (FG931, FG933, FG941, FG943, I-140SA, I-146SA) Axle, 5.440" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Right ES423R ‡	1	
	14,000 lb. (I-140SA) Axle, 5.750" Length, (Right Hand Threads)	Left ES431L ‡	1	
	14,000 lb. (I-140SA) Axle, 5.750" Length, (Left Hand Threads)	Right ES431R ‡	1	

BLUE BIRD-All American

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
King Bolt Set				
2017-1998	13,200 lb. (FF932) Axle, Front Engine, 1.794" Pin Diameter, 10.392" Length, (Contains Metal Bushing, Two Keyways)	8590B	1	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-1998	13,200 lb. (FF982, FF984, FF986) Axle, 5.440" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Left ES423L ‡	1	
	13,200 lb. (FF982, FF984, FF986) Axle, 5.440" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Right ES423R ‡	1	
2017-1995	12,000 lb. Axle, 14,600 lb. Axle, Air Ride Suspension, 8.120" Length, 1.250" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Left ES3298L ‡	1	
	12,000 lb. Axle, 14,600 lb. Axle, Air Ride Suspension, 8.120" Length, 1.250" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Right ES3297R ‡	1	
	13,200 lb. Axle, 14,600 lb. Axle, Soft Ride Suspension, 8.120" Length, 1.250" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Left ES3298L ‡	1	
	13,200 lb. Axle, 14,600 lb. Axle, Soft Ride Suspension, 8.120" Length, 1.250" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Right ES3297R ‡	1	

BLUE BIRD-Express 4000

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
King Bolt Set				
2007-2006	16,000 lb. (FL931, FL933, FL941 (02231), FL943, FL951) Axle, 1.999" Pin Diameter, 11.212" Length, (Contains Metal Bushing, Two Keyways)	8571B	1	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2007-2006	16,000 lb. (FL931, FL933, FL941 (02231), FL943, FL951) Axle, 12.69" Length, 1.875" - 12 Threads	Left ES3031L	1	
	16,000 lb. (FL931, FL933, FL941 (02231), FL943, FL951) Axle, 12.69" Length, 1.875" - 12 Threads	Right ES3030R	1	
	16,000 lb. (FL931, FL933, FL941 (02231), FL943, FL951) Axle, 5.750" Length, (Right Hand Threads)	Left ES431L ‡	1	
	16,000 lb. (FL931, FL933, FL941 (02231), FL943, FL951) Axle, 5.750" Length, (Left Hand Threads)	Right ES431R ‡	1	
	16,000 lb. (FL931, FL933, FL941 (02231), FL943, FL951) Axle, 5.750" Length, (Optional)	Right ES2040R	1	
	16,000 lb. (FL931, FL933, FL941 (02231), FL943, FL951) Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left ES2090L ‡	1	

(Cont.) Express 4000-BLUE BIRD

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2007-2006 (Cont.)	16,000 lb. (FL931, FL933, FL941 (02231), FL943, FL951) Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear)	Right ES2091R ‡	1	
	16,000 lb. (FL931, FL933, FL941 (02231), FL943, FL951) Axle, 7.370" Length, 1.250" - 12 Threads, (Left Hand Threads, Design Allows Ease Of Installation)	Left ES2210L ‡	1	

Express 4500-BLUE BIRD

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
King Bolt Set				
2007-2006	16,000 lb. (FL931, FL933, FL941 (02231), FL943, FL951) Axle, 1.999" Pin Diameter, 11.212" Length, (Contains Metal Bushing, Two Keyways)	8571B	1	

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2007-2006	16,000 lb. (FL931, FL933, FL941 (02231), FL943, FL951) Axle, 12.69" Length, 1.875" - 12 Threads	Left ES3031L	1	
	16,000 lb. (FL931, FL933, FL941 (02231), FL943, FL951) Axle, 12.69" Length, 1.875" - 12 Threads	Right ES3030R	1	
	16,000 lb. (FL931, FL933, FL941 (02231), FL943, FL951) Axle, 5.750" Length, (Right Hand Threads)	Left ES431L ‡	1	
	16,000 lb. (FL931, FL933, FL941 (02231), FL943, FL951) Axle, 5.750" Length, (Left Hand Threads)	Right ES431R ‡	1	
	16,000 lb. (FL931, FL933, FL941 (02231), FL943, FL951) Axle, 5.750" Length, (Optional)	Right ES2040R	1	
	16,000 lb. (FL931, FL933, FL941 (02231), FL943, FL951) Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left ES2090L ‡	1	
	16,000 lb. (FL931, FL933, FL941 (02231), FL943, FL951) Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear)	Right ES2091R ‡	1	
	16,000 lb. (FL931, FL933, FL941 (02231), FL943, FL951) Axle, 7.370" Length, 1.250" - 12 Threads, (Left Hand Threads, Design Allows Ease Of Installation)	Left ES2210L ‡	1	

TC2200-BLUE BIRD

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2007-2006	13,200 lb. (FF932) Axle, 5.440" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Left ES423L ‡	1	
	13,200 lb. (FF932) Axle, 5.440" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Right ES423R ‡	1	

Ultra LF-BLUE BIRD

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
King Bolt Set				
2007-2002	10,000 lb. (FD961) Axle, 10.39" Length, 1.790" Pin Diameter, (Contains Composite Bushing, Two Keyways)	80063C	1	
	10,000 lb. (FD961) Axle, 10.39" Length, 1.790" Pin Diameter, (Contains Metal Bushing, Two Keyways)	80063B	1	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2007-2002	10,000 lb. (FD961) Axle, 5.440" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Left ES423L ‡	1	
	10,000 lb. (FD961) Axle, 5.440" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Right ES423R ‡	1	

BLUE BIRD-Vision

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2004	12,000 lb. Axle, 12,500 lb. Axle, Airtek Suspension, 1-1/4 - 12 UNF-2A Left Hand Thread, 10.32" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left	ES800421 ‡	1
	12,000 lb. Axle, 12,500 lb. Axle, Airtek Suspension, 1-1/4 - 12 UNF-2A Right Hand Thread, 10.32" Length, (Greaseable Socket Reduces Corrosion/Wear)	Right	ES800420 ‡	1
	8,000 lb. Axle, 10,000 lb. Axle, Softek Suspension, 1-1/4 - 12 UNF-2A Left Hand Thread, 10.32" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left	ES800421 ‡	1
	8,000 lb. Axle, 10,000 lb. Axle, Softek Suspension, 1-1/4 - 12 UNF-2A Right Hand Thread, 10.32" Length, (Greaseable Socket Reduces Corrosion/Wear)	Right	ES800420 ‡	1


BLUE BIRD-Wanderlodge

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
King Bolt Set				
2007-2006	M380, 12,000 lb. (FF931, FF932, FF933, FF934, FF941, FF942, FF943, FF944) Axle, 1.794" Pin Diameter, 10.392" Length, (Contains Metal Bushing, Two Keyways)	8590B	1	
	M380, 12,000 lb. (I-120SA) Axle, 1.859" Pin Diameter, 10.77" Length, (Design Allows Ease Of Installation, Contains Composite Bushing)	8006C ‡	1	


BLUE BIRD-Xcel-102

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
King Bolt Set				
2008-2006	12,000 lb. (FF931, FF932, FF933, FF934, FF941, FF942, FF943, FF944) Axle, 1.794" Pin Diameter, 10.392" Length, (Contains Metal Bushing, Two Keyways)	8590B	1	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2008-2006	12,000 lb. (I-120SA) Axle, 12.69" Length, 1.875" - 12 Threads	Left	ES3031L	1
	12,000 lb. (I-120SA) Axle, 12.69" Length, 1.875" - 12 Threads	Right	ES3030R	1
	12,000 lb. (FF931, FF932, FF933, FF934, FF941, FF942, FF943, FF944, FF981, FF983, FF986, I-120SA) Axle, 5.440" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Left	ES423L ‡	1
	12,000 lb. (FF931, FF932, FF933, FF934, FF941, FF942, FF943, FF944, FF981, FF983, FF986, I-120SA) Axle, 5.440" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Right	ES423R ‡	1
	12,000 lb. (I-120SA) Axle, 5.750" Length, (Right Hand Threads)	Left	ES431L ‡	1
	12,000 lb. (I-120SA) Axle, 5.750" Length, (Left Hand Threads)	Right	ES431R ‡	1
	12,000 lb. (I-120SA) Axle, 5.750" Length, (Optional)	Right	ES2040R	1

BMW TRUCK-X1



FRONT SUSPENSION (Cont.)



F525

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2014-2012	All Wheel Drive, (Design Allows Ease Of Installation)	Lower Rear	K80678 ‡	2 F478
Control Arm Bushing				
2015-2013	Rear Wheel Drive, (Design Allows Ease Of Installation)	Lower Front	K200089 ‡	2 F525
2015-2012	All Wheel Drive	Lower Front Inner	K201171	2 F478
	All Wheel Drive	Lower Rear Inner	K201498	2 F478
Control Arm with Ball Joint				
2015-2013	Rear Wheel Drive, (R-Series)	Left Rear Lower	RK620129	1 F525
	Rear Wheel Drive, (R-Series)	Right Rear Lower	RK620130	1 F525
2014-2013	All Wheel Drive, (R-Series)	Lower Front	RK621945	2 F478
	Rear Wheel Drive, (R-Series)	Left Front Lower	RK620127	1 F525
	Rear Wheel Drive, (R-Series)	Right Front Lower	RK620128	1 F525
2012	All Wheel Drive, (R-Series)	Lower Front	RK621945	2
Strut Bumper Bellows				
2015-2013	All Wheel Drive, (Original Equipment Type)		K150276	2
	All Wheel Drive, (Replacement Type, Contains Bumper)		K90460	2
	Rear Wheel Drive, Except Sport Suspension, (Original Equipment Type)		K150276	2
	Rear Wheel Drive, Except Sport Suspension, (Replacement Type, Contains Bumper)		K90460	2
	Rear Wheel Drive, Sport Suspension, (Original Equipment Type)		K201655	2
	Rear Wheel Drive, Sport Suspension, (Replacement Type, Contains Bumper)		K90464	2
Sway Bar Link				
2018-2016			K750861 ‡	2
2015-2013	Rear Wheel Drive	Left	K750002	1 F525
	Rear Wheel Drive	Right	K750003	1 F525
2015-2012	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750220 ‡	1 F478
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750219 ‡	1 F478
Wheel Hub & Bearing Assembly				
2018-2016	M12 X 1.25		513390	2
2015-2013	Rear Wheel Drive		513254	2
2015-2012	All Wheel Drive		513332	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2015-2012	All Wheel Drive		K150283	2
Tie Rod End				
2015-2013	Rear Wheel Drive, (Design Allows Ease Of Installation)	Left Outer	ES800662 ‡	1
	Rear Wheel Drive, (Design Allows Ease Of Installation)	Right Outer	ES800663 ‡	1
2015-2012	(Design Allows Ease Of Installation)	Inner	EV800564 ‡	2
	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800799 ‡	1
	All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800800 ‡	1

BMW TRUCK-X1 (Cont.)

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2014-2012	(Contains Bushing) (Lateral Link, R-Series)	Upper Front Upper Rear	CK640190 RK641780	2 2
Control Arm Bushing				
2015-2013		Arm To Knuckle, Lower Outer	K201291	2
Strut Bumper Bellows				
2015-2013			K201554	2
Sway Bar Bushing				
2015-2012	13mm Sway Bar Diameter 15mm Sway Bar Diameter	To Frame To Frame	K201126 K201034	1 1
Sway Bar Link				
2015-2013	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Right	K750676 ‡ K750677 ‡	1 1
Trailing Link Bushing				
2015-2013		Arm To Knuckle	K201295	2
Wheel Hub & Bearing Assembly				
2018-2017	All Wheel Drive		512582	2
2016			512582	2
2015-2012			512549	2

BMW TRUCK-X3

FRONT SUSPENSION				
F234				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2011		Lower Front	K500312	2
2010-2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Lower Front	K500079 ‡	2 F234
2007	From 1/07, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Thru 12/06, (Design Allows Ease Of Installation)	Lower Front Lower Front	K500079 ‡ K500144 ‡	2 2 F234
Control Arm				
2010-2007	(Ball Joint Not Included, Contains Bushing, R-Series) (Ball Joint Not Included, Contains Bushing, R-Series)	Left Front Lower Right Front Lower	RK620111 RK620112	1 1 F234
Control Arm Bushing				
2010-2006	(Design Allows Ease Of Installation)	Lower Rear Lower Front Inner	K200090 ‡ K201685	2 2 F234
Control Arm with Ball Joint				
2010-2006	(Contains Bushing, R-Series) (Contains Bushing, R-Series)	Left Front Lower Left Rear Lower Right Front Lower Right Rear Lower	RK623105 RK620186 RK623106 RK620184	1 1 F234 1 F234 1 F234
Strut Bumper Bellows				
2017-2011	(Original Equipment Type) (Replacement Type, Contains Bumper)		K201421 K90461	2 2

(Cont.) X3-BMW TRUCK

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2010-2006	Except Sport Suspension, (Contains Bumper) Except Sport Suspension, (Original Equipment Type) Sport Suspension, (Contains Bumper) Sport Suspension, (Original Equipment Type)	K90464 K201655 K90461 K201415	2 2 2 2	F234 F234 F234 F234
Strut Mount				
2010-2008	(Contains Bearing)	K160433	2	F234
2007	From 4/07, (Contains Bearing) Thru 3/07, Bilstein Struts, (Contains Bearing) Thru 3/07, Except Bilstein Struts, (Contains Bearing)	K160433 K160433 K90269	2 2 2	F234 F234 F234
Sway Bar Link				
2017-2011	(Improves Upon OE Design) (Improves Upon OE Design)	Left K750608 ‡ Right K750607 ‡	1 1	
2010-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left K750115 ‡ Right K750116 ‡	1 1	F234 F234
Wheel Hub & Bearing Assembly				
2017-2010		513391	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod Assembly				
2010-2006	(Includes Wrench Flats For Easier Service)	ES800889A ‡	2	
Tie Rod End				
2017-2011		Outer ES801167	2	
2017-2010	(Greaseable Socket Reduces Corrosion/Wear)	Inner EV801087 ‡	2	
2010-2006	(Design Allows Ease Of Installation)	Outer ES800494 ‡	2	
2009-2006	(Design Allows Ease Of Installation)	Inner EV800298 ‡	2	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2010-2006	(R-Series)	Lower RK642748	2	
Control Arm Bushing				
2010-2006	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	At Knuckle, Lower K200865 ‡ At Knuckle, Upper K200943 ‡ Lower To Frame K200864 ‡ Upper To Frame K200091 ‡	2 2 2 2	
Shock Mount				
2010-2006	(Design Allows Ease Of Installation)	K160194 ‡	2	
Strut Bumper Bellows				
2010-2006		K201556	2	
Sway Bar Bushing				
2010	E83 Body	To Frame K201045	1	
2009-2006		To Frame K201045	1	
Sway Bar Link				
2017-2011	(Design Allows Ease Of Installation)	K750688 ‡	2	
2010-2006	(Improves Upon OE Design)	K750118 ‡	2	
Trailing Link Bushing				
2010-2006	(Design Allows Ease Of Installation)	K200944 ‡	2	
Wheel Bearing Assembly				
2017-2013		512597	2	
Wheel Hub & Bearing Assembly				
2018		512583	2	

X4-BMW TRUCK

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2015		Lower Front K500312	2	

BMW TRUCK-X4 (Cont.)

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2017-2015	(Original Equipment Type) (Replacement Type, Contains Bumper)	K201421 K90461	2 2	
Sway Bar Link				
2018-2017	xDrive 28i, (Improves Upon OE Design) xDrive 28i, (Improves Upon OE Design)	Left Right	K750608 ‡ K750607 ‡	1 1
2016-2015	(Improves Upon OE Design) (Improves Upon OE Design)	Left Right	K750608 ‡ K750607 ‡	1 1
Wheel Hub & Bearing Assembly				
2018-2015		513391	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2015	(Greaseable Socket Reduces Corrosion/Wear)	Outer Inner	ES801167 EV801087 ‡	2 2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018-2015	(Design Allows Ease Of Installation)		K750688 ‡	2
Wheel Bearing Assembly				
2018-2015			512597	2

BMW TRUCK-X5

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2018-2016	sDrive 35i, xDrive 35d, xDrive 35i, xDrive 40e, xDrive 50i, (R-Series) sDrive 35i, xDrive 35d, xDrive 35i, xDrive 40e, xDrive 50i, (R-Series)	Left Rear Lower Right Rear Lower	RK622956 RK622957	1 1
2018-2007	(Contains Bushings, R-Series) (Contains Bushings, R-Series)	Left Upper Right Upper	RK620976 RK620975	1 1
2015-2014	sDrive 35i, xDrive 35d, xDrive 35i, xDrive 50i, (R-Series) sDrive 35i, xDrive 35d, xDrive 35i, xDrive 50i, (R-Series)	Left Rear Lower Right Rear Lower	RK622956 RK622957	1 1
2013	xDrive 35i, xDrive 35i M Sport, xDrive 35i Premium, xDrive 50i, (Contains Bushing, R-Series) xDrive 35i, xDrive 35i M Sport, xDrive 35i Premium, xDrive 50i, (Contains Bushing, R-Series)	Left Front Lower Right Front Lower	RK620798 RK620799	1 1
2013-2007	(Contains Bushings, R-Series) (Contains Bushings, R-Series)	Left Rear Lower Right Rear Lower	RK620800 RK620801	1 1
2012-2011	xDrive 35d, xDrive 35i, xDrive 35i M Sport, xDrive 35i Premium, xDrive 50i, (Contains Bushing, R-Series) xDrive 35d, xDrive 35i, xDrive 35i M Sport, xDrive 35i Premium, xDrive 50i, (Contains Bushing, R-Series)	Left Front Lower Right Front Lower	RK620798 RK620799	1 1
2010-2007	(Contains Bushing, R-Series) (Contains Bushing, R-Series)	Left Front Lower Right Front Lower	RK620798 RK620799	1 1
Strut Mount				
2013	xDrive 35i, xDrive 35i M Sport, xDrive 35i Premium, xDrive 50i, (Contains Spring Seat, Superior Rubber To Steel Bonding For Durability)		K160195 ‡	2
2012-2011	xDrive 35d, xDrive 35i, xDrive 35i M Sport, xDrive 35i Premium, xDrive 50i, (Contains Spring Seat, Superior Rubber To Steel Bonding For Durability)		K160195 ‡	2
2010	xDrive 30i, xDrive 35d, xDrive 48i, (Contains Spring Seat, Superior Rubber To Steel Bonding For Durability)		K160195 ‡	2
2009-2007	(Contains Spring Seat, Superior Rubber To Steel Bonding For Durability)		K160195 ‡	2
Strut Mounting Kit				
2013-2011	xDrive 35d, xDrive 35i, xDrive 35i M Sport, xDrive 35i Premium, xDrive 50i, Adaptive Drive xDrive 35d, xDrive 35i, xDrive 35i M Sport, xDrive 35i Premium, xDrive 50i, Except Adaptive Drive	Upper Upper	K201709 K201708	2 2
2010	xDrive 30i, xDrive 35d, xDrive 48i, Adaptive Drive xDrive 30i, xDrive 35d, xDrive 48i, Except Adaptive Drive	Upper Upper	K201709 K201708	2 2
2009-2007	Adaptive Drive Except Adaptive Drive	Upper Upper	K201709 K201708	2 2

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Spring Seat				
2013-2007	(Reduces Noise)	Upper	K160261 ‡	2
Sway Bar Link				
2018-2007	Adaptive Drive, (Improves Upon OE Design)	Left	K750215 ‡	1
	Adaptive Drive, (Improves Upon OE Design)	Right	K750216 ‡	1
	Except Adaptive Drive, (Improves Upon OE Design)	Left	K750217 ‡	1
	Except Adaptive Drive, (Improves Upon OE Design)	Right	K750218 ‡	1
Wheel Hub & Bearing Assembly				
2016	sDrive 35i, Rear Wheel Drive		513375	2
	xDrive 35d, xDrive 40e, xDrive 50i		513305	2
	xDrive 35i, All Wheel Drive		513375	2
2016-2015	M		513399	2
2015-2014	sDrive 35i		513375	2
	xDrive 35d, xDrive 35i, xDrive 50i		513305	2
2013	M		513392	2
2013-2011	xDrive 35d, xDrive 35i, xDrive 35i M Sport, xDrive 35i Premium, xDrive 50i		513305	2
2012-2010	M		513312	2
2010	xDrive 30i, xDrive 35d, xDrive 48i		513305	2
2009-2007			513305	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod Assembly				
2013-2007	(Contains Inner And Outer Ends)		ES800685A ‡	2
Tie Rod End				
2018-2014		Left Outer	ES801292 ‡	1
		Right Outer	ES801293 ‡	1
2013-2007	(Design Allows Ease Of Installation)	Outer	ES800684 ‡	2
	(Design Allows Ease Of Installation)	Inner	EV800298 ‡	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Link				
2018-2013	(R-Series)	Arm To Knuckle, Lower Front	RK643044	2
2011	(R-Series)	Arm To Knuckle, Lower Front	RK643044	2
Control Arm with Ball Joint				
2013-2007	(R-Series)	Left Front Upper	RK621119	1
	(R-Series)	Left Rear Upper	RK621121	1
	(R-Series)	Right Front Upper	RK621120	1
	(R-Series)	Right Rear Upper	RK621122	1
Sway Bar Link				
2018-2014	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80487 ‡	2
2013-2007	(Improves Upon OE Design)		K80472 ‡	2
Wheel Bearing Assembly				
2018-2007			512361	2


X6-BMW TRUCK

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2016-2015	sDrive 35i, xDrive 35i, xDrive 50i, (R-Series)	Left Rear Lower	RK622956	1
	sDrive 35i, xDrive 35i, xDrive 50i, (R-Series)	Right Rear Lower	RK622957	1
2016-2008	(Contains Bushings, R-Series)	Left Upper	RK620976	1
	(Contains Bushings, R-Series)	Right Upper	RK620975	1
2014-2012	xDrive 35i, xDrive 50i, (Contains Bushing, R-Series)	Left Front Lower	RK620798	1
	xDrive 35i, xDrive 50i, (Contains Bushing, R-Series)	Right Front Lower	RK620799	1
2014-2008	(Contains Bushings, R-Series)	Left Rear Lower	RK620800	1
	(Contains Bushings, R-Series)	Right Rear Lower	RK620801	1
2011	ActiveHybrid, xDrive 35i, xDrive 50i, (Contains Bushing, R-Series)	Left Front Lower	RK620798	1
	ActiveHybrid, xDrive 35i, xDrive 50i, (Contains Bushing, R-Series)	Right Front Lower	RK620799	1
2010-2008	(Contains Bushing, R-Series)	Left Front Lower	RK620798	1

BMW TRUCK-X6 (Cont.)

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2010-2008 (Cont.)	(Contains Bushing, R-Series) Right Front Lower	RK620799	1	
Strut Mount				
2014-2010	xDrive 35i, xDrive 50i, (Contains Spring Seat, Superior Rubber To Steel Bonding For Durability)	K160195 ‡	2	
2009-2008	(Contains Spring Seat, Superior Rubber To Steel Bonding For Durability)	K160195 ‡	2	
Strut Mounting Kit				
2014-2010	xDrive 35i, xDrive 50i, Adaptive Drive	Upper K201709	2	
2014-2008	xDrive 35i, xDrive 50i, Except Adaptive Drive	Upper K201708	2	
2009-2008	Adaptive Drive	Upper K201709	2	
Strut Spring Seat				
2014-2008	(Reduces Noise)	Upper K160261 ‡	2	
Sway Bar Link				
2016-2008	Adaptive Drive, (Improves Upon OE Design) Adaptive Drive, (Improves Upon OE Design) Except Adaptive Drive, (Improves Upon OE Design) Except Adaptive Drive, (Improves Upon OE Design)	Left K750215 ‡	1	
		Right K750216 ‡	1	
		Left K750217 ‡	1	
		Right K750218 ‡	1	
Wheel Hub & Bearing Assembly				
2016-2015	M	513399	2	
	sDrive 35i	513375	2	
2016-2010	xDrive 35i, xDrive 50i	513305	2	
2014	M	513392	2	
2013-2012	M	513312	2	
2011-2010	ActiveHybrid, M	513312	2	
2009-2008		513305	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod Assembly				
2014-2008	(Contains Inner And Outer Ends)	ES800685A ‡	2	
Tie Rod End				
2016-2015		Left Outer ES801292 ‡	1	
		Right Outer ES801293 ‡	1	
2014-2008	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Outer ES800684 ‡	2	
		Inner EV800298 ‡	2	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Link				
2016-2008	(R-Series) Arm To Knuckle, Lower Front	RK643044	2	
Control Arm with Ball Joint				
2014-2008	(R-Series) (R-Series) (R-Series) (R-Series)	Left Front Upper RK621119	1	
		Left Rear Upper RK621121	1	
		Right Front Upper RK621120	1	
		Right Rear Upper RK621122	1	
Sway Bar Link				
2016-2014	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80487 ‡	2	
2013-2008	(Improves Upon OE Design)	K80472 ‡	2	
Wheel Bearing Assembly				
2016-2008	(Bearing Module)	512361	2	


FRONT SUSPENSION



F364

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500088 ‡	2 F364
Control Arm Bushing				
2017-2008		Lower Rear	K201220	4 F364
		Lower Front	K201187	2 F364
Control Arm with Ball Joint				
2017-2008	(R-Series)	Left Lower	RK621232	1 F364
	(R-Series)	Right Lower	RK621231	1 F364
Strut and Spring Assembly				
2012-2008			ST8658	2 F364
Strut Bumper Bellows				
2016-2008	(Replacement Type, Contains Bumper)		K90460	2 F364
Strut Mount				
2016-2008	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160294 ‡	2 F364
Sway Bar Bushing				
2017-2008	29mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200876 ‡	1 F364
Sway Bar Link				
2017-2008	(Powdered Metal Gusher Brg. For Better Lubrication)		K750155 ‡	2 F364
Wheel Hub & Bearing Assembly				
2018			512593	2
2017-2008			513277	2

STEERING




S144

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800286 ‡	2 S144
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800572 ‡	2 S144

BUICK TRUCK–Enclave (Cont.)

REAR SUSPENSION




R055

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2008	(R-Series) Upper Front	RK641781	2	R055
2015-2008	(R-Series) Left Rear Upper	RK641644	1	R055
	(R-Series) Right Rear Upper	RK641643	1	R055
Control Arm Bushing				
2014-2008	(Design Allows Ease Of Installation) At Knuckle, Lower	K200349 ‡	2	R055
Control Arm Link				
2017-2008	(Vertical Assist Link, R-Series)	RK641887	2	R055
Sway Bar Bushing				
2017-2008	To Frame	K201280	1	R055
Sway Bar Repair Kit				
2017-2008	(Improves Upon OE Design)	K700633 ‡	2	R055
Wheel Hub & Bearing Assembly				
2018	All Wheel Drive	512593	2	
2017-2008		513277	2	

BUICK TRUCK–Encore

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2016-2013	Lower	K500317 ‡	2	
Strut Mount				
2017-2013	(Contains Bearing, Contains Upper Retainer)	K160411	2	
Sway Bar Link				
2017-2013	(Design Allows Ease Of Installation) Left	K750682 ‡	1	
	(Design Allows Ease Of Installation) Right	K750683 ‡	1	



S350


Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2013	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800936 ‡	2 S350
2014-2013	(Design Allows Ease Of Installation)	Outer	ES800970 ‡	2 S350
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2017-2016	Front Wheel Drive	512572	2	
2015-2013		512438	2	

Envision-BUICK TRUCK

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2019		512579	2	
2018-2016		513398	2	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2019	All Wheel Drive Front Wheel Drive	512579 513401	2 2	
2018	All Wheel Drive Front Wheel Drive	513398 512575	2 2	
2017-2016		513398	2	

BUICK TRUCK-Rainier


FRONT SUSPENSION



F028

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2007-2004	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper Lower	K6664 ‡ K6663 ‡	2 2	F028 F028
Control Arm					
2007-2004	(R-Series) (R-Series)	Left Upper Right Upper	RK640294 RK640293	1 1	F028 F028
Control Arm Bushing					
2007-2004	(High Quality Elastomer For Durability And Performance) (High Quality Elastomer For Durability And Performance) (High Quality Elastomer For Durability And Performance) (High Quality Elastomer For Durability And Performance)	Upper Lower Front Inner Lower Outer Lower Rear Inner	K200269 ‡ K200271 ‡ K200270 ‡ K200272 ‡	2 2 2 2	F028 F028 F028 F028
Control Arm Support Bracket					
2007-2004	(Bracket Only, R-Series) (Bracket Only, R-Series)	Left Lower Right Lower	RK641134 RK641135	1 1	F028 F028
Control Arm with Ball Joint					
2007-2004	With 14mm Stabilizer Bar Link Stud Diameter, (R-Series) With 14mm Stabilizer Bar Link Stud Diameter, (R-Series)	Left Lower Right Lower	RK620467 RK620468	1 1	F028 F028
Strut and Spring Assembly					
2007-2004	Except Air Suspension, (Coated For Corrosion Resistance, Strut, Spring & Top Mount)		ST8564 ‡	2	F028
Strut Bumper Bellows					
2007-2004	(Design Allows Ease Of Installation)		K160285 ‡	2	F028
Strut Mount					
2007-2004	(Bearing Not Included, Contains Spring Seat And Insulator)		K6702	2	F028
Strut Spring Seat					
2007-2004	(Reduces Noise)	Lower	K160112 ‡	2	F028
Sway Bar Bushing					
2007-2004	1.34" Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K80774 ‡	1	F028
Sway Bar Link					
2007-2004	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K80824 ‡ K80825 ‡	1 1	F028 F028
Wheel Hub & Bearing Assembly					
2007-2004			513188	2	


STEERING



S199

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2007-2004	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer Right Outer Inner	ES3675 ‡ ES3676 ‡ EV80965	1 1 2	S199 S199 S199

REAR SUSPENSION




R102

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2007-2004	(Arm Only, R-Series)	Lower	RK660157	2	R102
Sway Bar Bushing					
2007-2004	(Split Design For Easier Installation)	To Frame	K200768 ‡	1	R102
Sway Bar Link					
2007-2004	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K6668 ‡ K6667 ‡	1 1	R102 R102
Trailing Link					
2007-2004	Auto Leveling System, (R-Series)	Upper	RK660156	2	R102

BUICK TRUCK-Rendezvous


FRONT SUSPENSION



F099

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2007-2006	(Bolt On Type, Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K5331 ‡	2 F099
Control Arm Bushing				
2007-2006	(Horizontal Mount, 2 Piece Bushing Design Allows Easier Installation)	Lower Rear	K80778 ‡	2 F099
	(One Piece Bushing, Horizontal Mount)	Lower Rear	K6715	2 F099
	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Front	K200787 ‡	2 F099
	(Vertical Mount)	Lower Front	K6712	2 F099
Control Arm with Ball Joint				
2007-2006	(With Sway Bar Mounting Tab, R-Series)	Left Lower	RK621351	1 F099
	(R-Series)	Right Lower	RK621352	1 F099
Strut and Spring Assembly				
2007-2006			ST8647	2 F099
Strut Bumper Bellows				
2007-2006	(Contains Bumper)		K90463	2 F099
	(Contains Retainer)		K201271	2 F099
Strut Mount				
2007-2006	(Contains Bearing)		K6521	2 F099
Strut Mounting Kit				
2007-2006	(Super Kit Contains Bearing And OE Style Bumper / Bellow)		K160391	2 F099
Strut Spring Seat				
2007-2006	(Contains Insulator And Retainer)	Upper	K80926	2 F099
	(Spring Seat Only)	Upper	K80923	2 F099
	(Insulator Only)	Lower	K5349	2 F099
Sway Bar Bushing				
2007-2006	.80" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201610 ‡	1 F099
	.80" Sway Bar Diameter, (Standard Design)	To Frame	K80812	1 F099
	1.18" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201609 ‡	1 F099
	1.18" Sway Bar Diameter, (Standard Design)	To Frame	K80813	1 F099
	1.26" Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K80814 ‡	1 F099
	1.34" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201608 ‡	1 F099
	1.34" Sway Bar Diameter, (Standard Design)	To Frame	K80815	1 F099
Sway Bar Repair Kit				
2007-2006	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700527 ‡	2 F099
Wheel Hub & Bearing Assembly				
2007	Non ABS		513203	2


STEERING



S069

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2007-2006		K6472	2	S069	
Steering Rack Insulator Bushing					
2007-2006		K6349	1	S069	
Tie Rod End					
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner	ES3455 ‡ EV260 ‡	2 2	S069 S069

REAR SUSPENSION



R070

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80305 ‡	2	R070
Control Arm					
2007-2006	(Contains Bushings, R-Series)	Left Upper	RK80352	1	R070
2007-2006	(Contains Bushings, R-Series)	Right Upper	RK80353	1	R070
Control Arm Bumper Bushing					
2007-2006		Upper	K160032	2	R070
Control Arm Bushing					
2007-2006	(2 Bolt Mounting) (High Quality Elastomer For Durability And Performance) (Contains Installation Tool, Corrects Looseness And Restores Alignment) (Corrects Looseness And Restores Alignment)	Upper Lower Rear Lower Front At Knuckle, Upper At Knuckle, Upper	K200918 K200938 K200721 ‡ K200840 ‡ K200175 ‡	2 2 2 2 2	R070 R070 R070 R070 R070
Control Arm with Ball Joint					
2007-2006	(Contains Bushings, R-Series)	Left Lower	RK80351	1	R070
2007-2006	(Contains Bushings, R-Series)	Right Lower	RK80350	1	R070
Sway Bar Bushing					
2007-2006		To Frame	K201429	1	R070


BUICK TRUCK–Rendezvous (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Link					
2007-2006	(Link With Sockets, Powdered Metal Gusher Brg. For Better Lubrication)	K750010 ‡	2	R070	
Tie Rod Assembly					
2007-2006	(MOOG Engineered Steel Composition Enhances Strength)	CK660710 ‡	2	R070	
Tie Rod End					
2007-2006	(Includes Wrench Flats For Easier Service) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner	ES800468 ‡ EV800469 ‡	2 2	R070 R070
Wheel Hub & Bearing Assembly					
2007	4 Wheel ABS Non ABS	512222 512236	2 2		

BUICK TRUCK–Terraza

FRONT SUSPENSION




F098

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2007	(Bolt On Type, Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K5331 ‡	2	F098
Control Arm Bushing					
2007	(Horizontal Mount, 2 Piece Bushing Design Allows Easier Installation) (One Piece Bushing, Horizontal Mount) (Durable Socket Design Eases Installation, Vertical Mount) (Vertical Mount)	Lower Rear Lower Rear Lower Front Lower Front	K80778 ‡ K6715 K200787 ‡ K6712	2 2 2 2	F098 F098 F098 F098
Control Arm with Ball Joint					
2007-2006	Front Wheel Drive, (With Sway Bar Mounting Tab, R-Series) Front Wheel Drive, (Without Sway Bar Mounting Tab, R-Series, Actual Product May Contain Mounting Tab (Will Fit And Function Properly With Or Without Tab)) Front Wheel Drive, (With Sway Bar Mounting Tab, R-Series) Front Wheel Drive, (Without Sway Bar Mounting Tab, R-Series, Actual Product May Contain Mounting Tab (Will Fit And Function Properly With Or Without Tab))	Left Lower Left Lower Right Lower Right Lower	RK621351 RK621943 RK621352 RK621944	1 1 1 1	F098 F098 F098 F098
Strut and Spring Assembly					
2007-2006	Front Wheel Drive		ST8631	2	F098
Strut Bumper Bellows					
2007	(Contains Bumper) (Contains Retainer)		K90463 K201271	2 2	F098 F098
Strut Mount					
2007	(Contains Bearing)		K6521	2	F098
Strut Mounting Kit					
2007	(Super Kit Contains Bearing And OE Style Bumper / Bellow)		K160391	2	F098
Strut Spring Seat					
2007	(Contains Insulator And Retainer) (Spring Seat Only) (Insulator Only)	Upper Upper Lower	K80926 K80923 K5349	2 2 2	F098 F098 F098

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2007	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Standard Design)	To Frame To Frame	K201610 ‡ K80812	1 1 F098 F098
Sway Bar Link				
2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K80852 ‡	2 F098
Wheel Hub & Bearing Assembly				
2007			513236	2
STEERING				
S069				
Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2007-2006			K6472	2 S069
Tie Rod End				
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner	ES3455 ‡ EV260 ‡	2 2 S069 S069
REAR SUSPENSION				
R071				
Year	Model/Application	Part	P/C Qty	Figure
Strut Spring Seat				
2007-2006	Front Wheel Drive, (Reduces Noise)		K160113 ‡	4 R071
Track Bar				
2007	(R-Series)		RK661214	1 R071
Wheel Hub & Bearing Assembly				
2007	(3 Hole Triangular Flange) (4 Hole Rectangular Flange)		513197 512309	2 2

CADILLAC TRUCK-Escalade

FRONT SUSPENSION




F243

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2015	(For Steel Control Arm)	Upper	K500340 ‡	2 F243
2016-2015	Aluminum Arm, (Design Allows Ease Of Installation)	Lower	K500245 ‡	2 F243
2014-2007	4.04" Length, (Aluminum Arm, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500007 ‡	2 F243
		Lower	K6541 ‡	2 F243
Control Arm Bushing				
2014-2007	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F243
Control Arm with Ball Joint				
2018-2016	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620956 ‡	1 F243
		Left Lower	RK620888	1 F243
2016-2015	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, Forged Steel, Will Not Fit Aluminum Steering Knuckles, R-Series)	Left Upper	RK100214	1 F243
		Right Upper	RK100215	1 F243
2014-2009	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620956 ‡	1 F243
		Left Lower	RK620888	1 F243
		Right Lower	CK620955 ‡	1 F243
		Right Lower	RK620889	1 F243
2014-2007	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Left Upper	CK80669 ‡	1 F243
		Left Upper	RK80669	1 F243
		Right Upper	CK80670 ‡	1 F243
		Right Upper	RK80670	1 F243
		Left Upper	RK100214	1 F243
		Right Upper	RK100215	1 F243
2008-2007	(Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620956 ‡	1 F243
		Left Lower	RK620888	1 F243
		Right Lower	CK620955 ‡	1 F243
		Right Lower	RK620889	1 F243
Strut Bumper Bellows				
2014-2007			K150275	2 F243
Strut Mount				
2014-2007	Except Auto Leveling System, (Bearing Not Included, Contains Spring Seat, Design Allows Ease Of Installation)		K160098 ‡	2 F243
Strut Spring Seat				
2017-2015	Except Magnetic Ride Control Suspension	Upper	K160310	2 F243
2014-2007	Except Auto Leveling System	Lower	K160311	2 F243
		Upper	K160310	2 F243
Sway Bar Bushing				
2018-2007	36mm Sway Bar Diameter, (Standard Design)	To Frame	K200222	1 F243

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2017-2007	30mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	K201611 ‡	1	F243
Sway Bar Repair Kit				
2016-2007	7-1/4" Length, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700538 ‡	2	F243
Wheel Hub & Bearing Assembly				
2018-2015	Four Wheel Drive (4X4)	515160	2	
2016-2015	Two Wheel Drive (4x2)	515159	2	
2014-2007	All Wheel Drive Two Wheel Drive (4x2)	515096 515097	2 2	


STEERING



S110

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2015	(Design Allows Ease Of Installation) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800948 ‡ EV800938 ‡	2 2
2014	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800223 ‡ EV800084 ‡	2 2
2013-2010	376(6.2L), (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800084 ‡	2
2013-2009	365(6.0L), (Powdered Metal Gusher Brg. For Better Lubrication) 376(6.2L), (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Outer	ES800621 ‡ ES800223 ‡	2 2
2009	Base Model, Platinum Edition, Platinum Edition Hybrid, (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800084 ‡	2
2008-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800223 ‡ EV800084 ‡	2 2

REAR SUSPENSION




F131

F131

CADILLAC TRUCK–Escalade (Cont.)

REAR SUSPENSION (Cont.)




R131

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2018-2007	(Arm Only, R-Series)	Upper	RK641866	2 R131
2014-2007	(R-Series)	Lower	RK641916	2 R131
Sway Bar Bushing				
2018-2007	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201174 ‡	1 R131
	(Standard Design)	To Frame	K6408	1 R131
Sway Bar Link				
2018-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K6700 ‡	2 R131
Track Bar Bushing				
2014-2012			K201774	2 F131
2011			K201774	2 R131
2010-2007			K201774	2 F131

CADILLAC TRUCK–Escalade ESV

FRONT SUSPENSION



F243


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2015	(For Steel Control Arm)	Upper	K500340 ‡	2 F243
2016-2015	Aluminum Arm, (Design Allows Ease Of Installation)	Lower	K500245 ‡	2 F243
2014-2007	4.04" Length, (Aluminum Arm, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500007 ‡	2 F243
		Lower	K6541 ‡	2 F243

(Cont.) Escalade ESV-CADILLAC TRUCK

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2014-2007	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F243
Control Arm with Ball Joint				
2018-2016	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620956 ‡	1 F243
		Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Left Lower	RK620888
2016-2015	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, Forged Steel, Will Not Fit Aluminum Steering Knuckles, R-Series)	Left Upper	RK100214	1 F243
		Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, Forged Steel, Will Not Fit Aluminum Steering Knuckles, R-Series)	Right Upper	RK100215
2014-2009	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620956 ‡	1 F243
		Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Left Lower	RK620888
	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	CK620955 ‡	1 F243
		Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Right Lower	RK620889
2014-2007	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Left Upper	CK80669 ‡	1 F243
		(R-Series)	Left Upper	RK80669
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Right Upper	CK80670 ‡	1 F243
		(R-Series)	Right Upper	RK80670
	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, R-Series)	Left Upper	RK100214	1 F243
		Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, R-Series)	Right Upper	RK100215
2008-2007	(Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620956 ‡	1 F243
		(Contains Bushings, R-Series)	Left Lower	RK620888
	(Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	CK620955 ‡	1 F243
		(Contains Bushings, R-Series)	Right Lower	RK620889
Strut Bumper Bellows				
2014-2007			K150275	2 F243
Strut Mount				
2014-2007	Except Auto Leveling System, (Bearing Not Included, Contains Spring Seat, Design Allows Ease Of Installation)		K160098 ‡	2 F243
Strut Spring Seat				
2017-2015	Except Magnetic Ride Control Suspension	Upper	K160310	2 F243
2014-2007	Except Auto Leveling System	Lower	K160311	2 F243
		Upper	K160310	2 F243
Sway Bar Bushing				
2018-2007	36mm Sway Bar Diameter, (Standard Design)	To Frame	K200222	1 F243
2017-2007	30mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201611 ‡	1 F243
Sway Bar Repair Kit				
2016-2007	7-1/4" Length, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700538 ‡	2 F243
Wheel Hub & Bearing Assembly				
2018-2015	Four Wheel Drive (4x4)		515160	2
2016-2015	Two Wheel Drive (4x2)		515159	2
2014-2008	Two Wheel Drive (4x2)		515097	2
2014-2007	All Wheel Drive		515096	2

CADILLAC TRUCK—Escalade ESV (Cont.)


STEERING




S110

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2015	(Design Allows Ease Of Installation) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800948 ‡ EV800938 ‡	2 2
2014-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800223 ‡ EV800084 ‡	2 2

REAR SUSPENSION



F131




R131

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2018-2007	(Arm Only, R-Series)	Upper	RK641866	2

(Cont.) Escalade ESV-CADILLAC TRUCK

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2014-2007	(R-Series) Lower	RK641916	2	R131
Sway Bar Bushing				
2018-2007	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Standard Design)	To Frame K201174 ‡ To Frame K6408	1 1	R131 R131
Sway Bar Link				
2018-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	K6700 ‡	2	R131
Track Bar Bushing				
2014-2007		K201774	2	F131

Escalade EXT-CADILLAC TRUCK




Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2013-2007	4.04" Length, (Aluminum Arm, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Lower	K500007 ‡	2	F243
2013-2007	4.150" Length, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Lower	K6541 ‡	2	F243
Control Arm Bushing				
2013-2007	(Standard Design, Contains Front And Rear Bushings) Upper	K6688	2	F243
Control Arm with Ball Joint				
2013-2009	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Left Lower	CK620956 ‡	1	F243
2013-2009	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series) Left Lower	RK620888	1	F243
2013-2009	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Right Lower	CK620955 ‡	1	F243
2013-2009	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series) Right Lower	RK620889	1	F243
2013-2007	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series) Left Upper	CK80669 ‡	1	F243
2013-2007	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series) Left Upper	RK80669	1	F243
2013-2007	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series) Right Upper	CK80670 ‡	1	F243
2013-2007	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series) Right Upper	RK80670	1	F243
2013-2007	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, R-Series) Left Upper	RK100214	1	F243
2013-2007	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, R-Series) Right Upper	RK100215	1	F243
2008-2007	(Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Left Lower	CK620956 ‡	1	F243
2008-2007	(Contains Bushings, R-Series) Left Lower	RK620888	1	F243
2008-2007	(Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Right Lower	CK620955 ‡	1	F243
2008-2007	(Contains Bushings, R-Series) Right Lower	RK620889	1	F243
Strut Bumper Bellows				
2013-2007		K150275	2	F243

CADILLAC TRUCK–Escalade EXT (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Strut Mount				
2013-2007	Except Auto Leveling System, (Bearing Not Included, Contains Spring Seat, Design Allows Ease Of Installation)	K160098 ‡	2	F243
Strut Spring Seat				
2013-2007	Except Auto Leveling System	Lower K160311	2	F243
		Upper K160310	2	F243
Sway Bar Bushing				
2013-2007	30mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201611 ‡	1	F243
	36mm Sway Bar Diameter, (Standard Design)	To Frame K200222	1	F243
Sway Bar Repair Kit				
2013-2007	7-1/4" Length, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700538 ‡	2	F243
Wheel Hub & Bearing Assembly				
2013-2007		515096	2	


STEERING



S110

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2013-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES800223 ‡	2	S110
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner EV800084 ‡	2	S110

REAR SUSPENSION




F131

F131

(Cont.) Escalade EXT-CADILLAC TRUCK

REAR SUSPENSION (Cont.)




R131

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2013-2007	(Arm Only, R-Series) (R-Series)	Upper Lower	2 2	R131 R131
Sway Bar Bushing				
2013-2007	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Standard Design)	To Frame To Frame	1 1	R131 R131
Sway Bar Link				
2013-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		2	R131
Track Bar Bushing				
2012-2007			2	F131

SRX-CADILLAC TRUCK


FRONT SUSPENSION



F399

CADILLAC TRUCK-SRX (Cont.)


FRONT SUSPENSION (Cont.)



F588


Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2009-2004	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500065 ‡	2	F399
	(Powdered Metal Gusher Brg. For Better Lubrication, Aluminum Arm)	Lower	K500290 ‡	2	F399
	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed, Steel Arm)	Lower	K500064 ‡	2	F399
Control Arm with Ball Joint					
2016-2010	(R-Series)	Left Lower	RK622088	1	F588
	(R-Series)	Right Lower	RK622087	1	F588
2009-2004	(R-Series)	Left Upper	RK622836	1	F399
	(R-Series)	Right Upper	RK622386	1	F399
Shock Mount					
2009-2004	Except Sport Suspension	Upper	K160432	2	F399
	Sport Suspension	Upper	K160428	2	F399
Strut Bumper Bellows					
2016-2010	(Replacement Type, Contains Bumper)		K90460	2	F588
2009-2004	(Design Allows Ease Of Installation)		K160285 ‡	2	F399
Strut Mount					
2016-2010	(Contains Bearing, Contains Washer, Contains Upper Retainer, Contains Upper Spring Seat)		K160431	2	F588
Sway Bar Bushing					
2011-2010	FE2 Ride And Handling Suspension	To Frame	K201566	1	F588
	FE3 Sport Suspension	To Frame	K201506	1	F588
2009-2004	35mm Sway Bar Diameter	To Frame	K201683	1	F399
	36mm Sway Bar Diameter	To Frame	K201509	1	F399
Sway Bar Link					
2016-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750414 ‡	2	F588
2009-2004	(Powdered Metal Gusher Brg. For Better Lubrication)		K750057 ‡	2	F399
Wheel Hub & Bearing Assembly					
2016-2010			513289	2	
2009-2004	All Wheel Drive		513198	2	
	Rear Wheel Drive		513197	2	

STEERING



S176


STEERING (Cont.)



S354

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2016-2010	(Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Outer Inner	ES800640 ‡ EV800928 ‡	2 2	S354 S354
2009-2004	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES80960 ‡ ES80959 ‡ EV800289 ‡	1 1 2	S176 S176 S176

REAR SUSPENSION



R076

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2016-2011		Lower	K500311	2	
Control Arm with Ball Joint					
2009-2004	(R-Series) (R-Series)	Left Upper Right Upper	RK622100 RK622101	1 1	R076 R076
Knuckle Bushing					
2009-2004		At Shock	K200945	2	R076
Sway Bar Bushing					
2016-2011	Except Sport Suspension Sport Suspension	To Frame To Frame	K201374 K201378	1 1	
2009-2004		To Frame	K201475	1	R076
Sway Bar Link					
2009-2004	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750071 ‡ K750072 ‡	1 1	R076 R076
Trailing Link Bushing					
2009-2004	(Design Allows Ease Of Installation)	At Knuckle, Lower	K200981 ‡	2	R076
Wheel Hub & Bearing Assembly					
2016-2010			513289	2	

CADILLAC TRUCK-SRX (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2009-2004		512243	2	

CADILLAC TRUCK-XT5

FRONT SUSPENSION



Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2017		512593	2	

REAR SUSPENSION


Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2017	(Design Allows Ease Of Installation)	K750675 ‡	2	
Wheel Hub & Bearing Assembly				
2017	All Wheel Drive	512593	2	

CHEVROLET TRUCK-10 Series - 1/2 Ton


FRONT SUSPENSION




(Cont.) 10 Series - 1/2 Ton-CHEVROLET TRUCK
FRONT SUSPENSION (Cont.)



F243




F495




F496

CHEVROLET TRUCK-10 Series - 1/2 Ton (Cont.)

FRONT SUSPENSION (Cont.)



F497



F503

Year	Model/Application	Part	P/C Qty	Figure
Express 1500				
Ball Joint				
2014-2003	4.150" Length, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Lower Upper	2 2	F495, F496 F495, F496
2008-2003	(Ball Joint Orientation Noted, Where Applicable)	Upper	2	F495, F496
Control Arm Bushing				
2014-2003	(Standard Design, Contains Front And Rear Bushings)	Upper	2	F495, F496
Control Arm Bushing Set				
2011-2003	All Wheel Drive, (Contains Front And Rear Bushings)	Lower	2	F495
Control Arm with Ball Joint				
2014-2003	(Offset Bushings Allow 2 Added Degrees Of Camber, Powdered Metal Gusher Brg. For Better Lubrication) (Offset Bushings Allow 2 Added Degrees Of Camber, R-Series) (Powdered Metal Gusher Brg. For Better Lubrication, Standard Bushing) (Standard Bushing, R-Series) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, R-Series)	Upper Upper Upper Upper Upper	2 2 2 2 2	F495, F496 F495, F496 F495, F496 F495, F496 F495, F496
	All Wheel Drive, (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	1	F495
	All Wheel Drive, (R-Series)	Left Lower	1	F495
	All Wheel Drive, (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	1	F495
	All Wheel Drive, (R-Series)	Right Lower	1	F495
Shock Mount Bushing				
2014-2003	All Wheel Drive	Lower	1	F495

(Cont.) 10 Series - 1/2 Ton-CHEVROLET TRUCK

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Express 1500				
Strut Spring Seat				
2014-2003	Two Wheel Drive (4x2), 171mm Outside Diameter	Upper	K160022	2 F496
Sway Bar Bushing				
2014-2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Standard Design)	To Frame To Frame	K201176 ‡ K6476	1 F495, F496 1 F495, F496
2008-2003	1-5/16" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 1-5/16" Sway Bar Diameter, (Includes Universal Mounting Bracket) 1-5/16" Sway Bar Diameter, (Standard Design)	To Frame To Frame To Frame	K201177 ‡ K7327 ‡ K6439	1 F495, F496 1 F495, F496 1 F495, F496
Sway Bar Repair Kit				
2007-2003	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700537 ‡	2 F495, F496
Wheel Hub & Bearing Assembly				
2014			515161	2
2013-2003	All Wheel Drive, 6 Stud Hub Two Wheel Drive (4x2), 6 Stud Hub		515036 515054	2 2
Silverado 1500				
Ball Joint				
2018		Upper	K500340 ‡	2 F243
2017-2016	(For Steel Control Arm)	Upper	K500340 ‡	2 F243
2016	Aluminum Arm, (Design Allows Ease Of Installation)	Lower	K500245 ‡	2 F243
2016-2014	(For Vehicles With Aluminum Steering Knuckles Only, Design Allows Ease Of Installation)	Lower	K500245 ‡	2 F243
2015-2009	4.150" Length, (Will Not Fit Aluminum Steering Knuckles, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K6541 ‡	2 F243
2013-2007	4.04" Length, (Aluminum Arm, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500007 ‡	2 F243
2008-2007	4.150" Length, (Steel Arm, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K6541 ‡	2 F243
Control Arm Bushing				
2014-2007	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F243
Control Arm with Ball Joint				
2018	Four Wheel Drive (4X4), Except Off Road Package, Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620956 ‡	1 F243
	Four Wheel Drive (4X4), Except Off Road Package, Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Left Lower	RK620888	1 F243
	Two Wheel Drive (4x2), Except Off Road Package, Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620956 ‡	1 F243
	Two Wheel Drive (4x2), Except Off Road Package, Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Left Lower	RK620888	1 F243
2018-2014	Two Wheel Drive (4x2), Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620956 ‡	1 F243
	Two Wheel Drive (4x2), Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Left Lower	RK620888	1 F243
2017-2016	Except Off Road Package, Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620956 ‡	1 F243
	Except Off Road Package, Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Left Lower	RK620888	1 F243
2016	Four Wheel Drive (4X4), Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	CK620955 ‡	1 F243
	Four Wheel Drive (4X4), Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Right Lower	RK620889	1 F243
2016-2014	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, Forged Steel, Will Not Fit Aluminum Steering Knuckles, R-Series)	Left Upper	RK100214	1 F243
	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, Forged Steel, Will Not Fit Aluminum Steering Knuckles, R-Series)	Right Upper	RK100215	1 F243
	Four Wheel Drive (4X4), Except Off Road Package, Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620956 ‡	1 F243
	Four Wheel Drive (4X4), Except Off Road Package, Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Left Lower	RK620888	1 F243

CHEVROLET TRUCK-10 Series - 1/2 Ton (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Silverado 1500				
Control Arm with Ball Joint				
2016-2014 (Cont.)	Two Wheel Drive (4x2), Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower CK620955 ‡	1	F243
	Two Wheel Drive (4x2), Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Right Lower RK620889	1	F243
2015-2014	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Left Upper CK80669 ‡	1	F243
	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, R-Series)	Left Upper RK80669	1	F243
	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Right Upper CK80670 ‡	1	F243
	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, R-Series)	Right Upper RK80670	1	F243
	Four Wheel Drive (4X4), Except Off Road Package, Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower CK620955 ‡	1	F243
	Four Wheel Drive (4X4), Except Off Road Package, Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Right Lower RK620889	1	F243
2013-2009	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower CK620956 ‡	1	F243
	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, R-Series)	Left Lower RK620888	1	F243
	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower CK620955 ‡	1	F243
	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Right Lower RK620889	1	F243
2013-2007	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series)	Left Upper CK80669 ‡	1	F243
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series)	Left Upper RK80669	1	F243
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series)	Right Upper CK80670 ‡	1	F243
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series)	Right Upper RK80670	1	F243
	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, R-Series)	Left Upper RK100214	1	F243
	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, R-Series)	Right Upper RK100215	1	F243
2008-2007	(Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower CK620956 ‡	1	F243
	(Contains Bushings, R-Series)	Left Lower RK620888	1	F243
	(Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower CK620955 ‡	1	F243
	(Contains Bushings, R-Series)	Right Lower RK620889	1	F243
Strut and Spring Assembly				
2013-2010	Except Electronic Suspension, (Strut, Spring & Top Mount)	ST8583	2	F243
2009-2007	Four Wheel Drive (4X4), Except Electronic Suspension, (Strut, Spring & Top Mount)	ST8583	2	F243
Strut Bumper Bellows				
2013-2007		K150275	2	F243
Strut Mount				
2013-2007	Except Auto Leveling System, (Bearing Not Included, Contains Spring Seat, Design Allows Ease Of Installation)	K160098 ‡	2	F243
Strut Spring Seat				
2017-2014	Except Magnetic Ride Control Suspension	Upper K160310	2	F243
2013-2007	Except Auto Leveling System	Lower K160311	2	F243
		Upper K160310	2	F243
Sway Bar Bushing				
2018-2007	34mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201612 ‡	1	F243
		To Frame K200221	1	F243
		To Frame K200222	1	F243
2017-2007	30mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201611 ‡	1	F243
Sway Bar Repair Kit				
2016-2007	7-1/4" Length, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700538 ‡	2	F243
Wheel Hub & Bearing Assembly				
2018-2014	Four Wheel Drive (4X4)	515160	2	
2016-2014	Two Wheel Drive (4x2)	515159	2	
2013-2007	Four Wheel Drive (4X4)	515096	2	
	Two Wheel Drive (4x2)	515097	2	
Silverado Classic 1500				
Ball Joint				
2007	(Ball Joint Orientation Noted, Where Applicable)	Upper K6540 ‡	2	F070, F497, F503

(Cont.) 10 Series - 1/2 Ton-CHEVROLET TRUCK**FRONT SUSPENSION (Cont.)**

Year	Model/Application	Part	P/C Qty	Figure
Silverado Classic 1500				
Ball Joint				
2007 (Cont.)	Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear) Upper	K100116 ‡	2	F070, F497, F503
	Four Wheel Drive (4X4), 4.150" Length, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Lower	K6541 ‡	2	F497
	Two Wheel Drive (4x2), Front Coil Spring Suspension, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Lower	K6539 ‡	2	F070
	Two Wheel Drive (4x2), Front Torsion Bar Suspension, 4.150" Length, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Lower	K6541 ‡	2	F503
Control Arm Bushing				
2007	(Contains Front And Rear Bushings) Upper	K6688	2	F070, F497, F503
Control Arm with Ball Joint				
2007	(Offset Bushings Allow 2 Added Degrees Of Camber, Powdered Metal Gusher Brg. For Better Lubrication) Upper	CK80826 ‡	2	F070, F497, F503
	(Offset Bushings Allow 2 Added Degrees Of Camber, R-Series) Upper	RK80826	2	F070, F497, F503
	(Powdered Metal Gusher Brg. For Better Lubrication, Standard Bushing) Upper	CK80942 ‡	2	F070, F497, F503
	(Standard Bushing, R-Series) Upper	RK80942	2	F070, F497, F503
	Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, R-Series) Upper	RK621782	2	F070, F497, F503
	Four Wheel Drive (4X4), (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Left Lower	CK620381 ‡	1	F497
	Four Wheel Drive (4X4), (R-Series) Left Lower	RK620381	1	F497
	Four Wheel Drive (4X4), (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Right Lower	CK620380 ‡	1	F497
	Four Wheel Drive (4X4), (R-Series) Right Lower	RK620380	1	F497
	Two Wheel Drive (4x2), Front Coil Spring Suspension, (R-Series) Left Lower	RK620265	1	F070
	Two Wheel Drive (4x2), Front Coil Spring Suspension, (R-Series) Right Lower	RK620264	1	F070
	Two Wheel Drive (4x2), Front Torsion Bar Suspension, (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Left Lower	CK620381 ‡	1	F503
	Two Wheel Drive (4x2), Front Torsion Bar Suspension, (R-Series) Left Lower	RK620381	1	F503
	Two Wheel Drive (4x2), Front Torsion Bar Suspension, (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Right Lower	CK620380 ‡	1	F503
	Two Wheel Drive (4x2), Front Torsion Bar Suspension, (R-Series) Right Lower	RK620380	1	F503
Shock Mount Bushing				
2007	Four Wheel Drive (4X4) Lower	K6724	1	F497
	Two Wheel Drive (4x2), Front Torsion Bar Suspension Lower	K6724	1	F503
Strut Spring Seat				
2007	Two Wheel Drive (4x2), 161mm Outside Diameter Upper	K160021	2	F070
Sway Bar Bushing				
2007	1-1/4" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) To Frame	K201176 ‡	1	F070, F497, F503
	1-1/4" Sway Bar Diameter, (Standard Design) To Frame	K6476	1	F070, F497, F503
	1-1/8" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) Rubber, To Frame	K201174 ‡	1	F070, F497, F503
	1-1/8" Sway Bar Diameter, (Standard Design) Rubber, To Frame	K6408	1	F070, F497, F503
	1-3/16" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) To Frame	K201175 ‡	1	F070, F497, F503
	1-3/16" Sway Bar Diameter, (Standard Design) To Frame	K6437	1	F070, F497, F503
	1-5/16" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) To Frame	K201177 ‡	1	F070, F497, F503
	1-5/16" Sway Bar Diameter, (Standard Design) To Frame	K6439	1	F070, F497, F503
Sway Bar Repair Kit				
2007	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700539 ‡	2	F070, F497, F503
Torsion Bar Key, Adjustable				
2007	6 Stud Hub, Minus 1/2 To Plus 1-1/2 Degree, (Allows Front Ride Height Changes Up To 3" Above OEM)	K100011 ‡	1	F497, F503
Wheel Hub & Bearing Assembly				
2007	Four Wheel Drive (4X4), 6 Stud Hub	515036	2	
	Two Wheel Drive (4x2), 6 Stud Hub, 16" Wheels	515054	2	
	Two Wheel Drive (4x2), 6 Stud Hub, 17" Wheels	515071	2	

CHEVROLET TRUCK-10 Series - 1/2 Ton (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Silverado Classic 1500HD				
Ball Joint				
2007	(Ball Joint Orientation Noted, Where Applicable) (Press In Type, Oversized Stud Ball For Superior Load Carrying) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Greaseable) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Non-Greasable, Do Not Use With Tires Over 33" Without A Tall Knuckle Lift Kit)	Upper Lower Upper Upper	K6696 ‡ K6693 ‡ K100108 ‡ K100317	2 2 2 2 F077 F077 F077 F077
Control Arm Bumper Bushing				
2007	(Square with Domed Top Bumper Bushing, 1 Per Package) (Square with Domed Top Bumper Bushing, 2 Per Package)	Lower Lower	K201426B K201426 ‡	2 1 F077 F077
Control Arm Bushing				
2007	For Welded Arm, (Standard Design, Contains Front And Rear Bushings) For Welded Arm, Up To +/- 1 Degree Camber. (Offset Bushing To Provide Additional Caster/Camber, Adjustable)	Upper Upper	K200044 K6670 ‡	2 2 F077 F077
Control Arm Bushing Set				
2007	(Contains Front And Rear Bushings)	Lower	K6658	2 F077
Control Arm with Ball Joint				
2007	(Contains Standard Bushing, R-Series) (Offset Bushings Allow 2 Added Degrees Of Camber, Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication, Standard Bushing) (Contains Bushing, R-Series) (Contains Bushing, R-Series) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, R-Series)	Upper Upper Upper Left Lower Right Lower Upper	RK620054 CK620053 ‡ CK620054 ‡ RK621356 RK621355 RK621783	2 2 2 1 1 2 F077 F077 F077 F077 F077
Sway Bar Bushing				
2007	1-5/16" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 1-5/16" Sway Bar Diameter, (Standard Design)	To Frame To Frame	K201177 ‡ K6439	1 1 F077 F077
Sway Bar Repair Kit				
2007	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700539 ‡	2 F077
Torsion Bar Key, Adjustable				
2007	8 Stud Hub, Minus 1/2 To Plus 1-1/2 Degree, (Allows Front Ride Height Changes Up To 2" Above OEM)		K100012 ‡	1 F077
Wheel Hub & Bearing Assembly				
2007	Four Wheel Drive (4X4), (8 Stud Hub) Two Wheel Drive (4x2)		515058 515086	2 2
Suburban				
Ball Joint				
2018		Upper	K500340 ‡	2 F243
2017-2015	(For Steel Control Arm)	Upper	K500340 ‡	2 F243
2016-2015	Aluminum Arm, (Design Allows Ease Of Installation)	Lower	K500245 ‡	2 F243
2014	4.04" Length, (Aluminum Arm, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500007 ‡	2 F243
Control Arm Bushing				
2014	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F243
Control Arm with Ball Joint				
2018-2016	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Left Lower Left Lower	CK620956 ‡ RK620888	1 1 F243 F243
2016-2015	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, Forged Steel, Will Not Fit Aluminum Steering Knuckles, R-Series) Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, Forged Steel, Will Not Fit Aluminum Steering Knuckles, R-Series)	Left Upper Right Upper	RK100214 RK100215	1 1 F243 F243
2014	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series) (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series) Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, R-Series) Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, R-Series)	Left Upper Left Upper Right Upper Right Upper Left Upper Right Upper	CK80669 ‡ RK80669 CK80670 ‡ RK80670 RK100214 RK100215	1 1 1 1 1 1 F243 F243 F243 F243 F243 F243
	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series) Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series) Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Left Lower Left Lower Right Lower Right Lower	CK620956 ‡ RK620888 CK620955 ‡ RK620889	1 1 1 1 F243 F243 F243 F243

(Cont.) 10 Series - 1/2 Ton-CHEVROLET TRUCK

FRONT SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Suburban				
Strut Bumper Bellows				
2014		K150275	2	F243
Strut Mount				
2014	Except Auto Leveling System, (Bearing Not Included, Contains Spring Seat, Design Allows Ease Of Installation)	K160098 ‡	2	F243
Strut Spring Seat				
2017-2015	Except Magnetic Ride Control Suspension	Upper K160310	2	F243
2014	Except Auto Leveling System	Lower K160311	2	F243
		Upper K160310	2	F243
Sway Bar Bushing				
2018-2014	36mm Sway Bar Diameter, (Standard Design)	To Frame K200222	1	F243
2017-2014	30mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201611 ‡	1	F243
Sway Bar Repair Kit				
2016	Cast Iron Arm, Aluminum Arm, 7-1/4" Length, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700538 ‡	2	F243
2015-2014	7-1/4" Length, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700538 ‡	2	F243
Wheel Hub & Bearing Assembly				
2018-2015	Four Wheel Drive (4X4)	515160	2	
2016-2015	Two Wheel Drive (4x2)	515159	2	
2014	Four Wheel Drive (4X4)	515096	2	
	Two Wheel Drive (4x2)	515097	2	
Suburban 1500				
Ball Joint				
2013-2009	4.04" Length, (Aluminum Arm, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower K500007 ‡	2	F243
	4.150" Length, (Steel Arm, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower K6541 ‡	2	F243
2008	4.150" Length, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower K6541 ‡	2	F243
2007	4.04" Length, (Aluminum Arm, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower K500007 ‡	2	F243
	4.150" Length, (Steel Arm, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower K6541 ‡	2	F243
Control Arm Bushing				
2013-2007	(Standard Design, Contains Front And Rear Bushings)	Upper K6688	2	F243
Control Arm with Ball Joint				
2013-2009	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower CK620956 ‡	1	F243
	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Left Lower RK620888	1	F243
	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower CK620955 ‡	1	F243
	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Right Lower RK620889	1	F243
2013-2007	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Left Upper CK80669 ‡	1	F243
	(R-Series)	Left Upper RK80669	1	F243
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Right Upper CK80670 ‡	1	F243
	(R-Series)	Right Upper RK80670	1	F243
	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, R-Series)	Left Upper RK100214	1	F243
	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, R-Series)	Right Upper RK100215	1	F243
2008-2007	(Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower CK620956 ‡	1	F243
	(Contains Bushings, R-Series)	Left Lower RK620888	1	F243
	(Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower CK620955 ‡	1	F243
	(Contains Bushings, R-Series)	Right Lower RK620889	1	F243
Strut Bumper Bellows				
2013-2007		K150275	2	F243
Strut Mount				
2013-2007	Except Auto Leveling System, (Bearing Not Included, Contains Spring Seat, Design Allows Ease Of Installation)	K160098 ‡	2	F243
Strut Spring Seat				
2013-2007		Lower K160311	2	F243

CHEVROLET TRUCK-10 Series - 1/2 Ton (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Suburban 1500				
Strut Spring Seat				
2013-2007 (Cont.)	Except Auto Leveling System	Upper	K160310	2 F243
Sway Bar Bushing				
2013-2007	30mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 36mm Sway Bar Diameter, (Standard Design)	To Frame	K201611 ‡	1 F243
		To Frame	K200222	1 F243
Sway Bar Repair Kit				
2013-2007	7-1/4" Length, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700538 ‡	2 F243
Wheel Hub & Bearing Assembly				
2013-2007	Four Wheel Drive (4X4) Two Wheel Drive (4x2)		515096	2
			515097	2

STEERING




S002



S082

(Cont.) 10 Series - 1/2 Ton-CHEVROLET TRUCK

STEERING (Cont.)



S110


Year	Model/Application	Part	P/C Qty	Figure
Express 1500				
Tie Rod End				
2014-2003	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES80311 ‡ EV80191 ‡	2 2 S082 S082
Silverado 1500				
Tie Rod End				
2018-2014	(Design Allows Ease Of Installation) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800948 ‡ EV800938 ‡	2 2
2013-2010	LS, LT, LTZ, WT (Work Truck), XFE, (Powdered Metal Gusher Brg. For Better Lubrication) LS, LT, LTZ, WT (Work Truck), XFE, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800223 ‡ EV800084 ‡	2 2 S110 S110
2013-2009	Hybrid, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800621 ‡	2 S110
2009	LS, LT, LTZ, WT (Work Truck), (Powdered Metal Gusher Brg. For Better Lubrication) LS, LT, LTZ, WT (Work Truck), (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800223 ‡ EV800084 ‡	2 2 S110 S110
2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800084 ‡	2 S110
2008-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800223 ‡	2 S110
2007	LS, LT, LTZ, WT (Work Truck), (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800084 ‡	2 S110
Silverado Classic 1500				
Center Link				
2007	Pickup (2 Dr.), Pickup (4 Dr. Ext'd Cab), Four Wheel Drive (4X4), 28.75" Length, (2 Tapered Holes, Greaseable Socket Reduces Corrosion/Wear) Pickup (4 Dr.) Crew Cab, 30.5" Length, (Contains Inner Tie Rod Ends) Pickup (4 Dr.) Crew Cab, 30.5" Length, (Has Hole For Steering Stabilizer)		DS300010 ‡ DS300059A DS300011	1 1 1 S002 S002 S002
Idler Arm				
2007	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud) (Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)		K6534HD ‡ K6534 ‡	1 1 S002 S002
Idler Arm Bracket Assembly				
2007	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)		K6723 ‡	1 S002
Idler Arm Grease Hose Kit				
2007	Base Model, Hybrid, LS, LT, SS, WT (Work Truck), (Allows Easy Access To Idler Arm Grease Fitting)		K6714 ‡	1
Pitman Arm				
2007	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication) (4 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (4 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication) Base Model, (3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) Base Model, (3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication) Base Model, Pickup (4 Dr.) Crew Cab, (3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) Base Model, Pickup (4 Dr.) Crew Cab, (3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654HD ‡ K6654 ‡ K6536HD ‡ K6536 ‡ K6654HD ‡ K6654 ‡ K6654HD ‡ K6654 ‡	1 1 1 1 1 1 1 1 S002 S002 S002 S002 S002 S002 S002 S002
Rack & Pinion Boot Kit				
2007	Two Wheel Drive (4x2)		K150270	2 S082
Steering Damper Kit				
2007	Four Wheel Drive (4X4), Except Original Equipment Steering Damper, (Super Trail Boss)	Front	SSD94	1
Tie Rod End				
2007	Conventional Power Steering, (Powdered Metal Gusher Brg. For Better Lubrication) Rack & Pinion Power, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Outer	ES3493T ‡ ES3492T ‡	2 2 S002 S082

CHEVROLET TRUCK-10 Series - 1/2 Ton (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Silverado Classic 1500				
Tie Rod End				
2007 (Cont.)	Base Model, Hybrid, LS, LT, SS, WT (Work Truck), Rack & Pinion Power, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner EV370 ‡	2	S082
	Base Model, Hybrid, LS, LT, WT (Work Truck), Conventional Power Steering, (Design Of Enhanced Belleville Washer Optimizes Load And Provides Longer Fatigue Life)	Inner ES3488 ‡	2	S002
Silverado Classic 1500HD				
Center Link				
2007	30.5" Length, (Contains Inner Tie Rod Ends)	DS300059A	1	S002
	30.5" Length, (Has Hole For Steering Stabilizer)	DS300011	1	S002
Idler Arm				
2007	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6535HD ‡	1	S002
	(Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6535 ‡	1	S002
Idler Arm Grease Hose Kit				
2007	(Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2007	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6654HD ‡	1	S002
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654 ‡	1	S002
Tie Rod End				
2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3609 ‡	2	S002
	(Design Of Enhanced Belleville Washer Optimizes Load And Provides Longer Fatigue Life)	Inner ES3488 ‡	2	S002
Suburban				
Tie Rod End				
2018-2015	(Design Allows Ease Of Installation)	Outer ES800948 ‡	2	
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner EV800938 ‡	2	
2014	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES800223 ‡	2	S110
Suburban 1500				
Tie Rod End				
2013-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES800223 ‡	2	S110
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner EV800084 ‡	2	S110

REAR SUSPENSION




F131

F131

(Cont.) 10 Series - 1/2 Ton-CHEVROLET TRUCK

REAR SUSPENSION (Cont.)



R131

Year	Model/Application	Part	P/C Qty	Figure
Express 1500				
Leaf Spring Shackle				
2014-2003	(Contains Shackle, Nuts, Bolts & Bushing)	Rear	K150404	2
Silverado 1500				
Leaf Spring Bushing				
2013-2007		Front	K201266	2
Leaf Spring Shackle				
2013-2007			K150383	2
Leaf Spring Shackle Bracket				
2015	(Center Section Is Curved & Wide Lower Mounting Holes)	Rear	K150381	2
2014-2006		Rear	K150381	2
Silverado Classic 1500				
Leaf Spring Shackle				
2007			K150383	2
Leaf Spring Shackle Bracket				
2007		Rear	K150381	2
Leaf Spring Shackle Bushing				
2007		To Spring	K201216	2
Silverado Classic 1500HD				
Leaf Spring Shackle				
2007			K150383	2
Leaf Spring Shackle Bushing				
2007		To Spring	K201216	2
Suburban				
Control Arm				
2018-2014	(Arm Only, R-Series)	Upper	RK641866	2
2014	(R-Series)	Lower	RK641916	2
Sway Bar Bushing				
2018-2014	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201174 ‡	1
	(Standard Design)	To Frame	K6408	1
Sway Bar Link				
2018-2014	(Powdered Metal Gusher Brg. For Better Lubrication)		K6700 ‡	2
Track Bar Bushing				
2014			K201774	2
Suburban 1500				
Control Arm				
2013-2007	(Arm Only, R-Series)	Upper	RK641866	2
	(R-Series)	Lower	RK641916	2


CHEVROLET TRUCK-10 Series - 1/2 Ton (Cont.)

REAR SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Suburban 1500				
Sway Bar Bushing				
2013-2007	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame To Frame	1 1	R131 R131
	(Standard Design)			
Sway Bar Link				
2013-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		2	R131
Track Bar Bushing				
2013-2007			2	F131

CHEVROLET TRUCK-20 Series - 3/4 Ton

FRONT SUSPENSION



F077



F261

Year	Model/Application	Part	P/C Qty	Figure
Express 2500				
Ball Joint				
2016-2015	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	2	F261
2014	8500 And 8600 Lb GVW, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	2	F261
2013-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	2	F261
Control Arm Bushing				
2017	(Standard Design, Contains Front And Rear Bushings)	Upper	2	F261
2016-2014	294(4.8L), (Standard Design, Contains Front And Rear Bushings)	Upper	2	F261
	365(6.0L), (Standard Design, Contains Front And Rear Bushings)	Upper	2	F261
2013-2006	(Standard Design, Contains Front And Rear Bushings)	Upper	2	F261

(Cont.) 20 Series - 3/4 Ton-CHEVROLET TRUCK

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Express 2500				
Control Arm with Ball Joint				
2017	(R-Series)	Left Upper	RK641505	1 F261
	(R-Series)	Right Upper	RK641506	1 F261
2017-2006	(R-Series)	Left Lower	RK622918	1 F261
	(R-Series)	Right Lower	RK622919	1 F261
2016-2014	294(4.8L), (R-Series)	Left Upper	RK641505	1 F261
	294(4.8L), (R-Series)	Right Upper	RK641506	1 F261
	365(6.0L), (R-Series)	Left Upper	RK641505	1 F261
	365(6.0L), (R-Series)	Right Upper	RK641506	1 F261
2013-2006	(R-Series)	Left Upper	RK641505	1 F261
	(R-Series)	Right Upper	RK641506	1 F261
Strut Spring Seat				
2017-2006	161mm Outside Diameter	Upper	K160021	2 F261
	171mm Outside Diameter	Lower	K160022	2 F261
Sway Bar Bushing				
2017-2006	1-5/16" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	1-5/16" Sway Bar Diameter, (Standard Design)	To Frame	K6439	1 F261
2012-2006	1-5/16" Sway Bar Diameter, (Includes Universal Mounting Bracket)	To Frame	K7327 ‡	1 F261
Sway Bar Repair Kit				
2012-2006	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700537 ‡	2 F261
Wheel Hub & Bearing Assembly				
2017-2006	(8 Stud Hub)		515059	2
Express 2500 EXT				
Ball Joint				
2016-2015	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
2014	8500 And 8600 Lb GVW, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
2013-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2017	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
2016-2014	294(4.8L), (Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
	365(6.0L), (Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
2013-2003	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
Control Arm with Ball Joint				
2017	(R-Series)	Left Upper	RK641505	1 F261
	(R-Series)	Right Upper	RK641506	1 F261
2017-2006	(R-Series)	Left Lower	RK622918	1 F261
	(R-Series)	Right Lower	RK622919	1 F261
2016-2014	294(4.8L), (R-Series)	Left Upper	RK641505	1 F261
	294(4.8L), (R-Series)	Right Upper	RK641506	1 F261
	365(6.0L), (R-Series)	Left Upper	RK641505	1 F261
	365(6.0L), (R-Series)	Right Upper	RK641506	1 F261
2013-2006	(R-Series)	Left Upper	RK641505	1 F261
	(R-Series)	Right Upper	RK641506	1 F261
Strut Spring Seat				
2017-2006	161mm Outside Diameter	Upper	K160021	2 F261
	171mm Outside Diameter	Lower	K160022	2 F261
Sway Bar Bushing				
2017-2003	1-5/16" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	1-5/16" Sway Bar Diameter, (Standard Design)	To Frame	K6439	1 F261
Sway Bar Repair Kit				
2012-2003	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700537 ‡	2 F261
Wheel Hub & Bearing Assembly				
2017-2006	(8 Stud Hub)		515059	2
Express 2500 HD				
Ball Joint				
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2007-2006	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261

CHEVROLET TRUCK-20 Series - 3/4 Ton (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Express 2500 HD				
Control Arm with Ball Joint				
2007-2006	(R-Series)	Left Upper	RK641505	1 F261
	(R-Series)	Right Upper	RK641506	1 F261
	(R-Series)	Left Lower	RK622918	1 F261
	(R-Series)	Right Lower	RK622919	1 F261
Strut Spring Seat				
2007-2006	161mm Outside Diameter	Upper	K160021	2 F261
	171mm Outside Diameter	Lower	K160022	2 F261
Sway Bar Bushing				
2007-2006	1-1/4" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201176 ‡	1 F261
	1-1/4" Sway Bar Diameter, (Standard Design)	To Frame	K6476	1 F261
	1-5/16" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	1-5/16" Sway Bar Diameter, (Standard Design)	To Frame	K6439	1 F261
Sway Bar Repair Kit				
2007-2006	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700537 ‡	2 F261
Wheel Hub & Bearing Assembly				
2007-2006	(8 Stud Hub)		515059	2
Express 2500 HD Ext.				
Ball Joint				
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2007-2006	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
Control Arm with Ball Joint				
2007-2006	(R-Series)	Left Upper	RK641505	1 F261
	(R-Series)	Right Upper	RK641506	1 F261
	(R-Series)	Left Lower	RK622918	1 F261
	(R-Series)	Right Lower	RK622919	1 F261
Strut Spring Seat				
2007-2006	161mm Outside Diameter	Upper	K160021	2 F261
	171mm Outside Diameter	Lower	K160022	2 F261
Sway Bar Bushing				
2007-2006	1-1/4" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201176 ‡	1 F261
	1-1/4" Sway Bar Diameter, (Standard Design)	To Frame	K6476	1 F261
	1-5/16" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	1-5/16" Sway Bar Diameter, (Standard Design)	To Frame	K6439	1 F261
Sway Bar Repair Kit				
2007-2006	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700537 ‡	2 F261
Wheel Hub & Bearing Assembly				
2007-2006	(8 Stud Hub)		515059	2
Silverado 2500HD				
Ball Joint				
2018-2011	(Design Allows Ease Of Installation)	Lower	K500232 ‡	2 F077
2010-2007	(Ball Joint Orientation Noted, Where Applicable)	Upper	K6696 ‡	2 F077
	(Oversized Stud Ball For Superior Load Carrying)	Lower	K6693 ‡	2 F077
	Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Greaseable)	Upper	K100108 ‡	2 F077
	Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Non-Greasable, Do Not Use With Tires Over 33" Without A Tall Knuckle Lift Kit)	Upper	K100317	2 F077
Control Arm Bumper Bushing				
2010-2007	Z85 Suspension, (Square with Domed Top Bumper Bushing, 1 Per Package)	Lower	K201426B	2 F077
	Z85 Suspension, (Square with Domed Top Bumper Bushing, 2 Per Package)	Lower	K201426 ‡	1 F077
Control Arm Bushing				
2018-2011		Upper	K201406	2 F077
2010-2007	For Welded Arm, (Standard Design, Contains Front And Rear Bushings)	Upper	K200044	2 F077
	For Welded Arm, Up To +/- 1 Degree Camber, (Offset Bushing To Provide Additional Caster/Camber, Adjustable)	Upper	K6670 ‡	2 F077
Control Arm Bushing Set				
2011-2007	(Contains Front And Rear Bushings)	Lower	K6658	2 F077

(Cont.) 20 Series - 3/4 Ton-CHEVROLET TRUCK**FRONT SUSPENSION (Cont.)**


Year	Model/Application	Part	P/C Qty	Figure
Silverado 2500HD				
Control Arm with Ball Joint				
2018-2011	(R-Series)	Upper	RK622128	2 F077
2017-2011	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (R-Series)	Upper	RK100262	2 F077
2010-2007	(Contains Standard Bushing, R-Series) (Offset Bushings Allow 2 Added Degrees Of Camber, Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication, Standard Bushing) (Contains Bushing, R-Series) (Contains Bushing, R-Series) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, R-Series)	Upper	RK620054	2 F077
		Upper	CK620053 ‡	2 F077
		Upper	CK620054 ‡	2 F077
		Left Lower	RK621356	1 F077
		Right Lower	RK621355	1 F077
		Upper	RK621783	2 F077
Sway Bar Bushing				
2018-2011		To Frame	K201777	1 F077
2010-2009	1-5/16" Sway Bar Diameter, (Includes Universal Mounting Bracket) 30mm Sway Bar Diameter, (Bracket Not Included, Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 36mm Sway Bar Diameter, (Bracket Not Included, Standard Design)	To Frame	K7327 ‡	1 F077
		To Frame	K201611 ‡	1 F077
		To Frame	K200222	1 F077
2008-2007	1-1/4" Sway Bar Diameter, (Bracket Not Included, Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 1-1/4" Sway Bar Diameter, (Bracket Not Included, Standard Design) 1-1/4" Sway Bar Diameter, (Includes Universal Mounting Bracket)	To Frame	K201176 ‡	1 F077
		To Frame	K6476	1 F077
		To Frame	K7326 ‡	1 F077
Sway Bar Repair Kit				
2018-2007	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700539 ‡	2 F077
Torsion Bar Key, Adjustable				
2014-2011	(Allows Front Ride Height Changes Up To 2.25" Above OEM)		T40043	2 F077
2010-2007	8 Stud Hub, Minus 1/2 To Plus 1-1/2 Degree, (Allows Front Ride Height Changes Up To 2" Above OEM)		K100012 ‡	1 F077
Wheel Hub & Bearing Assembly				
2018-2011	Two Wheel Drive (4x2)		515146	2
2016-2011	Four Wheel Drive (4X4)		515145	2
2010-2007			515098	2
Silverado Classic 2500HD				
Ball Joint				
2007	(Ball Joint Orientation Noted, Where Applicable) (Press In Type, Oversized Stud Ball For Superior Load Carrying) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Greaseable) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Non-Greaseable, Do Not Use With Tires Over 33" Without A Tall Knuckle Lift Kit)	Upper	K6696 ‡	2 F077
		Lower	K6693 ‡	2 F077
		Upper	K100108 ‡	2 F077
		Upper	K100317	2 F077
Control Arm Bumper Bushing				
2007	(Square with Domed Top Bumper Bushing, 1 Per Package) (Square with Domed Top Bumper Bushing, 2 Per Package)	Lower	K201426B	2 F077
		Lower	K201426 ‡	1 F077
Control Arm Bushing				
2007	For Welded Arm, (Standard Design, Contains Front And Rear Bushings) For Welded Arm, Up To +/- 1 Degree Camber, (Offset Bushing To Provide Additional Caster/Camber, Adjustable)	Upper	K200044	2 F077
		Upper	K6670 ‡	2 F077
Control Arm Bushing Set				
2007	(Contains Front And Rear Bushings)	Lower	K6658	2
Control Arm with Ball Joint				
2007	(Contains Standard Bushing, R-Series) (Offset Bushings Allow 2 Added Degrees Of Camber, Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication, Standard Bushing) (Contains Bushing, R-Series) (Contains Bushing, R-Series) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, R-Series)	Upper	RK620054	2 F077
		Upper	CK620053 ‡	2 F077
		Upper	CK620054 ‡	2 F077
		Left Lower	RK621356	1 F077
		Right Lower	RK621355	1 F077
		Upper	RK621783	2 F077
Sway Bar Bushing				
2007	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Standard Design)	To Frame To Frame	K201177 ‡ K6439	1 F077 1 F077
Sway Bar Repair Kit				
2007	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700539 ‡	2 F077
Torsion Bar Key, Adjustable				
2007	8 Stud Hub, Minus 1/2 To Plus 1-1/2 Degree, (Allows Front Ride Height Changes Up To 2" Above OEM)		K100012 ‡	1 F077

CHEVROLET TRUCK-20 Series - 3/4 Ton (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Silverado Classic 2500HD				
Wheel Hub & Bearing Assembly				
2007	Four Wheel Drive (4X4), (8 Stud Hub) Two Wheel Drive (4x2)	515058 515086	2 2	
Suburban 2500				
Ball Joint				
2013-2011	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower K500007 ‡	2	F077
2013-2007	Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Greaseable) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Non-Greasable, Do Not Use With Tires Over 33" Without A Tall Knuckle Lift Kit)	Upper K100108 ‡ Upper K100317	2 2	F077 F077
2012-2007	(Ball Joint Orientation Noted, Where Applicable)	Upper K6696 ‡	2	F077
2010-2007	(Press In Type, Oversized Stud Ball For Superior Load Carrying)	Lower K6693 ‡	2	F077
Control Arm Bumper Bushing				
2013-2007	(Square with Domed Top Bumper Bushing, 1 Per Package) (Square with Domed Top Bumper Bushing, 2 Per Package)	Lower K201426B Lower K201426 ‡	2 1	F077 F077
Control Arm Bushing				
2013-2007	Up To +/- 1 Degree Camber, (Offset Bushing To Provide Additional Caster/Camber, Adjustable)	Upper K6670 ‡	2	F077
2012-2007	(Standard Design, Contains Front And Rear Bushings)	Upper K200044	2	F077
Control Arm Bushing Set				
2011-2007	(Contains Front And Rear Bushings)	Lower K6658	2	F077
Control Arm with Ball Joint				
2013-2007	(Contains Bushing, R-Series) (Contains Bushing, R-Series) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, R-Series)	Left Lower RK621356 Right Lower RK621355 Upper RK621783	1 1 2	F077 F077 F077
2012-2007	(Contains Standard Bushing, R-Series) (Offset Bushings Allow 2 Added Degrees Of Camber, Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication, Standard Bushing)	Upper RK620054 Upper CK620053 ‡ Upper CK620054 ‡	2 2 2	F077 F077 F077
Sway Bar Bushing				
2013-2009	1-5/16" Sway Bar Diameter, (Includes Universal Mounting Bracket) 30mm Sway Bar Diameter, (Bracket Not Included, Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 36mm Sway Bar Diameter, (Bracket Not Included, Standard Design)	To Frame K7327 ‡ To Frame K201611 ‡ To Frame K200222	1 1 1	F077 F077 F077
2008-2007	32mm Sway Bar Diameter, (Bracket Not Included, Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 32mm Sway Bar Diameter, (Bracket Not Included, Standard Design) 32mm Sway Bar Diameter, (Includes Universal Mounting Bracket)	To Frame K201176 ‡ To Frame K6476 To Frame K7326 ‡	1 1 1	F077 F077 F077
Sway Bar Repair Kit				
2013-2007	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700539 ‡	2	F077
Torsion Bar Key, Adjustable				
2013-2011	(Allows Front Ride Height Changes Up To 2.25" Above OEM)	T40043	2	F077
2010-2007	8 Stud Hub, Minus 1/2 To Plus 1-1/2 Degree, (Allows Front Ride Height Changes Up To 2" Above OEM)	K100012 ‡	1	F077
Wheel Hub & Bearing Assembly				
2013-2007		515098	2	
Suburban HD				
Control Arm Bushing				
2017-2016	Up To +/- 1 Degree Camber, (Offset Bushing To Provide Additional Caster/Camber, Adjustable) For Welded Arm, (Standard Design, Contains Front And Rear Bushings, Contains Front And Rear Bushings)	Upper K6670 ‡ Upper K200044	2 2	

**(Cont.) 20 Series - 3/4 Ton-CHEVROLET TRUCK
STEERING**



S002



S084

Year	Model/Application	Part	P/C Qty	Figure
Express 2500				
Center Link				
2017-2009		DS300048	1	S084
2008-2003	8500 And 8600 Lb GVW	DS300048	1	S084
Idler Arm				
2017-2003	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6534HD ‡	1	S084
	(Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6534 ‡	1	S084
Idler Arm Bracket Assembly				
2017-2003	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)	K6723 ‡	1	S084
Idler Arm Grease Hose Kit				
2017-2003	(Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2016-2003	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6654HD ‡	1	S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654 ‡	1	S084
2008-2003	(4 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6536HD ‡	1	S084
	(4 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6536 ‡	1	S084
Tie Rod End				
2016-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner ES80277 ‡	2	S084
2014-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3609 ‡	2	S084
Express 2500 EXT				
Center Link				
2017-2009		DS300048	1	S084
2008-2003	8500 And 8600 Lb GVW	DS300048	1	S084
Idler Arm				
2017-2003	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6534HD ‡	1	S084

CHEVROLET TRUCK-20 Series - 3/4 Ton (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Express 2500 EXT				
Idler Arm				
2017-2003 (Cont.)	(Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6534 ‡	1	S084
Idler Arm Bracket Assembly				
2017-2003	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)	K6723 ‡	1	S084
Idler Arm Grease Hose Kit				
2017-2003	(Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2016-2003	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654HD ‡ K6654 ‡	1 1	S084 S084
2008-2003	(4 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (4 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6536HD ‡ K6536 ‡	1 1	S084 S084
Tie Rod End				
2016-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner ES80277 ‡	2	S084
2014-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3609 ‡	2	S084
Express 2500 HD				
Center Link				
2007-2006	8500 And 8600 Lb GVW	DS300048	1	S084
Idler Arm				
2007-2006	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud) (Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6534HD ‡ K6534 ‡	1 1	S084 S084
Idler Arm Bracket Assembly				
2007-2006	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)	K6723 ‡	1	S084
Idler Arm Grease Hose Kit				
2007-2006	(Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2007-2006	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication) (4 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (4 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654HD ‡ K6654 ‡ K6536HD ‡ K6536 ‡	1 1 1 1	S084 S084 S084 S084
Tie Rod End				
2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3609 ‡	2	S084
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner ES80277 ‡	2	S084
Express 2500 HD Ext.				
Center Link				
2007-2006	8500 And 8600 Lb GVW	DS300048	1	S084
Idler Arm				
2007-2006	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud) (Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6534HD ‡ K6534 ‡	1 1	S084 S084
Idler Arm Bracket Assembly				
2007-2006	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)	K6723 ‡	1	S084
Idler Arm Grease Hose Kit				
2007-2006	(Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2007-2006	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication) (4 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (4 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654HD ‡ K6654 ‡ K6536HD ‡ K6536 ‡	1 1 1 1	S084 S084 S084 S084
Tie Rod End				
2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3609 ‡	2	S084
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner ES80277 ‡	2	S084
Silverado 2500HD				
Center Link				
2010-2007	30.5" Length, (Contains Inner Tie Rod Ends) 30.5" Length, (Has Hole For Steering Stabilizer)	DS300059A DS300011	1 1	S002 S002
Idler Arm				
2017-2011	(Design Allows Ease Of Installation, Contains Bracket)	K400018 ‡	1	S002

(Cont.) 20 Series - 3/4 Ton-CHEVROLET TRUCK

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Silverado 2500HD				
Idler Arm				
2010-2007	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud) (Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6535HD ‡ K6535 ‡	1 1	S002 S002
Idler Arm Bracket Assembly				
2017-2011	(Bracket Pivot Assembly, Design Allows Ease Of Installation)	K400020 ‡	1	S002
2010-2007	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)	K6723 ‡	1	S002
Idler Arm Grease Hose Kit				
2017-2008	(Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
2007	LS, LT, LTZ, WT (Work Truck), (Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2018	(Design Allows Ease Of Installation)	K440019 ‡	1	
2017-2011	(Design Allows Ease Of Installation)	K440019 ‡	1	S002
2010-2007	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654HD ‡ K6654 ‡	1 1	S002 S002
2007	(4 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (4 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6536HD ‡ K6536 ‡	1 1	S002 S002
Tie Rod End				
2018-2011	(Design Allows Ease Of Installation) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES800901 ‡ Inner EV800935 ‡	2 2	S002 S002
2010-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Of Enhanced Belleville Washer Optimizes Load And Provides Longer Fatigue Life)	Outer ES3609 ‡ Inner ES3488 ‡	2 2	S002 S002
Silverado Classic 2500HD				
Center Link				
2007	30.5" Length, (Contains Inner Tie Rod Ends) 30.5" Length, (Has Hole For Steering Stabilizer)	DS300059A DS300011	1 1	S002 S002
Idler Arm				
2007	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud) (Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6535HD ‡ K6535 ‡	1 1	S002 S002
Idler Arm Bracket Assembly				
2007	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)	K6723 ‡	1	S002
Idler Arm Grease Hose Kit				
2007	Base Model, (Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2007	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication) (4 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (4 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654HD ‡ K6654 ‡ K6536HD ‡ K6536 ‡	1 1 1 1	S002 S002 S002 S002
Tie Rod End				
2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Of Enhanced Belleville Washer Optimizes Load And Provides Longer Fatigue Life)	Outer ES3609 ‡ Inner ES3488 ‡	2 2	S002 S002
Suburban 2500				
Center Link				
2013-2007	30.5" Length, (Contains Inner Tie Rod Ends) 30.5" Length, (Has Hole For Steering Stabilizer)	DS300059A DS300011	1 1	S002 S002
Idler Arm				
2013	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud) (Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6534HD ‡ K6534 ‡	1 1	S002 S002
2012-2007	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud) (Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6535HD ‡ K6535 ‡	1 1	S002 S002
Idler Arm Bracket Assembly				
2013-2007	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)	K6723 ‡	1	S002
Idler Arm Grease Hose Kit				
2013-2007	(Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2013-2007	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654HD ‡ K6654 ‡	1 1	S002 S002
2010-2007	(4 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (4 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6536HD ‡ K6536 ‡	1 1	S002 S002


CHEVROLET TRUCK-20 Series - 3/4 Ton (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Suburban 2500				
Tie Rod End				
2013-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Of Enhanced Belleville Washer Optimizes Load And Provides Longer Fatigue Life)	Outer Inner	ES3609 ‡ ES3488 ‡	2 2 S002 S002
Suburban HD				
Tie Rod End				
2016	(Design Allows Ease Of Installation) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800948 ‡ EV800938 ‡	2 2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Express 2500				
Leaf Spring Shackle				
2009-2003	(Contains Shackle, Nuts, Bolts & Bushing)	Rear	K150404	2
Express 2500 EXT				
Leaf Spring Shackle				
2015-2003	(Contains Shackle, Nuts, Bolts & Bushing)	Rear	K150404	2
Express 2500 HD				
Leaf Spring Shackle				
2007-2006	(Contains Shackle, Nuts, Bolts & Bushing)	Rear	K150404	2
Express 2500 HD Ext.				
Leaf Spring Shackle				
2007-2006	(Contains Shackle, Nuts, Bolts & Bushing)	Rear	K150404	2
Silverado 2500HD				
Leaf Spring Bushing				
2014-2010		Front	K201219	2
Leaf Spring Shackle				
2010-2007	(Contains Hardware)		K150397	2
Suburban 2500				
Leaf Spring Shackle				
2013-2007			K150383	2


CHEVROLET TRUCK-30 Series - 1 Ton

FRONT SUSPENSION



F077

FRONT SUSPENSION (Cont.)



F261

Year	Model/Application	Part	P/C Qty	Figure
Express 3500				
Ball Joint				
2016-2003	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2017	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
2016-2014	294(4.8L), (Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
	365(6.0L), (Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
2013-2003	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
Control Arm with Ball Joint				
2017	(R-Series)	Left Upper	RK641505	1 F261
	(R-Series)	Right Upper	RK641506	1 F261
2017-2003	(R-Series)	Left Lower	RK622918	1 F261
	(R-Series)	Right Lower	RK622919	1 F261
2016-2014	294(4.8L), (R-Series)	Left Upper	RK641505	1 F261
	294(4.8L), (R-Series)	Right Upper	RK641506	1 F261
	365(6.0L), (R-Series)	Left Upper	RK641505	1 F261
	365(6.0L), (R-Series)	Right Upper	RK641506	1 F261
2013-2003	(R-Series)	Left Upper	RK641505	1 F261
	(R-Series)	Right Upper	RK641506	1 F261
Strut Spring Seat				
2017-2003	161mm Outside Diameter	Upper	K160021	2 F261
	171mm Outside Diameter	Lower	K160022	2 F261
Sway Bar Bushing				
2017-2003	1-5/16" Sway Bar Diameter, (Bracket Not Included, Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	1-5/16" Sway Bar Diameter, (Bracket Not Included, Standard Design)	To Frame	K6439	1 F261
2012-2003	1-5/16" Sway Bar Diameter, (Includes Universal Mounting Bracket)	To Frame	K7327 ‡	1 F261
Sway Bar Repair Kit				
2012-2003	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700537 ‡	2 F261
Wheel Hub & Bearing Assembly				
2017-2003	9600 Lb And Under GVW, (8 Stud Hub)		515059	2
2016-2003	10000 Lbs GVW Or Over, (180mm ABS Sensor)		515060	2
Express 3500 EXT				
Ball Joint				
2016-2003	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2017	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
2016-2014	294(4.8L), (Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
	365(6.0L), (Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
2013-2003	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
Control Arm with Ball Joint				
2017	(R-Series)	Left Upper	RK641505	1 F261
	(R-Series)	Right Upper	RK641506	1 F261

CHEVROLET TRUCK-30 Series - 1 Ton (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Express 3500 EXT				
Control Arm with Ball Joint				
2017-2003	(R-Series) (R-Series)	Left Lower Right Lower	RK622918 RK622919	1 1 F261
2016-2014	294(4.8L), (R-Series) 294(4.8L), (R-Series) 365(6.0L), (R-Series) 365(6.0L), (R-Series)	Left Upper Right Upper Left Upper Right Upper	RK641505 RK641506 RK641505 RK641506	1 1 1 1 F261 F261 F261 F261
2013-2003	(R-Series) (R-Series)	Left Upper Right Upper	RK641505 RK641506	1 1 F261 F261
Strut Spring Seat				
2017-2003	161mm Outside Diameter 171mm Outside Diameter	Upper Lower	K160021 K160022	2 2 F261 F261
Sway Bar Bushing				
2017-2003	1-5/16" Sway Bar Diameter, (Bracket Not Included, Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 1-5/16" Sway Bar Diameter, (Bracket Not Included, Standard Design)	To Frame To Frame	K201177 ‡ K6439	1 1 F261 F261
Sway Bar Repair Kit				
2012-2003	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700537 ‡	2 F261
Wheel Hub & Bearing Assembly				
2017-2003	10000 Lbs GVW Or Over, (180mm ABS Sensor) 9600 Lb And Under GVW, (8 Stud Hub)		515060 515059	2 2
Silverado 3500HD				
Ball Joint				
2018-2011	(Design Allows Ease Of Installation)	Lower	K500232 ‡	2 F077
2010-2007	(Ball Joint Orientation Noted, Where Applicable) (Oversized Stud Ball For Superior Load Carrying) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Greaseable) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Non-Greasable, Do Not Use With Tires Over 33" Without A Tall Knuckle Lift Kit)	Upper Lower Upper Upper	K6696 ‡ K6693 ‡ K100108 ‡ K100317	2 2 2 2 F077 F077 F077 F077
Control Arm Bumper Bushing				
2010-2007	Z85 Suspension, (Square with Domed Top Bumper Bushing, 1 Per Package) Z85 Suspension, (Square with Domed Top Bumper Bushing, 2 Per Package)	Lower Lower	K201426B K201426 ‡	2 1 F077 F077
Control Arm Bushing				
2018-2011		Upper	K201406	2 F077
2010-2007	For Welded Arm, (Standard Design, Contains Front And Rear Bushings) For Welded Arm, Up To +/- 1 Degree Camber, (Offset Bushing To Provide Additional Caster/Camber, Adjustable)	Upper Upper	K200044 K6670 ‡	2 2 F077 F077
Control Arm Bushing Set				
2011-2007	(Contains Front And Rear Bushings)	Lower	K6658	2 F077
Control Arm with Ball Joint				
2018-2011	(R-Series)	Upper	RK622128	2 F077
2017-2011	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (R-Series)	Upper	RK100262	2 F077
2010-2007	(Contains Standard Bushing, R-Series) (Offset Bushings Allow 2 Added Degrees Of Camber, Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication, Standard Bushing) (Contains Bushing, R-Series) (Contains Bushing, R-Series) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, R-Series)	Upper Upper Left Lower Right Lower Upper	RK620054 CK620053 ‡ CK620054 ‡ RK621356 RK621355 RK621783	2 2 2 1 1 2 F077 F077 F077 F077 F077
Sway Bar Bushing				
2018-2015		To Frame	K201777	2 F077
2014-2011	34mm Sway Bar Diameter	To Frame	K201777	1 F077
2014-2009	30mm Sway Bar Diameter, (Bracket Not Included, Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 36mm Sway Bar Diameter, (Bracket Not Included, Standard Design)	To Frame To Frame	K201611 ‡ K200222	1 1 F077 F077
2014-2007	1-5/16" Sway Bar Diameter, (Includes Universal Mounting Bracket)	To Frame	K7327 ‡	1 F077
2008-2007	1-5/16" Sway Bar Diameter, (Bracket Not Included, Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 1-5/16" Sway Bar Diameter, (Bracket Not Included, Standard Design)	To Frame To Frame	K201177 ‡ K6439	1 1 F077 F077
Sway Bar Repair Kit				
2018-2007	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700539 ‡	2 F077


(Cont.) 30 Series - 1 Ton-CHEVROLET TRUCK

FRONT SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure	
Silverado 3500HD					
Torsion Bar Key, Adjustable					
2014-2011	(Allows Front Ride Height Changes Up To 2.25" Above OEM)	T40043	2	F077	
2010-2007	8 Stud Hub, Minus 1/2 To Plus 1-1/2 Degree, (Allows Front Ride Height Changes Up To 2" Above OEM)	K100012 ‡	1	F077	
Wheel Hub & Bearing Assembly					
2018-2017	Two Wheel Drive (4x2), Dual Rear Wheels Two Wheel Drive (4x2), Single Rear Wheels	515147 515146	2 2		
2016	Single Rear Wheels	515145	2		
2015-2011	Four Wheel Drive (4X4), Dual Rear Wheels Four Wheel Drive (4X4), Single Rear Wheels Two Wheel Drive (4x2), Dual Rear Wheels Two Wheel Drive (4x2), Single Rear Wheels	515144 515145 515147 515146	2 2 2 2		
2010-2007	Dual Rear Wheels Single Rear Wheels	515099 515098	2 2		
Silverado Classic 3500					
Ball Joint					
2007	(Ball Joint Orientation Noted, Where Applicable) (Press In Type, Oversized Stud Ball For Superior Load Carrying) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Greaseable) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Non-Greaseable, Do Not Use With Tires Over 33" Without A Tall Knuckle Lift Kit)	Upper Lower Upper Upper	K6696 ‡ K6693 ‡ K100108 ‡ K100317	2 2 2 2	F077 F077 F077 F077
Control Arm Bumper Bushing					
2007	(Square with Domed Top Bumper Bushing, 1 Per Package) (Square with Domed Top Bumper Bushing, 2 Per Package)	Lower Lower	K201426B K201426 ‡	2 1	F077 F077
Control Arm Bushing					
2007	For Welded Arm, (Standard Design, Contains Front And Rear Bushings) For Welded Arm, Up To +/- 1 Degree Camber, (Offset Bushing To Provide Additional Caster/Camber, Adjustable)	Upper Upper	K200044 K6670 ‡	2 2	F077 F077
Control Arm Bushing Set					
2007	(Contains Front And Rear Bushings)	Lower	K6658	2	F077
Control Arm with Ball Joint					
2007	(Contains Standard Bushing, R-Series) (Offset Bushings Allow 2 Added Degrees Of Camber, Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication, Standard Bushing) (Contains Bushing, R-Series) (Contains Bushing, R-Series) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, R-Series)	Upper Upper Upper Left Lower Right Lower Upper	RK620054 CK620053 ‡ CK620054 ‡ RK621356 RK621355 RK621783	2 2 2 1 1 2	F077 F077 F077 F077 F077 F077
Sway Bar Bushing					
2007	1-1/16" Sway Bar Diameter 1-1/8" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 1-1/8" Sway Bar Diameter, (Standard Design) 1-5/16" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 1-5/16" Sway Bar Diameter, (Standard Design)	To Frame To Frame To Frame To Frame To Frame	K6167 K201174 ‡ K6408 K201177 ‡ K6439	1 1 1 1 1	F077 F077 F077 F077 F077
Sway Bar Repair Kit					
2007	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700539 ‡	2	F077
Torsion Bar Key, Adjustable					
2007	8 Stud Hub, Minus 1/2 To Plus 1-1/2 Degree, (Allows Front Ride Height Changes Up To 2" Above OEM)		K100012 ‡	1	F077
Wheel Hub & Bearing Assembly					
2007	Four Wheel Drive (4X4), 12000 Lb GVW Four Wheel Drive (4X4), 9900 Lb GVW Two Wheel Drive (4x2)		515088 515058 515087	2 2 2	

CHEVROLET TRUCK-30 Series - 1 Ton (Cont.)

STEERING



S002



S084

Year	Model/Application	Part	P/C Qty	Figure
Express 3500				
Center Link				
2017-2003		DS300048	1	S084
Idler Arm				
2017-2003	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6534HD ‡	1	S084
	(Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6534 ‡	1	S084
Idler Arm Bracket Assembly				
2017-2003	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)	K6723 ‡	1	S084
Idler Arm Grease Hose Kit				
2017-2003	(Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2016-2003	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6654HD ‡	1	S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654 ‡	1	S084
2008-2003	(4 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6536HD ‡	1	S084
	(4 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6536 ‡	1	S084
Tie Rod End				
2016-2003	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner ES80277 ‡	2	S084
2014-2003	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3609 ‡	2	S084
Express 3500 EXT				
Center Link				
2017-2003		DS300048	1	S084
Idler Arm				
2017-2003	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6534HD ‡	1	S084
	(Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6534 ‡	1	S084

(Cont.) 30 Series - 1 Ton-CHEVROLET TRUCK

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Express 3500 EXT				
Idler Arm Bracket Assembly				
2017-2003	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)	K6723 ‡	1	S084
Idler Arm Grease Hose Kit				
2017-2003	(Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2016-2003	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6654HD ‡	1	S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654 ‡	1	S084
2008-2003	(4 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6536HD ‡	1	S084
	(4 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6536 ‡	1	S084
Tie Rod End				
2016-2003	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner ES80277 ‡	2	S084
2014-2003	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3609 ‡	2	S084
Silverado 3500HD				
Center Link				
2010-2007	30.5" Length, (Contains Inner Tie Rod Ends)	DS300059A	1	S002
	30.5" Length, (Has Hole For Steering Stabilizer)	DS300011	1	S002
Idler Arm				
2017-2011	(Design Allows Ease Of Installation, Contains Bracket)	K400018 ‡	1	S002
2010-2007	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6535HD ‡	1	S002
	(Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6535 ‡	1	S002
Idler Arm Bracket Assembly				
2017-2011	(Bracket Pivot Assembly, Design Allows Ease Of Installation)	K400020 ‡	1	S002
2010-2007	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)	K6723 ‡	1	S002
Idler Arm Grease Hose Kit				
2017-2007	(Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2018-2011	(Design Allows Ease Of Installation)	K440019 ‡	1	S002
2010-2007	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6654HD ‡	1	S002
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654 ‡	1	S002
Tie Rod End				
2018-2011	(Design Allows Ease Of Installation)	Outer ES800901 ‡	2	S002
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner EV800935 ‡	2	S002
2010-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3609 ‡	2	S002
	(Design Of Enhanced Belleville Washer Optimizes Load And Provides Longer Fatigue Life)	Inner ES3488 ‡	2	S002
Silverado Classic 3500				
Center Link				
2007	30.5" Length, (Contains Inner Tie Rod Ends)	DS300059A	1	S002
	30.5" Length, (Has Hole For Steering Stabilizer)	DS300011	1	S002
Idler Arm				
2007	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6535HD ‡	1	S002
	(Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6535 ‡	1	S002
Idler Arm Bracket Assembly				
2007	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)	K6723 ‡	1	S002
Idler Arm Grease Hose Kit				
2007	(Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2007	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6654HD ‡	1	S002
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654 ‡	1	S002
	(4 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6536HD ‡	1	S002
	(4 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6536 ‡	1	S002
Tie Rod End				
2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3609 ‡	2	S002
	(Design Of Enhanced Belleville Washer Optimizes Load And Provides Longer Fatigue Life)	Inner ES3488 ‡	2	S002
W3500				
Drag Link Assembly				
2007-2004	(Design Allows Ease Of Installation)	Pitman Arm To Steering Arm DS300034 ‡	1	

CHEVROLET TRUCK-30 Series - 1 Ton (Cont.)


STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
W3500				
Tie Rod End				
2009-2004	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Outer Right Outer	ES800744 ‡ ES800743 ‡	1 1

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Express 3500				
Leaf Spring Shackle				
2017-2011	Cut Away Cab		K150384	2
2017-2003	Full-Size Cargo Van, Full-Size Passenger Van, (Contains Shackle, Nuts, Bolts & Bushing)	Rear	K150404	2
2009-2003	Cut Away Cab		K150384	2
Sway Bar Bushing				
2013	(Bracket Not Included, Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Bracket Not Included, Standard Design)	To Frame To Frame	K201177 ‡ K6439	1 1
2012-2009	159" Wheelbase, 13980 Lb GVW, 14200 Lb GVW, (Bracket Not Included, Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 159" Wheelbase, 13980 Lb GVW, 14200 Lb GVW, (Bracket Not Included, Standard Design)	To Frame To Frame	K201177 ‡ K6439	1 1
2008-2005	159" Wheelbase, 14050 Lb GVW, (Bracket Not Included, Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 159" Wheelbase, 14050 Lb GVW, (Bracket Not Included, Standard Design)	To Frame To Frame	K201177 ‡ K6439	1 1
Sway Bar Link				
2013	(Greaseable Socket Reduces Corrosion/Wear)		K750175 ‡	2
2012-2009	159" Wheelbase, 13980 Lb GVW, 14200 Lb GVW, (Greaseable Socket Reduces Corrosion/Wear)		K750175 ‡	2
2008-2005	159" Wheelbase, 14050 Lb GVW, (Greaseable Socket Reduces Corrosion/Wear)		K750175 ‡	2
Express 3500 EXT				
Leaf Spring Shackle				
2017-2003	(Contains Shackle, Nuts, Bolts & Bushing)	Rear	K150404	2
Silverado 3500HD				
Leaf Spring Bushing				
2014-2010		Front	K201219	2
Leaf Spring Shackle				
2010-2007	(Contains Hardware)		K150397	2
Sway Bar Link				
2015-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K6692 ‡	2
Silverado Classic 3500				
Sway Bar Link				
2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K6692 ‡	2

FRONT SUSPENSION




F261

Year	Model/Application	Part	P/C Qty	Figure
Express 4500				
Ball Joint				
2016-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2017-2014	Compressed Natural Gas, (Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
	Flex Fuel, (Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
2013-2009	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
Control Arm with Ball Joint				
2017-2014	365(6.0L), (R-Series)	Left Upper	RK641505	1 F261
	365(6.0L), (R-Series)	Right Upper	RK641506	1 F261
2017-2011	(R-Series)	Left Lower	RK622918	1 F261
	(R-Series)	Right Lower	RK622919	1 F261
2013-2009	(R-Series)	Left Upper	RK641505	1 F261
	(R-Series)	Right Upper	RK641506	1 F261
Sway Bar Bushing				
2017-2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261
Sway Bar Repair Kit				
2012-2009	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700537 ‡	2 F261
Wheel Hub & Bearing Assembly				
2015-2009	10000 Lbs GVW Or Over, (180mm ABS Sensor)		515060	2
	Under 9600 Lb GVW, (8 Stud Hub)		515059	2
Kodiak C4500				
Ball Joint				
2009-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500087 ‡	2
	4 X 4, (New Pre-Installed Integral Dust Boot Eases Installation)	Lower	K500141	2
	4 X 4, (Original Equipment Boot Design)	Lower	K500243	2

CHEVROLET TRUCK-40, 400, 4000 Series (Cont.)

STEERING



S084

Year	Model/Application	Part	P/C Qty	Figure
Express 4500				
Center Link				
2017-2010		DS300048	1	S084
Idler Arm				
2017-2009	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud) (Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6534HD ‡ K6534 ‡	1 1	S084 S084
Idler Arm Bracket Assembly				
2017-2010	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)	K6723 ‡	1	S084
Idler Arm Grease Hose Kit				
2017-2009	(Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2015-2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654HD ‡ K6654 ‡	1 1	S084 S084
Tie Rod End				
2014-2009	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3609 ‡ Inner ES80277 ‡	2 2	S084 S084
Kodiak C4500				
Drag Link Assembly				
2009-2003		DS300066 ‡	1	
Tie Rod End				
2009-2003	4 X 2, Front Disc, Rear Disc, 1-1/4 - 12 UNF-2A Left Hand Thread, 10.32" Length, (Greaseable Socket Reduces Corrosion/Wear) 4 X 2, Front Disc, Rear Disc, 1-1/4 - 12 UNF-2A Right Hand Thread, 10.32" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer ES800421 ‡ Right Outer ES800420 ‡	1 1	
W4500				
Drag Link Assembly				
2007-2004	(Design Allows Ease Of Installation)	Pitman Arm To Steering Arm DS300034 ‡	1	
Tie Rod End				
2009-2004	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Outer ES800744 ‡ Right Outer ES800743 ‡	1 1	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Express 4500				
Leaf Spring Shackle				
2017-2009		K150384	2	
Sway Bar Bushing				
2017-2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Standard Design)	To Frame K201177 ‡ To Frame K6439	1 1	
Sway Bar Link				
2015-2009	(Greaseable Socket Reduces Corrosion/Wear)	K750175 ‡	2	

(Cont.) 40, 400, 4000 Series-CHEVROLET TRUCK**REAR SUSPENSION (Cont.)**

Year	Model/Application	Part	P/C Qty	Figure
Kodiak C4500				
Sway Bar Link				
2009-2003	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K6692 ‡	2	

50, 500, 5000 Series-CHEVROLET TRUCK**FRONT SUSPENSION**

Year	Model/Application	Part	P/C Qty	Figure
Kodiak C5500				
Ball Joint				
2009-2005	(Powdered Metal Gusher Brg. For Better Lubrication) 4 X 4, (New Pre-Installed Integral Dust Boot Eases Installation) 4 X 4, (Original Equipment Boot Design)	Upper Lower Lower	K500087 ‡ K500141 K500243	2 2 2

STEERING

Year	Model/Application	Part	P/C Qty	Figure
Kodiak C5500				
Drag Link Assembly				
2009-2005		DS300066 ‡	1	
Tie Rod End				
2009-2005	4 X 2, Front Disc, Rear Disc, 1-1/4 - 12 UNF-2A Left Hand Thread, 10.32" Length, (Greaseable Socket Reduces Corrosion/Wear) 4 X 2, Front Disc, Rear Disc, 1-1/4 - 12 UNF-2A Right Hand Thread, 10.32" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer Right Outer	ES800421 ‡ ES800420 ‡	1 1
W5500				
Drag Link Assembly				
2007-2005	(Design Allows Ease Of Installation) Pitman Arm To Steering Arm	DS300034 ‡	1	
Tie Rod End				
2009-2005	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Outer Right Outer	ES800744 ‡ ES800743 ‡	1 1
W5500 HD				
Drag Link Assembly				
2007-2005	(Design Allows Ease Of Installation) Pitman Arm To Steering Arm	DS300034 ‡	1	
Tie Rod End				
2009-2005	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Outer Right Outer	ES800744 ‡ ES800743 ‡	1 1

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Kodiak C5500				
Sway Bar Link				
2009-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K6692 ‡	2	

60, 600, 6000 Series-CHEVROLET TRUCK**STEERING**

Year	Model/Application	Part	P/C Qty	Figure
Kodiak C6500				
Tie Rod End				
2009-2004	Front Disc, Rear Disc, 1-1/4 - 12 UNF-2A Left Hand Thread, 10.32" Length, (Greaseable Socket Reduces Corrosion/Wear) Front Disc, Rear Disc, 1-1/4 - 12 UNF-2A Right Hand Thread, 10.32" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer Right Outer	ES800421 ‡ ES800420 ‡	1 1
2009-2003	5.44" Length, 1-1/8 - 12 UNF-2A Left Hand Thread, (Powdered Metal Gusher Brg. For Better Lubrication) 5.44" Length, 1-1/8 - 12 UNF-2A Right Hand Thread, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer Right Outer	ES800882 ‡ ES800883 ‡	1 1
T6500				
Tie Rod End				
2009-2004	5.44" Length, 1-1/8 - 12 UNF-2A Left Hand Thread, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800882 ‡	1

CHEVROLET TRUCK-60, 600, 6000 Series (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
T6500				
Tie Rod End				
2009-2004 (Cont.)	5.44" Length, 1-1/8 - 12 UNF-2A Right Hand Thread, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800883 ‡	1

CHEVROLET TRUCK-70, 700, 7000 Series

STEERING

Year	Model/Application	Part	P/C Qty	Figure
Kodiak C7500				
Tie Rod End				
2009-2003	5.44" Length, 1-1/8 - 12 UNF-2A Left Hand Thread, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800882 ‡	1
		Right Outer	ES800883 ‡	1
	5.44" Length, 1-1/8 - 12 UNF-2A Right Hand Thread, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800421 ‡	1
		Right Outer	ES800420 ‡	1
T7500				
Tie Rod End				
2009-2005	5.44" Length, 1-1/8 - 12 UNF-2A Left Hand Thread, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800882 ‡	1
		Right Outer	ES800883 ‡	1


CHEVROLET TRUCK-80, 800, 8000 Series

STEERING

Year	Model/Application	Part	P/C Qty	Figure
Kodiak C8500				
Tie Rod End				
2009-2008	5.44" Length, 1-1/8 - 12 UNF-2A Left Hand Thread, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800882 ‡	1
		Right Outer	ES800883 ‡	1


CHEVROLET TRUCK-Avalanche

FRONT SUSPENSION



FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Avalanche				
Ball Joint				
2013-2007	4.04" Length, (Aluminum Arm, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Lower	K500007 ‡	2	F243
2010-2007	4.150" Length, (Steel Arm, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Lower	K6541 ‡	2	F243
Control Arm Bushing				
2013-2007	(Standard Design, Contains Front And Rear Bushings) Upper	K6688	2	F243
Control Arm with Ball Joint				
2013-2009	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Left Lower	CK620956 ‡	1	F243
	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series) Left Lower	RK620888	1	F243
	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Right Lower	CK620955 ‡	1	F243
	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series) Right Lower	RK620889	1	F243
2013-2007	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series) Left Upper	CK80669 ‡	1	F243
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series) Left Upper	RK80669	1	F243
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series) Right Upper	CK80670 ‡	1	F243
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series) Right Upper	RK80670	1	F243
	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, R-Series) Left Upper	RK100214	1	F243
	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, R-Series) Right Upper	RK100215	1	F243
2008-2007	(Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Left Lower	CK620956 ‡	1	F243
	(Contains Bushings, R-Series) Left Lower	RK620888	1	F243
	(Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Right Lower	CK620955 ‡	1	F243
	(Contains Bushings, R-Series) Right Lower	RK620889	1	F243
Strut Bumper Bellows				
2013-2007		K150275	2	F243
Strut Mount				
2013-2007	Except Auto Leveling System, (Bearing Not Included, Contains Spring Seat, Design Allows Ease Of Installation)	K160098 ‡	2	F243
Strut Spring Seat				
2013-2007	Except Auto Leveling System	Lower	K160311	2
		Upper	K160310	2
Sway Bar Bushing				
2013-2007	30mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 36mm Sway Bar Diameter, (Standard Design)	To Frame	K201611 ‡	1
		To Frame	K200222	1
Sway Bar Repair Kit				
2013-2007	7-1/4" Length, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700538 ‡	2	F243
Wheel Hub & Bearing Assembly				
2013-2007	Four Wheel Drive (4X4) Two Wheel Drive (4x2)	515096	2	
		515097	2	

STEERING

S110

CHEVROLET TRUCK-Avalanche (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Avalanche				
Tie Rod End				
2013-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800223 ‡ EV800084 ‡	2 2 S110 S110


REAR SUSPENSION

F131

R131

Year	Model/Application	Part	P/C Qty	Figure
Avalanche				
Control Arm				
2013-2007	(Arm Only, R-Series) (R-Series)	Upper Lower	RK641866 RK641916	2 2 R131 R131
Sway Bar Bushing				
2013-2007	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Standard Design)	To Frame To Frame	K201174 ‡ K6408	1 1 R131 R131
Sway Bar Link				
2013-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K6700 ‡	2 R131
Track Bar Bushing				
2013			K201774	2 F131
2012			K201774	2 R131
2011			K201774	2 F131, R131
2010			K201774	2 R131
2009-2007			K201774	2 F131


FRONT SUSPENSION



F424

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2015-2012	(Bolt On Type, Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K5331 ‡	2 F424
Control Arm Bushing				
2015-2013	(High Quality Elastomer For Durability And Performance)	Lower Front	K200783 ‡	2 F424
		Lower Front Inner	K201698	2 F424
2015-2012	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200784 ‡	2 F424
Control Arm with Ball Joint				
2015-2012	(R-Series)	Left Lower	RK620661	1 F424
	(R-Series)	Right Lower	RK621490	1 F424
Strut Mount				
2015-2012	(Contains Bearing, Contains Upper Spring Seat)		K160333	2 F424
Strut Spring Seat				
2015-2012	(Insulator Only)	Lower	K160355	2 F424
Sway Bar Bushing				
2015-2012	(Reduces Noise)	To Frame	K200333 ‡	1 F424
Sway Bar Link				
2015-2012	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750188 ‡	1 F424
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750189 ‡	1 F424
Wheel Hub & Bearing Assembly				
2015-2012			513276	2

STEERING




S143

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2015-2012	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer	ES801170	2 S143
		Inner	EV800330 ‡	2 S143

CHEVROLET TRUCK–Captive Sport (Cont.)

REAR SUSPENSION



R041

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2015-2012	(R-Series)	Upper	2	R041
	(R-Series)	Lower Front	2	R041
Control Arm Bushing				
2015-2012		Lower Rear Inner	2	R041
Knuckle Bushing				
2015-2012		Upper	1	R041
		Lower Rear	2	R041
Sway Bar Link				
2015-2012	(Powdered Metal Gusher Brg. For Better Lubrication)		2	R041
Trailing Link				
2015-2012		Left	1	R041
		Right	1	R041
Trailing Link Bushing				
2015-2012			2	R041
Wheel Hub & Bearing Assembly				
2015-2012			2	

CHEVROLET TRUCK–City Express

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2015	(Design Allows Ease Of Installation)	Lower	2	
Strut Bumper Bellows				
2017-2015	(Original Equipment Type)		2	
	(Replacement Type, Contains Bumper)		2	
Strut Mount				
2017-2015	(Contains Bearing)	Left	1	
	(Contains Bearing)	Right	1	
Sway Bar Link				
2017-2015			2	
Wheel Hub & Bearing Assembly				
2018-2015			2	

STEERING



Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2015		Left Outer	1	
		Right Outer	1	
	(Design Allows Ease Of Installation)	Inner	2	

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2018-2015		512533	2	

Colorado-CHEVROLET TRUCK

FRONT SUSPENSION




Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2012-2007	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K80997 ‡	2	F325, F326
	Front Coil Spring Suspension, (Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K80764 ‡	2	F325
	Front Torsion Bar Suspension, (Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K80984 ‡	2	F326
Control Arm Bushing					
2012-2007	Front Coil Spring Suspension, (High Quality Elastomer For Durability And Performance)	Upper	K200153 ‡	2	F325
	Front Torsion Bar Suspension, (High Quality Elastomer For Durability And Performance)	Upper	K200158 ‡	2	F326
	Front Torsion Bar Suspension, (High Quality Elastomer For Durability And Performance)	Lower Rear	K200155 ‡	2	F326
	Front Torsion Bar Suspension, (High Quality Elastomer For Durability And Performance)	Lower Front	K200154 ‡	2	F326
2008-2007	Front Coil Spring Suspension, (High Quality Elastomer For Durability And Performance)	Lower	K200156 ‡	2	F325
Control Arm with Ball Joint					
2012-2007	Front Coil Spring Suspension, (Contains Bushings, R-Series)	Left Upper	RK620887	1	F325
	Front Coil Spring Suspension, (Contains Bushings, R-Series)	Right Upper	RK620886	1	F325
	Front Coil Spring Suspension, (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620678 ‡	1	F325
	Front Coil Spring Suspension, (R-Series)	Left Lower	RK620678	1	F325
	Front Coil Spring Suspension, (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	CK620679 ‡	1	F325
	Front Coil Spring Suspension, (R-Series)	Right Lower	RK620679	1	F325
	Front Torsion Bar Suspension, (R-Series)	Left Upper	RK621900	1	F326

CHEVROLET TRUCK-Colorado (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2012-2007 (Cont.)	Front Torsion Bar Suspension, (R-Series)	Right Upper	RK621899	1 F326
	Four Wheel Drive (4X4), (R-Series)	Left Lower	RK641495	1 F326
	Four Wheel Drive (4X4), (R-Series)	Right Lower	RK641494	1 F326
	Two Wheel Drive (4x2), Off Road Package, (R-Series)	Left Lower	RK641495	1 F326
	Two Wheel Drive (4x2), Off Road Package, (R-Series)	Right Lower	RK641494	1 F326
Strut and Spring Assembly				
2011-2007			ST8661	2 F325
Strut Mount				
2012-2007	Two Wheel Drive (4x2), Except Off Road Package, (Contains Spring Seat And Insulator)		K160427	2 F325
Strut Spring Seat				
2012-2007	Two Wheel Drive (4x2), Except Off Road Package	Upper	K6705	2 F325
Sway Bar Bushing				
2011-2007	1.095" Sway Bar Diameter, (Reduces Noise)	To Frame	K200172 ‡	1 F325, F326
	1.14" Sway Bar Diameter, (Reduces Noise)	To Frame	K200173 ‡	1 F325, F326
Sway Bar Link				
2012-2007	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K80582 ‡	1 F326
	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K80583 ‡	1 F326
	Two Wheel Drive (4x2), Except Z71 Off Road, (Powdered Metal Gusher Brg. For Better Lubrication)		K80636 ‡	2 F325
	Two Wheel Drive (4x2), Z71 Offroad Package, (Powdered Metal Gusher Brg. For Better Lubrication)			
	Two Wheel Drive (4x2), Z71 Offroad Package, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K80582 ‡	1 F326
	Two Wheel Drive (4x2), Z71 Offroad Package, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K80583 ‡	1 F326
Wheel Hub & Bearing Assembly				
2018-2015	Four Wheel Drive (4X4)		515167	2
	Two Wheel Drive (4x2)		515168	2
2012-2009	Four Wheel Drive (4X4)		515121	2
	Two Wheel Drive (4x2)		515120	2
2008-2007	Four Wheel Drive (4X4)	Left	515110	1
	Four Wheel Drive (4X4)	Right	515111	1
	Two Wheel Drive (4x2), Sport Suspension ZQ8	Left	515106	1
	Two Wheel Drive (4x2), Sport Suspension ZQ8	Right	515107	1
	Two Wheel Drive (4x2), Z71 Offroad Package	Left	515108	1
	Two Wheel Drive (4x2), Z71 Offroad Package	Right	515109	1
	Two Wheel Drive (4x2), Z85 Suspension	Left	515104	1
	Two Wheel Drive (4x2), Z85 Suspension	Right	515105	1

STEERING




S146

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2017	Base Model, LT, WT (Work Truck), Z71	Outer	ES801261 ‡	2
	Base Model, LT, WT (Work Truck), Z71	Inner	EV801271 ‡	2
2016-2015		Outer	ES801261 ‡	2
		Inner	EV801271 ‡	2
2012-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800464 ‡	2 S146
	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800300 ‡	2 S146
	Two Wheel Drive (4x2), Z71 Offroad Package, (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800300 ‡	2 S146
2012-2007	Two Wheel Drive (4x2), Except Z71 Off Road, (16mm Thread At Steering Gear, Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800301 ‡	2 S146

(Cont.) Colorado-CHEVROLET TRUCK

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2007	(14mm Threads On Adjusting End, Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES80761 ‡	2 S146
	(16mm Threads On Adjusting End, Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800464 ‡	2 S146
	Sport Suspension ZQ8, (14mm Threads On Adjusting End, Greaseable Socket Reduces Corrosion/Wear)	Outer	ES800643 ‡	2 S146
	Four Wheel Drive (4X4), (14mm Threads On Adjusting End, 16mm Thread At Steering Gear, Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800557 ‡	2 S146
	Four Wheel Drive (4X4), (16mm Threads On Adjusting End, Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800300 ‡	2 S146
	Two Wheel Drive (4x2), Except Z71 Off Road, (14mm Threads On Adjusting End, 16mm Thread At Steering Gear, Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800556 ‡	2 S146
	Two Wheel Drive (4x2), Z71 Offroad Package, (14mm Threads On Adjusting End, 16mm Thread At Steering Gear, Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800557 ‡	2 S146
	Two Wheel Drive (4x2), Z71 Offroad Package, (16mm Threads On Adjusting End, Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800300 ‡	2 S146
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Leaf Spring Shackle Bushing				
2009-2007	(Design Allows Ease Of Installation)	To Frame	K200802 ‡	2
Sway Bar Bushing				
2011-2007		To Frame	K201294	1
Sway Bar Link				
2012	Sport Suspension ZQ8, (Powdered Metal Gusher Brg. For Better Lubrication)		K80611 ‡	2
2011-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K80611 ‡	2

Equinox-CHEVROLET TRUCK

FRONT SUSPENSION				
				
F424				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2010	(Design Allows Ease Of Installation)	Lower	K500227 ‡	2 F424
2009-2007	(Bolt On Type, Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K5331 ‡	2 F424
Control Arm Bushing				
2017-2010		Lower Front	K201698	2 F424
2017-2007	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200784 ‡	2 F424
2009-2008	207(3.4L), (High Quality Elastomer For Durability And Performance)	Lower Front	K200783 ‡	2 F424
2007	(High Quality Elastomer For Durability And Performance)	Lower Front	K200783 ‡	2 F424
Control Arm with Ball Joint				
2009-2008	207(3.4L), (Contains Bushings, R-Series)	Left Lower	RK621129	1 F424
	207(3.4L), (Contains Bushings, R-Series)	Right Lower	RK621136	1 F424
2007	(Contains Bushings, R-Series)	Left Lower	RK621129	1 F424
	(Contains Bushings, R-Series)	Right Lower	RK621136	1 F424
Strut Bumper Bellows				
2017-2007	(Contains Bumper)		K90461	2 F424

CHEVROLET TRUCK-Equinox (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Strut Mount				
2017-2007	(Contains Bearing, Contains Upper Spring Seat)	K160333	2	F424
Strut Spring Seat				
2017-2007	(Insulator Only)	Lower K160355	2	F424
Sway Bar Bushing				
2017-2010	(Reduces Noise)	To Frame K200334 ‡	1	F424
2009-2007	(Reduces Noise)	To Frame K200333 ‡	1	F424
Sway Bar Link				
2017-2010	(Powdered Metal Gusher Brg. For Better Lubrication)	Left K750188 ‡	1	F424
		Right K750189 ‡	1	F424
2009-2008	207(3.4L), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 207(3.4L), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 217(3.6L), (Powdered Metal Gusher Brg. For Better Lubrication) 217(3.6L), (Powdered Metal Gusher Brg. For Better Lubrication)	Left K80461 ‡	1	F424
		Right K80460 ‡	1	F424
		Left K750188 ‡	1	F424
		Right K750189 ‡	1	F424
2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left K80461 ‡	1	F424
		Right K80460 ‡	1	F424


Wheel Hub & Bearing Assembly

2017-2010		513288	2	
2009-2007		513276	2	

STEERING



S143




S197

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2010	(Greaseable Socket Reduces Corrosion/Wear) 4 Cyl, (MOOG Engineered Steel Composition Enhances Strength) V6 Cyl	Outer ES800640 ‡	2	S143, S197
		Inner EV800648 ‡	2	S197
		Inner EV801158	2	S143
2009-2008	207(3.4L), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 217(3.6L), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner EV80443 ‡	2	S143
		Inner EV800330 ‡	2	S143

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2009-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800030 ‡	2 S143
2007-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80781 ‡	2 S143

REAR SUSPENSION



R041

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2016	(R-Series)	Left Rear Lower	RK641647	1 R041
	(R-Series)	Right Rear Lower	RK641648	1 R041
2017-2013	(R-Series)	Upper	RK643002	2 R041
2017-2010	(R-Series)	Lower Front	RK642089	2 R041
2015-2007	(Arm Only, R-Series)	Left Rear Lower	RK641647	1 R041
	(Arm Only, R-Series)	Right Rear Lower	RK641648	1 R041
2012-2007	(R-Series)	Upper	RK642154	2 R041
2009-2008	FE2 Ride And Handling Suspension, (R-Series)	Lower Front	RK642089	2 R041
2007	(R-Series)	Lower Front	RK642089	2 R041
Control Arm Bushing				
2017-2010		Lower Rear Inner	K201726	2 R041
Knuckle Bushing				
2017-2007		Upper	K201282	1 R041
2015-2007		Lower Rear	K201283	2 R041
Strut Spring Seat				
2009-2007	(Reduces Noise)		K160073 ‡	2 R041
Sway Bar Bushing				
2017-2010	(Reduces Noise)	To Frame	K200338 ‡	1 R041
2009-2008	207(3.4L), (Reduces Noise)	To Frame	K200335 ‡	1 R041
	217(3.6L), (Reduces Noise)	To Frame	K200337 ‡	1 R041
2007	(Reduces Noise)	To Frame	K200335 ‡	1 R041
Sway Bar Link				
2017-2010	(Greaseable Socket Reduces Corrosion/Wear)		K750427 ‡	2 R041
2009-2008	207(3.4L), (Powdered Metal Gusher Brg. For Better Lubrication)		K750200 ‡	2 R041
	217(3.6L), (Link And Bushing Kit, Greaseable Socket Reduces Corrosion/Wear)		K750427 ‡	2 R041
2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K750200 ‡	2 R041
Trailing Link				
2017-2010		Left	RK643084	1 R041
		Right	RK643083	1 R041
2009-2007		Left	RK643069	1 R041
		Right	RK643070	1 R041
Trailing Link Bushing				
2017-2010			K201275	2 R041
2009-2007			K201302	2 R041


CHEVROLET TRUCK–Equinox (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2017-2010		512440	2	
2009-2007		512358	2	

CHEVROLET TRUCK–HHR

FRONT SUSPENSION




F062

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2011	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80567 ‡	2 F062
2010-2008	FE1 Soft Ride Suspension, FE3 Sport Suspension, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80567 ‡	2 F062
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80567 ‡	2 F062
Control Arm Bushing				
2011-2006	(For Use On Steel Control Arms, Vertical Mount) (Vertical Mount, Contains Zinc Coating For Use On Aluminum Control Arms) (Horizontal Mount, High Quality Elastomer For Durability And Performance)	Lower Rear	K6698 ‡	2 F062
		Lower Rear	K201285 ‡	2 F062
		Lower Front	K200361 ‡	2 F062
Control Arm with Ball Joint				
2011	(Forged Arm, Contains Bushings, R-Series)	Left Lower	RK620898	1 F062
		Right Lower	RK620897	1 F062
2010-2008	FE1 Soft Ride Suspension, FE3 Sport Suspension, (Forged Arm, Contains Bushings, R-Series)	Left Lower	RK620898	1 F062
		Left Lower	CK620302 ‡	1 F062
		Left Lower	RK620302	1 F062
		Right Lower	RK620897	1 F062
		Right Lower	CK620301 ‡	1 F062
		Right Lower	RK620301	1 F062
2007-2006	(Forged Arm, Contains Bushings, R-Series)	Left Lower	RK620898	1 F062
		Right Lower	RK620897	1 F062
Strut and Spring Assembly				
2011-2010		Left	ST8597L	1 F062
		Right	ST8597R	1 F062
2009-2008	Naturally Aspirated	Left	ST8597L	1 F062
		Right	ST8597R	1 F062
2007-2006		Left	ST8597L	1 F062
		Right	ST8597R	1 F062
Strut Bumper Bellows				
2011-2006	(Replacement Type, Contains Bumper)		K90460	2 F062
Strut Mount				
2011-2006	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160052 ‡	2 F062
Strut Spring Seat				
2011-2006	(Contains Insulator) (Insulator Only, Reduces Noise)	Upper	K160136 ‡	2 F062
		Lower	K160137 ‡	2 F062

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2011		To Frame	K201370	1 F062
2010-2009	FE5 Performance And Handling Suspension	To Frame	K201303	1 F062
2010-2007	FE1 Or FE3 Suspension	To Frame	K201370	1 F062
Sway Bar Link				
2011-2009	9.86" Length, (Greaseable Socket Reduces Corrosion/Wear)		K750428 ‡	2 F062
2011-2006	11.81" Length, (Powdered Metal Gusher Brg. For Better Lubrication)		K80252 ‡	2 F062
2008-2006	9.86" Length, (Powdered Metal Gusher Brg. For Better Lubrication)		K750012 ‡	2 F062
Wheel Hub & Bearing Assembly				
2011			513206	2
2010-2009	LS, LT		513206	2
2010-2008	SS		513214	2
2008	LS, LT, 4 Wheel ABS LS, LT, Non ABS		513206 513237	2 2
2007-2006	4 Wheel ABS Non ABS		513206 513237	2 2

STEERING



S122


Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2011	FE3 Sport Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80445 ‡	2 S122
2011-2008	FE5 Performance And Handling Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80445 ‡	2 S122
2011-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800030 ‡	2 S122
2010-2008	Naturally Aspirated, FE3 Sport Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80445 ‡	2 S122
2007-2006	LT, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80445 ‡	2 S122

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2011-2006	Naturally Aspirated, (High Quality Elastomer For Durability And Performance)	Lower	K200522 ‡	2
2010-2008	Turbocharged/Intercooled, (High Quality Elastomer For Durability And Performance)	Lower	K200522 ‡	2
Wheel Hub & Bearing Assembly				
2011			512250	2
2010-2009	LS, LT SS		512250 512285	2 2
2008	LS, LT, 4 Wheel ABS SS, 4 Wheel ABS		512250 512285	2 2
2007-2006	4 Wheel ABS Non ABS		512250 512287	2 2

CHEVROLET TRUCK-HHR Panel

FRONT SUSPENSION




F062

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2011	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80567 ‡	2 F062
2010-2008	FE1 Soft Ride Suspension, FE3 Sport Suspension, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80567 ‡	2 F062
2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80567 ‡	2 F062
Control Arm Bushing				
2011-2007	(For Use On Steel Control Arms, Vertical Mount) (Vertical Mount, Contains Zinc Coating For Use On Aluminum Control Arms) (Horizontal Mount, High Quality Elastomer For Durability And Performance)	Lower Rear Lower Rear Lower Front	K6698 ‡ K201285 ‡ K200361 ‡	2 F062 2 F062 2 F062
Control Arm with Ball Joint				
2011	(Contains Bushings, R-Series) (Contains Bushings, R-Series)	Left Lower Right Lower	RK620898 RK620897	1 F062 1 F062
2010-2008	FE1 Soft Ride Suspension, FE3 Sport Suspension, (Contains Bushings, R-Series) FE1 Soft Ride Suspension, FE3 Sport Suspension, (Stamped Steel Arm, Greaseable Socket Reduces Corrosion/Wear, Contains Ball And Socket Design Vertical Bushing) FE1 Soft Ride Suspension, FE3 Sport Suspension, (Stamped Steel Arm, R-Series) FE1 Soft Ride Suspension, FE3 Sport Suspension, (Contains Bushings, R-Series) FE1 Soft Ride Suspension, FE3 Sport Suspension, (Stamped Steel Arm, Greaseable Socket Reduces Corrosion/Wear, Contains Ball And Socket Design Vertical Bushing) FE1 Soft Ride Suspension, FE3 Sport Suspension, (Stamped Steel Arm, R-Series)	Left Lower Left Lower Left Lower Right Lower Right Lower Right Lower	RK620898 CK620302 ‡ RK620302 RK620897 CK620301 ‡ RK620301	1 F062 1 F062 1 F062 1 F062 1 F062 1 F062
2007	(Contains Bushings, R-Series) (Contains Bushings, R-Series)	Left Lower Right Lower	RK620898 RK620897	1 F062 1 F062
Strut and Spring Assembly				
2011-2010		Left Right	ST8597L ST8597R	1 F062 1 F062
2009	Naturally Aspirated Naturally Aspirated	Left Right	ST8597L ST8597R	1 F062 1 F062
2008-2007		Left Right	ST8597L ST8597R	1 F062 1 F062
Strut Bumper Bellows				
2011-2007	(Replacement Type, Contains Bumper)		K90460	2 F062
Strut Mount				
2011-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160052 ‡	2 F062
Strut Spring Seat				
2011-2007	(Contains Insulator) (Insulator Only, Reduces Noise)	Upper Lower	K160136 ‡ K160137 ‡	2 F062 2 F062
Sway Bar Bushing				
2011		To Frame	K201370	1 F062
2010-2008	FE1 Or FE3 Suspension	To Frame	K201370	1 F062
2009	FE5 Performance And Handling Suspension	To Frame	K201303	1 F062
Sway Bar Link				
2011-2009	9.86" Length, (Greaseable Socket Reduces Corrosion/Wear)		K750428 ‡	2 F062
2011-2007	11.81" Length, (Powdered Metal Gusher Brg. For Better Lubrication)		K80252 ‡	2 F062
2008-2007	9.86" Length, (Powdered Metal Gusher Brg. For Better Lubrication)		K750012 ‡	2 F062

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2011		513206	2	
2010-2009	LS, LT	513206	2	
2009	SS	513214	2	
2008	LS, LT, 4 Wheel ABS LS, LT, Non ABS	513206 513237	2 2	
2007	4 Wheel ABS Non ABS	513206 513237	2 2	

STEERING



S122


Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2011-2010	FE3 Sport Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80445 ‡	2 S122
2011-2008	FE5 Performance And Handling Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80445 ‡	2 S122
2011-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800030 ‡	2 S122
2009	Naturally Aspirated, FE3 Sport Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80445 ‡	2 S122
2008	FE3 Sport Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80445 ‡	2 S122
2007	LT, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80445 ‡	2 S122

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2011-2007	Naturally Aspirated, (High Quality Elastomer For Durability And Performance)	Lower	K200522 ‡	2
2009	Turbocharged/Intercooled, (High Quality Elastomer For Durability And Performance)	Lower	K200522 ‡	2
Wheel Hub & Bearing Assembly				
2011		512250	2	
2010-2009	LS, LT	512250	2	
2009	SS	512285	2	
2008	LS, LT, 4 Wheel ABS	512250	2	
2007	4 Wheel ABS Non ABS	512250 512287	2 2	

CHEVROLET TRUCK-Orlando


FRONT SUSPENSION



F060

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2014-2012	(Improves Upon OE Design)	K750519 ‡	2	F060
Wheel Hub & Bearing Assembly				
2014-2012		513316	2	


STEERING



S235


Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2014-2012	(Design Allows Ease Of Installation)	Outer ES800949 ‡	2	S235
2013-2012	FE2 Ride And Handling Suspension, (Powdered Metal Gusher Brg. For Better Lubrication)	Inner EV800933 ‡	2	S235

FRONT SUSPENSION



F131

F131



F243


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2016	(For Steel Control Arm)	Upper	K500340 ‡	2 F243
2016	Base Model, LS, LT, LTZ, (For Steel Control Arm)	Upper	K500340 ‡	2 F243
2016-2015	Aluminum Arm, (Design Allows Ease Of Installation)	Lower	K500245 ‡	2 F243
2015-2011	Steel Arm, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K6541 ‡	2 F243
2014-2007	4.04" Length, (Aluminum Arm, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500007 ‡	2 F243
2010-2007	4.150" Length, (Steel Arm, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K6541 ‡	2 F243
Control Arm Bushing				
2014-2007	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F243
Control Arm with Ball Joint				
2018-2017	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620956 ‡	1 F243
	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Left Lower	RK620888	1 F243
2016-2009	(Steel Arm, Will Not Fit Aluminum Steering Knuckles, Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Left Upper	CK80669 ‡	1 F243
	(Steel Arm, Will Not Fit Aluminum Steering Knuckles, R-Series)	Left Upper	RK80669	1 F243
	(Steel Arm, Will Not Fit Aluminum Steering Knuckles, Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Right Upper	CK80670 ‡	1 F243
	(Steel Arm, Will Not Fit Aluminum Steering Knuckles, R-Series)	Right Upper	RK80670	1 F243
	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, Forged Steel, Will Not Fit Aluminum Steering Knuckles, R-Series)	Left Upper	RK100214	1 F243
	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, Forged Steel, Will Not Fit Aluminum Steering Knuckles, R-Series)	Right Upper	RK100215	1 F243
	Cast Iron Arm, Except Police, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620956 ‡	1 F243

CHEVROLET TRUCK-Tahoe (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2016-2009 (Cont.)	Cast Iron Arm, Except Police, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series) Left Lower	RK620888	1	F243
	Cast Iron Arm, Except Police, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Right Lower	CK620955 ‡	1	F243
	Cast Iron Arm, Except Police, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series) Right Lower	RK620889	1	F243
2008-2007	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) Left Upper (R-Series)	CK80669 ‡	1	F243
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) Left Upper (R-Series)	RK80669	1	F243
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) Right Upper (R-Series)	CK80670 ‡	1	F243
	(Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Right Upper (R-Series)	RK80670	1	F243
	(Contains Bushings, R-Series) Left Lower	CK620956 ‡	1	F243
	(Contains Bushings, R-Series) Left Lower	RK620888	1	F243
	(Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Right Lower	CK620955 ‡	1	F243
	(Contains Bushings, R-Series) Right Lower	RK620889	1	F243
	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, R-Series) Left Upper	RK100214	1	F243
	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, R-Series) Right Upper	RK100215	1	F243
Strut Bumper Bellows				
2014-2007		K150275	2	F243
Strut Mount				
2014-2007	Except Auto Leveling System, (Bearing Not Included, Contains Spring Seat, Design Allows Ease Of Installation)	K160098 ‡	2	F243
Strut Spring Seat				
2017-2015	Except Magnetic Ride Control Suspension	Upper K160310	2	F243
2014-2007	Except Auto Leveling System	Lower K160311	2	F243
		Upper K160310	2	F243
Sway Bar Bushing				
2018-2007	36mm Sway Bar Diameter, (Standard Design) To Frame	K200222	1	F243
2017-2007	30mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) To Frame	K201611 ‡	1	F243
Sway Bar Repair Kit				
2016-2007	7-1/4" Length, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700538 ‡	2	F243
Track Bar Bushing				
2012		K201774	2	F131
Wheel Hub & Bearing Assembly				
2018-2015	Four Wheel Drive (4X4)	515160	2	
2016-2015	Two Wheel Drive (4x2)	515159	2	
2014	Two Wheel Drive (4x2), Except Police	515097	2	
	Two Wheel Drive (4x2), Police	515096	2	
2014-2007	Four Wheel Drive (4X4)	515096	2	
2013-2007	Two Wheel Drive (4x2)	515097	2	



STEERING



S110

STEERING (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2018-2015	(Design Allows Ease Of Installation) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800948 ‡ EV800938 ‡	2 2	
2014	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800223 ‡ EV800084 ‡	2 2	S110 S110
2013-2008	Base Model, LS, LT, LTZ, (Powdered Metal Gusher Brg. For Better Lubrication) Base Model, LS, LT, LTZ, (Powdered Metal Gusher Brg. For Better Lubrication) Hybrid, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner Outer	ES800223 ‡ EV800084 ‡ ES800621 ‡	2 2 2	S110 S110 S110
2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800223 ‡ EV800084 ‡	2 2	S110 S110


REAR SUSPENSION



Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2018-2007	(Arm Only, R-Series)	Upper	RK641866	2	R131
2014-2007	(R-Series)	Lower	RK641916	2	R131
Sway Bar Bushing					
2018-2007	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Standard Design)	To Frame To Frame	K201174 ‡ K6408	1 1	R131 R131
Sway Bar Link					
2018-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K6700 ‡	2	R131
Track Bar Bushing					
2014-2011			K201774	2	F131
2010-2009			K201774	2	R131
2008-2007			K201774	2	F131

CHEVROLET TRUCK-Trail Blazer


FRONT SUSPENSION



F028

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009-2002	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K6664 ‡	2 F028
2007-2002	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K6663 ‡	2 F028
Control Arm				
2009-2002	(R-Series)	Left Upper	RK640294	1 F028
	(R-Series)	Right Upper	RK640293	1 F028
Control Arm Bushing				
2009-2002	(High Quality Elastomer For Durability And Performance)	Upper	K200269 ‡	2 F028
	(High Quality Elastomer For Durability And Performance)	Lower Front Inner	K200271 ‡	2 F028
	(High Quality Elastomer For Durability And Performance)	Lower Outer	K200270 ‡	2 F028
	(High Quality Elastomer For Durability And Performance)	Lower Rear Inner	K200272 ‡	2 F028
Control Arm Support Bracket				
2009-2002	(Bracket Only, R-Series)	Left Lower	RK641134	1 F028
	(Bracket Only, R-Series)	Right Lower	RK641135	1 F028
Control Arm with Ball Joint				
2009-2008	(R-Series)	Left Lower	RK621316	1 F028
	(R-Series)	Right Lower	RK621315	1 F028
2007-2004	With 14mm Stabilizer Bar Link Stud Diameter, (R-Series)	Left Lower	RK620467	1 F028
	With 14mm Stabilizer Bar Link Stud Diameter, (R-Series)	Right Lower	RK620468	1 F028
Strut and Spring Assembly				
2009-2002	Except Air Suspension, (Coated For Corrosion Resistance, Strut, Spring & Top Mount)		ST8564 ‡	2 F028
Strut Bumper Bellows				
2009-2002	(Design Allows Ease Of Installation)		K160285 ‡	2 F028
Strut Mount				
2009-2002	(Bearing Not Included, Contains Spring Seat And Insulator)		K6702	2 F028
Strut Spring Seat				
2009-2002	(Reduces Noise)	Lower	K160112 ‡	2 F028
Sway Bar Bushing				
2009-2006	1.42" Sway Bar Diameter	To Frame	K80775	1 F028
2009-2004	1.34" Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K80774 ‡	1 F028
Sway Bar Link				
2007-2004	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K80824 ‡	1 F028
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K80825 ‡	1 F028
Sway Bar Repair Kit				
2009-2008	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700535 ‡	2 F028
	(Standard Design)		K8266	2 F028
Wheel Hub & Bearing Assembly				
2009-2002			513188	2


STEERING



S001

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2009-2008	16mm Threads	Inner	EV80965	2 S001
2009-2002	16mm Threads, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES3675 ‡	1 S001
	16mm Threads, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES3676 ‡	1 S001
2007-2003	16mm Threads, (Female Thread)	Inner	EV80965	2 S001

REAR SUSPENSION




R102

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2009-2002	(Arm Only, R-Series)	Lower	RK660157	2 R102
Sway Bar Bushing				
2009-2002	(Split Design For Easier Installation)	To Frame	K200768 ‡	1 R102
Sway Bar Link				
2009-2002	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K6668 ‡	1 R102
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K6667 ‡	1 R102
Trailing Link				
2009	6 Cyl, Auto Leveling System, (R-Series)	Upper	RK660156	2 R102
	V8 Cyl, (R-Series)	Upper	RK660156	2 R102
2008-2002	Auto Leveling System, (R-Series)	Upper	RK660156	2 R102

CHEVROLET TRUCK- Traverse


FRONT SUSPENSION



F364

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2017-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500088 ‡	2	F364
Control Arm Bushing					
2017-2009		Lower Rear	K201220	4	F364
		Lower Front	K201187	2	F364
Control Arm with Ball Joint					
2017-2009	(R-Series)	Left Lower	RK621232	1	F364
	(R-Series)	Right Lower	RK621231	1	F364
Strut and Spring Assembly					
2012-2009			ST8658	2	F364
Strut Bumper Bellows					
2018	(Replacement Type, Contains Bumper)		K90460	2	
2017-2009	(Replacement Type, Contains Bumper)		K90460	2	F364
Strut Mount					
2018	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160294 ‡	2	
2017-2009	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160294 ‡	2	F364
Sway Bar Bushing					
2017-2016	29mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200876 ‡	1	F364
2015	Front Wheel Drive, 29mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200876 ‡	1	F364
2014-2009	29mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200876 ‡	1	F364
Sway Bar Link					
2017-2009	(Powdered Metal Gusher Brg. For Better Lubrication)		K750155 ‡	2	F364
Wheel Hub & Bearing Assembly					
2018			512593	2	
2017-2009			513277	2	

STEERING




S144

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800286 ‡	2 S144
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800572 ‡	2 S144

REAR SUSPENSION




R055

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2009	(R-Series)	Upper Front	RK641781	2 R055
2015-2009	(R-Series)	Left Rear Upper	RK641644	1 R055
	(R-Series)	Right Rear Upper	RK641643	1 R055
Control Arm Bushing				
2011-2009	(Design Allows Ease Of Installation)	At Knuckle, Lower	K200349 ‡	2 R055
Control Arm Link				
2017-2009	(Vertical Assist Link, R-Series)		RK641887	2 R055
Sway Bar Bushing				
2017-2009		To Frame	K201280	1 R055
Sway Bar Link				
2018	(Design Allows Ease Of Installation)		K750675 ‡	2
Sway Bar Repair Kit				
2017-2009	(Improves Upon OE Design)		K700633 ‡	2 R055
Wheel Hub & Bearing Assembly				
2018	All Wheel Drive		512593	2
2017-2009			513277	2

CHEVROLET TRUCK-Trax


FRONT SUSPENSION



F468

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2017-2013		Lower	K500317 ‡	2	F468
Strut Mount					
2017-2015	(Contains Bearing, Contains Upper Retainer)		K160411	2	F468
Sway Bar Link					
2017-2013	(Design Allows Ease Of Installation)	Left	K750682 ‡	1	F468
	(Design Allows Ease Of Installation)	Right	K750683 ‡	1	F468

STEERING




S350

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2017-2013	Hydraulic Power Steering	Inner	EV801342	2	S350
	RPO Code NJ1 Electric Non-Variable Power, (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800936 ‡	2	S350
2014-2013	RPO Code NJ1 Electric Non-Variable Power, (Design Allows Ease Of Installation)	Outer	ES800970 ‡	2	S350

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2016			512572	2
2015-2013			512438	2

FRONT SUSPENSION




F098

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009-2007	(Bolt On Type, Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K5331 ‡	2 F098
Control Arm Bushing				
2009-2007	(Horizontal Mount, 2 Piece Bushing Design Allows Easier Installation)	Lower Rear	K80778 ‡	2 F098
2008-2007	(One Piece Bushing, Horizontal Mount)	Lower Rear	K6715	2 F098
	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Front	K200787 ‡	2 F098
2008-2006	(Vertical Mount)	Lower Front	K6712	2 F098
Control Arm with Ball Joint				
2009-2006	Front Wheel Drive, (With Sway Bar Mounting Tab, R-Series)	Left Lower	RK621351	1 F098
	Front Wheel Drive, (Without Sway Bar Mounting Tab, R-Series, Actual Product May Contain Mounting Tab (Will Fit And Function Properly With Or Without Tab))	Left Lower	RK621943	1 F098
	Front Wheel Drive, (With Sway Bar Mounting Tab, R-Series)	Right Lower	RK621352	1 F098
	Front Wheel Drive, (Without Sway Bar Mounting Tab, R-Series, Actual Product May Contain Mounting Tab (Will Fit And Function Properly With Or Without Tab))	Right Lower	RK621944	1 F098
Strut and Spring Assembly				
2009-2006	Front Wheel Drive		ST8631	2 F098
Strut Bumper Bellows				
2009-2007	(Contains Retainer)		K201271	2 F098
2008-2007	(Contains Bumper)		K90463	2 F098
Strut Mount				
2009-2007	(Contains Bearing)		K6521	2 F098
Strut Mounting Kit				
2009-2007	(Super Kit Contains Bearing And OE Style Bumper / Bellow)		K160391	2 F098
Strut Spring Seat				
2009-2007	(Contains Insulator And Retainer)	Upper	K80926	2 F098
	(Spring Seat Only)	Upper	K80923	2 F098
	(Insulator Only)	Lower	K5349	2 F098
Sway Bar Bushing				
2009-2007	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201610 ‡	1 F098
	(Standard Design)	To Frame	K80812	1 F098
Sway Bar Link				
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K80852 ‡	2 F098
Wheel Hub & Bearing Assembly				
2009-2006			513236	2

CHEVROLET TRUCK-Uplander (Cont.)


STEERING



S069

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2009-2006		K6472	2	S069	
Tie Rod End					
2009-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner	ES3455 ‡ EV260 ‡	2 2	S069 S069


REAR SUSPENSION



R071

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm Bushing					
2009-2007	(Design Allows Ease Of Installation)	Lower Front	K200343 ‡	2	R071
Strut Spring Seat					
2008	(Reduces Noise)		K160113 ‡	4	R071
2007-2006	Front Wheel Drive, (Reduces Noise)		K160113 ‡	4	R071
Track Bar					
2009-2007	(R-Series)		RK661214	1	R071
Wheel Hub & Bearing Assembly					
2009-2007	(3 Hole Triangular Flange) (4 Hole Rectangular Flange)		513197 512309	2 2	


FRONT SUSPENSION



F216

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower K80765 ‡	2	F216
Control Arm Bushing				
2009-2007	(Contains Front And Rear Bushings)	Upper K7473	2	F216
Control Arm Bushing Set				
2009-2007	(Contains Front And Rear Bushings)	Lower K200242 ‡	2	F216
Control Arm with Ball Joint				
2009-2007	(Contains Bushings, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper CK7424 ‡	2	F216
		Upper RK7424	2	F216
		Left Lower CK620202 ‡	1	F216
		Left Lower RK620202	1	F216
		Right Lower CK620201 ‡	1	F216
		Right Lower RK620201	1	F216
Sway Bar Bushing				
2009-2007	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201623 ‡	1	F216
		To Frame K7383	1	F216
Sway Bar Link				
2009-2007	(Link And Bushing Kit, Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750026 ‡	2	F216
Wheel Hub & Bearing Assembly				
2009-2007		513271	2	

STEERING




S096

CHRYSLER TRUCK-Aspen (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800321 ‡ EV800398 ‡	2 2 S096 S096

REAR SUSPENSION




R101

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2009-2007	(Link With Sockets, Powdered Metal Gusher Brg. For Better Lubrication)		K80947 ‡	2 R101
Trailing Link				
2009-2007	(R-Series) (R-Series)	Upper Lower	RK641788 RK641911	2 2 R101 R101

CHRYSLER TRUCK-Pacifica

FRONT SUSPENSION




F058

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2008-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Lower	K80759 ‡	2 F058
Control Arm with Ball Joint				
2008-2005	(R-Series) (R-Series)	Left Lower Right Lower	RK621361 RK621362	1 1 F058 F058
Strut and Spring Assembly				
2008-2005		Left Right	ST8617L ST8617R	1 1 F058 F058

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2018-2017		K201415	2	
2008-2005	(OE Material For Strut Performance And Longevity, Contains Bumper)	K201272 K90462 ‡	2 2	F058 F058
Strut Mount				
2018-2017	(Contains Bearing)	K160319	2	
2008-2005	(Contains Bearing)	K7457	2	F058
Sway Bar Link				
2008-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	K7258 ‡	2	F058
Wheel Hub & Bearing Assembly				
2008-2007		513261	2	


STEERING



S058

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2008-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation, Optional)	Outer ES3614 ‡ Inner EV800616 ‡	2 2	S058 S058

REAR SUSPENSION



R006

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2008-2005	(R-Series) Upper Front	RK641999	2	R006
	(R-Series) Lower Rear	RK642102	2	R006
	(R-Series) Lower Front	RK641998	2	R006
	(R-Series) Left Rear Upper	RK642185	1	R006
	(R-Series) Right Rear Upper	RK642184	1	R006
Shock Mount				
2008-2005	(Contains Upper And Lower Retainers)	K160095 ‡	2	R006
Sway Bar Link				
2008-2005	(Link Only)	K7470	2	R006


CHRYSLER TRUCK-Pacifica (Cont.)

REAR SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2008-2007	(Improved Design) Front Wheel Drive, (Standard Design)	512458 512330	2 2	

CHRYSLER TRUCK-Town & Country

FRONT SUSPENSION



F023



F320


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2010-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500082 ‡	2 F320
2007-2001	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Lower	K7399 ‡	2 F023
Control Arm Bushing				
2016-2011		Lower Front	K201184	2 F320
2016-2008	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200341 ‡	2 F320
	(High Quality Elastomer For Durability And Performance)	Lower Front	K200717 ‡	2 F320
2007-2003	201(3.3L)	Lower Rear	K80830	2 F023
2007-1996	230(3.8L), (High Quality Elastomer For Durability And Performance)	Lower Front	K7286	2 F023
		Lower Rear	K200157 ‡	2 F023
Control Arm with Ball Joint				
2016-2008	(R-Series)	Left Lower	RK622033	1 F320
	(R-Series)	Right Lower	RK622034	1 F320
2007-2003	201(3.3L), (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Left Lower	CK620005 ‡	1 F023
	201(3.3L), (R-Series)	Left Lower	RK620005	1 F023
	201(3.3L), (R-Series)	Right Lower	RK620004	1 F023
2007-2001	230(3.8L), (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Left Lower	CK620171 ‡	1 F023
	230(3.8L), (R-Series)	Left Lower	RK620171	1 F023

(Cont.) Town & Country-CHRYSLER TRUCK

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2007-2001 (Cont.)	230(3.8L), (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Right Lower	CK620170 ‡	1 F023
	230(3.8L), (R-Series)	Right Lower	RK620170	1 F023
Strut and Spring Assembly				
2015-2008		Left	ST8660L	1 F320
		Right	ST8660R	1 F320
2007-2004	113.3" Wheelbase, (Coated For Corrosion Resistance, Contains Lower Mounting Hardware)	Left	ST8561L ‡	1 F023
		Right	ST8561R ‡	1 F023
Strut Bumper Bellows				
2016-2008	(Replacement Type, Contains Bumper)		K90460	2 F320
2007-1998			K201272	2 F023
2007-1996	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F023
Strut Mount				
2016-2008	(Contains Bearing)		K160319	2 F320
2007-2001	(Contains Bearing)		K7374	2 F023
Strut Spring Seat				
2016-2008		Upper	K160320	2 F320
		Lower	K160321	2 F320
2007-2001	(Insulator Only) (Spring Seat Only, Reduces Noise)	Steel, Upper	K7475	2 F023
		Upper	K160116 ‡	2 F023
		Lower	K7477	2 F023
Sway Bar Bushing				
2011-2008	28mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200220 ‡	1 F320
2007-2001	(Contains Bushings And Wear Inserts, 17% Wider Bushings Provide Maximum Performance) (Split Design For Easier Installation)	To Frame	K200601 ‡	1 F023
		To Frame	K7406 ‡	1 F023
Sway Bar Link				
2016-2008	(Powdered Metal Gusher Brg. For Better Lubrication)		K7258 ‡	2 F320
2007-1996	(Powdered Metal Gusher Brg. For Better Lubrication)		K7258 ‡	2 F023
Wheel Hub & Bearing Assembly				
2016-2012			515150	2
2011-2008	(Improved Design)		515136	2
2007-2001			513123	2


STEERING



S058

CHRYSLER TRUCK-Town & Country (Cont.)


STEERING (Cont.)




S119

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2016-2011	(Design Allows Ease Of Installation)	Inner	EV800934 ‡	2 S058
2016-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800403 ‡	2 S058
2010-2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation, Optional)	Inner	ES80646 ‡	2 S058
		Inner	EV800616 ‡	2 S058
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer	ES3614 ‡	2 S119
		Inner	EV80645 ‡	2 S119

REAR SUSPENSION




F320



R139

(Cont.) Town & Country-CHRYSLER TRUCK

REAR SUSPENSION (Cont.)




R311

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2015		Lower Front	K201184	2 F320
Sway Bar Link				
2007-1996	Front Wheel Drive, (Link Only, Improves Upon OE Design)		K7301 ‡	2 R311
Track Bar				
2016-2008	(R-Series)		RK661097	1 R139
2007-2005	Except Stow And Go Seats		DS1423	1 R311
Wheel Hub & Bearing Assembly				
2016-2012			512493	2
2011-2008			512360	2
2007-2004	Front Wheel Drive, 4 Wheel ABS Front Wheel Drive, Non ABS		512169 512170	2 2

CGX5-COLLINS BUS CORPORATION

FRONT SUSPENSION




F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Standard Design)	To Frame To Frame	K201177 ‡ K6439	1 1 F261 F261

COLLINS BUS CORPORATION-CGX5 (Cont.)

STEERING




S084

Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009		DS300048	1	S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6654HD ‡	1	S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654 ‡	1	S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner ES80277 ‡	2	S084
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201177 ‡	1	
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame K6439	1	

COLLINS BUS CORPORATION-CGX5WR

FRONT SUSPENSION



F261


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower K6711 ‡	2	F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper K6688	2	F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201177 ‡	1	F261

(Cont.) CGX5WR-COLLINS BUS CORPORATION

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009 (Cont.)	(Standard Design)	To Frame	K6439	1
		To Frame	K6439	1

STEERING



S084


Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1

CGX6-COLLINS BUS CORPORATION

FRONT SUSPENSION




F261

COLLINS BUS CORPORATION-CGX6 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING




S084

Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING



S084


Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1

COLLINS BUS CORPORATION-CHX4


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING




S084

Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING



S084


Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1

COLLINS BUS CORPORATION-CLX4


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING




S084

Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING



S084


Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1

COLLINS BUS CORPORATION-CSX4


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING




S084

Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING



S084


Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1

COLLINS BUS CORPORATION-CSX58


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING




S084

Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING



S084


Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1

COLLINS BUS CORPORATION-FGX5WR

STEERING




S286

Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength) Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡ K80783 ‡	1 1	S286 S286

COLLINS BUS CORPORATION-FGX6

STEERING




S286

Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength) Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡ K80783 ‡	1 1	S286 S286

FGX6WR-COLLINS BUS CORPORATION

STEERING




S286

Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡	1	S286
	Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80783 ‡	1	S286

FHX4-COLLINS BUS CORPORATION

STEERING




S286

Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡	1	S286
	Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80783 ‡	1	S286

COLLINS BUS CORPORATION-FLX4

STEERING




S286

Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength) Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡ K80783 ‡	1 1	S286 S286

COLLINS BUS CORPORATION-FLX422

STEERING




S286

Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength) Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡ K80783 ‡	1 1	S286 S286

FSX4-COLLINS BUS CORPORATION

STEERING




S286

Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡	1	S286
	Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80783 ‡	1	S286

FSX58-COLLINS BUS CORPORATION

STEERING




S286

Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡	1	S286
	Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80783 ‡	1	S286

COLLINS BUS CORPORATION-MFSAB


FRONT SUSPENSION




F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	Independent Front Suspension, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	Independent Front Suspension, (Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	Independent Front Suspension, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	Independent Front Suspension, (Standard Design)	To Frame	K6439	1 F261

STEERING



S084



S286


(Cont.) MFSAB-COLLINS BUS CORPORATION

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009		DS300048	1	S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication) Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength) Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K6654HD ‡ K6654 ‡ K80785 ‡ K80783 ‡	1 1 1 1	S084 S084 S286 S286
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame To Frame	K201177 ‡ K6439	1 1

Nexus Hybrid-COLLINS BUS CORPORATION

STEERING




S286

Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength) Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡ K80783 ‡	1 1	S286 S286

CGX5-CORBEIL BUS

FRONT SUSPENSION




F261

CORBEIL BUS-CGX5 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING




S084

Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING



S084


Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1

CORBEIL BUS-CGX6


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING




S084

Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING



S084


Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1

CORBEIL BUS-CHX4


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING




S084

Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING



S084


Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1

CORBEIL BUS-CSX4


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING




S084

Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING



S084


Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1

CORBEIL BUS-CSX58


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING




S084

Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING



S084


Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1

CORBEIL BUS-FGX5WR

STEERING




S286

Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength) Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡ K80783 ‡	1 1	S286 S286

CORBEIL BUS-FGX6


STEERING



S286

Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength) Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡ K80783 ‡	1 1	S286 S286


STEERING



S286

Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡	1	S286
	Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80783 ‡	1	S286

STEERING




S286

Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡	1	S286
	Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80783 ‡	1	S286

CORBEIL BUS-FLX422

STEERING




S286

Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength) Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡ K80783 ‡	1 1	S286 S286

CORBEIL BUS-FSX4


STEERING



S286

Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength) Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡ K80783 ‡	1 1	S286 S286

STEERING




S286

Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡	1	S286
	Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80783 ‡	1	S286

Nexus Hybrid-CORBEIL BUS

STEERING




S286


Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡	1	S286
	Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80783 ‡	1	S286

DODGE TRUCK-100, 150 Series - 1/2 Ton


FRONT SUSPENSION



F335




F337




F338

FRONT SUSPENSION (Cont.)



F339



F600

Year	Model/Application	Part	P/C Qty	Figure
Ram 1500				
Ball Joint				
2010-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K80630 ‡	2 F338, F339
	Plus Or Minus 2-1/4 Degree Camber And/Or Caster, (Adjustable)	Upper	K100316	2 F338, F339
	Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Upper	K100115 ‡	2 F338, F339
	Four Wheel Drive (4X4), (Press In Type, Design Allows Ease Of Installation)	Lower	K500286 ‡	2 F339
	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K7411 ‡	2 F338
2008-2007	5 Lug Wheels, Plus Or Minus 2-1/4 Degree Camber And/Or Caster, (Adjustable)	Upper	K100316	2 F338, F339
2008-2006	5 Lug Wheels, (Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K80628 ‡	2 F338, F339
	5 Lug Wheels, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K7411 ‡	2 F338
	5 Lug Wheels, Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Upper	K100115 ‡	2 F338, F339
	Four Wheel Drive (4X4), 8 Lug Wheels, (Non-Adjustable, Replaces OEM Offset To Provide 1 Degree +/- Camber/Caster)	Upper	K100314	2 F337
	Four Wheel Drive (4X4), 8 Lug Wheels, (Non-Adjustable, Replaces OEM Offset To Provide 1/2 Degree +/- Camber/Caster)	Upper	K100057 ‡	2 F337
	Four Wheel Drive (4X4), 8 Lug Wheels, (Non-Adjustable, Replaces OEM Offset To Provide 1-1/2 Degree +/- Camber/Caster)	Upper	K100315	2 F337
	Four Wheel Drive (4X4), 8 Lug Wheels, (Oversize, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500316 ‡	2 F337
	Four Wheel Drive (4X4), 8 Lug Wheels, (Stud Designed To Spin Not Articulate. Up and Down Motion is Normal, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K7460 ‡	2 F337
	Four Wheel Drive (4X4), 8 Lug Wheels, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K7467 ‡	2 F337
	Two Wheel Drive (4x2), 8 Lug Wheels, (Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K80630 ‡	2 F335
Two Wheel Drive (4x2), 8 Lug Wheels, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K7465 ‡	2 F335	
Control Arm				
2008-2006	Four Wheel Drive (4X4), 8 Lug Wheels, (R-Series)	Upper	RK641867	2 F337

DODGE TRUCK-100, 150 Series - 1/2 Ton (Cont.)

FRONT SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Ram 1500				
Control Arm				
2008-2006 (Cont.)	Four Wheel Drive (4X4), 8 Lug Wheels, (R-Series)	Lower	RK641927	2 F337
Control Arm Bushing				
2010-2009	Four Wheel Drive (4X4), (High Quality Elastomer For Durability And Performance)	Lower Rear	K200184 ‡	2 F339
	Four Wheel Drive (4X4), (High Quality Elastomer For Durability And Performance)	Lower Front	K200185 ‡	2 F339
	Four Wheel Drive (4X4), (Split Design For Easier Installation)	At Shock	K200688 ‡	2 F339
2008-2006	5 Lug Wheel, (Contains Front And Rear Bushings)	Upper	K200186 ‡	2 F338, F339
	Four Wheel Drive (4X4), (High Quality Elastomer For Durability And Performance)	At Shock	K200183 ‡	2 F339
	Four Wheel Drive (4X4), 5 Lug Wheel, (High Quality Elastomer For Durability And Performance)	Lower Rear	K200184 ‡	2 F339
	Four Wheel Drive (4X4), 5 Lug Wheel, (High Quality Elastomer For Durability And Performance)	Lower Front	K200185 ‡	2 F339
	Four Wheel Drive (4X4), 8 Lug Wheels	Upper	K200925	4 F337
	Two Wheel Drive (4x2), 8 Lug Wheels, (Contains Front And Rear Bushings)	Upper	K200115 ‡	2 F335
	Two Wheel Drive (4x2), 8 Lug Wheels, (High Quality Elastomer For Durability And Performance)	Lower	K200114 ‡	2 F335
Control Arm with Ball Joint				
2010-2009	(Forged Arm, R-Series)	Left Upper	RK620634	1 F338, F339
	(Stamped Steel Arm)	Left Upper	RK643074	1 F338, F339, F600
	(Forged Arm, R-Series)	Right Upper	RK621897	1 F338, F339
	Four Wheel Drive (4X4), (R-Series, Replaces Steel Or Aluminum Arm)	Left Lower	RK641504	1 F339
	Four Wheel Drive (4X4), (R-Series, Replaces Steel Or Aluminum Arm)	Right Lower	RK621602	1 F339
	Two Wheel Drive (4x2), (R-Series)	Left Lower	RK621606	1 F338
	Two Wheel Drive (4x2), (R-Series)	Right Lower	RK621605	1 F338
2008-2007	Two Wheel Drive (4x2), 5 Lug Wheels, (R-Series)	Left Lower	RK621606	1 F338
	Two Wheel Drive (4x2), 5 Lug Wheels, (R-Series)	Right Lower	RK621605	1 F338
	Two Wheel Drive (4x2), 8 Lug Wheels, (Contains Bushings, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	CK620181 ‡	2 F335
	Two Wheel Drive (4x2), 8 Lug Wheels, (Contains Bushings, R-Series)	Upper	RK620181	2 F335
2008-2006	5 Lug Wheels, (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Left Upper	CK620175 ‡	1 F338, F339
	5 Lug Wheels, (R-Series)	Left Upper	RK620175	1 F338, F339
	5 Lug Wheels, (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Right Upper	CK620174 ‡	1 F338, F339
	5 Lug Wheels, (R-Series)	Right Upper	RK620174	1 F338, F339
	Four Wheel Drive (4X4), 5 Lug Wheels, (R-Series, Replaces Steel Or Aluminum Arm)	Left Lower	RK641504	1 F339
	Four Wheel Drive (4X4), 5 Lug Wheels, (R-Series, Replaces Steel Or Aluminum Arm)	Right Lower	RK621602	1 F339
	Two Wheel Drive (4x2), 8 Lug Wheels, (R-Series)	Left Lower	RK621265	1 F335
	Two Wheel Drive (4x2), 8 Lug Wheels, (R-Series)	Right Lower	RK621264	1 F335
Shock Mount				
2008-2006	Four Wheel Drive (4X4), 8 Lug Wheels, (Design Allows Ease Of Installation)	Upper	K160048 ‡	2 F337
	Two Wheel Drive (4x2), (Design Allows Ease Of Installation)	Upper	K160048 ‡	2 F335, F338
Strut and Spring Assembly				
2010-2009	Four Wheel Drive (4X4), Except Air Suspension, (Strut, Spring & Top Mount)		ST8606	2 F339
2008-2006	Four Wheel Drive (4X4), 5 Lug Wheels, (Strut, Spring & Top Mount, Contains Lower Mounting Hardware)		ST8603	2 F339
Strut Bumper Bellows				
2010-2009	Four Wheel Drive (4X4)		K201301	2 F339
2008-2006	Four Wheel Drive (4X4), 5 Lug Wheels, (Design Allows Ease Of Installation)		K160285 ‡	2 F339
Strut Bushing				
2010-2009	Four Wheel Drive (4X4)	Lower	K160326	2 F339
2008-2006	Four Wheel Drive (4X4), 5 Lug Wheels	Lower	K160326	2 F339
Strut Mount				
2010-2009	Four Wheel Drive (4X4), (Contains Spring Seat And Insulator, Superior Rubber To Steel Bonding For Durability)		K160196 ‡	2 F339
2008-2006	Four Wheel Drive (4X4), 5 Lug Wheels, (Contains Spring Seat And Insulator, Design Allows Ease Of Installation)		K160092 ‡	2 F339
Strut Spring Seat				
2008-2006	Four Wheel Drive (4X4), 5 Lug Wheels, (Insulator Only)	Upper	K160016	2 F339
	Four Wheel Drive (4X4), 5 Lug Wheels, (Spring Seat Only, Reduces Noise)	Upper	K160110 ‡	2 F339
Sway Bar Bushing				
2010-2009	Four Wheel Drive (4X4), 32mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201621 ‡	1 F339
	Four Wheel Drive (4X4), 32mm Sway Bar Diameter, (Standard Design)	To Frame	K7353	1 F339
	Four Wheel Drive (4X4), 36.8mm Sway Bar Diameter	To Frame	K7384	1 F339
2008-2006	Four Wheel Drive (4X4), 33mm Or 34mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201623 ‡	1 F337, F339
	Four Wheel Drive (4X4), 33mm Or 34mm Sway Bar Diameter, (Standard Design)	To Frame	K7383	1 F337, F339

(Cont.) 100, 150 Series - 1/2 Ton-DODGE TRUCK

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Ram 1500				
Sway Bar Bushing				
2008-2006 (Cont.)	Two Wheel Drive (4x2), 32mm Sway Bar Diameter, 5 Lug Wheels, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201621 ‡	1 F338
	Two Wheel Drive (4x2), 32mm Sway Bar Diameter, 5 Lug Wheels, (Standard Design)	To Frame	K7353	1 F338
	Two Wheel Drive (4x2), 33mm Or 34mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201623 ‡	1 F335, F338
	Two Wheel Drive (4x2), 33mm Or 34mm Sway Bar Diameter, (Standard Design)	To Frame	K7383	1 F335, F338
Sway Bar Link				
2010-2009	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication)		K80894 ‡	2 F339
	Two Wheel Drive (4x2), (Optional, Powdered Metal Gusher Brg. For Better Lubrication)		K7400 ‡	2 F338
	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)		K750157 ‡	2 F338
2008	Two Wheel Drive (4x2), 5 Lug Wheels, (Optional, Powdered Metal Gusher Brg. For Better Lubrication)		K7400 ‡	2 F338
	Two Wheel Drive (4x2), 5 Lug Wheels, (Powdered Metal Gusher Brg. For Better Lubrication)		K750157 ‡	2 F338
2008-2006	Four Wheel Drive (4X4), 5 Lug Wheels, (Powdered Metal Gusher Brg. For Better Lubrication)		K80894 ‡	2 F339
	Four Wheel Drive (4X4), 8 Lug Wheels, (Powdered Metal Gusher Brg. For Better Lubrication)		K80766 ‡	2 F337
	Two Wheel Drive (4x2), 8 Lug Wheels, (Powdered Metal Gusher Brg. For Better Lubrication)		K80821 ‡	2 F335
2007-2006	Two Wheel Drive (4x2), 5 Lug Wheels, (Powdered Metal Gusher Brg. For Better Lubrication)		K7400 ‡	2 F338
Sway Bar Repair Kit				
2010-2009	(Bushing Kit)		K7300	2 F338, F339
2008-2006	(Bushing Kit)		K7300	2 F335, F337, F338, F339
Track Bar				
2008	Four Wheel Drive (4X4), 8 Lug Wheels, (R-Series)		RK662946	1 F337
2007	Four Wheel Drive (4X4), From 3/19/07, 8 Lug Wheels, (R-Series)		RK662946	1 F337
	Four Wheel Drive (4X4), Thru 3/18/07, 8 Lug Wheels, (Design Allows Ease Of Installation)		DS300012 ‡	1 F337
Track Bar Bushing				
2008	Four Wheel Drive (4X4), 8 Lug Wheels		K201686	2 F337
2007	Four Wheel Drive (4X4), From 3/19/07, 8 Lug Wheels		K201686	2 F337
	Four Wheel Drive (4X4), Thru 3/18/07, 8 Lug Wheels, (OE 1 Piece Design)		K7252 ‡	1 F337
Wheel Hub & Bearing Assembly				
2010	5 Stud Wheel		515126	2
2009	5 Stud Wheel, From 12/08/08		515126	2
	5 Stud Wheel, To 12/07/08		515113	2
2008-2007	2 Wheel ABS, 5 Stud Wheel	Left	515113	1
2008-2006	8 Lug Wheels		515101	2
	2 Wheel ABS, 5 Stud Wheel	Right	515072	1
	4 Wheel ABS, 5 Stud Wheel		515113	2


STEERING




S094

DODGE TRUCK-100, 150 Series - 1/2 Ton (Cont.)

STEERING (Cont.)



S111



S844

Year	Model/Application	Part	P/C Qty	Figure
Ram 1500				
Drag Link Adjusting Sleeve				
2008	Four Wheel Drive (4X4), Bracket Mounted Steering Damper, 8 Lug Wheels, (Coated For Corrosion Resistance) Pitman Arm To Connecting Rod	ES3426S ‡	1	S844
Drag Link Assembly				
2008	Four Wheel Drive (4X4), Bracket Mounted Steering Damper, 8 Lug Wheels, (Powdered Metal Gusher Brg. For Better Lubrication) Right Inner at Connecting Rod	ES800558 ‡	1	S844
2008-2006	Four Wheel Drive (4X4), Tapered Hole Mounted Steering Damper, 8 Lug Wheels, 6.54" Length, (Powdered Metal Gusher Brg. For Better Lubrication) At Pitman Arm	ES3624 ‡	1	S111
Pitman Arm				
2008-2006	Four Wheel Drive (4X4), 8 Lug Wheels, (MOOG Engineered Steel Composition Enhances Strength)	K440002 ‡	1	S111
Steering Damper Cylinder				
2008	Four Wheel Drive (4X4), 8 Lug Wheels	SSD132	1	S111, S844
2007-2006	Four Wheel Drive (4X4), 8 Lug Wheels	SSD132	1	S111
Steering Linkage Assembly				
2008-2006	8 Lug Wheels, (Contains Adjusting Sleeves, Drag Link, Tie Rod Ends, Pitman Arm And Damper)	DS800980A ‡	1	
Tie Rod Adjusting Sleeve				
2008	Four Wheel Drive (4X4), Bracket Mounted Steering Damper, 8 Lug Wheels, (Coated For Corrosion Resistance) Steering Arm To Steering Arm	ES3422S ‡	1	S844
Tie Rod End				
2010-2009	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	2 2	S094 S094
2008	Four Wheel Drive (4X4), Bracket Mounted Steering Damper, 8 Lug Wheels, (Powdered Metal Gusher Brg. For Better Lubrication) Left Outer	ES800532 ‡	1	S844
	Four Wheel Drive (4X4), Bracket Mounted Steering Damper, 8 Lug Wheels Right Outer	DS300044	1	S844
	Four Wheel Drive (4X4), Tapered Hole Mounted Steering Damper, 8 Lug Wheels, 6.10" Length, (Powdered Metal Gusher Brg. For Better Lubrication) Left Outer	ES3625 ‡	1	S111
2008-2006	5 Lug Wheels, (Powdered Metal Gusher Brg. For Better Lubrication) Outer	ES80574 ‡	2	S094
	5 Lug Wheels, (Powdered Metal Gusher Brg. For Better Lubrication) Inner	EV800098 ‡	2	S094
	Four Wheel Drive (4X4), Tapered Hole Mounted Steering Damper, 8 Lug Wheels, 33.5" Length, (Powdered Metal Gusher Brg. For Better Lubrication) Right Outer	DS1463 ‡	1	S111


(Cont.) 100, 150 Series - 1/2 Ton-DODGE TRUCK

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Ram 1500				
Tie Rod End				
2008-2006 (Cont.)	Four Wheel Drive (4X4), Tapered Hole Mounted Steering Damper, 8 Lug Wheels, 46.50" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Inner	DS1464 ‡	1 S111
	Two Wheel Drive (4x2), 8 Lug Wheels, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3538 ‡	2 S094
	Two Wheel Drive (4x2), 8 Lug Wheels, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80211 ‡	2 S094
2007-2006	Four Wheel Drive (4X4), Tapered Hole Mounted Steering Damper, 8 Lug Wheels, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES3625 ‡	1 S111
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Ram 1500				
Control Arm				
2010-2009	(R-Series)	Upper	RK642211	2
		Lower	RK643104	2
Sway Bar Link				
2010-2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750396 ‡	2
2007-2004	(Link With 1 Stud, Powdered Metal Gusher Brg. For Better Lubrication)		K80901 ‡	2
Track Bar				
2010-2009	(R-Series)		RK661215	1


200, 250 Series - 3/4 Ton-DODGE TRUCK

FRONT SUSPENSION



DODGE TRUCK-200, 250 Series - 3/4 Ton (Cont.)

FRONT SUSPENSION (Cont.)



F576

Year	Model/Application	Part	P/C Qty	Figure	
Ram 2500 Heavy Duty					
Ball Joint					
2010-2007	Conventional Power Steering, (Oversize, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500316 ‡	2	F337
	Conventional Power Steering, (Stud Designed To Spin Not Articulate. Up and Down Motion is Normal, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K7460 ‡	2	F337
	Conventional Power Steering, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K7467 ‡	2	F337
	Two Wheel Drive (4x2), Rack & Pinion Power, (Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K80630 ‡	2	F335
	Two Wheel Drive (4x2), Rack & Pinion Power, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K7465 ‡	2	F335
2010-2003	Four Wheel Drive (4X4), (Non-Adjustable, Replaces OEM Offset To Provide 1 Degree +/- Camber/Caster)	Upper	K100314	2	F337
	Four Wheel Drive (4X4), (Non-Adjustable, Replaces OEM Offset To Provide 1/2 Degree +/- Camber/Caster)	Upper	K100057 ‡	2	F337
	Four Wheel Drive (4X4), (Non-Adjustable, Replaces OEM Offset To Provide 1-1/2 Degree +/- Camber/Caster)	Upper	K100315	2	F337
	Four Wheel Drive (4X4), +/- 1 Degree Camber/Caster, (Adjustable)	Upper	K7448 ‡	2	F337
Ball Joint Bushing Sleeve Set					
2010-2003	Four Wheel Drive (4X4), (Use Only With Offset Ball Joints)		T40041	1	
Control Arm					
2010	Four Wheel Drive (4X4), (R-Series)	Lower	RK642083	2	F337
2010-2003	Four Wheel Drive (4X4), (R-Series)	Upper	RK641867	2	F337
2009-2003	Four Wheel Drive (4X4), (R-Series)	Lower	RK641927	2	F337
Control Arm Bushing					
2010	Four Wheel Drive (4X4)	Lower Rear	K201082	2	F337
	Four Wheel Drive (4X4)	Lower Front	K200985	2	F337
2010-2006	Two Wheel Drive (4x2), (Contains Front And Rear Bushings)	Upper	K200115 ‡	2	F335
	Two Wheel Drive (4x2), (High Quality Elastomer For Durability And Performance)	Lower	K200114 ‡	2	F335
2010-2003	Four Wheel Drive (4X4)	Upper	K200925	4	F337
Control Arm with Ball Joint					
2010-2007	Two Wheel Drive (4x2), (Contains Bushings, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	CK620181 ‡	2	F335
	Two Wheel Drive (4x2), (Contains Bushings, R-Series)	Upper	RK620181	2	F335
2010-2003	Two Wheel Drive (4x2), (R-Series)	Left Lower	RK621265	1	F335
	Two Wheel Drive (4x2), (R-Series)	Right Lower	RK621264	1	F335
Shock Mount					
2010-2003	(Design Allows Ease Of Installation)		K160048 ‡	2	F335, F337
Sway Bar Bushing					
2010	Four Wheel Drive (4X4), 33mm Or 34mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201623 ‡	1	F337
	Four Wheel Drive (4X4), 33mm Or 34mm Sway Bar Diameter, (Standard Design)	To Frame	K7383	1	F337
2010-2004	Four Wheel Drive (4X4), 32mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201621 ‡	1	F337
	Four Wheel Drive (4X4), 32mm Sway Bar Diameter, (Standard Design)	To Frame	K7353	1	F337
2009-2004	Two Wheel Drive (4x2), 30mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201622 ‡	1	F335
	Two Wheel Drive (4x2), 30mm Sway Bar Diameter, (Standard Design)	To Frame	K7352	1	F335


(Cont.) 200, 250 Series - 3/4 Ton-DODGE TRUCK

FRONT SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Ram 2500 Heavy Duty				
Sway Bar Bushing				
2008-2006	Two Wheel Drive (4x2), 33mm Or 34mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201623 ‡	1 F335
	Two Wheel Drive (4x2), 33mm Or 34mm Sway Bar Diameter, (Standard Design)	To Frame	K7383	1 F335
Sway Bar Link				
2010	Diesel, Pickup (2 Dr.), Four Wheel Drive (4X4), Except Electronic Disconnect, (Powdered Metal Gusher Brg. For Better Lubrication)		K750395 ‡	2 F337
	Diesel, Pickup (4 Dr.) Crew Cab, Four Wheel Drive (4X4), Except Electronic Disconnect, (Improves Upon OE Design)		K750581 ‡	2 F337
	Gasoline, Four Wheel Drive (4X4), Except Electronic Disconnect, (Powdered Metal Gusher Brg. For Better Lubrication)		K750395 ‡	2 F337
2010-2003	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)		K80821 ‡	2 F335
2009-2006	Four Wheel Drive (4X4), Except Disconnecting Sway Bar, (Powdered Metal Gusher Brg. For Better Lubrication)		K80766 ‡	2 F337
Sway Bar Repair Kit				
2010-2006	Two Wheel Drive (4x2), (Bushing Kit)		K7300	2 F335
2010-2005	Four Wheel Drive (4X4), Except Electronic Disconnect, (Bushing Kit)		K7300	2 F337
Track Bar				
2010	Laramie, Mega Cab Laramie, Mega Cab SLT, Power Wagon, SLT, ST, Four Wheel Drive (4X4), (R-Series)		RK662946	1 F337
2009	Laramie, Mega Cab Laramie, Mega Cab SLT, Mega Cab SXT, Power Wagon, SLT, ST, SXT, Four Wheel Drive (4X4), (R-Series)		RK662946	1 F337
2008	Laramie, Mega Cab Laramie, Mega Cab SLT, Mega Cab SXT, Power Wagon, SLT, ST, Four Wheel Drive (4X4), (R-Series)		RK662946	1 F337
2007	Four Wheel Drive (4X4), Thru 3/18/07, (Design Allows Ease Of Installation)		DS300012 ‡	1 F337
	Laramie, Mega Cab Laramie, Mega Cab SLT, Power Wagon, SLT, ST, Sport, TRX, TRX4, Four Wheel Drive (4X4), From 3/19/07, (R-Series)		RK662946	1 F337
Track Bar Bushing				
2010	Laramie, Mega Cab Laramie, Mega Cab SLT, SLT, ST, Four Wheel Drive (4X4)		K201686	2 F337
2009	Laramie, Mega Cab Laramie, Mega Cab SLT, Mega Cab SXT, SLT, ST, SXT, Four Wheel Drive (4X4)		K201686	2 F337
2008	Laramie, Mega Cab Laramie, Mega Cab SLT, Mega Cab SXT, SLT, ST, Four Wheel Drive (4X4)		K201686	2 F337
2007	Four Wheel Drive (4X4), Thru 3/18/07, (2 Piece Bushing Design Allows Easier Installation)		K80777 ‡	1 F337
	Four Wheel Drive (4X4), Thru 3/18/07, (OE 1 Piece Design)		K7252 ‡	2 F337
	Laramie, Mega Cab Laramie, Mega Cab SLT, SLT, ST, Sport, TRX, TRX4, Four Wheel Drive (4X4), From 3/19/07		K201686	2 F337
Wheel Hub & Bearing Assembly				
2010-2009	Four Wheel Drive (4X4)		515122	2
	Two Wheel Drive (4x2)		515123	2
2008-2006	Four Wheel Drive (4X4), 8 Stud Wheel		515101	2
	Two Wheel Drive (4x2)		515114	2
Sprinter 2500				
Ball Joint				
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500113 ‡	2 F576
Control Arm Bushing				
2009-2007		Lower	K201323	4 F576
Control Arm with Ball Joint				
2009-2007	(R-Series)	Left Lower	RK621993	1 F576
Strut Mounting Kit				
2009-2007	(Contains Washer, Contains Mount And Bumper Bellow)		K160327	2 F576
Sway Bar Bushing				
2009-2008	20mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200277 ‡	1 F576
	23mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200278 ‡	1 F576
2007	26mm Sway Bar Diameter, (Improved Design Fits OE Bracket Better Than Original)	To Frame	K80776 ‡	1 F576
Sway Bar Link				
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750277 ‡	1 F576
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750276 ‡	1 F576

DODGE TRUCK-200, 250 Series - 3/4 Ton (Cont.)


STEERING



S094





S111



S434

STEERING (Cont.)



Year	Model/Application	Part	P/C Qty	Figure
Ram 2500 Heavy Duty				
Drag Link Adjusting Sleeve				
2010-2009	Four Wheel Drive (4X4), (Coated For Corrosion Resistance)	Pitman Arm To Connecting Rod	ES3426S ‡	1 S434
2008-2003	Four Wheel Drive (4X4), Bracket Mounted Steering Damper, (Coated For Corrosion Resistance)	Pitman Arm To Connecting Rod	ES3426S ‡	1 S844
	Four Wheel Drive (4X4), Tapered Hole Mounted Steering Damper	Pitman Arm To Connecting Rod	ES3626S	1 S111
Drag Link Assembly				
2010-2009	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication)	At Pitman Arm	ES800375 ‡	1 S434
	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication)	Right Inner at Connecting Rod	ES800558 ‡	1 S434
2008-2003	Four Wheel Drive (4X4), Bracket Mounted Steering Damper, (Powdered Metal Gusher Brg. For Better Lubrication)	At Pitman Arm	ES800375 ‡	1 S844
	Four Wheel Drive (4X4), Bracket Mounted Steering Damper, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Inner at Connecting Rod	ES800558 ‡	1 S844
	Four Wheel Drive (4X4), Tapered Hole Mounted Steering Damper, 6.54" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	At Pitman Arm	ES3624 ‡	1 S111
Pitman Arm				
2010-2009	Four Wheel Drive (4X4)		K440021	1 S434
2008-2003	Four Wheel Drive (4X4), Bracket Mounted Steering Damper, (MOOG Engineered Steel Composition Enhances Strength)		K440002 ‡	1 S844
Steering Damper Cylinder				
2010-2009	Four Wheel Drive (4X4)		SSD132	1 S434
2008-2003	Four Wheel Drive (4X4), Bracket Mounted Steering Damper		SSD132	1 S844
Steering Linkage Assembly				
2010-2009	Four Wheel Drive (4X4), (Contains Adjusting Sleeves, Drag Link And Tie Rod Ends)		DS800981A ‡	1 S434
2008-2003	Four Wheel Drive (4X4), (Contains Adjusting Sleeves, Drag Link, Tie Rod Ends, Pitman Arm And Damper)		DS800980A ‡	1


DODGE TRUCK-200, 250 Series - 3/4 Ton (Cont.)

STEERING (Cont.)


Year	Model/Application	Part	P/C Qty	Figure	
Ram 2500 Heavy Duty					
Tie Rod Adjusting Sleeve					
2010-2009	Four Wheel Drive (4X4), (Coated For Corrosion Resistance) Steering Arm To Steering Arm	ES3422S ‡	1	S434	
2008-2003	Four Wheel Drive (4X4), Bracket Mounted Steering Damper, (Coated For Corrosion Resistance) Steering Arm To Steering Arm	ES3422S ‡	1	S844	
	Four Wheel Drive (4X4), Tapered Hole Mounted Steering Damper Pitman Arm To Connecting Rod	ES3626S	2	S111	
Tie Rod End					
2010-2009	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication) Four Wheel Drive (4X4)	Left Outer	ES800532 ‡	1	S434
		Right Outer	DS300044	1	S434
2010-2003	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication) Two Wheel Drive (4x2), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer	ES3538 ‡	2	S094
		Inner	EV80211 ‡	2	S094
2008-2003	Four Wheel Drive (4X4), Bracket Mounted Steering Damper, (Powdered Metal Gusher Brg. For Better Lubrication) Four Wheel Drive (4X4), Bracket Mounted Steering Damper Four Wheel Drive (4X4), Tapered Hole Mounted Steering Damper, 6.10" Length, (Powdered Metal Gusher Brg. For Better Lubrication) Four Wheel Drive (4X4), Tapered Hole Mounted Steering Damper, 33.5" Length, (Powdered Metal Gusher Brg. For Better Lubrication) Four Wheel Drive (4X4), Tapered Hole Mounted Steering Damper, 46.50" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800532 ‡	1	S844
		Right Outer	DS300044	1	S844
		Left Outer	ES3625 ‡	1	S111
		Right Outer	DS1463 ‡	1	S111
		Right Outer	DS1463 ‡	1	S111
		Left Inner	DS1464 ‡	1	S111
Sprinter 2500					
Tie Rod End					
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer	ES800419 ‡	2	S440
		Inner	EV800888 ‡	2	S440
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Ram 2500 Heavy Duty					
Leaf Spring Bushing					
2010		Front	K201264	2	
Sprinter 2500					
Sway Bar Bushing					
2009-2007	(Split Design For Easier Installation)	To Frame	K200259 ‡	1	
Sway Bar Link					
2009-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K700434 ‡	2	

DODGE TRUCK-300, 350 Series - 1 Ton


FRONT SUSPENSION




FRONT SUSPENSION (Cont.)



F337



F502



F576

Year	Model/Application	Part	P/C Qty	Figure	
Ram 3500 Heavy Duty					
Ball Joint					
2010-2009	Conventional Power Steering, (Non-Adjustable, Replaces OEM Offset To Provide 1 Degree +/- Camber/Caster)	Upper	K100314	2	F337, F502
	Conventional Power Steering, (Non-Adjustable, Replaces OEM Offset To Provide 1/2 Degree +/- Camber/Caster)	Upper	K100057 ‡	2	F337, F502
2010-2008	Conventional Power Steering, (Non-Adjustable, Replaces OEM Offset To Provide 1-1/2 Degree +/- Camber/Caster)	Upper	K100315	2	F337, F502

DODGE TRUCK-300, 350 Series - 1 Ton (Cont.)

FRONT SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Ram 3500 Heavy Duty				
Ball Joint				
2010-2007	Conventional Power Steering, (Oversize, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500316 ‡	2 F337, F502
	Conventional Power Steering, (Stud Designed To Spin Not Articulate. Up and Down Motion is Normal, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K7460 ‡	2 F337, F502
	Conventional Power Steering, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K7467 ‡	2 F337, F502
	Conventional Power Steering, +/- 1 Degree Camber/Caster, (Adjustable)	Upper	K7448 ‡	2 F337, F502
	Rack & Pinion Power, (Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K80630 ‡	2 F335
2010-2003	Rack & Pinion Power, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K7465 ‡	2 F335
2008-2007	Conventional Power Steering, (Non-Adjustable, Replaces OEM Offset To Provide 1 Degree +/- Camber/Caster)	Upper	K100314	2 F337, F502
	Conventional Power Steering, (Non-Adjustable, Replaces OEM Offset To Provide 1/2 Degree +/- Camber/Caster)	Upper	K100057 ‡	2 F337, F502
2007	Conventional Power Steering, (Non-Adjustable, Replaces OEM Offset To Provide 1-1/2 Degree +/- Camber/Caster)	Upper	K100315	2 F337, F502
Ball Joint Bushing Sleeve Set				
2010-2007	Conventional Power Steering, (Use Only With Offset Ball Joints)		T40041	1
Control Arm				
2010	Conventional Power Steering, (R-Series)	Lower	RK642083	2 F337, F502
2010-2007	Conventional Power Steering, (R-Series)	Upper	RK641867	2 F337, F502
2009-2007	Conventional Power Steering, (R-Series)	Lower	RK641927	2 F337, F502
Control Arm Bushing				
2010	Conventional Power Steering	Lower Rear	K201082	2 F337, F502
	Conventional Power Steering	Lower Front	K200985	2 F337, F502
	Two Wheel Drive (4x2), Rack & Pinion Power, (Contains Front And Rear Bushings)	Upper	K200115 ‡	2 F335
2010-2007	Conventional Power Steering	Upper	K200925	4 F337, F502
	Rack & Pinion Power, (High Quality Elastomer For Durability And Performance)	Lower	K200114 ‡	2 F335
2009-2007	Rack & Pinion Power, (Contains Front And Rear Bushings)	Upper	K200115 ‡	2 F335
Control Arm with Ball Joint				
2010-2007	Rack & Pinion Power, (Contains Bushings, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	CK620181 ‡	2 F335
	Rack & Pinion Power, (Contains Bushings, R-Series)	Upper	RK620181	2 F335
2010-2006	Rack & Pinion Power, (R-Series)	Left Lower	RK621265	1 F335
	Rack & Pinion Power, (R-Series)	Right Lower	RK621264	1 F335
Shock Mount				
2010-2007	(Design Allows Ease Of Installation)		K160048 ‡	2 F335, F337, F502
Sway Bar Bushing				
2010-2007	Four Wheel Drive (4X4), 33mm Or 34mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201623 ‡	1 F337
	Four Wheel Drive (4X4), 33mm Or 34mm Sway Bar Diameter, (Standard Design)	To Frame	K7383	1 F337
	Two Wheel Drive (4x2), 33mm Or 34mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201623 ‡	1 F335
	Two Wheel Drive (4x2), 33mm Or 34mm Sway Bar Diameter, (Standard Design)	To Frame	K7383	1 F335
2010-2005	Two Wheel Drive (4x2), 30mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201622 ‡	1 F335
	Two Wheel Drive (4x2), 30mm Sway Bar Diameter, (Standard Design)	To Frame	K7352	1 F335
2009-2003	Four Wheel Drive (4X4), 32mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201621 ‡	1 F337
	Four Wheel Drive (4X4), 32mm Sway Bar Diameter, (Standard Design)	To Frame	K7353	1 F337
Sway Bar Link				
2010	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab, (Powdered Metal Gusher Brg. For Better Lubrication)		K80766 ‡	2 F337, F502
	Pickup (2 Dr.), Pickup (4 Dr.) Crew Cab, Four Wheel Drive (4X4), Dual Rear Wheels, (Improves Upon OE Design)		K750581 ‡	2 F337
	Pickup (2 Dr.), Pickup (4 Dr.) Crew Cab, Four Wheel Drive (4X4), Single Rear Wheels, (Powdered Metal Gusher Brg. For Better Lubrication)		K750395 ‡	2 F337
2010-2003	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)		K80821 ‡	2 F335
2009-2008	Pickup (2 Dr.), Pickup (4 Dr.) Crew Cab, Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication)		K80766 ‡	2 F337
2007	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication)		K80766 ‡	2 F337
Sway Bar Repair Kit				
2010	(Bushing Kit)		K7300	2 F335, F337, F502
2009-2007	(Bushing Kit)		K7300	2 F335, F337, F502
2006-2003	(Bushing Kit)		K7300	2 F335, F337

(Cont.) 300, 350 Series - 1 Ton-DODGE TRUCK

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Ram 3500 Heavy Duty				
Track Bar				
2010-2008	Four Wheel Drive (4X4), (R-Series)	RK662946	1	F337
2010-2007	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab, Two Wheel Drive (4x2), (R-Series)	RK662946	1	F502
2007	Four Wheel Drive (4X4), From 3/19/07, (R-Series) Four Wheel Drive (4X4), Thru 3/18/07, (Design Allows Ease Of Installation)	RK662946 DS300012 ‡	1 1	F337 F337
Track Bar Bushing				
2010-2008	Four Wheel Drive (4X4)	K201686	2	F337
2010-2007	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab, Two Wheel Drive (4x2)	K201686	2	F502
2008-2003	Four Wheel Drive (4X4), (OE 1 Piece Design)	K7252 ‡	2	F337
2007	Four Wheel Drive (4X4), From 3/19/07 Four Wheel Drive (4X4), Thru 3/18/07, 14mm Mounting Bolts, (2 Piece Bushing Design Allows Easier Installation)	K201686 K80777 ‡	2 1	F337 F337
Wheel Hub & Bearing Assembly				
2010-2009	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab Pickup (2 Dr.), Pickup (4 Dr.) Crew Cab, Four Wheel Drive (4X4) Pickup (2 Dr.), Pickup (4 Dr.) Crew Cab, Two Wheel Drive (4x2)	515122 515122 515123	2 2 2	
2008-2006	Four Wheel Drive (4X4), 8 Stud Wheel Two Wheel Drive (4x2)	515101 515114	2 2	
Sprinter 3500				
Ball Joint				
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500113 ‡	2 F576
Control Arm Bushing				
2009-2007		Lower	K201323	4 F576
Control Arm with Ball Joint				
2009-2007	(R-Series)	Left Lower	RK621993	1 F576
Strut Mounting Kit				
2009-2007	(Contains Washer, Contains Mount And Bumper Bellow)		K160327	2 F576
Sway Bar Bushing				
2009-2008	20mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200277 ‡	1 F576
	23mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200278 ‡	1 F576
2007	26mm Sway Bar Diameter, (Improved Design Fits OE Bracket Better Than Original)	To Frame	K80776 ‡	1 F576
Sway Bar Link				
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750277 ‡ K750276 ‡	1 F576 1 F576


STEERING




S094

DODGE TRUCK-300, 350 Series - 1 Ton (Cont.)


STEERING (Cont.)



S111




S434



S440

STEERING (Cont.)



S844

Year	Model/Application	Part	P/C Qty	Figure
Ram 3500 Heavy Duty				
Drag Link Adjusting Sleeve				
2010-2009	Conventional Power Steering, (Coated For Corrosion Resistance) Pitman Arm To Connecting Rod	ES3426S ‡	1	S434
2008-2003	Conventional Power Steering, Bracket Mounted Steering Damper, (Coated For Corrosion Resistance) Pitman Arm To Connecting Rod	ES3426S ‡	1	S844
	Conventional Power Steering, Tapered Hole Mounted Steering Damper Pitman Arm To Connecting Rod	ES3626S	1	S111
Drag Link Assembly				
2010-2009	Conventional Power Steering, (Powdered Metal Gusher Brg. For Better Lubrication) At Pitman Arm	ES800375 ‡	1	S434
	Conventional Power Steering, (Powdered Metal Gusher Brg. For Better Lubrication) Right Inner at Connecting Rod	ES800558 ‡	1	S434
2008-2003	Conventional Power Steering, Bracket Mounted Steering Damper, (Powdered Metal Gusher Brg. For Better Lubrication) At Pitman Arm	ES800375 ‡	1	S844
	Conventional Power Steering, Bracket Mounted Steering Damper, (Powdered Metal Gusher Brg. For Better Lubrication) Right Inner at Connecting Rod	ES800558 ‡	1	S844
	Conventional Power Steering, Tapered Hole Mounted Steering Damper, 6.54" Length, (Powdered Metal Gusher Brg. For Better Lubrication) At Pitman Arm	ES3624 ‡	1	S111
Pitman Arm				
2010-2009		K440021	1	S434
2008-2003	Conventional Power Steering, Bracket Mounted Steering Damper, (MOOG Engineered Steel Composition Enhances Strength)	K440002 ‡	1	S844
Steering Damper Cylinder				
2010-2009	Four Wheel Drive (4X4)	SSD132	1	S434
2008-2003	Four Wheel Drive (4X4), Bracket Mounted Steering Damper	SSD132	1	S844
Steering Linkage Assembly				
2010-2009	Conventional Power Steering, (Contains Adjusting Sleeves, Drag Link And Tie Rod Ends)	DS800981A ‡	1	S434
2008-2003	Four Wheel Drive (4X4), (Contains Adjusting Sleeves, Drag Link, Tie Rod Ends, Pitman Arm And Damper)	DS800980A ‡	1	
Tie Rod Adjusting Sleeve				
2010-2009	Conventional Power Steering, (Coated For Corrosion Resistance) Steering Arm To Steering Arm	ES3422S ‡	1	S434
2008-2003	Conventional Power Steering, Bracket Mounted Steering Damper, (Coated For Corrosion Resistance) Steering Arm To Steering Arm	ES3422S ‡	1	S844
	Conventional Power Steering, Tapered Hole Mounted Steering Damper Pitman Arm To Connecting Rod	ES3626S	2	S111
Tie Rod End				
2010-2009	Conventional Power Steering, (Powdered Metal Gusher Brg. For Better Lubrication) Left Outer	ES800532 ‡	1	S434
	Conventional Power Steering Right Outer	DS300044	1	S434
2010-2003	Rack & Pinion Power, (Powdered Metal Gusher Brg. For Better Lubrication) Outer	ES3538 ‡	2	S094
	Rack & Pinion Power, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Inner	EV80211 ‡	2	S094
2008	Conventional Power Steering, Tapered Hole Mounted Steering Damper, 46.50" Length, (Greaseable Socket Reduces Corrosion/Wear) Left Inner	DS1464 ‡	1	S111
2008-2003	Conventional Power Steering, Bracket Mounted Steering Damper, (Powdered Metal Gusher Brg. For Better Lubrication) Left Outer	ES800532 ‡	1	S844
	Conventional Power Steering, Bracket Mounted Steering Damper Right Outer	DS300044	1	S844
	Conventional Power Steering, Tapered Hole Mounted Steering Damper, 6.10" Length, (Powdered Metal Gusher Brg. For Better Lubrication) Left Outer	ES3625 ‡	1	S111


DODGE TRUCK-300, 350 Series - 1 Ton (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Ram 3500 Heavy Duty				
Tie Rod End				
2008-2003 (Cont.)	Conventional Power Steering, Tapered Hole Mounted Steering Damper, 33.5" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer DS1463 ‡	1	S111
2007-2003	Conventional Power Steering, Tapered Hole Mounted Steering Damper, (Greaseable Socket Reduces Corrosion/Wear)	Left Inner DS1464 ‡	1	S111
Sprinter 3500				
Tie Rod End				
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer ES800419 ‡ Inner EV800888 ‡	2 2	S440 S440
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Ram 3500 Heavy Duty				
Leaf Spring Bushing				
2010		Front K201264	2	
Sway Bar Link				
2010	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab, (Greaseable Socket Reduces Corrosion/Wear)	K750429 ‡	2	
Sprinter 3500				
Sway Bar Link				
2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K700434 ‡	2	
2008-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K700435 ‡	2	


DODGE TRUCK-400, 450 Series

FRONT SUSPENSION



F443


FRONT SUSPENSION (Cont.)



F502

Year	Model/Application	Part	P/C Qty	Figure	
Ram 4500 Heavy Duty					
Ball Joint					
2010-2008	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) +/- 1 Degree Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Upper Lower Upper	K500138 ‡ K500176 ‡ K100140 ‡	2 2 1	F443, F502 F443, F502 F443, F502
Sway Bar Link					
2010-2008	(Powdered Metal Gusher Brg. For Better Lubrication)		K750395 ‡	2	F443, F502
Track Bar					
2010-2008	Two Wheel Drive (4x2), (Design Allows Ease Of Installation)		DS300032 ‡	1	F502
Wheel Hub & Bearing Assembly					
2010-2008			515102	2	

STEERING



S310

Year	Model/Application	Part	P/C Qty	Figure	
Ram 4500 Heavy Duty					
Drag Link Adjusting Sleeve					
2010-2008	(Coated For Corrosion Resistance)	Pitman Arm To Connecting Rod	ES3426S ‡	1	S310
Drag Link Assembly					
2010-2008	(Design Allows Ease Of Installation) (Greaseable Socket Reduces Corrosion/Wear)	At Pitman Arm Right Inner at Connecting Rod	DS300031 ‡ DS300013 ‡	1 1	S310 S310
Pitman Arm					
2010-2008			K440025	1	S310
Tie Rod End					
2010-2008	(Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800719 ‡ ES800745 ‡	1 1	S310 S310


DODGE TRUCK-400, 450 Series (Cont.)

REAR SUSPENSION


Year	Model/Application	Part	P/C Qty	Figure
Ram 4500 Heavy Duty				
Sway Bar Link				
2010-2008	(Greaseable Socket Reduces Corrosion/Wear)	K750429 ‡	2	

DODGE TRUCK-500, 600 Series

FRONT SUSPENSION




F443



F502

Year	Model/Application	Part	P/C Qty	Figure	
Ram 5500 Heavy Duty					
Ball Joint					
2010-2008	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) +/- 1 Degree Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Upper Lower Upper	K500138 ‡ K500176 ‡ K100140 ‡	2 2 1	F443, F502 F443, F502 F443, F502
Sway Bar Link					
2010-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	K750395 ‡	2	F443, F502	
Track Bar					
2010-2008	Two Wheel Drive (4x2), (Design Allows Ease Of Installation)	DS300032 ‡	1	F502	
Wheel Hub & Bearing Assembly					
2010-2008		515102	2		

STEERING




S310

Year	Model/Application	Part	P/C Qty	Figure
Ram 5500 Heavy Duty				
Drag Link Adjusting Sleeve				
2010-2008	(Coated For Corrosion Resistance)	Pitman Arm To Connecting Rod	ES3426S ‡	1 S310
Drag Link Assembly				
2010-2008	(Design Allows Ease Of Installation) (Greaseable Socket Reduces Corrosion/Wear)	At Pitman Arm Right Inner at Connecting Rod	DS300031 ‡ DS300013 ‡	1 S310 1 S310
Pitman Arm				
2010-2008			K440025	1 S310
Tie Rod End				
2010-2008	(Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800719 ‡ ES800745 ‡	1 S310 1 S310
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Ram 5500 Heavy Duty				
Sway Bar Link				
2010-2008	(Greaseable Socket Reduces Corrosion/Wear)		K750429 ‡	2

Caravan-DODGE TRUCK

FRONT SUSPENSION



F023


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2007-2001	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Lower	K7399 ‡	2 F023

DODGE TRUCK-Caravan (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm Bushing					
2007-1996	148(2.4L) 201(3.3L)	Lower Front	K7286	2	F023
		Lower Rear	K80830	2	F023
		Lower Rear	K80830	2	F023
Control Arm with Ball Joint					
2007-2001	148(2.4L), (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) 148(2.4L), (R-Series) 148(2.4L), (R-Series) 201(3.3L), (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) 201(3.3L), (R-Series) 201(3.3L), (R-Series)	Left Lower	CK620005 ‡	1	F023
		Left Lower	RK620005	1	F023
		Right Lower	RK620004	1	F023
		Left Lower	CK620005 ‡	1	F023
		Left Lower	RK620005	1	F023
		Right Lower	RK620004	1	F023
Strut and Spring Assembly					
2007-2001	(Coated For Corrosion Resistance, Contains Lower Mounting Hardware) (Coated For Corrosion Resistance, Contains Lower Mounting Hardware)	Left	ST8561L ‡	1	F023
		Right	ST8561R ‡	1	F023
Strut Bumper Bellows					
2007-1996	(OE Material For Strut Performance And Longevity, Contains Bumper)		K201272	2	F023
			K90462 ‡	2	F023
Strut Mount					
2007-2001	(Contains Bearing)		K7374	2	F023
Strut Spring Seat					
2007-2001	(Insulator Only) (Spring Seat Only, Reduces Noise)	Upper	K7475	2	F023
		Steel, Upper	K160116 ‡	2	F023
		Lower	K7477	2	F023
Sway Bar Bushing					
2007-2001	(Contains Bushings And Wear Inserts, 17% Wider Bushings Provide Maximum Performance) (Split Design For Easier Installation)	To Frame	K200601 ‡	1	F023
		To Frame	K7406 ‡	1	F023
Sway Bar Link					
2007-1996	(Powdered Metal Gusher Brg. For Better Lubrication)		K7258 ‡	2	F023
Wheel Hub & Bearing Assembly					
2007-2001			513123	2	


STEERING



S119

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer	ES3614 ‡	2	S119
		Inner	EV80645 ‡	2	S119


REAR SUSPENSION



R311

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2007-1994	(Link Only, Improves Upon OE Design)	K7301 ‡	2	R311
Track Bar				
2007-1996		DS1423	1	R311
Wheel Hub & Bearing Assembly				
2007-2006	Non ABS	512170	2	
2007-2001	4 Wheel ABS	512169	2	

FRONT SUSPENSION



F392


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2010-2005	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower K80605 ‡	2	F392
Control Arm Bushing				
2010-2005	(Contains Front And Rear Bushings)	Upper K7473 Lower K201322	2 4	F392 F392
Control Arm with Ball Joint				
2010-2005	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Upper CK620006 ‡ Upper RK620006 Left Lower RK620478 Right Lower RK620479	2 2 1 1	F392 F392 F392 F392
Strut and Spring Assembly				
2009-2005	Four Wheel Drive (4x4) Two Wheel Drive (4x2), (Strut, Spring & Top Mount)	ST8623 ST8610	2 2	F392 F392

DODGE TRUCK–Dakota (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2010-2005	(Design Allows Ease Of Installation)	K160285 ‡	2	F392
Strut Bushing				
2010-2005	Lower	K201717	2	F392
Strut Mount				
2010-2008	(Bearing Not Included, Contains Insulator, Contains Upper Spring Seat, Superior Rubber To Steel Bonding For Durability)	K160196 ‡	2	F392
2007-2005	(Bearing Not Included, Contains Insulator)	K160049 ‡	2	F392
Strut Spring Seat				
2010-2005	(Insulator Only)	Upper K160016	2	F392
2007-2005	(Spring Seat Only, Reduces Noise)	Upper K160110 ‡	2	F392
Sway Bar Bushing				
2010-2008	Four Wheel Drive (4X4) 226(3.7L), Two Wheel Drive (4x2), (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K7466	1	F392
	226(3.7L), Two Wheel Drive (4x2), (Standard Design)	To Frame K201623 ‡	1	F392
	287(4.7L), Two Wheel Drive (4x2)	To Frame K7383	1	F392
		To Frame K7466	1	F392
2007	30mm Sway Bar Diameter 32mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame K7466	1	F392
	34mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K200266 ‡	1	F392
	34mm Sway Bar Diameter, (Standard Design)	To Frame K201623 ‡	1	F392
		To Frame K7383	1	F392
Sway Bar Link				
2010-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	K750263 ‡	2	F392
Wheel Hub & Bearing Assembly				
2010-2005	2 Wheel ABS 4 Wheel ABS	513228 513229	2 2	


STEERING



S096

Year	Model/Application	Part	P/C Qty	Figure
Steering Rack Insulator Bushing				
2010-2000		K7388	2	S096
Tie Rod End				
2010-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3571 ‡	2	S096
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner EV800099 ‡	2	S096

REAR SUSPENSION




R100

Year	Model/Application	Part	P/C Qty	Figure
Leaf Spring Shackle				
2010-2000	(Contains Shackle, Nuts, Bolts & Bushing)	Rear	K150407	2 R100
Sway Bar Bushing				
2007-2005	(Split Design For Easier Installation)	To Frame	K200818 ‡	1 R100
Sway Bar Link				
2010-2006	(Durable, All Metal Construction For Longer Life)		K750379 ‡	2 R100

Durango-DODGE TRUCK


FRONT SUSPENSION



F216

DODGE TRUCK–Durango (Cont.)

FRONT SUSPENSION (Cont.)





F374

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2015-2011	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) +/- 1 Degree Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Upper	K500285 ‡	2	F374
		Upper	K100107 ‡	2	F374
2009-2004	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K80765 ‡	2	F216
Control Arm Bushing					
2015-2011		Upper	K201338	4	F374
		Left Rear Lower	K201334	1	F374
		Lower Front Inner	K201261	2	F374
		Lower Outer	K201333	1	F374
		Right Rear Lower	K201335	1	F374
2009	1.650" Outside Diameter, (Contains Front And Rear Bushings)	Upper	K7473	2	F216
2008-2004	(Contains Front And Rear Bushings)	Upper	K7473	2	F216
Control Arm Bushing Set					
2009-2004	(Contains Front And Rear Bushings)	Lower	K200242 ‡	2	F216
Control Arm with Ball Joint					
2015-2011	(R-Series)	Left Upper	RK621608	1	F374
	(R-Series)	Right Upper	RK621607	1	F374
	(R-Series)	Left Lower	RK642831	1	F374
	(R-Series)	Right Lower	RK642830	1	F374
	+/- 1 Degree Camber/Caster, (Adjustable, R-Series)	Left Upper	RK100168	1	F374
	+/- 1 Degree Camber/Caster, (Adjustable, R-Series)	Right Upper	RK100169	1	F374
2009-2004	(Contains Bushings, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	CK7424 ‡	2	F216
	(Contains Bushings, R-Series)	Upper	RK7424	2	F216
	(Contains Bushings, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620202 ‡	1	F216
	(R-Series)	Left Lower	RK620202	1	F216
	(Contains Bushings, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	CK620201 ‡	1	F216
	(R-Series)	Right Lower	RK620201	1	F216
Sway Bar Bushing					
2009-2004	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201623 ‡	1	F216
	(Standard Design)	To Frame	K7383	1	F216
Sway Bar Link					
2015-2014	Citadel, Limited, Rallye, SXT, Special Service Vehicle , (Improves Upon OE Design)	Left	K750578 ‡	1	F374
	Citadel, Limited, Rallye, SXT, Special Service Vehicle , (Improves Upon OE Design)	Right	K750579 ‡	1	F374
2015-2012	R/T, (Design Allows Ease Of Installation)	Left	K750690 ‡	1	F374
	R/T, (Design Allows Ease Of Installation)	Right	K750689 ‡	1	F374
2013-2012	Citadel, Crew, SXT, Special Service Vehicle , (Improves Upon OE Design)	Left	K750578 ‡	1	F374
	Citadel, Crew, SXT, Special Service Vehicle , (Improves Upon OE Design)	Right	K750579 ‡	1	F374
2011	Citadel, Crew, Express, SXT, (Improves Upon OE Design)	Left	K750578 ‡	1	F374
	Citadel, Crew, Express, SXT, (Improves Upon OE Design)	Right	K750579 ‡	1	F374
	Heat, R/T, (Design Allows Ease Of Installation)	Left	K750690 ‡	1	F374
	Heat, R/T, (Design Allows Ease Of Installation)	Right	K750689 ‡	1	F374
2009-2004	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750026 ‡	2	F216
Wheel Hub & Bearing Assembly					
2018-2011			513324	2	

FRONT SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2009-2006		513271	2	

STEERING



Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2015-2011	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800973 ‡ ES800972 ‡ EV800987 ‡	1 1 2	S167 S167 S167
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800321 ‡ EV800398 ‡	2 2	S096 S096


REAR SUSPENSION




DODGE TRUCK–Durango (Cont.)

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2018	220(3.6L), (R-Series) 345(5.7L), (R-Series)	Lower Rear Lower Rear	RK642940 RK642940	2 2	
2018-2014		Left Front Lower Right Front Lower	RK643099 RK643098	1 1	
2018-2011	(Lateral Link, R-Series)	Upper Front	RK642900	2	
2017-2011	(R-Series)	Lower Rear	RK642940	2	
Strut Bumper Bellows					
2015-2011	(Replacement Type, Contains Bumper)		K90460	2	
Sway Bar Link					
2018	Citadel, GT, R/T, SXT, Special Service Vehicle , All Wheel Drive, (Improves Upon OE Design) SRT, (Greaseable Socket Reduces Corrosion/Wear)		K750573 ‡ K750710 ‡	2 2	
2018-2017	Citadel, GT, SXT, Special Service Vehicle , Two Wheel Drive (4x2), (Greaseable Socket Reduces Corrosion/Wear)		K750710 ‡	2	
2017	Citadel, GT, SXT, Special Service Vehicle , All Wheel Drive, (Improves Upon OE Design) R/T, (Greaseable Socket Reduces Corrosion/Wear)		K750573 ‡ K750710 ‡	2 2	
2016	Two Wheel Drive (4x2), (Greaseable Socket Reduces Corrosion/Wear) Citadel, Limited, SXT, Special Service Vehicle , All Wheel Drive, (Improves Upon OE Design) R/T, All Wheel Drive, (Greaseable Socket Reduces Corrosion/Wear)		K750710 ‡ K750573 ‡ K750710 ‡	2 2 2	
2015-2012	R/T, (Greaseable Socket Reduces Corrosion/Wear)		K750710 ‡	2	
2011	Heat, R/T, (Greaseable Socket Reduces Corrosion/Wear)		K750710 ‡	2	
2009-2004	(Link With Sockets, Powdered Metal Gusher Brg. For Better Lubrication)		K80947 ‡	2	R101
Trailing Link					
2009-2004	(R-Series) (R-Series)	Upper Lower	RK641788 RK641911	2 2	R101 R101

DODGE TRUCK–Grand Caravan



FRONT SUSPENSION (Cont.)



F320


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2010-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500082 ‡	2 F320
2007-2004	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Lower	K7399 ‡	2 F023
Control Arm Bushing				
2019	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200341 ‡	2
		Lower Front	K201184	2
2018-2011		Lower Front	K201184	2 F320
2016-2008	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200341 ‡	2 F320
	(High Quality Elastomer For Durability And Performance)	Lower Front	K200717 ‡	2 F320
2007-2004	201(3.3L)	Lower Front	K7286	2 F023
	230(3.8L), (High Quality Elastomer For Durability And Performance)	Lower Rear	K80830	2 F023
		Lower Rear	K200157 ‡	2 F023
Control Arm with Ball Joint				
2019-2008	(R-Series)	Left Lower	RK622033	1 F320
	(R-Series)	Right Lower	RK622034	1 F320
2007-2004	201(3.3L), (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Left Lower	CK620005 ‡	1 F023
	201(3.3L), (R-Series)	Left Lower	RK620005	1 F023
	201(3.3L), (R-Series)	Right Lower	RK620004	1 F023
	230(3.8L), (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Left Lower	CK620171 ‡	1 F023
	230(3.8L), (R-Series)	Left Lower	RK620171	1 F023
	230(3.8L), (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Right Lower	CK620170 ‡	1 F023
	230(3.8L), (R-Series)	Right Lower	RK620170	1 F023
Strut and Spring Assembly				
2015-2008		Left	ST8660L	1 F320
		Right	ST8660R	1 F320
Strut Bumper Bellows				
2016-2008	(Replacement Type, Contains Bumper)		K90460	2 F320
2007-2004			K201272	2 F023
	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F023
Strut Mount				
2016-2008	(Contains Bearing)		K160319	2 F320
2007-2004	(Contains Bearing)		K7374	2 F023
Strut Spring Seat				
2016-2008		Upper	K160320	2 F320
		Lower	K160321	2 F320
2007-2004	(Insulator Only)	Upper	K7475	2 F023
	(Spring Seat Only, Reduces Noise)	Steel, Upper	K160116 ‡	2 F023
		Lower	K7477	2 F023
Sway Bar Bushing				
2011-2008	28mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200220 ‡	1 F320
2007-2004	(Contains Bushings And Wear Inserts, 17% Wider Bushings Provide Maximum Performance)	To Frame	K200601 ‡	1 F023
	(Split Design For Easier Installation)	To Frame	K7406 ‡	1 F023
Sway Bar Link				
2019	(Powdered Metal Gusher Brg. For Better Lubrication)		K7258 ‡	2 F023

DODGE TRUCK-Grand Caravan (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018	12.20" Overall Length, (Powdered Metal Gusher Brg. For Better Lubrication)	K7258 ‡	2	F320
2017-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	K7258 ‡	2	F320
2007-2004	(Powdered Metal Gusher Brg. For Better Lubrication)	K7258 ‡	2	F023
Wheel Hub & Bearing Assembly				
2018-2012		515150	2	
2011-2008	(Improved Design)	515136	2	
2007-2004		513123	2	

STEERING




S058




S119

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2019-2011	(Design Allows Ease Of Installation)	Inner EV800934 ‡	2	S058
2019-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES800403 ‡	2	S058
2010-2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation, Optional)	Inner ES80646 ‡	2	S058
		Inner EV800616 ‡	2	S058
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer ES3614 ‡	2	S119
		Inner EV80645 ‡	2	S119


REAR SUSPENSION



F320



R139



R311

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2015	Lower Front	K201184	2	F320
Sway Bar Link				
2007-2005	(Link Only, Improves Upon OE Design)	K7301 ‡	2	R311
Track Bar				
2019-2008	(R-Series)	RK661097	1	R139
2007-2005		DS1423	1	R311


DODGE TRUCK–Grand Caravan (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2019-2012		512493	2	
2011-2008		512360	2	
2007-2005	4 Wheel ABS	512169	2	

DODGE TRUCK–Journey


FRONT SUSPENSION



F452

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2009	(Design Allows Ease Of Installation)	Lower	K500235 ‡	2 F452
Control Arm Bushing				
2018-2009		Lower Rear	K201185	2 F452
		Lower Front	K201184	2 F452
Strut and Spring Assembly				
2016-2009		Left	ST8684L	1 F452
		Right	ST8684R	1 F452
Strut Bumper Bellows				
2017-2009	(Replacement Type, Contains Bumper)		K90460	2 F452
Strut Spring Seat				
2017-2009		Lower	K160321	2 F452
Sway Bar Bushing				
2010-2009	27.1mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200219 ‡	1 F452
	28.15mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200220 ‡	1 F452
Sway Bar Link				
2018-2009	(Powdered Metal Gusher Brg. For Better Lubrication)		K750382 ‡	2 F452
Wheel Hub & Bearing Assembly				
2017-2009			513286	2


STEERING



S318

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2018-2009	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner	ES800408 ‡ EV800611 ‡	2 2	S318 S318

REAR SUSPENSION




R128

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2018	(R-Series)	Upper	RK643056	2	R128
2018-2011	(R-Series)	Lower Front	RK642901	2	R128
2017-2011	(Non-Adjustable, R-Series) Plus Or Minus 4 Degrees Camber, (Adjustable, R-Series)	Upper	RK643056	2	R128
		Upper	RK100119	2	R128
2010-2009	(Arm Only, R-Series) (R-Series) 2-1/2 Degree Camber Plus Or Minus, (Adjustable, R-Series) 2-1/2 Degree Camber Plus Or Minus, (Lateral Link, R-Series)	Upper	RK641880	2	R128
		Lower Front	RK641853	2	R128
		Upper	RK641793	2	R128
		Upper	RK100118	2	R128
Control Arm Bushing					
2018-2010		Arm to Frame, Lower Rear	K201368	2	R128
2009	Except Load Level System	Arm to Frame, Lower Rear	K201368	2	R128
Knuckle Bushing					
2014-2011		Arm To Knuckle, Lower Front	K201652	2	R128
		Arm To Knuckle, Upper	K201436	2	R128
2014-2009		Arm To Knuckle, Lower Rear	K201383	2	R128
2010-2009		Arm To Knuckle, Lower Front	K201354	2	R128
		Arm To Knuckle, Upper	K201368	2	R128
Shock Hardware Kit					
2017-2009		Upper	K160318	2	R128
Strut Bumper Bellows					
2017-2011			K201554	2	R128

DODGE TRUCK–Journey (Cont.)

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Strut Bumper Bellows					
2010-2009		K201597	2	R128	
Sway Bar Bushing					
2018-2009	22.1mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200215 ‡	1	R128
	24.1mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200216 ‡	1	R128
2011-2009	19.1mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200214 ‡	1	R128
Sway Bar Link					
2018-2009	(Design Allows Ease Of Installation)		K750706 ‡	2	R128
Trailing Link					
2017-2009		Left	RK643089	1	R128
		Right	RK643090	1	R128
Trailing Link Bushing					
2017-2009			K201355	2	R128
Wheel Hub & Bearing Assembly					
2018	Front Wheel Drive	Right	512479	1	
2017-2009		Left	512478	1	
		Right	512479	1	


DODGE TRUCK–Nitro

FRONT SUSPENSION					
					
F227					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2011-2007	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K80629 ‡	2	F227
Control Arm Bushing					
2011-2007	(High Quality Elastomer For Durability And Performance)	Lower Control Arm At Strut	K200427 ‡	2	F227
Control Arm Bushing Set					
2011-2007	(Contains Front And Rear Bushings)	Upper	K7390	2	F227
	(Contains Front And Rear Bushings)	Lower	K7389	2	F227
Control Arm with Ball Joint					
2011-2007	(R-Series)	Left Upper	RK621564	1	F227
	(R-Series)	Right Upper	RK621565	1	F227
	(R-Series)	Left Lower	RK622148	1	F227
	(R-Series)	Right Lower	RK622147	1	F227
Strut and Spring Assembly					
2011-2007	(Coated For Corrosion Resistance, Strut, Spring & Top Mount)	Left	ST8565L ‡	1	F227
	(Coated For Corrosion Resistance, Strut, Spring & Top Mount)	Right	ST8565R ‡	1	F227
Strut Spring Seat					
2011-2007			K3186	4	F227
Sway Bar Bushing					
2011-2009	34mm Sway Bar Diameter	To Frame	K201515	1	F227
2011-2007	33mm Sway Bar Diameter	To Frame	K201496	1	F227

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2008-2007	32mm Sway Bar Diameter	To Frame	K201505	1 F227
Sway Bar Link				
2011-2007	(Durable, All Metal Construction For Longer Life)		K750127 ‡	2 F227
Wheel Hub & Bearing Assembly				
2011-2007			513270	2


STEERING



S843

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2011-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800890 ‡	2 S843
2011-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800413 ‡	1 S843
		Right Outer	ES800412 ‡	1 S843
2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800416 ‡	2 S843

REAR SUSPENSION



R084

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2011-2007	(R-Series)	Upper	RK642169	2 R084
		Lower	RK641794	2 R084
Control Arm Bushing				
2010-2007	(High Quality Elastomer For Durability And Performance)	Upper To Frame	K200179 ‡	2 R084
2009-2007	(High Quality Elastomer For Durability And Performance)	To Axle, Lower Rear	K200178 ‡	2 R084
		Upper To Axle	K200180 ‡	2 R084
Sway Bar Bushing				
2011-2009	23mm Sway Bar Diameter	To Frame	K201513	1 R084
2011-2007	22mm Sway Bar Diameter	To Frame	K201531	1 R084
2008-2007	21mm Sway Bar Diameter	To Frame	K201530	1 R084
Sway Bar Link				
2011-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K750253 ‡	2 R084

DODGE TRUCK–Nitro (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Track Bar Bushing				
2011-2007	(OE 1 Piece Design)	K7252 ‡	1	R084

FIAT TRUCK–500X

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018-2016		K750795	2	
Wheel Hub & Bearing Assembly				
2019-2016		513389	2	

STEERING


Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2019-2016	Left Outer	ES801215 ‡	1	
	Right Outer	ES801214 ‡	1	

REAR SUSPENSION


Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2019		513389	2	
2018-2016	All Wheel Drive	513389	2	
	Front Wheel Drive	512568	2	

FORD TRUCK–100, 150 Series - 1/2 Ton


FRONT SUSPENSION



FRONT SUSPENSION (Cont.)



F408



F457

Year	Model/Application	Part	P/C Qty	Figure
Club Wagon E150				
Ball Joint				
2014-2009	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80028 ‡	2 F408
2014-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80197 ‡	2 F408
2008	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80196 ‡	2 F408
2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80197 ‡	2 F457
2007-1997	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80196 ‡	2 F457
Front Axle Pivot Bushing				
2014-2008			K8672	2 F408
2007-1997	5/8" Bolt, (Standard Design)		K8300	2 F457
	5/8" Bolts, (High Quality Elastomer For Durability And Performance)		K8621 ‡	1 F457
	9/16" Bolts		K8672	2 F457
Radius Arm Bushing Kit				
2013-2008			K201344	2 F408
2007-1997	(Improved Design, Contains Thermoplastic Bushing For Heat Resistance, Design Allows Ease Of Installation)		K80005 ‡	1 F457
	(Standard Design)		K8268	1 F457
Sway Bar Bushing				
2014-2008	1" Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K8690 ‡	1 F408
2008	7/8" Or 23mm Sway Bar Diameter	To Frame	K8689	1 F408
2007-1997	(Contains Polyurethane Bushing)	To Axle	K80222 ‡	1 F457
	(Standard Design)	To Axle	K8645	2 F457
	1" Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K8690 ‡	1 F457

FORD TRUCK-100, 150 Series - 1/2 Ton (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Club Wagon E150				
Sway Bar Bushing				
2007-1997 (Cont.)	7/8" Or 23mm Sway Bar Diameter	To Frame	K8689	1 F457
Sway Bar Link				
2014-2008	(Powdered Metal Gusher Brg. For Better Lubrication)		K750322 ‡	2 F408
Econoline E150				
Ball Joint				
2014-2009	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80028 ‡	2 F408
2014-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80197 ‡	2 F408
2008	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80196 ‡	2 F408
2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80197 ‡	2 F457
2007-1997	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80196 ‡	2 F457
Front Axle Pivot Bushing				
2014-2008			K8672	2 F408
2007-1997	5/8" Bolt, (Standard Design) 5/8" Bolts, (High Quality Elastomer For Durability And Performance) 9/16" Bolts		K8300 K8621 ‡ K8672	2 F457 1 F457 2 F457
Radius Arm Bushing Kit				
2014-2008			K201344	2 F408
2007-1997	(Improved Design, Contains Thermoplastic Bushing For Heat Resistance, Design Allows Ease Of Installation) (Standard Design)		K80005 ‡ K8268	1 F457 1 F457
Sway Bar Bushing				
2014-2008	1" Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K8690 ‡	1 F408
2008	(Standard Design) 7/8" Or 23mm Sway Bar Diameter	To Axle To Frame	K8645 K8689	2 F408 1 F408
2007-1997	(Contains Polyurethane Bushing) (Standard Design) 1" Sway Bar Diameter, (Split Design For Easier Installation) 7/8" Or 23mm Sway Bar Diameter	To Axle To Axle To Frame To Frame	K80222 ‡ K8645 K8690 ‡ K8689	1 F457 2 F457 1 F457 1 F457
Sway Bar Link				
2014-2008	(Powdered Metal Gusher Brg. For Better Lubrication)		K750322 ‡	2 F408
F150				
Ball Joint				
2017-2015	(Greaseable Socket Reduces Corrosion/Wear)	Upper Lower	K500359 K500318 ‡	2 2
2014	FX2, FX4, King Ranch, Lariat, Limited, Platinum, STX, Tremor, XL, XLT, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500008 ‡	2 F340
2014-2010	SVT Raptor, (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500193 ‡	2 F340
2013	FX2, FX4, Harley Davidson, King Ranch, Lariat, Limited, Platinum, STX, XL, XLT, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500008 ‡	2 F340
2012-2011	FX2, FX4, Harley Davidson, King Ranch, Lariat, Platinum, STX, XL, XLT, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500008 ‡	2 F340
2010	FX4, King Ranch, Lariat, Platinum, STX, XL, XLT, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500008 ‡	2 F340
2009	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500008 ‡	2 F340
2008-2004	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K80149 ‡	2 F340
Control Arm Bushing				
2015		Lower Rear	K201189	2 F340
2014	FX2, FX4, King Ranch, Lariat, Limited, Platinum, STX, Tremor, XL, XLT FX2, FX4, King Ranch, Lariat, Limited, Platinum, STX, Tremor, XL, XLT	Lower Rear Lower Front	K201189 K201188	2 F340 2 F340
2013	FX2, FX4, Harley Davidson, King Ranch, Lariat, Limited, Platinum, STX, XL, XLT FX2, FX4, Harley Davidson, King Ranch, Lariat, Limited, Platinum, STX, XL, XLT	Lower Rear Lower Front	K201189 K201188	2 F340 2 F340

(Cont.) 100, 150 Series - 1/2 Ton-FORD TRUCK**FRONT SUSPENSION (Cont.)**

Year	Model/Application	Part	P/C Qty	Figure
F150				
Control Arm Bushing				
2012	FX2, FX4, Harley Davidson, King Ranch, Lariat, Platinum, STX, XL, XLT, (High Quality Elastomer For Durability And Performance)	Upper Front	K200353 ‡	2 F340
2012-2011	FX2, FX4, Harley Davidson, King Ranch, Lariat, Platinum, STX, XL, XLT FX2, FX4, Harley Davidson, King Ranch, Lariat, Platinum, STX, XL, XLT	Lower Rear	K201189	2 F340
		Lower Front	K201188	2 F340
2011	FX2, FX4, King Ranch, Lariat, Platinum, STX, XL, XLT, (High Quality Elastomer For Durability And Performance)	Upper Front	K200353 ‡	2 F340
2010	FX4, King Ranch, Lariat, Platinum, STX, XL, XLT, (High Quality Elastomer For Durability And Performance) FX4, King Ranch, Lariat, Platinum, STX, XL, XLT FX4, King Ranch, Lariat, Platinum, STX, XL, XLT	Upper Front	K200353 ‡	2 F340
		Lower Rear	K201189	2 F340
		Lower Front	K201188	2 F340
2009	(High Quality Elastomer For Durability And Performance)	Upper Front	K200353 ‡	2 F340
		Lower Rear	K201189	2 F340
		Lower Front	K201188	2 F340
2008-2005	(Contains Front And Rear Bushings)	Upper	K80417	2 F340
Control Arm Bushing Set				
2010-2009	(Contains Front And Rear Bushings)	Lower	K200366 ‡	2 F340
2008-2004	(Contains Front And Rear Bushings)	Lower	K200365 ‡	2 F340
Control Arm with Ball Joint				
2014	FX2, FX4, King Ranch, Lariat, Limited, Platinum, STX, Tremor, XL, XLT, (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) FX2, FX4, King Ranch, Lariat, Limited, Platinum, STX, Tremor, XL, XLT, (R-Series) FX2, FX4, King Ranch, Lariat, Limited, Platinum, STX, Tremor, XL, XLT, (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) FX2, FX4, King Ranch, Lariat, Limited, Platinum, STX, Tremor, XL, XLT, (R-Series) FX2, FX4, King Ranch, Lariat, Limited, Platinum, STX, Tremor, XL, XLT, (R-Series) FX2, FX4, King Ranch, Lariat, Limited, Platinum, STX, Tremor, XL, XLT, (R-Series)	Left Upper	CK80306 ‡	1 F340
		Left Upper	RK80306	1 F340
		Right Upper	CK80308 ‡	1 F340
		Right Upper	RK80308	1 F340
		Left Lower	RK622962	1 F340
		Right Lower	RK622961	1 F340
		2014-2010	SVT Raptor, (R-Series) SVT Raptor, (R-Series)	Left Upper
Right Upper	RK622933			1 F340
2013	FX2, FX4, Harley Davidson, King Ranch, Lariat, Limited, Platinum, STX, XL, XLT, (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) FX2, FX4, Harley Davidson, King Ranch, Lariat, Limited, Platinum, STX, XL, XLT, (R-Series) FX2, FX4, Harley Davidson, King Ranch, Lariat, Limited, Platinum, STX, XL, XLT, (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) FX2, FX4, Harley Davidson, King Ranch, Lariat, Limited, Platinum, STX, XL, XLT, (R-Series) FX2, FX4, Harley Davidson, King Ranch, Lariat, Limited, Platinum, STX, XL, XLT, (R-Series) FX2, Harley Davidson, King Ranch, Lariat, Limited, Platinum, STX, XL, XLT, (R-Series)	Left Upper	CK80306 ‡	1 F340
		Left Upper	RK80306	1 F340
		Right Upper	CK80308 ‡	1 F340
		Right Upper	RK80308	1 F340
		Right Lower	RK621266	1 F340
		Left Lower	RK621267	1 F340
2012-2011	FX2, FX4, Harley Davidson, King Ranch, Lariat, Platinum, STX, XL, XLT, (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) FX2, FX4, Harley Davidson, King Ranch, Lariat, Platinum, STX, XL, XLT, (R-Series) FX2, FX4, Harley Davidson, King Ranch, Lariat, Platinum, STX, XL, XLT, (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) FX2, FX4, Harley Davidson, King Ranch, Lariat, Platinum, STX, XL, XLT, (R-Series) FX2, FX4, Harley Davidson, King Ranch, Lariat, Platinum, STX, XL, XLT, (R-Series) FX2, FX4, Harley Davidson, King Ranch, Lariat, Platinum, STX, XL, XLT, (R-Series)	Left Upper	CK80306 ‡	1 F340
		Left Upper	RK80306	1 F340
		Right Upper	CK80308 ‡	1 F340
		Right Upper	RK80308	1 F340
		Left Lower	RK621267	1 F340
		Right Lower	RK621266	1 F340
2010	FX4, King Ranch, Lariat, Platinum, STX, XL, XLT, (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) FX4, King Ranch, Lariat, Platinum, STX, XL, XLT, (R-Series) FX4, King Ranch, Lariat, Platinum, STX, XL, XLT, (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) FX4, King Ranch, Lariat, Platinum, STX, XL, XLT, (R-Series) FX4, King Ranch, Lariat, Platinum, STX, XL, XLT, (R-Series) FX4, King Ranch, Lariat, Platinum, STX, XL, XLT, (R-Series)	Left Upper	CK80306 ‡	1 F340
		Left Upper	RK80306	1 F340
		Right Upper	CK80308 ‡	1 F340
		Right Upper	RK80308	1 F340
		Left Lower	RK621267	1 F340
		Right Lower	RK621266	1 F340
2009	(R-Series) (R-Series)	Left Lower	RK621267	1 F340
		Right Lower	RK621266	1 F340
2009-2005	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series) (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series)	Left Upper	CK80306 ‡	1 F340
		Left Upper	RK80306	1 F340
		Right Upper	CK80308 ‡	1 F340
		Right Upper	RK80308	1 F340
2008-2005	6 Stud Rotors, (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) 6 Stud Rotors, (R-Series) 6 Stud Rotors, (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) 6 Stud Rotors, (R-Series) 7 Stud Rotors, (R-Series) 7 Stud Rotors, (R-Series)	Left Lower	CK80404 ‡	1 F340
		Left Lower	RK80404	1 F340
		Right Lower	CK80402 ‡	1 F340
		Right Lower	RK80402	1 F340
		Left Lower	RK80403	1 F340
		Right Lower	RK80401	1 F340

FORD TRUCK-100, 150 Series - 1/2 Ton (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
F150				
Strut and Spring Assembly				
2013	FX4, King Ranch, Lariat, Limited, Platinum, STX, XL, XLT, Four Wheel Drive (4X4)	ST8600	2	F340
2013-2009	Two Wheel Drive (4x2)	ST8604	2	F340
2012-2009	FX4, King Ranch, Lariat, Platinum, STX, XL, XLT, Four Wheel Drive (4X4), 8200 Lb GVW FX4, King Ranch, Lariat, Platinum, STX, XL, XLT, Four Wheel Drive (4X4), Except 8200 Lb GVW, (Coated For Corrosion Resistance, Strut, Spring & Top Mount)	ST8600 ST8568 ‡	2 2	F340 F340
2008-2004	Four Wheel Drive (4X4), (Coated For Corrosion Resistance, Strut, Spring & Top Mount) Two Wheel Drive (4x2), (Strut, Spring & Top Mount)	ST8568 ‡ ST8582	2 2	F340 F340
Strut Bumper Bellows				
2016-2015		K150278	2	
2014	FX2, FX4, King Ranch, Lariat, Limited, Platinum, STX, Tremor, XL, XLT	K150278	2	F340
2013	FX2, FX4, Harley Davidson, King Ranch, Lariat, Limited, Platinum, STX, XL, XLT	K150278	2	F340
2012-2011	FX2, FX4, Harley Davidson, King Ranch, Lariat, Platinum, STX, XL, XLT	K150278	2	F340
2010	FX4, King Ranch, Lariat, Platinum, STX, XL, XLT	K150278	2	F340
2009		K150278	2	F340
2008-2004	(Original Equipment Type, Contains Bumper)	K160035	2	F340
2007-2004	Universal Type, (Replacement Type, Contains Bumper)	K90460	2	F340
Strut Mount				
2016-2015	(Contains Upper Spring Seat Insulator)	K160331	2	
2014	FX2, FX4, King Ranch, Lariat, Limited, Platinum, STX, Tremor, XL, XLT, (Contains Upper Spring Seat Insulator)	K160331	2	F340
2014-2010	SVT Raptor, (Contains Upper Spring Seat Insulator)	K160332	2	F340
2013	FX2, FX4, Harley Davidson, King Ranch, Lariat, Limited, Platinum, STX, XL, XLT, (Contains Upper Spring Seat Insulator)	K160331	2	F340
2012-2011	FX2, FX4, Harley Davidson, King Ranch, Lariat, Platinum, STX, XL, XLT, (Contains Upper Spring Seat Insulator)	K160331	2	F340
2010	FX4, King Ranch, Lariat, Platinum, STX, XL, XLT, (Contains Upper Spring Seat Insulator)	K160331	2	F340
2009	(Contains Upper Spring Seat Insulator)	K160331	2	F340
2008-2004	Off-Road Suspension, (Bearing Not Included, Contains Dust Tube, Bumper, And Spring Insulator) Standard Suspension, (Bearing Not Included, Contains Dust Tube, Bumper, And Spring Insulator)	K80219 K80218	2 2	F340 F340
Sway Bar Bushing				
2017	King Ranch, Lariat, Limited, Platinum, SSV, XL, XLT	To Frame K201486	1	
2016	King Ranch, Lariat, Limited, Platinum, XL, XLT	To Frame K201486	1	
2015		To Frame K201486	1	
2014-2009	(Split Design For Easier Installation)	To Frame K200846 ‡	1	F340
2008-2004	(Reduces Noise)	To Frame K200331 ‡	1	F340
Sway Bar Link				
2017	King Ranch, Lariat, Limited, Platinum, SSV, XL, XLT, Four Wheel Drive (4X4), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750362 ‡	2	
2017-2016	King Ranch, Lariat, Limited, Platinum, XL, XLT, Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	K750074 ‡	2	
2016	King Ranch, Lariat, Limited, Platinum, XL, XLT, Four Wheel Drive (4X4), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750362 ‡	2	
2015	King Ranch, Lariat, Platinum, XL, XLT, Four Wheel Drive (4X4), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) King Ranch, Lariat, Platinum, XL, XLT, Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	K750362 ‡ K750074 ‡	2 2	
2014	FX4, King Ranch, Lariat, Limited, Platinum, STX, Tremor, XL, XLT, Four Wheel Drive (4X4), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Limited, All Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750362 ‡ K750362 ‡	2 2	F340 F340
2014-2010	SVT Raptor, Four Wheel Drive (4X4), (Greaseable Socket Reduces Corrosion/Wear)	K750511 ‡	2	F340
2014-2009	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	K750074 ‡	2	F340
2013	FX4, King Ranch, Lariat, Limited, Platinum, STX, XL, XLT, Four Wheel Drive (4X4), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Harley Davidson, Limited, All Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750362 ‡ K750362 ‡	2 2	F340 F340
2012-2011	Harley Davidson, All Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750362 ‡	2	F340
2012-2010	FX4, King Ranch, Lariat, Platinum, STX, XL, XLT, Four Wheel Drive (4X4), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750362 ‡	2	F340
2009	Four Wheel Drive (4X4), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750362 ‡	2	F340
2008-2006	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication) Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	K80338 ‡ K80337 ‡	2 2	F340 F340


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
F150				
Wheel Hub & Bearing Assembly				
2017-2015	Four Wheel Drive (4X4) Two Wheel Drive (4x2)	515169 515170	2 2	
2014	All Wheel Drive, 6 Stud Hub, (38" ABS Cord) All Wheel Drive, 7 Stud Hub	515142 513326	2 2	
2014-2011	All Wheel Drive, 6 Stud Hub, (40.75" ABS Cord) Four Wheel Drive (4X4), 6 Stud Hub, (38" ABS Cord) Four Wheel Drive (4X4), 6 Stud Hub, (40.75" ABS Cord) Four Wheel Drive (4X4), 7 Stud Hub Two Wheel Drive (4x2), 6 Stud Hub	515166 515142 515166 513326 515143	2 2 2 2 2	
2012-2011	All Wheel Drive, 6 Stud Hub, (38" ABS Cord) All Wheel Drive, 7 Stud Hub	515142 513326	2 2	
2010	FX4, King Ranch, Lariat, Platinum, STX, XL, XLT, Four Wheel Drive (4X4), 6 Stud Hub FX4, King Ranch, Lariat, Platinum, STX, XL, XLT, Four Wheel Drive (4X4), 7 Stud Hub SVT Raptor, Four Wheel Drive (4X4)	515119 515118 515112	2 2 2	
2010-2009	Two Wheel Drive (4x2), 6 Stud Hub Two Wheel Drive (4x2), 7 Stud Hub	515117 515118	2 2	
2009	Four Wheel Drive (4X4), 6 Stud Hub Four Wheel Drive (4X4), 7 Stud Hub	515119 515118	2 2	
2008-2006	All Wheel Drive, 6 Stud Hub All Wheel Drive, 7 Stud Hub Four Wheel Drive (4X4), 6 Stud Hub Four Wheel Drive (4X4), 7 Stud Hub	515079 515080 515079 515080	2 2 2 2	
Transit 150				
Ball Joint				
2017-2015		Lower K500339	2	
Control Arm Bushing				
2017-2015		Lower Front Inner K201761	2	
Sway Bar Link				
2016-2015		K750813	2	
Wheel Hub & Bearing Assembly				
2017-2015		515153	2	

STEERING




S120



S121

FORD TRUCK-100, 150 Series - 1/2 Ton (Cont.)

STEERING (Cont.)



S286


Year	Model/Application	Part	P/C Qty	Figure	
Club Wagon E150					
Drag Link Assembly					
2014-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	DS300003 ‡	1	S286	
Pitman Arm					
2014-2007	36 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡	1	S286	
Tie Rod Adjusting Sleeve					
2014-2007	1" - 18 Threads, 5.5" Length, (Coated For Corrosion Resistance)	ES2012S ‡	2	S286	
Tie Rod End					
2014-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Inner	ES800481 ‡	1	S286
2014-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800402 ‡	1	S286
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800401 ‡	1	S286
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Inner	DS300003 ‡	1	S286
2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Inner	ES800435 ‡	1	S286
Econoline E150					
Drag Link Assembly					
2014-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	DS300003 ‡	1	S286	
Pitman Arm					
2014-2007	36 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡	1	S286	
Tie Rod Adjusting Sleeve					
2014-2007	1" - 18 Threads, 5.5" Length, (Coated For Corrosion Resistance)	ES2012S ‡	2	S286	
Tie Rod End					
2014-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Inner	ES800481 ‡	1	S286
2014-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800402 ‡	1	S286
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800401 ‡	1	S286
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Inner	DS300003 ‡	1	S286
2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Inner	ES800435 ‡	1	S286
F150					
Rack & Pinion Boot Kit					
2010-2009		K150291	2	S120	
2008-2005	Left	K150283	1	S121	
Tie Rod End					
2017	King Ranch, Lariat, Limited, Platinum, SSV, XL, XLT, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800515 ‡	1	S120
	King Ranch, Lariat, Limited, Platinum, SSV, XL, XLT, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800514 ‡	1	S120
2016-2015	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800515 ‡	1	S120
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800514 ‡	1	S120
2014	FX2, FX4, King Ranch, Lariat, Limited, Platinum, STX, Tremor, XL, XLT, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800515 ‡	1	S120
	FX2, FX4, King Ranch, Lariat, Limited, Platinum, STX, Tremor, XL, XLT, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800514 ‡	1	S120
2014-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800457 ‡	2	S120
2013	FX2, FX4, Harley Davidson, King Ranch, Lariat, Limited, Platinum, STX, XL, XLT, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800515 ‡	1	S120
	FX2, FX4, Harley Davidson, King Ranch, Lariat, Limited, Platinum, STX, XL, XLT, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800514 ‡	1	S120

(Cont.) 100, 150 Series - 1/2 Ton-FORD TRUCK

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
F150				
Tie Rod End				
2012-2011	FX2, FX4, Harley Davidson, King Ranch, Lariat, Platinum, STX, XL, XLT, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer ES800515 ‡	1	S120
	FX2, FX4, Harley Davidson, King Ranch, Lariat, Platinum, STX, XL, XLT, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer ES800514 ‡	1	S120
2010	FX4, King Ranch, Lariat, Platinum, STX, XL, XLT, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer ES800515 ‡	1	S120
	FX4, King Ranch, Lariat, Platinum, STX, XL, XLT, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer ES800514 ‡	1	S120
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer ES800515 ‡	1	S120
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer ES800514 ‡	1	S120
2008-2007	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Inner EV800369 ‡	2	S121
	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication)	Inner EV800369 ‡	2	S121
2008-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3691 ‡	2	S121
	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Inner EV800368 ‡	2	S121
Transit 150				
Tie Rod End				
2017-2015		Outer ES801219	2	
		Inner EV801332 ‡	2	

REAR SUSPENSION



R309

Year	Model/Application	Part	P/C Qty	Figure
Club Wagon E150				
Leaf Spring Bushing				
2014-2008		Front K201376	2	
2007-2005		Front K201375	2	
Leaf Spring Shackle				
2007-1997	(Contains Shackle, Nuts, Bolts & Bushing)	Rear K150409	2	R309
Leaf Spring Shackle Bracket				
2007-1997		Rear K150414	2	R309
Sway Bar Bushing				
2014-2005	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201624 ‡	1	
	(Standard Design)	To Frame K8655	1	
Sway Bar Link				
2013-2005	12.9" Length, (Link And Bushing Kit, Improves Upon OE Design)	K80015 ‡	2	
Econoline E150				
Leaf Spring Bushing				
2014-2008		Front K201376	2	
2007-2005		Front K201375	2	
Leaf Spring Shackle				
2007-1997	(Contains Shackle, Nuts, Bolts & Bushing)	Rear K150409	2	R309


FORD TRUCK-100, 150 Series - 1/2 Ton (Cont.)

REAR SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Econoline E150				
Leaf Spring Shackle Bracket				
2007-1997		Rear K150414	2	R309
Sway Bar Bushing				
2014-2005	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Standard Design)	To Frame To Frame	1 1	
Sway Bar Link				
2014-2005	12.9" Length, (Link And Bushing Kit, Improves Upon OE Design)	K80015 ‡	2	
F150				
Leaf Spring Bushing				
2014-2005	(High Quality Elastomer For Durability And Performance)	Front K200107 ‡	2	R309
2014-2004		Front K201765	2	R309
Leaf Spring Shackle Bushing				
2015-2009		Lower K201182	2	R309
2014-2005	(High Quality Elastomer For Durability And Performance)	Rear K200108 ‡	4	R309

FORD TRUCK-200, 250 Series - 3/4 Ton


FRONT SUSPENSION



FRONT SUSPENSION (Cont.)



F457



F599

Year	Model/Application	Part	P/C Qty	Figure
Econoline E250				
Ball Joint				
2009-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80197 ‡	2 F408
2008	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80196 ‡	2 F408
2007-1997	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80196 ‡	2 F457
		Lower	K80197 ‡	2 F457
Front Axle Pivot Bushing				
2009-2008			K8672	2 F408
2007	9/16" Bolts, 1.762" Outside Diameter		K8672	2 F408
2007-1997	5/8" Bolt, 1.702" Outside Diameter		K8312	2 F457
Radius Arm Bushing Kit				
2009-2008			K201344	2 F408
2007-1997	(Standard Design)		K8268	1 F457
Sway Bar Bushing				
2009-2008	1" Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K8690 ‡	1 F408
2008	(Standard Design) 7/8" Or 23mm Sway Bar Diameter	To Axle	K8645	2 F408
		To Frame	K8689	1 F408
2007-1997	(Contains Polyurethane Bushing) (Standard Design) 1" Sway Bar Diameter, (Split Design For Easier Installation) 7/8" Or 23mm Sway Bar Diameter	To Axle	K80222 ‡	1 F457
		To Axle	K8645	2 F457
		To Frame	K8690 ‡	1 F457
		To Frame	K8689	1 F457
Sway Bar Link				
2009-2008	(Powdered Metal Gusher Brg. For Better Lubrication)		K750322 ‡	2 F408

FORD TRUCK-200, 250 Series - 3/4 Ton (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Econoline E250 Super Duty				
Ball Joint				
2014-2009	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80028 ‡	2 F408
2014-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80197 ‡	2 F408
2008	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80196 ‡	2 F408
2007-2000	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80197 ‡	2 F457
2007-1999	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80196 ‡	2 F457
Front Axle Pivot Bushing				
2014-2008			K8672	2 F408
2007-1999	5/8" Bolt, 1.762" Outside Diameter, (Standard Design) 9/16" Bolts, 1.762" Outside Diameter		K8300 K8672	2 F457 2 F457
Radius Arm Bushing Kit				
2014-2008			K201344	2 F408
2007-1999	(Standard Design)		K8268	1 F457
Sway Bar Bushing				
2014-2008	1" Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K8690 ‡	1 F408
2008	(Standard Design) 7/8" Or 23mm Sway Bar Diameter	To Axle To Frame	K8645 K8689	2 F408 1 F408
2007-2000	(Contains Polyurethane Bushing) (Standard Design) 1" Sway Bar Diameter, (Split Design For Easier Installation)	To Axle To Axle To Frame	K80222 ‡ K8645 K8690 ‡	1 F457 2 F457 1 F457
2007-1999	7/8" Or 23mm Sway Bar Diameter	To Frame	K8689	1 F457
Sway Bar Link				
2014-2008	(Powdered Metal Gusher Brg. For Better Lubrication)		K750322 ‡	2 F408
Econoline E250 Super Duty Ext.				
Ball Joint				
2011-2009	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80028 ‡	2 F408
2008	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80196 ‡	2 F408
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80196 ‡	2 F457
Front Axle Pivot Bushing				
2011-2008			K8672	2 F408
2007-2006	5/8" Bolt, 1.702" Outside Diameter 5/8" Bolt, 1.762" Outside Diameter, (Standard Design) 9/16" Bolts, 1.762" Outside Diameter		K8312 K8300 K8672	2 F457 2 F457 2 F457
Radius Arm Bushing Kit				
2007-2006	(Standard Design)		K8268	1 F457
Sway Bar Bushing				
2007-2006	7/8" Or 23mm Sway Bar Diameter	To Frame	K8689	1 F457
Sway Bar Link				
2011-2008	(Powdered Metal Gusher Brg. For Better Lubrication)		K750322 ‡	2 F408
F250 Super Duty				
Ball Joint				
2018-2005	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication) Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication)	Upper Lower	K80026 ‡ K8607T ‡	2 F342 2 F342
2016-2005	Four Wheel Drive (4X4), (Design Allows Ease Of Installation)	At Track Bar	K500262 ‡	1 F342
2016-2003	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Upper Lower	K80028 ‡ K80027 ‡	2 F599 2 F599
Radius Arm Bushing Kit				
2014-2005	Four Wheel Drive (4X4)	Rear	K201635	2 F342
Sway Bar Bushing				
2016-2011	Four Wheel Drive (4X4), Except Wide Track Axle, (Design Allows Ease Of Installation) Four Wheel Drive (4X4), Wide Track Axle, (Design Allows Ease Of Installation) Two Wheel Drive (4x2), (Design Allows Ease Of Installation)	To Frame To Frame To Frame	K200884 ‡ K200885 ‡ K200882 ‡	1 F342 1 F342 1 F599
2010-2008	Four Wheel Drive (4X4), (Design Allows Ease Of Installation) Two Wheel Drive (4x2), (Design Allows Ease Of Installation)	To Frame To Frame	K200884 ‡ K200881 ‡	1 F342 1 F599

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
F250 Super Duty				
Sway Bar Bushing				
2007-2005	Four Wheel Drive (4X4), 21mm Sway Bar Diameter, (Design Allows Ease Of Installation) To Frame	K200880 ‡	1	F342
Sway Bar Link				
2017-2011	Four Wheel Drive (4X4), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750362 ‡	2	F342
2017-2003	Two Wheel Drive (4x2), 6.85" Center To Center	K80043	2	F599
2010	Four Wheel Drive (4X4), From 2/12/10, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750362 ‡	2	F342
	Four Wheel Drive (4X4), Thru 2/11/10, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K700452 ‡	2	F342
2009-2008	Four Wheel Drive (4X4), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K700452 ‡	2	F342
2008	Two Wheel Drive (4x2)	K80043	1	F599
2007	Four Wheel Drive (4X4), From 12/18/06, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K700452 ‡	2	F342
	Four Wheel Drive (4X4), Thru 12/17/06, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750138 ‡	2	F342
Track Bar				
2015-2005	(Design Allows Ease Of Installation)	DS300045 ‡	1	F342
Track Bar Bushing				
2015-2005	(Design Allows Ease Of Installation)	K200640 ‡	1	F342
Wheel Hub & Bearing Assembly				
2016	Four Wheel Drive (4X4)	515130	2	
2015-2011	Four Wheel Drive (4X4), Single Rear Wheels	515130	2	
2010-2005	Four Wheel Drive (4X4), Single Rear Wheels	515081	2	
2009-2005	Four Wheel Drive (4X4), Dual Rear Wheels	515082	2	
Transit 250				
Ball Joint				
2017-2015	Lower	K500339	2	
Control Arm Bushing				
2017-2015	Lower Front Inner	K201761	2	
Sway Bar Link				
2016-2015		K750813	2	
Wheel Hub & Bearing Assembly				
2017-2015		515153	2	


STEERING




S195

FORD TRUCK-200, 250 Series - 3/4 Ton (Cont.)

STEERING (Cont.)



S196



S286

Year	Model/Application	Part	P/C Qty	Figure	
Econoline E250					
Drag Link Assembly					
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	DS300003 ‡	1	S286	
Pitman Arm					
2009-2005	36 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡	1	S286	
Tie Rod Adjusting Sleeve					
2009-2008	(Coated For Corrosion Resistance)	ES2012S ‡	2	S286	
2007-1997	(Coated For Corrosion Resistance)	Left	ES2079S	1	S286
		Right	ES2012S ‡	1	S286
Tie Rod End					
2009-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800402 ‡	1	S286
		Left Inner	ES800481 ‡	1	S286
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800401 ‡	1	S286
		Right Inner	DS300003 ‡	1	S286
2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800523 ‡	1	S286
		Left Inner	ES800434 ‡	1	S286
Econoline E250 Super Duty					
Drag Link Assembly					
2014-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	DS300003 ‡	1	S286	
Pitman Arm					
2014-2005	36 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡	1	S286	
Tie Rod Adjusting Sleeve					
2014-2008	(Coated For Corrosion Resistance)	ES2012S ‡	2	S286	
2007-2000	(Coated For Corrosion Resistance)	Right	ES2012S ‡	1	S286
2007-1999		Left	ES2079S	1	S286
Tie Rod End					
2014-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800402 ‡	1	S286

(Cont.) 200, 250 Series - 3/4 Ton-FORD TRUCK


STEERING (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Econoline E250 Super Duty					
Tie Rod End					
2014-2008 (Cont.)	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Inner	ES800481 ‡	1	S286
2014-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800401 ‡	1	S286
		Right Inner	DS300003 ‡	1	S286
2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800523 ‡	1	S286
		Left Inner	ES800434 ‡	1	S286
Econoline E250 Super Duty Ext.					
Drag Link Assembly					
2011-2008	(Powdered Metal Gusher Brg. For Better Lubrication)		DS300003 ‡	1	S286
Pitman Arm					
2011-2006	36 Teeth, (MOOG Engineered Steel Composition Enhances Strength)		K80785 ‡	1	S286
Tie Rod Adjusting Sleeve					
2007-2006	(Coated For Corrosion Resistance)	Left	ES2079S	1	S286
		Right	ES2012S ‡	1	S286
Tie Rod End					
2011-2008	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800402 ‡	1	S286
		Left Inner	ES800481 ‡	1	S286
2011-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800401 ‡	1	S286
		Right Inner	DS300003 ‡	1	S286
2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800523 ‡	1	S286
		Left Inner	ES800434 ‡	1	S286
F250 Super Duty					
Center Link					
2016-2011	Two Wheel Drive (4x2), (Design Allows Ease Of Installation)		DS300038 ‡	1	S196
Drag Link Adjusting Sleeve					
2017-2005	Four Wheel Drive (4X4), (Coated For Corrosion Resistance)		ES3420S ‡	1	S195
2010-2008	Two Wheel Drive (4x2), (Coated For Corrosion Resistance)		ES3426S ‡	2	S286
Drag Link Assembly					
2016-2011	Four Wheel Drive (4X4), 34.16" From Stud Center To End, (Design Allows Ease Of Installation) Four Wheel Drive (4X4), 36.8" From Stud Center To End, (Design Allows Ease Of Installation)	At Pitman Arm	DS300040 ‡	1	S195
		At Pitman Arm	DS300039 ‡	1	S195
2010-2008	Four Wheel Drive (4X4), (Design Allows Ease Of Installation) Two Wheel Drive (4x2), (Design Allows Ease Of Installation)	At Pitman Arm, Inner	DS300037 ‡	1	S195
		Right Inner	DS300053 ‡	1	S286
2007-2005	Four Wheel Drive (4X4), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	At Pitman Arm, Inner	DS80749 ‡	1	S195
		Right Inner	ES80752 ‡	1	S286
Idler Arm					
2016-2011	Two Wheel Drive (4x2), (Arm Only) Two Wheel Drive (4x2), (Bracket Pivot Assembly)		K400026	1	S196
			K400027	1	S196
Pitman Arm					
2016-2011			K440028	1	S195, S196
2010-2005	Two Wheel Drive (4x2)		K440024	1	S286
2008-2005	Four Wheel Drive (4X4), (Heavy Duty Design)		K440027 ‡	1	S195
Tie Rod Adjusting Sleeve					
2017-2011	Two Wheel Drive (4x2), (Coated For Corrosion Resistance)		ES3426S ‡	2	S196
2016-2011	Four Wheel Drive (4X4), Except Wide Track Axle, (Design Allows Ease Of Installation) Four Wheel Drive (4X4), Wide Track Axle		ES800977S ‡	1	S195
			ES801203S	1	S195
2010-2008	Two Wheel Drive (4x2), (Coated For Corrosion Resistance)		ES3426S ‡	2	S286
2010-2005	Four Wheel Drive (4X4), (Design Allows Ease Of Installation)		ES800977S ‡	1	S195
2007-2003	Two Wheel Drive (4x2), (Coated For Corrosion Resistance) Two Wheel Drive (4x2), (Coated For Corrosion Resistance)	Left	ES3421S ‡	1	S286
		Right	ES3420S ‡	1	S286
Tie Rod End					
2018	Two Wheel Drive (4x2), (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800777 ‡	1	S196
2018-2011	Two Wheel Drive (4x2), (Greaseable Socket Reduces Corrosion/Wear)	Left Inner	ES800778 ‡	1	S196
2017-2011	Two Wheel Drive (4x2), (Greaseable Socket Reduces Corrosion/Wear)	Right Inner	ES800777 ‡	1	S196
2016-2011	Four Wheel Drive (4X4), 1-3/8" Thread Diameter, (Powdered Metal Gusher Brg. For Better Lubrication) Four Wheel Drive (4X4), 1-3/8" Thread Diameter, (Without Stud, Powdered Metal Gusher Brg. For Better Lubrication) Four Wheel Drive (4X4), 1-9/16" Thread Diameter, (Design Allows Ease Of Installation)	Left Outer	ES80754 ‡	1	S195
		Right Outer	ES80755 ‡	1	S195
		Right Outer	ES800881 ‡	1	S195
		Left Outer	ES800881 ‡	1	S195

FORD TRUCK-200, 250 Series - 3/4 Ton (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
F250 Super Duty				
Tie Rod End				
2016-2011 (Cont.)	Four Wheel Drive (4X4), 1-9/16" Thread Diameter, (Without Stud, Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800880 ‡	1 S195
	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800484 ‡	2 S196
2016-2005	Four Wheel Drive (4X4), (With Stud, Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	DS300008 ‡	1 S195
2010-2008	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800484 ‡	1 S286
	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800483 ‡	1 S286
	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Left Inner	ES800465 ‡	1 S286
2010-2005	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES80754 ‡	1 S195
	Four Wheel Drive (4X4), (Without Stud, Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES80755 ‡	1 S195
2007-2005	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Left Inner	ES80753 ‡	1 S286
2007-2003	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES3418 ‡	1 S286
	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES3417T ‡	1 S286
Transit 250				
Tie Rod End				
2017-2015		Outer	ES801219	2
		Inner	EV801332 ‡	2

REAR SUSPENSION



R309

Year	Model/Application	Part	P/C Qty	Figure
Econoline E250				
Leaf Spring Bushing				
2009-1997	1.562" Outside Diameter	Front	K201300	2 R309
Leaf Spring Shackle				
2009-1997	(Contains Shackle, Nuts, Bolts & Bushing)	Rear	K150411	2 R309
Sway Bar Link				
2009-2008	12.9" Length, (Link And Bushing Kit, Improves Upon OE Design)		K80015 ‡	2
Econoline E250 Super Duty				
Leaf Spring Bushing				
2014-1999	1.562" Outside Diameter	Front	K201300	2 R309
Leaf Spring Shackle				
2014-1999	(Contains Shackle, Nuts, Bolts & Bushing)	Rear	K150411	2 R309
Sway Bar Bushing				
2014-2006	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Standard Design)	To Frame	K201624 ‡	1
		To Frame	K8655	1
Sway Bar Link				
2014-2006	12.9" Length, (Link And Bushing Kit, Improves Upon OE Design)		K80015 ‡	2
Econoline E250 Super Duty Ext.				
Leaf Spring Bushing				
2011-2006	1.562" Outside Diameter	Front	K201300	2 R309


(Cont.) 200, 250 Series - 3/4 Ton-FORD TRUCK

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Econoline E250 Super Duty Ext.				
Leaf Spring Shackle				
2011-2006	(Contains Shackle, Nuts, Bolts & Bushing)	Rear	K150411	2 R309
Sway Bar Bushing				
2011-2006	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201624 ‡	1
	(Standard Design)	To Frame	K8655	1
Sway Bar Link				
2011-2006	12.9" Length, (Link And Bushing Kit, Improves Upon OE Design)		K80015 ‡	2
F250 Super Duty				
Leaf Spring Shackle				
2007-2005	Wide Frame, Single Rear Wheels, (Contains Hardware)		K150417	2
Sway Bar Bushing				
2017	Diesel, 1-1/4" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201626 ‡	1
	Diesel, 1-1/4" Sway Bar Diameter, (Standard Design)	To Frame	K80072	1
	Flex Fuel, 1-1/4" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201626 ‡	1
	Flex Fuel, 1-1/4" Sway Bar Diameter, (Standard Design)	To Frame	K80072	1
2016-2008	Four Wheel Drive (4X4)	To Frame	K201452	1
	Two Wheel Drive (4x2)	To Frame	K201450	1
2007-2003	1-3/16" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201625 ‡	1
	1-3/16" Sway Bar Diameter, (Standard Design)	To Frame	K8656	1
	Two Wheel Drive (4x2), 1-1/16" Sway Bar Diameter	To Frame	K80093	1
Sway Bar Link				
2017	7.93" Center To Center		K80268 ‡	2
	10.39" Center To Center		K80575	2
2016-2014	Except Camper Package, Except Snow Plow Package, 13.7" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750261 ‡	2
2013	13.7" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750261 ‡	2
2012-2003	Four Wheel Drive (4X4), 13.7" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750261 ‡	2
	Two Wheel Drive (4x2), 12" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80269 ‡	2
Sway Bar Repair Kit				
2016-2011	(Bolts Not Included, Contains Thermoplastic Bushing For Both Ends Of Link)		K80085	1
2010-2003	(Bolts Not Included, Contains Thermoplastic Bushing For Both Ends Of Link)		K80086	1


300, 350 Series - 1 Ton-FORD TRUCK

FRONT SUSPENSION




FORD TRUCK-300, 350 Series - 1 Ton (Cont.)


FRONT SUSPENSION (Cont.)



F408



F457



F599

Year	Model/Application	Part	P/C Qty	Figure
Econoline E350 Super Duty				
Ball Joint				
2017-2009	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80028 ‡	2 F408
2017-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80197 ‡	2 F408
2008	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80196 ‡	2 F408

(Cont.) 300, 350 Series - 1 Ton-FORD TRUCK

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Econoline E350 Super Duty					
Ball Joint					
2007-1997	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80196 ‡	2	F457
	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80197 ‡	2	F457
Front Axle Pivot Bushing					
2017-2008			K8672	2	F408
2007-1998	5/8" Bolt, 1.702" Outside Diameter		K8312	2	F457
	5/8" Bolt, 1.762" Outside Diameter, (Standard Design)		K8300	2	F457
2007-1997	1/2" Bolts		K8672	2	F457
Radius Arm Bushing Kit					
2017-2008			K201344	2	F408
2007-1997	(Contains Thermoplastic Bushing For Heat Resistance, High Performance, Design Allows Ease Of Installation)		K80005 ‡	1	F457
	(Standard Design)		K8268	1	F457
Sway Bar Bushing					
2017-2008	1" Sway Bar Diameter, Single Rear Wheels, (Split Design For Easier Installation)	To Frame	K8690 ‡	1	F408
2008	(Standard Design)	To Axle	K8645	2	F408
	7/8" Or 23mm Sway Bar Diameter	To Frame	K8689	1	F408
2007-1997	(Contains Polyurethane Bushing)	To Axle	K80222 ‡	1	F457
	(Standard Design)	To Axle	K8645	2	F457
	1" Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K8690 ‡	1	F457
	7/8" Or 23mm Sway Bar Diameter	To Frame	K8689	1	F457
Sway Bar Link					
2017-2008	(Powdered Metal Gusher Brg. For Better Lubrication)		K750322 ‡	2	F408
Econoline E350 Super Duty Ext.					
Ball Joint					
2017-2009	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80028 ‡	2	F408
2017-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80197 ‡	2	F408
2008	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80196 ‡	2	F408
2007-1999	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80196 ‡	2	F457
	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80197 ‡	2	F457
Front Axle Pivot Bushing					
2017-2008			K8672	2	F408
2007-1999	1/2" Bolts		K8672	2	F457
	5/8" Bolt, 1.702" Outside Diameter		K8312	2	F457
	5/8" Bolt, 1.762" Outside Diameter, (Standard Design)		K8300	2	F457
Radius Arm Bushing Kit					
2017-2008			K201344	2	F408
2007-1999	(Contains Thermoplastic Bushing For Heat Resistance, High Performance, Design Allows Ease Of Installation)		K80005 ‡	1	F457
	(Standard Design)		K8268	1	F457
Sway Bar Bushing					
2017-2008	1" Sway Bar Diameter, Single Rear Wheels, (Split Design For Easier Installation)	To Frame	K8690 ‡	1	F408
2008	(Standard Design)	To Axle	K8645	2	F408
	7/8" Or 23mm Sway Bar Diameter	To Frame	K8689	1	F408
2007-2004	(Contains Polyurethane Bushing)	To Axle	K80222 ‡	1	F457
	(Standard Design)	To Axle	K8645	2	F457
	1" Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K8690 ‡	1	F457
2007-1999	7/8" Or 23mm Sway Bar Diameter	To Frame	K8689	1	F457
Sway Bar Link					
2017-2008	(Powdered Metal Gusher Brg. For Better Lubrication)		K750322 ‡	2	F408
F350 Super Duty					
Ball Joint					
2018-2005	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K80026 ‡	2	F342
	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K8607T ‡	2	F342
2017-2005	Four Wheel Drive (4X4), (Design Allows Ease Of Installation)	At Track Bar	K500262 ‡	1	F342
2016-2003	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80028 ‡	2	F599
	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80027 ‡	2	F599

FORD TRUCK-300, 350 Series - 1 Ton (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
F350 Super Duty				
Radius Arm Bushing Kit				
2014-2005	Four Wheel Drive (4X4)	Rear	K201635	2 F342
Sway Bar Bushing				
2016	Four Wheel Drive (4X4), Dual Rear Wheels, (Design Allows Ease Of Installation) Four Wheel Drive (4X4), Single Rear Wheels, (Design Allows Ease Of Installation)	To Frame To Frame	K200883 ‡ K200884 ‡	1 F342 1 F342
2016-2011	Two Wheel Drive (4x2), Narrow Frame, Dual Rear Wheels, (Design Allows Ease Of Installation) Two Wheel Drive (4x2), Narrow Frame, Single Rear Wheels, (Design Allows Ease Of Installation) Two Wheel Drive (4x2), Wide Frame, Dual Rear Wheels, (Design Allows Ease Of Installation) Two Wheel Drive (4x2), Wide Frame, Single Rear Wheels, (Design Allows Ease Of Installation)	To Frame To Frame To Frame To Frame	K200882 ‡ K200885 ‡ K200883 ‡ K200882 ‡	1 F599 1 F599 1 F599 1 F599
2015-2011	Four Wheel Drive (4X4), Wide Frame, Except Wide Track Axle, Single Rear Wheels, (Design Allows Ease Of Installation) Four Wheel Drive (4X4), Wide Frame, Wide Track Axle, (Design Allows Ease Of Installation)	To Frame To Frame	K200884 ‡ K200885 ‡	1 F342 1 F342
2015-2008	Four Wheel Drive (4X4), Narrow Frame, (Design Allows Ease Of Installation)	To Frame	K200883 ‡	1 F342
2014-2011	Four Wheel Drive (4X4), Wide Frame, Dual Rear Wheels, Except Wide Track Axle, (Design Allows Ease Of Installation)	To Frame	K200883 ‡	1 F342
2010	Two Wheel Drive (4x2), 15/16" Sway Bar Diameter, Dual Rear Wheels, Twin I-beam Axle	To Frame	K201714	1 F599
2010-2008	Four Wheel Drive (4X4), Wide Frame, Dual Rear Wheels, (Design Allows Ease Of Installation) Four Wheel Drive (4X4), Wide Frame, Single Rear Wheels, (Design Allows Ease Of Installation) Two Wheel Drive (4x2), Narrow Frame, 32mm Sway Bar Diameter, Dual Rear Wheels, (Design Allows Ease Of Installation) Two Wheel Drive (4x2), Wide Frame, Single Rear Wheels, (Design Allows Ease Of Installation)	To Frame To Frame To Frame To Frame	K200883 ‡ K200884 ‡ K200882 ‡ K200881 ‡	1 F342 1 F342 1 F599 1 F599
2007-2005	Four Wheel Drive (4X4), 21mm Sway Bar Diameter, (Design Allows Ease Of Installation)	To Frame	K200880 ‡	1 F342
2007-2003	Two Wheel Drive (4x2), 1-1/8" Sway Bar Diameter Two Wheel Drive (4x2), 15/16" Sway Bar Diameter	To Frame To Frame	K201715 K201714	1 F599 1 F599
Sway Bar Link				
2017-2011	Four Wheel Drive (4X4), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750362 ‡	2 F342
2017-2005	Two Wheel Drive (4x2), 6.85" Center To Center		K80043	2 F599
2010	Four Wheel Drive (4X4), From 2/12/10, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Four Wheel Drive (4X4), Thru 2/11/10, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750362 ‡ K700452 ‡	2 F342 2 F342
2009-2008	Four Wheel Drive (4X4), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K700452 ‡	2 F342
2007	Four Wheel Drive (4X4), From 12/18/06, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Four Wheel Drive (4X4), Thru 12/17/06, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K700452 ‡ K750138 ‡	2 F342 2 F342
Track Bar				
2015-2005	(Design Allows Ease Of Installation)		DS300045 ‡	1 F342
Track Bar Bushing				
2015-2005	(Design Allows Ease Of Installation)		K200640 ‡	1 F342
Wheel Hub & Bearing Assembly				
2016-2011	Four Wheel Drive (4X4), Dual Rear Wheels Four Wheel Drive (4X4), Single Rear Wheels		515131 515130	2 2
2010-2008	Four Wheel Drive (4X4), Except Extended Axle, Dual Rear Wheels Four Wheel Drive (4X4), Extended Axle, Dual Rear Wheels		515082 515116	2 2
2010-2005	Four Wheel Drive (4X4), Single Rear Wheels		515081	2
2007-2005	Four Wheel Drive (4X4), Dual Rear Wheels		515082	2
Transit 350				
Ball Joint				
2017-2015		Lower	K500339	2
Control Arm Bushing				
2017-2015		Lower Front Inner	K201761	2
Sway Bar Link				
2016-2015			K750813	2
Wheel Hub & Bearing Assembly				
2017-2015	Dual Rear Wheels Single Rear Wheels		515152 515153	2 2
Transit 350HD				
Ball Joint				
2017-2015		Lower	K500339	2

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Transit 350HD				
Control Arm Bushing				
2017-2015	Lower Front Inner	K201761	2	
Sway Bar Link				
2016-2015		K750813	2	
Wheel Hub & Bearing Assembly				
2017-2015	Dual Rear Wheels Single Rear Wheels	515152 515153	2 2	
Wagon E350 Super Duty				
Ball Joint				
2014-2009	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80028 ‡	2 F408
2014-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80197 ‡	2 F408
2008	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80196 ‡	2 F408
2007-1997	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) (Powdered Metal Gusher Brg. For Better Lubrication)	Upper Lower	K80196 ‡ K80197 ‡	2 F457 2 F457
Front Axle Pivot Bushing				
2014-2008			K8672	2 F408
2007-1997	1/2" Bolts 5/8" Bolt, 1.702" Outside Diameter 5/8" Bolt, 1.762" Outside Diameter, (Standard Design)		K8672 K8312 K8300	2 F457 2 F457 2 F457
Radius Arm Bushing Kit				
2013-2008			K201344	2 F408
2007-1997	(Contains Thermoplastic Bushing For Heat Resistance, High Performance, Design Allows Ease Of Installation) (Standard Design)		K80005 ‡ K8268	1 F457 1 F457
Sway Bar Bushing				
2014-2008	1" Sway Bar Diameter, Single Rear Wheels, (Split Design For Easier Installation)	To Frame	K8690 ‡	1 F408
2008	(Standard Design) 7/8" Or 23mm Sway Bar Diameter	To Axle To Frame	K8645 K8689	2 F408 1 F408
2007-2005	7/8" Or 23mm Sway Bar Diameter	To Frame	K8689	1 F457
2007-1997	(Contains Polyurethane Bushing) (Standard Design) 1" Sway Bar Diameter, (Split Design For Easier Installation)	To Axle To Axle To Frame	K80222 ‡ K8645 K8690 ‡	1 F457 2 F457 1 F457
Sway Bar Link				
2014-2008	(Powdered Metal Gusher Brg. For Better Lubrication)		K750322 ‡	2 F408


STEERING




S195

FORD TRUCK-300, 350 Series - 1 Ton (Cont.)

STEERING (Cont.)



S196



S286

Year	Model/Application	Part	P/C Qty	Figure
Econoline E350 Super Duty				
Drag Link Assembly				
2017-2008	Dual Rear Wheels	DS300055	1	S286
2017-2006	Single Rear Wheels, (Powdered Metal Gusher Brg. For Better Lubrication)	DS300003 ‡	1	S286
2007-1997	Dual Rear Wheels, (Functioning As A Drag Link, Connecting Tie Rod, Greaseable Socket Reduces Corrosion/Wear) Right Inner	DS80784 ‡	1	S286
Pitman Arm				
2017-2005	36 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡	1	S286
Tie Rod Adjusting Sleeve				
2017	1" - 18 Threads, 5.5" Length, (Coated For Corrosion Resistance)	ES2012S ‡	2	S286
2017-2008	(Coated For Corrosion Resistance)	ES2012S ‡	2	S286
2014	1" - 18 Threads, 5.5" Length, (Coated For Corrosion Resistance)	ES2012S ‡	2	S286
2007-1997	1" - 18 Threads, 5.5" Length, (Coated For Corrosion Resistance)	Left ES2079S Right ES2012S ‡	1 1	S286 S286
Tie Rod End				
2017-2008	(Powdered Metal Gusher Brg. For Better Lubrication) Left Outer	ES800402 ‡	1	S286
	(Powdered Metal Gusher Brg. For Better Lubrication) Left Inner	ES800481 ‡	1	S286
2017-2006	(Powdered Metal Gusher Brg. For Better Lubrication) Right Outer	ES800401 ‡	1	S286
	Single Rear Wheels, (Powdered Metal Gusher Brg. For Better Lubrication) Right Inner	DS300003 ‡	1	S286
2007	(Powdered Metal Gusher Brg. For Better Lubrication) Left Inner	ES800434 ‡	1	S286
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication) Left Outer	ES800523 ‡	1	S286
2007-1997	Dual Rear Wheels, (Functioning As A Drag Link, Connecting Tie Rod, Greaseable Socket Reduces Corrosion/Wear) Right Inner	DS80784 ‡	1	S286
Econoline E350 Super Duty Ext.				
Drag Link Assembly				
2017-2008	Dual Rear Wheels	DS300055	1	S286
2017-2006	Single Rear Wheels, (Powdered Metal Gusher Brg. For Better Lubrication)	DS300003 ‡	1	S286


STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Econoline E350 Super Duty Ext.				
Drag Link Assembly				
2007-1999	Dual Rear Wheels, (Functioning As A Drag Link, Connecting Tie Rod, Greaseable Socket Reduces Corrosion/Wear)	Right Inner DS80784 ‡	1	S286
Pitman Arm				
2017-2005	36 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡	1	S286
Tie Rod Adjusting Sleeve				
2017-2008	(Coated For Corrosion Resistance)	ES2012S ‡	2	S286
2016-2012	1" - 18 Threads, 5.5" Length, (Coated For Corrosion Resistance)	ES2012S ‡	2	S286
2007-1999	(Coated For Corrosion Resistance)	Left ES2079S	1	S286
		Right ES2012S ‡	1	S286
Tie Rod End				
2017-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer ES800402 ‡	1	S286
		Left Inner ES800481 ‡	1	S286
2017-2006	(Powdered Metal Gusher Brg. For Better Lubrication) Single Rear Wheels, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer ES800401 ‡	1	S286
		Right Inner DS300003 ‡	1	S286
2008-1999	Dual Rear Wheels, (Functioning As A Drag Link, Connecting Tie Rod, Greaseable Socket Reduces Corrosion/Wear)	Right Inner DS80784 ‡	1	S286
2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Inner ES800434 ‡	1	S286
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer ES800523 ‡	1	S286
F350 Super Duty				
Center Link				
2016-2011	Two Wheel Drive (4x2), (Design Allows Ease Of Installation)	DS300038 ‡	1	S196
Drag Link Adjusting Sleeve				
2017-2005	Four Wheel Drive (4X4), (Coated For Corrosion Resistance)	ES3420S ‡	1	S195
2010-2008	Two Wheel Drive (4x2), Narrow Frame, (Coated For Corrosion Resistance)	ES3426S ‡	2	S286
Drag Link Assembly				
2016-2011	Four Wheel Drive (4X4), 34.16" From Stud Center To End, (Design Allows Ease Of Installation)	At Pitman Arm DS300040 ‡	1	S195
	Four Wheel Drive (4X4), 36.8" From Stud Center To End, (Design Allows Ease Of Installation)	At Pitman Arm DS300039 ‡	1	S195
2010-2008	Four Wheel Drive (4X4), (Design Allows Ease Of Installation)	At Pitman Arm, Inner DS300037 ‡	1	S195
	Two Wheel Drive (4x2), (Design Allows Ease Of Installation)	Right Inner DS300053 ‡	1	S286
2007-2005	Four Wheel Drive (4X4), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	At Pitman Arm, Inner DS80749 ‡	1	S195
	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Right Inner ES80752 ‡	1	S286
Idler Arm				
2016-2011	Two Wheel Drive (4x2), (Arm Only)	K400026	1	S196
	Two Wheel Drive (4x2), (Bracket Pivot Assembly)	K400027	1	S196
Pitman Arm				
2016-2011		K440028	1	S195, S196
2010-2009	Four Wheel Drive (4X4), Narrow Frame, (Heavy Duty Design)	K440027 ‡	1	S195
2010-2005	Two Wheel Drive (4x2)	K440024	1	S286
2008-2005	Four Wheel Drive (4X4), (Heavy Duty Design)	K440027 ‡	1	S195
Tie Rod Adjusting Sleeve				
2017	Cab-Chassis (2 Dr. Ext'd), Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr. Ext'd), Cab-Chassis (4 Dr.) Crew Cab, Four Wheel Drive (4X4), (Design Allows Ease Of Installation)	ES800977S ‡	1	S195
2017-2011	Two Wheel Drive (4x2), (Coated For Corrosion Resistance)	ES3426S ‡	2	S196
2016-2011	Four Wheel Drive (4X4), Except Wide Track Axle, 1-3/8" Thread Diameter, (Design Allows Ease Of Installation)	ES800977S ‡	1	S195
2016-2008	Four Wheel Drive (4X4), Wide Track Axle	ES801203S	1	S195
2010-2008	Two Wheel Drive (4x2), Narrow Frame, (Coated For Corrosion Resistance)	ES3426S ‡	2	S286
2010-2005	Four Wheel Drive (4X4), Except Wide Track Axle, (Design Allows Ease Of Installation)	ES800977S ‡	1	S195
2007-2003	Two Wheel Drive (4x2), (Coated For Corrosion Resistance)	Left ES3421S ‡	1	S286
	Two Wheel Drive (4x2), (Coated For Corrosion Resistance)	Right ES3420S ‡	1	S286
Tie Rod End				
2018	Two Wheel Drive (4x2), (Greaseable Socket Reduces Corrosion/Wear)	Right Outer ES800777 ‡	1	S196
2018-2011	Two Wheel Drive (4x2), (Greaseable Socket Reduces Corrosion/Wear)	Left Inner ES800778 ‡	1	S196
2017-2011	Two Wheel Drive (4x2), (Greaseable Socket Reduces Corrosion/Wear)	Right Inner ES800777 ‡	1	S196
2016	Four Wheel Drive (4X4), Wide Track Axle, (Design Allows Ease Of Installation)	Left Outer ES800881 ‡	1	S195
2016-2011	Four Wheel Drive (4X4), 1-3/8" Thread Diameter, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer ES80754 ‡	1	S195

FORD TRUCK-300, 350 Series - 1 Ton (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
F350 Super Duty				
Tie Rod End				
2016-2011 (Cont.)	Four Wheel Drive (4X4), 1-3/8" Thread Diameter, (Without Stud, Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES80755 ‡	1 S195
	Four Wheel Drive (4X4), 1-9/16" Thread Diameter, (Without Stud, Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800880 ‡	1 S195
	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800484 ‡	2 S196
2016-2005	Four Wheel Drive (4X4), (With Stud, Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	DS300008 ‡	1 S195
2015-2011	Four Wheel Drive (4X4), 1-9/16" Thread Diameter, (Design Allows Ease Of Installation)	Left Outer	ES800881 ‡	1 S195
2010-2008	Four Wheel Drive (4X4), Except Wide Track Axle, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES80754 ‡	1 S195
	Four Wheel Drive (4X4), Except Wide Track Axle, (Without Stud, Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES80755 ‡	1 S195
	Four Wheel Drive (4X4), Wide Track Axle, (Design Allows Ease Of Installation)	Left Outer	ES800881 ‡	1 S195
	Four Wheel Drive (4X4), Wide Track Axle, (Without Stud, Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800880 ‡	1 S195
	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800484 ‡	1 S286
	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800483 ‡	1 S286
	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Left Inner	ES800465 ‡	1 S286
2007-2005	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES80754 ‡	1 S195
	Four Wheel Drive (4X4), (Without Stud, Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES80755 ‡	1 S195
	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Left Inner	ES80753 ‡	1 S286
2007-2003	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES3418 ‡	1 S286
	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES3417T ‡	1 S286
Transit 350				
Tie Rod End				
2017-2015		Outer	ES801219	2
		Inner	EV801332 ‡	2
Transit 350HD				
Tie Rod End				
2017-2015		Outer	ES801219	2
		Inner	EV801332 ‡	2
Wagon E350 Super Duty				
Drag Link Assembly				
2014-2008	Dual Rear Wheels		DS300055	1 S286
2014-2006	Single Rear Wheels, (Powdered Metal Gusher Brg. For Better Lubrication)		DS300003 ‡	1 S286
2007-1997	Dual Rear Wheels, (Functioning As A Drag Link, Connecting Tie Rod, Greaseable Socket Reduces Corrosion/Wear)	Right Inner	DS80784 ‡	1 S286
Pitman Arm				
2014-2005	36 Teeth, (MOOG Engineered Steel Composition Enhances Strength)		K80785 ‡	1 S286
Tie Rod Adjusting Sleeve				
2014-2008	(Coated For Corrosion Resistance)		ES2012S ‡	2 S286
2007-1997	1" - 18 Threads, 5.5" Length, (Coated For Corrosion Resistance)	Left	ES2079S	1 S286
		Right	ES2012S ‡	1 S286
Tie Rod End				
2014-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800402 ‡	1 S286
	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Inner	ES800481 ‡	1 S286
2014-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800401 ‡	1 S286
	Single Rear Wheels, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Inner	DS300003 ‡	1 S286
2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Inner	ES800434 ‡	1 S286
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800523 ‡	1 S286
2007-1997	Dual Rear Wheels, (Functioning As A Drag Link, Connecting Tie Rod, Greaseable Socket Reduces Corrosion/Wear)	Right Inner	DS80784 ‡	1 S286

REAR SUSPENSION



R309

Year	Model/Application	Part	P/C Qty	Figure
Econoline E350 Super Duty				
Leaf Spring Bushing				
2017-1997	1.562" Outside Diameter	Front	K201300	2 R309
Leaf Spring Shackle				
2016-1997	(Contains Shackle, Nuts, Bolts & Bushing)	Rear	K150411	2 R309
Sway Bar Bushing				
2017-2005	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Standard Design)	To Frame To Frame	K201624 ‡ K8655	1 1
Sway Bar Link				
2014-1997	12.9" Length, (Link And Bushing Kit, Improves Upon OE Design)		K80015 ‡	2
Econoline E350 Super Duty Ext.				
Leaf Spring Bushing				
2017-1999	1.562" Outside Diameter	Front	K201300	2 R309
Leaf Spring Shackle				
2016-1999	(Contains Shackle, Nuts, Bolts & Bushing)	Rear	K150411	2 R309
Sway Bar Bushing				
2017-2005	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Standard Design)	To Frame To Frame	K201624 ‡ K8655	1 1
Sway Bar Link				
2014-1999	12.9" Length, (Link And Bushing Kit, Improves Upon OE Design)		K80015 ‡	2
F350 Super Duty				
Leaf Spring Shackle				
2007-2003	(Contains Hardware)		K150417	2
Sway Bar Bushing				
2017	Diesel, 1-1/4" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) Diesel, 1-1/4" Sway Bar Diameter, (Standard Design) Flex Fuel, 1-1/4" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) Flex Fuel, 1-1/4" Sway Bar Diameter, (Standard Design)	To Frame To Frame To Frame To Frame	K201626 ‡ K80072 K201626 ‡ K80072	1 1 1 1
2016	Narrow Frame, 1-1/4" Sway Bar Diameter, 1.875" Inside Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) Narrow Frame, 1-1/4" Sway Bar Diameter, 1.875" Inside Diameter, (Standard Design)	To Frame To Frame	K201626 ‡ K80072	1 1
2016-2008	Four Wheel Drive (4X4), Wide Frame Two Wheel Drive (4x2), Wide Frame	To Frame To Frame	K201452 K201450	1 1
2015-2007	Narrow Frame, 1-1/4" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) Narrow Frame, 1-1/4" Sway Bar Diameter, (Standard Design)	To Frame To Frame	K201626 ‡ K80072	1 1
Sway Bar Link				
2017	10.39" Center To Center, 10.39" Stud To Stud		K80575	2
2017-2013	7.91" Stud To Stud		K80268 ‡	2
2016-2013	15.41" Stud To Stud		K750812	2


FORD TRUCK-300, 350 Series - 1 Ton (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
F350 Super Duty				
Sway Bar Link				
2016-2008	13.7" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750261 ‡	2	
2012-2008	12" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80269 ‡	2	
2011-2008	15.2" Center To Center, (Improves Upon OE Design)	K750431 ‡	2	
2011-2005	7.91" Stud To Stud	K80268 ‡	2	
2007-2005	Pickup (2 Dr.), Pickup (4 Dr. Ext'd Cab), Two Wheel Drive (4x2), 12" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80269 ‡	2	
2007-2003	Four Wheel Drive (4X4), Wide Frame, 13.7" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750261 ‡	2	
	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr. Ext'd), Cab-Chassis (4 Dr.) Crew Cab, 7.91" Stud To Stud	K80268 ‡	2	
Sway Bar Repair Kit				
2015-2011	(Bolts Not Included, Contains Thermoplastic Bushing For Both Ends Of Link)	K80085	1	
2010-2003	(Bolts Not Included, Contains Thermoplastic Bushing For Both Ends Of Link)	K80086	1	
Wagon E350 Super Duty				
Leaf Spring Bushing				
2014-1997	1.562" Outside Diameter	Front K201300	2	R309
Leaf Spring Shackle				
2014-1997	(Contains Shackle, Nuts, Bolts & Bushing)	Rear K150411	2	R309
Sway Bar Bushing				
2014-2010	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201624 ‡	1	
	(Standard Design)	To Frame K8655	1	
Sway Bar Link				
2013-1997	12.9" Length, (Link And Bushing Kit, Improves Upon OE Design)	K80015 ‡	2	


FORD TRUCK-450, 500, 550 Series

FRONT SUSPENSION




F342


FRONT SUSPENSION (Cont.)



F408



F457



F595

Year	Model/Application	Part	P/C Qty	Figure
Econoline E450 Super Duty				
Ball Joint				
2017-2009	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80028 ‡	2 F408
2017-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80197 ‡	2 F408
2008	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80196 ‡	2 F408
2007-1999	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80196 ‡	2 F457
		Lower	K80197 ‡	2 F457

FORD TRUCK-450, 500, 550 Series (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Econoline E450 Super Duty				
Front Axle Pivot Bushing				
2017-2008	1.76" Outside Diameter	K8672	2	F408
2007-1999	1.76" Outside Diameter	K8672	2	F457
Radius Arm Bushing Kit				
2017-2008		K201344	2	F408
2007-1999	(Contains Thermoplastic Bushing For Heat Resistance, High Performance, Design Allows Ease Of Installation) (Standard Design)	K80005 ‡ K8268	1 1	F457 F457
Sway Bar Bushing				
2007-1999	(Contains Polyurethane Bushing) (Standard Design)	To Axle To Axle K80222 ‡ K8645	1 2	F457 F457
Sway Bar Link				
2017-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	K750322 ‡	2	F408
F53				
King Bolt Set				
2018-2005	16000 Thru 22000 Lb GVW, 1.300" X 7.757", (Contains Metal Bushing, Two Keyways)	8639B	1	
Sway Bar Link				
2018-2008	16000 Thru 22000 Lb GVW 24000 And 26000 Lb GVW	K700781 K700695	2 2	
F450 Super Duty				
Ball Joint				
2018-2011	Pickup (4 Dr.) Crew Cab, (Powdered Metal Gusher Brg. For Better Lubrication) Pickup (4 Dr.) Crew Cab, (Powdered Metal Gusher Brg. For Better Lubrication)	Upper Lower K80026 ‡ K8607T ‡	2 2	F342, F595 F342, F595
2016-2011	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr. Ext'd), Cab-Chassis (4 Dr.) Crew Cab, (Powdered Metal Gusher Brg. For Better Lubrication) Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr. Ext'd), Cab-Chassis (4 Dr.) Crew Cab, (New Pre-Installed Integral Dust Boot Eases Installation) Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr. Ext'd), Cab-Chassis (4 Dr.) Crew Cab, (Original Equipment Boot Design)	Upper Lower Lower K500087 ‡ K500141 K500243	2 2 2	F342, F595 F342, F595 F342, F595
2016-2005	(Design Allows Ease Of Installation)	At Track Bar K500262 ‡	1	F342, F595
2010-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (New Pre-Installed Integral Dust Boot Eases Installation) (Original Equipment Boot Design)	Upper Lower Lower K500087 ‡ K500141 K500243	2 2 2	F342, F595 F342, F595 F342, F595
Radius Arm Bushing Kit				
2014-2005		Rear K201635	2	F342, F595
Sway Bar Bushing				
2016-2015	Narrow Frame, (Design Allows Ease Of Installation) Wide Frame, (Design Allows Ease Of Installation)	To Frame To Frame K200885 ‡ K200886 ‡	1 1	F342, F595 F342, F595
2014-2011	(Design Allows Ease Of Installation)	To Frame K200885 ‡	1	F342, F595
2010-2009	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab, (Design Allows Ease Of Installation)	To Frame K200885 ‡	1	F342, F595
2010-2008	Pickup (4 Dr.) Crew Cab, (Design Allows Ease Of Installation)	To Frame K200886 ‡	1	F342, F595
2008	Cab-Chassis (2 Dr.), (Design Allows Ease Of Installation)	To Frame K200885 ‡	1	F342, F595
2007-2006	(Design Allows Ease Of Installation)	To Frame K200887 ‡	1	F342, F595
Sway Bar Link				
2017-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750362 ‡	2	F342, F595
2009	From 12/1/08, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Thru 11/30/08, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750362 ‡ K700452 ‡	2 2	F342, F595 F342, F595
2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K700452 ‡	2	F342, F595
2007	From 12/18/06, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Thru 12/17/06, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K700452 ‡ K750138 ‡	2 2	F342, F595 F342, F595
Track Bar				
2016-2005	(Design Allows Ease Of Installation)	DS300045 ‡	1	F342, F595
Track Bar Bushing				
2016-2005	(Design Allows Ease Of Installation)	K200640 ‡	1	F342, F595
Wheel Hub & Bearing Assembly				
2016-2011	8 Lug Wheels 4 X 2, 10 Lug Wheels 4 X 4, 10 Lug Wheels	515134 515132 515133	2 2 2	
2010	4 X 4, Single Rear Wheels	515081	2	
2010-2005	4 X 2 4 X 4, Dual Rear Wheels	515115 515083	2 2	

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
F550 Super Duty				
Ball Joint				
2016-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (New Pre-Installed Integral Dust Boot Eases Installation) (Original Equipment Boot Design) (Design Allows Ease Of Installation)	Upper Lower Lower At Track Bar	K500087 ‡ K500141 K500243 K500262 ‡	2 2 2 1 F342, F595 F342, F595 F342, F595 F342, F595
Radius Arm Bushing Kit				
2014-2005		Rear	K201635	2 F342, F595
Sway Bar Bushing				
2016-2015	Narrow Frame, (Design Allows Ease Of Installation) Wide Frame, (Design Allows Ease Of Installation)	To Frame To Frame	K200885 ‡ K200886 ‡	1 1 F342, F595 F342, F595
2014-2011	(Design Allows Ease Of Installation)	To Frame	K200885 ‡	1 F342, F595
2010-2008	Narrow Frame, (Design Allows Ease Of Installation) Wide Frame, (Design Allows Ease Of Installation)	To Frame To Frame	K200885 ‡ K200886 ‡	1 1 F342, F595 F342, F595
2007-2006	(Design Allows Ease Of Installation)	To Frame	K200887 ‡	1 F342, F595
Sway Bar Link				
2017-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750362 ‡	2 F342, F595
2009	From 12/1/08, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Thru 11/30/08, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750362 ‡ K700452 ‡	2 2 F342, F595 F342, F595
2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K700452 ‡	2 F342, F595
2007	From 12/18/06, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Thru 12/17/06, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K700452 ‡ K750138 ‡	2 2 F342, F595 F342, F595
Track Bar				
2016-2005	(Design Allows Ease Of Installation)		DS300045 ‡	1 F342, F595
Track Bar Bushing				
2016-2005	(Design Allows Ease Of Installation)		K200640 ‡	1 F342, F595
Wheel Hub & Bearing Assembly				
2016-2011	4 X 2 4 X 4		515132 515133	2 2
2010	4 X 4, Single Rear Wheels		515081	2
2010-2005	4 X 2 4 X 4, Dual Rear Wheels		515115 515083	2 2


STEERING



S195

FORD TRUCK-450, 500, 550 Series (Cont.)

STEERING (Cont.)



S286

Year	Model/Application	Part	P/C Qty	Figure	
Econoline E450 Super Duty					
Drag Link Assembly					
2017-2008	Dual Rear Wheels	DS300055	1	S286	
2014-2006	Single Rear Wheels, (Powdered Metal Gusher Brg. For Better Lubrication)	DS300003 ‡	1	S286	
2007-1999	(Functioning As A Drag Link, Connecting Tie Rod, Greaseable Socket Reduces Corrosion/Wear) Right Inner	DS80784 ‡	1	S286	
Pitman Arm					
2017-2005	36 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡	1	S286	
Tie Rod Adjusting Sleeve					
2017-2008	1" - 18 Threads, 5.5" Length, (Coated For Corrosion Resistance)	ES2012S ‡	2	S286	
2007-1999	1" - 18 Threads, 5.5" Length, (Coated For Corrosion Resistance)	Left	ES2079S	1	S286
		Right	ES2012S ‡	1	S286
Tie Rod End					
2017-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800402 ‡	1	S286
		Left Inner	ES800481 ‡	1	S286
2017-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800401 ‡	1	S286
2014-2006	Single Rear Wheels, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Inner	DS300003 ‡	1	S286
2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Inner	ES800434 ‡	1	S286
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800523 ‡	1	S286
2007-1999	(Functioning As A Drag Link, Connecting Tie Rod, Greaseable Socket Reduces Corrosion/Wear) At Pitman Arm, Inner	DS80784 ‡	1	S286	
F450 Super Duty					
Drag Link Adjusting Sleeve					
2017-2005	(Coated For Corrosion Resistance)	ES3420S ‡	1	S195	
Drag Link Assembly					
2016-2011	Bent Pitman Arm, (Design Allows Ease Of Installation) Straight Pitman Arm, (Design Allows Ease Of Installation)	At Pitman Arm	DS300041 ‡	1	S195
		At Pitman Arm	DS300039 ‡	1	S195
2010-2005	(Design Allows Ease Of Installation)	At Pitman Arm	DS300042 ‡	1	S195
Pitman Arm					
2016-2011	(Straight Arm)	K440028	1	S195	
Tie Rod Adjusting Sleeve					
2016-2011		ES801203S	1	S195	
Tie Rod End					
2017	Pickup (4 Dr.) Crew Cab, (Design Allows Ease Of Installation) Pickup (4 Dr.) Crew Cab, (With Stud, Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800881 ‡	1	S195
		Right Outer	DS300008 ‡	1	S195
2017-2011	(Without Stud, Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800880 ‡	1	S195
2016-2011	(Design Allows Ease Of Installation)	Left Outer	ES800881 ‡	1	S195
2016-2005	(With Stud, Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	DS300008 ‡	1	S195
2010-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Without Stud, Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES80754 ‡	1	S195
		Right Outer	ES80755 ‡	1	S195
F550 Super Duty					
Drag Link Adjusting Sleeve					
2017-2005	(Coated For Corrosion Resistance)	ES3420S ‡	1	S195	

(Cont.) 450, 500, 550 Series—FORD TRUCK

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
F550 Super Duty				
Drag Link Assembly				
2016-2011	Bent Pitman Arm, (Design Allows Ease Of Installation)	At Pitman Arm	DS300041 ‡	1 S195
	Straight Pitman Arm, (Design Allows Ease Of Installation)	At Pitman Arm	DS300039 ‡	1 S195
2010-2005	(Design Allows Ease Of Installation)	At Pitman Arm	DS300042 ‡	1 S195
Pitman Arm				
2016-2011	(Straight Arm)		K440028	1 S195
Tie Rod Adjusting Sleeve				
2016-2011			ES801203S	1 S195
Tie Rod End				
2016-2011	(Design Allows Ease Of Installation)	Left Outer	ES800881 ‡	1 S195
	(Without Stud, Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800880 ‡	1 S195
2016-2005	(With Stud, Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	DS300008 ‡	1 S195
2010-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES80754 ‡	1 S195
	(Without Stud, Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES80755 ‡	1 S195
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Econoline E450 Super Duty				
Leaf Spring Shackle				
2015-2000	(Contains Shackle, Nuts, Bolts & Bushing)	Rear	K150411	2
Sway Bar Bushing				
2017-1999	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201624 ‡	1
	(Standard Design)	To Frame	K8655	1
Sway Bar Link				
2014-1999	12.9" Length, (Link And Bushing Kit, Improves Upon OE Design)		K80015 ‡	2
F53				
Sway Bar Link				
2018-2008			K700694	2
F450 Super Duty				
Sway Bar Bushing				
2014	Thru 3/16/14	To Frame	K201450	1
2013-2011		To Frame	K201450	1
Sway Bar Link				
2017	7.93" Center To Center		K80268 ‡	2
2016-2008	Narrow Frame, 10.39" Center To Center		K80575	2
2015-2011	Wide Frame, 13.7" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750261 ‡	2
2010-2008	Wide Frame, 12.5" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K700366 ‡	2
2007-2005	304mm Overall Length		K80575	2
Sway Bar Repair Kit				
2010-2005	(Bolts Not Included, Contains Thermoplastic Bushing For Both Ends Of Link)		K80086	1
F550 Super Duty				
Sway Bar Bushing				
2014	Thru 3/16/14	To Frame	K201450	1
2013-2011		To Frame	K201450	1
Sway Bar Link				
2017	7.93" Center To Center		K80268 ‡	2
2016-2005	Narrow Frame, 10.39" Center To Center		K80575	2
2014-2011	Wide Frame, 13.7" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750261 ‡	2
2010-2008	Wide Frame, 12.5" Center To Center, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K700366 ‡	2
2007-2003	304mm Overall Length, (Bent With 2 Studs)		K80575	2
Sway Bar Repair Kit				
2010-2005	(Bolts Not Included, Contains Thermoplastic Bushing For Both Ends Of Link)		K80086	1

FORD TRUCK-600, 6000 Series

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
F650 Super Duty				
Sway Bar Link				
2011-2000	8.35" Center To Center, (Straight Link With Eyelets On Both Ends, Improves Upon OE Design)	K80042 ‡	2	


FORD TRUCK-700, 7000 Series

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
F750 Super Duty				
Sway Bar Link				
2011-2000	8.35" Center To Center, (Straight Link With Eyelets On Both Ends, Improves Upon OE Design)	K80042 ‡	2	
F750S Super Duty				
Sway Bar Link				
2007-2006	8.35" Center To Center, (Straight Link With Eyelets On Both Ends, Improves Upon OE Design)	K80042 ‡	2	

FORD TRUCK-Ecosport

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018	(Improves Upon OE Design)	K750612 ‡	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018		Left Outer ES801173 Right Outer ES800985	1 1	


FORD TRUCK-Edge

FRONT SUSPENSION				
				
F437				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2014-2007	(Greaseable Socket Reduces Corrosion/Wear)	Lower	K500205 ‡	2 F437
Control Arm Bushing				
2014-2007	(Design Allows Ease Of Installation)	Lower Front	K200857 ‡	2 F437
	(Design Allows Ease Of Installation)	Left Rear Lower	K200855 ‡	1 F437
	(Design Allows Ease Of Installation)	Right Rear Lower	K200856 ‡	1 F437
Control Arm with Ball Joint				
2014	Thru 12/24/14, (R-Series)	Left Lower	RK620487	1 F437
	Thru 12/24/14, (R-Series)	Right Lower	RK620486	1 F437


FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2013-2007	(R-Series) (R-Series)	Left Lower Right Lower	RK620487 RK620486	1 1	F437 F437
Strut Bumper Bellows					
2014-2007	(Contains Bumper)		K90461	2	F437
Strut Mount					
2014-2011	(Contains Bearing And Spring Seat)		K160367	2	F437
2010-2009	(Contains Bearing And Spring Seat)		K160369	2	F437
2008-2007	(Contains Bearing And Spring Seat, Superior Rubber To Steel Bonding For Durability)		K160206 ‡	2	F437
Sway Bar Bushing					
2014-2007	All Wheel Drive, 34mm Sway Bar Diameter Front Wheel Drive	To Frame To Frame	K201297 K201342	1 1	F437 F437
Sway Bar Link					
2017-2015	(Greaseable Socket Reduces Corrosion/Wear)		K750740 ‡	2	
2014-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K750159 ‡	2	F437
Wheel Hub & Bearing Assembly					
2017-2015			513394	2	
Wheel Hub Repair Kit					
2010-2007			518517	2	
STEERING					
<p>The diagram shows an exploded view of steering components. At the top center is a rack and pinion assembly. To its left are two tie rod ends, labeled 'Tie Rod End (Outer)' and 'Tie Rod End (Inner)'. To its right is another 'R&P Boot Kit'. Below the rack and pinion are two more tie rod ends, labeled 'Tie Rod End (Inner)' and 'Tie Rod End (Outer)'. A label 'S256' is positioned at the bottom left of the diagram area.</p>					
S256					
Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2015		Left	K150320	1	
2014-2007		Left	K150320	1	S256
Tie Rod End					
2018-2017	SE, SEL, Titanium Sport, Except 21" Wheels	Inner Inner	EV801122 EV801122	2 2	
2018-2016	Sport, 21" Wheels	Inner	EV801280 ‡	2	
2018-2015		Left Outer Right Outer	ES801110 ES801109	1 1	
2016	Except 21" Wheels	Inner	EV801122	2	
2015	Except 21" Wheels, From 1/19/15 From 1/19/15, 21" Wheels	Inner Inner	EV801122 EV801280 ‡	2 2	
2014	Thru 12/24/14, (Powdered Metal Gusher Brg. For Better Lubrication) Thru 12/24/14, (Powdered Metal Gusher Brg. For Better Lubrication) Thru 12/24/14, (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800474 ‡ ES800473 ‡ EV800576 ‡	1 1 2	S256 S256 S256
2013-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800474 ‡ ES800473 ‡ EV800576 ‡	1 1 2	S256 S256 S256

FORD TRUCK-Edge (Cont.)

REAR SUSPENSION




R111



R112

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2010-2007	(R-Series)	Upper	RK642097	2 R111
	(R-Series)	Lower Front	RK642096	2 R111
Sway Bar Bushing				
2014-2011		To Frame	K201422	1 R112
2010-2009	22" Wheels Except 22" Wheels	To Frame	K201578	1 R111
		To Frame	K201544	1 R111
2008-2007		To Frame	K201544	1 R111
Sway Bar Link				
2017-2015	(Design Allows Ease Of Installation)		K750744 ‡	2
2014-2011	M10 - 1.5 Thread, (Ball Stud, Improves Upon OE Design)		K750580 ‡	2 R112
2010-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K750184 ‡	2 R111
Wheel Hub & Bearing Assembly				
2017-2015	All Wheel Drive		513394	2
	Front Wheel Drive		512580	2
2014-2011			513275	2
2010-2007	All Wheel Drive		512335	2
2008-2007	Front Wheel Drive		512334	2


FRONT SUSPENSION




F331

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2012-2001	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80107 ‡	2 F331
Control Arm Bushing				
2017-2013		Lower Front	K201191	2
2012-2005	(High Quality Elastomer For Durability And Performance)	Lower Front	K200246 ‡	2 F331
2012-2003	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear	K200795 ‡	2 F331
Complete Knuckle Assembly				
2012-2001	(Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate And Axle Nut)	Left	LK015 ‡	1
	(Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate And Axle Nut)	Right	LK016 ‡	1
Strut and Spring Assembly				
2012-2001	(Strut, Spring & Top Mount)	Left	ST8579L	1 F331
	(Strut, Spring & Top Mount)	Right	ST8579R	1 F331
Strut Bumper Bellows				
2018-2013	(Replacement Type, Contains Bumper)		K90460	2
2012-2001	(Contains Bumper)		K90464	2 F331
Strut Mount				
2018-2013	(Contains Bearing, Contains Spacer)		K160407	2
2012-2001	(Contains Bearing)		K80143	2 F331
Strut Spring Seat				
2012-2001		Lower	K160019	2 F331
Sway Bar Bushing				
2012-2009		To Frame	K201311	1 F331
2008	2261cc(2.3L), Automatic Transaxle 2261cc(2.3L), Manual Transaxle 181(3.0L), 16" Wheels 181(3.0L), 17" Wheels	To Frame	K201310	1 F331
		To Frame	K201311	1 F331
		To Frame	K201310	1 F331
		To Frame	K201311	1 F331
2007	From 1/8/07 Thru 1/7/07	To Frame	K201311	1 F331
		To Frame	K201356	1 F331
Sway Bar Link				
2017-2016			K750802	2
2015-2013	(Greaseable Socket Reduces Corrosion/Wear)		K750554 ‡	2
2012-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80296 ‡	2 F331
Wheel Hub Repair Kit				
2012-2001			518515	2


STEERING



S262




S264



S266


STEERING (Cont.)



S346

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2012-2010		K150289	2	S266	
2009	From 6/4/09	K150289	2	S266	
Tie Rod End					
2017-2013	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800955 ‡ ES800954 ‡ EV800898 ‡	1 1 2	S346 S346 S346
2012-2010	(Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Outer Inner	ES800846 ‡ EV800911 ‡	2 2	S266 S266
2009	14mm Rod End Thread, (Greaseable Socket Reduces Corrosion/Wear) 14mm Rod End Thread, (Design Allows Ease Of Installation) 16mm Rod End Thread, (Powdered Metal Gusher Brg. For Better Lubrication) 16mm Rod End Thread, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner Outer Inner	ES800846 ‡ EV800911 ‡ ES3631 ‡ EV800366 ‡	2 2 2 2	S266 S266 S266 S266
2008	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner	ES3631 ‡ EV800366 ‡	2 2	S266 S266
2007-2005	Gasoline, (Powdered Metal Gusher Brg. For Better Lubrication) Gasoline, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Gasoline/Electric, (Greaseable Socket Reduces Corrosion/Wear) Gasoline/Electric, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner Outer Inner	ES3631 ‡ EV424 ‡ ES800846 ‡ EV800769 ‡	2 2 2 2	S264 S264 S262 S262


REAR SUSPENSION



R114

FORD TRUCK-Escape (Cont.)


REAR SUSPENSION (Cont.)



R115

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2008-2001	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500135 ‡	2 R114
Control Arm				
2017-2013	(R-Series) Up To Minus 1-1/2 To Plus 5 Degrees Camber, (Lateral Link, R-Series)	Lower Rear Upper	RK642951 RK100002	2 2
Control Arm Bushing				
2008-2001	(High Quality Elastomer For Durability And Performance)	Upper	K200359 ‡	4 R114
	(High Quality Elastomer For Durability And Performance)	Lower	K200360 ‡	4 R114
Control Arm with Ball Joint				
2012-2009	(R-Series)	Left Upper	RK621456	1 R115
	(R-Series)	Right Upper	RK621457	1 R115
	(R-Series)	Left Lower	RK621454	1 R115
	(R-Series)	Right Lower	RK621455	1 R115
	2 Degree Camber Plus Or Minus, 12mm Bushing Sleeve, (Adjustable, R-Series)	Upper	RK100072	2 R115
2008-2001	(R-Series)	Left Upper	RK622126	1 R114
	(R-Series)	Right Upper	RK622127	1 R114
	(Contains Bushings, Powdered Metal Gusher Brg. For Better Lubrication)	Left Lower	CK620318 ‡	1 R114
	(R-Series)	Left Lower	RK620318	1 R114
	(R-Series)	Right Lower	RK620317	1 R114
	2 Degree Camber Plus Or Minus, 12mm Bushing Sleeve, (Adjustable, R-Series)	Upper	RK100072	2 R114
Sway Bar Bushing				
2012-2009		To Frame	K201312	1 R115
Sway Bar Link				
2017-2013	(Design Allows Ease Of Installation)		K750743 ‡	2
2012-2009	(Improves Upon OE Design)		K750571 ‡	2 R115
Trailing Link Bushing				
2012-2009			K201678	2 R115
2008-2001			K201678	2 R114
Wheel Hub & Bearing Assembly				
2017-2013	All Wheel Drive		512500	2
	Front Wheel Drive, Active Park Assist		512496	2
	Front Wheel Drive, Except Active Park Assist		512499	2

Expedition, Expedition EL, Expedition MAX-FORD TRUCK FRONT SUSPENSION



F340

Year	Model/Application	Part	P/C Qty	Figure
Expedition				
Ball Joint				
2018	(Greaseable Socket Reduces Corrosion/Wear)	Lower	K500318 ‡	2
2017-2014	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500008 ‡	2
2013-2007	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500008 ‡	2 F340
Control Arm Bushing				
2016-2014		Lower Rear	K201189	2
		Lower Front	K201188	2
2014	(High Quality Elastomer For Durability And Performance)	Upper Front	K200353 ‡	2
2013-2009		Lower Rear	K201189	2 F340
		Lower Front	K201188	2 F340
2013-2007	(High Quality Elastomer For Durability And Performance)	Upper Front	K200353 ‡	2 F340
Control Arm Bushing Set				
2014	(Contains Front And Rear Bushings)	Lower	K200366 ‡	2
2013-2007	(Contains Front And Rear Bushings)	Lower	K200366 ‡	2 F340
Control Arm with Ball Joint				
2017-2014	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Left Upper	CK80306 ‡	1
	(R-Series)	Left Upper	RK80306	1
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Right Upper	CK80308 ‡	1
	(R-Series)	Right Upper	RK80308	1
2013-2009	(R-Series)	Left Lower	RK621267	1 F340
	(R-Series)	Right Lower	RK621266	1 F340
2013-2007	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Left Upper	CK80306 ‡	1 F340
	(R-Series)	Left Upper	RK80306	1 F340
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Right Upper	CK80308 ‡	1 F340
	(R-Series)	Right Upper	RK80308	1 F340
2008-2007	(R-Series)	Left Lower	RK620221	1 F340
	(R-Series)	Right Lower	RK620220	1 F340
Strut and Spring Assembly				
2013-2007			ST8598	2 F340
Strut Bumper Bellows				
2014			K150278	2
2013-2007			K150278	2 F340
Strut Mount				
2014	(Contains Upper Spring Seat Insulator)		K160331	2
2013-2007	(Contains Upper Spring Seat Insulator)		K160331	2 F340
Sway Bar Bushing				
2018-2014		To Frame	K201486	1
2013-2010		To Frame	K201486	1 F340
Sway Bar Link				
2018-2014	(Powdered Metal Gusher Brg. For Better Lubrication)		K750074 ‡	2
2013-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K750074 ‡	2 F340

FORD TRUCK-Expedition, Expedition EL, Expedition MAX (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Expedition				
Wheel Hub & Bearing Assembly				
2017-2015	Four Wheel Drive (4X4) Two Wheel Drive (4x2)	515158 515157	2 2	
2014-2011	Four Wheel Drive (4X4), (38" ABS Cord) Four Wheel Drive (4X4), (40.75" ABS Cord) Two Wheel Drive (4x2)	515142 515166 515143	2 2 2	
2010-2007	Four Wheel Drive (4X4) Two Wheel Drive (4x2)	515095 515094	2 2	
Expedition EL				
Ball Joint				
2017-2014	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Lower	K500008 ‡	2	
2013-2007	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Lower	K500008 ‡	2	F340
Control Arm Bushing				
2016-2014		Lower Rear Lower Front	K201189 K201188	2 2
2014	(High Quality Elastomer For Durability And Performance)	Upper Front	K200353 ‡	2
2013-2009		Lower Rear Lower Front	K201189 K201188	2 2
2013-2007	(High Quality Elastomer For Durability And Performance)	Upper Front	K200353 ‡	2
Control Arm Bushing Set				
2014	(Contains Front And Rear Bushings) Lower	K200366 ‡	2	
2013-2007	(Contains Front And Rear Bushings) Lower	K200366 ‡	2	F340
Control Arm with Ball Joint				
2017-2014	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series) (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series)	Left Upper Left Upper Right Upper Right Upper	CK80306 ‡ RK80306 CK80308 ‡ RK80308	1 1 1 1
2013-2009	(R-Series) (R-Series)	Left Lower Right Lower	RK621267 RK621266	1 1
2013-2007	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series) (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series)	Left Upper Left Upper Right Upper Right Upper	CK80306 ‡ RK80306 CK80308 ‡ RK80308	1 1 1 1
2008-2007	(R-Series) (R-Series)	Left Lower Right Lower	RK620221 RK620220	1 1
Strut Bumper Bellows				
2014		K150278	2	
2013-2007		K150278	2	F340
Strut Mount				
2014	(Contains Upper Spring Seat Insulator)	K160331	2	
2013-2007	(Contains Upper Spring Seat Insulator)	K160331	2	F340
Sway Bar Bushing				
2017-2014		To Frame	K201486	1
2013-2007		To Frame	K201486	1
Sway Bar Link				
2017-2014	(Powdered Metal Gusher Brg. For Better Lubrication)	K750074 ‡	2	
2013-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	K750074 ‡	2	F340
Wheel Hub & Bearing Assembly				
2017-2015	Four Wheel Drive (4X4) Two Wheel Drive (4x2)	515158 515157	2 2	
2014-2011	Four Wheel Drive (4X4), (38" ABS Cord) Four Wheel Drive (4X4), (40.75" ABS Cord) Two Wheel Drive (4x2)	515142 515166 515143	2 2 2	
2010-2007	Four Wheel Drive (4X4) Two Wheel Drive (4x2)	515095 515094	2 2	
Expedition MAX				
Ball Joint				
2017-2014	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Lower	K500008 ‡	2	

**(Cont.) Expedition, Expedition EL, Expedition MAX—FORD TRUCK
FRONT SUSPENSION (Cont.)**

Year	Model/Application	Part	P/C Qty	Figure
Expedition MAX				
Ball Joint				
2013-2007	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500008 ‡	2 F340
Control Arm Bushing				
2014		Lower Rear Lower Front	K201189 K201188	2 2
2013-2009		Lower Rear Lower Front	K201189 K201188	2 F340 2 F340
2012-2007	(High Quality Elastomer For Durability And Performance)	Upper Front	K200353 ‡	2 F340
Control Arm Bushing Set				
2012-2008	(Contains Front And Rear Bushings)	Lower	K200366 ‡	2 F340
Control Arm with Ball Joint				
2017-2014	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series) (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series)	Left Upper Left Upper Right Upper Right Upper	CK80306 ‡ RK80306 CK80308 ‡ RK80308	1 1 1 1
2014	(R-Series) (R-Series)	Left Lower Right Lower	RK621267 RK621266	1 1
2013-2009	(R-Series) (R-Series)	Left Lower Right Lower	RK621267 RK621266	1 F340 1 F340
2013-2007	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series) (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series)	Left Upper Left Upper Right Upper Right Upper	CK80306 ‡ RK80306 CK80308 ‡ RK80308	1 F340 1 F340 1 F340 1 F340
2008-2007	(R-Series) (R-Series)	Left Lower Right Lower	RK620221 RK620220	1 F340 1 F340
Strut Bumper Bellows				
2014			K150278	2
2013-2007			K150278	2 F340
Strut Mount				
2014	(Contains Upper Spring Seat Insulator)		K160331	2
2013-2007	(Contains Upper Spring Seat Insulator)		K160331	2 F340
Sway Bar Bushing				
2017-2014		To Frame	K201486	1
2013-2009		To Frame	K201486	1 F340
Sway Bar Link				
2017-2014	(Powdered Metal Gusher Brg. For Better Lubrication)		K750074 ‡	2
2013-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K750074 ‡	2 F340
Wheel Hub & Bearing Assembly				
2017-2016	Four Wheel Drive (4X4) Two Wheel Drive (4x2)		515158 515157	2 2
2014-2011	Four Wheel Drive (4X4), (38" ABS Cord) Four Wheel Drive (4X4), (40.75" ABS Cord) Two Wheel Drive (4x2)		515142 515166 515143	2 2 2
2010-2007	Four Wheel Drive (4X4) Two Wheel Drive (4x2)		515095 515094	2 2

STEERING




S120

FORD TRUCK—Expedition, Expedition EL, Expedition MAX (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Expedition				
Rack & Pinion Boot Kit				
2010-2007		K150291	2	S120
Tie Rod End				
2018-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800515 ‡	1 S120
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800514 ‡	1 S120
2014-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800457 ‡	2 S120
Expedition EL				
Rack & Pinion Boot Kit				
2010-2007		K150291	2	S120
Tie Rod End				
2017-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800515 ‡	1 S120
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800514 ‡	1 S120
2014-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800457 ‡	2 S120
Expedition MAX				
Rack & Pinion Boot Kit				
2010-2007		K150291	2	S120
Tie Rod End				
2017-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800515 ‡	1 S120
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800514 ‡	1 S120
2014-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800457 ‡	2 S120

REAR SUSPENSION



R118

Year	Model/Application	Part	P/C Qty	Figure
Expedition				
Ball Joint				
2017-2007	(New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500166 ‡	2 R118
Control Arm				
2018-2007	(R-Series)	Upper Front	RK641802	2 R118
2017-2007	(R-Series)	Lower Front	RK641803	2 R118
Control Arm with Ball Joint				
2017-2009	(R-Series)	Upper Rear	RK622137	2 R118
2017-2007	(R-Series)	Lower Rear	RK622590	2 R118
2008-2007	(R-Series)	Upper Rear	RK621801	2 R118
Strut and Spring Assembly				
2013-2007	Except Rear Air Leveling System		ST8599	2 R118
Strut Mount				
2016-2007	Except Self Leveling Suspension		K160368	2 R118
Strut Spring Seat				
2016-2007	Except Self Leveling Suspension	Upper	K160375	2 R118
Sway Bar Bushing				
2017-2014	19mm Sway Bar Diameter	To Frame	K201488	1 R118

**(Cont.) Expedition, Expedition EL, Expedition MAX-FORD TRUCK
REAR SUSPENSION (Cont.)**

Year	Model/Application	Part	P/C Qty	Figure
Expedition				
Sway Bar Bushing				
2017-2014 (Cont.)	21mm Sway Bar Diameter	To Frame	K201487	1 R118
2013-2007	19mm Sway Bar Diameter, Trailer Tow Package 21mm Sway Bar Diameter, Except Auto Adjusting Suspension, Except Towing Package	To Frame	K201488	1 R118
		To Frame	K201487	1 R118
2012-2007	18mm Sway Bar Diameter, Auto Adjusting Suspension, Except Towing Package	To Frame	K201493	1 R118
Sway Bar Link				
2018-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750052 ‡	2 R118
Trailing Link				
2017-2007	(R-Series)	Lower	RK641914	2 R118
Wheel Hub & Bearing Assembly				
2017-2015			541015	2
2014-2011			541013	2
2010-2007			541008	2
Expedition EL				
Ball Joint				
2017-2007	(New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500166 ‡	2 R118
Control Arm				
2017-2007	(R-Series) (R-Series)	Upper Front	RK641802	2 R118
		Lower Front	RK641803	2 R118
Control Arm with Ball Joint				
2017-2009	(R-Series)	Upper Rear	RK622137	2 R118
2017-2007	(R-Series)	Lower Rear	RK622590	2 R118
2008-2007	(R-Series)	Upper Rear	RK621801	2 R118
Strut Mount				
2016-2007	Except Self Leveling Suspension		K160368	2 R118
Strut Spring Seat				
2016-2007	Except Self Leveling Suspension	Upper	K160375	2 R118
Sway Bar Bushing				
2017-2014	19mm Sway Bar Diameter 21mm Sway Bar Diameter	To Frame	K201488	1 R118
		To Frame	K201487	1 R118
2013-2007	19mm Sway Bar Diameter, Trailer Tow Package 21mm Sway Bar Diameter, Except Auto Adjusting Suspension, Except Towing Package	To Frame	K201488	1 R118
		To Frame	K201487	1 R118
2012	18mm Sway Bar Diameter, Auto Adjusting Suspension, Except Towing Package	To Frame	K201493	1 R118
Sway Bar Link				
2017-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750052 ‡	2 R118
Trailing Link				
2017-2007	(R-Series)	Lower	RK641914	2 R118
Wheel Hub & Bearing Assembly				
2017-2015			541015	2
2014-2011			541013	2
2010-2007			541008	2
Expedition MAX				
Ball Joint				
2017-2007	(New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500166 ‡	2 R118
Control Arm				
2017-2007	(R-Series) (R-Series)	Upper Front	RK641802	2 R118
		Lower Front	RK641803	2 R118
Control Arm with Ball Joint				
2017-2009	(R-Series)	Upper Rear	RK622137	2 R118
2017-2007	(R-Series)	Lower Rear	RK622590	2 R118
2008-2007	(R-Series)	Upper Rear	RK621801	2 R118
Strut Mount				
2016-2007	Except Self Leveling Suspension		K160368	2 R118
Strut Spring Seat				
2016-2007	Except Self Leveling Suspension	Upper	K160375	2 R118


FORD TRUCK—Expedition, Expedition EL, Expedition MAX (Cont.)

REAR SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Expedition MAX				
Sway Bar Bushing				
2017-2014	19mm Sway Bar Diameter	To Frame	K201488	1 R118
	21mm Sway Bar Diameter	To Frame	K201487	1 R118
2013-2009	19mm Sway Bar Diameter, Trailer Tow Package	To Frame	K201488	1 R118
	21mm Sway Bar Diameter, Except Auto Adjusting Suspension, Except Towing Package	To Frame	K201487	1 R118
Sway Bar Link				
2017-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750052 ‡	2 R118
Trailing Link				
2017-2007	(R-Series)	Lower	RK641914	2 R118
Wheel Hub & Bearing Assembly				
2017-2015			541015	2
2014-2011			541013	2
2010-2007			541008	2

FORD TRUCK—Explorer, Explorer Sport, Explorer Sport Trac

FRONT SUSPENSION



F276



F332

Year	Model/Application	Part	P/C Qty	Figure
Explorer				
Ball Joint				
2010-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500014 ‡	2 F332
	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K80771 ‡	2 F332

**(Cont.) Explorer, Explorer Sport, Explorer Sport Trac–FORD TRUCK
FRONT SUSPENSION (Cont.)**




Year	Model/Application	Part	P/C Qty	Figure
Explorer				
Control Arm Bushing				
2017-2011	(High Quality Elastomer For Durability And Performance)	Left Rear Lower	K200778 ‡	1 F276
	(High Quality Elastomer For Durability And Performance)	Right Rear Lower	K200779 ‡	1 F276
2015-2011	(High Quality Elastomer For Durability And Performance)	Lower Front	K200362 ‡	2 F276
2010-2006	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200195 ‡	2 F332
	(High Quality Elastomer For Durability And Performance)	Lower Front	K200194 ‡	2 F332
Control Arm Bushing Set				
2010-2006	(Contains Front And Rear Bushings)	Upper	K200356 ‡	2 F332
Control Arm with Ball Joint				
2017-2016	Except Auto Leveling Headlamps, (R-Series)	Left Lower	RK622216	1 F276
2017-2011	(R-Series)	Right Lower	RK622215	1 F276
2015-2011	(R-Series)	Left Lower	RK622216	1 F276
2010-2006	(R-Series)	Left Upper	RK80723	1 F332
	(R-Series)	Right Upper	RK80722	1 F332
	(R-Series)	Left Lower	RK80721	1 F332
	(Contains Bushings, R-Series)	Right Lower	RK80720	1 F332
Strut and Spring Assembly				
2010-2006			ST8611	2 F332
Strut Bumper Bellows				
2015-2013	1999cc(2.0L)		K150275	2 F276
	3496cc(3.5L), Naturally Aspirated		K150275	2 F276
2012-2011			K150275	2 F276
2010-2006			K201484	2 F332
Strut Mount				
2012-2011	(Contains Bearing, Contains Upper Spring Seat Insulator)		K160410	2 F276
2010-2006	(Bearing Not Included)		K160329	2 F332
Strut Spring Seat				
2010-2006	(Contains Spacer, Contains Insulator, Reduces Noise)	Upper	K160070 ‡	2 F332
Sway Bar Bushing				
2014-2011	(Split Design For Easier Installation)	To Frame	K200520 ‡	1 F276
2010-2006	(Split Design For Easier Installation)	To Frame	K200520 ‡	1 F332
Sway Bar Link				
2017-2011	(Improves Upon OE Design)	Left	K750617 ‡	1 F276
	(Improves Upon OE Design)	Right	K750616 ‡	1 F276
Sway Bar Repair Kit				
2010-2006	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700542 ‡	2 F332
Wheel Hub & Bearing Assembly				
2017-2011			512460	2
2010-2006			515078	2
Explorer Sport Trac				
Ball Joint				
2010-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500014 ‡	2 F332
	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K80771 ‡	2 F332
Control Arm Bushing				
2010-2007	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200195 ‡	2 F332
	(High Quality Elastomer For Durability And Performance)	Lower Front	K200194 ‡	2 F332
Control Arm Bushing Set				
2010-2007	(Contains Front And Rear Bushings)	Upper	K200356 ‡	2 F332
Control Arm with Ball Joint				
2010-2007	(R-Series)	Left Upper	RK80723	1 F332
	(R-Series)	Right Upper	RK80722	1 F332
	(R-Series)	Left Lower	RK80721	1 F332
	(Contains Bushings, R-Series)	Right Lower	RK80720	1 F332
Strut Bumper Bellows				
2010-2007			K201484	2 F332
Strut Mount				
2010-2007	(Bearing Not Included)		K160329	2 F332

FORD TRUCK-Explorer, Explorer Sport, Explorer Sport Trac (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Explorer Sport Trac				
Strut Spring Seat				
2010-2007	(Contains Spacer, Contains Insulator, Reduces Noise)	Upper	K160070 ‡	2 F332
Sway Bar Bushing				
2010-2007	(Split Design For Easier Installation)	To Frame	K200520 ‡	1 F332
Sway Bar Repair Kit				
2010-2007	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700542 ‡	2 F332
Wheel Hub & Bearing Assembly				
2010-2007			515078	2

STEERING



(Cont.) Explorer, Explorer Sport, Explorer Sport Trac–FORD TRUCK**STEERING (Cont.)**

Year	Model/Application	Part	P/C Qty	Figure	
Explorer					
Rack & Pinion Boot Kit					
2010-2006		K150291	2	S118	
Tie Rod End					
2017-2013	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Outer Inner	ES800952 ‡ EV800893 ‡	2 2	S345 S345
2012-2011	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Outer Inner	ES800952 ‡ EV800893 ‡	2 2	S347 S347
2010-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES80786 ‡ EV800278 ‡	2 2	S118 S118
Explorer Sport Trac					
Rack & Pinion Boot Kit					
2010-2007		K150291	2	S118	
Tie Rod End					
2010-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES80786 ‡ EV800278 ‡	2 2	S118 S118
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Explorer					
Control Arm					
2010-2006	(R-Series) (R-Series)	Lower Rear Lower Front	RK642950 RK642853	2 2	
Control Arm Bushing					
2017-2012		Upper Rear	K201348	2	
2017-2011		Upper Front Lower Inner	K201349 K201540	2 2	
2010-2006		Arm To Knuckle, Lower Outer	K201350	2	
Knuckle Bushing					
2015-2011		Arm To Knuckle, Upper At Shock	K201346 K201541	2 2	
Strut and Spring Assembly					
2010-2006			ST8612	2	
Strut Bumper Bellows					
2010-2006			K201480	2	
Strut Mount					
2010-2006	(Bearing Not Included)		K160330	2	
Sway Bar Bushing					
2010-2006		To Frame	K201321	1	
Sway Bar Link					
2017-2011	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750393 ‡ K750394 ‡	1 1	
Sway Bar Repair Kit					
2010-2006	Independent Rear Suspension, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.) Independent Rear Suspension, (Standard Design)		K700539 ‡ K80898	2 2	
Trailing Link					
2017-2011	(R-Series)		RK642921	2	
Trailing Link Bushing					
2011-2006			K201405	2	
Wheel Hub & Bearing Assembly					
2017-2011			512460	2	
Wheel Hub Repair Kit					
2010-2004			521000	2	
Explorer Sport Trac					
Control Arm					
2010-2007	(R-Series) (R-Series)	Lower Rear Lower Front	RK642950 RK642853	2 2	
Control Arm Bushing					
2010-2007		Arm To Knuckle, Lower Outer	K201350	2	


FORD TRUCK—Explorer, Explorer Sport, Explorer Sport Trac (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Explorer Sport Trac				
Strut Bumper Bellows				
2010-2007		K201480	2	
Strut Mount				
2010-2007	(Bearing Not Included)	K160330	2	
Sway Bar Bushing				
2010-2009	To Frame	K201321	1	
2008-2007	To Frame	K201390	1	
Sway Bar Repair Kit				
2010-2007	Independent Rear Suspension, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700539 ‡	2	
	Independent Rear Suspension, (Standard Design)	K80898	2	
Trailing Link Bushing				
2010-2007		K201405	2	
Wheel Hub Repair Kit				
2010-2007		521000	2	

FORD TRUCK—Flex


FRONT SUSPENSION




F275

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2017-2009	(High Quality Elastomer For Durability And Performance)	Lower Front	K200362 ‡	2 F275
2012-2010	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200364 ‡	2 F275
Control Arm with Ball Joint				
2017-2010	(R-Series)	Left Lower	RK622916	1 F275
	(R-Series)	Right Lower	RK622917	1 F275
2009	(R-Series, Bushing With Bracket Not Included)	Left Lower	RK620215	1 F275
	(R-Series, Bushing With Bracket Not Included)	Right Lower	RK620214	1 F275
Strut Mount				
2011-2009	(Contains Spring Seat, Spacer And Bearing, Superior Rubber To Steel Bonding For Durability)		K160208 ‡	2 F275
Sway Bar Bushing				
2012-2010	(Split Design For Easier Installation)	To Frame	K200520 ‡	1 F275
Sway Bar Link				
2017-2010	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750388 ‡	1 F275
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750389 ‡	1 F275
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750376 ‡	1 F275
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750377 ‡	1 F275
Wheel Hub & Bearing Assembly				
2017-2009			513275	2


STEERING



S058



S344



S345

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017	(Design Allows Ease Of Installation)	Outer	ES800952 ‡	2 S345
2016-2013	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800222 ‡	2 S345
	(MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800776 ‡	2 S345
2012-2010	Naturally Aspirated, (MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800775 ‡	2 S058
	Twin Turbocharged, (MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800776 ‡	2 S344
2012-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800222 ‡	2 S058, S344
2009	(MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800580 ‡	2 S058

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2017-2012		Upper Rear	K201348	2
2017-2009		Upper Front	K201349	2
		Lower Inner	K201540	2
2011-2009		Upper Rear	K201345	2


FORD TRUCK–Flex (Cont.)

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Knuckle Bushing				
2017-2009		Arm To Knuckle, Lower Front	K201347	2
		Arm To Knuckle, Upper	K201346	2
		At Shock	K201541	2
Lateral Arm				
2011	Thru 9/20/10, (R-Series)	Upper Front	RK623059	1
2010	(R-Series)	Upper Front	RK623059	1
2009	(Adjustable Arm With Ball Joint, R-Series)	Upper Front	RK623059	2
Sway Bar Link				
2017-2010	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750393 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750394 ‡	1
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750369 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750370 ‡	1
Wheel Hub & Bearing Assembly				
2017-2009			513275	2


FORD TRUCK–Freestar

FRONT SUSPENSION				
F349				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2007-2004	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200767 ‡	2
Control Arm with Ball Joint				
2007-2004	(R-Series)	Left Lower	RK80725	1
	(R-Series)	Right Lower	RK80724	1
Strut Bumper Bellows				
2007-2004	(Original Equipment Type)		K160034	2
Strut Mount				
2007-2004	(Contains Spring Seat And Bearing)		K80905	2
Strut Spring Seat				
2007-2004		Lower	K80919	2
Sway Bar Link				
2007-2004	(Powdered Metal Gusher Brg. For Better Lubrication)		K5334 ‡	2
Wheel Hub & Bearing Assembly				
2007-2004		Left	513232	1
		Right	513233	1
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2007-2004	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES80991 ‡	2
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800307 ‡	2

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Track Bar				
2007-2004		DS1416	1	
Wheel Hub & Bearing Assembly				
2007-2004		Left 512312 Right 512313	1 1	



Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2007-2005	(High Quality Elastomer For Durability And Performance)	Lower Front	K200362 ‡	2 F275
Control Arm with Ball Joint				
2007-2005	All Wheel Drive, (R-Series) All Wheel Drive, (R-Series)	Left Lower Right Lower	RK621604 RK621603	1 F275 1 F275
Strut Mount				
2007-2005	(Contains Bearing And Spring Seat, Superior Rubber To Steel Bonding For Durability)		K160209 ‡	2 F275
Sway Bar Link				
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750019 ‡ K750048 ‡	1 F275 1 F275
Wheel Hub & Bearing Assembly				
2007-2005		513223	2	




Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800222 ‡ EV800221 ‡	2 S058 2 S058

FORD TRUCK–Freestyle (Cont.)

REAR SUSPENSION					
Year	Model/Application		Part	P/C Qty	Figure
Control Arm Bushing					
2007-2006	Front Wheel Drive	Arm To Knuckle, Lower Rear	K201385	2	
2007-2005	All Wheel Drive All Wheel Drive	Upper Front	K201381	2	
		Upper Rear	K201352	2	
		Arm to Frame, Lower Rear	K201373	2	
		Arm To Knuckle, Lower Rear	K201372	2	
Strut Mount					
2007-2005	All Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability) All Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability) Front Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability) Front Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability)	Left	K160204 ‡	1	
		Right	K160203 ‡	1	
		Left	K160202 ‡	1	
		Right	K160201 ‡	1	
Sway Bar Link					
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication)		K750018 ‡	2	
Track Bar Bushing					
2007-2005			K201353	4	
Trailing Link Bushing					
2007-2005	All Wheel Drive Front Wheel Drive	Arm To Knuckle	K201369	2	
		To Frame	K201293	2	
		To Frame	K201435	2	
Wheel Hub & Bearing Assembly					
2007-2005	All Wheel Drive Front Wheel Drive		512300	2	
			512299	2	

FORD TRUCK–Interceptor SUV

FRONT SUSPENSION					
F276					
Year	Model/Application		Part	P/C Qty	Figure
Control Arm Bushing					
2017-2013	(High Quality Elastomer For Durability And Performance) (High Quality Elastomer For Durability And Performance)	Left Rear Lower	K200778 ‡	1	F276
		Right Rear Lower	K200779 ‡	1	F276
2016-2013	(High Quality Elastomer For Durability And Performance)	Lower Front	K200362 ‡	2	F276
Control Arm with Ball Joint					
2017-2013	(R-Series) (R-Series)	Left Lower	RK622216	1	F276
		Right Lower	RK622215	1	F276
Sway Bar Link					
2017-2013	(Improves Upon OE Design) (Improves Upon OE Design)	Left	K750617 ‡	1	F276
		Right	K750616 ‡	1	F276
Wheel Hub & Bearing Assembly					
2017-2013			512460	2	




Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2017-2013	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Outer Inner	ES800952 ‡ EV800893 ‡	2 2	S345 S345
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm Bushing					
2017-2013		Upper Front Upper Rear Lower Inner	K201349 K201348 K201540	2 2 2	
Sway Bar Link					
2017-2013	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750393 ‡ K750394 ‡	1 1	
Trailing Link					
2017-2013	(R-Series)		RK642921	2	
Wheel Hub & Bearing Assembly					
2017-2013			512460	2	

LCF-FORD TRUCK


FRONT SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
King Bolt Set					
2009-2006			8020C	2	
Sway Bar Link					
2007-2006	(Improves Upon OE Design)		K750609 ‡	2	

FORD TRUCK-Ranger

FRONT SUSPENSION



F209




F217

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2011-2003	For Use With Arms Which Contain A Replaceable Ball Joint, Front Coil Spring Suspension, (Will Not Fit OE Control Arm, Powdered Metal Gusher Brg. For Better Lubrication)	K8738 ‡	2	F217
2011-2002	Front Torsion Bar Suspension, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	K80771 ‡	2	F209
2011-1998	Front Coil Spring Suspension, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	K8771T ‡	2	F217
2010-1998	Front Torsion Bar Suspension, (Replacement Joint With Press Fit Diameter Width Of 2.00", Will Not Fit OE Control Arm, Powdered Metal Gusher Brg. For Better Lubrication)	K80012 ‡	2	F209
Control Arm Bushing				
2011-1998	(Contains Front And Rear Bushings)	Upper K8704	2	F209, F217
Control Arm with Ball Joint				
2011-2009	Front Torsion Bar Suspension, (1 Piece Design, Contains Bushings, Powdered Metal Gusher Brg. For Better Lubrication, Replaceable Ball Joint)	CK80068 ‡	1	F209
	Front Torsion Bar Suspension, (R-Series, 1 Piece Design)	RK80068	1	F209
2011-1998	Front Coil Spring Suspension, (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication, 1 Piece Design)	CK80054 ‡	1	F217
	Front Coil Spring Suspension, (R-Series, 1 Piece Design)	RK80054	1	F217
	Front Coil Spring Suspension, (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication, 1 Piece Design)	CK80052 ‡	1	F217
	Front Coil Spring Suspension, (R-Series, 1 Piece Design)	RK80052	1	F217
	Front Coil Spring Suspension, (R-Series)	RK620499	1	F217
	Front Coil Spring Suspension, (R-Series)	RK620498	1	F217
	Front Torsion Bar Suspension, (Contains Bushings, Powdered Metal Gusher Brg. For Better Lubrication, 1 Piece Design, Replaceable Ball Joint)	CK8708T ‡	1	F209
	Front Torsion Bar Suspension, (R-Series, 1 Piece Design)	RK8708	1	F209
	Front Torsion Bar Suspension, (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	CK620319 ‡	1	F209
	Front Torsion Bar Suspension, (R-Series)	RK620319	1	F209

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2011-1998 (Cont.)	Front Torsion Bar Suspension, (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Front Torsion Bar Suspension, (R-Series)	Right Lower	CK620320 ‡	1 F209
		Right Lower	RK620320	1 F209
2008-1998	Front Torsion Bar Suspension, (1 Piece Design, 1 Piece Design, Contains Bushings, Powdered Metal Gusher Brg. For Better Lubrication, Replaceable Ball Joint) Front Torsion Bar Suspension, (1 Piece Design, R-Series, 1 Piece Design)	Right Upper	CK80068 ‡	1 F209
		Right Upper	RK80068	1 F209
Sway Bar Bushing				
2011-1998	27mm Sway Bar Diameter 29mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K80079	1 F209, F217
		To Frame	K80080 ‡	1 F209, F217
Sway Bar Repair Kit				
2011-1998	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700542 ‡	2 F209, F217
Wheel Hub & Bearing Assembly				
2011-2010	Four Wheel Drive (4X4), Square connector		515129	2
2009	Four Wheel Drive (4X4), From 9/14/09, Square connector Four Wheel Drive (4X4), Round Connector, To 9/14/09		515129	2
			515052	2
2008-2003	Four Wheel Drive (4X4)		515052	2

STEERING




S005

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2011-1998			K8834	2 S005
Tie Rod End				
2011-1998	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer	ES3461 ‡	2 S005
		Inner	EV317 ‡	2 S005

FORD TRUCK-Ranger (Cont.)

REAR SUSPENSION




R309

Year	Model/Application	Part	P/C Qty	Figure
Leaf Spring Shackle				
2011-2009	(Contains Shackle, Nuts, Bolts & Bushing)	Rear	K150412	2
2008-1990	(Contains Shackle, Nuts, Bolts & Bushing)	Rear	K150409	2 R309
Sway Bar Bushing				
2011-1998		To Frame	K201284	1
Sway Bar Link				
2011	Four Wheel Drive (4X4) Two Wheel Drive (4x2), Base Payload Package Two Wheel Drive (4x2), Heavy Duty Payload		K80162 K80101 K80162	2 2 2
2010-1993	Four Wheel Drive (4X4), (Link Only) Two Wheel Drive (4x2), (Link Only)		K80162 K80101	2 2
Sway Bar Repair Kit				
2007-1993	(Bolts Not Included, Contains Thermoplastic Bushing For Both Ends Of Link)		K80085	1

FORD TRUCK-Taurus X

FRONT SUSPENSION



F275

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2009-2008	(High Quality Elastomer For Durability And Performance)	Lower Front	K200362 ‡	2 F275
Control Arm with Ball Joint				
2009-2008	(R-Series, Bushing With Bracket Not Included)	Left Lower	RK620215	1 F275
	(R-Series, Bushing With Bracket Not Included)	Right Lower	RK620214	1 F275
Strut Bumper Bellows				
2009-2008	(Replacement Type, Contains Bumper)		K90460	2 F275

(Cont.) Taurus X-FORD TRUCK

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Mount				
2009-2008	(Contains Bearing And Spring Seat, Superior Rubber To Steel Bonding For Durability)	K160206 ‡	2	F275
Sway Bar Link				
2009-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Left K750019 ‡	1	F275
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right K750048 ‡	1	F275
Wheel Hub & Bearing Assembly				
2009-2008		513223	2	
STEERING				
S058				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2009	(MOOG Engineered Steel Composition Enhances Strength)	Inner EV800580 ‡	2	S058
2009-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES800222 ‡	2	S058
2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner EV800221 ‡	2	S058
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2009-2008	Upper Front	K201381	2	
	All Wheel Drive Arm to Frame, Lower Rear	K201373	2	
	All Wheel Drive Arm To Knuckle, Lower Rear	K201372	2	
	Front Wheel Drive Arm To Knuckle, Lower Rear	K201385	2	
Strut Mount				
2009-2008	All Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability)	Left K160204 ‡	1	
	All Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability)	Right K160203 ‡	1	
	Front Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability)	Left K160202 ‡	1	
	Front Wheel Drive, (Bearing Not Included, Superior Rubber To Steel Bonding For Durability)	Right K160201 ‡	1	
Sway Bar Link				
2009-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	K750018 ‡	2	
Track Bar Bushing				
2009-2008		K201353	4	
Trailing Link Bushing				
2009-2008	Arm To Knuckle	K201369	2	
	All Wheel Drive To Frame	K201293	2	
	Front Wheel Drive To Frame	K201373	2	
Wheel Hub & Bearing Assembly				
2009-2008	All Wheel Drive	512300	2	
	Front Wheel Drive	512299	2	

Transit Connect-FORD TRUCK

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2013-2010	(New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower K500191 ‡	2	
Control Arm				
2013-2010	(R-Series)	Left Lower RK641540	1	
	(R-Series)	Right Lower RK641539	1	

FORD TRUCK–Transit Connect (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2017-2014	(Design Allows Ease Of Installation)	Lower Rear Lower Front	K200860 ‡ K201191	2 2
Complete Knuckle Assembly				
2013-2012	(Contains 2 Snap Rings, Bearing, Knuckle, Ball Joint Assembly, Ball Joint Shield, Hub Assembly And Axle Nut)	Left	LK013 ‡	1
	(Contains 2 Snap Rings, Bearing, Knuckle, Ball Joint Assembly, Ball Joint Shield, Hub Assembly And Axle Nut)	Right	LK014 ‡	1
2011	From 5/14/11, (Contains 2 Snap Rings, Bearing, Knuckle, Ball Joint Assembly, Ball Joint Shield, Hub Assembly And Axle Nut)	Left	LK013 ‡	1
	From 5/14/11, (Contains 2 Snap Rings, Bearing, Knuckle, Ball Joint Assembly, Ball Joint Shield, Hub Assembly And Axle Nut)	Right	LK014 ‡	1
Strut Bumper Bellows				
2017-2014	(Replacement Type, Contains Bumper)		K90460	2
2013-2010	(Original Equipment Type)		K150276	2
Strut Mount				
2017-2014	(Contains Bearing, Contains Spacer)		K160407	2
2013-2010	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160200 ‡	2
Sway Bar Bushing				
2013-2010		To Frame	K201363	1
Sway Bar Link				
2017-2015			K750789	2
2014	(Greaseable Socket Reduces Corrosion/Wear)		K750554 ‡	2
2013-2010	(Greaseable Socket Reduces Corrosion/Wear)		K750500 ‡	2
Wheel Hub Repair Kit				
2013-2010			518519	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2014	(Design Allows Ease Of Installation)	Left Outer	ES800955 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800954 ‡	1
	(Design Allows Ease Of Installation)	Inner	EV800898 ‡	2
2013-2010	(Design Allows Ease Of Installation)	Outer	ES800927 ‡	2
	(Design Allows Ease Of Installation)	Inner	EV800905 ‡	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2013-2010		To Frame	K201364	1
Sway Bar Link				
2013-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750397 ‡	2
Wheel Hub & Bearing Assembly				
2017-2014			512525	2
2013-2010			512439	2

FREIGHTLINER–Classic

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Classic XL				
King Bolt Set				
2009-2007	14,600 lb. (FG941, FG943) Axle, 1.790" X 10.390", (Contains Metal Bushing, Two Keyways)	8611B	1	
	12,000 lb. (E1200I) Axle, 13,200 lb. (E-1320I) Axle, 1.794" Pin Diameter, 9.060" Length, (Contains Metal Bushing, Two Keyways)	80076B	1	
	16,000 lb. (FL941 (02231)) Axle, 18,000 lb. (FL941) Axle, 20,000 lb. (FL941 (02232)) Axle, 1.999" Pin Diameter, 11.212" Length, (Contains Metal Bushing, Two Keyways)	8571B	1	
2009-2004	12,000 lb. (FF943) Axle, 1.794" Pin Diameter, 10.392" Length, (Contains Metal Bushing, Two Keyways)	8590B	1	
	12,000 lb. (FF961) Axle, 10.39" Length, 1.790" Pin Diameter, (Contains Composite Bushing, Two Keyways)	80063C	1	

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Classic XL				
Tie Rod End				
2009-2007	16,000 lb. (FL941 (02231)) Axle, 18,000 lb. (FL941) Axle, 20,000 lb. (FL941 (02232)) Axle, 12.69" Length	Right Outer	ES3030R	1
	12,000 lb. (FF943, FF961) Axle, 14,600 lb. (FG941, FG943) Axle, 5.44" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES423L ‡	1
	12,000 lb. (FF943, FF961) Axle, 14,600 lb. (FG941, FG943) Axle, 5.44" Length, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES423R ‡	1
	16,000 lb. (FL941 (02231)) Axle, 18,000 lb. (FL941 (02231)) Axle, 20,000 lb. (FL941 (02232)) Axle, 5.750" Length, (Right Hand Threads)	Left Outer	ES431L ‡	1
	16,000 lb. (FL941 (02231)) Axle, 18,000 lb. (FL941 (02231)) Axle, 20,000 lb. (FL941 (02232)) Axle, 5.750" Length, (Left Hand Threads)	Right Outer	ES431R ‡	1
	12,000 lb. (E1200I) Axle, 13,200 lb. (E-1320I) Axle, 6.00" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES3477 ‡	1
	12,000 lb. (E1200I) Axle, 13,200 lb. (E-1320I) Axle, 6.00" Length, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES3476 ‡	1
	FL941 16000 Lb Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES2090L ‡	1
	FL941 16000 Lb Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES2091R ‡	1
	FL941, 18000 Lb. Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES2090L ‡	1
	FL941, 18000 Lb. Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES2091R ‡	1
	FL941, 20000 Lb. Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES2090L ‡	1
	FL941, 20000 Lb. Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES2091R ‡	1
	2009-2006	16,000 lb. (FL941 (02231)) Axle, 18,000 lb. (FL941) Axle, 20,000 lb. (FL941 (02232)) Axle, 12.69" Length	Left Outer	ES3031L

M2-106-FREIGHTLINER

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
M2-106				
Tie Rod End				
2007-2004	5.44" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES423L ‡	1
		Right Outer	ES423R ‡	1

Sprinter-FREIGHTLINER


FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
F576				
Sprinter 2500				
Ball Joint				
2017-2007	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500113 ‡	2 F576
Control Arm Bushing				
2017-2014		Lower	K201323	4 F576
Control Arm with Ball Joint				
2016-2007	(R-Series)	Left Lower	RK621966	1 F576
		Right Lower	RK621967	1 F576

FREIGHTLINER–Sprinter (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Sprinter 2500					
Strut Mounting Kit					
2015-2007	(Contains Washer, Contains Mount And Bumper Bellow)	K160327	2	F576	
Sway Bar Bushing					
2011-2007	20mm Sway Bar Diameter, (Split Design For Easier Installation) 23mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame To Frame	K200277 ‡ K200278 ‡	1 1	F576 F576
Sway Bar Link					
2017-2016	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750277 ‡ K750276 ‡	1 1	F576 F576
2015-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750277 ‡ K750276 ‡	1 1	F576 F576
Sprinter 3500					
Ball Joint					
2017-2016	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500113 ‡	2	F576
2015-2007	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500113 ‡	2	F576
Control Arm Bushing					
2017-2014		Lower	K201323	4	F576
Control Arm with Ball Joint					
2016-2007	Standard Suspension, (R-Series) Standard Suspension, (R-Series)	Left Lower Right Lower	RK621966 RK621967	1 1	F576 F576
Strut Mounting Kit					
2015-2007	(Contains Washer, Contains Mount And Bumper Bellow)	K160327	2	F576	
Sway Bar Bushing					
2011-2007	20mm Sway Bar Diameter, (Split Design For Easier Installation) 23mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame To Frame	K200277 ‡ K200278 ‡	1 1	F576 F576
Sway Bar Link					
2017-2016	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication) Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750277 ‡ K750276 ‡	1 1	F576 F576
2015-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750277 ‡ K750276 ‡	1 1	F576 F576

STEERING




S440

Year	Model/Application	Part	P/C Qty	Figure	
Sprinter 2500					
Tie Rod End					
2017-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800419 ‡	2	S440
2016-2014	(Design Allows Ease Of Installation)	Inner	EV800888 ‡	2	S440
Sprinter 3500					
Tie Rod End					
2017-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800419 ‡	2	S440
2016-2014	(Design Allows Ease Of Installation)	Inner	EV800888 ‡	2	S440


REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sprinter 2500				
Sway Bar Bushing				
2011-2007	(Split Design For Easier Installation)	To Frame	K200259 ‡	1
Sway Bar Link				
2017-2016	Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K700434 ‡	2
2015-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K700434 ‡	2
Sprinter 3500				
Sway Bar Bushing				
2011-2007	(Split Design For Easier Installation)	To Frame	K200259 ‡	1
Sway Bar Link				
2017-2016	Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K700435 ‡	2
2015-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K700435 ‡	2

15 Series - 1/2 Ton-GENERAL MOTORS TRUCK




GENERAL MOTORS TRUCK-15 Series - 1/2 Ton (Cont.)


FRONT SUSPENSION (Cont.)



F243




F495




F496

**(Cont.) 15 Series - 1/2 Ton-GENERAL MOTORS TRUCK
FRONT SUSPENSION (Cont.)**



F497



F503

Year	Model/Application	Part	P/C Qty	Figure
Savana 1500				
Ball Joint				
2014-2003	Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Upper	K100116 ‡	2 F495, F496
2012-2003	4.150" Length, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K6541 ‡	2 F495, F496
2008-2003	(Ball Joint Orientation Noted, Where Applicable)	Upper	K6540 ‡	2 F495, F496
Control Arm Bushing				
2012-2003	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F495, F496
Control Arm Bushing Set				
2011-2003	All Wheel Drive, (Contains Front And Rear Bushings)	Lower	K6658	2 F495
Control Arm with Ball Joint				
2014-2003	(Offset Bushings Allow 2 Added Degrees Of Camber, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	CK80826 ‡	2 F495, F496
	(Offset Bushings Allow 2 Added Degrees Of Camber, R-Series)	Upper	RK80826	2 F495, F496
	(Powdered Metal Gusher Brg. For Better Lubrication, Standard Bushing)	Upper	CK80942 ‡	2 F495, F496
	(Standard Bushing, R-Series)	Upper	RK80942	2 F495, F496
	Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, R-Series)	Upper	RK621782	2 F495, F496
	All Wheel Drive, (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620381 ‡	1 F495
	All Wheel Drive, (R-Series)	Left Lower	RK620381	1 F495
	All Wheel Drive, (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	CK620380 ‡	1 F495
	All Wheel Drive, (R-Series)	Right Lower	RK620380	1 F495
Shock Mount Bushing				
2014-2003	All Wheel Drive	Lower	K6724	1 F495

GENERAL MOTORS TRUCK-15 Series - 1/2 Ton (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Savana 1500				
Strut Spring Seat				
2014-2003	Two Wheel Drive (4x2), 171mm Outside Diameter	Upper	K160022	2 F496
Sway Bar Bushing				
2014-2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Standard Design)	To Frame To Frame	K201176 ‡ K6476	1 F495, F496 1 F495, F496
2008-2003	1-5/16" Sway Bar Diameter, (Bracket Not Included, Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 1-5/16" Sway Bar Diameter, (Bracket Not Included, Standard Design) 1-5/16" Sway Bar Diameter, (Includes Universal Mounting Bracket)	To Frame To Frame To Frame	K201177 ‡ K6439 K7327 ‡	1 F495, F496 1 F495, F496 1 F495, F496
Sway Bar Repair Kit				
2012-2003	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700537 ‡	2 F495, F496
Wheel Hub & Bearing Assembly				
2014			515161	2
2013-2003	All Wheel Drive, 6 Stud Hub Two Wheel Drive (4x2), 6 Stud Hub		515036 515054	2 2
Sierra 1500				
Ball Joint				
2018		Upper	K500340 ‡	2 F243
2017-2016	(For Steel Control Arm)	Upper	K500340 ‡	2 F243
2015-2014	(For Vehicles With Aluminum Steering Knuckles Only, Design Allows Ease Of Installation)	Lower	K500245 ‡	2 F243
2015-2009	4.150" Length, (Will Not Fit Aluminum Steering Knuckles, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K6541 ‡	2 F243
2013-2007	4.04" Length, (Aluminum Arm, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500007 ‡	2 F243
2008-2007	4.150" Length, (Steel Arm, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K6541 ‡	2 F243
Control Arm Bushing				
2014-2007	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F243
Control Arm with Ball Joint				
2018-2014	Four Wheel Drive (4X4), Except Off Road Package, Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620956 ‡	1 F243
	Four Wheel Drive (4X4), Except Off Road Package, Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Left Lower	RK620888	1 F243
	Two Wheel Drive (4x2), Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620956 ‡	1 F243
	Two Wheel Drive (4x2), Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Left Lower	RK620888	1 F243
2016-2014	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, Forged Steel, Will Not Fit Aluminum Steering Knuckles, R-Series)	Left Upper	RK100214	1 F243
	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, Forged Steel, Will Not Fit Aluminum Steering Knuckles, R-Series)	Right Upper	RK100215	1 F243
	Four Wheel Drive (4X4), Except Off Road Package, Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	CK620955 ‡	1 F243
	Four Wheel Drive (4X4), Except Off Road Package, Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Right Lower	RK620889	1 F243
	Two Wheel Drive (4x2), Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	CK620955 ‡	1 F243
	Two Wheel Drive (4x2), Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Right Lower	RK620889	1 F243
2015-2014	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Left Upper	CK80669 ‡	1 F243
	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, R-Series)	Left Upper	RK80669	1 F243
	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Right Upper	CK80670 ‡	1 F243
	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, R-Series)	Right Upper	RK80670	1 F243
2013-2009	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620956 ‡	1 F243
	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Left Lower	RK620888	1 F243
	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	CK620955 ‡	1 F243
	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Right Lower	RK620889	1 F243
2013-2007	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Left Upper	CK80669 ‡	1 F243

**(Cont.) 15 Series - 1/2 Ton-GENERAL MOTORS TRUCK
FRONT SUSPENSION (Cont.)**

Year	Model/Application	Part	P/C Qty	Figure
Sierra 1500				
Control Arm with Ball Joint				
2013-2007 (Cont.)	(R-Series) Left Upper	RK80669	1	F243
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) Right Upper	CK80670 ‡	1	F243
	(R-Series) Right Upper	RK80670	1	F243
	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, R-Series) Left Upper	RK100214	1	F243
	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, R-Series) Right Upper	RK100215	1	F243
2008-2007	(Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Left Lower	CK620956 ‡	1	F243
	(Contains Bushings, R-Series) Left Lower	RK620888	1	F243
	(Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Right Lower	CK620955 ‡	1	F243
	(Contains Bushings, R-Series) Right Lower	RK620889	1	F243
Strut and Spring Assembly				
2013-2010	Except Electronic Suspension, (Strut, Spring & Top Mount)	ST8583	2	F243
2009-2007	Four Wheel Drive (4X4), Except Electronic Suspension, (Strut, Spring & Top Mount)	ST8583	2	F243
Strut Bumper Bellows				
2013-2007		K150275	2	F243
Strut Mount				
2013-2007	Except Auto Leveling System, (Bearing Not Included, Contains Spring Seat, Design Allows Ease Of Installation)	K160098 ‡	2	F243
Strut Spring Seat				
2017-2014	Except Magnetic Ride Control Suspension Upper	K160310	2	F243
2013-2007	Except Auto Leveling System	Lower	K160311	2
		Upper	K160310	2
Sway Bar Bushing				
2018-2007	34mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201612 ‡	1
		To Frame	K200221	1
		To Frame	K200222	1
2017-2007	30mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201611 ‡	1
Sway Bar Repair Kit				
2016-2007	7-1/4" Length, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700538 ‡	2	F243
Wheel Hub & Bearing Assembly				
2018-2014	Four Wheel Drive (4X4)	515160	2	
2016-2014	Two Wheel Drive (4x2)	515159	2	
2013-2008	All Wheel Drive Four Wheel Drive (4X4)	515096	2	
		515096	2	
2013-2007	Two Wheel Drive (4x2)	515097	2	
2007	Denali, All Wheel Drive SL, SLE, SLT, WT (Work Truck), Four Wheel Drive (4X4)	515096	2	
		515096	2	
Sierra Classic 1500				
Ball Joint				
2007	(Ball Joint Orientation Noted, Where Applicable) Upper	K6540 ‡	2	F070, F497, F503
	Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear) Upper	K100116 ‡	2	F070, F497, F503
	Four Wheel Drive (4X4), 4.150" Length, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Lower	K6541 ‡	2	F497
	Two Wheel Drive (4x2), Front Torsion Bar Suspension, 4.150" Length, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Lower	K6541 ‡	2	F503
	Hybrid, SL, SLE, SLT, WT (Work Truck), Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Lower	K6539 ‡	2	F070
Control Arm Bushing				
2007	(Contains Front And Rear Bushings)	Upper	K6688	2
Control Arm with Ball Joint				
2007	Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, R-Series)	Upper	RK621782	2

GENERAL MOTORS TRUCK-15 Series - 1/2 Ton (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Sierra Classic 1500					
Control Arm with Ball Joint					
2007 (Cont.)	Four Wheel Drive (4X4), (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620381 ‡	1	F497
	Four Wheel Drive (4X4), (R-Series)	Left Lower	RK620381	1	F497
	Four Wheel Drive (4X4), (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	CK620380 ‡	1	F497
	Four Wheel Drive (4X4), (R-Series)	Right Lower	RK620380	1	F497
	Two Wheel Drive (4x2), Front Coil Spring Suspension, (R-Series)	Left Lower	RK620265	1	F070
	Two Wheel Drive (4x2), Front Coil Spring Suspension, (R-Series)	Right Lower	RK620264	1	F070
	Two Wheel Drive (4x2), Front Torsion Bar Suspension, (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620381 ‡	1	F503
	Two Wheel Drive (4x2), Front Torsion Bar Suspension, (R-Series)	Left Lower	RK620381	1	F503
	Two Wheel Drive (4x2), Front Torsion Bar Suspension, (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	CK620380 ‡	1	F503
	Two Wheel Drive (4x2), Front Torsion Bar Suspension, (R-Series)	Right Lower	RK620380	1	F503
	Denali, Hybrid, SL, SLE, SLT, WT (Work Truck), (Offset Bushings Allow 2 Added Degrees Of Camber, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	CK80826 ‡	2	F070, F497, F503
	Denali, Hybrid, SL, SLE, SLT, WT (Work Truck), (Offset Bushings Allow 2 Added Degrees Of Camber, R-Series)	Upper	RK80826	2	F070, F497, F503
	Denali, Hybrid, SL, SLE, SLT, WT (Work Truck), (Powdered Metal Gusher Brg. For Better Lubrication, Standard Bushing)	Upper	CK80942 ‡	2	F503
	Denali, Hybrid, SL, SLE, SLT, WT (Work Truck), (Standard Bushing, R-Series)	Upper	RK80942	2	F070, F497, F503
	Shock Mount Bushing				
	2007	All Wheel Drive	Lower	K6724	1
Four Wheel Drive (4X4)		Lower	K6724	1	F497
Two Wheel Drive (4x2), Front Torsion Bar Suspension		Lower	K6724	1	F503
Strut Spring Seat					
2007	Two Wheel Drive (4x2), 161mm Outside Diameter	Upper	K160021	2	F070
Sway Bar Bushing					
2007	1-1/4" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201176 ‡	1	F070, F497, F503
		To Frame	K6476	1	F070, F497, F503
	1-1/8" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	Rubber, To Frame	K201174 ‡	1	F070, F497, F503
		Rubber, To Frame	K6408	1	F070, F497, F503
	1-3/16" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201175 ‡	1	F070, F497, F503
		To Frame	K6437	1	F070, F497, F503
	1-5/16" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1	F070, F497, F503
		To Frame	K6439	1	F070, F497, F503
	Sway Bar Repair Kit				
	2007	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700539 ‡	2
Torsion Bar Key, Adjustable					
2007	6 Stud Hub, Minus 1/2 To Plus 1-1/2 Degree, (Allows Front Ride Height Changes Up To 3" Above OEM)		K100011 ‡	1	F497, F503
Wheel Hub & Bearing Assembly					
2007	All Wheel Drive, (8 Stud Hub)		515058	2	
	All Wheel Drive, 6 Stud Hub		515036	2	
	Four Wheel Drive (4X4), (8 Stud Hub)		515058	2	
	Four Wheel Drive (4X4), 6 Stud Hub		515036	2	
	Two Wheel Drive (4x2), 6 Stud Hub, 16" Wheels		515054	2	
	Two Wheel Drive (4x2), 6 Stud Hub, Except Spring Special Package, 17" Wheels		515071	2	
Sierra Classic 1500HD					
Ball Joint					
2007	(Ball Joint Orientation Noted, Where Applicable) (Press In Type, Oversized Stud Ball For Superior Load Carrying) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Greaseable) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Non-Greaseable, Do Not Use With Tires Over 33" Without A Tall Knuckle Lift Kit)	Upper	K6696 ‡	2	F077
		Lower	K6693 ‡	2	F077
		Upper	K100108 ‡	2	F077
		Upper	K100317	2	F077
Control Arm Bumper Bushing					
2007	(Square with Domed Top Bumper Bushing, 1 Per Package) (Square with Domed Top Bumper Bushing, 2 Per Package)	Lower	K201426B	2	F077
		Lower	K201426 ‡	1	F077

**(Cont.) 15 Series - 1/2 Ton-GENERAL MOTORS TRUCK
FRONT SUSPENSION (Cont.)**

Year	Model/Application	Part	P/C Qty	Figure
Sierra Classic 1500HD				
Control Arm Bushing				
2007	For Welded Arm, (Standard Design, Contains Front And Rear Bushings) For Welded Arm, Up To +/- 1 Degree Camber, (Offset Bushing To Provide Additional Caster/Camber, Adjustable)	Upper	K200044	2 F077
		Upper	K6670 ‡	2 F077
Control Arm Bushing Set				
2007	(Contains Front And Rear Bushings)	Lower	K6658	2 F077
Control Arm with Ball Joint				
2007	(Contains Standard Bushing, R-Series) (Offset Bushings Allow 2 Added Degrees Of Camber, Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication, Standard Bushing) (Contains Bushing, R-Series) (Contains Bushing, R-Series) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, R-Series)	Upper	RK620054	2 F077
		Upper	CK620053 ‡	2 F077
		Upper	CK620054 ‡	2 F077
		Left Lower	RK621356	1 F077
		Right Lower	RK621355	1 F077
		Upper	RK621783	2 F077
Sway Bar Bushing				
2007	1-5/16" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 1-5/16" Sway Bar Diameter, (Standard Design)	To Frame	K201177 ‡	1 F077
		To Frame	K6439	1 F077
Sway Bar Repair Kit				
2007	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700539 ‡	2 F077
Torsion Bar Key, Adjustable				
2007	8 Stud Hub, Minus 1/2 To Plus 1-1/2 Degree, (Allows Front Ride Height Changes Up To 2" Above OEM)		K100012 ‡	1 F077
Wheel Hub & Bearing Assembly				
2007	Four Wheel Drive (4X4), (8 Stud Hub) Two Wheel Drive (4x2)		515058	2
			515086	2


STEERING




S002

GENERAL MOTORS TRUCK-15 Series - 1/2 Ton (Cont.)

STEERING (Cont.)



S082



S110

Year	Model/Application	Part	P/C Qty	Figure	
Savana 1500					
Tie Rod End					
2014-2003	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES80311 ‡	2	S082
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV80191 ‡	2	S082
Sierra 1500					
Tie Rod End					
2018-2014	(Design Allows Ease Of Installation)	Outer	ES800948 ‡	2	
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800938 ‡	2	
2013-2010	Denali, SL, SLE, SLT, WT (Work Truck), XFE, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800223 ‡	2	S110
	Denali, SL, SLE, SLT, WT (Work Truck), XFE, (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800084 ‡	2	S110
2013-2009	Hybrid, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800621 ‡	2	S110
2009	Denali, SL, SLE, SLT, WT (Work Truck), (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800223 ‡	2	S110
	Denali, SL, SLE, SLT, WT (Work Truck), (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800084 ‡	2	S110
2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800084 ‡	2	S110
2008-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800223 ‡	2	S110
2007	Denali, SL, SLE, SLT, WT (Work Truck), (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800084 ‡	2	S110
Sierra Classic 1500					
Center Link					
2007	Pickup (2 Dr.), Pickup (4 Dr. Ext'd Cab), Four Wheel Drive (4X4), 28.75" Length, (2 Tapered Holes, Greaseable Socket Reduces Corrosion/Wear)		DS300010 ‡	1	S002
	Pickup (4 Dr.) Crew Cab, 30.5" Length, (Contains Inner Tie Rod Ends)		DS300059A	1	S002
	Pickup (4 Dr.) Crew Cab, 30.5" Length, (Has Hole For Steering Stabilizer)		DS300011	1	S002
Idler Arm					
2007	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6534HD ‡	1	S002
	(Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)		K6534 ‡	1	S002

(Cont.) 15 Series - 1/2 Ton-GENERAL MOTORS TRUCK

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sierra Classic 1500				
Idler Arm Bracket Assembly				
2007	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)	K6723 ‡	1	S002
Idler Arm Grease Hose Kit				
2007	All Wheel Drive, (Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
	Four Wheel Drive (4X4), (Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
	Pickup (4 Dr.) Crew Cab, Two Wheel Drive (4x2), (Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2007	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6654HD ‡	1	S002
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654 ‡	1	S002
	(4 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6536HD ‡	1	S002
	(4 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6536 ‡	1	S002
Rack & Pinion Boot Kit				
2007	Two Wheel Drive (4x2)	K150270	2	S082
Steering Damper Kit				
2007	All Wheel Drive, Except Original Equipment Steering Damper, (Super Trail Boss)	Front SSD94	1	
	Four Wheel Drive (4X4), Except Original Equipment Steering Damper, (Super Trail Boss)	Front SSD94	1	
Tie Rod End				
2007	Conventional Power Steering, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3493T ‡	2	S002
	Rack & Pinion Power, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3492T ‡	2	S082
	Denali, Hybrid, SL, SLE, SLT, WT (Work Truck), Conventional Power Steering, (Design Of Enhanced Belleville Washer Optimizes Load And Provides Longer Fatigue Life)	Inner ES3488 ‡	2	S002
	Hybrid, SL, SLE, SLT, WT (Work Truck), Rack & Pinion Power, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner EV370 ‡	2	S082
Sierra Classic 1500HD				
Center Link				
2007	30.5" Length, (Contains Inner Tie Rod Ends)	DS300059A	1	S002
	30.5" Length, (Has Hole For Steering Stabilizer)	DS300011	1	S002
Idler Arm				
2007	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6535HD ‡	1	S002
	(Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6535 ‡	1	S002
Idler Arm Grease Hose Kit				
2007	(Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2007	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6654HD ‡	1	S002
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654 ‡	1	S002
Tie Rod End				
2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3609 ‡	2	S002
	(Design Of Enhanced Belleville Washer Optimizes Load And Provides Longer Fatigue Life)	Inner ES3488 ‡	2	S002
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Savana 1500				
Leaf Spring Shackle				
2014-2003	(Contains Shackle, Nuts, Bolts & Bushing)	Rear K150404	2	
Sierra 1500				
Leaf Spring Bushing				
2013-2007		Front K201266	2	
Leaf Spring Shackle				
2013-2006		K150383	2	
Leaf Spring Shackle Bracket				
2015	(Center Section Is Curved & Wide Lower Mounting Holes)	Rear K150381	2	
2014-2006		Rear K150381	2	
Sierra Classic 1500				
Leaf Spring Shackle				
2007		K150383	2	
Leaf Spring Shackle Bracket				
2007		Rear K150381	2	
Leaf Spring Shackle Bushing				
2007		To Spring K201216	2	


GENERAL MOTORS TRUCK-15 Series - 1/2 Ton (Cont.)

REAR SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Sierra Classic 1500HD				
Leaf Spring Shackle				
2007		K150383	2	
Leaf Spring Shackle Bushing				
2007	To Spring	K201216	2	

GENERAL MOTORS TRUCK-25 Series - 3/4 Ton

FRONT SUSPENSION



F077



F261

Year	Model/Application	Part	P/C Qty	Figure
Savana 2500				
Ball Joint				
2014	8500 And 8600 Lb GVW, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
2013-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2017	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
2016-2014	294(4.8L), (Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
	365(6.0L), (Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
2013-2006	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	1 F261
Control Arm with Ball Joint				
2017	(R-Series)	Left Upper	RK641505	1 F261
	(R-Series)	Right Upper	RK641506	1 F261
2017-2006	(R-Series)	Left Lower	RK622918	1 F261
	(R-Series)	Right Lower	RK622919	1 F261

**(Cont.) 25 Series - 3/4 Ton-GENERAL MOTORS TRUCK
FRONT SUSPENSION (Cont.)**

Year	Model/Application	Part	P/C Qty	Figure	
Savana 2500					
Control Arm with Ball Joint					
2016-2014	294(4.8L), (R-Series)	Left Upper	RK641505	1	F261
	294(4.8L), (R-Series)	Right Upper	RK641506	1	F261
	365(6.0L), (R-Series)	Left Upper	RK641505	1	F261
	365(6.0L), (R-Series)	Right Upper	RK641506	1	F261
2013-2006	(R-Series)	Left Upper	RK641505	1	F261
	(R-Series)	Right Upper	RK641506	1	F261
Strut Spring Seat					
2017-2006	161mm Outside Diameter	Upper	K160021	2	F261
	171mm Outside Diameter	Lower	K160022	2	F261
Sway Bar Bushing					
2017-2006	1-5/16" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1	F261
		To Frame	K6439	1	F261
2014-2006	1-5/16" Sway Bar Diameter, (Includes Universal Mounting Bracket)	To Frame	K7327 ‡	1	F261
Sway Bar Repair Kit					
2012-2006	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700537 ‡	2	F261
Wheel Hub & Bearing Assembly					
2017-2006	(8 Stud Hub)		515059	2	
Savana 2500 EXT					
Ball Joint					
2014	8500 And 8600 Lb GVW, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2	F261
2013-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2	F261
Control Arm Bushing					
2017	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2	F261
2016-2014	294(4.8L), (Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2	F261
		Upper	K6688	2	F261
2013-2003	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	1	F261
Control Arm with Ball Joint					
2017	(R-Series)	Left Upper	RK641505	1	F261
		Right Upper	RK641506	1	F261
2017-2011	(R-Series)	Left Lower	RK622918	1	F261
		Right Lower	RK622919	1	F261
2016-2014	294(4.8L), (R-Series)	Left Upper	RK641505	1	F261
		Right Upper	RK641506	1	F261
		Left Upper	RK641505	1	F261
		Right Upper	RK641506	1	F261
2013-2006	(R-Series)	Left Upper	RK641505	1	F261
		Right Upper	RK641506	1	F261
2008-2006	(R-Series)	Left Lower	RK622918	1	F261
		Right Lower	RK622919	1	F261
Strut Spring Seat					
2017-2006	161mm Outside Diameter	Upper	K160021	2	F261
		Lower	K160022	2	F261
Sway Bar Bushing					
2017-2003	1-5/16" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1	F261
		To Frame	K6439	1	F261
Sway Bar Repair Kit					
2012-2006	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700537 ‡	2	F261
Wheel Hub & Bearing Assembly					
2017-2006	(8 Stud Hub)		515059	2	
Sierra 2500HD					
Ball Joint					
2018-2011	(Design Allows Ease Of Installation)	Lower	K500232 ‡	2	F077
2010-2007	(Ball Joint Orientation Noted, Where Applicable) (Oversized Stud Ball For Superior Load Carrying) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Greaseable) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Non-Greaseable, Do Not Use With Tires Over 33" Without A Tall Knuckle Lift Kit)	Upper	K6696 ‡	2	F077
		Lower	K6693 ‡	2	F077
		Upper	K100108 ‡	2	F077
		Upper	K100317	2	F077

GENERAL MOTORS TRUCK-25 Series - 3/4 Ton (Cont.)



FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sierra 2500HD				
Control Arm Bumper Bushing				
2010-2007	Z85 Suspension, (Square with Domed Top Bumper Bushing, 1 Per Package)	Lower	K201426B	2 F077
	Z85 Suspension, (Square with Domed Top Bumper Bushing, 2 Per Package)	Lower	K201426 ‡	1 F077
Control Arm Bushing				
2018-2011		Upper	K201406	2 F077
2010-2007	For Welded Arm, (Standard Design, Contains Front And Rear Bushings)	Upper	K200044	2 F077
	For Welded Arm, Up To +/- 1 Degree Camber, (Offset Bushing To Provide Additional Caster/Camber, Adjustable)	Upper	K6670 ‡	2 F077
Control Arm Bushing Set				
2011-2007	(Contains Front And Rear Bushings)	Lower	K6658	1 F077
Control Arm with Ball Joint				
2018-2011	(R-Series)	Upper	RK622128	2 F077
2017-2011	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (R-Series)	Upper	RK100262	2 F077
2010-2007	(Contains Standard Bushing, R-Series)	Upper	RK620054	2 F077
	(Offset Bushings Allow 2 Added Degrees Of Camber, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	CK620053 ‡	2 F077
	(Powdered Metal Gusher Brg. For Better Lubrication, Standard Bushing)	Upper	CK620054 ‡	2 F077
	(Contains Bushing, R-Series)	Left Lower	RK621356	1 F077
	(Contains Bushing, R-Series)	Right Lower	RK621355	1 F077
	Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, R-Series)	Upper	RK621783	2 F077
Sway Bar Bushing				
2018-2011		To Frame	K201777	1 F077
2010-2009	1-5/16" Sway Bar Diameter, (Includes Universal Mounting Bracket)	To Frame	K7327 ‡	1 F077
	30mm Sway Bar Diameter, (Bracket Not Included, Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201611 ‡	1 F077
	36mm Sway Bar Diameter, (Bracket Not Included, Standard Design)	To Frame	K200222	1 F077
2008-2007	32mm Sway Bar Diameter, (Bracket Not Included, Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201176 ‡	1 F077
	32mm Sway Bar Diameter, (Bracket Not Included, Standard Design)	To Frame	K6476	1 F077
	32mm Sway Bar Diameter, (Includes Universal Mounting Bracket)	To Frame	K7326 ‡	1 F077
Sway Bar Repair Kit				
2018-2007	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700539 ‡	2 F077
Torsion Bar Key, Adjustable				
2014-2011	(Allows Front Ride Height Changes Up To 2.25" Above OEM)		T40043	2 F077
2010-2007	8 Stud Hub, Minus 1/2 To Plus 1-1/2 Degree, (Allows Front Ride Height Changes Up To 2" Above OEM)		K100012 ‡	1 F077
Wheel Hub & Bearing Assembly				
2016-2011	Four Wheel Drive (4X4), Dual Rear Wheels		515144	2
	Four Wheel Drive (4X4), Single Rear Wheels		515145	2
	Two Wheel Drive (4x2), Dual Rear Wheels		515147	2
	Two Wheel Drive (4x2), Single Rear Wheels		515146	2
2010-2008			515098	2
2007	SLE, SLT, WT (Work Truck)		515098	2
Sierra Classic 2500HD				
Ball Joint				
2007	(Ball Joint Orientation Noted, Where Applicable)	Upper	K6696 ‡	2 F077
	(Press In Type, Oversized Stud Ball For Superior Load Carrying)	Lower	K6693 ‡	2 F077
	Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Greaseable)	Upper	K100108 ‡	2 F077
	Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Non-Greaseable, Do Not Use With Tires Over 33" Without A Tall Knuckle Lift Kit)	Upper	K100317	2 F077
Control Arm Bumper Bushing				
2007	(Square with Domed Top Bumper Bushing, 1 Per Package)	Lower	K201426B	2 F077
	(Square with Domed Top Bumper Bushing, 2 Per Package)	Lower	K201426 ‡	1 F077
Control Arm Bushing				
2007	For Welded Arm, (Standard Design, Contains Front And Rear Bushings)	Upper	K200044	2 F077
	For Welded Arm, Up To +/- 1 Degree Camber, (Offset Bushing To Provide Additional Caster/Camber, Adjustable)	Upper	K6670 ‡	2 F077
Control Arm Bushing Set				
2007	(Contains Front And Rear Bushings)	Lower	K6658	1 F077
Control Arm with Ball Joint				
2007	(Contains Standard Bushing, R-Series)	Upper	RK620054	2 F077
	(Offset Bushings Allow 2 Added Degrees Of Camber, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	CK620053 ‡	2 F077

**(Cont.) 25 Series - 3/4 Ton-GENERAL MOTORS TRUCK
FRONT SUSPENSION (Cont.)**

Year	Model/Application	Part	P/C Qty	Figure
Sierra Classic 2500HD				
Control Arm with Ball Joint				
2007 (Cont.)	(Powdered Metal Gusher Brg. For Better Lubrication, Standard Bushing)	Upper	CK620054 ‡	2 F077
	(Contains Bushing, R-Series)	Left Lower	RK621356	1 F077
	(Contains Bushing, R-Series)	Right Lower	RK621355	1 F077
	Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, R-Series)	Upper	RK621783	2 F077
Sway Bar Bushing				
2007	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F077
	(Standard Design)	To Frame	K6439	1 F077
Sway Bar Repair Kit				
2007	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700539 ‡	2 F077
Torsion Bar Key, Adjustable				
2007	8 Stud Hub, Minus 1/2 To Plus 1-1/2 Degree, (Allows Front Ride Height Changes Up To 2" Above OEM)		K100012 ‡	1 F077
Wheel Hub & Bearing Assembly				
2007	Four Wheel Drive (4X4), (8 Stud Hub)		515058	2
	Two Wheel Drive (4x2)		515086	2

STEERING



Year	Model/Application	Part	P/C Qty	Figure
Savana 2500				
Center Link				
2017-2007		DS300048	1	S084

GENERAL MOTORS TRUCK-25 Series - 3/4 Ton (Cont.)

STEERING (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Savana 2500				
Idler Arm				
2017-2003	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud) (Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6534HD ‡ K6534 ‡	1 1	S084 S084
Idler Arm Bracket Assembly				
2017-2003	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)	K6723 ‡	1	S084
Idler Arm Grease Hose Kit				
2017-2003	(Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2016-2003	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654HD ‡ K6654 ‡	1 1	S084 S084
2008-2003	(4 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (4 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6536HD ‡ K6536 ‡	1 1	S084 S084
Tie Rod End				
2015-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner ES80277 ‡	2	S084
2014-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3609 ‡	2	S084
Savana 2500 EXT				
Center Link				
2017-2007		DS300048	1	S084
Idler Arm				
2017-2003	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud) (Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6534HD ‡ K6534 ‡	1 1	S084 S084
Idler Arm Bracket Assembly				
2017-2003	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)	K6723 ‡	1	S084
Idler Arm Grease Hose Kit				
2017-2006	(Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2016-2003	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654HD ‡ K6654 ‡	1 1	S084 S084
2010-2003	(4 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (4 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6536HD ‡ K6536 ‡	1 1	S084 S084
Tie Rod End				
2015-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner ES80277 ‡	2	S084
2014-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3609 ‡	2	S084
Sierra 2500HD				
Center Link				
2010-2007	30.5" Length, (Contains Inner Tie Rod Ends) 30.5" Length, (Has Hole For Steering Stabilizer)	DS300059A DS300011	1 1	S002 S002
Idler Arm				
2017-2011	(Design Allows Ease Of Installation, Contains Bracket)	K400018 ‡	1	S002
2010-2007	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud) (Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6535HD ‡ K6535 ‡	1 1	S002 S002
Idler Arm Bracket Assembly				
2017-2011	(Bracket Pivot Assembly, Design Allows Ease Of Installation)	K400020 ‡	1	S002
2010-2007	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)	K6723 ‡	1	S002
Idler Arm Grease Hose Kit				
2017-2007	(Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2018	(Design Allows Ease Of Installation)	K440019 ‡	1	
2017-2011	(Design Allows Ease Of Installation)	K440019 ‡	1	S002
2010	(4 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (4 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6536HD ‡ K6536 ‡	1 1	S002 S002
2010-2007	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654HD ‡ K6654 ‡	1 1	S002 S002
2008-2007	(4 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (4 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6536HD ‡ K6536 ‡	1 1	S002 S002
Tie Rod End				
2018-2011	(Design Allows Ease Of Installation)	Outer ES800901 ‡	2	S002

(Cont.) 25 Series - 3/4 Ton-GENERAL MOTORS TRUCK**STEERING (Cont.)**


Year	Model/Application	Part	P/C Qty	Figure
Sierra 2500HD				
Tie Rod End				
2018-2011 (Cont.)	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800935 ‡	2 S002
2010-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Of Enhanced Belleville Washer Optimizes Load And Provides Longer Fatigue Life)	Outer Inner	ES3609 ‡ ES3488 ‡	2 S002 2 S002
Sierra Classic 2500HD				
Center Link				
2007	30.5" Length, (Contains Inner Tie Rod Ends) 30.5" Length, (Has Hole For Steering Stabilizer)		DS300059A DS300011	1 S002 1 S002
Idler Arm				
2007	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud) (Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)		K6535HD ‡ K6535 ‡	1 S002 1 S002
Idler Arm Bracket Assembly				
2007	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)		K6723 ‡	1 S002
Idler Arm Grease Hose Kit				
2007	(Allows Easy Access To Idler Arm Grease Fitting)		K6714 ‡	1
Pitman Arm				
2007	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication) (4 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (4 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654HD ‡ K6654 ‡ K6536HD ‡ K6536 ‡	1 S002 1 S002 1 S002 1 S002
Tie Rod End				
2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Of Enhanced Belleville Washer Optimizes Load And Provides Longer Fatigue Life)	Outer Inner	ES3609 ‡ ES3488 ‡	2 S002 2 S002
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Savana 2500				
Leaf Spring Shackle				
2009-2003	(Contains Shackle, Nuts, Bolts & Bushing)	Rear	K150404	2
Savana 2500 EXT				
Leaf Spring Shackle				
2015-2003	(Contains Shackle, Nuts, Bolts & Bushing)	Rear	K150404	2
Sierra 2500HD				
Leaf Spring Bushing				
2014-2010		Front	K201219	2
Leaf Spring Shackle				
2010-2007	(Contains Hardware)		K150397	1

GENERAL MOTORS TRUCK-35 Series - 1 Ton

FRONT SUSPENSION



F077



F261

Year	Model/Application	Part	P/C Qty	Figure
Savana 3500				
Ball Joint				
2014-2003	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2017	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
2016-2014	294(4.8L), (Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
	365(6.0L), (Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
2013-2003	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	1 F261
Control Arm with Ball Joint				
2017	(R-Series)	Left Upper	RK641505	1 F261
	(R-Series)	Right Upper	RK641506	1 F261
2017-2003	(R-Series)	Left Lower	RK622918	1 F261
	(R-Series)	Right Lower	RK622919	1 F261
2016-2014	294(4.8L), (R-Series)	Left Upper	RK641505	1 F261
	294(4.8L), (R-Series)	Right Upper	RK641506	1 F261
	365(6.0L), (R-Series)	Left Upper	RK641505	1 F261
	365(6.0L), (R-Series)	Right Upper	RK641506	1 F261
2013-2003	(R-Series)	Left Upper	RK641505	1 F261
	(R-Series)	Right Upper	RK641506	1 F261
Strut Spring Seat				
2017-2003	161mm Outside Diameter	Upper	K160021	2 F261
	171mm Outside Diameter	Lower	K160022	2 F261
Sway Bar Bushing				
2017-2003	1-5/16" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	1-5/16" Sway Bar Diameter, (Standard Design)	To Frame	K6439	1 F261

**(Cont.) 35 Series - 1 Ton-GENERAL MOTORS TRUCK
FRONT SUSPENSION (Cont.)**

Year	Model/Application	Part	P/C Qty	Figure
Savana 3500				
Sway Bar Bushing				
2014-2003	1-5/16" Sway Bar Diameter, (Includes Universal Mounting Bracket)	To Frame	K7327 ‡	1 F261
Sway Bar Repair Kit				
2012-2003	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700537 ‡	2 F261
Wheel Hub & Bearing Assembly				
2017-2003	Under 9600 Lb GVW, (8 Stud Hub)		515059	2
2016-2003	10000 Lbs GVW Or Over, (180mm ABS Sensor)		515060	2
Savana 3500 EXT				
Ball Joint				
2014-2003	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2017	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
2016-2014	294(4.8L), (Standard Design, Contains Front And Rear Bushings) 365(6.0L), (Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
		Upper	K6688	2 F261
2013-2003	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	1 F261
Control Arm with Ball Joint				
2017	(R-Series)	Left Upper	RK641505	1 F261
		Right Upper	RK641506	1 F261
2017-2010	(R-Series)	Left Lower	RK622918	1 F261
		Right Lower	RK622919	1 F261
2016-2014	294(4.8L), (R-Series) 294(4.8L), (R-Series) 365(6.0L), (R-Series) 365(6.0L), (R-Series)	Left Upper	RK641505	1 F261
		Right Upper	RK641506	1 F261
		Left Upper	RK641505	1 F261
		Right Upper	RK641506	1 F261
2013-2003	(R-Series)	Left Upper	RK641505	1 F261
		Right Upper	RK641506	1 F261
2008-2003	(R-Series)	Left Lower	RK622918	1 F261
		Right Lower	RK622919	1 F261
Strut Spring Seat				
2017-2003	161mm Outside Diameter 171mm Outside Diameter	Upper	K160021	2 F261
		Lower	K160022	2 F261
Sway Bar Bushing				
2017-2003	1-5/16" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 1-5/16" Sway Bar Diameter, (Standard Design)	To Frame	K201177 ‡	1 F261
		To Frame	K6439	1 F261
Sway Bar Repair Kit				
2012-2003	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700537 ‡	2 F261
Wheel Hub & Bearing Assembly				
2017-2006	10000 Lbs GVW Or Over, (180mm ABS Sensor) Under 9600 Lb GVW, (8 Stud Hub)		515060	2
			515059	2
Sierra 3500HD				
Ball Joint				
2018-2011	(Design Allows Ease Of Installation)	Lower	K500232 ‡	2 F077
2010-2007	(Ball Joint Orientation Noted, Where Applicable) (Oversized Stud Ball For Superior Load Carrying) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Greaseable) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Non-Greaseable, Do Not Use With Tires Over 33" Without A Tall Knuckle Lift Kit)	Upper	K6696 ‡	2 F077
		Lower	K6693 ‡	2 F077
		Upper	K100108 ‡	2 F077
		Upper	K100317	2 F077
Control Arm Bumper Bushing				
2010-2007	Z85 Suspension, (Square with Domed Top Bumper Bushing, 1 Per Package) Z85 Suspension, (Square with Domed Top Bumper Bushing, 2 Per Package)	Lower	K201426B	2 F077
		Lower	K201426 ‡	1 F077
Control Arm Bushing				
2018-2011		Upper	K201406	2 F077
2010-2007	For Welded Arm, (Standard Design, Contains Front And Rear Bushings) For Welded Arm, Up To +/- 1 Degree Camber, (Offset Bushing To Provide Additional Caster/Camber, Adjustable)	Upper	K200044	2 F077
		Upper	K6670 ‡	2 F077
Control Arm Bushing Set				
2011-2007	(Contains Front And Rear Bushings)	Lower	K6658	2 F077
Control Arm with Ball Joint				
2018-2011	(R-Series)	Upper	RK622128	2 F077

GENERAL MOTORS TRUCK-35 Series - 1 Ton (Cont.)



FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sierra 3500HD				
Control Arm with Ball Joint				
2017-2011	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (R-Series)	Upper	RK100262	2 F077
2010-2007	(Contains Standard Bushing, R-Series) (Offset Bushings Allow 2 Added Degrees Of Camber, Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication, Standard Bushing) (Contains Bushing, R-Series) (Contains Bushing, R-Series) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, R-Series)	Upper	RK620054	2 F077
		Upper	CK620053 ‡	2 F077
		Upper	CK620054 ‡	2 F077
		Left Lower	RK621356	1 F077
		Right Lower	RK621355	1 F077
		Upper	RK621783	2 F077
Sway Bar Bushing				
2018-2015		To Frame	K201777	2 F077
2014-2011	34mm Sway Bar Diameter	To Frame	K201777	1 F077
2014-2009	30mm Sway Bar Diameter, (Bracket Not Included, Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 36mm Sway Bar Diameter, (Bracket Not Included, Standard Design)	To Frame	K201611 ‡	1 F077
		To Frame	K200222	1 F077
2014-2007	1-5/16" Sway Bar Diameter, (Includes Universal Mounting Bracket)	To Frame	K7327 ‡	1 F077
2008-2007	1-5/16" Sway Bar Diameter, (Bracket Not Included, Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 1-5/16" Sway Bar Diameter, (Bracket Not Included, Standard Design)	To Frame	K201177 ‡	1 F077
		To Frame	K6439	1 F077
Sway Bar Repair Kit				
2018-2007	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700539 ‡	2 F077
Torsion Bar Key, Adjustable				
2014-2011	(Allows Front Ride Height Changes Up To 2.25" Above OEM)		T40043	2 F077
2010-2007	8 Stud Hub, Minus 1/2 To Plus 1-1/2 Degree, (Allows Front Ride Height Changes Up To 2" Above OEM)		K100012 ‡	1 F077
Wheel Hub & Bearing Assembly				
2016-2011	Four Wheel Drive (4X4), Single Rear Wheels		515145	2
2015-2011	Four Wheel Drive (4X4), Dual Rear Wheels Two Wheel Drive (4x2), Dual Rear Wheels		515144	2
			515147	2
2014-2011	Two Wheel Drive (4x2), Single Rear Wheels		515146	2
2010-2007	Except Heavy Duty Suspension Heavy Duty Suspension		515098	2
			515099	2
Sierra Classic 3500				
Ball Joint				
2007	(Ball Joint Orientation Noted, Where Applicable) (Press In Type, Oversized Stud Ball For Superior Load Carrying) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Greaseable) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Non-Greaseable, Do Not Use With Tires Over 33" Without A Tall Knuckle Lift Kit)	Upper	K6696 ‡	2 F077
		Lower	K6693 ‡	2 F077
		Upper	K100108 ‡	2 F077
		Upper	K100317	2 F077
Control Arm Bumper Bushing				
2007	(Square with Domed Top Bumper Bushing, 1 Per Package) (Square with Domed Top Bumper Bushing, 2 Per Package)	Lower	K201426B	2 F077
		Lower	K201426 ‡	1 F077
Control Arm Bushing				
2007	For Welded Arm, (Standard Design, Contains Front And Rear Bushings) For Welded Arm, Up To +/- 1 Degree Camber, (Offset Bushing To Provide Additional Caster/Camber, Adjustable)	Upper	K200044	2 F077
		Upper	K6670 ‡	2 F077
Control Arm Bushing Set				
2007	(Contains Front And Rear Bushings)	Lower	K6658	2 F077
Control Arm with Ball Joint				
2007	(Contains Standard Bushing, R-Series) (Offset Bushings Allow 2 Added Degrees Of Camber, Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication, Standard Bushing) (Contains Bushing, R-Series) (Contains Bushing, R-Series) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, R-Series)	Upper	RK620054	2 F077
		Upper	CK620053 ‡	2 F077
		Upper	CK620054 ‡	2 F077
		Left Lower	RK621356	1 F077
		Right Lower	RK621355	1 F077
		Upper	RK621783	2 F077
Sway Bar Bushing				
2007	1-1/16" Sway Bar Diameter 1-1/8" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 1-1/8" Sway Bar Diameter, (Standard Design) 1-5/16" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 1-5/16" Sway Bar Diameter, (Standard Design)	To Frame	K6167	1 F077
		To Frame	K201174 ‡	1 F077
		To Frame	K6408	1 F077
		To Frame	K201177 ‡	1 F077
		To Frame	K6439	1 F077
		To Frame		

**(Cont.) 35 Series - 1 Ton-GENERAL MOTORS TRUCK
FRONT SUSPENSION (Cont.)**

Year	Model/Application	Part	P/C Qty	Figure
Sierra Classic 3500				
Sway Bar Repair Kit				
2007	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700539 ‡	2	F077
Torsion Bar Key, Adjustable				
2007	8 Stud Hub, Minus 1/2 To Plus 1-1/2 Degree, (Allows Front Ride Height Changes Up To 2" Above OEM)	K100012 ‡	1	F077
Wheel Hub & Bearing Assembly				
2007	Four Wheel Drive (4X4), 12000 Lb GVW Four Wheel Drive (4X4), 9900 Lb GVW Two Wheel Drive (4x2)	515088 515058 515087	2 2 2	

STEERING



Year	Model/Application	Part	P/C Qty	Figure
Savana 3500				
Center Link				
2017-2003		DS300048	1	S084
Idler Arm				
2017-2003	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud) (Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6534HD ‡ K6534 ‡	1 1	S084 S084
Idler Arm Bracket Assembly				
2017-2003	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)	K6723 ‡	1	S084
Idler Arm Grease Hose Kit				
2017-2003	(Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	

GENERAL MOTORS TRUCK-35 Series - 1 Ton (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Savana 3500				
Pitman Arm				
2016-2003	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654HD ‡ K6654 ‡	1 1	S084 S084
2008-2003	(4 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (4 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6536HD ‡ K6536 ‡	1 1	S084 S084
Tie Rod End				
2016-2003	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner ES80277 ‡	2	S084
2014-2003	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3609 ‡	2	S084
Savana 3500 EXT				
Center Link				
2017-2003		DS300048	1	S084
Idler Arm				
2017-2003	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud) (Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6534HD ‡ K6534 ‡	1 1	S084 S084
Idler Arm Bracket Assembly				
2017-2003	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)	K6723 ‡	1	S084
Idler Arm Grease Hose Kit				
2017-2008	(Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2016-2003	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654HD ‡ K6654 ‡	1 1	S084 S084
2007-2003	(4 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (4 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6536HD ‡ K6536 ‡	1 1	S084 S084
Tie Rod End				
2016-2003	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner ES80277 ‡	2	S084
2014-2003	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3609 ‡	2	S084
Sierra 3500HD				
Center Link				
2010-2007	30.5" Length, (Contains Inner Tie Rod Ends) 30.5" Length, (Has Hole For Steering Stabilizer)	DS300059A DS300011	1 1	S002 S002
Idler Arm				
2017-2011	(Design Allows Ease Of Installation, Contains Bracket)	K400018 ‡	1	S002
2010-2007	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud) (Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6535HD ‡ K6535 ‡	1 1	S002 S002
Idler Arm Bracket Assembly				
2017-2011	(Bracket Pivot Assembly, Design Allows Ease Of Installation)	K400020 ‡	1	S002
2010-2007	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)	K6723 ‡	1	S002
Idler Arm Grease Hose Kit				
2017-2007	(Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2018-2011	(Design Allows Ease Of Installation)	K440019 ‡	1	S002
2010-2007	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654HD ‡ K6654 ‡	1 1	S002 S002
Tie Rod End				
2018-2011	(Design Allows Ease Of Installation) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES800901 ‡ Inner EV800935 ‡	2 2	S002 S002
2010-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Of Enhanced Belleville Washer Optimizes Load And Provides Longer Fatigue Life)	Outer ES3609 ‡ Inner ES3488 ‡	2 2	S002 S002
Sierra Classic 3500				
Center Link				
2007	30.5" Length, (Contains Inner Tie Rod Ends) 30.5" Length, (Has Hole For Steering Stabilizer)	DS300059A DS300011	1 1	S002 S002
Idler Arm				
2007	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud) (Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6535HD ‡ K6535 ‡	1 1	S002 S002
Idler Arm Bracket Assembly				
2007	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)	K6723 ‡	1	S002


(Cont.) 35 Series - 1 Ton-GENERAL MOTORS TRUCK

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sierra Classic 3500				
Idler Arm Grease Hose Kit				
2007	(Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2007	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6654HD ‡	1	S002
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654 ‡	1	S002
	(4 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6536HD ‡	1	S002
	(4 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6536 ‡	1	S002
Tie Rod End				
2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Of Enhanced Belleville Washer Optimizes Load And Provides Longer Fatigue Life)	Outer	ES3609 ‡	2
		Inner	ES3488 ‡	2
W3500				
Drag Link Assembly				
2007-2004	(Design Allows Ease Of Installation)	Pitman Arm To Steering Arm	DS300034 ‡	1
Tie Rod End				
2009-2004	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800744 ‡	1
		Right Outer	ES800743 ‡	1
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Savana 3500				
Leaf Spring Shackle				
2017-2011	Cut Away Cab		K150384	2
2017-2003	Full-Size Cargo Van, Full-Size Passenger Van, (Contains Shackle, Nuts, Bolts & Bushing)	Rear	K150404	2
2009-2003	Cut Away Cab		K150384	2
Sway Bar Bushing				
2012-2009	159" Wheelbase, 13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 159" Wheelbase, 13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K201177 ‡	1
		To Frame	K6439	1
2008-2005	159" Wheelbase, 14050 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 159" Wheelbase, 14050 Lb GVW, (Standard Design)	To Frame	K201177 ‡	1
		To Frame	K6439	1
Sway Bar Link				
2012-2009	159" Wheelbase, 13980 Lb GVW, 14200 Lb GVW, (Greaseable Socket Reduces Corrosion/Wear)		K750175 ‡	2
2008-2005	159" Wheelbase, 14050 Lb GVW, (Greaseable Socket Reduces Corrosion/Wear)		K750175 ‡	2
Savana 3500 EXT				
Leaf Spring Shackle				
2017-2003	(Contains Shackle, Nuts, Bolts & Bushing)	Rear	K150404	2
Sierra 3500HD				
Leaf Spring Bushing				
2014-2010		Front	K201219	2
Leaf Spring Shackle				
2010-2007	(Contains Hardware)		K150397	2
Sway Bar Link				
2015-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K6692 ‡	2
Sierra Classic 3500				
Sway Bar Link				
2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K6692 ‡	2

GENERAL MOTORS TRUCK-40, 400, 4000 Series


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Savana 4500				
Ball Joint				
2016-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2017-2014	Flex Fuel, (Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
2016-2014	Compressed Natural Gas, (Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
2013-2009	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F261
Control Arm with Ball Joint				
2017-2014	365(6.0L), (R-Series)	Left Upper	RK641505	1 F261
	365(6.0L), (R-Series)	Right Upper	RK641506	1 F261
2017-2011	(R-Series)	Left Lower	RK622918	1 F261
	(R-Series)	Right Lower	RK622919	1 F261
2013-2009	(R-Series)	Left Upper	RK641505	1 F261
	(R-Series)	Right Upper	RK641506	1 F261
Sway Bar Bushing				
2017-2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261
Sway Bar Repair Kit				
2013-2009	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700537 ‡	2 F261
Wheel Hub & Bearing Assembly				
2015-2009	10000 Lbs GVW Or Over, (180mm ABS Sensor)		515060	2
	Under 9600 Lb GVW, (8 Stud Hub)		515059	2
Topkick C4500				
Ball Joint				
2009-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500087 ‡	2
	4 X 4, (New Pre-Installed Integral Dust Boot Eases Installation)	Lower	K500141	2
	4 X 4, (Original Equipment Boot Design)	Lower	K500243	2

**(Cont.) 40, 400, 4000 Series-GENERAL MOTORS TRUCK
STEERING**



S084

Year	Model/Application	Part	P/C Qty	Figure
Savana 4500				
Center Link				
2017-2010		DS300048	1	S084
Idler Arm				
2017-2009	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud) (Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6534HD ‡ K6534 ‡	1 1	S084 S084
Idler Arm Bracket Assembly				
2017-2010	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)	K6723 ‡	1	S084
Idler Arm Grease Hose Kit				
2017-2009	(Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2016-2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654HD ‡ K6654 ‡	1 1	S084 S084
Tie Rod End				
2014-2009	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3609 ‡ Inner ES80277 ‡	2 2	S084 S084
Topkick C4500				
Drag Link Assembly				
2009-2006		DS300066 ‡	1	
Tie Rod End				
2009-2005	4 X 2, Front Disc, Rear Disc, 1-1/4 - 12 UNF-2A Left Hand Thread, 10.32" Length, (Greaseable Socket Reduces Corrosion/Wear) 4 X 2, Front Disc, Rear Disc, 1-1/4 - 12 UNF-2A Right Hand Thread, 10.32" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer ES800421 ‡ Right Outer ES800420 ‡	1 1	
W4500				
Drag Link Assembly				
2007-2004	(Design Allows Ease Of Installation)	Pitman Arm To Steering Arm DS300034 ‡	1	
Tie Rod End				
2009-2004	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Outer ES800744 ‡ Right Outer ES800743 ‡	1 1	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Savana 4500				
Leaf Spring Shackle				
2017-2009		K150384	2	
Sway Bar Bushing				
2017-2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Standard Design)	To Frame K201177 ‡ To Frame K6439	1 1	
Sway Bar Link				
2015-2009	(Greaseable Socket Reduces Corrosion/Wear)	K750175 ‡	2	

GENERAL MOTORS TRUCK-40, 400, 4000 Series (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Topkick C4500				
Sway Bar Link				
2009-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K6692 ‡	2	

GENERAL MOTORS TRUCK-50, 500, 5000 Series

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Topkick C5500				
Ball Joint				
2009-2005	4 X 4, (Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500087 ‡	2
	4 X 4, (New Pre-Installed Integral Dust Boot Eases Installation)	Lower	K500141	2
	4 X 4, (Original Equipment Boot Design)	Lower	K500243	2

STEERING

Year	Model/Application	Part	P/C Qty	Figure
Topkick C5500				
Drag Link Assembly				
2009-2005		DS300066 ‡	1	
Tie Rod End				
2009-2005	4 X 2, Front Disc, Rear Disc, 1-1/4 - 12 UNF-2A Left Hand Thread, 10.32" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800421 ‡	1
	4 X 2, Front Disc, Rear Disc, 1-1/4 - 12 UNF-2A Right Hand Thread, 10.32" Length, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800420 ‡	1

W5500

Drag Link Assembly				
2007-2005	(Design Allows Ease Of Installation)	Pitman Arm To Steering Arm	DS300034 ‡	1
Tie Rod End				
2009-2005	(Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800744 ‡	1
	(Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800743 ‡	1

W5500 HD

Drag Link Assembly				
2007-2005	(Design Allows Ease Of Installation)	Pitman Arm To Steering Arm	DS300034 ‡	1
Tie Rod End				
2009-2005	(Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800744 ‡	1
	(Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800743 ‡	1

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Topkick C5500				
Sway Bar Link				
2009-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K6692 ‡	2	

GENERAL MOTORS TRUCK-60, 600, 6000 Series

STEERING

Year	Model/Application	Part	P/C Qty	Figure
T6500				
Tie Rod End				
2009-2004	5.44" Length, 1-1/8 - 12 UNF-2A Left Hand Thread, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800882 ‡	1
	5.44" Length, 1-1/8 - 12 UNF-2A Right Hand Thread, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800883 ‡	1
Topkick C6500				
Tie Rod End				
2009-2004	Front Disc, Rear Disc, 1-1/4 - 12 UNF-2A Left Hand Thread, 10.32" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800421 ‡	1
	Front Disc, Rear Disc, 1-1/4 - 12 UNF-2A Right Hand Thread, 10.32" Length, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800420 ‡	1
2009-2003	5.44" Length, 1-1/8 - 12 UNF-2A Left Hand Thread, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800882 ‡	1

**(Cont.) 60, 600, 6000 Series-GENERAL MOTORS TRUCK
STEERING (Cont.)**

Year	Model/Application	Part	P/C Qty	Figure
Topkick C6500				
Tie Rod End				
2009-2003 (Cont.)	5.44" Length, 1-1/8 - 12 UNF-2A Right Hand Thread, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800883 ‡	1

**70, 700, 7000 Series-GENERAL MOTORS TRUCK
STEERING**


Year	Model/Application	Part	P/C Qty	Figure
Topkick C7500				
Tie Rod End				
2009-2003	5.44" Length, 1-1/8 - 12 UNF-2A Left Hand Thread, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800882 ‡	1
		Right Outer	ES800883 ‡	1
		Left Outer	ES800421 ‡	1
		Right Outer	ES800420 ‡	1

**80, 800, 8000 Series-GENERAL MOTORS TRUCK
STEERING**

Year	Model/Application	Part	P/C Qty	Figure
Topkick C8500				
Tie Rod End				
2009-2003	5.44" Length, 1-1/8 - 12 UNF-2A Left Hand Thread, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800882 ‡	1
		Right Outer	ES800883 ‡	1

Acadia-GENERAL MOTORS TRUCK

FRONT SUSPENSION



F364


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2016-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500088 ‡	2 F364
Control Arm Bushing				
2016-2007		Lower Rear	K201220	4 F364
		Lower Front	K201187	2 F364
Control Arm with Ball Joint				
2016-2007	(R-Series) (R-Series)	Left Lower	RK621232	1 F364
		Right Lower	RK621231	1 F364

GENERAL MOTORS TRUCK-Acadia (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Strut and Spring Assembly					
2012-2007		ST8658	2	F364	
Strut Bumper Bellows					
2016-2007	(Replacement Type, Contains Bumper)	K90460	2	F364	
Strut Mount					
2016-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160294 ‡	2	F364	
Sway Bar Bushing					
2016	29mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200876 ‡	1	F364
2015-2014	Front Wheel Drive, 29mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200876 ‡	1	F364
2013-2007	29mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200876 ‡	1	F364
Sway Bar Link					
2016-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	K750155 ‡	2	F364	
Wheel Hub & Bearing Assembly					
2018-2017		512593	2		
2016-2007		513277	2		


STEERING



S144

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2016-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800286 ‡	2	S144
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800572 ‡	2	S144

REAR SUSPENSION



R055

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2016-2007	(R-Series)	Upper Front	RK641781	2	R055
2015-2007	(R-Series)	Left Rear Upper	RK641644	1	R055
	(R-Series)	Right Rear Upper	RK641643	1	R055

(Cont.) Acadia-GENERAL MOTORS TRUCK


REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2011-2007	(Design Allows Ease Of Installation)	At Knuckle, Lower	K200349 ‡	2 R055
Control Arm Link				
2016-2007	(Vertical Assist Link, R-Series)		RK641887	2 R055
Sway Bar Bushing				
2016-2007		To Frame	K201280	1 R055
Sway Bar Link				
2017	(Design Allows Ease Of Installation)		K750675 ‡	2 R055
Sway Bar Repair Kit				
2016-2007	(Improves Upon OE Design)		K700633 ‡	2 R055
Wheel Hub & Bearing Assembly				
2018-2017	All Wheel Drive		512593	2
2016-2007			513277	2

Acadia Limited-GENERAL MOTORS TRUCK

FRONT SUSPENSION				
F364				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500088 ‡	2 F364
Control Arm Bushing				
2017		Lower Rear	K201220	4 F364
		Lower Front	K201187	2 F364
Control Arm with Ball Joint				
2017	(R-Series)	Left Lower	RK621232	1 F364
	(R-Series)	Right Lower	RK621231	1 F364
Sway Bar Bushing				
2017	29mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200876 ‡	1 F364
Sway Bar Link				
2017	(Powdered Metal Gusher Brg. For Better Lubrication)		K750155 ‡	2 F364
Wheel Hub & Bearing Assembly				
2017			513277	2

GENERAL MOTORS TRUCK—Acadia Limited (Cont.)


STEERING



S144

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2017	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800286 ‡	2	S144
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800572 ‡	2	S144


REAR SUSPENSION




R055

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2017	(R-Series)	Upper Front	RK641781	2	R055
Control Arm Link					
2017	(Vertical Assist Link, R-Series)		RK641887	2	R055
Sway Bar Bushing					
2017		To Frame	K201280	1	R055
Sway Bar Link					
2017	(Design Allows Ease Of Installation)		K750675 ‡	2	R055
Sway Bar Repair Kit					
2017	(Improves Upon OE Design)		K700633 ‡	2	R055
Wheel Hub & Bearing Assembly					
2017			513277	2	

FRONT SUSPENSION



F325



F326


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2012-2007	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K80997 ‡	2 F325, F326
	Front Coil Spring Suspension, (Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K80764 ‡	2 F325
	Front Torsion Bar Suspension, (Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K80984 ‡	2 F326
Control Arm Bushing				
2012-2007	Front Coil Spring Suspension, (High Quality Elastomer For Durability And Performance)	Upper	K200153 ‡	2 F325
	Front Torsion Bar Suspension, (High Quality Elastomer For Durability And Performance)	Upper	K200158 ‡	2 F326
	Front Torsion Bar Suspension, (High Quality Elastomer For Durability And Performance)	Lower Rear	K200155 ‡	2 F326
	Front Torsion Bar Suspension, (High Quality Elastomer For Durability And Performance)	Lower Front	K200154 ‡	2 F326
2008-2007	Front Coil Spring Suspension, (High Quality Elastomer For Durability And Performance)	Lower	K200156 ‡	2 F325
Control Arm with Ball Joint				
2012-2007	Front Coil Spring Suspension, (Contains Bushings, R-Series)	Left Upper	RK620887	1 F325
	Front Coil Spring Suspension, (Contains Bushings, R-Series)	Right Upper	RK620886	1 F325
	Front Coil Spring Suspension, (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620678 ‡	1 F325
	Front Coil Spring Suspension, (R-Series)	Left Lower	RK620678	1 F325
	Front Coil Spring Suspension, (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	CK620679 ‡	1 F325
	Front Coil Spring Suspension, (R-Series)	Right Lower	RK620679	1 F325
	Front Torsion Bar Suspension, (R-Series)	Left Upper	RK621900	1 F326
	Front Torsion Bar Suspension, (R-Series)	Right Upper	RK621899	1 F326
	Front Torsion Bar Suspension, (R-Series)	Left Lower	RK641495	1 F326
	Front Torsion Bar Suspension, (R-Series)	Right Lower	RK641494	1 F326
Strut and Spring Assembly				
2011-2007		ST8661	2	F325
Strut Mount				
2012-2007	Two Wheel Drive (4x2), Except Off Road Package, (Contains Spring Seat And Insulator)	K160427	2	F325

GENERAL MOTORS TRUCK-Canyon (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Strut Spring Seat				
2012-2007	Two Wheel Drive (4x2), Except Off Road Package	Upper	K6705	2 F325
Sway Bar Bushing				
2011-2007	1.095" Sway Bar Diameter, (Reduces Noise)	To Frame	K200172 ‡	1 F325, F326
	1.14" Sway Bar Diameter, (Reduces Noise)	To Frame	K200173 ‡	1 F325, F326
Sway Bar Link				
2012-2007	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K80582 ‡	1 F326
	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K80583 ‡	1 F326
	Two Wheel Drive (4x2), Except Z71 Off Road, (Powdered Metal Gusher Brg. For Better Lubrication)		K80636 ‡	2 F325
	Two Wheel Drive (4x2), Z71 Offroad Package, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K80582 ‡	1 F326
	Two Wheel Drive (4x2), Z71 Offroad Package, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K80583 ‡	1 F326
Wheel Hub & Bearing Assembly				
2018-2015	Four Wheel Drive (4X4)		515167	2
	Two Wheel Drive (4x2)		515168	2
2012-2009	Four Wheel Drive (4X4)		515121	2
	Two Wheel Drive (4x2)		515120	2
2008-2007	Four Wheel Drive (4X4)	Left	515110	1
	Four Wheel Drive (4X4)	Right	515111	1
	Two Wheel Drive (4x2), Sport Suspension ZQ8	Left	515106	1
	Two Wheel Drive (4x2), Sport Suspension ZQ8	Right	515107	1
	Two Wheel Drive (4x2), Z71 Offroad Package	Left	515108	1
	Two Wheel Drive (4x2), Z71 Offroad Package	Right	515109	1
	Two Wheel Drive (4x2), Z85 Suspension	Left	515104	1
	Two Wheel Drive (4x2), Z85 Suspension	Right	515105	1

STEERING



S146

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2017	All Terrain X, Base Model, Denali, SL, SLE, SLT	Outer	ES801261 ‡	2
	All Terrain X, Base Model, Denali, SL, SLE, SLT	Inner	EV801271 ‡	2
2016-2015		Outer	ES801261 ‡	2
		Inner	EV801271 ‡	2
2012-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800464 ‡	2 S146
	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800300 ‡	2 S146
	Two Wheel Drive (4x2), Z71 Offroad Package, (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800300 ‡	2 S146
2012-2007	Two Wheel Drive (4x2), Except Z71 Off Road, (16mm Thread At Steering Gear, Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800301 ‡	2 S146
2007	(14mm Threads On Adjusting End, Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES80761 ‡	2 S146
	(16mm Threads On Adjusting End, Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800464 ‡	2 S146
	Sport Suspension ZQ8, (14mm Threads On Adjusting End, Greaseable Socket Reduces Corrosion/Wear)	Outer	ES800643 ‡	2 S146
	Four Wheel Drive (4X4), (14mm Threads On Adjusting End, Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800557 ‡	2 S146
	Four Wheel Drive (4X4), (16mm Threads On Adjusting End, Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800300 ‡	2 S146
	Two Wheel Drive (4x2), Except Z71 Off Road, (14mm Threads On Adjusting End, 16mm Thread At Steering Gear, Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800556 ‡	2 S146
	Two Wheel Drive (4x2), Z71 Offroad Package, (14mm Threads On Adjusting End, Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800557 ‡	2 S146

(Cont.) Canyon-GENERAL MOTORS TRUCK

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2007 (Cont.)	Two Wheel Drive (4x2), Z71 Offroad Package, (16mm Threads On Adjusting End, Powdered Metal Gusher Brg. For Better Lubrication)	Inner EV800300 ‡	2	S146
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Leaf Spring Shackle Bushing				
2012-2007	(Design Allows Ease Of Installation)	To Frame K200802 ‡	2	
Sway Bar Bushing				
2011-2007		To Frame K201294	1	
Sway Bar Link				
2012	Sport Suspension ZQ8, (Powdered Metal Gusher Brg. For Better Lubrication)	K80611 ‡	2	
2011-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	K80611 ‡	2	

Envoy-GENERAL MOTORS TRUCK


FRONT SUSPENSION				
F028				
Year	Model/Application	Part	P/C Qty	Figure
Envoy				
Ball Joint				
2009-2002	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper K6664 ‡	2	F028
2007-2002	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower K6663 ‡	2	F028
Control Arm				
2009-2002	(R-Series)	Left Upper RK640294	1	F028
	(R-Series)	Right Upper RK640293	1	F028
Control Arm Bushing				
2009-2002	(High Quality Elastomer For Durability And Performance)	Upper K200269 ‡	2	F028
	(High Quality Elastomer For Durability And Performance)	Lower Front Inner K200271 ‡	2	F028
	(High Quality Elastomer For Durability And Performance)	Lower Outer K200270 ‡	2	F028
	(High Quality Elastomer For Durability And Performance)	Lower Rear Inner K200272 ‡	2	F028
Control Arm Support Bracket				
2009-2002	(Bracket Only, R-Series)	Left Lower RK641134	1	F028
	(Bracket Only, R-Series)	Right Lower RK641135	1	F028
Control Arm with Ball Joint				
2009-2008	(R-Series)	Left Lower RK621316	1	F028
	(R-Series)	Right Lower RK621315	1	F028
2007-2004	With 14mm Stabilizer Bar Link Stud Diameter, (R-Series)	Left Lower RK620467	1	F028
	With 14mm Stabilizer Bar Link Stud Diameter, (R-Series)	Right Lower RK620468	1	F028
Strut and Spring Assembly				
2009-2002	Except Air Suspension, (Coated For Corrosion Resistance, Strut, Spring & Top Mount)	ST8564 ‡	2	F028
Strut Bumper Bellows				
2009-2002	(Design Allows Ease Of Installation)	K160285 ‡	2	F028

GENERAL MOTORS TRUCK-Envoy (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Envoy				
Strut Mount				
2009-2002	(Bearing Not Included, Contains Spring Seat And Insulator)	K6702	2	F028
Strut Spring Seat				
2009-2002	(Reduces Noise)	Lower K160112 ‡	2	F028
Sway Bar Bushing				
2009-2006	1.42" Sway Bar Diameter	To Frame K80775	1	F028
2009-2004	1.34" Sway Bar Diameter, (Split Design For Easier Installation)	To Frame K80774 ‡	1	F028
Sway Bar Link				
2007-2004	(Powdered Metal Gusher Brg. For Better Lubrication)	Left K80824 ‡	1	F028
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right K80825 ‡	1	F028
Sway Bar Repair Kit				
2009-2008	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700535 ‡	2	F028
	(Standard Design)	K8266	2	F028
Wheel Hub & Bearing Assembly				
2009-2002		513188	2	


STEERING



S001

Year	Model/Application	Part	P/C Qty	Figure
Envoy				
Tie Rod End				
2009-2002	16mm Threads, (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer ES3675 ‡	1	S001
	16mm Threads, (Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer ES3676 ‡	1	S001
	16mm Threads, (Female Thread)	Inner EV80965	2	S001

REAR SUSPENSION



R102

Year	Model/Application	Part	P/C Qty	Figure
Envoy				
Control Arm				
2009-2002	(Arm Only, R-Series)	Lower RK660157	2	R102
Sway Bar Bushing				
2009-2002	(Split Design For Easier Installation)	To Frame K200768 ‡	1	R102


(Cont.) Envoy-GENERAL MOTORS TRUCK

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Envoy				
Sway Bar Link				
2009-2002	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K6668 ‡	1 R102
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K6667 ‡	1 R102
Trailing Link				
2009-2002	Auto Leveling System, (R-Series)	Upper	RK660156	2 R102

Terrain-GENERAL MOTORS TRUCK

FRONT SUSPENSION




F424


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2010	(Design Allows Ease Of Installation)	Lower	K500227 ‡	2 F424
Control Arm Bushing				
2016-2010	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200784 ‡	2 F424
		Lower Front	K201698	2 F424
Strut Bumper Bellows				
2016-2010	(Contains Bumper)		K90461	2 F424
Strut Mount				
2016-2010	(Contains Bearing, Contains Upper Spring Seat)		K160333	2 F424
Strut Spring Seat				
2017-2010	(Insulator Only)	Lower	K160355	2 F424
Sway Bar Bushing				
2017-2010	(Reduces Noise)	To Frame	K200334 ‡	1 F424
Sway Bar Link				
2017-2010	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750188 ‡	1 F424
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750189 ‡	1 F424
Wheel Hub & Bearing Assembly				
2017-2010			513288	2

GENERAL MOTORS TRUCK-Terrain (Cont.)

STEERING




S143



S197

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2010	(Greaseable Socket Reduces Corrosion/Wear) 4 Cyl, (MOOG Engineered Steel Composition Enhances Strength) V6 Cyl	Outer	ES800640 ‡	2 S143, S197
		Inner	EV800648 ‡	2 S197
		Inner	EV801158	2 S143

REAR SUSPENSION



R041

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017	(R-Series) (R-Series)	Left Rear Lower	RK641647	1 R041
		Right Rear Lower	RK641648	1 R041


(Cont.) Terrain-GENERAL MOTORS TRUCK

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2017-2013	(R-Series) Upper	RK643002	2	R041	
2017-2010	(R-Series) Lower Front	RK642089	2	R041	
2016-2010	(Arm Only, R-Series) (Arm Only, R-Series)	Left Rear Lower	RK641647	1	R041
		Right Rear Lower	RK641648	1	R041
2012-2010	(R-Series) Upper	RK642154	2	R041	
Control Arm Bushing					
2017-2010	Lower Rear Inner	K201726	2	R041	
Knuckle Bushing					
2017-2010	Upper	K201282	1	R041	
2015-2010	Lower Rear	K201283	2	R041	
Sway Bar Bushing					
2017-2010	(Reduces Noise) To Frame	K200338 ‡	1	R041	
Sway Bar Link					
2017-2010	(Greaseable Socket Reduces Corrosion/Wear)	K750427 ‡	2	R041	
Trailing Link					
2017-2010		Left	RK643084	1	R041
		Right	RK643083	1	R041
Trailing Link Bushing					
2017-2010		K201275	2	R041	
Wheel Hub & Bearing Assembly					
2017-2010		512440	2		

Yukon-GENERAL MOTORS TRUCK


FRONT SUSPENSION



F077

GENERAL MOTORS TRUCK-Yukon (Cont.)

FRONT SUSPENSION (Cont.)



F243

Year	Model/Application	Part	P/C Qty	Figure
Yukon				
Ball Joint				
2018-2016	(For Steel Control Arm)	Upper	K500340 ‡	2 F243
2016-2015	Aluminum Arm, (Design Allows Ease Of Installation)	Lower	K500245 ‡	2 F243
2014-2011	Steel Arm, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K6541 ‡	2 F243
2014-2007	4.04" Length, (Aluminum Arm, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500007 ‡	2 F243
2010-2007	4.150" Length, (Steel Arm, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K6541 ‡	2 F243
Control Arm Bushing				
2014-2007	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F243
Control Arm with Ball Joint				
2018-2017	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620956 ‡	1 F243
	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Left Lower	RK620888	1 F243
2016-2015	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, Forged Steel, Will Not Fit Aluminum Steering Knuckles, R-Series)	Left Upper	RK100214	1 F243
	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, Forged Steel, Will Not Fit Aluminum Steering Knuckles, R-Series)	Right Upper	RK100215	1 F243
2016-2009	Cast Iron Arm, Except Police, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620956 ‡	1 F243
	Cast Iron Arm, Except Police, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Left Lower	RK620888	1 F243
	Cast Iron Arm, Police, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	CK620955 ‡	1 F243
	Cast Iron Arm, Police, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Right Lower	RK620889	1 F243
2014-2007	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Left Upper	CK80669 ‡	1 F243
	(R-Series)	Left Upper	RK80669	1 F243
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Right Upper	CK80670 ‡	1 F243
	(R-Series)	Right Upper	RK80670	1 F243
	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, R-Series)	Left Upper	RK100214	1 F243
	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, R-Series)	Right Upper	RK100215	1 F243
2013-2009	Cast Iron Arm, Police, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620956 ‡	1 F243
	Cast Iron Arm, Police, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Left Lower	RK620888	1 F243
2008-2007	Police, (Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620956 ‡	1 F243
	Police, (Contains Bushings, R-Series)	Left Lower	RK620888	1 F243
	Police, (Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	CK620955 ‡	1 F243
	Police, (Contains Bushings, R-Series)	Right Lower	RK620889	1 F243
Strut Bumper Bellows				
2014-2007			K150275	2 F243

(Cont.) Yukon-GENERAL MOTORS TRUCK

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Yukon				
Strut Mount				
2014-2007	Except Auto Leveling System, (Bearing Not Included, Contains Spring Seat, Design Allows Ease Of Installation)	K160098 ‡	2	F243
Strut Spring Seat				
2017-2015	Except Magnetic Ride Control Suspension	Upper K160310	2	F243
2014-2007	Except Auto Leveling System	Lower K160311	2	F243
		Upper K160310	2	F243
Sway Bar Bushing				
2018-2007	36mm Sway Bar Diameter, (Standard Design)	To Frame K200222	1	F243
2017-2007	30mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201611 ‡	1	F243
Sway Bar Repair Kit				
2016-2007	7-1/4" Length, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700538 ‡	2	F243
Wheel Hub & Bearing Assembly				
2018-2015	Four Wheel Drive (4X4)	515160	2	
2016-2015	Two Wheel Drive (4x2)	515159	2	
2014-2007	All Wheel Drive	515096	2	
	Four Wheel Drive (4X4)	515096	2	
	Two Wheel Drive (4x2)	515097	2	
Yukon XL				
Ball Joint				
2018		Upper K500340 ‡	2	F243
2017-2015	(For Steel Control Arm)	Upper K500340 ‡	2	F243
2016-2015	Aluminum Arm, (Design Allows Ease Of Installation)	Lower K500245 ‡	2	F243
2014	4.04" Length, (Aluminum Arm, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower K500007 ‡	2	F243
		Lower K6541 ‡	2	F243
Control Arm Bushing				
2014	(Standard Design, Contains Front And Rear Bushings)	Upper K6688	2	F243
Control Arm with Ball Joint				
2018-2017	Cast Iron Arm, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower CK620956 ‡	1	F243
		Left Lower RK620888	1	F243
2016	Cast Iron Arm, Except Police, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower CK620956 ‡	1	F243
		Left Lower RK620888	1	F243
2016-2015	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, Forged Steel, Will Not Fit Aluminum Steering Knuckles, R-Series)	Left Upper RK100214	1	F243
		Right Upper RK100215	1	F243
2014	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series)	Left Upper CK80669 ‡	1	F243
		Left Upper RK80669	1	F243
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series)	Right Upper CK80670 ‡	1	F243
		Right Upper RK80670	1	F243
	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, R-Series)	Left Upper RK100214	1	F243
		Right Upper RK100215	1	F243
	Cast Iron Arm, Except Police, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower CK620956 ‡	1	F243
		Left Lower RK620888	1	F243
	Cast Iron Arm, Police, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower CK620955 ‡	1	F243
		Right Lower RK620889	1	F243
Strut Bumper Bellows				
2014		K150275	2	F243
Strut Mount				
2014	Except Auto Leveling System, (Bearing Not Included, Contains Spring Seat, Design Allows Ease Of Installation)	K160098 ‡	2	F243

GENERAL MOTORS TRUCK–Yukon (Cont.)

FRONT SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Yukon XL				
Strut Spring Seat				
2017-2015	Except Magnetic Ride Control Suspension	Upper	K160310	2 F243
2014	Except Auto Leveling System	Lower	K160311	2 F243
		Upper	K160310	2 F243
Sway Bar Bushing				
2018-2014	36mm Sway Bar Diameter, (Standard Design)	To Frame	K200222	1 F243
2017-2014	30mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201611 ‡	1 F243
Sway Bar Repair Kit				
2016-2014	7-1/4" Length, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700538 ‡	2 F243
Wheel Hub & Bearing Assembly				
2018-2015	Four Wheel Drive (4X4)		515160	2
2016-2015	Two Wheel Drive (4x2)		515159	2
2014	Four Wheel Drive (4X4)		515096	2
	Two Wheel Drive (4x2)		515097	2
Yukon XL 1500				
Ball Joint				
2013-2011	Steel Arm, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K6541 ‡	2 F243
2013-2007	4.04" Length, (Aluminum Arm, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500007 ‡	2 F243
2010-2009	4.150" Length, (Steel Arm, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K6541 ‡	2 F243
2008-2007	4.150" Length, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K6541 ‡	2 F243
Control Arm Bushing				
2013-2007	(Standard Design, Contains Front And Rear Bushings)	Upper	K6688	2 F243
Control Arm with Ball Joint				
2013-2009	Cast Iron Arm, Police, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620956 ‡	1 F243
	Cast Iron Arm, Police, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Left Lower	RK620888	1 F243
	Cast Iron Arm, Police, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	CK620955 ‡	1 F243
	Cast Iron Arm, Police, (Will Not Fit Aluminum Steering Knuckles, Contains Bushings, R-Series)	Right Lower	RK620889	1 F243
2013-2007	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Left Upper	CK80669 ‡	1 F243
	(R-Series)	Left Upper	RK80669	1 F243
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Right Upper	CK80670 ‡	1 F243
	(R-Series)	Right Upper	RK80670	1 F243
	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, R-Series)	Left Upper	RK100214	1 F243
	Plus Or Minus 3 Degrees Camber; Plus Or Minus 1.5 Degrees Caster, (Adjustable, R-Series)	Right Upper	RK100215	1 F243
2008-2007	Police, (Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620956 ‡	1 F243
	Police, (Contains Bushings, R-Series)	Left Lower	RK620888	1 F243
	Police, (Contains Bushings, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	CK620955 ‡	1 F243
	Police, (Contains Bushings, R-Series)	Right Lower	RK620889	1 F243
Strut Bumper Bellows				
2013-2007			K150275	2 F243
Strut Mount				
2013-2007	Except Auto Leveling System, (Bearing Not Included, Contains Spring Seat, Design Allows Ease Of Installation)		K160098 ‡	2 F243
Strut Spring Seat				
2013-2007	Except Auto Leveling System	Lower	K160311	2 F243
		Upper	K160310	2 F243
Sway Bar Bushing				
2013-2007	30mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201611 ‡	1 F243
	36mm Sway Bar Diameter, (Standard Design)	To Frame	K200222	1 F243

(Cont.) Yukon-GENERAL MOTORS TRUCK


FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Yukon XL 1500				
Sway Bar Repair Kit				
2013-2007	7-1/4" Length, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700538 ‡	2	F243
Wheel Hub & Bearing Assembly				
2013-2007	All Wheel Drive Four Wheel Drive (4X4) Two Wheel Drive (4x2)	515096 515096 515097	2 2 2	
Yukon XL 2500				
Ball Joint				
2013-2007	Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Greaseable) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Non-Greaseable, Do Not Use With Tires Over 33" Without A Tall Knuckle Lift Kit)	Upper K100108 ‡ Upper K100317	2 2	F077 F077
2012-2007	(Ball Joint Orientation Noted, Where Applicable)	Upper K6696 ‡	2	F077
2010-2007	(Press In Type, Oversized Stud Ball For Superior Load Carrying)	Lower K6693 ‡	2	F077
Control Arm Bumper Bushing				
2013-2007	(Square with Domed Top Bumper Bushing, 1 Per Package) (Square with Domed Top Bumper Bushing, 2 Per Package)	Lower K201426B Lower K201426 ‡	2 1	F077 F077
Control Arm Bushing				
2013-2007	Up To +/- 1 Degree Camber, (Offset Bushing To Provide Additional Caster/Camber, Adjustable)	Upper K6670 ‡	2	F077
2012-2007	For Welded Arm, (Standard Design, Contains Front And Rear Bushings)	Upper K200044	2	F077
Control Arm Bushing Set				
2011-2007	(Contains Front And Rear Bushings)	Lower K6658	2	F077
Control Arm with Ball Joint				
2013-2007	(Contains Bushing, R-Series) (Contains Bushing, R-Series) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, R-Series)	Left Lower RK621356 Right Lower RK621355 Upper RK621783	1 1 2	F077 F077 F077
2012-2007	(Contains Standard Bushing, R-Series) (Offset Bushings Allow 2 Added Degrees Of Camber, Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication, Standard Bushing)	Upper RK620054 Upper CK620053 ‡ Upper CK620054 ‡	2 2 2	F077 F077 F077
Sway Bar Bushing				
2013-2009	1-5/16" Sway Bar Diameter, (Includes Universal Mounting Bracket) 30mm Sway Bar Diameter, (Bracket Not Included, Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 36mm Sway Bar Diameter, (Bracket Not Included, Standard Design)	To Frame K7327 ‡ To Frame K201611 ‡ To Frame K200222	1 1 1	F077 F077 F077
2008-2007	32mm Sway Bar Diameter, (Bracket Not Included, Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 32mm Sway Bar Diameter, (Bracket Not Included, Standard Design) 32mm Sway Bar Diameter, (Includes Universal Mounting Bracket)	To Frame K201176 ‡ To Frame K6476 To Frame K7326 ‡	1 1 1	F077 F077 F077
Sway Bar Repair Kit				
2013-2007	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700539 ‡	2	F077
Torsion Bar Key, Adjustable				
2013-2011	(Allows Front Ride Height Changes Up To 2.25" Above OEM)	T40043	2	F077
2010-2007	8 Stud Hub, Minus 1/2 To Plus 1-1/2 Degree, (Allows Front Ride Height Changes Up To 2" Above OEM)	K100012 ‡	1	F077
Wheel Hub & Bearing Assembly				
2013-2007		515098	2	

GENERAL MOTORS TRUCK-Yukon (Cont.)

STEERING



S002



S110



Year	Model/Application	Part	P/C Qty	Figure
Yukon				
Tie Rod End				
2018-2015	(Design Allows Ease Of Installation) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800948 ‡ EV800938 ‡	2 2
2014	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800223 ‡	2 S110
2013-2010	Base Model, Denali, SLE, SLT, (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800084 ‡	2 S110
2013-2009	Denali Hybrid, Hybrid, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800621 ‡	2 S110
2013-2008	Base Model, Denali, SLE, SLT, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800223 ‡	2 S110
2009	Base Model, Denali, Denali Hybrid, SLE, SLT, (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800084 ‡	2 S110
2008	Base Model, Denali, SLE, SLT, (Powdered Metal Gusher Brg. For Better Lubrication) Hybrid, (Powdered Metal Gusher Brg. For Better Lubrication)	Inner Outer	EV800084 ‡ ES800621 ‡	2 2 S110
2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800223 ‡ EV800084 ‡	2 2 S110
Yukon XL				
Tie Rod End				
2018-2015	(Design Allows Ease Of Installation) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800948 ‡ EV800938 ‡	2 2
2014	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800223 ‡	2 S110
Yukon XL 1500				
Tie Rod End				
2013-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800223 ‡ EV800084 ‡	2 2 S110
Yukon XL 2500				
Center Link				
2012-2007	30.5" Length, (Contains Inner Tie Rod Ends) 30.5" Length, (Has Hole For Steering Stabilizer)	DS300059A DS300011	1 1	S002 S002

(Cont.) Yukon-GENERAL MOTORS TRUCK

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Yukon XL 2500				
Idler Arm				
2013	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud) (Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6534HD ‡ K6534 ‡	1 1	S002 S002
2012-2007	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud) (Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6535HD ‡ K6535 ‡	1 1	S002 S002
Idler Arm Bracket Assembly				
2013-2007	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)	K6723 ‡	1	S002
Idler Arm Grease Hose Kit				
2013-2007	(Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2013-2007	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654HD ‡ K6654 ‡	1 1	S002 S002
Tie Rod End				
2013-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Of Enhanced Belleville Washer Optimizes Load And Provides Longer Fatigue Life)	Outer ES3609 ‡ Inner ES3488 ‡	2 2	S002 S002

REAR SUSPENSION



Year	Model/Application	Part	P/C Qty	Figure
Yukon				
Control Arm				
2018-2007	(Arm Only, R-Series)	Upper RK641866	2	R131
2014-2007	(R-Series)	Lower RK641916	2	R131

GENERAL MOTORS TRUCK–Yukon (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Yukon				
Sway Bar Bushing				
2018-2007	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Standard Design)	Longer To Frame K201174 ‡ To Frame K6408	1 1	R131 R131
Sway Bar Link				
2018-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	K6700 ‡	2	R131
Track Bar Bushing				
2014-2007		K201774	2	F131
Yukon XL				
Control Arm				
2018	(R-Series)	Upper RK641866	2	R131
2017-2014	(Arm Only, R-Series)	Upper RK641866	2	R131
2014	(R-Series)	Lower RK641916	2	R131
Sway Bar Bushing				
2018-2014	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Standard Design)	Longer To Frame K201174 ‡ To Frame K6408	1 1	R131 R131
Sway Bar Link				
2018-2014	(Powdered Metal Gusher Brg. For Better Lubrication)	K6700 ‡	2	R131
Track Bar Bushing				
2014		K201774	2	F131
Yukon XL 1500				
Control Arm				
2013-2007	(Arm Only, R-Series) (R-Series)	Upper RK641866 Lower RK641916	2 2	R131 R131
Sway Bar Bushing				
2013-2007	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Standard Design)	Longer To Frame K201174 ‡ To Frame K6408	1 1	R131 R131
Sway Bar Link				
2013-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	K6700 ‡	2	R131
Track Bar Bushing				
2013-2007		K201774	2	F131
Yukon XL 2500				
Leaf Spring Shackle				
2013-2007		K150383	2	

HINO–145

STEERING

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2010-2005	1-1/4 - 12 UNF-2A Left Hand Thread, 10.32" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer ES800421 ‡	1	
	1-1/4 - 12 UNF-2A Right Hand Thread, 10.32" Length, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer ES800420 ‡	1	

HINO–165

STEERING

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2010-2005	1-1/4 - 12 UNF-2A Left Hand Thread, 10.32" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer ES800421 ‡	1	
	1-1/4 - 12 UNF-2A Right Hand Thread, 10.32" Length, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer ES800420 ‡	1	

185-HINO

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2010-2005	1-1/4 - 12 UNF-2A Left Hand Thread, 10.32" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800421 ‡	1
	1-1/4 - 12 UNF-2A Right Hand Thread, 10.32" Length, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800420 ‡	1

238-HINO

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2013-2005	5.440" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Left	ES423L ‡	1
	5.440" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Right	ES423R ‡	1

258LP-HINO

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2010-2006	(Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES423R ‡	1
	5.44" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES423L ‡	1

268-HINO

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
King Bolt Set				
2012	10.39" Length, 1.790" Pin Diameter, (Contains Composite Bushing, Two Keyways)		80063C	1
2010-2005	10,000 lb. (FD961) Axle, 10.39" Length, 1.790" Pin Diameter, (Contains Composite Bushing, Two Keyways)		80063C	1
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2013-2005	5.440" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Left	ES423L ‡	1
	5.440" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Right	ES423R ‡	1

268A-HINO

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
King Bolt Set				
2012-2008	10.39" Length, 1.790" Pin Diameter, (Contains Composite Bushing, Two Keyways)		80063C	1
2007-2006	10,000 lb. (FD961) Axle, 10.39" Length, 1.790" Pin Diameter, (Contains Composite Bushing, Two Keyways)		80063C	1
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2013-2006	5.440" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Left	ES423L ‡	1
	5.440" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Right	ES423R ‡	1

338-HINO

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
King Bolt Set				
2012-2011	12,000 lb. (FF961) Axle, 10.39" Length, 1.790" Pin Diameter, (Contains Composite Bushing, Two Keyways)		80063C	1
2010	10.39" Length, 1.790" Pin Diameter, (Contains Composite Bushing, Two Keyways)		80063C	1


HINO-338 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
King Bolt Set				
2009-2008	10,000 lb. (FD961) Axle, 10.39" Length, 1.790" Pin Diameter, (Contains Composite Bushing, Two Keyways)	80063C	1	
2007-2005	10.39" Length, 1.790" Pin Diameter, (Contains Composite Bushing, Two Keyways)	80063C	1	
STEERING				
Tie Rod End				
2013-2005	5.440" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Left ES423L ‡ Right ES423R ‡	1 1	

HONDA TRUCK-CR-V


FRONT SUSPENSION




F425

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2016-2012	(Bolt On Type, Design Allows Ease Of Installation)	Lower	K500103 ‡	2 F425
2011-2010		Left Lower	K500307	1 F425
		Right Lower	K500306	1 F425
2009-2007	(Bolt On Type, Design Allows Ease Of Installation)	Lower	K500103 ‡	2 F425
Control Arm Bushing				
2011-2007	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Lower Rear	K200858 ‡	2 F425
		Lower Front	K200859 ‡	2 F425
Control Arm with Ball Joint				
2016-2015	(R-Series)	Left Lower	RK622943	1 F425
	(R-Series)	Right Lower	RK622942	1 F425
2014	(R-Series)	Left Lower	RK622931	1 F425
	(R-Series)	Right Lower	RK622930	1 F425
2011-2007	(R-Series)	Left Lower	RK620500	1 F425
	(R-Series)	Right Lower	RK620501	1 F425
Strut Bumper Bellows				
2016-2015	(Contains Bumper)		K90460	2 F425
2014-2007	(Contains Bumper)		K90461	2 F425
Strut Mount				
2014-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160296 ‡	2 F425
Sway Bar Bushing				
2016-2007	(Contains Bushing And Brackets)	To Frame	K200519 ‡	1 F425
Sway Bar Link				
2016-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750297 ‡	2 F425

STEERING



S132




S200

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2011-2007	Japan Built - 1st Digit Of VIN J	K150282	2	S132	
Tie Rod End					
2016-2012	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES801157 ‡	1	S200
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES801156 ‡	1	S200
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800937 ‡	2	S200
2011-2007	Japan Built - 1st Digit Of VIN J, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800510 ‡	2	S132
	Japan Built - 1st Digit Of VIN J, (Design Allows Ease Of Installation)	Inner	EV800689 ‡	2	S132
	North American Built - 1st Digit Of VIN 1, 2, 3, 4 Or 5, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800303 ‡	2	S132
	North American Built - 1st Digit Of VIN 1, 2, 3, 4 Or 5, (Design Allows Ease Of Installation)	Inner	EV800569 ‡	2	S132

HONDA TRUCK-CR-V (Cont.)

REAR SUSPENSION




R105

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2016-2007	Minus 2 To Plus 4 Degrees Camber, (Adjustable, R-Series)	Upper	RK100046	2 R105
Control Arm Bushing				
2016-2007		Strut To Arm Lower	K80937	2 R105
Strut Bumper Bellows				
2016-2007	(Contains Bumper)		K90467	2 R105
Strut Mounting Kit				
2016-2007			K90646	2 R105
Sway Bar Bushing				
2014-2012		To Frame	K201299	1 R105
2011-2007	(Split Design For Easier Installation)	To Frame	K200205 ‡	1 R105
Sway Bar Link				
2016-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750156 ‡	1 R105
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750151 ‡	1 R105
Wheel Hub & Bearing Assembly				
2016-2012	All Wheel Drive		512501	2
	Front Wheel Drive		512448	2
2011-2007	All Wheel Drive		512345	2
	Front Wheel Drive		512344	2

HONDA TRUCK-Element

FRONT SUSPENSION




F038

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2011-2007	EX, LX, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500004 ‡	2 F038
Control Arm				
2011	(R-Series)	Left Lower	RK622174	1 F038
	(R-Series)	Right Lower	RK622173	1 F038
2010-2007	EX, LX, (R-Series)	Left Lower	RK622174	1 F038
	EX, LX, (R-Series)	Right Lower	RK622173	1 F038
Control Arm Bushing				
2011-2007	(Design Allows Ease Of Installation)	Lower Rear	K200053 ‡	2 F038
	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Front	K200799 ‡	2 F038
Strut Bumper Bellows				
2011-2007	(Contains Bumper)		K90463	2 F038
Strut Mount				
2011-2007	(Contains Bearing)		K90649	2 F038
Sway Bar Bushing				
2011-2007		To Frame	K201497	1 F038
Sway Bar Link				
2011-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K90454 ‡	1 F038
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K90455 ‡	1 F038


STEERING



S169

Year	Model/Application	Part	P/C Qty	Figure
2011-2007	(Design Allows Ease Of Installation)	Inner	EV800242 ‡	2 S169

REAR SUSPENSION



R028


HONDA TRUCK-Element (Cont.)

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2011-2007	Minus 2 To Plus 3 Degree Camber, (R-Series) Minus 2 To Plus 4 Degrees Camber, (R-Series)	Upper Upper	RK100088 RK90489	2 2 R028
2010-2007	(R-Series) (R-Series)	Left Upper Right Upper	RK642777 RK642776	1 1 R028 R028
Control Arm Bushing				
2011-2007		Lower Rear Outer Strut To Arm Lower Upper Outer	K200916 K80937 K200926	2 2 2 R028 R028 R028
Strut and Spring Assembly				
2011-2007		Left Right	ST8673L ST8673R	1 1 R028 R028
Strut Bumper Bellows				
2011-2007	(Contains Bumper)		K90467	2 R028
Strut Mounting Kit				
2011-2007			K90646	2 R028
Sway Bar Bushing				
2011		To Frame	K201432	1 R028
2010-2007	EX, LX SC, (Reduces Noise)	To Frame To Frame	K201432 K200736 ‡	1 1 R028 R028
Sway Bar Link				
2011	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K80466 ‡ K80465 ‡	1 1 R028 R028
2010-2007	EX, LX, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) EX, LX, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) SC, (Greaseable Socket Reduces Corrosion/Wear) SC, (Greaseable Socket Reduces Corrosion/Wear)	Left Right Left Right	K80466 ‡ K80465 ‡ K750510 ‡ K750509 ‡	1 1 1 1 R028 R028 R028 R028
Wheel Bearing Assembly				
2011-2007		Left Right	512262 512263	1 1

HONDA TRUCK-HR-V

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2019-2018	(Design Allows Ease Of Installation)	Lower	K500103 ‡	2
2017-2016	(Bolt On Type, Design Allows Ease Of Installation)	Lower	K500103 ‡	2
Strut Bumper Bellows				
2018-2016	(Contains Bumper)		K90461	2
Strut Mount				
2018-2016	(Contains Bearing, Contains Upper Retainer, Superior Rubber To Steel Bonding For Durability)		K160295 ‡	2
Sway Bar Link				
2019-2016		Left Right	K750847 K750846	1 1
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2019-2016		Inner	EV801305	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2019	EX, EX-L, All Wheel Drive Touring		512567 512567	2 2
2018-2016	EX, EX-L		512567	2
2016	All Wheel Drive		512567	2

FRONT SUSPENSION




F589


Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2013-2011	Lower	K500358	2	F589	
Control Arm Bushing					
2013-2011	Lower Rear	K201645	2	F589	
	Lower Front	K201654	2	F589	
2010-2007	Lower Rear	K201657	2	F589	
	Lower Front	K201365	2	F589	
Control Arm with Ball Joint					
2017-2011	(R-Series) (R-Series)	Left Lower Right Lower	RK622002 RK622210	1 1	F589 F589
2010-2007	(R-Series) (R-Series)	Left Lower Right Lower	RK620505 RK620504	1 1	F589 F589
Strut Bumper Bellows					
2016-2007	(Original Equipment Type) (Replacement Type, Contains Bumper)		K201415 K90464	2 2	F589 F589
Strut Mount					
2012	Thru Vin Number CB088498, (Contains Bearing)		K160336	2	F589
2011	(Contains Bearing)		K160336	2	F589
Sway Bar Bushing					
2013-2011	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Standard Design)	To Frame To Frame	K201620 ‡ K90559	1 1	F589 F589
2010-2007	23mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 23mm Sway Bar Diameter, (Standard Design)	To Frame To Frame	K201620 ‡ K90559	1 1	F589 F589
2009-2007	24mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 24mm Sway Bar Diameter, (Standard Design)	To Frame To Frame	K201619 ‡ K90554	1 1	F589 F589
Sway Bar Link					
2017-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K750304 ‡	2	F589
Wheel Hub & Bearing Assembly					
2017-2011			513293	2	

HONDA TRUCK-Odyssey (Cont.)

STEERING




S056



S178


Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2017-2011		K150288	2	S056	
2010-2005		K150288	2	S178	
Tie Rod End					
2017-2011	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer Inner	ES800333 ‡ EV800909 ‡	2 2	S056 S056
2010	DX, EX, EX-L, LX, SE, (Greaseable Socket Reduces Corrosion/Wear)	Outer	ES800224 ‡	2	S178
2010-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800226 ‡	2	S178
2009-2008	DX, EX, EX-L, LX, (Greaseable Socket Reduces Corrosion/Wear)	Outer	ES800224 ‡	2	S178
2009-2005	Touring, (Design Allows Ease Of Installation)	Outer	ES800225 ‡	2	S178
2007-2005	EX, EX-L, LX, (Greaseable Socket Reduces Corrosion/Wear)	Outer	ES800224 ‡	2	S178

REAR SUSPENSION



R088


REAR SUSPENSION (Cont.)



R089

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2010-2008	(R-Series)	Lower Front	RK642106	2	R088
2007-2005	(R-Series)	Lower Front	RK642105	2	R088
Control Arm with Ball Joint					
2017	Minus 2 To Plus 4 Degrees Camber, (Adjustable, Greaseable, R-Series)	Upper	RK100121	2	R089
2017-2016	(Without Bracket, R-Series)	Left Upper	RK621208	1	R089
2017-2011	(Without Bracket, R-Series)	Right Upper	RK621207	1	R089
2016-2014	EX, EX-L, LX, SE, Touring, Minus 2 To Plus 4 Degrees Camber, (Adjustable, Greaseable, R-Series)	Upper	RK100121	2	R089
2016-2011	Touring Elite, Minus 2 To Plus 4 Degrees Camber, (Adjustable, Greaseable, R-Series)	Upper	RK100153	2	R089
2015	EX, EX-L, LX, SE, Touring, (R-Series)	Left Upper	RK621208	1	R089
2014-2011	(R-Series)	Left Upper	RK621208	1	R089
2013-2012	EX, EX-L, LX, Touring, Minus 2 To Plus 4 Degrees Camber, (Adjustable, Greaseable, R-Series)	Upper	RK100121	2	R089
2011	DX, EX, EX-L, LX, SE, Touring, Minus 2 To Plus 4 Degrees Camber, (Adjustable, Greaseable, R-Series)	Upper	RK100121	2	R089
2010-2005	(R-Series)	Left Upper	RK621208	1	R088
		Right Upper	RK621207	1	R088
		Upper	RK100121	2	R088
Trailing Link Bushing					
2010-2005			K201324	2	R088
Wheel Hub & Bearing Assembly					
2017-2011			512366	2	
2010-2005			512320	2	


FRONT SUSPENSION



F369

HONDA TRUCK-Pilot (Cont.)


FRONT SUSPENSION (Cont.)




F371

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2008-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80281 ‡	2 F369
Control Arm Bushing				
2008-2007		Lower Rear	K201603	2 F369
2008-2006		Lower Front	K200001	2 F369
Control Arm with Ball Joint				
2015-2009	(R-Series)	Left Lower	RK621550	1 F371
	(R-Series)	Right Lower	RK621551	1 F371
2008-2006	(R-Series)	Left Lower	RK621349	1 F369
	(R-Series)	Right Lower	RK621350	1 F369
Strut Bumper Bellows				
2015-2009	(Contains Bumper)		K90461	2 F371
2008-2006	(Contains Bumper)		K90463	2 F369
Strut Mount				
2015-2009	(Contains Bearing)		K160336	2 F371
2008-2006	(Contains Retainer, Contains Bearing)		K90323	2 F369
Strut Spring Seat				
2008-2006	(Contains Spring Seat And Insulator)	Upper	K160356	2 F369
Sway Bar Bushing				
2015-2009	22mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201620 ‡	1 F371
	22mm Sway Bar Diameter, (Standard Design)	To Frame	K90559	1 F371
	23mm Sway Bar Diameter	To Frame	K201660	1 F371
2008-2006	22mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201620 ‡	1 F369
	22mm Sway Bar Diameter, (Standard Design)	To Frame	K90559	1 F369
Sway Bar Link				
2019-2016		Left	K750834 ‡	1
		Right	K750835 ‡	1
2015-2009	(Powdered Metal Gusher Brg. For Better Lubrication)		K750124 ‡	2 F371
2008-2006	(Powdered Metal Gusher Brg. For Better Lubrication)		K750124 ‡	2 F369
Wheel Hub & Bearing Assembly				
2015-2009			513267	2

STEERING




S130



S131

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2013-2009	(Design Allows Ease Of Installation)	K150272 ‡	2	S131	
Tie Rod End					
2019-2016		Left Outer Right Outer	ES801205 ES801204	1 1	
2015-2009	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800825 ‡ ES800824 ‡ EV800712 ‡	1 1 2	S131 S131 S131
2008-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer Right Outer Inner	ES3717 ES3716 EV471 ‡	1 1 2	S130 S130 S130


REAR SUSPENSION



R056

HONDA TRUCK–Pilot (Cont.)


REAR SUSPENSION (Cont.)



R057

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2016	Plus Or Minus 3 Degrees Camber, (Adjustable)	Upper	K100199	2
Control Arm				
2015-2009	(Lateral Link, R-Series)	Lower Front	RK642895	2 R057
2008-2006	(Lateral Link, R-Series)	Lower Front	RK642894	2 R056
Control Arm with Ball Joint				
2015-2009	Minus 2 To Plus 4 Degrees Camber, (Adjustable, Greaseable, R-Series) Minus 2 To Plus 4 Degrees Camber, (Adjustable, Non-Greasable, R-Series)	Upper	RK100122	2 R057
		Upper	RK621904	2 R057
2008-2007	Minus 2 To Plus 4 Degrees Camber, (Adjustable, Greaseable, R-Series) Minus 2 To Plus 4 Degrees Camber, (Adjustable, Non-Greasable, R-Series)	Upper	RK100106	2 R056
		Upper	RK621873	2 R056
Shock Mount Bushing				
2008-2006			K80933	2 R056
Sway Bar Bushing				
2019-2016		To Frame	K201568	1
2015-2012		To Frame	K201420	1 R057
2011-2009	All Wheel Drive Front Wheel Drive	To Frame	K201420	1 R057
		To Frame	K201568	1 R057
2008-2006	(Design Allows Ease Of Installation)	To Frame	K200915 ‡	1 R056
Sway Bar Link				
2019-2016		Left	K750833 ‡	1
		Right	K750832 ‡	1
2015-2009	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750749 ‡	1 R057
		Right	K750750 ‡	1 R057
2008-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K90716 ‡	1 R056
		Right	K90717 ‡	1 R056
Trailing Link				
2015-2009	(R-Series) (R-Series)	Left	RK642539	1 R057
		Right	RK642538	1 R057
Wheel Hub & Bearing Assembly				
2019-2016	All Wheel Drive Front Wheel Drive		512629	2
			512628	2
2015-2009	All Wheel Drive Front Wheel Drive		512342	2
			512416	2


FRONT SUSPENSION



F409

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2014-2006	(Design Allows Ease Of Installation)	Lower	K500192 ‡	2 F409
Control Arm Bushing				
2014-2010		Lower Front	K201438	2 F409
2014-2006		Lower Rear	K201603	2 F409
Control Arm with Ball Joint				
2014-2006	(R-Series)	Left Lower	RK621545	1 F409
	(R-Series)	Right Lower	RK621546	1 F409
Strut Bumper Bellows				
2014-2006	(Contains Bumper)		K90464	2 F409
Strut Mount				
2014-2009	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160218 ‡	2 F409
2008-2006	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160217 ‡	2 F409
Sway Bar Bushing				
2014-2009	22mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201620 ‡	1 F409
	22mm Sway Bar Diameter, (Standard Design)	To Frame	K90559	1 F409
	23mm Sway Bar Diameter	To Frame	K201660	1 F409
2008-2006	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201620 ‡	1 F409
	(Standard Design)	To Frame	K90559	1 F409
Sway Bar Link				
2019-2017		Left	K750834 ‡	1
		Right	K750835 ‡	1
2014-2006	(Powdered Metal Gusher Brg. For Better Lubrication)		K750097 ‡	2 F409

STEERING




S056

HONDA TRUCK–Ridgeline (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2019-2017		Left Outer Right Outer	ES801205 ES801204	1 1	
2014-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800333 ‡ EV800103 ‡	2 2	S056 S056


REAR SUSPENSION



R085

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2018-2017	Plus Or Minus 3 Degrees Camber, (Adjustable)	Upper	K100199	2	
Control Arm with Ball Joint					
2014-2006	2 Degree Camber Plus Or Minus, (Adjustable, R-Series)	Upper	RK621807	2	R085
Strut Bumper Bellows					
2014-2006	(Contains Bumper)		K90466	2	R085
Strut Mounting Kit					
2014-2006		Upper	K90646	2	R085
Sway Bar Bushing					
2019-2017	All Wheel Drive Front Wheel Drive	To Frame To Frame	K201568 K201420	1 1	
2014-2006		To Frame	K201437	1	R085
Sway Bar Link					
2014-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750110 ‡ K750111 ‡	1 1	R085 R085
Wheel Hub & Bearing Assembly					
2019-2017	All Wheel Drive Front Wheel Drive		512584 512585	2 2	

FRONT SUSPENSION




F075

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2009-2003	(Ball Joint Orientation Noted, Where Applicable) (Press In Type, Oversized Stud Ball For Superior Load Carrying) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Greaseable) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Non-Greaseable, Do Not Use With Tires Over 33" Without A Tall Knuckle Lift Kit)	Upper Lower Upper Upper	K6696 ‡ K6693 ‡ K100108 ‡ K100317	2 2 2 2	F075 F075 F075 F075
Control Arm Bushing					
2009-2003	For Welded Arm, (Standard Design, Contains Front And Rear Bushings) For Welded Arm, Up To +/- 1 Degree Camber, (Offset Bushing To Provide Additional Caster/Camber, Adjustable)	Upper Upper	K200044 K6670 ‡	2 2	F075 F075
Control Arm Bushing Set					
2009-2003	(Contains Front And Rear Bushings)	Lower	K6687	2	F075
Control Arm with Ball Joint					
2009-2003	(Contains Standard Bushing, R-Series) (Offset Bushings Allow 2 Added Degrees Of Camber, Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication, Standard Bushing) (Contains Bushing, R-Series) (Contains Bushing, R-Series) Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, R-Series)	Upper Upper Upper Left Lower Right Lower Upper	RK620054 CK620053 ‡ CK620054 ‡ RK621356 RK621355 RK621783	2 2 2 1 1 2	F075 F075 F075 F075 F075 F075
Sway Bar Bushing					
2009-2003	1-5/16" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 1-5/16" Sway Bar Diameter, (Standard Design)	To Frame To Frame	K201177 ‡ K6439	1 1	F075 F075
Sway Bar Repair Kit					
2009-2003	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700539 ‡	2	F075
Torsion Bar Key, Adjustable					
2009-2003	8 Stud Hub, Minus 1/2 To Plus 1-1/2 Degree, (Allows Front Ride Height Changes Up To 2" Above OEM)		K100012 ‡	1	F075
Wheel Hub & Bearing Assembly					
2009-2008			515098	2	
2007-2003	(8 Stud Hub)		515058	2	

HUMMER-H2 (Cont.)


STEERING



S002

Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009-2003	30.5" Length, (Contains Inner Tie Rod Ends)	DS300059A	1	S002
	30.5" Length, (Has Hole For Steering Stabilizer)	DS300011	1	S002
Idler Arm				
2010-2003	(Without Bracket, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6535HD ‡	1	S002
	(Without Bracket, Powdered Metal Gusher Brg. For Better Lubrication)	K6535 ‡	1	S002
Idler Arm Bracket Assembly				
2009-2003	(Bracket Pivot Assembly, Includes Powdered-Metal Gusher Bearing To Allow Grease To Penetrate Bearing Surfaces. Includes Bracket Assembly And Problem Solving Grease Hose Kit.)	K6723 ‡	1	S002
Idler Arm Grease Hose Kit				
2009-2003	(Allows Easy Access To Idler Arm Grease Fitting)	K6714 ‡	1	
Pitman Arm				
2009-2003	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6654HD ‡	1	S002
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6654 ‡	1	S002
2007-2003	(4 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)	K6536HD ‡	1	S002
	(4 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)	K6536 ‡	1	S002
Tie Rod End				
2009-2003	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3609 ‡	2	S002
2007-2003	(Design Of Enhanced Belleville Washer Optimizes Load And Provides Longer Fatigue Life)	Inner ES3488 ‡	2	S002
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2009-2008	(Arm Only, R-Series)	Upper RK641866	2	
2009-2003	(R-Series)	Lower RK641916	2	
Sway Bar Bushing				
2009-2003	1-3/16" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201175 ‡	1	
	1-3/16" Sway Bar Diameter, (Standard Design)	To Frame K6437	1	
Sway Bar Link				
2009-2003	(Powdered Metal Gusher Brg. For Better Lubrication)	K6700 ‡	2	


FRONT SUSPENSION



F393

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2010-2007	(Design Allows Ease Of Installation)	Lower	K500250 ‡	2 F393
Control Arm Bushing				
2010-2007	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200155 ‡	2 F393
Control Arm with Ball Joint				
2010-2007	(R-Series)	Left Upper	RK621676	1 F393
	(R-Series)	Right Upper	RK621675	1 F393
Sway Bar Bushing				
2010-2007		To Frame	K201407	1 F393
Sway Bar Link				
2010-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K750185 ‡	2 F393
Wheel Hub & Bearing Assembly				
2010-2009			515128	2
2008-2007			515093	2

STEERING




S145

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2010-2007	(Greaseable Socket Reduces Corrosion/Wear)	Outer	ES800762 ‡	2 S145
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800609 ‡	2 S145

HUMMER-H3 (Cont.)

REAR SUSPENSION




R072

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2010-2007	To Frame	K201548	1	R072
Sway Bar Link				
2010-2007	(Greaseable Socket Reduces Corrosion/Wear)	K750243 ‡	2	R072

HUMMER-H3T


FRONT SUSPENSION



F393

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2010-2009	(Design Allows Ease Of Installation)	Lower K500250 ‡	2	F393
Control Arm Bushing				
2010-2009	(High Quality Elastomer For Durability And Performance)	Lower Rear K200155 ‡	2	F393
Control Arm with Ball Joint				
2010-2009	(R-Series)	Left Upper RK621676	1	F393
	(R-Series)	Right Upper RK621675	1	F393
Sway Bar Bushing				
2010-2009	To Frame	K201407	1	F393
Sway Bar Link				
2010-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	K750185 ‡	2	F393
Wheel Hub & Bearing Assembly				
2010-2009		515128	2	


STEERING



S145

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2010-2009	(Greaseable Socket Reduces Corrosion/Wear) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES800762 ‡ EV800609 ‡	2 2	S145 S145

REAR SUSPENSION




R072

Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Bushing					
2010-2009		To Frame	K201549	1	R072

HYUNDAI TRUCK-Entourage


FRONT SUSPENSION



F440

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009-2007	(Design Allows Ease Of Installation)	Lower	K500073 ‡	2 F440
Control Arm Bushing				
2009-2007	(Vertically Mounted)	Lower Front	K201646	2 F440
Control Arm with Ball Joint				
2009-2007	(R-Series) (R-Series)	Left Lower Right Lower	RK622265 RK622266	1 F440 1 F440
Strut Bumper Bellows				
2009-2007	(Contains Bumper)		K90464	2 F440
Strut Mount				
2009-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160101 ‡	2 F440
Sway Bar Bushing				
2009-2007	(Split Design For Easier Installation)	To Frame	K200280 ‡	1 F440
Sway Bar Link				
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750168 ‡ K750169 ‡	1 F440 1 F440
Wheel Hub & Bearing Assembly				
2009-2007			515090	2


STEERING



S290

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800371 ‡	1 S290
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800372 ‡	1 S290
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800299 ‡	2 S290

REAR SUSPENSION




R123

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2009-2007	(R-Series)	Left Lower	RK641682	1	R123
	(R-Series)	Right Lower	RK641681	1	R123
Control Arm Bushing					
2009-2007		At Knuckle, Lower	K201281	2	R123
Control Arm with Ball Joint					
2009-2007	(R-Series)	Left Front Upper	RK621444	1	R123
	(R-Series)	Right Front Upper	RK621443	1	R123
Sway Bar Bushing					
2009-2007	(Reduces Noise)	To Frame	K200744 ‡	1	R123
Sway Bar Link					
2009-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80257 ‡	2	R123
Trailing Link					
2009-2007	(R-Series)	Left	RK642328	1	R123
	(R-Series)	Right	RK642329	1	R123
Wheel Hub & Bearing Assembly					
2009-2007			541007	2	

Santa Fe–HYUNDAI TRUCK

FRONT SUSPENSION



F466



Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2018-2013	(Design Allows Ease Of Installation)	Lower	K500231 ‡	2	

HYUNDAI TRUCK–Santa Fe (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2012-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Lower	K90375 ‡	2 F466
Control Arm Bushing				
2012-2007	(Vertically Mounted)	Lower Front	K201646	2 F466
Control Arm with Ball Joint				
2012-2007	(R-Series)	Left Lower	RK621686	1 F466
	(R-Series)	Right Lower	RK621685	1 F466
Strut Bumper Bellows				
2018-2013	(Original Equipment Type)		K201538	2
	(Replacement Type, Contains Bumper)		K90464	2
2012-2010	(Original Equipment Type)		K201416	2 F466
	(Replacement Type, Contains Bumper)		K90464	2 F466
2009-2007	(Contains Bumper)		K90464	2 F466
Strut Mount				
2009-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160101 ‡	2 F466
Sway Bar Bushing				
2012-2007	(Split Design For Easier Installation)	To Frame	K200280 ‡	1 F466
Sway Bar Link				
2018-2013	(Improves Upon OE Design)		K750659 ‡	2
2012-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750204 ‡	1 F466
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750205 ‡	1 F466
Wheel Hub & Bearing Assembly				
2014-2007	(Improved Design)		513266	2

STEERING




STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018	3342cc(3.3L) 3342cc(3.3L)	Right Outer Inner	ES801144 EV801076	1 2
2017		Inner	EV801076	2 S329
2017-2013		Left Outer Right Outer	ES801144 ES801143	1 1 S329
2016-2013	V6 Cyl	Inner	EV801076	2 S329
2012-2007	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer Right Outer Inner	ES800035 ‡ ES800055 ‡ EV800231 ‡	1 1 2 S327
REAR SUSPENSION				
R215				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2018	3342cc(3.3L), Front Wheel Drive, (R-Series)	Upper	RK642829	2
2017-2015	Front Wheel Drive, (R-Series)	Upper	RK642829	2
2015-2013	All Wheel Drive, (R-Series)	Lower Front	RK642783	2
2014-2013	3342cc(3.3L), Front Wheel Drive, (R-Series)	Upper	RK642325	2
2012-2007	(R-Series) (R-Series)	Lower Rear Lower Center	RK641812 RK641883	2 2 R215
Control Arm Bushing				
2018-2013		At Knuckle, Lower	K201281	2
2009-2007	(Design Allows Ease Of Installation)	Upper Front	K200941 ‡	2 R215
Control Arm with Ball Joint				
2018-2013	Front Wheel Drive, (R-Series)	Lower Front	RK622790	2
2009-2007	(R-Series)	Lower Front	RK621884	2 R215
Sway Bar Bushing				
2012-2010		To Frame	K201485	1 R215
2009-2007	(Reduces Noise)	To Frame	K200740 ‡	1 R215
Sway Bar Link				
2018	Front Wheel Drive, (Design Allows Ease Of Installation) Front Wheel Drive, (Improves Upon OE Design) Front Wheel Drive, (Design Allows Ease Of Installation) Front Wheel Drive, (Improves Upon OE Design)	Left Left Right Right	K750669 ‡ K750603 ‡ K750669 ‡ K750603 ‡	1 1 1 1
2018-2013	All Wheel Drive, (Design Allows Ease Of Installation) All Wheel Drive, (Design Allows Ease Of Installation)	Left Right	K750664 ‡ K750665 ‡	1 1
2017-2013	Front Wheel Drive, (Design Allows Ease Of Installation) Front Wheel Drive, (Improves Upon OE Design)		K750669 ‡ K750603 ‡	2 2
2012-2007	(Improves Upon OE Design)		K750279 ‡	2 R215
Wheel Hub & Bearing Assembly				
2018-2007	All Wheel Drive, (Improved Design) Front Wheel Drive		513266 512326	2 2

HYUNDAI TRUCK–Santa Fe Sport


FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2013	(Design Allows Ease Of Installation)	Lower	K500231 ‡	2
Strut Bumper Bellows				
2018-2013	(Original Equipment Type)		K201538	2
	(Replacement Type, Contains Bumper)		K90464	2
Sway Bar Link				
2018-2013	(Improves Upon OE Design)		K750659 ‡	2
Wheel Hub & Bearing Assembly				
2016-2013	(Improved Design)		513266	2

STEERING



S327



S329

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2016	4 Cyl, (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV801212 ‡	2
2015-2013	4 Cyl, (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV801212 ‡	2

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2016-2013	All Wheel Drive, (R-Series)	Lower Front	RK642783	2
2015-2013	Front Wheel Drive, (R-Series)	Upper	RK642829	2
Control Arm Bushing				
2018-2013		At Knuckle, Lower	K201281	2
Control Arm with Ball Joint				
2018-2013	Front Wheel Drive, (R-Series)	Lower Front	RK622790	2


(Cont.) Santa Fe Sport–HYUNDAI TRUCK

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018	Front Wheel Drive, (Design Allows Ease Of Installation)	Left	K750669 ‡	1
	Front Wheel Drive, (Improves Upon OE Design)	Left	K750603 ‡	1
	Front Wheel Drive, (Design Allows Ease Of Installation)	Right	K750669 ‡	1
	Front Wheel Drive, (Improves Upon OE Design)	Right	K750603 ‡	1
2018-2013	All Wheel Drive, (Design Allows Ease Of Installation)	Left	K750664 ‡	1
	All Wheel Drive, (Design Allows Ease Of Installation)	Right	K750665 ‡	1
2017-2013	Front Wheel Drive, (Design Allows Ease Of Installation)		K750669 ‡	2
	Front Wheel Drive, (Improves Upon OE Design)		K750603 ‡	2
Wheel Hub & Bearing Assembly				
2018-2013	All Wheel Drive, (Improved Design)		513266	2
	Front Wheel Drive		512326	2

Santa Fe XL–HYUNDAI TRUCK

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2013	(Design Allows Ease Of Installation)	Lower	K500231 ‡	2
Strut Bumper Bellows				
2018-2013	(Original Equipment Type)		K201538	2
	(Replacement Type, Contains Bumper)		K90464	2
Sway Bar Link				
2018-2013	(Improves Upon OE Design)		K750659 ‡	2
Wheel Hub & Bearing Assembly				
2016-2013	(Improved Design)		513266	2

STEERING



S329

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018	3342cc(3.3L)	Right Outer	ES801144	1
		Inner	EV801076	2
2017-2013		Left Outer	ES801144	1
		Inner	EV801076	2
2016-2013		Right Outer	ES801143	1

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2018	3342cc(3.3L), Front Wheel Drive, (R-Series)	Upper	RK642829	2
2017-2016	Front Wheel Drive, (R-Series)	Upper	RK642829	2
2016-2013	All Wheel Drive, (R-Series)	Lower Front	RK642783	2
2014-2013	3342cc(3.3L), Front Wheel Drive, (R-Series)	Upper	RK642325	2

HYUNDAI TRUCK–Santa Fe XL (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2018-2013		At Knuckle, Lower	K201281	2
Control Arm with Ball Joint				
2018-2013	Front Wheel Drive, (R-Series)	Lower Front	RK622790	2
Sway Bar Link				
2018	Front Wheel Drive, (Design Allows Ease Of Installation)	Left	K750669 ‡	1
	Front Wheel Drive, (Improves Upon OE Design)	Left	K750603 ‡	1
	Front Wheel Drive, (Design Allows Ease Of Installation)	Right	K750669 ‡	1
	Front Wheel Drive, (Improves Upon OE Design)	Right	K750603 ‡	1
2018-2013	All Wheel Drive, (Design Allows Ease Of Installation)	Left	K750664 ‡	1
	All Wheel Drive, (Design Allows Ease Of Installation)	Right	K750665 ‡	1
2017-2015	Front Wheel Drive, (Design Allows Ease Of Installation)		K750669 ‡	2
2017-2013	Front Wheel Drive, (Improves Upon OE Design)		K750603 ‡	2
Wheel Hub & Bearing Assembly				
2018-2013	All Wheel Drive, (Improved Design)		513266	2
	Front Wheel Drive		512326	2

HYUNDAI TRUCK–Tucson

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2015	Hydrogen Fuel Cell, (Greaseable Socket Reduces Corrosion/Wear)	Lower	K500239 ‡	2
2015	Gasoline	Lower	K500319 ‡	2
2014		Lower	K500319 ‡	2
2013-2010	(Greaseable Socket Reduces Corrosion/Wear)	Lower	K500239 ‡	2
2009-2005		Lower	K500012	2
Control Arm				
2009-2005	Except Steering Stopper, (R-Series) Except Steering Stopper, (R-Series) Steering Stopper, (R-Series)	Left Lower	RK641338	1
		Right Lower	RK641339	1
		Right Lower	RK642112	1
Control Arm Bushing				
2009-2005	(Horizontal Mount) (Vertically Mounted)	Lower Rear	K201358	2
		Lower Front	K201646	2
Control Arm with Ball Joint				
2013-2010	(R-Series)	Right Lower	RK622768	1
Strut and Spring Assembly				
2009-2005		Left	ST8646L	1
		Right	ST8646R	1
Strut Bumper Bellows				
2016-2010			K150274	2
2009-2007	(Contains Bumper)		K90464	2
Strut Mount				
2015-2010	(Contains Bearing)		K160371	2
2009-2005	(Contains Bearing)		K90403	2
Sway Bar Bushing				
2013-2010		To Frame	K201514	1
2009-2005	(Reduces Noise)	To Frame	K200731 ‡	1
Sway Bar Link				
2018	(Improves Upon OE Design)		K750523 ‡	2
2017-2016	Gasoline, (Improves Upon OE Design)		K750523 ‡	2
2015-2014	(Improves Upon OE Design)		K750523 ‡	2
2013-2010	(Improves Upon OE Design)		K750524 ‡	2
2009-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80510 ‡	2
Wheel Hub & Bearing Assembly				
2018			513374	2
2017	Gasoline		513374	2
2016			513374	2

(Cont.) Tucson–HYUNDAI TRUCK

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017	Hydrogen Fuel Cell, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800717 ‡	1
	Hydrogen Fuel Cell, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800718 ‡	1
2017-2015	Hydrogen Fuel Cell, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800964 ‡	2
2015-2010	(Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800717 ‡	1
	(Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800718 ‡	1
2014		Inner	EV801257	2
2013-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800964 ‡	2
2009-2005		Left Outer	ES800056	1
		Right Outer	ES800036	1
		Inner	EV800095	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2015-2010	All Wheel Drive, (R-Series)	Upper Front	RK642783	2
	Front Wheel Drive, (Lateral Link, R-Series)	Upper Front	RK622349	2
	Front Wheel Drive, (R-Series)	Upper Rear	RK642325	2
2009-2008	All Wheel Drive, (R-Series)	Lower Front	RK642769	2
2009-2005	All Wheel Drive, (R-Series)	Upper Rear	RK641819	2
	Front Wheel Drive, (Adjustable, R-Series)	Upper Front	RK641818	2
	Front Wheel Drive, (Non-Adjustable, R-Series)	Lower Rear	RK641817	2
2007-2005	All Wheel Drive, (Adjustable, R-Series)	Lower Front	RK641816	2
Shock Mount				
2015-2010			K160442	2
Strut Bumper Bellows				
2015-2010			K201597	2
2009-2007	(Contains Bumper)		K90464	2
Strut Mount				
2009-2005	(Bearing Not Included)	Left	K90215	1
	(Bearing Not Included)	Right	K90216	1
Sway Bar Bushing				
2011-2010	All Wheel Drive	To Frame	K201485	1
2009-2005		To Frame	K201172	2
Sway Bar Link				
2015-2010	All Wheel Drive, (Improves Upon OE Design)		K750594 ‡	2
	Front Wheel Drive, (Improves Upon OE Design)		K750603 ‡	2
2009-2005	(20-Gauge Stainless Steel Material Provides Longer Service Life)		K80511 ‡	2
Trailing Link				
2009-2008	(R-Series)		RK642332	2
Wheel Hub & Bearing Assembly				
2018	Front Wheel Drive		512553	2
2017	Gasoline, Front Wheel Drive		512553	2
2016	Front Wheel Drive		512553	2
2015-2009	Front Wheel Drive		512437	2

Veracruz–HYUNDAI TRUCK

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2012-2007	(Vertically Mounted)	Lower Front	K201646	2
Control Arm with Ball Joint				
2012-2007	(R-Series)	Left Lower	RK642317	1
	(R-Series)	Right Lower	RK622318	1
Strut Bumper Bellows				
2012-2007	(Contains Bumper)		K90461	2
Strut Mount				
2012-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160101 ‡	2

HYUNDAI TRUCK-Veracruz (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2012-2007	(Split Design For Easier Installation)	To Frame	K200281 ‡	1
Sway Bar Link				
2012-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750204 ‡	1
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750205 ‡	1
Wheel Hub & Bearing Assembly				
2012-2007	(Improved Design)		513266	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2012-2007	(Design Allows Ease Of Installation)	Left Outer	ES800035 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800055 ‡	1
	(Design Allows Ease Of Installation)	Inner	EV800336 ‡	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2012-2009	(R-Series)	Lower Center	RK641883	2
2012-2007	(R-Series)	Lower Rear	RK641812	2
Control Arm Bushing				
2012-2007		At Knuckle, Lower	K201281	2
Control Arm with Ball Joint				
2012	All Wheel Drive, (R-Series)	Left Upper	RK622566	1
	All Wheel Drive, (R-Series)	Right Upper	RK622567	1
	Front Wheel Drive, (R-Series)	Left Upper	RK622345	1
	Front Wheel Drive, (R-Series)	Right Upper	RK622346	1
2012-2007	(R-Series)	Lower Front	RK621884	2
2011	Thru 4/5/11, (R-Series)	Left Upper	RK622566	1
	Thru 4/5/11, (R-Series)	Right Upper	RK622567	1
	All Wheel Drive, From 4/6/11, (R-Series)	Left Upper	RK622566	1
	All Wheel Drive, From 4/6/11, (R-Series)	Right Upper	RK622567	1
	Front Wheel Drive, From 4/6/11, (R-Series)	Left Upper	RK622345	1
	Front Wheel Drive, From 4/6/11, (R-Series)	Right Upper	RK622346	1
2010-2007	(R-Series)	Left Upper	RK622566	1
	(R-Series)	Right Upper	RK622567	1
Sway Bar Bushing				
2012-2007	(Reduces Noise)	To Frame	K200741 ‡	1
Sway Bar Link				
2012-2007	(Improves Upon OE Design)		K750279 ‡	2
Trailing Link				
2008	From 4/08, (R-Series)	Left	RK642327	1
Wheel Hub & Bearing Assembly				
2012-2007	All Wheel Drive, (Improved Design)		513266	2
	Front Wheel Drive		512326	2

INFINITI TRUCK-EX35

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2012-2008	(R-Series)	Left Upper	RK622206	1
Strut Bumper Bellows				
2012-2008			K201503	2
Strut Mount				
2012-2008			K160343	2
Strut Spring Seat				
2012-2008	(Insulator Only)	Upper	K160349	2
Sway Bar Bushing				
2012-2011	All Wheel Drive, (Split Design For Easier Installation)	To Frame	K200284 ‡	1
2012-2008	Rear Wheel Drive	To Frame	K201574	1

(Cont.) EX35-INFINITI TRUCK

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2012-2008	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750210 ‡	1
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750209 ‡	1
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750194 ‡	1
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750193 ‡	1
Wheel Hub & Bearing Assembly				
2012-2008	Rear Wheel Drive		513334	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2011-2008			K150317	2
Tie Rod End				
2012-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800338 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800337 ‡	1
	(Design Allows Ease Of Installation)	Inner	EV800602 ‡	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2012-2008	(R-Series)	Left Front Lower	RK642560	1
Control Arm with Ball Joint				
2012-2008	(R-Series)	Left Upper	RK622005	1
	(R-Series)	Right Upper	RK622006	1
Strut Bumper Bellows				
2012-2008	(Replacement Type, Contains Bumper)		K90460	2
Strut Mount				
2012-2008			K160347	2
Sway Bar Bushing				
2012-2008		To Frame	K201589	1
Sway Bar Link				
2012-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750044 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750047 ‡	1
Wheel Hub & Bearing Assembly				
2012-2008			512379	2

EX37-INFINITI TRUCK

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2013	(R-Series)	Left Upper	RK622206	1
Strut Bumper Bellows				
2013			K201503	2
Strut Mount				
2013			K160343	2
Strut Spring Seat				
2013	(Insulator Only)	Upper	K160349	2
Sway Bar Bushing				
2013	All Wheel Drive, (Split Design For Easier Installation)	To Frame	K200284 ‡	1
	Rear Wheel Drive	To Frame	K201574	1
Sway Bar Link				
2013	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750210 ‡	1
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750209 ‡	1
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750194 ‡	1
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750193 ‡	1
Wheel Hub & Bearing Assembly				
2013	Rear Wheel Drive		513334	2

INFINITI TRUCK-EX37 (Cont.)

STEERING


Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2013		K150317	2	
Tie Rod End				
2013	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800338 ‡ ES800337 ‡ EV800602 ‡	1 1 2

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2013	(R-Series)	Left Front Lower	RK642560	1
Control Arm with Ball Joint				
2013	(R-Series) (R-Series)	Left Upper Right Upper	RK622005 RK622006	1 1
Strut Bumper Bellows				
2013	(Replacement Type, Contains Bumper)		K90460	2
Strut Mount				
2013			K160347	2
Sway Bar Bushing				
2013		To Frame	K201589	1
Sway Bar Link				
2013	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750044 ‡ K750047 ‡	1 1
Wheel Hub & Bearing Assembly				
2013			512379	2


INFINITI TRUCK-FX35

FRONT SUSPENSION




F429

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2012-2009	(R-Series) (R-Series) (R-Series) (R-Series)	Left Upper Right Upper Left Lower Right Lower	RK622198 RK622196 RK622085 RK622084	1 1 1 1
Strut Bumper Bellows				
2012-2009			K150274	2
2008-2003	(Original Equipment Type) (Replacement Type, Contains Bumper)		K201415 K90464	2 2
Strut Mount				
2012-2009			K160342	2
2008-2003	(Contains Bearing)		K90655	2

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Spring Seat				
2012-2009		Upper	K160348	2
2008-2003	(Reduces Noise)	Lower	K160244 ‡	2 F429
Sway Bar Bushing				
2012-2009	(Split Design For Easier Installation)	To Frame	K200284 ‡	1
2008-2003		To Frame	K201547	1 F429
Sway Bar Link				
2012-2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750401 ‡	1
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750402 ‡	1
2008-2003	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750273 ‡	2 F429
Wheel Hub & Bearing Assembly				
2012-2003	Rear Wheel Drive		513334	2
STEERING				
 <p>The diagram shows an exploded view of steering components. At the top center is a long rack and pinion assembly. Below it are two R&P Boot Kits, each consisting of a cylindrical boot and a retaining ring. To the left are two tie rod ends: one labeled 'Tie Rod End (Outer)' and one labeled 'Tie Rod End (Inner)'. To the right are two more tie rod ends: one labeled 'Tie Rod End (Inner)' and one labeled 'Tie Rod End (Outer)'.</p>				
S211				
Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2012-2011		Left	K150282	1
2012-2009		Right	K150317	1
2008-2003		Right	K150317	1 S211
2007-2003		Left	K150292	1 S211
Tie Rod End				
2012-2009		Left Outer	ES801165	1
		Right Outer	ES801164	1
		Inner	EV801082	2
2008-2003	(Design Allows Ease Of Installation)	Left Outer	ES800428 ‡	1 S211
	(Design Allows Ease Of Installation)	Right Outer	ES800429 ‡	1 S211
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800302 ‡	2 S211

INFINITI TRUCK-FX35 (Cont.)

REAR SUSPENSION



R107

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2012-2009	(R-Series) Plus Or Minus 3 Degree Camber, Plus Or Minus 2 Degree Toe, (Adjustable, R-Series)	Left Front Lower Lower Front	RK642560 RK100090	1 2
2008-2003	(R-Series) (R-Series)	Left Front Lower Right Front Lower	RK642473 RK642558	1 1 R107 R107
Control Arm with Ball Joint				
2012-2009	(R-Series) (R-Series)	Left Upper Right Upper	RK622094 RK622092	1 1
2008-2003	(R-Series) (R-Series)	Left Upper Right Upper	RK621688 RK621687	1 1 R107 R107
Strut Bumper Bellows				
2012-2009	(Replacement Type, Contains Bumper)		K90460	2
2008-2003	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 R107
Strut Mount				
2012-2009			K160347	2
Sway Bar Bushing				
2012-2009		To Frame	K201563	1
2008-2003		To Frame	K201555	1 R107
Sway Bar Link				
2012-2009	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Right	K750703 ‡ K750702 ‡	1 1
2008-2003	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K750248 ‡ K750249 ‡	1 1 R107 R107
Wheel Bearing Assembly				
2009	Rear Wheel Drive		541002	2
2008-2003			541002	2
Wheel Hub & Bearing Assembly				
2012-2010			512379	2
2009	All Wheel Drive		512379	2

INFINITI TRUCK-FX37

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2013	(R-Series) (R-Series) (R-Series) (R-Series)	Left Upper Right Upper Left Lower Right Lower	RK622198 RK622196 RK622085 RK622084	1 1 1 1
Strut Bumper Bellows				
2013			K150274	2
Strut Mount				
2013			K160342	2

(Cont.) FX37-INFINITI TRUCK

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Spring Seat				
2013	Upper	K160348	2	
Sway Bar Bushing				
2013	(Split Design For Easier Installation) To Frame	K200284 ‡	1	
Sway Bar Link				
2013	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K750401 ‡ K750402 ‡	1 1
Wheel Hub & Bearing Assembly				
2013	Rear Wheel Drive	513334	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2013		K150317	2	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2013	(R-Series) Left Front Lower	RK642560	1	
Control Arm with Ball Joint				
2013	(R-Series) Left Upper (R-Series) Right Upper	RK622094 RK622092	1 1	
Strut Bumper Bellows				
2013	(Replacement Type, Contains Bumper)	K90460	2	
Strut Mount				
2013		K160347	2	
Sway Bar Bushing				
2013	To Frame	K201563	1	
Sway Bar Link				
2013	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Right	K750703 ‡ K750702 ‡	1 1
Wheel Hub & Bearing Assembly				
2013		512379	2	

FX45-INFINITI TRUCK


FRONT SUSPENSION				
F429				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2008-2003	(Original Equipment Type) (Replacement Type, Contains Bumper)	K201415 K90464	2 2	F429 F429

INFINITI TRUCK-FX45 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Strut Mount				
2008-2003	(Contains Bearing)	K90655	2	F429
Strut Spring Seat				
2008-2003	(Reduces Noise)	Lower K160244 ‡	2	F429
Sway Bar Bushing				
2008-2003	To Frame	K201547	1	F429
Sway Bar Link				
2008-2003	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750273 ‡	2	F429
Wheel Hub & Bearing Assembly				
2008-2003		513334	2	


STEERING



S211

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2008-2005		Right K150317	1	S211
Tie Rod End				
2008-2003	(Design Allows Ease Of Installation)	Left Outer ES800428 ‡	1	S211
	(Design Allows Ease Of Installation)	Right Outer ES800429 ‡	1	S211
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner EV800302 ‡	2	S211

REAR SUSPENSION



R107

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2008-2003	(R-Series)	Left Front Lower RK642473	1	R107
	(R-Series)	Right Front Lower RK642558	1	R107

(Cont.) FX45–INFINITI TRUCK

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2008-2003	(R-Series) (R-Series)	Left Upper Right Upper	RK621688 RK621687	1 1 R107 R107
Strut Bumper Bellows				
2008-2003	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 R107
Sway Bar Bushing				
2008-2003		To Frame	K201555	1 R107
Sway Bar Link				
2008-2003	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K750248 ‡ K750249 ‡	1 1 R107 R107
Wheel Bearing Assembly				
2008-2003			541002	2

FX50–INFINITI TRUCK

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2013-2009	(R-Series) (R-Series) (R-Series) (R-Series)	Left Upper Right Upper Left Lower Right Lower	RK622198 RK622196 RK622085 RK622084	1 1 1 1
Strut Bumper Bellows				
2013-2009			K150274	2
Strut Mount				
2013-2009			K160342	2
Strut Spring Seat				
2013-2009		Upper	K160348	2
Sway Bar Bushing				
2013-2011	(Split Design For Easier Installation)	To Frame	K200284 ‡	1
Sway Bar Link				
2013-2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K750401 ‡ K750402 ‡	1 1
Wheel Hub & Bearing Assembly				
2013-2010			513335	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2013-2009		Left Right	K150282 K150317	1 1
Tie Rod End				
2013-2009		Left Outer Right Outer Inner	ES801165 ES801164 EV801082	1 1 2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2012-2009	(R-Series)	Left Front Lower	RK642560	1
Control Arm with Ball Joint				
2013-2009	(R-Series) (R-Series)	Left Upper Right Upper	RK622094 RK622092	1 1
Strut Bumper Bellows				
2013-2009	(Replacement Type, Contains Bumper)		K90460	2
Strut Mount				
2013-2009			K160347	2
Sway Bar Bushing				
2013-2009		To Frame	K201563	1

INFINITI TRUCK-FX50 (Cont.)

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2013-2009	(Design Allows Ease Of Installation)	Left	K750703 ‡	1
	(Design Allows Ease Of Installation)	Right	K750702 ‡	1
Wheel Hub & Bearing Assembly				
2013-2009			512379	2

INFINITI TRUCK-JX35


FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2013	(Contains Bumper)		K90461	2
Strut Mount				
2013	(Contains Bearing)		K160422	2
Sway Bar Bushing				
2013		To Frame	K201304	1
Sway Bar Link				
2013	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750282 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750283 ‡	1
Wheel Hub & Bearing Assembly				
2013	(32 Tooth Spline)		513296	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2013	(Design Allows Ease Of Installation)		K160285 ‡	2
Strut Mount				
2013			K160347	2
Sway Bar Link				
2013	(Design Allows Ease Of Installation)	Left	K750699 ‡	1
	(Design Allows Ease Of Installation)	Right	K750698 ‡	1
Wheel Hub & Bearing Assembly				
2013	All Wheel Drive		512548	2
	Front Wheel Drive		512388	2

INFINITI TRUCK-QX50

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2017-2014	(R-Series)	Left Upper	RK622206	1
Strut Bumper Bellows				
2017-2014			K201503	2
Strut Mount				
2017-2014			K160343	2
Strut Spring Seat				
2017-2014	(Insulator Only)	Upper	K160349	2
Sway Bar Bushing				
2017-2014	Rear Wheel Drive	To Frame	K201574	1
2016-2014	All Wheel Drive, (Split Design For Easier Installation)	To Frame	K200284 ‡	1
Sway Bar Link				
2017-2014	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750210 ‡	1
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750209 ‡	1
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750194 ‡	1
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750193 ‡	1
Wheel Hub & Bearing Assembly				
2017-2014	All Wheel Drive		513335	2
	Rear Wheel Drive		513334	2

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2017-2016		Left Right	K150317 K150293	1 1
2015-2014			K150317	2
Tie Rod End				
2017-2014	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800338 ‡ ES800337 ‡ EV800602 ‡	1 1 2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2014	Plus Or Minus 3 Degree Camber, Plus Or Minus 2 Degree Toe, (Adjustable, R-Series)	Lower Front	RK100090	2
2015-2014	(R-Series)	Left Front Lower	RK642560	1
Control Arm with Ball Joint				
2017-2014	(R-Series) (R-Series)	Left Upper Right Upper	RK622005 RK622006	1 1
Strut Bumper Bellows				
2017-2014	(Replacement Type, Contains Bumper)		K90460	2
Strut Mount				
2017-2014			K160347	2
Sway Bar Bushing				
2017-2014		To Frame	K201589	1
Sway Bar Link				
2017-2014	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750044 ‡ K750047 ‡	1 1
Wheel Hub & Bearing Assembly				
2017-2014			512379	2

QX56-INFINITI TRUCK


FRONT SUSPENSION				
				
F376				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2010-2004	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper Lower	K80994 ‡ K80647 ‡	2 2
Control Arm Bushing				
2013-2004	(Design Allows Ease Of Installation)	Upper	K200852 ‡	2
2010-2004	(Design Allows Ease Of Installation)	Lower	K200851 ‡	2
Control Arm with Ball Joint				
2013-2004	(R-Series)	Left Upper	RK620650	1

INFINITI TRUCK-QX56 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2010-2004	(R-Series)	Right Upper	RK620649	1 F376
	(R-Series)	Left Lower	RK620512	1 F376
	(R-Series)	Right Lower	RK620511	1 F376
Strut Bumper Bellows				
2010-2004	(Contains Bellow)		K201423	2 F376
Strut Mount				
2010-2004	(Contains Spring Seat)		K160344	2 F376
Sway Bar Bushing				
2010-2004	(Split Design For Easier Installation)	To Frame	K200346 ‡	1 F376
Sway Bar Link				
2013-2004	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750146 ‡	2 F376
Wheel Hub & Bearing Assembly				
2013-2011			515127	2
2010-2008	(Improved Design)		515125	2
2007-2004			515066	2

STEERING



S397

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2013-2004	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800031 ‡	1 S397
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800032 ‡	1 S397
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800216 ‡	2 S397

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2010-2004	(R-Series)	Left Upper	RK622927	1
2007-2004	(R-Series)	Left Front Lower	RK622474	1
Sway Bar Bushing				
2013-2004	(Split Design For Easier Installation)	To Frame	K200749 ‡	1
Sway Bar Link				
2013-2011		Left	K750797	1
		Right	K750796	1
2010-2004	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750037 ‡	1
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750038 ‡	1
Wheel Hub & Bearing Assembly				
2013-2011			541016	2
2010-2004			541004	2

QX60–INFINITI TRUCK

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2017-2014	(Contains Bumper)	K90461	2	
Strut Mount				
2017-2014	(Contains Bearing)	K160422	2	
Sway Bar Bushing				
2018-2014		To Frame K201304	1	
Sway Bar Link				
2018-2014	(Powdered Metal Gusher Brg. For Better Lubrication)	Left K750282 ‡	1	
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right K750283 ‡	1	
Wheel Hub & Bearing Assembly				
2018-2017	3498cc(3.5L)	513296	2	
2015-2014	(32 Tooth Spline)	513296	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2016		Inner EV801209 ‡	2	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2017-2014	(Design Allows Ease Of Installation)	K160285 ‡	2	
Strut Mount				
2017-2014		K160347	2	
Sway Bar Link				
2018-2014	(Design Allows Ease Of Installation)	Left K750699 ‡	1	
	(Design Allows Ease Of Installation)	Right K750698 ‡	1	
Wheel Hub & Bearing Assembly				
2018-2017	3498cc(3.5L)	512548	2	
2016-2014	All Wheel Drive	512548	2	
	Front Wheel Drive	512388	2	

QX70–INFINITI TRUCK

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2017-2014	(R-Series)	Left Upper RK622198	1	
	(R-Series)	Right Upper RK622196	1	
	(R-Series)	Left Lower RK622085	1	
	(R-Series)	Right Lower RK622084	1	
Strut Bumper Bellows				
2017-2014		K150274	2	
Strut Mount				
2017-2014		K160342	2	
Strut Spring Seat				
2017-2014		Upper K160348	2	
Sway Bar Bushing				
2017-2014	(Split Design For Easier Installation)	To Frame K200284 ‡	1	
Sway Bar Link				
2017-2014	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left K750401 ‡	1	
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right K750402 ‡	1	
Wheel Hub & Bearing Assembly				
2017-2014	All Wheel Drive	513335	2	
	Rear Wheel Drive	513334	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2017-2014		Left K150317	1	

INFINITI TRUCK-QX70 (Cont.)

STEERING (Cont.)					
Year	Model/Application		Part	P/C Qty	Figure
Rack & Pinion Boot Kit					
2017-2014 (Cont.)		Right	K150282	1	
REAR SUSPENSION					
Year	Model/Application		Part	P/C Qty	Figure
Control Arm					
2017-2014	Plus Or Minus 3 Degree Camber, Plus Or Minus 2 Degree Toe, (Adjustable, R-Series) Lower Front		RK100090	2	
2014	(R-Series) Left Front Lower		RK642560	1	
Control Arm with Ball Joint					
2017-2014	(R-Series)	Left Upper	RK622094	1	
	(R-Series)	Right Upper	RK622092	1	
Strut Bumper Bellows					
2017-2014	(Replacement Type, Contains Bumper)		K90460	2	
Strut Mount					
2017-2014			K160347	2	
Sway Bar Bushing					
2017-2014	To Frame		K201563	1	
Sway Bar Link					
2017-2014	(Design Allows Ease Of Installation)	Left	K750703 ‡	1	
	(Design Allows Ease Of Installation)	Right	K750702 ‡	1	
Wheel Hub & Bearing Assembly					
2017-2014			512379	2	

INFINITI TRUCK-QX80

FRONT SUSPENSION					
Year	Model/Application		Part	P/C Qty	Figure
Control Arm Bushing					
2017-2014	(Design Allows Ease Of Installation) Upper		K200852 ‡	2	
Sway Bar Link					
2017-2014	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750146 ‡	2	
Wheel Hub & Bearing Assembly					
2017-2014			515127	2	
STEERING					
<p>S397</p>					
Year	Model/Application		Part	P/C Qty	Figure
Tie Rod End					
2017-2014	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) Inner		EV800216 ‡	2	S397


REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2017-2014	(Split Design For Easier Installation)	To Frame	K200749 ‡	1
Sway Bar Link				
2017-2014		Left	K750797	1
		Right	K750796	1
Wheel Hub & Bearing Assembly				
2017-2014			541016	2

Ascender-ISUZU TRUCK

FRONT SUSPENSION				
F028				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2008-2003	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K6664 ‡	2 F028
	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K6663 ‡	2 F028
Control Arm				
2008-2003	(R-Series)	Left Upper	RK640294	1 F028
	(R-Series)	Right Upper	RK640293	1 F028
Control Arm Bushing				
2008-2003	(High Quality Elastomer For Durability And Performance)	Upper	K200269 ‡	2 F028
Control Arm with Ball Joint				
2008	(R-Series)	Left Lower	RK621316	1 F028
	(R-Series)	Right Lower	RK621315	1 F028
2007-2004	With 14mm Stabilizer Bar Link Stud Diameter, (R-Series)	Left Lower	RK620467	1 F028
	With 14mm Stabilizer Bar Link Stud Diameter, (R-Series)	Right Lower	RK620468	1 F028
Strut and Spring Assembly				
2008-2003	(Coated For Corrosion Resistance, Strut, Spring & Top Mount)		ST8564 ‡	2 F028
Strut Bumper Bellows				
2008-2003	(Design Allows Ease Of Installation)		K160285 ‡	2 F028
Strut Mount				
2008-2003	(Bearing Not Included, Contains Spring Seat And Insulator)		K6702	2 F028
Strut Spring Seat				
2008-2003	(Reduces Noise)	Lower	K160112 ‡	2 F028
Sway Bar Bushing				
2008-2004	1.34" Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K80774 ‡	1 F028
	1.42" Sway Bar Diameter	To Frame	K80775	1 F028
Sway Bar Link				
2008-2004	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K80824 ‡	1 F028
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K80825 ‡	1 F028
Wheel Hub & Bearing Assembly				
2008-2003			513188	2

ISUZU TRUCK—Ascender (Cont.)


STEERING



S001

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2008-2003	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer Right Outer Inner	ES3675 ‡ ES3676 ‡ EV80965	1 1 2	S001 S001 S001

REAR SUSPENSION



R102

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2008-2003	(Arm Only, R-Series)	Lower	RK660157	2	R102
Sway Bar Bushing					
2008-2003	(Split Design For Easier Installation)	To Frame	K200768 ‡	1	R102
Sway Bar Link					
2008-2003	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K6668 ‡ K6667 ‡	1 1	R102 R102

ISUZU TRUCK—FTR


STEERING


Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2007	14,600 lb. Axle, 16,000 lb. Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES2091R ‡	1	
2007-2006	14,600 lb. Axle, 16,000 lb. Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES2090L ‡	1	

ISUZU TRUCK—FVR


STEERING

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2007	14,600 lb. Axle, 16,000 lb. Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES2090L ‡	1	
	14,600 lb. Axle, 16,000 lb. Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES2091R ‡	1	

STEERING					
					
R194					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2007	16,000 lb. Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES2090L ‡	1	R194
	14,600 lb. Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES2090L ‡	1	
	16,000 lb. Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES2091R ‡	1	
	14,600 lb. Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES2091R ‡	1	

STEERING					
					
R194					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2008-2007	16,000 lb. Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES2090L ‡	1	R194
	14,600 lb. Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES2090L ‡	1	
	16,000 lb. Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES2091R ‡	1	
	14,600 lb. Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES2091R ‡	1	
2008-2005	Short Wheelbase, 14600 Lb Front Axle, 7.370" Length, 1.250" - 12 Threads, (Left Hand Threads, Design Allows Ease Of Installation)	Left Outer	ES2210L ‡	1	


FRONT SUSPENSION



F325

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2008-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80764 ‡	2	F325
		Lower	K80997 ‡	2	F325
Control Arm Bushing					
2008-2007	(High Quality Elastomer For Durability And Performance)	Upper	K200153 ‡	2	F325
Control Arm with Ball Joint					
2008-2007	(Contains Bushings, R-Series) (Contains Bushings, R-Series) (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) (R-Series) (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) (R-Series)	Left Upper	RK620887	1	F325
		Right Upper	RK620886	1	F325
		Left Lower	CK620678 ‡	1	F325
		Left Lower	RK620678	1	F325
		Right Lower	CK620679 ‡	1	F325
		Right Lower	RK620679	1	F325
Strut Mount					
2008-2007	(Contains Spring Seat And Insulator)		K160427	2	F325
Strut Spring Seat					
2008-2007		Upper	K6705	2	F325
Sway Bar Bushing					
2008-2007	(Reduces Noise)	To Frame	K200172 ‡	1	F325
Sway Bar Link					
2008-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K80636 ‡	2	F325
Wheel Hub & Bearing Assembly					
2008-2007	Sport Suspension ZQ8 Sport Suspension ZQ8 Z85 Suspension Z85 Suspension	Left	515106	1	
		Right	515107	1	
		Left	515104	1	
		Right	515105	1	

STEERING



S146

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2008-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (16mm Thread At Steering Gear, Powdered Metal Gusher Brg. For Better Lubrication) Two Wheel Drive (4x2), Front Coil Spring Suspension, 14mm Threads, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner Inner	ES800464 ‡ EV800301 ‡ EV800556 ‡	2 2 2 S146 S146 S146
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2008-2007	Two Wheel Drive (4x2), Z85 Suspension, (Powdered Metal Gusher Brg. For Better Lubrication)		K80611 ‡	2

I-370-ISUZU TRUCK


FRONT SUSPENSION				
F325				
F326				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2008-2007	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication) Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication) Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper Upper Lower	K80984 ‡ K80764 ‡ K80997 ‡	2 2 2 F326 F325 F325
Control Arm Bushing				
2008-2007	Four Wheel Drive (4X4), (High Quality Elastomer For Durability And Performance) Two Wheel Drive (4x2), (High Quality Elastomer For Durability And Performance)	Upper Upper	K200158 ‡ K200153 ‡	2 2 F326 F325
Control Arm with Ball Joint				
2008-2007	Four Wheel Drive (4X4), (R-Series) Four Wheel Drive (4X4), (R-Series)	Left Upper Right Upper	RK621900 RK621899	1 1 F326 F326

ISUZU TRUCK-I-370 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2008-2007 (Cont.)	Two Wheel Drive (4x2), (Contains Bushings, R-Series)	Left Upper	RK620887	1 F325
	Two Wheel Drive (4x2), (Contains Bushings, R-Series)	Right Upper	RK620886	1 F325
	Two Wheel Drive (4x2), (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower	CK620678 ‡	1 F325
	Two Wheel Drive (4x2), (R-Series)	Left Lower	RK620678	1 F325
	Two Wheel Drive (4x2), (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower	CK620679 ‡	1 F325
	Two Wheel Drive (4x2), (R-Series)	Right Lower	RK620679	1 F325
Strut Mount				
2008-2007	Two Wheel Drive (4x2), (Contains Spring Seat And Insulator)		K160427	2 F325
Strut Spring Seat				
2008-2007	Two Wheel Drive (4x2)	Upper	K6705	2 F325
Sway Bar Bushing				
2008-2007	(Reduces Noise)	To Frame	K200172 ‡	1 F325
Sway Bar Link				
2008-2007	Four Wheel Drive (4X4), (Link With 2 Studs, Powdered Metal Gusher Brg. For Better Lubrication)	Left	K80582 ‡	1 F326
	Four Wheel Drive (4X4), (Link With 2 Studs, Powdered Metal Gusher Brg. For Better Lubrication)	Right	K80583 ‡	1 F326
	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)		K80636 ‡	2 F325
Wheel Hub & Bearing Assembly				
2008-2007	Four Wheel Drive (4X4)	Left	515110	1
	Four Wheel Drive (4X4)	Right	515111	1
	Two Wheel Drive (4x2), Sport Suspension ZQ8	Left	515108	1
	Two Wheel Drive (4x2), Sport Suspension ZQ8	Right	515107	1
	Two Wheel Drive (4x2), Z85 Suspension	Left	515104	1
	Two Wheel Drive (4x2), Z85 Suspension	Right	515105	1

STEERING



S146

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2008	Two Wheel Drive (4x2), (16mm Thread At Steering Gear, Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800301 ‡	2 S146
2008-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800464 ‡	2 S146
	Four Wheel Drive (4X4), 14mm Threads, (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800557 ‡	2 S146
	Four Wheel Drive (4X4), 16mm Threads, (Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800300 ‡	2 S146

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2008-2007	Two Wheel Drive (4x2), Z85 Suspension, (Powdered Metal Gusher Brg. For Better Lubrication)		K80611 ‡	2

ISUZU TRUCK-NPR

STEERING

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2013-2003	(Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800744 ‡	1

(Cont.) NPR-ISUZU TRUCK

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2013-2003 (Cont.)	(Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800743 ‡	1

NQR-ISUZU TRUCK

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2013-2005	(Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800744 ‡	1
		Right Outer	ES800743 ‡	1

NRR-ISUZU TRUCK

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2013-2005	(Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800744 ‡	1
		Right Outer	ES800743 ‡	1

Reach-ISUZU TRUCK

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2013	Thru 10/13, (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800744 ‡	1
		Right Outer	ES800743 ‡	1
2012	(Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800744 ‡	1
		Right Outer	ES800743 ‡	1

Cherokee-JEEP

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2015-2014	(Greaseable Socket Reduces Corrosion/Wear)	Lower	K500287 ‡	2
Steering Knuckle Insert				
2015-2014	Four Wheel Drive (4X4), (Design Allows Ease Of Installation)		K150296 ‡	2
Strut Bumper Bellows				
2016-2014	Four Wheel Drive (4X4), (Contains Bumper)		K90464	2
	Front Wheel Drive, (Original Equipment Type)		K150274	2
	Front Wheel Drive, (Replacement Type, Contains Bumper)		K90460	2
Strut Mount				
2016-2014	(Contains Bearing, Spring Seat And Upper Retainers)	Left	K160414	1
		Right	K160415	1
Sway Bar Link				
2018-2014	Four Wheel Drive (4X4), Except Off-Road Suspension, (Greaseable Socket Reduces Corrosion/Wear)		K750742 ‡	2
	Four Wheel Drive (4X4), Off-Road Suspension, (Greaseable Socket Reduces Corrosion/Wear)		K750741 ‡	2
	Front Wheel Drive, (Design Allows Ease Of Installation)		K750704 ‡	2
Wheel Hub & Bearing Assembly				
2019-2014	Off-Road Suspension		512513	2
2018-2014	Except Off-Road Suspension		513349	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2014	Except Off-Road Suspension Off-Road Suspension	Left Outer	ES801239 ‡	1
		Right Outer	ES801238 ‡	1
		Inner	EV801077	2
		Inner	EV801068	2


JEEP-Cherokee (Cont.)

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2017-2014	Except Off-Road Suspension, (Greaseable Socket Reduces Corrosion/Wear)	Left	K750715 ‡	1
	Except Off-Road Suspension, (Greaseable Socket Reduces Corrosion/Wear)	Right	K750714 ‡	1
	Off-Road Suspension, (Greaseable Socket Reduces Corrosion/Wear)	Left	K750712 ‡	1
	Off-Road Suspension, (Greaseable Socket Reduces Corrosion/Wear)	Right	K750713 ‡	1
Wheel Hub & Bearing Assembly				
2019-2014	Four Wheel Drive (4X4)	512513	2	
	Front Wheel Drive	512514	2	

JEEP-Commander


FRONT SUSPENSION



F374

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2010-2006	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) +/- 1 Degree Camber/Caster, (Adjustable)	Lower	K80629 ‡	2
		Upper	K100071 ‡	2
2007-2006	(Non-Adjustable, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K80604 ‡	2
Control Arm Bushing				
2010-2008	(Contains Front And Rear Bushings)	Upper	K200113 ‡	2
2010-2006	(High Quality Elastomer For Durability And Performance) (High Quality Elastomer For Durability And Performance) (High Quality Elastomer For Durability And Performance)	Lower Rear	K200182 ‡	2
		Lower Front	K200181 ‡	2
		Lower Control Arm At Strut	K200183 ‡	2
2007	Except Auto Leveling Headlamps, (Contains Front And Rear Bushings)	Upper	K200113 ‡	2
Control Arm with Ball Joint				
2010-2006	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series) (R-Series) (R-Series)	Upper	CK620188 ‡	2
		Upper	RK620188	2
		Left Lower	RK621375	1
		Right Lower	RK621374	1
Strut and Spring Assembly				
2010-2006		Left	ST8641	1
Strut Mount				
2010-2006	(Bearing Not Included, Contains Isolators)		K160050 ‡	2
Strut Rubber Bumper				
2010-2006			K201424	2
Sway Bar Bushing				
2010-2007	(Reduces Noise)	To Frame	K200160 ‡	1
Sway Bar Link				
2010-2006			K80861	2
Wheel Hub & Bearing Assembly				
2010-2006			513234	2


STEERING



S166

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2010-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV80782 ‡	2 S166
2010-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES80643 ‡	1 S166
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES80644 ‡	1 S166
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800467 ‡	2 S166


REAR SUSPENSION



R084

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2010-2009	Auto Leveling Headlamps, (R-Series) Except Auto Leveling Headlamps, (R-Series)	Left Upper Upper	RK641865 RK641865	1 2 R084
2010-2006	(R-Series)	Lower	RK641794	2 R084
2008-2006	(R-Series)	Upper	RK641865	2 R084
Control Arm Bushing				
2010-2006	(High Quality Elastomer For Durability And Performance)	To Frame, Lower Front	K200177 ‡	2 R084
	(High Quality Elastomer For Durability And Performance)	Upper To Axle	K200180 ‡	2 R084
	(High Quality Elastomer For Durability And Performance)	Upper To Frame	K200179 ‡	2 R084
2009-2006	(High Quality Elastomer For Durability And Performance)	To Axle, Lower Rear	K200178 ‡	2 R084
Sway Bar Link				
2010-2006	(Greaseable Link Kit)		K80468 ‡	2 R084
Track Bar				
2010-2006	(R-Series)		RK660154	2 R084
Wheel Hub & Bearing Assembly				
2010-2006			512302	2


FRONT SUSPENSION



F387

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2007	(For OE Arms And Aftermarket Arms With A Maximum Press Fit Diameter Of 1.571", Powdered Metal Gusher Brg. For Better Lubrication, Replacement Joint Presses In From Above Arm)	Lower K500063 ‡	2	F387
Control Arm Bushing				
2014-2007	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear K200800 ‡	2	F387
	(Vertical Mount)	Lower Rear K200254 ‡	2	F387
	(Horizontal Mount, High Quality Elastomer For Durability And Performance)	Lower Front K200255 ‡	2	F387
Control Arm with Ball Joint				
2016-2007	(Design Allows Ease Of Installation, Contains Ball And Socket Design Vertical Bushing)	Left Lower CK620066 ‡	1	F387
	(R-Series)	Left Lower RK620066	1	F387
	(Design Allows Ease Of Installation, Contains Ball And Socket Design Vertical Bushing)	Right Lower CK620065 ‡	1	F387
	(R-Series)	Right Lower RK620065	1	F387
Strut Bumper Bellows				
2015-2007	(Replacement Type, Contains Bumper)	K90460	2	F387
Strut Mount				
2016-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160197 ‡	2	F387
Strut Spring Seat				
2016-2007	(Contains Spring Seat And Insulator)	Upper K160357 Lower K160321	2 2	F387 F387
Sway Bar Bushing				
2017-2013	(Split Design For Easier Installation)	To Frame K200216 ‡	1	F387
2012-2007	24.1mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame K200216 ‡	1	F387
Sway Bar Link				
2018-2017	Mexico Built	K750795	2	F387
2017	US Built VIN Begins With 1, (Powdered Metal Gusher Brg. For Better Lubrication)	K750385 ‡	2	F387
2016-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	K750385 ‡	2	F387

STEERING



S139

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017	US Built VIN Begins With 1, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES800408 ‡	2	S139

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017 (Cont.)	US Built VIN Begins With 1, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80645 ‡	2 S139
2016-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner	ES800408 ‡ EV80645 ‡	2 S139 2 S139
REAR SUSPENSION				
R068				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017	US Built VIN Begins With 1, 2 Degree Camber Plus Or Minus, (Eccentric Adjustment, Design Allows Ease Of Installation, R-Series)	Upper	RK100114 ‡	2 R068
	US Built VIN Begins With 1, Minus 1-1/2 To Plus 1-1/2 Degree Toe, (Adjustable, Design Allows Ease Of Installation)	Lower Front	K100117 ‡	2 R068
	US Built VIN Begins With 1, Plus Or Minus 2 Degree Camber, (Turnbuckle Adjustment, R-Series)	Upper	RK100321	2 R068
2016-2007	2 Degree Camber Plus Or Minus, (Eccentric Adjustment, Design Allows Ease Of Installation, R-Series)	Upper	RK100114 ‡	2 R068
	Minus 1-1/2 To Plus 1-1/2 Degree Toe, (Adjustable, Design Allows Ease Of Installation)	Lower Front	K100117 ‡	2 R068
	Plus Or Minus 2 Degree Camber, (Turnbuckle Adjustment, R-Series)	Upper	RK100321	2 R068
2015-2007	(Arm Only, R-Series)	Upper	RK641281	2 R068
	(Lateral Link, R-Series)	Lower Front	RK641226	2 R068
2010-2007	(Arm Only, R-Series)	Lower Rear	RK641868	2 R068
Control Arm Bushing				
2017-2015	Except Off Road Package	Lower Rear Inner	K201551	2 R068
	Except Off Road Package	Lower Rear Outer	K201552	2 R068
2014-2007		Lower Rear Inner	K201551	2 R068
		Lower Rear Outer	K201552	2 R068
Shock Hardware Kit				
2015-2007		Upper	K160318	2 R068
Strut Bumper Bellows				
2015-2007			K201597	2 R068
Strut Spring Seat				
2015-2007	(Insulator Only)	Lower	K160374	2 R068
Sway Bar Bushing				
2016-2015	(Split Design For Easier Installation)	To Frame	K200216 ‡	1 R068
2014-2011	14.2mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200209 ‡	1 R068
2011	15.2mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200210 ‡	1 R068
2010-2007	(Reduces Noise)	To Frame	K200209 ‡	1 R068
Sway Bar Link				
2009-2007	(Improves Upon OE Design)		K750289 ‡	2 R068
Trailing Link Bushing				
2017-2007			K201404	2 R068
Wheel Hub & Bearing Assembly				
2017	Front Wheel Drive, US Built VIN Begins With 1		512332	2


JEEP-Compass (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2016-2007	Four Wheel Drive (4X4) Front Wheel Drive	512333 512332	2 2	

JEEP-Grand Cherokee

FRONT SUSPENSION



F374

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2015-2011	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) +/- 1 Degree Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Upper Upper	K500285 ‡ K100107 ‡	2 2	F374 F374
2010-2005	(Non-Adjustable, Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) +/- 1 Degree Camber/Caster, (Adjustable)	Upper Lower Upper	K80604 ‡ K80629 ‡ K100071 ‡	2 2 2	F374 F374 F374
Control Arm Bushing					
2015-2011		Upper Left Rear Lower Lower Center Inner Lower Front Inner Right Rear Lower	K201338 K201334 K201333 K201261 K201335	4 1 1 2 1	F374 F374 F374 F374 F374
2010-2006	370(6.1L)	Lower Front Inner	K201261	2	F374
2010-2005	(Contains Front And Rear Bushings) (High Quality Elastomer For Durability And Performance) (High Quality Elastomer For Durability And Performance) (High Quality Elastomer For Durability And Performance)	Upper Lower Rear Lower Front Lower Control Arm At Strut	K200113 ‡ K200182 ‡ K200181 ‡ K200183 ‡	2 2 2 2	F374 F374 F374 F374
Control Arm with Ball Joint					
2015-2011	(R-Series) (R-Series) (R-Series) (R-Series) +/- 1 Degree Camber/Caster, (Adjustable, R-Series) +/- 1 Degree Camber/Caster, (Adjustable, R-Series)	Left Upper Right Upper Left Lower Right Lower Left Upper Right Upper	RK621608 RK621607 RK642831 RK642830 RK100168 RK100169	1 1 1 1 1 1	F374 F374 F374 F374 F374 F374
2010-2006	226(3.7L), (R-Series) 226(3.7L), (R-Series) 345(5.7L), (R-Series) 345(5.7L), (R-Series) 370(6.1L), (R-Series) 370(6.1L), (R-Series)	Left Lower Right Lower Left Lower Right Lower Left Lower Right Lower	RK621375 RK621374 RK621375 RK621374 RK621567 RK621566	1 1 1 1 1 1	F374 F374 F374 F374 F374 F374
2010-2005	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series)	Upper Upper	CK620188 ‡ RK620188	2 2	F374 F374
2009-2007	182(3.0L), (R-Series) 182(3.0L), (R-Series)	Left Lower Right Lower	RK621375 RK621374	1 1	F374 F374
2009-2006	287(4.7L), (R-Series) 287(4.7L), (R-Series)	Left Lower Right Lower	RK621375 RK621374	1 1	F374 F374
Strut and Spring Assembly					
2010-2006	226(3.7L) 345(5.7L)	Left Left	ST8641 ST8641	1 1	F374 F374


FRONT SUSPENSION (Cont.)						
Year	Model/Application	Part	P/C Qty	Figure		
Strut and Spring Assembly						
2009-2007	182(3.0L)	Left	ST8641	1	F374	
2009-2006	287(4.7L)	Left	ST8641	1	F374	
Strut Mount						
2010-2005	(Bearing Not Included, Contains Isolators)		K160050 ‡	2	F374	
Strut Rubber Bumper						
2010-2005			K201424	2	F374	
Sway Bar Bushing						
2010-2007	1.29" Sway Bar Diameter, (Reduces Noise)	To Frame	K200159 ‡	1	F374	
	1.34" Sway Bar Diameter, (Reduces Noise)	To Frame	K200160 ‡	1	F374	
Sway Bar Link						
2015-2014	2987cc(3.0L), Four Wheel Drive (4X4), (Improves Upon OE Design)	Left	K750578 ‡	1	F374	
	2987cc(3.0L), Four Wheel Drive (4X4), (Improves Upon OE Design)	Right	K750579 ‡	1	F374	
	2987cc(3.0L), Two Wheel Drive (4x2), (Design Allows Ease Of Installation)	Left	K750690 ‡	1	F374	
	2987cc(3.0L), Two Wheel Drive (4x2), (Design Allows Ease Of Installation)	Right	K750689 ‡	1	F374	
	220(3.6L), Four Wheel Drive (4X4), (Improves Upon OE Design)	Left	K750578 ‡	1	F374	
	220(3.6L), Four Wheel Drive (4X4), (Improves Upon OE Design)	Right	K750579 ‡	1	F374	
	220(3.6L), Two Wheel Drive (4x2), (Design Allows Ease Of Installation)	Left	K750690 ‡	1	F374	
	220(3.6L), Two Wheel Drive (4x2), (Design Allows Ease Of Installation)	Right	K750689 ‡	1	F374	
	345(5.7L), Four Wheel Drive (4X4), (Improves Upon OE Design)	Left	K750578 ‡	1	F374	
	345(5.7L), Four Wheel Drive (4X4), (Improves Upon OE Design)	Right	K750579 ‡	1	F374	
	345(5.7L), Two Wheel Drive (4x2), (Design Allows Ease Of Installation)	Left	K750690 ‡	1	F374	
	345(5.7L), Two Wheel Drive (4x2), (Design Allows Ease Of Installation)	Right	K750689 ‡	1	F374	
	2015-2012	392(6.4L), (Design Allows Ease Of Installation)	Left	K750690 ‡	1	F374
		392(6.4L), (Design Allows Ease Of Installation)	Right	K750689 ‡	1	F374
2013-2012	220(3.6L), (Improves Upon OE Design)	Left	K750578 ‡	1	F374	
	220(3.6L), (Improves Upon OE Design)	Right	K750579 ‡	1	F374	
	345(5.7L), (Improves Upon OE Design)	Left	K750578 ‡	1	F374	
	345(5.7L), (Improves Upon OE Design)	Right	K750579 ‡	1	F374	
2011	(Improves Upon OE Design)	Left	K750578 ‡	1	F374	
	(Improves Upon OE Design)	Right	K750579 ‡	1	F374	
2010-2005	(Straight Link With Eyelets On Both Ends)		K80861	2	F374	
Wheel Hub & Bearing Assembly						
2018-2011			513324	2		
2010-2005			513234	2		
STEERING						
<p style="text-align: center;">S166</p>						
<p style="text-align: center;">S167</p>						
Year	Model/Application	Part	P/C Qty	Figure		
Tie Rod End						
2015-2011	(Design Allows Ease Of Installation)	Left Outer	ES800973 ‡	1	S167	
	(Design Allows Ease Of Installation)	Right Outer	ES800972 ‡	1	S167	
	(Design Allows Ease Of Installation)	Inner	EV800987 ‡	2	S167	
2010-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES80643 ‡	1	S166	

JEEP-Grand Cherokee (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2010-2005 (Cont.)	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES80644 ‡	1 S166
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV80782 ‡	2 S166

REAR SUSPENSION




R090

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2018-2016	Except Air Suspension, (Lateral Link, R-Series) 2987cc(3.0L), (R-Series) 220(3.6L), (R-Series) 345(5.7L), (R-Series)	Upper Front	RK642900	2
		Lower Rear	RK642940	2
		Lower Rear	RK642940	2
		Lower Rear	RK642940	2
2018-2015		Left Front Lower	RK643099	1
		Right Front Lower	RK643098	1
2015-2011	(Lateral Link, R-Series) (R-Series)	Upper Front	RK642900	2
		Lower Rear	RK642940	2
2010-2006	226(3.7L), (R-Series) 345(5.7L), (R-Series)	Lower	RK641794	2 R090
		Lower	RK641794	2 R090
2010-2005	(R-Series)	Upper	RK641865	2 R090
2009-2007	182(3.0L), (R-Series)	Lower	RK641794	2 R090
2009-2006	287(4.7L), (R-Series)	Lower	RK641794	2 R090
Control Arm Bushing				
2010-2005	(High Quality Elastomer For Durability And Performance) (High Quality Elastomer For Durability And Performance) (High Quality Elastomer For Durability And Performance)	To Axle, Lower Rear	K200178 ‡	2 R090
		To Frame, Lower Front	K200177 ‡	2 R090
		Upper To Frame	K200179 ‡	2 R090
2009-2005	(High Quality Elastomer For Durability And Performance)	Upper To Axle	K200180 ‡	2 R090
Strut Bumper Bellows				
2015-2011	(Replacement Type, Contains Bumper)	K90460	2	
Sway Bar Bushing				
2010-2006	226(3.7L) 345(5.7L)	To Frame	K201557	1 R090
		To Frame	K201557	1 R090
2009-2007	182(3.0L)	To Frame	K201557	1 R090
2009-2006	287(4.7L)	To Frame	K201557	1 R090
Sway Bar Link				
2018	376(6.2L), (Greaseable Socket Reduces Corrosion/Wear)	K750710 ‡	2	
2018-2016	2987cc(3.0L), Four Wheel Drive (4X4), (Improves Upon OE Design) 2987cc(3.0L), Two Wheel Drive (4x2), (Greaseable Socket Reduces Corrosion/Wear) 220(3.6L), Four Wheel Drive (4X4), (Improves Upon OE Design) 220(3.6L), Two Wheel Drive (4x2), (Greaseable Socket Reduces Corrosion/Wear) 345(5.7L), Four Wheel Drive (4X4), (Improves Upon OE Design) 345(5.7L), Two Wheel Drive (4x2), (Greaseable Socket Reduces Corrosion/Wear)	K750573 ‡	2	
		K750710 ‡	2	
		K750573 ‡	2	
		K750710 ‡	2	
		K750573 ‡	2	
		K750710 ‡	2	
2018-2012	392(6.4L), (Greaseable Socket Reduces Corrosion/Wear)	K750710 ‡	2	
2014	2987cc(3.0L), Two Wheel Drive (4x2), (Greaseable Socket Reduces Corrosion/Wear) 220(3.6L), Two Wheel Drive (4x2), (Greaseable Socket Reduces Corrosion/Wear) 345(5.7L), Two Wheel Drive (4x2), (Greaseable Socket Reduces Corrosion/Wear)	K750710 ‡	2	
		K750710 ‡	2	
		K750710 ‡	2	
2010-2006	226(3.7L), (Greaseable Link Kit)	K80468 ‡	2 R090	

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2010-2006 (Cont.)	345(5.7L), (Greaseable Link Kit)	K80468 ‡	2	R090
2009-2007	182(3.0L), (Greaseable Link Kit)	K80468 ‡	2	R090
2009-2006	287(4.7L), (Greaseable Link Kit)	K80468 ‡	2	R090
Sway Bar Repair Kit				
2010-2006	370(6.1L), (Powdered Metal Gusher Brg. For Better Lubrication)	K750310 ‡	2	R090
Track Bar				
2010-2005	(R-Series)	RK660154	1	R090
Track Bar Bushing				
2010-2005	(OE 1 Piece Design)	K7252 ‡	1	R090
Wheel Hub & Bearing Assembly				
2010-2005		512302	2	

Liberty–JEEP


FRONT SUSPENSION				
				
F227				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2012-2008	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower K80629 ‡	2	F227
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower K80767 ‡	2	F227
Control Arm				
2007-2002	(R-Series)	Left Lower RK641558	1	F227
	(R-Series)	Right Lower RK641559	1	F227
Control Arm Bushing				
2012-2008	(High Quality Elastomer For Durability And Performance)	Lower Control Arm At Strut K200427 ‡	2	F227
2007-2002	(High Quality Elastomer For Durability And Performance)	Strut To Arm Lower K200258 ‡	2	F227
Control Arm Bushing Set				
2012-2002	(Contains Front And Rear Bushings)	Upper K7390	2	F227
	(Contains Front And Rear Bushings)	Lower K7389	2	F227
Control Arm with Ball Joint				
2012-2008	(R-Series)	Left Upper RK621564	1	F227
	(R-Series)	Right Upper RK621565	1	F227
	(R-Series)	Left Lower RK622148	1	F227
	(R-Series)	Right Lower RK622147	1	F227
2007-2002	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Upper CK3198 ‡	2	F227
	(R-Series)	Upper RK3198	2	F227
Strut and Spring Assembly				
2012-2007	(Coated For Corrosion Resistance, Strut, Spring & Top Mount)	Left ST8565L ‡	1	F227
	(Coated For Corrosion Resistance, Strut, Spring & Top Mount)	Right ST8565R ‡	1	F227
Strut Bumper Bellows				
2007-2002	(Contains Bellow)	K201419	2	F227

JEEP-Liberty (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Strut Mount				
2007-2002	(Contains Bearing)	Left	K3190	1 F227
	(Contains Bearing)	Right	K3189	1 F227
Strut Spring Seat				
2012-2002			K3186	4 F227
Sway Bar Bushing				
2012-2009	22mm Sway Bar Diameter	To Frame	K201531	1 F227
	23mm Sway Bar Diameter	To Frame	K201513	1 F227
2008	32mm Sway Bar Diameter	To Frame	K201505	1 F227
2007-2002	1.20" Sway Bar Diameter, (High Quality Elastomer For Durability And Performance)	To Frame	K200161 ‡	1 F227
Sway Bar Link				
2012-2008	(Durable, All Metal Construction For Longer Life)		K750127 ‡	2 F227
2007-2002	(High Quality Elastomer For Durability And Performance)		K7391 ‡	2 F227
Wheel Hub & Bearing Assembly				
2012-2008			513270	2
2007-2006		Left	513176	1
		Right	513177	1


STEERING



S843


Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2012-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800413 ‡	1 S843
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800412 ‡	1 S843
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800890 ‡	2 S843
2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer	ES3535 ‡	1 S843
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right Outer	ES3536 ‡	1 S843
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800087 ‡	1 S843
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800088 ‡	1 S843
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800416 ‡	2 S843

REAR SUSPENSION



R083


REAR SUSPENSION (Cont.)



R084

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2007-2002	(Greaseable Socket Reduces Corrosion/Wear)	Upper	K500190 ‡	2 R083
Control Arm				
2012-2008	(R-Series)	Upper	RK642169	2 R084
	(R-Series)	Lower	RK641794	2 R084
2007-2002	(Improved Design Bushings For Superior Performance)	Lower	CK641180 ‡	2 R083
	(R-Series)	Lower	RK641180	2 R083
Control Arm Bushing				
2010-2008	(High Quality Elastomer For Durability And Performance)	Upper To Frame	K200179 ‡	2 R084
2009-2008	(High Quality Elastomer For Durability And Performance)	To Axle, Lower Rear	K200178 ‡	2 R084
	(High Quality Elastomer For Durability And Performance)	Upper To Axle	K200180 ‡	2 R084
2007-2004	(High Quality Elastomer For Durability And Performance)	To Frame, Lower Front	K200431 ‡	2 R083
2007-2002	(High Quality Elastomer For Durability And Performance)	Upper	K200428 ‡	1 R083
Control Arm with Ball Joint				
2007-2002	(R-Series)	Upper	RK621376	2 R083
Strut Spring Seat				
2007-2002		Upper	K160017	2 R083
		Lower	K160018	2 R083
Sway Bar Link				
2012-2008	(Powdered Metal Gusher Brg. For Better Lubrication)		K750253 ‡	2 R084
Track Bar Bushing				
2011-2008	(OE 1 Piece Design)		K7252 ‡	1 R084


FRONT SUSPENSION



F387

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2007	(For OE Arms And Aftermarket Arms With A Maximum Press Fit Diameter Of 1.571", Powdered Metal Gusher Brg. For Better Lubrication, Replacement Joint Presses In From Above Arm)	Lower K500063 ‡	2	F387
Control Arm Bushing				
2014-2007	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear K200800 ‡	2	F387
	(Vertical Mount)	Lower Rear K200254 ‡	2	F387
	(Horizontal Mount, High Quality Elastomer For Durability And Performance)	Lower Front K200255 ‡	2	F387
Control Arm with Ball Joint				
2016-2007	(Design Allows Ease Of Installation, Contains Ball And Socket Design Vertical Bushing)	Left Lower CK620066 ‡	1	F387
	(R-Series)	Left Lower RK620066	1	F387
	(Design Allows Ease Of Installation, Contains Ball And Socket Design Vertical Bushing)	Right Lower CK620065 ‡	1	F387
	(R-Series)	Right Lower RK620065	1	F387
Strut Bumper Bellows				
2015-2007	(Replacement Type, Contains Bumper)	K90460	2	F387
Strut Mount				
2016-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160197 ‡	2	F387
Strut Spring Seat				
2016-2007	(Contains Spring Seat And Insulator)	Upper K160357 Lower K160321	2 2	F387 F387
Sway Bar Bushing				
2017-2013	(Split Design For Easier Installation)	To Frame K200216 ‡	1	F387
2012-2007	24.1mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame K200216 ‡	1	F387
Sway Bar Link				
2017-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	K750385 ‡	2	F387


STEERING



S139

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES800408 ‡	2	S139
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner EV80645 ‡	2	S139

REAR SUSPENSION



R068

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2017-2007	2 Degree Camber Plus Or Minus, (Eccentric Adjustment, Design Allows Ease Of Installation, R-Series)	Upper	RK100114 ‡	2	R068
	Minus 1-1/2 To Plus 1-1/2 Degree Toe, (Adjustable, Design Allows Ease Of Installation)	Lower Front	K100117 ‡	2	R068
	Plus Or Minus 2 Degree Camber, (Turnbuckle Adjustment, R-Series)	Upper	RK100321	2	R068
2015	(Arm Only, R-Series)	Upper	RK641281	2	R068
2015-2007	(Lateral Link, R-Series)	Lower Front	RK641226	2	R068
2014	(R-Series)	Upper	RK641281	2	R068
2013-2007	(Arm Only, R-Series)	Upper	RK641281	2	R068
2010-2007	(Arm Only, R-Series)	Lower Rear	RK641868	2	R068
Control Arm Bushing					
2017-2015	Except Off Road Package	Lower Rear Inner	K201551	2	R068
	Except Off Road Package	Lower Rear Outer	K201552	2	R068
2014-2007		Lower Rear Inner	K201551	2	R068
		Lower Rear Outer	K201552	2	R068
Shock Hardware Kit					
2015-2007		Upper	K160318	2	R068
Strut Bumper Bellows					
2015-2007			K201597	2	R068
Strut Spring Seat					
2015-2007	(Insulator Only)	Lower	K160374	2	R068
Sway Bar Bushing					
2016-2015	(Split Design For Easier Installation)	To Frame	K200216 ‡	1	R068
2014-2011	14.2mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200209 ‡	1	R068
2011	15.2mm Sway Bar Diameter, (Reduces Noise)	To Frame	K200210 ‡	1	R068
2010-2008	(Reduces Noise)	To Frame	K200209 ‡	1	R068
Sway Bar Link					
2009-2007	(Improves Upon OE Design)		K750289 ‡	2	R068
Sway Bar Repair Kit					
2017-2010	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700530 ‡	2	R068
Trailing Link Bushing					
2017-2007			K201404	2	R068
Wheel Hub & Bearing Assembly					
2017-2007	Front Wheel Drive		512332	2	
2016-2007	Four Wheel Drive (4X4)		512333	2	


JEEP-Renegade

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018-2015		K750795	2	
Wheel Hub & Bearing Assembly				
2018-2015		513389	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2015	Left Outer	ES801215 ‡	1	
	Right Outer	ES801214 ‡	1	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2017	Front Wheel Drive, Thru 1/27/17	K750795	2	
2016-2015	Front Wheel Drive	K750795	2	
Wheel Hub & Bearing Assembly				
2018-2015	All Wheel Drive	513389	2	
	Front Wheel Drive	512568	2	

JEEP-Wrangler

FRONT SUSPENSION




F394

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2017-2007	(Includes Patented Cover Plate Design For Tighter Tolerances) (Replaces OEM Offset To Provide 1 Degree +/- Camber/Caster) (Replaces OEM Offset To Provide 1/2 Degree +/- Camber/Caster) (Replaces OEM Offset To Provide 1-1/2 Degree +/- Camber/Caster) (Replaces OEM Offset To Provide 2 Degree +/- Camber/Caster) (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) (Replaces OEM Offset To Provide 1-3/4 Degree +/- Caster/Camber, Powdered Metal Gusher Brg. For Better Lubrication)	Upper Upper Upper Upper Upper Lower Lower	K3134T ‡ K100311 K100056 K100312 K100198 K3185 ‡ K7403 ‡	2 2 2 2 2 2 2	F394 F394 F394 F394 F394 F394 F394
Control Arm					
2017-2007	(Ball Joint Not Included, R-Series) (R-Series) Plus Or Minus 3 Degrees Caster And Plus Or Minus 3 Degrees Pinion Angle, (Adjustable, R-Series)	Upper Lower Upper	RK641822 RK621823 RK100217	2 2 2	F394 F394 F394
Control Arm Bushing					
2017-2007	(High Quality Elastomer For Durability And Performance)	Upper To Axle	K200187 ‡	2	F394
2010-2007	(High Quality Elastomer For Durability And Performance)	Lower	K200309 ‡	4	F394
	(High Quality Elastomer For Durability And Performance)	Upper To Frame	K200308 ‡	2	F394
Sway Bar Bushing					
2017-2007		To Frame	K7466	1	F394

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2017-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750453 ‡	2	F394
Track Bar Bushing				
2017-2007	1.56" Outside Diameter, (Contains Cross Axis Bushing)	Driver Side K201643	1	F394
	1.45" Outside Diameter, (Improved Design, Contains Conventional Non Cross Axis Bushing)	Passenger Side K201644	1	F394
	1.45" Outside Diameter, (OEM Type, Contains Conventional Non Cross Axis Bushing)	Passenger Side K200708	1	F394
Wheel Hub & Bearing Assembly				
2010-2007		513272	2	
STEERING				
S179				
Year	Model/Application	Part	P/C Qty	Figure
Drag Link Adjusting Sleeve				
2017	(Coated For Corrosion Resistance)	Pitman Arm To Connecting Rod ES2012S ‡	1	
Drag Link Assembly				
2017-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	At Pitman Arm ES3624 ‡	1	S179
Pitman Arm				
2017-2007		K440026 ‡	1	S179
Steering Linkage Assembly				
2016-2007	(Contains Adjusting Sleeves, Drag Link And Tie Rod Ends)	DS800982A ‡	1	S179
Tie Rod Adjusting Sleeve				
2017-2007	(Design Allows Ease Of Installation)	To Left Outer Tie Rod End ES800983S ‡	1	S179
2012-2007	(Coated For Corrosion Resistance)	Pitman Arm To Connecting Rod ES2012S ‡	1	S179
Tie Rod End				
2017-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Outer ES800594 ‡	1	S179
		Lower Right Outer DS300043 ‡	1	S179
		Upper Right Outer DS300005 ‡	1	S179

JEEP-Wrangler (Cont.)

REAR SUSPENSION




R040

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2011	(R-Series)	Upper	RK642032	2 R040
2017-2007	(R-Series)	Lower	RK641777	2 R040
	Plus Or Minus 3 Degrees Pinion Angle, (Adjustable, R-Series)	Upper	RK100216	2 R040
2010-2007	(Arm Only, R-Series)	Upper	RK642032	2 R040
Control Arm Bushing				
2013-2007	(High Quality Elastomer For Durability And Performance)	Upper	K200311 ‡	4 R040
	(High Quality Elastomer For Durability And Performance)	Lower	K200310 ‡	4 R040
Sway Bar Bushing				
2018	Sport, Sport S, Unlimited Sahara, Unlimited Sport, Unlimited Sport S Unlimited Rubicon, Sport Utility Vehicle (4 Dr.)	To Frame	K201637	1 R040
		To Frame	K201636	1 R040
2017-2007	Except Performance Suspension	To Frame	K201637	1 R040
	Performance Suspension	To Frame	K201636	1 R040
Sway Bar Link				
2017-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K6700 ‡	2 R040
Track Bar Bushing				
2017-2007	1.59" Outside Diameter		K200709	2 R040
2016-2010	(OEM Type)		K201689	2 R040

JEEP-Wrangler JK

FRONT SUSPENSION



F394

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018	(Includes Patented Cover Plate Design For Tighter Tolerances)	Upper	K3134T ‡	2

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018 (Cont.)	(Replaces OEM Offset To Provide 1 Degree +/- Camber/Caster)	Upper	K100311	2 F394
	(Replaces OEM Offset To Provide 1/2 Degree +/- Camber/Caster)	Upper	K100056	2 F394
	(Replaces OEM Offset To Provide 1-1/2 Degree +/- Camber/Caster)	Upper	K100312	2 F394
	(Replaces OEM Offset To Provide 2 Degree +/- Camber/Caster)	Upper	K100198	2 F394
	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K3185 ‡	2
	(Replaces OEM Offset To Provide 1-3/4 Degree +/- Caster/Camber, Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K7403 ‡	2 F394
Control Arm				
2018	(R-Series)	Upper	RK641822	2
	(R-Series)	Lower	RK621823	2
	Plus Or Minus 3 Degrees Caster And Plus Or Minus 3 Degrees Pinion Angle, (Adjustable, R-Series)	Upper	RK100217	2 F394
Control Arm Bushing				
2018	(High Quality Elastomer For Durability And Performance)	Upper To Axle	K200187 ‡	2
Sway Bar Bushing				
2018			K7466	2
Sway Bar Link				
2018	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750453 ‡	2
Track Bar Bushing				
2018	1.56" Outside Diameter, (Contains Cross Axis Bushing)	Driver Side	K201643	1
	1.45" Outside Diameter, (Improved Design, Contains Conventional Non Cross Axis Bushing)	Passenger Side	K201644	1
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Drag Link Adjusting Sleeve				
2018	(Coated For Corrosion Resistance)	Pitman Arm To Connecting Rod	ES2012S ‡	1
Drag Link Assembly				
2018	(Powdered Metal Gusher Brg. For Better Lubrication)	At Pitman Arm	ES3624 ‡	1
Pitman Arm				
2018			K440026 ‡	1
Tie Rod Adjusting Sleeve				
2018	(Design Allows Ease Of Installation)		ES800983S ‡	2
Tie Rod End				
2018	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800594 ‡	1
	(Greaseable Socket Reduces Corrosion/Wear)	Lower Right Outer	DS300043 ‡	1
	(Greaseable Socket Reduces Corrosion/Wear)	Upper Right Outer	DS300005 ‡	1
REAR SUSPENSION				
R040				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2018	(R-Series)	Upper	RK642032	2


JEEP-Wrangler JK (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2018 (Cont.)	(R-Series)	Lower	RK641777	2	R040
	Plus Or Minus 3 Degrees Pinion Angle, (Adjustable, R-Series)		Upper	RK100216	
Sway Bar Bushing					
2018	17mm Sway Bar Diameter 19mm Sway Bar Diameter	To Frame	K201636	1	
		To Frame	K201637	1	
Sway Bar Link					
2018	(Powdered Metal Gusher Brg. For Better Lubrication)		K6700 ‡	2	
Track Bar Bushing					
2018	(OEM Type) 1.59" Outside Diameter		K201689	2	
			K200709	2	

KIA TRUCK-Borrego


FRONT SUSPENSION



F438

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2011-2009	(Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Upper	K500233 ‡	2	F438
		Lower	K500116 ‡	2	F438
Control Arm					
2011-2009	(R-Series) Four Wheel Drive (4X4), (R-Series)	Left Lower	RK642258	1	F438
		Right Lower	RK642259	1	F438
Control Arm with Ball Joint					
2011-2009	(R-Series) (R-Series)	Left Upper	RK622254	1	F438
		Right Upper	RK622255	1	F438
Strut Bumper Bellows					
2011-2009	(Design Allows Ease Of Installation)		K160285 ‡	2	F438
Sway Bar Bushing					
2011-2009		To Frame	K201579	1	F438
Sway Bar Link					
2011-2009	(Improves Upon OE Design) (Improves Upon OE Design)	Left	K750614 ‡	1	F438
		Right	K750615 ‡	1	F438


STEERING



S279

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2011-2009	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800535 ‡ ES800536 ‡ EV800978	1 1 2	S279 S279 S279


REAR SUSPENSION



R119

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2011-2010	(R-Series)	Lower Rear	RK641812	2	R119
2011-2009	(R-Series)	Lower Front	RK642281	2	R119
2009	Four Wheel Drive (4X4), (R-Series)	Lower Rear	RK641812	2	R119
Control Arm with Ball Joint					
2011-2009	Four Wheel Drive (4X4), (R-Series)	Left Upper	RK622344	1	R119
Strut Bumper Bellows					
2010-2009	(Design Allows Ease Of Installation)		K160285 ‡	2	R119
Sway Bar Bushing					
2011-2009	(Reduces Noise)	To Frame	K200743 ‡	1	R119
Sway Bar Link					
2010-2009	(Improves Upon OE Design)		K750279 ‡	2	R119
Trailing Link					
2011-2009	(R-Series)		RK642270	2	R119
Wheel Hub & Bearing Assembly					
2011-2009			512415	2	


FRONT SUSPENSION



F291

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2016-2014	(Design Allows Ease Of Installation)	Lower	K500231 ‡	2
2012-2007	(Design Allows Ease Of Installation)	Lower	K500074 ‡	2 F291
Control Arm				
2012-2007	(R-Series) (R-Series)	Left Lower Right Lower	RK641574 RK641575	1 1 F291
Control Arm Bushing				
2010-2007	(Vertically Mounted)	Lower Front	K201646	2 F291
Strut Bumper Bellows				
2012-2007	(Replacement Type, Contains Bumper)		K90460	2 F291
Strut Mount				
2012-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability) (Contains Bearing, Superior Rubber To Steel Bonding For Durability)	Left Right	K160302 ‡ K160303 ‡	1 1 F291
Strut Spring Seat				
2012-2007	(Insulator Only)	Lower	K160352	2 F291
Sway Bar Bushing				
2012-2007		To Frame	K200904	1 F291
Sway Bar Link				
2012-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750032 ‡	2 F291

STEERING




S284

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2012-2007	(Design Allows Ease Of Installation)	Left Outer	ES800346 ‡	1 S284

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2012-2007 (Cont.)	(Design Allows Ease Of Installation)	Right Outer	ES800347 ‡	1 S284
	16" Wheels, (Design Allows Ease Of Installation)	Inner	EV800370 ‡	2 S284
	17" Wheels, (Design Allows Ease Of Installation)	Left Inner	EV800354 ‡	1 S284
	17" Wheels, (Design Allows Ease Of Installation)	Right Inner	EV800353 ‡	1 S284


REAR SUSPENSION



R121

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2012-2007	Plus Or Minus 2 Degree Camber/Toe, (Adjustable, R-Series)	Upper	RK100120	2 R121
2010-2007	(R-Series)	Upper	RK642269	2 R121
	(R-Series)	Lower Rear	RK642116	2 R121
Control Arm Bushing				
2009-2007		At Knuckle, Lower	K201281	2 R121
Control Arm with Ball Joint				
2012-2007	(R-Series)	Lower Front	RK622280	2 R121
Shock Mount				
2012-2007	(Design Allows Ease Of Installation)		K160224 ‡	2 R121
Strut Bumper Bellows				
2012-2007	(Original Equipment Type)		K201597	2 R121
	(Replacement Type, Contains Bumper)		K90461	2 R121
Sway Bar Bushing				
2012-2007	(Reduces Noise)	To Frame	K200740 ‡	1 R121
Sway Bar Link				
2012-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750357 ‡	2 R121
Trailing Link				
2010-2008	(R-Series)	Left	RK642283	1 R121
	(R-Series)	Right	RK642284	1 R121
Wheel Hub & Bearing Assembly				
2015-2014	(Improved Design)		513266	2
2012-2008			512437	2
2007			512341	2


FRONT SUSPENSION



F440

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2014	(Design Allows Ease Of Installation)	Lower	K500073 ‡	2 F440
2012-2006	(Design Allows Ease Of Installation)	Lower	K500073 ‡	2 F440
Control Arm Bushing				
2012-2006	(Vertically Mounted)	Lower Front	K201646	2 F440
Control Arm with Ball Joint				
2012-2006	(R-Series)	Left Lower	RK622265	1 F440
	(R-Series)	Right Lower	RK622266	1 F440
Strut Bumper Bellows				
2014	(Contains Bumper)		K90464	2 F440
2012-2006	(Contains Bumper)		K90464	2 F440
Strut Mount				
2014	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160101 ‡	2 F440
2012-2006	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160101 ‡	2 F440
Sway Bar Bushing				
2012-2006	(Split Design For Easier Installation)	To Frame	K200280 ‡	1 F440
Sway Bar Link				
2019-2015	(Powdered Metal Gusher Brg. For Better Lubrication)		K750423 ‡	2
2014	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750168 ‡	1 F440
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750169 ‡	1 F440
2012-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750168 ‡	1 F440
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750169 ‡	1 F440
Wheel Hub & Bearing Assembly				
2019-2015			513395	2
2014			515090	2
2012-2006			515090	2


STEERING



S290

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2014	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800371 ‡	1	S290
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800372 ‡	1	S290
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800299 ‡	2	S290
2012-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800371 ‡	1	S290
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800372 ‡	1	S290
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800299 ‡	2	S290

REAR SUSPENSION



R123

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2014	(R-Series)	Left Lower	RK642342	1	R123
	(R-Series)	Right Lower	RK642343	1	R123
2012-2010	(R-Series)	Left Lower	RK642342	1	R123
	(R-Series)	Right Lower	RK642343	1	R123
2009-2006	(R-Series)	Left Lower	RK641682	1	R123
	(R-Series)	Right Lower	RK641681	1	R123
Control Arm Bushing					
2014		At Knuckle, Lower	K201281	2	R123
2012-2006		At Knuckle, Lower	K201281	2	R123
Control Arm with Ball Joint					
2014	(R-Series)	Left Front Upper	RK621444	1	R123
	(R-Series)	Right Front Upper	RK621443	1	R123
2012-2006	(R-Series)	Left Front Upper	RK621444	1	R123
	(R-Series)	Right Front Upper	RK621443	1	R123


KIA TRUCK-Sedona (Cont.)

REAR SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2012-2010	(Reduces Noise) To Frame	K200744 ‡	1	R123
Sway Bar Link				
2019-2015	(Design Allows Ease Of Installation) (Greaseable Socket Reduces Corrosion/Wear)	Left K750708 ‡ Right K750808 ‡	1 1	
2014	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80257 ‡	2	R123
2012-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80257 ‡	2	R123
Trailing Link				
2014	(R-Series)	Left RK642328 Right RK642329	1 1	R123 R123
2012-2006	(R-Series)	Left RK642328 Right RK642329	1 1	R123 R123
Wheel Hub & Bearing Assembly				
2019-2015		512556	2	
2014		541007	2	
2012-2006		541007	2	

KIA TRUCK-Sorento

FRONT SUSPENSION



F465




F466

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2015-2014	(Design Allows Ease Of Installation)	Lower K500231 ‡	2	
2013-2011	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Lower K90375 ‡	2	F466


FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009-2007	(Design Allows Ease Of Installation)	Lower	K500032 ‡	2 F465
Control Arm Bushing				
2013-2011	(Vertically Mounted)	Lower Front	K201646	2 F466
Control Arm with Ball Joint				
2013-2011	(R-Series)	Left Lower	RK621686	1 F466
	(R-Series)	Right Lower	RK621685	1 F466
2009	(R-Series)	Left Lower	RK622267	1 F465
2009-2008	(R-Series)	Right Lower	RK622268	1 F465
2009-2007	(R-Series)	Left Upper	RK622722	1 F465
	(R-Series)	Right Upper	RK622721	1 F465
Strut Bumper Bellows				
2015-2014	(Original Equipment Type)		K201538	2 F466
2015-2011	(Replacement Type, Contains Bumper)		K90464	2 F466
2013-2011	(Original Equipment Type)		K201416	2 F466
2009-2007	(Replacement Type, Contains Bumper)		K90460	2 F465
Strut Mounting Kit				
2009-2007			K80911	2 F465
Sway Bar Bushing				
2013-2011	(Split Design For Easier Installation)	To Frame	K200280 ‡	1 F466
2009-2007	Four Wheel Drive (4X4), (Split Design For Easier Installation)	To Frame	K200282 ‡	1 F465
Sway Bar Link				
2015-2014	(Improves Upon OE Design)		K750659 ‡	2 F466
2013-2011	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750204 ‡	1 F466
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750205 ‡	1 F466
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750164 ‡	1 F465
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750165 ‡	1 F465
Wheel Hub & Bearing Assembly				
2015-2011	(Improved Design)		513266	2

STEERING



KIA TRUCK-Sorento (Cont.)


STEERING (Cont.)



S327


Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2009-2007		K150289	2	S326	
Tie Rod End					
2018-2016		Left Outer	ES801229 ‡	1	
		Right Outer	ES801230 ‡	1	
2015-2014	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV801212 ‡	2	
2013-2011	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer	ES800035 ‡	1	S327
		Right Outer	ES800055 ‡	1	S327
		Inner	EV800231 ‡	2	S327
2009-2007		Left Outer	ES800039	1	S326
		Right Outer	ES800042	1	S326
		Left Inner	EV800040	1	S326
		Right Inner	EV800041	1	S326

REAR SUSPENSION



R214

REAR SUSPENSION (Cont.)




R215

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2015-2014	(R-Series)	Lower Rear	RK641812	2
2014	All Wheel Drive, (R-Series) Front Wheel Drive, (R-Series)	Lower Front Upper	RK642783 RK642829	2 2
2013-2011	(R-Series) (R-Series)	Lower Rear Lower Center	RK641812 RK641883	2 2
2009-2008	(R-Series)	Lower	RK642279	2
2009-2007	(R-Series)	Upper	RK642763	2
2007	(R-Series)	Lower	RK642565	2
Control Arm Bushing				
2015-2014		At Knuckle, Lower	K201281	2
Control Arm with Ball Joint				
2014	Front Wheel Drive, (R-Series)	Lower Front	RK622790	2
Sway Bar Bushing				
2013-2011	4 Cyl V6 Cyl, (Reduces Noise)	To Frame To Frame	K201485 K200741 ‡	1 1
2009-2007		To Frame	K201656	1
Sway Bar Link				
2015-2014	All Wheel Drive, (Design Allows Ease Of Installation) All Wheel Drive, (Design Allows Ease Of Installation) Front Wheel Drive, (Design Allows Ease Of Installation) Front Wheel Drive, (Improves Upon OE Design)	Left Right	K750664 ‡ K750665 ‡ K750669 ‡ K750603 ‡	1 1 2 2
2013-2011	(Improves Upon OE Design)		K750279 ‡	2
2009-2007	(Improves Upon OE Design) (Improves Upon OE Design)	Left Right	K750287 ‡ K750286 ‡	1 1
Wheel Hub & Bearing Assembly				
2015-2011	All Wheel Drive, (Improved Design) Front Wheel Drive		513266 512326	2 2

KIA TRUCK-Sportage


FRONT SUSPENSION



F514

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2016-2014		Lower	K500319 ‡	2
2013-2011	(Greaseable Socket Reduces Corrosion/Wear)	Lower	K500239 ‡	2
2010-2005		Lower	K500012	2 F514
Control Arm				
2010-2005	Except Steering Stopper, (R-Series) Except Steering Stopper, (R-Series) Steering Stopper, (R-Series)	Left Lower Right Lower Right Lower	RK641338 RK641339 RK642112	1 1 1 F514
Control Arm Bushing				
2010-2005	(Horizontal Mount) (Vertically Mounted)	Lower Rear Lower Front	K201358 K201646	2 2 F514
Strut and Spring Assembly				
2010-2005		Left Right	ST8646L ST8646R	1 1 F514
Strut Bumper Bellows				
2016-2011			K150274	2
2010-2006	(Contains Bumper)		K90464	2 F514
Strut Mount				
2016-2011	(Contains Bearing)		K160371	2
2010-2005	(Contains Bearing)		K90403	2 F514
Sway Bar Bushing				
2010-2005	(Reduces Noise)	To Frame	K200731 ‡	1 F514
Sway Bar Link				
2019-2014	(Improves Upon OE Design)		K750523 ‡	2
2013-2011	(Improves Upon OE Design)		K750524 ‡	2
2010-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80510 ‡	2 F514
Wheel Hub & Bearing Assembly				
2019-2017			513374	2

STEERING




S379

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2016-2014		Inner	EV801257	2	
2016-2011	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800717 ‡	1	
		Right Outer	ES800718 ‡	1	
2013-2011	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800964 ‡	2	
2010-2005		Left Outer	ES800056	1	S379
		Right Outer	ES800036	1	S379
		Inner	EV800095	2	S379

REAR SUSPENSION


FWD



R149

KIA TRUCK-Sportage (Cont.)

REAR SUSPENSION (Cont.)



R150

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2016-2015	Four Wheel Drive (4X4), (R-Series)	Upper Front	RK642783	2
2016-2011	Front Wheel Drive, (Lateral Link, R-Series)	Upper Front	RK622349	2
	Front Wheel Drive, (R-Series)	Upper Rear	RK642325	2
2013-2011	All Wheel Drive, (R-Series)	Upper Front	RK642783	2
2010-2008	Four Wheel Drive (4X4), (R-Series)	Lower Front	RK642769	2 R150
2009-2008	Four Wheel Drive (4X4), (R-Series)	Lower Rear	RK642302	2 R150
2007-2005	Four Wheel Drive (4X4), (R-Series)	Lower Rear	RK641819	2 R150
	Four Wheel Drive (4X4), (Adjustable, R-Series)	Lower Front	RK641816	2 R150
	Front Wheel Drive, (Non-Adjustable, R-Series)	Lower Rear	RK641817	2 R149
	Front Wheel Drive, (Adjustable, R-Series)	Lower Front	RK641818	2 R149
Control Arm Bushing				
2014-2011		At Knuckle, Lower	K201281	2
Shock Mount				
2016-2011			K160442	2
Strut Bumper Bellows				
2016-2011			K201597	2
2010-2007	(Contains Bumper)		K90464	2 R149, R150
Strut Mount				
2010-2005		Left	K90215	1 R149, R150
		Right	K90216	1 R149, R150
Sway Bar Bushing				
2011-2005		To Frame	K201172	2 R149, R150
Sway Bar Link				
2016	(Improves Upon OE Design)		K750603 ‡	2
2015-2011	Front Wheel Drive, (Improves Upon OE Design)		K750603 ‡	2
2014	All Wheel Drive, (Improves Upon OE Design)		K750594 ‡	2
2014-2011	Four Wheel Drive (4X4), (Improves Upon OE Design)		K750594 ‡	2
2010-2005	(20-Gauge Stainless Steel Material Provides Longer Service Life)		K80511 ‡	2 R149, R150
Trailing Link				
2010-2008	(R-Series)		RK642332	2 R150
Wheel Hub & Bearing Assembly				
2019-2017	Front Wheel Drive		512553	2
2016-2011	Front Wheel Drive		512437	2
2010-2005	Front Wheel Drive		512267	2

LAND ROVER-Discovery

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2019-2017	(Design Allows Ease Of Installation)		K750692 ‡	2

(Cont.) Discovery–LAND ROVER

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2019-2017	(R-Series)	Upper	RK642955	2
Sway Bar Link				
2019-2017	(Design Allows Ease Of Installation)	Left	K750709 ‡	1
	(Design Allows Ease Of Installation)	Right	K750708 ‡	1

Discovery Sport–LAND ROVER

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2016-2015	Except Adaptive Variable Suspension, (Contains Bumper)		K90461	2
Sway Bar Link				
2019-2015	(Improves Upon OE Design)		K750613 ‡	2

LR2–LAND ROVER

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2015-2008	(R-Series)	Left Lower	RK621984	1
	(R-Series)	Right Lower	RK621983	1
Strut Bumper Bellows				
2015-2008	(Contains Bumper)		K90461	2
Sway Bar Link				
2015-2008	(Powdered Metal Gusher Brg. For Better Lubrication)		K750208 ‡	2
Wheel Hub & Bearing Assembly				
2015-2008			513337	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2015-2008	(Design Allows Ease Of Installation)	Left Outer	ES800879 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800870 ‡	1
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2015-2008	(R-Series)	Lower Rear	RK642613	2
Strut Bumper Bellows				
2015-2008			K201597	2
Strut Mount				
2015-2008	(Bearing Not Included)		K160387	2
Sway Bar Link				
2015-2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750367 ‡	2

LR3–LAND ROVER

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009-2005	(Design Allows Ease Of Installation)	Upper	K500254 ‡	2
	(Design Allows Ease Of Installation)	Lower	K500148 ‡	2
Control Arm with Ball Joint				
2009	From VIN 9A502440, (R-Series)	Left Lower	RK621693	1
	Thru VIN 9A502439, (R-Series)	Left Lower	RK621989	1
2009-2005	(R-Series)	Left Upper	RK622629	1
	(R-Series)	Right Upper	RK622628	1
	(R-Series)	Right Lower	RK621694	1

LAND ROVER-LR3 (Cont.)

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2008-2005	(R-Series) Left Lower	RK621989	1	
Sway Bar Link				
2009-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	K750334 ‡	2	
Wheel Hub & Bearing Assembly				
2009-2005		515067	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2009	Thru Chassis Serial Number 9A496359, (Design Allows Ease Of Installation) Outer	ES800686 ‡	2	
2009-2005	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Inner	EV800728 ‡	1
		Right Inner	EV800729 ‡	1
2008-2005	(Design Allows Ease Of Installation) Outer	ES800686 ‡	2	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2009-2005	(R-Series) (R-Series) (Adjustable, Lateral Link, R-Series)	Left Upper	RK642612	1
		Right Upper	RK642611	1
		Lower Rear	RK641827	2
Sway Bar Link				
2009-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750079 ‡	2	

LAND ROVER-LR4

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2016-2010	(Design Allows Ease Of Installation)	Upper	K500292	2
		Lower	K500148 ‡	2
Control Arm				
2016-2010	(R-Series) (R-Series)	Left Upper	RK622909	1
		Right Upper	RK622908	1
Sway Bar Link				
2016-2010	(Powdered Metal Gusher Brg. For Better Lubrication)	K750334 ‡	2	
Wheel Hub & Bearing Assembly				
2013-2010		515067	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2016-2010	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Outer	ES800947 ‡	2
		Inner	EV800728 ‡	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2014-2010	(R-Series) (R-Series) (Adjustable, Lateral Link, R-Series)	Left Upper	RK642612	1
		Right Upper	RK642611	1
		Lower Rear	RK641827	2
Control Arm Bushing				
2016-2014		Lower Rear	K201704	2
Sway Bar Link				
2016-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750079 ‡	2	

Range Rover–LAND ROVER

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2012-2003	(Design Allows Ease Of Installation)	Upper	K500146 ‡	2
Control Arm				
2012-2003	(R-Series)	Left Upper	RK641209	1
	(R-Series)	Right Upper	RK641918	1
Control Arm Bushing				
2012-2003	(High Quality Elastomer For Durability And Performance)	Upper	K200837 ‡	2
	(High Quality Elastomer For Durability And Performance)	Lower	K200834 ‡	2
Control Arm with Ball Joint				
2017-2016	(R-Series)	Left Rear Lower	RK622478	1
	(R-Series)	Right Rear Lower	RK622614	1
2017-2013	(R-Series)	Left Upper	RK622954	1
	(R-Series)	Right Upper	RK622953	1
2015-2013	(R-Series)	Left Rear Lower	RK622614	1
	(R-Series)	Right Rear Lower	RK622478	1
2012-2003	(R-Series)	Lower	RK620715	2
Sway Bar Link				
2018-2013	(Design Allows Ease Of Installation)		K750692 ‡	2
2012-2003			K750063	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2012-2003	(Design Allows Ease Of Installation)	Outer	ES800275 ‡	2
	(Design Allows Ease Of Installation)	Inner	EV800549 ‡	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2018-2013	(R-Series)	Upper	RK642955	2
2012-2007	(R-Series)	Left Upper	RK642608	1
	(R-Series)	Right Upper	RK642607	1
2012-2003	(R-Series)	Left Front Lower	RK642709	1
	(R-Series)	Right Front Lower	RK642708	1
2010-2003	(Lateral Link, R-Series)	Lower Rear	RK622656	2
Control Arm Bushing				
2012-2003	(Design Allows Ease Of Installation)	Upper Outer	K200836 ‡	2
Strut Bumper Bellows				
2012-2003	Except Variable Dampening Suspension, (Replacement Type, Contains Bumper)		K90466	2
Strut Mount				
2012-2003	(Bearing Not Included, Design Allows Ease Of Installation)		K160227 ‡	2
Sway Bar Link				
2018-2016	Active Sway Bar, Long Wheelbase, (Design Allows Ease Of Installation)	Left	K750709 ‡	1
	Active Sway Bar, Long Wheelbase, (Design Allows Ease Of Installation)	Right	K750708 ‡	1
	Active Sway Bar, Standard Wheelbase, (Greaseable Socket Reduces Corrosion/Wear)	Left	K750724 ‡	1
	Active Sway Bar, Standard Wheelbase, (Greaseable Socket Reduces Corrosion/Wear)	Right	K750723 ‡	1
	Except Active Sway Bar, (Design Allows Ease Of Installation)	Left	K750709 ‡	1
	Except Active Sway Bar, (Design Allows Ease Of Installation)	Right	K750708 ‡	1
2015-2013	(Design Allows Ease Of Installation)	Left	K750709 ‡	1
	(Design Allows Ease Of Installation)	Right	K750708 ‡	1
2012-2003	(Greaseable Socket Reduces Corrosion/Wear)		K750555 ‡	2

Range Rover Evoque–LAND ROVER

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2011	(Design Allows Ease Of Installation)	Upper	K500146 ‡	2
Control Arm				
2011	(R-Series)	Left Upper	RK641209	1
	(R-Series)	Right Upper	RK641918	1

LAND ROVER-Range Rover Evoque (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2011	(High Quality Elastomer For Durability And Performance) (High Quality Elastomer For Durability And Performance)	Upper Lower	K200837 ‡ K200834 ‡	2 2
Control Arm with Ball Joint				
2011	(R-Series)	Lower	RK620715	2
Strut Bumper Bellows				
2016-2012	Except Adaptive Variable Suspension, (Contains Bumper)		K90461	2
Sway Bar Link				
2018-2012	(Improves Upon OE Design)		K750613 ‡	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2011	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Outer Inner	ES800275 ‡ EV800549 ‡	2 2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2018-2012	(R-Series)	Lower Rear	RK642613	2
Control Arm Bushing				
2011	(Design Allows Ease Of Installation)	Upper Rear	K200836 ‡	2
Strut Mount				
2016-2012			K160387	2
Sway Bar Link				
2018-2012	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750367 ‡	2

LAND ROVER-Range Rover Sport


FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2012-2006	(Design Allows Ease Of Installation)	Upper Lower	K500292 K500148 ‡	2 2
Control Arm Bushing				
2012-2006		Upper	K201594	4
2009-2006		Lower Front	K201642	2
Control Arm with Ball Joint				
2017-2014	(R-Series) (R-Series)	Left Rear Lower Right Rear Lower	RK622929 RK622928	1 1
2009-2006	(R-Series) (R-Series) (R-Series) (R-Series)	Left Upper Right Upper Left Lower Right Lower	RK622881 RK622880 RK621618 RK621617	1 1 1 1
Sway Bar Bushing				
2013	(Split Design For Easier Installation)	To Frame	K200828 ‡	1
2012-2006	Active Cornering Enhancement, (Split Design For Easier Installation)	To Frame	K200828 ‡	1
Sway Bar Link				
2018-2014	(Design Allows Ease Of Installation)		K750692 ‡	2
2013-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750251 ‡ K750250 ‡	1 1
Wheel Hub & Bearing Assembly				
2013-2006			515067	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2013-2010	(Design Allows Ease Of Installation)	Outer	ES800940 ‡	2
2013-2006	(Design Allows Ease Of Installation)	Inner	EV800730 ‡	2
2009	From VIN 9A191792, (Design Allows Ease Of Installation)	Outer	ES800940 ‡	2

(Cont.) Range Rover Sport-LAND ROVER

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2009 (Cont.)	Thru VIN 9A191791, (Design Allows Ease Of Installation)	Outer	ES800687 ‡	2
2008-2006	(Design Allows Ease Of Installation)	Outer	ES800687 ‡	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2018-2014	(R-Series)	Upper	RK642955	2
2013-2006	(Adjustable, Lateral Link, R-Series)	Lower Rear	RK641827	2
Sway Bar Bushing				
2012-2006	Except Active Cornering Enhancement, (Split Design For Easier Installation)	To Frame	K200824 ‡	1
Sway Bar Link				
2018-2014	(Greaseable Socket Reduces Corrosion/Wear)	Left	K750724 ‡	1
	(Greaseable Socket Reduces Corrosion/Wear)	Right	K750723 ‡	1
2013-2006	Except Active Cornering Enhancement, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750079 ‡	2
Track Bar Bushing				
2012-2011			K201704	2

GX Series-LEXUS TRUCK




LEXUS TRUCK-GX Series (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
GX460				
Ball Joint				
2018-2010	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K500018 ‡	2 F531
		Lower	K500017 ‡	2 F531
Control Arm with Ball Joint				
2018-2010	(R-Series)	Left Upper	RK620064	1 F531
	(R-Series)	Right Upper	RK620063	1 F531
	(R-Series)	Left Lower	RK622835	1 F531
	(R-Series)	Right Lower	RK622834	1 F531
Shock Mount				
2017-2010	Except Adaptive Variable Suspension, (Contains Spring Seat, Bushings And Retainers, Design Allows Ease Of Installation)		K160266 ‡	2 F531
Sway Bar Bushing				
2017-2010	(Split Design For Easier Installation)	To Lower Control Arm	K200618 ‡	1 F531
2016-2010	(Reduces Noise)	To Frame	K200756 ‡	1 F531
Sway Bar Link				
2018-2010	(Improves Upon OE Design)	Right	K700646 ‡	1 F531
Wheel Bearing Assembly				
2018-2010			515040	2
GX470				
Ball Joint				
2009-2005	(Powdered Metal Gusher Brg. For Better Lubrication) Except Kinetic Dynamic Suspension, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K500018 ‡	2 F530, F531
		Lower	K500017 ‡	2 F530
Control Arm Bushing				
2009-2005	(High Quality Elastomer For Durability And Performance)	Upper	K200771 ‡	4 F530, F531
	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200773 ‡	2 F530, F531
	(High Quality Elastomer For Durability And Performance)	Lower Front	K200772 ‡	2 F530, F531
Control Arm with Ball Joint				
2009-2005	(R-Series)	Left Upper	RK620064	1 F530, F531
	(R-Series)	Right Upper	RK620063	1 F530, F531
	Except Kinetic Dynamic Suspension, (R-Series)	Left Lower	RK620062	1 F530
	Except Kinetic Dynamic Suspension, (R-Series)	Right Lower	RK620061	1 F530
Shock Mount Bushing				
2009-2005		Lower	K80938	2 F530, F531
Strut Spring Seat				
2009-2005	(Insulator)	Upper	K6705	2 F530, F531
Sway Bar Bushing				
2009-2005	Except Kinetic Dynamic Suspension, 29mm Or 30mm Sway Bar Diameter, (Contains Thermoplastic Bushing)	To Frame	K80820 ‡	1 F530
	Kinetic Dynamic Suspension, (Split Design For Easier Installation)	To Frame	K200639 ‡	1 F531
	Kinetic Dynamic Suspension, 27mm Sway Bar Diameter, (Split Design For Easier Installation)	To Arm	K200618 ‡	1 F531
Sway Bar Link				
2009-2005	Except Kinetic Dynamic Suspension	Left	K90677	1 F530
	Except Kinetic Dynamic Suspension	Right	K90683	1 F530
	Kinetic Dynamic Suspension	Right	K750105	1 F531
Wheel Bearing Assembly				
2009-2005			515040	2


STEERING



S382

Year	Model/Application	Part	P/C Qty	Figure
GX460				
Tie Rod End				
2018	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES80895 ‡ EV801013 ‡	2 2
2017-2010	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner	ES80895 ‡ EV801013 ‡	2 2
GX470				
Tie Rod End				
2009-2005		Outer Inner	ES80378 EV80379	2 2

REAR SUSPENSION




R160


LEXUS TRUCK-GX Series (Cont.)

REAR SUSPENSION (Cont.)

w/ KDS Susp.




R161



R162

Year	Model/Application	Part	P/C Qty	Figure
GX460				
Control Arm				
2017-2010	Rear Coil Spring Suspension, (R-Series)	Left Upper	RK642452	1 R162
2013-2010	Rear Coil Spring Suspension, Except Adaptive Front Lighting, (R-Series)	Right Upper	RK642452	1 R162
Sway Bar Bushing				
2018-2010	(Reduces Noise)	To Frame	K200757 ‡	1 R162
Sway Bar Link				
2018-2010	(Improves Upon OE Design)	Right	K700647 ‡	1 R162
Wheel Bearing Assembly				
2018-2010		Left	512227	1
		Right	512228	1
GX470				
Sway Bar Bushing				
2009-2007	Except Kinetic Dynamic Suspension	To Frame	K90551	1 R160
2009-2005	Kinetic Dynamic Suspension, (Split Design For Easier Installation)	To Frame	K200839 ‡	1 R161
Sway Bar Link				
2009-2005	Except Kinetic Dynamic Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80469 ‡	2 R160
	Kinetic Dynamic Suspension		K700728	2 R161
Wheel Bearing Assembly				
2009-2005		Left	512227	1
		Right	512228	1

FRONT SUSPENSION




F558

Year	Model/Application	Part	P/C Qty	Figure
LX470				
Ball Joint				
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500133 ‡	2 F558
Control Arm Bushing				
2007-2005	(Contains Front And Rear Bushings)	Upper	K200004	2 F558
		Lower Rear	K200006	2 F558
		Lower Front	K200005	2 F558
Control Arm with Ball Joint				
2007-2005	(R-Series)	Left Upper	RK621227	1 F558
	(R-Series)	Right Upper	RK621228	1 F558
	(R-Series)	Left Lower	RK620524	1 F558
	(R-Series)	Right Lower	RK620525	1 F558
Sway Bar Bushing				
2007-2005		To Frame	K200007	1 F558
Sway Bar Link				
2007-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750147 ‡	2 F558
LX570				
Ball Joint				
2017-2013	(Design Allows Ease Of Installation)	Lower	K500224 ‡	2
2011-2008	(Design Allows Ease Of Installation)	Lower	K500224 ‡	2
Sway Bar Link				
2018-2013	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750332 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750333 ‡	1
2011-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750332 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750333 ‡	1
Wheel Bearing Assembly				
2018-2013			515103	2
2011-2008			515103	2

Lexus Truck-LX Series (Cont.)


STEERING



S424

Year	Model/Application	Part	P/C Qty	Figure	
LX470					
Tie Rod End					
2007-2005	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800452 ‡ ES800451 ‡ EV800320 ‡	1 1 2	S424 S424 S424
LX570					
Rack & Pinion Boot Kit					
2018-2013		K150324	2		
2011-2008		K150324	2		
Tie Rod End					
2018-2013	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800313 ‡ ES800314 ‡ EV800443 ‡	1 1 2	
2011-2008	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800313 ‡ ES800314 ‡ EV800443 ‡	1 1 2	
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
LX470					
Control Arm					
2007-2005	(R-Series)	Lower	RK642454	2	
Sway Bar Repair Kit					
2007-2005			K700772	2	
LX570					
Wheel Bearing Assembly					
2018-2013		Left Right	512396 512397	1 1	
2011-2008		Left Right	512396 512397	1 1	


FRONT SUSPENSION



F366

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2015	(Design Allows Ease Of Installation)	Lower	K500062 ‡	2 F366
Control Arm with Ball Joint				
2018-2015	(R-Series)	Left Lower	RK620586	1 F366
	(R-Series)	Right Lower	RK620587	1 F366
Strut Bumper Bellows				
2016-2015	(Contains Bumper)		K90461	2
Sway Bar Link				
2018-2015	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750043 ‡	2 F366

STEERING




S185

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018	(Design Allows Ease Of Installation)	Left Outer	ES800054 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800053 ‡	1
2017-2015	(Design Allows Ease Of Installation)	Left Outer	ES800054 ‡	1 S185
	(Design Allows Ease Of Installation)	Right Outer	ES800053 ‡	1 S185

LEXUS TRUCK-NX200t (Cont.)

REAR SUSPENSION




R192

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2018-2015	(R-Series)	Left Upper	RK641740	1	R192
	(R-Series)	Right Upper	RK641739	1	R192
2017-2015	Plus Or Minus 3 Degrees Camber, (Greaseable, Turnbuckle Adjustment, R-Series)	Left Upper	RK100356	1	R192
	Plus Or Minus 3 Degrees Camber, (Non-Greaseable, Eccentric Adjustment, R-Series)	Left Upper	RK100354	1	R192
	Plus Or Minus 3 Degrees Camber, (Greaseable, Turnbuckle Adjustment, R-Series)	Right Upper	RK100357	1	R192
	Plus Or Minus 3 Degrees Camber, (Non-Greaseable, Eccentric Adjustment, R-Series)	Right Upper	RK100355	1	R192
Control Arm with Ball Joint					
2018-2015	(R-Series)	Lower Front	RK621848	2	R192
Sway Bar Link					
2018-2015	(Powdered Metal Gusher Brg. For Better Lubrication)		K750257 ‡	2	R192
Wheel Hub & Bearing Assembly					
2018-2015	All Wheel Drive		512374	2	
	Front Wheel Drive		512372	2	

LEXUS TRUCK-NX300

FRONT SUSPENSION



F366

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2018	(Design Allows Ease Of Installation)	Lower	K500062 ‡	2	
Control Arm with Ball Joint					
2018	(R-Series)	Left Lower	RK620586	1	F366
	(R-Series)	Right Lower	RK620587	1	F366


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750043 ‡	2	F366

STEERING

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2019-2018	(Design Allows Ease Of Installation)	Left Outer	ES800054 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800053 ‡	1

REAR SUSPENSION




R192

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2019-2018	Plus Or Minus 3 Degrees Camber, (Greaseable, Turnbuckle Adjustment, R-Series)	Left Upper	RK100356	1
	Plus Or Minus 3 Degrees Camber, (Non-Greasable, Eccentric Adjustment, R-Series)	Left Upper	RK100354	1
	Plus Or Minus 3 Degrees Camber, (Greaseable, Turnbuckle Adjustment, R-Series)	Right Upper	RK100357	1
	Plus Or Minus 3 Degrees Camber, (Non-Greasable, Eccentric Adjustment, R-Series)	Right Upper	RK100355	1
2018	(R-Series)	Left Upper	RK641740	1
	(R-Series)	Right Upper	RK641739	1
Control Arm with Ball Joint				
2018	(R-Series)	Lower Front	RK621848	2
Sway Bar Link				
2018	(Powdered Metal Gusher Brg. For Better Lubrication)	K750257 ‡	2	R192
Wheel Hub & Bearing Assembly				
2018	All Wheel Drive	512374	2	
	Front Wheel Drive	512372	2	

LEXUS TRUCK-NX300h


FRONT SUSPENSION



F366

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2015	(Design Allows Ease Of Installation)	Lower	K500062 ‡	2 F366
Control Arm with Ball Joint				
2018-2015	(R-Series)	Left Lower	RK620586	1 F366
	(R-Series)	Right Lower	RK620587	1 F366
Strut Bumper Bellows				
2016-2015	(Contains Bumper)		K90461	2
Sway Bar Link				
2018-2015	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750043 ‡	2 F366


STEERING



S185

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018	(Design Allows Ease Of Installation)	Left Outer	ES800054 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800053 ‡	1
2017-2015	(Design Allows Ease Of Installation)	Left Outer	ES800054 ‡	1 S185
	(Design Allows Ease Of Installation)	Right Outer	ES800053 ‡	1 S185


REAR SUSPENSION



R192

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2019-2015	Plus Or Minus 3 Degrees Camber, (Greaseable, Turnbuckle Adjustment, R-Series) Plus Or Minus 3 Degrees Camber, (Non-Greasable, Eccentric Adjustment, R-Series) Plus Or Minus 3 Degrees Camber, (Greaseable, Turnbuckle Adjustment, R-Series) Plus Or Minus 3 Degrees Camber, (Non-Greasable, Eccentric Adjustment, R-Series)	Left Upper	RK100356	1	R192
		Left Upper	RK100354	1	R192
		Right Upper	RK100357	1	R192
		Right Upper	RK100355	1	R192
2018-2015	(R-Series) (R-Series)	Left Upper	RK641740	1	R192
		Right Upper	RK641739	1	R192
Control Arm with Ball Joint					
2018-2015	(R-Series)	Lower Front	RK621848	2	R192
Sway Bar Link					
2018-2015	(Powdered Metal Gusher Brg. For Better Lubrication)		K750257 ‡	2	R192
Wheel Hub & Bearing Assembly					
2018-2015	All Wheel Drive		512374	2	
2017-2015	Front Wheel Drive		512372	2	

FRONT SUSPENSION



F034

Year	Model/Application	Part	P/C Qty	Figure	
RX350					
Ball Joint					
2018-2010	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Lower	K500188 ‡	1	F034
		Right Lower	K500187 ‡	1	F034
2009-2007	(Standard Design) (Standard Design)	Left Lower	K90346	1	F034
		Right Lower	K90347	1	F034


LEXUS TRUCK-RX Series (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
RX350				
Control Arm				
2009-2007	(R-Series) (R-Series)	Left Lower Right Lower	RK641488 RK641487	1 1 F034 F034
Control Arm Bushing				
2018-2010	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear Lower Rear	K201640 K200912 ‡	2 2 F034 F034
Control Arm with Ball Joint				
2018-2013	(R-Series) (R-Series)	Left Lower Right Lower	RK622945 RK622944	1 1 F034 F034
2012-2010	Front Coil Spring Suspension, (R-Series) Front Coil Spring Suspension, (R-Series)	Left Lower Right Lower	RK622945 RK622944	1 1 F034 F034
2009-2007	(R-Series) Except Performance Package, (R-Series)	Right Lower Left Lower	RK620333 RK620334	1 1 F034 F034
Complete Knuckle Assembly				
2009-2007	(Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts, Deflector And Axle Nut) (Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts, Deflector And Axle Nut)	Left Right	LK023 ‡ LK024 ‡	1 1
Strut Bumper Bellows				
2009-2007	Except Air Suspension, (Contains Bumper)		K90461	2 F034
Strut Mount				
2015-2010	Except Air Suspension, (Contains Bearing)		K160436	2 F034
2009-2007	Except Air Suspension, (Contains Bearing)		K90658	2 F034
Strut Spring Seat				
2009-2007	Except Air Suspension, (Contains Insulator)	Upper	K160014	2 F034
Sway Bar Bushing				
2014-2010	Air Suspension, Japan Built, (Split Design For Easier Installation, Optional)	To Frame	K200704 ‡	1 F034
2011-2010	Canada Built, Except Air Suspension, (Split Design For Easier Installation)	To Frame	K200616 ‡	1 F034
2009-2007	(Split Design For Easier Installation)	To Frame	K200617 ‡	1 F034
Sway Bar Link				
2018-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K90344 ‡	2 F034
Wheel Hub & Bearing Assembly				
2018-2016			513397	2
RX400h				
Ball Joint				
2008-2006	(Standard Design) (Standard Design)	Left Lower Right Lower	K90346 K90347	1 1 F034 F034
Control Arm				
2008-2006	(R-Series) (R-Series)	Left Lower Right Lower	RK641488 RK641487	1 1 F034 F034
Control Arm with Ball Joint				
2008-2006	(R-Series) (R-Series)	Left Lower Right Lower	RK620334 RK620333	1 1 F034 F034
Complete Knuckle Assembly				
2008-2006	(Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts, Deflector And Axle Nut) (Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts, Deflector And Axle Nut)	Left Right	LK023 ‡ LK024 ‡	1 1
Strut Bumper Bellows				
2008-2006	(Contains Bumper)		K90461	2 F034
Strut Mount				
2008-2006	(Contains Bearing)		K90658	2 F034
Strut Spring Seat				
2008-2006	(Contains Insulator)	Upper	K160014	2 F034
Sway Bar Bushing				
2008-2006	(Split Design For Easier Installation)	To Frame	K200617 ‡	1 F034
Sway Bar Link				
2008-2006	(Powdered Metal Gusher Brg. For Better Lubrication)		K90344 ‡	2 F034

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
RX450h					
Ball Joint					
2018-2016	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Lower Right Lower	K500188 ‡ K500187 ‡	1 1	
2015-2010	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Lower Right Lower	K500188 ‡ K500187 ‡	1 1	F034 F034
Control Arm Bushing					
2018-2016	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear Lower Rear	K201640 K200912 ‡	2 2	
2015-2010	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear Lower Rear	K201640 K200912 ‡	2 2	F034 F034
Control Arm with Ball Joint					
2018-2016	(R-Series) (R-Series)	Left Lower Right Lower	RK622945 RK622944	1 1	F034 F034
2015-2013	Parts Manufactured In Japan, (R-Series) Parts Manufactured In Japan, (R-Series)	Left Lower Right Lower	RK622945 RK622944	1 1	F034 F034
2012-2010	Parts Manufactured In Japan, Front Coil Spring Suspension, (R-Series) Parts Manufactured In Japan, Front Coil Spring Suspension, (R-Series)	Left Lower Right Lower	RK622945 RK622944	1 1	F034 F034
Strut Mount					
2015-2010	Except Air Suspension, (Contains Bearing)		K160436	2	F034
Sway Bar Bushing					
2012-2010	(Split Design For Easier Installation, Optional)	To Frame	K200704 ‡	1	F034
Sway Bar Link					
2018-2010	(Powdered Metal Gusher Brg. For Better Lubrication)		K90344 ‡	2	F034
Wheel Hub & Bearing Assembly					
2018-2016			513397	2	


STEERING




S426

LEXUS TRUCK-RX Series (Cont.)

STEERING (Cont.)




S427




S428

Year	Model/Application	Part	P/C Qty	Figure
RX350				
Rack & Pinion Boot Kit				
2013-2010	(Design Allows Ease Of Installation)	K150272 ‡	2	S428
2009-2007	(Design Allows Ease Of Installation)	K150286 ‡	2	S427
Tie Rod End				
2015-2010	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer ES800533 ‡	1	S428
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer ES800534 ‡	1	S428
2009-2007	(Design Allows Ease Of Installation)	Outer ES80944 ‡	2	S427
		Inner EV80945	2	S427
RX400h				
Tie Rod End				
2008-2006	(Design Allows Ease Of Installation)	Outer ES80944 ‡	2	S426
	(Design Allows Ease Of Installation)	Inner EV800831 ‡	2	S426
RX450h				
Rack & Pinion Boot Kit				
2013-2010	(Design Allows Ease Of Installation)	K150272 ‡	2	S428
Tie Rod End				
2015-2010	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer ES800533 ‡	1	S428
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer ES800534 ‡	1	S428

REAR SUSPENSION



R024



R025


Year	Model/Application	Part	P/C Qty	Figure	
RX350					
Control Arm					
2018-2010	(R-Series) Lower Rear	RK643057	2		
2015-2010	(R-Series) Lower Front	RK642987	2		
2009-2007	All Wheel Drive, Except High Intensity Discharge Headlights, Except Sport Suspension, (R-Series)	Lower Rear	RK642182	2	R024
	Front Wheel Drive, (Adjustable, R-Series)	Lower Rear	RK642138	2	R025
	Front Wheel Drive, (R-Series)	Lower Front	RK642181	2	R025
Strut Bumper Bellows					
2009-2007	Except Air Suspension, (Contains Bumper)	K90464	2	R024, R025	
Strut Mount					
2009-2007	Except Air Suspension, (Contains Insulator)	Left	K160029	1	R024, R025
	Except Air Suspension, (Contains Insulator)	Right	K160028	1	R024, R025
Strut Spring Seat					
2009-2007	Except Air Suspension	Upper	K80924	2	R024, R025
	Except Air Suspension	Lower	K80925	2	R024, R025
Sway Bar Bushing					
2009-2007	All Wheel Drive, Except Sport Package	To Frame	K201386	1	R024
	Front Wheel Drive, (Design Allows Ease Of Installation)	To Frame	K80422 ‡	1	R025
2008-2007	Front Wheel Drive, 16mm Sway Bar Diameter, Type A, (Standard Design)	To Frame	K90547	1	R025
Sway Bar Link					
2018-2012	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750418 ‡	1	
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750419 ‡	1	
2011-2010	Except Air Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750418 ‡	1	
	Except Air Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750419 ‡	1	
	All Wheel Drive, Air Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750420 ‡	1	

LEXUS TRUCK-RX Series (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
RX350				
Sway Bar Link				
2011-2010 (Cont.)	All Wheel Drive, Air Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750421 ‡	1
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K90345 ‡	2 R024, R025
Trailing Link				
2009-2007	Front Wheel Drive, (R-Series)		RK642807	2 R025
Wheel Hub & Bearing Assembly				
2018-2010	All Wheel Drive		512365	2
	Front Wheel Drive		512364	2
2009-2007	All Wheel Drive		512284	2
	Front Wheel Drive	Left	512282	1
	Front Wheel Drive	Right	512283	1
RX400h				
Control Arm				
2008-2006	All Wheel Drive, Except High Intensity Discharge Headlights, (R-Series)	Lower Rear	RK642182	2 R024
	Front Wheel Drive, (Adjustable, R-Series)	Lower Rear	RK642138	2 R025
	Front Wheel Drive, (R-Series)	Lower Front	RK642181	2 R025
Strut Bumper Bellows				
2008-2006	(Contains Bumper)		K90464	2 R024, R025
Strut Mount				
2008-2006	(Contains Insulator)	Left	K160029	1 R024, R025
	(Contains Insulator)	Right	K160028	1 R024, R025
Strut Spring Seat				
2008-2006		Upper	K80924	2 R024, R025
		Lower	K80925	2 R024, R025
Sway Bar Link				
2008-2006	(Powdered Metal Gusher Brg. For Better Lubrication)		K90345 ‡	2 R024, R025
Trailing Link				
2008-2006	Front Wheel Drive, (R-Series)		RK642807	2 R025
Wheel Hub & Bearing Assembly				
2008-2006	All Wheel Drive		512284	2
	Front Wheel Drive	Left	512282	1
	Front Wheel Drive	Right	512283	1
RX450h				
Control Arm				
2018-2013	(R-Series)	Lower Rear	RK643057	2
2015-2010	(R-Series)	Lower Front	RK642987	2
2012-2010	Rear Coil Spring Suspension, (R-Series)	Lower Rear	RK643057	2
Sway Bar Link				
2018-2013	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750418 ‡	1
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750419 ‡	1
2012-2010	Except Air Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750418 ‡	1
	Except Air Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750419 ‡	1
	All Wheel Drive, Air Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750420 ‡	1
	All Wheel Drive, Air Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750421 ‡	1
Wheel Hub & Bearing Assembly				
2018	F Sport, Sportdesign		512365	2
2017-2010	All Wheel Drive		512365	2
	Front Wheel Drive		512364	2

FRONT SUSPENSION




F340

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2008-2006	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower K80149 ‡	2	F340
Control Arm Bushing				
2008-2006	(Contains Front And Rear Bushings)	Upper K80417	2	F340
Control Arm Bushing Set				
2008-2006	(Contains Front And Rear Bushings)	Lower K200365 ‡	2	F340
Control Arm with Ball Joint				
2008-2006	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Left Upper CK80306 ‡	1	F340
	(R-Series)	Left Upper RK80306	1	F340
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Right Upper CK80308 ‡	1	F340
	(R-Series)	Right Upper RK80308	1	F340
	6 Stud Rotors, (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower CK80404 ‡	1	F340
	(R-Series)	Left Lower RK80404	1	F340
	6 Stud Rotors, (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower CK80402 ‡	1	F340
	(R-Series)	Right Lower RK80402	1	F340
	7 Stud Rotors, (R-Series)	Left Lower RK80403	1	F340
	7 Stud Rotors, (R-Series)	Right Lower RK80401	1	F340
Strut and Spring Assembly				
2008-2006	Four Wheel Drive (4X4), (Coated For Corrosion Resistance, Strut, Spring & Top Mount)	ST8568 ‡	2	F340
	Two Wheel Drive (4x2), (Strut, Spring & Top Mount)	ST8582	2	F340
Strut Bumper Bellows				
2008-2006	(Original Equipment Type, Contains Bumper)	K160035	2	F340
	Universal Type, (Replacement Type, Contains Bumper)	K90460	2	F340
Strut Mount				
2008-2006	Standard Suspension, (Bearing Not Included, Contains Dust Tube, Bumper, And Spring Insulator)	K80218	2	F340
Sway Bar Link				
2008-2006	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication)	K80338 ‡	2	F340
	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	K80337 ‡	2	F340
Wheel Hub & Bearing Assembly				
2008-2006	Four Wheel Drive (4X4)	515079	2	

LINCOLN TRUCK-Mark LT (Cont.)

STEERING



S120

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2008-2006	(Powdered Metal Gusher Brg. For Better Lubrication) Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication) Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner Inner	ES3691 ‡ EV800369 ‡ EV800368 ‡	2 2 2	S120 S120 S120
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Leaf Spring Bushing					
2008-2006	(High Quality Elastomer For Durability And Performance)	Front Front	K201765 K200107 ‡	2 2	
Leaf Spring Shackle Bushing					
2008-2006		To Spring	K201183	2	

LINCOLN TRUCK-MKC

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2017-2015	(Replacement Type, Contains Bumper)	K90460	2	
Strut Mount				
2017-2015	(Contains Bearing, Contains Spacer)	K160407	2	
Sway Bar Link				
2018-2015		K750802	2	
2017-2015	(Design Allows Ease Of Installation)	K750743 ‡	2	

STEERING

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2018-2017	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800954 ‡ ES800955 ‡	1 1	
2016-2015	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800955 ‡ ES800954 ‡	1 1	


REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018-2015	(Design Allows Ease Of Installation)	K750743 ‡	2	
Wheel Hub & Bearing Assembly				
2018-2017	Black Label, All Wheel Drive Black Label, Front Wheel Drive, Automated Parking System Black Label, Front Wheel Drive, Except Automated Parking System Premiere, Automated Parking System Premiere, Except Automated Parking System Reserve, Select	512500 512496 512499 512496 512499 512500	2 2 2 2 2 2	
2016-2015	All Wheel Drive Front Wheel Drive, Automated Parking System Front Wheel Drive, Except Automated Parking System	512500 512496 512499	2 2 2	

FRONT SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm Bushing					
2018-2017	(High Quality Elastomer For Durability And Performance)	Lower	K200362 ‡	2	
2014-2010	(High Quality Elastomer For Durability And Performance)	Lower Front	K200362 ‡	2	
2012-2010	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200364 ‡	2	
Control Arm with Ball Joint					
2016-2010	(R-Series)	Left Lower	RK622916	1	
	(R-Series)	Right Lower	RK622917	1	
Strut Mount					
2011-2010	(Contains Spring Seat, Spacer And Bearing, Superior Rubber To Steel Bonding For Durability)		K160208 ‡	2	
Sway Bar Bushing					
2012	Thru 2/27/12, (Split Design For Easier Installation)	To Frame	K200520 ‡	1	
2011-2010	(Split Design For Easier Installation)	To Frame	K200520 ‡	1	
Sway Bar Link					
2018-2010	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750388 ‡	1	
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750389 ‡	1	
Wheel Hub & Bearing Assembly					
2018-2010			513275	2	
STEERING					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2018-2017	16mm Thread At Inner End, (Design Allows Ease Of Installation)	Inner	EV800893 ‡	2	
	4.20" Length, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800222 ‡	2	
	4.44" Length, (Design Allows Ease Of Installation)	Outer	ES800952 ‡	2	
2016-2015	4 Cyl, (Design Allows Ease Of Installation)	Inner	EV800893 ‡	2	
	V6 Cyl, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800222 ‡	2	
	V6 Cyl, (MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800776 ‡	2	
2014-2010	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800222 ‡	2	
	3496cc(3.5L), (MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800776 ‡	2	
2013	1999cc(2.0L), (Design Allows Ease Of Installation)	Inner	EV800893 ‡	2	
	3726cc(3.7L), (Design Allows Ease Of Installation)	Inner	EV800893 ‡	2	
2012	3726cc(3.7L), From 3/12, (Design Allows Ease Of Installation)	Inner	EV800893 ‡	2	
	3726cc(3.7L), Thru 2/12, (MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800775 ‡	2	
2011-2010	3726cc(3.7L), (MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800775 ‡	2	
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm Bushing					
2018		Upper Front	K201349	2	
2018-2010		Lower Inner	K201540	2	
2015-2012		Upper Rear	K201348	2	
2015-2010		Upper Front	K201349	2	
Knuckle Bushing					
2014-2010		Arm To Knuckle, Lower Front	K201347	2	
		Arm To Knuckle, Upper	K201346	2	
		At Shock	K201541	2	
Lateral Arm					
2011	Thru 9/20/10, (Adjustable Arm With Ball Joint, R-Series)	Upper Front	RK623059	2	
2010	(Adjustable Arm With Ball Joint, R-Series)	Upper Front	RK623059	2	
Sway Bar Link					
2018-2011	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750393 ‡	1	
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750394 ‡	1	
2010	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750369 ‡	1	
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750370 ‡	1	
Wheel Hub & Bearing Assembly					
2018-2010			513275	2	

LINCOLN TRUCK-MKX


FRONT SUSPENSION



F437

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2015-2007	(Greaseable Socket Reduces Corrosion/Wear)	Lower	K500205 ‡	2 F437
Control Arm Bushing				
2015-2007	(Design Allows Ease Of Installation)	Lower Front	K200857 ‡	2 F437
	(Design Allows Ease Of Installation)	Left Rear Lower	K200855 ‡	1 F437
	(Design Allows Ease Of Installation)	Right Rear Lower	K200856 ‡	1 F437
Control Arm with Ball Joint				
2015-2007	(R-Series)	Left Lower	RK620487	1 F437
	(R-Series)	Right Lower	RK620486	1 F437
Strut Bumper Bellows				
2015-2007	(Contains Bumper)		K90461	2 F437
Strut Mount				
2015-2011	(Contains Bearing And Spring Seat)		K160367	2 F437
2010-2009	(Contains Bearing And Spring Seat)		K160369	2 F437
2008-2007	(Contains Bearing And Spring Seat, Superior Rubber To Steel Bonding For Durability)		K160206 ‡	2 F437
Sway Bar Bushing				
2015-2007	All Wheel Drive, 34mm Sway Bar Diameter	To Frame	K201297	1 F437
	Front Wheel Drive	To Frame	K201342	1 F437
Sway Bar Link				
2018-2016	(Greaseable Socket Reduces Corrosion/Wear)		K750740 ‡	2
2015-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K750159 ‡	2 F437
Wheel Hub & Bearing Assembly				
2018-2016			513394	2
Wheel Hub Repair Kit				
2010-2007			518517	2


STEERING



S256

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2015		Left	K150320	1
2014-2007		Left	K150320	1 S256
Tie Rod End				
2018-2016		Left Outer	ES801110	1
		Right Outer	ES801109	1
	21" Wheels	Inner	EV801280 ‡	2
	Except 21" Wheels	Inner	EV801122	2
2015-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Left Outer	ES800474 ‡	1 S256
		Right Outer	ES800473 ‡	1 S256
		Inner	EV800576 ‡	2 S256


REAR SUSPENSION



R111

LINCOLN TRUCK-MKX (Cont.)

REAR SUSPENSION (Cont.)




R112

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2010-2009	(R-Series) Lower Front	RK642096	2	R111	
2010-2007	(R-Series) Upper	RK642097	2	R111	
Sway Bar Bushing					
2015-2011	To Frame	K201422	1	R112	
2010-2009	22" Wheels Except 22" Wheels	To Frame	K201578	1	R111
		To Frame	K201544	1	R111
2008-2007	To Frame	K201544	1	R111	
Sway Bar Link					
2018-2017	(Design Allows Ease Of Installation)	K750744 ‡	2		
2015	M10 - 1.5 Thread, M10 - 1.5 Thread, (Ball Stud, Improves Upon OE Design)	K750580 ‡	2	R112	
2014-2011	M10 - 1.5 Thread, (Ball Stud, Improves Upon OE Design)	K750580 ‡	2	R112	
2010-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	K750184 ‡	2	R111	
Wheel Hub & Bearing Assembly					
2018-2016	All Wheel Drive Front Wheel Drive	513394	2		
		512580	2		
2015-2011		513275	2		
2010-2007	All Wheel Drive	512335	2		
2008-2007	Front Wheel Drive	512334	2		

LINCOLN TRUCK-Navigator

FRONT SUSPENSION




F340

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018	(Greaseable Socket Reduces Corrosion/Wear)	Lower	K500318 ‡	2
2017-2014	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500008 ‡	2
2013-2007	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500008 ‡	2 F340
Control Arm Bushing				
2013-2009		Lower Rear	K201189	2 F340
		Lower Front	K201188	2 F340
2013-2007	(High Quality Elastomer For Durability And Performance)	Upper Front	K200353 ‡	2 F340
Control Arm Bushing Set				
2010-2007	(Contains Front And Rear Bushings)	Lower	K200366 ‡	2 F340
Control Arm with Ball Joint				
2017-2014	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series)	Left Upper	CK80306 ‡	1
		Left Upper	RK80306	1
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series)	Right Upper	CK80308 ‡	1
		Right Upper	RK80308	1
2013-2009	(R-Series)	Left Lower	RK621267	1 F340
	(R-Series)	Right Lower	RK621266	1 F340
2013-2007	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series)	Left Upper	CK80306 ‡	1 F340
		Left Upper	RK80306	1 F340
	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication) (R-Series)	Right Upper	CK80308 ‡	1 F340
		Right Upper	RK80308	1 F340
2008-2007	(R-Series)	Left Lower	RK620221	1 F340
	(R-Series)	Right Lower	RK620220	1 F340
Strut and Spring Assembly				
2013-2007			ST8598	2 F340
Strut Bumper Bellows				
2014			K150278	2
2013-2007			K150278	2 F340
Strut Mount				
2014	(Contains Upper Spring Seat Insulator)		K160331	2
2013-2007	(Contains Upper Spring Seat Insulator)		K160331	2 F340
Sway Bar Bushing				
2018-2014		To Frame	K201486	1
2013-2007		To Frame	K201486	1 F340
Sway Bar Link				
2018-2014	(Powdered Metal Gusher Brg. For Better Lubrication)		K750074 ‡	2
2013-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K750074 ‡	2 F340
Wheel Hub & Bearing Assembly				
2017-2015	Four Wheel Drive (4X4) Two Wheel Drive (4x2)		515158 515157	2 2
2014-2011	Four Wheel Drive (4X4), (38" ABS Cord) Four Wheel Drive (4X4), (40.75" ABS Cord) Two Wheel Drive (4x2)		515142 515166 515143	2 2 2
2010-2007	Four Wheel Drive (4X4) Two Wheel Drive (4x2)		515095 515094	2 2

STEERING




S120

LINCOLN TRUCK-Navigator (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2010-2007		K150291	2	S120	
Tie Rod End					
2018-2007	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer Right Outer	ES800515 ‡ ES800514 ‡	1 1	S120 S120
2014-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800457 ‡	2	S120


REAR SUSPENSION



R118

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2014-2007	(New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Lower	K500166 ‡	2	R118	
Control Arm					
2018-2007	(R-Series)	Upper Front	RK641802	2	R118
2017-2007	(R-Series)	Lower Front	RK641803	2	R118
Control Arm with Ball Joint					
2017-2009	(R-Series)	Upper Rear	RK622137	2	R118
2017-2007	(R-Series)	Lower Rear	RK622590	2	R118
2008-2007	(R-Series)	Upper Rear	RK621801	2	R118
Strut and Spring Assembly					
2012-2007	Except Rear Air Leveling System	ST8599	2	R118	
Strut Mount					
2016-2007	Except Self Leveling Suspension	K160368	2	R118	
Strut Spring Seat					
2016-2007	Except Self Leveling Suspension	Upper	K160375	2	R118
Sway Bar Bushing					
2017	19mm Sway Bar Diameter	To Frame	K201488	1	R118
	21mm Sway Bar Diameter	To Frame	K201487	1	R118
2016-2007	Four Wheel Drive (4X4), 19mm Sway Bar Diameter	To Frame	K201488	1	R118
	Two Wheel Drive (4x2), 21mm Sway Bar Diameter	To Frame	K201487	1	R118
2013-2007	18mm Sway Bar Diameter, Auto Adjusting Suspension, Except Towing Package	To Frame	K201493	1	R118
Sway Bar Link					
2018-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750052 ‡	2	R118
Trailing Link					
2017-2007	(R-Series)	Lower	RK641914	2	R118
Wheel Hub & Bearing Assembly					
2016-2015			541015	2	
2014-2011			541013	2	
2010-2007			541008	2	


FRONT SUSPENSION



F217

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2010-2003	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K8738 ‡	2	F217
2010-2002	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K8771T ‡	2	F217
Control Arm Bushing					
2010-2002	(Contains Front And Rear Bushings)	Upper	K8704	2	F217
Control Arm with Ball Joint					
2010-2002	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication, 1 Piece Design) (R-Series, 1 Piece Design)	Left Upper	CK80054 ‡	1	F217
		Left Upper	RK80054	1	F217
		Right Upper	CK80052 ‡	1	F217
		Right Upper	RK80052	1	F217
		Left Lower	RK620499	1	F217
		Right Lower	RK620498	1	F217
Sway Bar Bushing					
2010-2002	27mm Sway Bar Diameter	To Frame	K80079	1	F217
	29mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K80080 ‡	1	F217
Sway Bar Repair Kit					
2009-2002	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700542 ‡	2	F217

STEERING



S005

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2010-2004	(Design Allows Ease Of Installation)	Outer	ES800290 ‡	2	S005
2010-2002	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV317 ‡	2	S005


MAZDA TRUCK-B2300 (Cont.)

REAR SUSPENSION


Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2010-2002	(Link Only)	K80101	2	
Sway Bar Repair Kit				
2010-2002	(Bolts Not Included, Contains Thermoplastic Bushing For Both Ends Of Link)	K80085	1	

MAZDA TRUCK-B3000

FRONT SUSPENSION



F209




F217

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2008-2003	For Use With Arms Which Contain A Replaceable Ball Joint, Front Coil Spring Suspension, (Will Not Fit OE Control Arm, Powdered Metal Gusher Brg. For Better Lubrication)	K8738 ‡	2	F217
2007-2003	Front Coil Spring Suspension, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	K8771T ‡	2	F217
2007-2002	Front Torsion Bar Suspension, (Replacement Joint With Press Fit Diameter Width Of 2.00", Will Not Fit OE Control Arm, Powdered Metal Gusher Brg. For Better Lubrication)	K80012 ‡	2	F209
	Front Torsion Bar Suspension, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	K80771 ‡	2	F209
Control Arm Bushing				
2008	(Contains Front And Rear Bushings)	Upper K8704	2	F217
2007-2002	(Contains Front And Rear Bushings)	Upper K8704	2	F209, F217
Control Arm with Ball Joint				
2008-2005	Front Torsion Bar Suspension, (1 Piece Design, Contains Bushings, Powdered Metal Gusher Brg. For Better Lubrication, Replaceable Ball Joint)	Right Upper CK80068 ‡	1	F209
	Front Torsion Bar Suspension, (R-Series, 1 Piece Design)	Right Upper RK80068	1	F209


FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2008-2002	Front Coil Spring Suspension, (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication, 1 Piece Design)	Left Upper CK80054 ‡	1	F217
	Front Coil Spring Suspension, (R-Series, 1 Piece Design)	Left Upper RK80054	1	F217
	Front Coil Spring Suspension, (Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication, 1 Piece Design)	Right Upper CK80052 ‡	1	F217
	Front Coil Spring Suspension, (R-Series, 1 Piece Design)	Right Upper RK80052	1	F217
	Front Coil Spring Suspension, (R-Series)	Left Lower RK620499	1	F217
	Front Coil Spring Suspension, (R-Series)	Right Lower RK620498	1	F217
	Front Torsion Bar Suspension, (Contains Bushings, Powdered Metal Gusher Brg. For Better Lubrication, 1 Piece Design, Replaceable Ball Joint)	Left Upper CK8708T ‡	1	F209
	Front Torsion Bar Suspension, (R-Series, 1 Piece Design)	Left Upper RK8708	1	F209
	Front Torsion Bar Suspension, (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower CK620319 ‡	1	F209
	Front Torsion Bar Suspension, (R-Series)	Left Lower RK620319	1	F209
	Front Torsion Bar Suspension, (New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower CK620320 ‡	1	F209
	Front Torsion Bar Suspension, (R-Series)	Right Lower RK620320	1	F209
Sway Bar Bushing				
2008	27mm Sway Bar Diameter	To Frame K80079	1	F217
	29mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame K80080 ‡	1	F217
2007-2002	27mm Sway Bar Diameter	To Frame K80079	1	F209, F217
	29mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame K80080 ‡	1	F209, F217
Sway Bar Repair Kit				
2007-2002	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700542 ‡	2	F209, F217
STEERING				
S005				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2008-2005	(Design Allows Ease Of Installation)	Outer ES800290 ‡	2	S005
2008-2002	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner EV317 ‡	2	S005
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Leaf Spring Shackle				
2007-2002	(Contains Shackle, Nuts, Bolts & Bushing)	Rear K150409	2	
Sway Bar Link				
2008-2003	(Link Only)	K80101	2	
Sway Bar Repair Kit				
2008-2002	(Bolts Not Included, Contains Thermoplastic Bushing For Both Ends Of Link)	K80085	1	

MAZDA TRUCK-B4000

FRONT SUSPENSION



F209



F217

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2010-2005	(Replacement Joint With Press Fit Diameter Width Of 2.00", Will Not Fit OE Control Arm, Powdered Metal Gusher Brg. For Better Lubrication)	Upper K80012 ‡	2	F209
2009-2004	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower K80771 ‡	2	F209
Control Arm Bushing				
2010-2005	(Contains Front And Rear Bushings)	Upper K8704	2	F209
Control Arm with Ball Joint				
2010-2005	(Contains Bushings, Powdered Metal Gusher Brg. For Better Lubrication, 1 Piece Design, Replaceable Ball Joint)	Left Upper CK8708T ‡	1	F209
	(R-Series, 1 Piece Design)	Left Upper RK8708	1	F209
	(1 Piece Design, Contains Bushings, Powdered Metal Gusher Brg. For Better Lubrication, Replaceable Ball Joint)	Right Upper CK80068 ‡	1	F209
	(R-Series, 1 Piece Design)	Right Upper RK80068	1	F209
	(New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Left Lower CK620319 ‡	1	F209
	(R-Series)	Left Lower RK620319	1	F209
	(New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Right Lower CK620320 ‡	1	F209
	(R-Series)	Right Lower RK620320	1	F209
Sway Bar Bushing				
2010	29mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame K80080 ‡	1	F209
2010-2005	27mm Sway Bar Diameter	To Frame K80079	1	F209
2009-2005	29mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame K80080 ‡	1	F209, F217
2004-2001	29mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame K80080 ‡	1	F209, F217
Sway Bar Repair Kit				
2010-2005	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)	K700542 ‡	2	F209

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2010-2003	Four Wheel Drive (4X4), Round Connector	515052	2	
	Four Wheel Drive (4X4), Square connector	515129	2	
STEERING				
S005				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2010-2005	(Design Allows Ease Of Installation)	Outer ES800290 ‡	2	S005
2010-2001	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner EV317 ‡	2	S005
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Leaf Spring Shackle				
2007-2001	(Contains Shackle, Nuts, Bolts & Bushing)	Rear K150409	2	
Sway Bar Link				
2010-2005	(Link Only)	K80162	2	
2009-2005	(Improves Upon OE Design)	K750560 ‡	2	
Sway Bar Repair Kit				
2010-2001	(Bolts Not Included, Contains Thermoplastic Bushing For Both Ends Of Link)	K80085	1	

CX 3-MAZDA TRUCK

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2017-2016		K201416	2	
Sway Bar Link				
2017-2016	(Powdered Metal Gusher Brg. For Better Lubrication)	K80104 ‡	2	
Wheel Hub & Bearing Assembly				
2017-2016		513354	2	

CX 5-MAZDA TRUCK

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2016-2013	(Original Equipment Type)	K201421	2	
	(Replacement Type, Contains Bumper)	K90461	2	
Sway Bar Link				
2017-2013	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80296 ‡	2	


MAZDA TRUCK-CX 5 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2017-2013		513347	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2013	Inner	EV801073	2	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2016-2013	(R-Series) (R-Series)	Upper Lower Front	RK642923 RK642922	2 2
Sway Bar Link				
2017-2013	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Right	K750671 ‡ K750670 ‡	1 1
Wheel Hub & Bearing Assembly				
2017	Front Wheel Drive		512519	2
2017-2013	All Wheel Drive		512551	2
2015-2013	Front Wheel Drive		512519	2

MAZDA TRUCK-CX 7


FRONT SUSPENSION



F540

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2012-2007		Lower	K500325 ‡	2 F540
Control Arm with Ball Joint				
2012-2007	(Contains Bushings, R-Series) (Contains Bushings, R-Series)	Left Lower Right Lower	RK620896 RK620895	1 1 F540
Strut Bumper Bellows				
2012-2007	(Contains Bumper)		K90464	2 F540
Sway Bar Bushing				
2012-2010	2261cc(2.3L) 2488cc(2.5L)	To Frame To Frame	K201448 K201473	1 1 F540
2009-2007		To Frame	K201448	1 F540
Sway Bar Link				
2012-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K80158 ‡ K80157 ‡	1 1 F540


STEERING



S406

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2012-2007	(Design Allows Ease Of Installation)	Left Outer	ES800601 ‡	1 S406
	(Design Allows Ease Of Installation)	Right Outer	ES800600 ‡	1 S406
	(Design Allows Ease Of Installation)	Inner	EV800543 ‡	2 S406

REAR SUSPENSION




R174

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2012-2007	(R-Series)	Left Upper	RK642187	1 R174
	(R-Series)	Right Upper	RK642186	1 R174
	(R-Series)	Lower Front	RK642018	2 R174
Strut Mounting Kit				
2012-2007		Upper	K9492	2 R174
Sway Bar Bushing				
2012-2010	2261cc(2.3L), (Split Design For Easier Installation)	To Frame	K200806 ‡	1 R174
	2488cc(2.5L)	To Frame	K201473	1 R174
2009-2007	(Split Design For Easier Installation)	To Frame	K200806 ‡	1 R174
Sway Bar Link				
2012-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80157 ‡	1 R174
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K80158 ‡	1 R174
Trailing Link Bushing				
2012-2007	All Wheel Drive		K201449	2 R174
Wheel Hub & Bearing Assembly				
2012-2007	All Wheel Drive		512350	2
	Front Wheel Drive		512349	2

MAZDA TRUCK-CX 9


FRONT SUSPENSION



F437

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2014-2007	(Design Allows Ease Of Installation)	Lower	K500244 ‡	2 F437
Control Arm Bushing				
2013-2007	(Design Allows Ease Of Installation)	Lower Front	K200857 ‡	2 F437
Control Arm with Ball Joint				
2014	From 1/14, (R-Series)	Right Lower	RK622859	1 F437
Strut Bumper Bellows				
2015-2007	(Contains Bumper)		K90464	2 F437
Sway Bar Bushing				
2014-2013	Front Wheel Drive	To Frame	K201550	1 F437
2012-2007	All Wheel Drive, (Split Design For Easier Installation)	To Frame	K200629 ‡	1 F437
Sway Bar Link				
2017-2016	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80296 ‡	2
2015-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750160 ‡	1 F437
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750161 ‡	1 F437


STEERING



S256

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2014	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV801003 ‡	2 S256
2014-2007	(Design Allows Ease Of Installation)	Left Outer	ES800601 ‡	1 S256
	(Design Allows Ease Of Installation)	Right Outer	ES800600 ‡	1 S256
2013-2007	(Design Allows Ease Of Installation)	Inner	EV800565 ‡	2 S256

REAR SUSPENSION




R111

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2014-2007	(R-Series)	Upper	RK642188	2	R111
	(R-Series)	Lower Front	RK642019	2	R111
Sway Bar Bushing					
2014-2007	All Wheel Drive, (Split Design For Easier Installation)	To Frame	K200806 ‡	1	R111
	Front Wheel Drive, (Split Design For Easier Installation)	To Frame	K200805 ‡	1	R111
Sway Bar Link					
2017-2015	(Design Allows Ease Of Installation)	Left	K750671 ‡	1	
	(Design Allows Ease Of Installation)	Right	K750670 ‡	1	
2014-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K750184 ‡	2	R111
Wheel Hub & Bearing Assembly					
2016-2007	All Wheel Drive		512449	2	
	Front Wheel Drive		512452	2	

Mazda5-MAZDA TRUCK

FRONT SUSPENSION



F278


Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2012	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500136 ‡	2	F278
2010-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500136 ‡	2	F278
Control Arm with Ball Joint					
2017-2012	(R-Series)	Left Lower	RK620041	1	F278
	(R-Series)	Right Lower	RK620040	1	F278
2010-2006	(R-Series)	Left Lower	RK620041	1	F278

MAZDA TRUCK-Mazda5 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2010-2006 (Cont.)	(R-Series) Right Lower	RK620040	1	F278
Strut and Spring Assembly				
2010-2006	Left	ST8614L	1	F278
	Right	ST8614R	1	F278
Strut Bumper Bellows				
2014-2012	(Replacement Type, Contains Bumper)	K90460	2	F278
2010-2006	(Replacement Type, Contains Bumper)	K90460	2	F278
Strut Mount				
2014-2012	(Contains Bearing And Spring Seat)	K160228 ‡	2	F278
2010-2006	(Contains Bearing And Spring Seat)	K160228 ‡	2	F278
Sway Bar Bushing				
2017-2012	(Split Design For Easier Installation) To Frame	K200628 ‡	1	F278
2010-2006	(Split Design For Easier Installation) To Frame	K200624 ‡	1	F278
Sway Bar Link				
2017-2012	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80235 ‡	2	F278
2010-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80235 ‡	2	F278


STEERING



S398

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2017-2012	(Design Allows Ease Of Installation)	Left Outer	ES800026 ‡	1	S398
		Right Outer	ES800025	1	S398
		Inner	EV800024	2	S398
2010-2006	(Design Allows Ease Of Installation)	Left Outer	ES800026 ‡	1	S398
		Right Outer	ES800025	1	S398
		Inner	EV800024	2	S398

REAR SUSPENSION




R031

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017	(R-Series)	Upper	RK641985	2
2015-2012	Up To Minus 1-1/2 To Plus 5 Degrees Camber, (Lateral Link, R-Series)	Upper	RK100002	2 R031
2014-2012	(R-Series)	Upper	RK641985	2 R031
2010-2006	(R-Series) (Lateral Link, R-Series) Up To Minus 1-1/2 To Plus 5 Degrees Camber, (Lateral Link, R-Series)	Upper	RK641985	2 R031
		Lower Front	RK641438	2 R031
		Upper	RK100002	2 R031
Shock Mount				
2014-2012	(Design Allows Ease Of Installation)		K160229 ‡	2 R031
2010-2006	(Design Allows Ease Of Installation)		K160229 ‡	2 R031
Strut Bumper Bellows				
2014-2012			K201412	2 R031
2010-2006			K201412	2 R031
Sway Bar Bushing				
2017-2012	(Split Design For Easier Installation)	To Frame	K200808 ‡	1 R031
2010-2006	(Split Design For Easier Installation)	To Frame	K200623 ‡	1 R031
Sway Bar Link				
2017-2012	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80867 ‡	2 R031
2010-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80867 ‡	2 R031
Trailing Link Bushing				
2010-2006			K200064	2 R031
Wheel Hub & Bearing Assembly				
2017-2012			512347	2
2010-2006			512347	2

MAZDA TRUCK-Tribute


FRONT SUSPENSION



F331

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2011-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80107 ‡	2 F331
Control Arm Bushing				
2011-2008	(High Quality Elastomer For Durability And Performance)	Lower Front	K200246 ‡	2 F331
Complete Knuckle Assembly				
2011-2008	(Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate And Axle Nut)	Left	LK015 ‡	1
	(Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate And Axle Nut)	Right	LK016 ‡	1
Strut and Spring Assembly				
2011-2008	(Strut, Spring & Top Mount)	Left	ST8579L	1 F331
	(Strut, Spring & Top Mount)	Right	ST8579R	1 F331
Strut Bumper Bellows				
2011-2008	(Contains Bumper)		K90464	2 F331
Strut Mount				
2011-2008	(Contains Bearing)		K80143	2 F331
Strut Spring Seat				
2011-2008		Lower	K160019	2 F331
Sway Bar Bushing				
2011-2009		To Frame	K201311	1 F331
2008	Automatic Transaxle	To Frame	K201310	1 F331
	Manual Transaxle	To Frame	K201311	1 F331
Sway Bar Link				
2011-2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80296 ‡	2 F331
Wheel Hub Repair Kit				
2011-2008			518515	2

STEERING




S411

(Cont.) Tribute–MAZDA TRUCK

STEERING (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2011-2010	(Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Outer Inner	ES800846 ‡ EV800911 ‡	2 2	S411 S411
2009-2008	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer Inner	ES3631 ‡ EV800366 ‡	2 2	S411 S411

REAR SUSPENSION



R175


Year	Model/Application	Part	P/C Qty	Figure	
Control Arm Bushing					
2008	(High Quality Elastomer For Durability And Performance) (High Quality Elastomer For Durability And Performance)	Upper Lower	K200359 ‡ K200360 ‡	2 2	R175 R175
Control Arm with Ball Joint					
2011-2008	2 Degree Camber Plus Or Minus, 12mm Bushing Sleeve, (Adjustable, R-Series)	Upper	RK100072	2	R175
Sway Bar Bushing					
2011-2009		To Frame	K201312	1	R175
Sway Bar Link					
2011-2009	(Improves Upon OE Design)		K750571 ‡	2	R175

G Series–MERCEDES BENZ TRUCK

STEERING					
Year	Model/Application	Part	P/C Qty	Figure	
G63 AMG					
Tie Rod End					
2013	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer Right Outer Inner	ES80687 ES80688 EV80975 ‡	1 1 2	

MERCEDES BENZ TRUCK-GL Series

FRONT SUSPENSION



F482

Year	Model/Application	Part	P/C Qty	Figure
GL63 AMG				
Ball Joint				
2016-2013		Lower	K500336	2
Control Arm with Ball Joint				
2016-2013	(R-Series)	Left Upper	RK622435	1
	(R-Series)	Right Upper	RK622436	1
Sway Bar Link				
2016-2013		Left	K750790	1
		Right	K750791	1
Wheel Hub & Bearing Assembly				
2016-2013			513363	2
GL320 BlueTEC				
Ball Joint				
2009	(Design Allows Ease Of Installation)	Lower	K500077 ‡	2 F482
Control Arm				
2009	(R-Series)	Left Lower	RK641958	1 F482
	(R-Series)	Right Lower	RK641959	1 F482
Control Arm with Ball Joint				
2009	(Contains Bushings, R-Series)	Left Upper	RK620983	1 F482
	(Contains Bushings, R-Series)	Right Upper	RK620982	1 F482
Sway Bar Link				
2009	234mm Overall Length, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80496 ‡	2 F482
	243.2mm Overall Length		K750064	2 F482
GL320 CDI				
Ball Joint				
2008-2007	(Design Allows Ease Of Installation)	Lower	K500077 ‡	2 F482
Control Arm				
2008-2007	(R-Series)	Left Lower	RK641958	1 F482
	(R-Series)	Right Lower	RK641959	1 F482
Control Arm with Ball Joint				
2008-2007	(Contains Bushings, R-Series)	Left Upper	RK620983	1 F482
	(Contains Bushings, R-Series)	Right Upper	RK620982	1 F482
Sway Bar Link				
2008-2007	234mm Overall Length, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80496 ‡	2 F482
	243.2mm Overall Length		K750064	2 F482
GL350 BlueTEC				
Ball Joint				
2016-2013		Lower	K500336	2
2012-2010	(Design Allows Ease Of Installation)	Lower	K500077 ‡	2 F482
Control Arm				
2012-2010	(R-Series)	Left Lower	RK641958	1 F482
	(R-Series)	Right Lower	RK641959	1 F482

(Cont.) GL Series—MERCEDES BENZ TRUCK

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
GL350 BlueTEC				
Control Arm with Ball Joint				
2016-2013	(R-Series) (R-Series)	Left Upper Right Upper	RK622435 RK622436	1 1
2012	(R-Series) (R-Series)	Left Upper Right Upper	RK641503 RK641502	1 1 F482
2011-2010	(Contains Bushings, R-Series) (Contains Bushings, R-Series)	Left Upper Right Upper	RK620983 RK620982	1 1 F482
Sway Bar Link				
2016-2013		Left Right	K750790 K750791	1 1
2012-2010	234mm Overall Length, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 243.2mm Overall Length		K80496 ‡ K750064	2 2 F482
Wheel Hub & Bearing Assembly				
2016-2013			513363	2
GL450				
Ball Joint				
2016-2013		Lower	K500336	2
2012-2007	(Design Allows Ease Of Installation)	Lower	K500077 ‡	2 F482
Control Arm				
2012-2007	(R-Series) (R-Series)	Left Lower Right Lower	RK641958 RK641959	1 1 F482
Control Arm with Ball Joint				
2016-2013	(R-Series) (R-Series)	Left Upper Right Upper	RK622435 RK622436	1 1
2012	(R-Series) (R-Series)	Left Upper Right Upper	RK641503 RK641502	1 1 F482
2011-2007	(Contains Bushings, R-Series) (Contains Bushings, R-Series)	Left Upper Right Upper	RK620983 RK620982	1 1 F482
Sway Bar Link				
2016-2013		Left Right	K750790 K750791	1 1
2012-2007	234mm Overall Length, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 243.2mm Overall Length		K80496 ‡ K750064	2 2 F482
Wheel Hub & Bearing Assembly				
2016-2013			513363	2
GL550				
Ball Joint				
2016-2013		Lower	K500336	2
2012-2008	(Design Allows Ease Of Installation)	Lower	K500077 ‡	2 F482
Control Arm				
2012-2008	(R-Series) (R-Series)	Left Lower Right Lower	RK641958 RK641959	1 1 F482
Control Arm with Ball Joint				
2016-2013	(R-Series) (R-Series)	Left Upper Right Upper	RK622435 RK622436	1 1
2012	(R-Series) (R-Series)	Left Upper Right Upper	RK641503 RK641502	1 1 F482
2011-2008	(Contains Bushings, R-Series) (Contains Bushings, R-Series)	Left Upper Right Upper	RK620983 RK620982	1 1 F482
Sway Bar Link				
2016-2013		Left Right	K750790 K750791	1 1
2012-2008	234mm Overall Length, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 243.2mm Overall Length		K80496 ‡ K750064	2 2 F482
Wheel Hub & Bearing Assembly				
2016-2013			513363	2

MERCEDES BENZ TRUCK-GL Series (Cont.)

STEERING

Year	Model/Application	Part	P/C Qty	Figure
GL63 AMG				
Tie Rod End				
2016-2015		Outer	ES801302	2
2016-2013		Inner	EV801072	2
GL320 BlueTEC				
Tie Rod End				
2009	(Design Allows Ease Of Installation)	Left Outer	ES800377 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800378 ‡	1
	(Design Allows Ease Of Installation)	Inner	EV800376 ‡	2
GL320 CDI				
Tie Rod End				
2008-2007	(Design Allows Ease Of Installation)	Left Outer	ES800377 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800378 ‡	1
	(Design Allows Ease Of Installation)	Inner	EV800376 ‡	2
GL350 BlueTEC				
Tie Rod End				
2016-2015		Outer	ES801302	2
2016-2013		Inner	EV801072	2
2012-2010	(Design Allows Ease Of Installation)	Left Outer	ES800377 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800378 ‡	1
	(Design Allows Ease Of Installation)	Inner	EV800376 ‡	2
GL450				
Tie Rod End				
2016-2015		Outer	ES801302	2
2016-2013		Inner	EV801072	2
2012-2007	(Design Allows Ease Of Installation)	Left Outer	ES800377 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800378 ‡	1
	(Design Allows Ease Of Installation)	Inner	EV800376 ‡	2
GL550				
Tie Rod End				
2016-2015		Outer	ES801302	2
2016-2013		Inner	EV801072	2
2012-2008	(Design Allows Ease Of Installation)	Left Outer	ES800377 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800378 ‡	1
	(Design Allows Ease Of Installation)	Inner	EV800376 ‡	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
GL63 AMG				
Control Arm				
2016-2013	(R-Series)	Upper Front	RK642871	2
	(R-Series)	Lower Rear	RK642797	2
Sway Bar Link				
2016-2013	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2
GL320 BlueTEC				
Ball Joint				
2009	(Design Allows Ease Of Installation)	Lower	K500106 ‡	2
Control Arm				
2009	(R-Series)	Upper Front	RK642636	2
	(R-Series)	Left Upper Center	RK642926	1
	(R-Series)	Right Upper Center	RK642770	1
Sway Bar Link				
2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2
GL320 CDI				
Ball Joint				
2008-2007	(Design Allows Ease Of Installation)	Lower	K500106 ‡	2
Control Arm				
2008-2007	(R-Series)	Upper Front	RK642636	2
	(R-Series)	Left Upper Center	RK642926	1
	(R-Series)	Right Upper Center	RK642770	1

(Cont.) GL Series—MERCEDES BENZ TRUCK

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
GL320 CDI				
Sway Bar Link				
2008-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750318 ‡	2	
GL350 BlueTEC				
Ball Joint				
2012-2010	(Design Allows Ease Of Installation)	Lower K500106 ‡	2	
Control Arm				
2016-2013	(R-Series)	Upper Front	RK642871	2
2016-2012	(R-Series)	Lower Rear	RK642797	2
2012-2010	(R-Series)	Upper Front	RK642636	2
	(R-Series)	Left Upper Center	RK642926	1
	(R-Series)	Right Upper Center	RK642770	1
Sway Bar Link				
2016-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750318 ‡	2	
GL450				
Ball Joint				
2012-2007	(Design Allows Ease Of Installation)	Lower K500106 ‡	2	
Control Arm				
2016-2013	(R-Series)	Upper Front	RK642871	2
	(R-Series)	Lower Rear	RK642797	2
2012-2007	(R-Series)	Upper Front	RK642636	2
	(R-Series)	Left Upper Center	RK642926	1
	(R-Series)	Right Upper Center	RK642770	1
Sway Bar Link				
2016-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750318 ‡	2	
GL550				
Ball Joint				
2012-2008	(Design Allows Ease Of Installation)	Lower K500106 ‡	2	
Control Arm				
2016-2013	(R-Series)	Upper Front	RK642871	2
2016-2012	(R-Series)	Lower Rear	RK642797	2
2012-2008	(R-Series)	Upper Front	RK642636	2
	(R-Series)	Left Upper Center	RK642926	1
	(R-Series)	Right Upper Center	RK642770	1
Sway Bar Link				
2016-2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750318 ‡	2	

GLA45 AMG 4MATIC—MERCEDES BENZ TRUCK

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2017-2015		K750875	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2015		Left Outer	ES801272 ‡	1
		Right Outer	ES801273 ‡	1
		Inner	EV801036 ‡	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2017-2015		512532	2	

MERCEDES BENZ TRUCK–GLA250

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2017-2015		K750875	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2015		Left Outer ES801272 ‡ Right Outer ES801273 ‡ Inner EV801036 ‡	1 1 2	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2015	(R-Series)	Lower Front	RK642798	2
Wheel Hub & Bearing Assembly				
2017-2015	Base Model		512561	2

MERCEDES BENZ TRUCK–GLA250 4MATIC

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2017-2015		K750875	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2015		Left Outer ES801272 ‡ Right Outer ES801273 ‡ Inner EV801036 ‡	1 1 2	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2015	(R-Series)	Lower Front	RK642798	2
Wheel Hub & Bearing Assembly				
2017-2015	Base Model		512532	2

MERCEDES BENZ TRUCK–GLC43 AMG 4Matic

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017		Left Outer ES801312 ‡ Right Outer ES801313 ‡	1 1	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2017		Lower Rear Outer	K201727	2

MERCEDES BENZ TRUCK–GLC300

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2016		Left Outer ES801312 ‡ Right Outer ES801313 ‡	1 1	

(Cont.) GLC300–MERCEDES BENZ TRUCK

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2016	(R-Series, Thrust Arm)	Lower Front	RK641986	2
	(R-Series)	Left Front Upper	RK641423	1
	(R-Series)	Left Lower Center	RK641425	1
	(R-Series)	Left Rear Upper	RK641421	1
	(R-Series)	Right Front Upper	RK641422	1
	(R-Series)	Right Lower Center	RK641424	1
	(R-Series)	Right Rear Upper	RK641420	1
Control Arm Bushing				
2017-2016		Lower Rear Outer	K201727	2
Wheel Bearing Assembly				
2016			512560	2

GLC300 4MATIC–MERCEDES BENZ TRUCK

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2016		Left Outer	ES801312 ‡	1
		Right Outer	ES801313 ‡	1
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2016	(R-Series, Thrust Arm)	Lower Front	RK641986	2
	(R-Series)	Left Front Upper	RK641423	1
	(R-Series)	Left Lower Center	RK641425	1
	(R-Series)	Left Rear Upper	RK641421	1
	(R-Series)	Right Front Upper	RK641422	1
	(R-Series)	Right Lower Center	RK641424	1
	(R-Series)	Right Rear Upper	RK641420	1
Control Arm Bushing				
2017-2016		Lower Rear Outer	K201727	2
Wheel Bearing Assembly				
2016			512560	2

GLC450 AMG Sport–MERCEDES BENZ TRUCK

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2016		Left Outer	ES801312 ‡	1
		Right Outer	ES801313 ‡	1
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2016		Lower Rear Outer	K201727	2

GLE Class–MERCEDES BENZ TRUCK

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
GLE43 AMG 4Matic				
Ball Joint				
2017		Lower	K500336	2
Control Arm with Ball Joint				
2017	(R-Series)	Left Upper	RK622435	1
	(R-Series)	Right Upper	RK622436	1
Sway Bar Link				
2017		Left	K750790	1
		Right	K750791	1

MERCEDES BENZ TRUCK-GLE Class (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
GLE43 AMG 4Matic				
Wheel Hub & Bearing Assembly				
2017		513363	2	
GLE63 AMG 4Matic				
Ball Joint				
2017-2016		Lower K500336	2	
Control Arm with Ball Joint				
2017-2016	(R-Series)	Left Upper	RK622435	1
	(R-Series)	Right Upper	RK622436	1
Sway Bar Link				
2017-2016		Left	K750790	1
		Right	K750791	1
Wheel Hub & Bearing Assembly				
2017-2016		513363	2	
GLE300d 4Matic				
Ball Joint				
2017-2016		Lower K500336	2	
Control Arm with Ball Joint				
2017-2016	(R-Series)	Left Upper	RK622435	1
	(R-Series)	Right Upper	RK622436	1
Sway Bar Link				
2017-2016		Left	K750790	1
		Right	K750791	1
Wheel Hub & Bearing Assembly				
2017-2016		513363	2	
GLE350				
Ball Joint				
2017-2016		Lower K500336	2	
Control Arm with Ball Joint				
2017-2016	(R-Series)	Left Upper	RK622435	1
	(R-Series)	Right Upper	RK622436	1
Sway Bar Link				
2017-2016		Left	K750790	1
		Right	K750791	1
Wheel Hub & Bearing Assembly				
2018-2016	Rear Wheel Drive	513412	2	
GLE350 4Matic				
Ball Joint				
2017-2016		Lower K500336	2	
Control Arm with Ball Joint				
2017-2016	(R-Series)	Left Upper	RK622435	1
	(R-Series)	Right Upper	RK622436	1
Sway Bar Link				
2017-2016		Left	K750790	1
		Right	K750791	1
Wheel Hub & Bearing Assembly				
2017-2016		513363	2	
GLE350d 4MATIC				
Ball Joint				
2017-2016		Lower K500336	2	
Control Arm with Ball Joint				
2017-2016	(R-Series)	Left Upper	RK622435	1
	(R-Series)	Right Upper	RK622436	1
Sway Bar Link				
2017-2016		Left	K750790	1
		Right	K750791	1
Wheel Hub & Bearing Assembly				
2017-2016		513363	2	

(Cont.) GLE Class—MERCEDES BENZ TRUCK

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
GLE400 4Matic				
Ball Joint				
2017-2016		Lower	K500336	2
Control Arm with Ball Joint				
2017-2016	(R-Series) (R-Series)	Left Upper Right Upper	RK622435 RK622436	1 1
Sway Bar Link				
2017-2016		Left Right	K750790 K750791	1 1
Wheel Hub & Bearing Assembly				
2017-2016			513363	2
GLE450 AMG 4MATIC				
Ball Joint				
2016		Lower	K500336	2
Control Arm with Ball Joint				
2016	(R-Series) (R-Series)	Left Upper Right Upper	RK622435 RK622436	1 1
Sway Bar Link				
2016		Left Right	K750790 K750791	1 1
Wheel Hub & Bearing Assembly				
2016			513363	2
GLE550 4MATIC				
Ball Joint				
2017-2016		Lower	K500336	2
Control Arm with Ball Joint				
2017-2016	(R-Series) (R-Series)	Left Upper Right Upper	RK622435 RK622436	1 1
Sway Bar Link				
2017-2016		Left Right	K750790 K750791	1 1
Wheel Hub & Bearing Assembly				
2017-2016			513363	2
GLE550e				
Ball Joint				
2017-2016		Lower	K500336	2
Control Arm with Ball Joint				
2017-2016	(R-Series) (R-Series)	Left Upper Right Upper	RK622435 RK622436	1 1
Sway Bar Link				
2017-2016		Left Right	K750790 K750791	1 1
Wheel Hub & Bearing Assembly				
2017-2016			513363	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
GLE43 AMG 4Matic				
Tie Rod End				
2017		Outer Inner	ES801302 EV801072	2 2
GLE63 AMG 4Matic				
Tie Rod End				
2017-2016		Outer Inner	ES801302 EV801072	2 2
GLE300d 4Matic				
Tie Rod End				
2017-2016		Outer	ES801302	2
2016		Inner	EV801072	2

MERCEDES BENZ TRUCK-GLE Class (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
GLE350				
Tie Rod End				
2017-2016		Outer ES801302	2	
2016		Inner EV801072	2	
GLE350 4Matic				
Tie Rod End				
2017-2016		Outer ES801302	2	
		Inner EV801072	2	
GLE350d 4MATIC				
Tie Rod End				
2017-2016		Outer ES801302	2	
		Inner EV801072	2	
GLE400 4Matic				
Tie Rod End				
2017-2016		Outer ES801302	2	
2016		Inner EV801072	2	
GLE450 AMG 4MATIC				
Tie Rod End				
2016		Outer ES801302	2	
		Inner EV801072	2	
GLE550 4MATIC				
Tie Rod End				
2017-2016		Outer ES801302	2	
2016		Inner EV801072	2	
GLE550e				
Tie Rod End				
2017-2016		Outer ES801302	2	
2016		Inner EV801072	2	

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
GLE43 AMG 4Matic				
Control Arm				
2017	(R-Series) (R-Series)	Upper Front Lower Rear	RK642871 RK642797	2 2
Sway Bar Link				
2017	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2
GLE63 AMG 4Matic				
Control Arm				
2017-2016	(R-Series) (R-Series)	Upper Front Lower Rear	RK642871 RK642797	2 2
Sway Bar Link				
2017-2016	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2
GLE300d 4Matic				
Control Arm				
2017-2016	(R-Series) (R-Series)	Upper Front Lower Rear	RK642871 RK642797	2 2
Sway Bar Link				
2017-2016	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2
GLE350				
Control Arm				
2017-2016	(R-Series) (R-Series)	Upper Front Lower Rear	RK642871 RK642797	2 2
Sway Bar Link				
2017-2016	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2
GLE350 4Matic				
Control Arm				
2017-2016	(R-Series)	Upper Front	RK642871	2


(Cont.) GLE Class—MERCEDES BENZ TRUCK

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
GLE350 4Matic				
Control Arm				
2017-2016 (Cont.)	(R-Series)	Lower Rear	RK642797	2
Sway Bar Link				
2017-2016	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2
GLE350d 4MATIC				
Control Arm				
2017-2016	(R-Series)	Upper Front	RK642871	2
	(R-Series)	Lower Rear	RK642797	2
Sway Bar Link				
2017-2016	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2
GLE400 4Matic				
Control Arm				
2017-2016	(R-Series)	Upper Front	RK642871	2
	(R-Series)	Lower Rear	RK642797	2
Sway Bar Link				
2017-2016	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2
GLE450 AMG 4MATIC				
Control Arm				
2016	(R-Series)	Upper Front	RK642871	2
	(R-Series)	Lower Rear	RK642797	2
Sway Bar Link				
2016	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2
GLE550 4MATIC				
Control Arm				
2017-2016	(R-Series)	Upper Front	RK642871	2
	(R-Series)	Lower Rear	RK642797	2
Sway Bar Link				
2017-2016	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2
GLE550e				
Control Arm				
2017-2016	(R-Series)	Upper Front	RK642871	2
	(R-Series)	Lower Rear	RK642797	2
Sway Bar Link				
2017-2016	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2

GLK Series—MERCEDES BENZ TRUCK


FRONT SUSPENSION



F574

MERCEDES BENZ TRUCK-GLK Series (Cont.)

FRONT SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
GLK250 BlueTEC				
Control Arm with Ball Joint				
2015-2013	(R-Series) (R-Series) (R-Series)	Lower Rear Left Front Lower Right Front Lower	RK622438 RK622439 RK622440	2 1 1 F574 F574 F574
Strut Bumper Bellows				
2015-2013	Except Air Suspension, (Original Equipment Type) Except Air Suspension, (Replacement Type, Contains Bumper)		K201416 K90460	2 2 F574 F574
Sway Bar Link				
2015-2013	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750335 ‡ K750336 ‡	1 1 F574 F574
GLK350				
Control Arm with Ball Joint				
2015-2010	(R-Series) (R-Series) (R-Series)	Lower Rear Left Front Lower Right Front Lower	RK622438 RK622439 RK622440	2 1 1 F574 F574 F574
Strut Bumper Bellows				
2015-2010	Except Air Suspension, (Original Equipment Type) Except Air Suspension, (Replacement Type, Contains Bumper)		K201416 K90460	2 2 F574 F574
Sway Bar Link				
2015-2010	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750335 ‡ K750336 ‡	1 1 F574 F574
GLK350 4MATIC				
Control Arm with Ball Joint				
2015-2010	(R-Series) (R-Series) (R-Series)	Lower Rear Left Front Lower Right Front Lower	RK622438 RK622439 RK622440	2 1 1 F574 F574 F574
Strut Bumper Bellows				
2015-2010	Except Air Suspension, (Original Equipment Type) Except Air Suspension, (Replacement Type, Contains Bumper)		K201416 K90460	2 2 F574 F574
Sway Bar Link				
2015-2010	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K750335 ‡ K750336 ‡	1 1 F574 F574
STEERING				
 <p>The diagram shows an exploded view of steering components. At the top center is a steering knuckle assembly. Below it are two R&P Boot Kits, one on the left and one on the right. In the middle are two Tie Rod End (Outer) components, one on the left and one on the right. At the bottom center is a Tie Rod End (Inner) component. Lines connect the labels to their respective parts in the diagram.</p>				
S361				
Year	Model/Application	Part	P/C Qty	Figure
GLK250 BlueTEC				
Tie Rod End				
2015-2013		Left Outer Right Outer	ES801365 ES801366	1 1 S361 S361
GLK350				
Tie Rod End				
2015-2013	Except Electronic Control Power Steering	Inner	EV801002	2 S361

(Cont.) GLK Series—MERCEDES BENZ TRUCK

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
GLK350				
Tie Rod End				
2015-2010		Left Outer Right Outer	ES801365 ES801366	1 1 S361
2012-2010		Inner	EV801002	2 S361
GLK350 4MATIC				
Tie Rod End				
2015-2013	Except Electronic Control Power Steering	Inner	EV801002	2 S361
2015-2010		Left Outer Right Outer	ES801365 ES801366	1 1 S361
2012-2010		Inner	EV801002	2 S361

REAR SUSPENSION



R205

Year	Model/Application	Part	P/C Qty	Figure
GLK250 BlueTEC				
Control Arm				
2015-2013	(R-Series, Thrust Arm) (R-Series) (R-Series) (R-Series) (R-Series)	Lower Front Left Front Upper Left Lower Center Right Front Upper Right Lower Center	RK641986 RK642441 RK641425 RK642442 RK641424	2 1 1 1 1 R205
Control Arm Bushing				
2015-2013	Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Lower Front Lower Rear Outer Arm To Knuckle, Upper	K200088 K201727 K100239	2 2 2 R205
Sway Bar Link				
2015-2013	(Improves Upon OE Design) (Improves Upon OE Design)	Left Right	K700342 ‡ K700341 ‡	1 1 R205
Wheel Bearing Assembly				
2015-2013			512432	2
GLK350				
Control Arm				
2015-2010	(R-Series) (R-Series) (R-Series) (R-Series)	Left Front Upper Left Lower Center Right Front Upper Right Lower Center	RK642441 RK641425 RK642442 RK641424	1 1 1 1 R205
2014-2010	(R-Series, Thrust Arm)	Lower Front	RK641986	2 R205
Control Arm Bushing				
2015-2010	Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Lower Front Lower Rear Outer Arm To Knuckle, Upper	K200088 K201727 K100239	2 2 2 R205
Sway Bar Link				
2015-2010	(Improves Upon OE Design) (Improves Upon OE Design)	Left Right	K700342 ‡ K700341 ‡	1 1 R205

MERCEDES BENZ TRUCK-GLK Series (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
GLK350				
Wheel Bearing Assembly				
2015-2010		512432	2	
GLK350 4MATIC				
Control Arm				
2015-2010	(R-Series)	Left Front Upper	RK642441	1 R205
	(R-Series)	Left Lower Center	RK641425	1 R205
	(R-Series)	Right Front Upper	RK642442	1 R205
	(R-Series)	Right Lower Center	RK641424	1 R205
2014-2010	(R-Series, Thrust Arm)	Lower Front	RK641986	2 R205
Control Arm Bushing				
2015-2010		Arm To Knuckle, Lower Front	K200088	2 R205
		Lower Rear Outer	K201727	2 R205
	Plus Or Minus 1-1/4 Degree Camber, (Adjustable)	Arm To Knuckle, Upper	K100239	2 R205
Sway Bar Link				
2015-2010	(Improves Upon OE Design)	Left	K700342 ‡	1 R205
	(Improves Upon OE Design)	Right	K700341 ‡	1 R205
Wheel Bearing Assembly				
2015-2010		512432	2	

MERCEDES BENZ TRUCK-GLS Class

FRONT SUSPENSION


Year	Model/Application	Part	P/C Qty	Figure
GLS63 AMG				
Ball Joint				
2017		Lower	K500336	2
Control Arm with Ball Joint				
2017	(R-Series)	Left Upper	RK622435	1
	(R-Series)	Right Upper	RK622436	1
Sway Bar Link				
2017		Left	K750790	1
		Right	K750791	1
Wheel Hub & Bearing Assembly				
2017		513363	2	
GLS350d				
Ball Joint				
2017		Lower	K500336	2
Control Arm with Ball Joint				
2017	(R-Series)	Left Upper	RK622435	1
	(R-Series)	Right Upper	RK622436	1
Sway Bar Link				
2017		Left	K750790	1
		Right	K750791	1
Wheel Hub & Bearing Assembly				
2017		513363	2	
GLS450				
Ball Joint				
2017		Lower	K500336	2
Control Arm with Ball Joint				
2017	(R-Series)	Left Upper	RK622435	1
	(R-Series)	Right Upper	RK622436	1
Sway Bar Link				
2017		Left	K750790	1
		Right	K750791	1
Wheel Hub & Bearing Assembly				
2017		513363	2	

(Cont.) GLS Class—MERCEDES BENZ TRUCK

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
GLS550				
Ball Joint				
2017		Lower	K500336	2
Control Arm with Ball Joint				
2017	(R-Series) (R-Series)	Left Upper Right Upper	RK622435 RK622436	1 1
Sway Bar Link				
2017		Left Right	K750790 K750791	1 1
Wheel Hub & Bearing Assembly				
2017			513363	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
GLS63 AMG				
Tie Rod End				
2017		Outer Inner	ES801302 EV801072	2 2
GLS350d				
Tie Rod End				
2017		Outer Inner	ES801302 EV801072	2 2
GLS450				
Tie Rod End				
2017		Outer Inner	ES801302 EV801072	2 2
GLS550				
Tie Rod End				
2017		Outer Inner	ES801302 EV801072	2 2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
GLS63 AMG				
Control Arm				
2017	(R-Series) (R-Series)	Upper Front Lower Rear	RK642871 RK642797	2 2
Sway Bar Link				
2017	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2
GLS350d				
Control Arm				
2017	(R-Series) (R-Series)	Upper Front Lower Rear	RK642871 RK642797	2 2
Sway Bar Link				
2017	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2
GLS450				
Control Arm				
2017	(R-Series) (R-Series)	Upper Front Lower Rear	RK642871 RK642797	2 2
Sway Bar Link				
2017	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2
GLS550				
Control Arm				
2017	(R-Series) (R-Series)	Upper Front Lower Rear	RK642871 RK642797	2 2
Sway Bar Link				
2017	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2

MERCEDES BENZ TRUCK-ML Series

FRONT SUSPENSION



F482

Year	Model/Application	Part	P/C Qty	Figure
ML63 AMG				
Ball Joint				
2015-2012		Lower	K500336	2
2011-2007	(Design Allows Ease Of Installation)	Lower	K500077 ‡	2 F482
Control Arm with Ball Joint				
2015-2012	(R-Series)	Left Upper	RK622435	1
	(R-Series)	Right Upper	RK622436	1
2011-2007	(R-Series)	Left Upper	RK641503	1 F482
	(R-Series)	Right Upper	RK641502	1 F482
Sway Bar Link				
2015-2012		Left	K750790	1
		Right	K750791	1
2011-2007	234mm Overall Length, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 243.2mm Overall Length		K80496 ‡ K750064	2 2 F482
Wheel Hub & Bearing Assembly				
2015-2012			513363	2
ML250 BlueTec 4MATIC				
Ball Joint				
2015		Lower	K500336	2
Control Arm with Ball Joint				
2015	(R-Series)	Left Upper	RK622435	1
	(R-Series)	Right Upper	RK622436	1
Sway Bar Link				
2015		Left	K750790	1
		Right	K750791	1
Wheel Hub & Bearing Assembly				
2015			513363	2
ML300 4MATIC				
Ball Joint				
2012-2011		Lower	K500336	2
Control Arm with Ball Joint				
2012-2011	(R-Series)	Left Upper	RK622435	1
	(R-Series)	Right Upper	RK622436	1
Sway Bar Link				
2012-2011		Left	K750790	1
		Right	K750791	1
ML320 BlueTEC				
Ball Joint				
2009	(Design Allows Ease Of Installation)	Lower	K500077 ‡	2 F482
Control Arm with Ball Joint				
2009	(Contains Bushings, R-Series)	Left Upper	RK620983	1 F482
	(Contains Bushings, R-Series)	Right Upper	RK620982	1 F482

(Cont.) ML Series—MERCEDES BENZ TRUCK

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
ML320 BlueTEC				
Sway Bar Link				
2009	234mm Overall Length, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 243.2mm Overall Length	K80496 ‡ K750064	2 2	F482 F482
ML320 CDI				
Ball Joint				
2008-2007	(Design Allows Ease Of Installation)	Lower K500077 ‡	2	F482
Control Arm with Ball Joint				
2008-2007	(Contains Bushings, R-Series) (Contains Bushings, R-Series)	Left Upper RK620983 Right Upper RK620982	1 1	F482 F482
Sway Bar Link				
2008-2007	234mm Overall Length, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 243.2mm Overall Length	K80496 ‡ K750064	2 2	F482 F482
ML350				
Ball Joint				
2015-2013		Lower K500336	2	
2011-2009	(Design Allows Ease Of Installation)	Lower K500077 ‡	2	F482
Control Arm				
2011-2009	(R-Series) (R-Series)	Left Lower RK641958 Right Lower RK641959	1 1	F482 F482
Control Arm with Ball Joint				
2015-2013	(R-Series) (R-Series)	Left Upper RK622435 Right Upper RK622436	1 1	
2011-2009	(Contains Bushings, R-Series) (Contains Bushings, R-Series)	Left Upper RK620983 Right Upper RK620982	1 1	F482 F482
Sway Bar Link				
2015-2013		Left K750790 Right K750791	1 1	
2011-2009	234mm Overall Length, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 243.2mm Overall Length	K80496 ‡ K750064	2 2	F482 F482
Wheel Hub & Bearing Assembly				
2015-2013	Two Wheel Drive (4x2)	513412	2	
ML350 4MATIC				
Ball Joint				
2015-2012		Lower K500336	2	
2011-2009	(Design Allows Ease Of Installation)	Lower K500077 ‡	2	F482
2008-2006	All Wheel Drive, (Design Allows Ease Of Installation)	Lower K500077 ‡	2	F482
Control Arm				
2011-2006	(R-Series) (R-Series)	Left Lower RK641958 Right Lower RK641959	1 1	F482 F482
Control Arm with Ball Joint				
2015-2012	(R-Series) (R-Series)	Left Upper RK622435 Right Upper RK622436	1 1	
2011-2006	(Contains Bushings, R-Series) (Contains Bushings, R-Series)	Left Upper RK620983 Right Upper RK620982	1 1	F482 F482
Sway Bar Link				
2015-2012		Left K750790 Right K750791	1 1	
2011-2006	234mm Overall Length, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 243.2mm Overall Length	K80496 ‡ K750064	2 2	F482 F482
Wheel Hub & Bearing Assembly				
2015-2012	166.057	513363	2	
ML350 BlueTEC				
Ball Joint				
2014-2012		Lower K500336	2	
2011-2010	(Design Allows Ease Of Installation)	Lower K500077 ‡	2	F482
Control Arm				
2011-2010	(R-Series) (R-Series)	Left Lower RK641958 Right Lower RK641959	1 1	F482 F482

MERCEDES BENZ TRUCK-ML Series (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
ML350 BlueTEC				
Control Arm with Ball Joint				
2014-2012	(R-Series) (R-Series)	Left Upper Right Upper	RK622435 RK622436	1 1
2011-2010	(Contains Bushings, R-Series) (Contains Bushings, R-Series)	Left Upper Right Upper	RK620983 RK620982	1 1 F482 F482
Sway Bar Link				
2013-2012		Left Right	K750790 K750791	1 1
2011-2010	234mm Overall Length, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 243.2mm Overall Length		K80496 ‡ K750064	2 2 F482 F482
Wheel Hub & Bearing Assembly				
2014-2012	166.024		513363	2
ML400 4MATIC				
Ball Joint				
2015		Lower	K500336	2
Control Arm with Ball Joint				
2015	(R-Series) (R-Series)	Left Upper Right Upper	RK622435 RK622436	1 1
Sway Bar Link				
2015		Left Right	K750790 K750791	1 1
Wheel Hub & Bearing Assembly				
2015			513363	2
ML450				
Ball Joint				
2011-2010	(Design Allows Ease Of Installation)	Lower	K500077 ‡	2 F482
Control Arm				
2011-2010	(R-Series) (R-Series)	Left Lower Right Lower	RK641958 RK641959	1 1 F482 F482
Control Arm with Ball Joint				
2011-2010	(Contains Bushings, R-Series) (Contains Bushings, R-Series)	Left Upper Right Upper	RK620983 RK620982	1 1 F482 F482
Sway Bar Link				
2011-2010	234mm Overall Length, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 243.2mm Overall Length		K80496 ‡ K750064	2 2 F482 F482
ML500				
Ball Joint				
2007-2006	(Design Allows Ease Of Installation)	Lower	K500077 ‡	2 F482
Control Arm with Ball Joint				
2007-2006	(Contains Bushings, R-Series) (Contains Bushings, R-Series)	Left Upper Right Upper	RK620983 RK620982	1 1 F482 F482
Sway Bar Link				
2007-2006	234mm Overall Length, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 243.2mm Overall Length		K80496 ‡ K750064	2 2 F482 F482
ML500 4MATIC				
Ball Joint				
2013-2012		Lower	K500336	2
Control Arm with Ball Joint				
2013-2012	(R-Series) (R-Series)	Left Upper Right Upper	RK622435 RK622436	1 1
Sway Bar Link				
2013-2012		Left Right	K750790 K750791	1 1
ML550 4MATIC				
Ball Joint				
2014-2012		Lower	K500336	2
2011-2008	(Design Allows Ease Of Installation)	Lower	K500077 ‡	2 F482
Control Arm				
2011-2008	(R-Series)	Left Lower	RK641958	1 F482

(Cont.) ML Series—MERCEDES BENZ TRUCK

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
ML550 4MATIC				
Control Arm				
2011-2008 (Cont.)	(R-Series)	Right Lower	RK641959	1 F482
Control Arm with Ball Joint				
2014-2012	(R-Series)	Left Upper	RK622435	1
	(R-Series)	Right Upper	RK622436	1
2011-2008	(Contains Bushings, R-Series)	Left Upper	RK620983	1 F482
	(Contains Bushings, R-Series)	Right Upper	RK620982	1 F482
Sway Bar Link				
2014-2012		Left	K750790	1
		Right	K750791	1
2011-2008	234mm Overall Length, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80496 ‡	2 F482
	243.2mm Overall Length		K750064	2 F482
Wheel Hub & Bearing Assembly				
2014-2012			513363	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
ML63 AMG				
Tie Rod End				
2015-2012		Outer	ES801302	2
		Inner	EV801072	2
2011-2007	(Design Allows Ease Of Installation)	Left Outer	ES800377 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800378 ‡	1
	(Design Allows Ease Of Installation)	Inner	EV800376 ‡	2
ML250 BlueTec 4MATIC				
Tie Rod End				
2015		Outer	ES801302	2
		Inner	EV801072	2
ML300 4MATIC				
Tie Rod End				
2012-2011		Inner	EV801072	2
ML320 BlueTEC				
Tie Rod End				
2009	(Design Allows Ease Of Installation)	Left Outer	ES800377 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800378 ‡	1
	(Design Allows Ease Of Installation)	Inner	EV800376 ‡	2
ML320 CDI				
Tie Rod End				
2008-2007	(Design Allows Ease Of Installation)	Left Outer	ES800377 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800378 ‡	1
	(Design Allows Ease Of Installation)	Inner	EV800376 ‡	2
ML350				
Tie Rod End				
2015		Outer	ES801302	2
2015-2013		Inner	EV801072	2
2011-2009	(Design Allows Ease Of Installation)	Left Outer	ES800377 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800378 ‡	1
	(Design Allows Ease Of Installation)	Inner	EV800376 ‡	2
ML350 4MATIC				
Tie Rod End				
2015		Outer	ES801302	2
2015-2012		Inner	EV801072	2
2011-2006	(Design Allows Ease Of Installation)	Left Outer	ES800377 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800378 ‡	1
	(Design Allows Ease Of Installation)	Inner	EV800376 ‡	2
ML350 BlueTEC				
Tie Rod End				
2014-2012		Inner	EV801072	2
2011-2010	(Design Allows Ease Of Installation)	Left Outer	ES800377 ‡	1

MERCEDES BENZ TRUCK-ML Series (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
ML350 BlueTEC				
Tie Rod End				
2011-2010 (Cont.)	(Design Allows Ease Of Installation)	Right Outer	ES800378 ‡	1
	(Design Allows Ease Of Installation)	Inner	EV800376 ‡	2
ML400 4MATIC				
Tie Rod End				
2015		Outer	ES801302	2
		Inner	EV801072	2
ML450				
Tie Rod End				
2011-2010	(Design Allows Ease Of Installation)	Left Outer	ES800377 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800378 ‡	1
	(Design Allows Ease Of Installation)	Inner	EV800376 ‡	2
ML500				
Tie Rod End				
2007-2006	(Design Allows Ease Of Installation)	Left Outer	ES800377 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800378 ‡	1
	(Design Allows Ease Of Installation)	Inner	EV800376 ‡	2
ML500 4MATIC				
Tie Rod End				
2013-2012		Inner	EV801072	2
ML550 4MATIC				
Tie Rod End				
2014-2012		Inner	EV801072	2
2011-2008	(Design Allows Ease Of Installation)	Left Outer	ES800377 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800378 ‡	1
	(Design Allows Ease Of Installation)	Inner	EV800376 ‡	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
ML63 AMG				
Ball Joint				
2011-2007	(Design Allows Ease Of Installation)	Lower	K500106 ‡	2
Control Arm				
2015-2012	(R-Series)	Upper Front	RK642871	2
	(R-Series)	Lower Rear	RK642797	2
2011-2007	(R-Series)	Upper Front	RK642636	2
	(R-Series)	Left Upper Center	RK642926	1
	(R-Series)	Right Upper Center	RK642770	1
Sway Bar Link				
2015-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2
ML250 BlueTec 4MATIC				
Control Arm				
2015	(R-Series)	Upper Front	RK642871	2
	(R-Series)	Lower Rear	RK642797	2
Sway Bar Link				
2015	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2
ML300 4MATIC				
Control Arm				
2012-2011	(R-Series)	Upper Front	RK642871	2
	(R-Series)	Lower Rear	RK642797	2
Sway Bar Link				
2012-2011	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2
ML320 BlueTEC				
Ball Joint				
2009	(Design Allows Ease Of Installation)	Lower	K500106 ‡	2
Control Arm				
2009	(R-Series)	Upper Front	RK642636	2

(Cont.) ML Series—MERCEDES BENZ TRUCK

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
ML320 BlueTEC				
Sway Bar Link				
2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750318 ‡	2	
ML320 CDI				
Ball Joint				
2008-2007	(Design Allows Ease Of Installation)	Lower K500106 ‡	2	
Control Arm				
2008-2007	(R-Series)	Upper Front	RK642636	2
Sway Bar Link				
2008-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750318 ‡	2	
ML350				
Ball Joint				
2011-2009	(Design Allows Ease Of Installation)	Lower K500106 ‡	2	
Control Arm				
2015-2013	(R-Series)	Upper Front	RK642871	2
	(R-Series)	Lower Rear	RK642797	2
2011-2009	(R-Series)	Upper Front	RK642636	2
	(R-Series)	Left Upper Center	RK642926	1
	(R-Series)	Right Upper Center	RK642770	1
Sway Bar Link				
2015-2013	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750318 ‡	2	
2011-2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750318 ‡	2	
ML350 4MATIC				
Ball Joint				
2011-2006	(Design Allows Ease Of Installation)	Lower K500106 ‡	2	
Control Arm				
2015-2012	(R-Series)	Upper Front	RK642871	2
	(R-Series)	Lower Rear	RK642797	2
2011-2009	(R-Series)	Left Upper Center	RK642926	1
	(R-Series)	Right Upper Center	RK642770	1
2011-2006	(R-Series)	Upper Front	RK642636	2
2008-2006	All Wheel Drive, (R-Series)	Left Upper Center	RK642926	1
	All Wheel Drive, (R-Series)	Right Upper Center	RK642770	1
Sway Bar Link				
2015-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750318 ‡	2	
ML350 BlueTEC				
Ball Joint				
2011-2010	(Design Allows Ease Of Installation)	Lower K500106 ‡	2	
Control Arm				
2014-2012	(R-Series)	Upper Front	RK642871	2
	(R-Series)	Lower Rear	RK642797	2
2011-2010	(R-Series)	Upper Front	RK642636	2
	(R-Series)	Left Upper Center	RK642926	1
	(R-Series)	Right Upper Center	RK642770	1
Sway Bar Link				
2014-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750318 ‡	2	
ML400 4MATIC				
Control Arm				
2015	(R-Series)	Upper Front	RK642871	2
	(R-Series)	Lower Rear	RK642797	2
Sway Bar Link				
2015	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750318 ‡	2	
ML450				
Ball Joint				
2011-2010	(Design Allows Ease Of Installation)	Lower K500106 ‡	2	
Control Arm				
2011-2010	(R-Series)	Upper Front	RK642636	2
	(R-Series)	Left Upper Center	RK642926	1
	(R-Series)	Right Upper Center	RK642770	1


MERCEDES BENZ TRUCK-ML Series (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
ML450				
Sway Bar Link				
2011-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750318 ‡	2	
ML500				
Ball Joint				
2007-2006	(Design Allows Ease Of Installation)	Lower K500106 ‡	2	
Control Arm				
2007-2006	(R-Series)	Upper Front RK642636	2	
Sway Bar Link				
2007-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750318 ‡	2	
ML500 4MATIC				
Control Arm				
2013-2012	(R-Series)	Upper Front RK642871	2	
	(R-Series)	Lower Rear RK642797	2	
Sway Bar Link				
2013-2012	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750318 ‡	2	
ML550 4MATIC				
Ball Joint				
2011-2008	(Design Allows Ease Of Installation)	Lower K500106 ‡	2	
Control Arm				
2014-2012	(R-Series)	Upper Front RK642871	2	
	(R-Series)	Lower Rear RK642797	2	
2011-2008	(R-Series)	Upper Front RK642636	2	
	(R-Series)	Left Upper Center RK642926	1	
	(R-Series)	Right Upper Center RK642770	1	
Sway Bar Link				
2014-2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750318 ‡	2	

MERCEDES BENZ TRUCK-R Series

FRONT SUSPENSION



F482

Year	Model/Application	Part	P/C Qty	Figure
R63 AMG				
Ball Joint				
2007	(Design Allows Ease Of Installation)	Lower K500077 ‡	2	F482
Control Arm with Ball Joint				
2007	(R-Series)	Left Upper RK641503	1	F482
	(R-Series)	Right Upper RK641502	1	F482
Sway Bar Link				
2007	234mm Overall Length, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80496 ‡	2	F482
	243.2mm Overall Length	K750064	2	F482

(Cont.) R Series—MERCEDES BENZ TRUCK

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
R320 BlueTEC				
Ball Joint				
2009	(Design Allows Ease Of Installation)	Lower	K500077 ‡	2 F482
Control Arm with Ball Joint				
2009	(R-Series) (R-Series)	Left Upper Right Upper	RK641503 RK641502	1 F482 1 F482
Sway Bar Link				
2009	234mm Overall Length, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 243.2mm Overall Length		K80496 ‡ K750064	2 F482 2 F482
R320 CDI				
Ball Joint				
2008-2007	(Design Allows Ease Of Installation)	Lower	K500077 ‡	2 F482
Control Arm with Ball Joint				
2008-2007	(R-Series) (R-Series)	Left Upper Right Upper	RK641503 RK641502	1 F482 1 F482
Sway Bar Link				
2008-2007	234mm Overall Length, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 243.2mm Overall Length		K80496 ‡ K750064	2 F482 2 F482
R350				
Ball Joint				
2008-2006	(Design Allows Ease Of Installation)	Lower	K500077 ‡	2 F482
Control Arm with Ball Joint				
2008-2006	(R-Series) (R-Series)	Left Upper Right Upper	RK641503 RK641502	1 F482 1 F482
Sway Bar Link				
2008-2006	234mm Overall Length, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 243.2mm Overall Length		K80496 ‡ K750064	2 F482 2 F482
R350 4MATIC				
Ball Joint				
2012-2006	(Design Allows Ease Of Installation)	Lower	K500077 ‡	2 F482
Control Arm with Ball Joint				
2012-2006	(R-Series) (R-Series)	Left Upper Right Upper	RK641503 RK641502	1 F482 1 F482
Sway Bar Link				
2012-2006	234mm Overall Length, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 243.2mm Overall Length		K80496 ‡ K750064	2 F482 2 F482
R350 BlueTEC				
Ball Joint				
2012-2010	(Design Allows Ease Of Installation)	Lower	K500077 ‡	2 F482
Control Arm with Ball Joint				
2012-2010	(R-Series) (R-Series)	Left Upper Right Upper	RK641503 RK641502	1 F482 1 F482
Sway Bar Link				
2012-2010	234mm Overall Length, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 243.2mm Overall Length		K80496 ‡ K750064	2 F482 2 F482
R500				
Ball Joint				
2007-2006	(Design Allows Ease Of Installation)	Lower	K500077 ‡	2 F482
Control Arm with Ball Joint				
2007-2006	(R-Series) (R-Series)	Left Upper Right Upper	RK641503 RK641502	1 F482 1 F482
Sway Bar Link				
2007-2006	234mm Overall Length, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 243.2mm Overall Length		K80496 ‡ K750064	2 F482 2 F482
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
R63 AMG				
Tie Rod End				
2007	(Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800812 ‡	1

MERCEDES BENZ TRUCK-R Series (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
R63 AMG				
Tie Rod End				
2007 (Cont.)	(Greaseable Socket Reduces Corrosion/Wear)	Right Outer	ES800813 ‡	1
	(Design Allows Ease Of Installation)	Inner	EV800376 ‡	2
R320 BlueTEC				
Tie Rod End				
2009	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Left Outer	ES800812 ‡	1
		Right Outer	ES800813 ‡	1
		Inner	EV800376 ‡	2
R320 CDI				
Tie Rod End				
2008-2007	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Left Outer	ES800812 ‡	1
		Right Outer	ES800813 ‡	1
		Inner	EV800376 ‡	2
R350				
Tie Rod End				
2008-2006	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Left Outer	ES800812 ‡	1
		Right Outer	ES800813 ‡	1
		Inner	EV800376 ‡	2
R350 4MATIC				
Tie Rod End				
2012-2006	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Left Outer	ES800812 ‡	1
		Right Outer	ES800813 ‡	1
		Inner	EV800376 ‡	2
R350 BlueTEC				
Tie Rod End				
2012-2010	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Left Outer	ES800812 ‡	1
		Right Outer	ES800813 ‡	1
		Inner	EV800376 ‡	2
R500				
Tie Rod End				
2007-2006	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Left Outer	ES800812 ‡	1
		Right Outer	ES800813 ‡	1
		Inner	EV800376 ‡	2


REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
R63 AMG				
Ball Joint				
2007	(Design Allows Ease Of Installation)	Lower	K500106 ‡	2
Control Arm				
2007	(R-Series)	Upper Front	RK642636	2
Sway Bar Link				
2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2
R320 BlueTEC				
Ball Joint				
2009	(Design Allows Ease Of Installation)	Lower	K500106 ‡	2
Control Arm				
2009	(R-Series)	Upper Front	RK642636	2
Sway Bar Link				
2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2
R320 CDI				
Ball Joint				
2008-2007	(Design Allows Ease Of Installation)	Lower	K500106 ‡	2
Control Arm				
2008-2007	(R-Series)	Upper Front	RK642636	2
Sway Bar Link				
2008-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2

(Cont.) R Series—MERCEDES BENZ TRUCK

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
R350				
Ball Joint				
2008-2006	(Design Allows Ease Of Installation)	Lower	K500106 ‡	2
Control Arm				
2008-2006	(R-Series)	Upper Front	RK642636	2
Sway Bar Link				
2008-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2
R350 4MATIC				
Ball Joint				
2012-2006	(Design Allows Ease Of Installation)	Lower	K500106 ‡	2
Control Arm				
2012-2006	(R-Series)	Upper Front	RK642636	2
	(R-Series)	Left Upper Center	RK642926	1
	(R-Series)	Right Upper Center	RK642770	1
2007-2006	All Wheel Drive, (R-Series)	Left Lower	RK642433	1
	All Wheel Drive, (R-Series)	Right Lower	RK642434	1
Sway Bar Link				
2012-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2
R350 BlueTEC				
Ball Joint				
2012-2010	(Design Allows Ease Of Installation)	Lower	K500106 ‡	2
Control Arm				
2012-2010	(R-Series)	Upper Front	RK642636	2
	(R-Series)	Left Upper Center	RK642926	1
	(R-Series)	Right Upper Center	RK642770	1
Sway Bar Link				
2012-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2
R500				
Ball Joint				
2007-2006	(Design Allows Ease Of Installation)	Lower	K500106 ‡	2
Control Arm				
2007-2006	(R-Series)	Upper Front	RK642636	2
	All Wheel Drive, (R-Series)	Left Lower	RK642433	1
	All Wheel Drive, (R-Series)	Right Lower	RK642434	1
Sway Bar Link				
2007-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750318 ‡	2

Sprinter 2500—MERCEDES BENZ TRUCK




MERCEDES BENZ TRUCK–Sprinter 2500 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2010	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower K500113 ‡	2	F576
Control Arm Bushing				
2017-2010		Lower K201323	4	F576
Control Arm with Ball Joint				
2016-2010	(R-Series)	Left Lower RK621966	1	F576
	(R-Series)	Right Lower RK621967	1	F576
Strut Mounting Kit				
2015-2010	(Contains Washer, Contains Mount And Bumper Bellow)	K160327	2	F576
Sway Bar Bushing				
2011-2010	23mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame K200278 ‡	1	F576
Sway Bar Link				
2017-2016	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left K750277 ‡	1	F576
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right K750276 ‡	1	F576
2015-2010	(Powdered Metal Gusher Brg. For Better Lubrication)	Left K750277 ‡	1	F576
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right K750276 ‡	1	F576

STEERING




S440

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2010	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES800419 ‡	2	S440
2016-2010	(Design Allows Ease Of Installation)	Inner EV800888 ‡	2	S440

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2012	Except Camper Package, Standard Suspension, (Split Design For Easier Installation)	To Frame K200259 ‡	1	
2011-2010	(Split Design For Easier Installation)	To Frame K200259 ‡	1	
Sway Bar Link				
2017-2016	Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K700434 ‡	2	
2015-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K700434 ‡	2	


FRONT SUSPENSION



F576

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2016	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower K500113 ‡	2	F576
2015-2010	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower K500113 ‡	2	F576
Control Arm Bushing				
2017-2010		Lower K201323	4	F576
Control Arm with Ball Joint				
2016-2010	Standard Suspension, (R-Series)	Left Lower RK621966	1	F576
	Standard Suspension, (R-Series)	Right Lower RK621967	1	F576
Strut Mounting Kit				
2015-2010	(Contains Washer, Contains Mount And Bumper Bellow)	K160327	2	F576
Sway Bar Bushing				
2011-2010	20mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame K200277 ‡	1	F576
	23mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame K200278 ‡	1	F576
Sway Bar Link				
2017-2016	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left K750277 ‡	1	F576
	Rear Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right K750276 ‡	1	F576
2015-2010	(Powdered Metal Gusher Brg. For Better Lubrication)	Left K750277 ‡	1	F576
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right K750276 ‡	1	F576

STEERING



S440

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2010	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES800419 ‡	2	S440


MERCEDES BENZ TRUCK–Sprinter 3500 (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2016-2010	(Design Allows Ease Of Installation)	Inner	EV800888 ‡	2	S440
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Link					
2017-2016	Rear Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K700435 ‡	2	
2015-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K700435 ‡	2	

MERCURY TRUCK–Mariner


FRONT SUSPENSION




F331

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2011-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K80107 ‡	2	F331
Control Arm Bushing					
2011-2005	(Durable Socket Design Eases Installation, Vertical Mount) (High Quality Elastomer For Durability And Performance)	Lower Rear	K200795 ‡	2	F331
		Lower Front	K200246 ‡	2	F331
Complete Knuckle Assembly					
2011-2007	(Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate And Axle Nut)	Left	LK015 ‡	1	
	(Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate And Axle Nut)	Right	LK016 ‡	1	
Strut and Spring Assembly					
2011-2005	(Strut, Spring & Top Mount)	Left	ST8579L	1	F331
	(Strut, Spring & Top Mount)	Right	ST8579R	1	F331
Strut Bumper Bellows					
2011-2005	(Contains Bumper)		K90464	2	F331
Strut Mount					
2011-2005	(Contains Bearing)		K80143	2	F331
Strut Spring Seat					
2011-2005		Lower	K160019	2	F331
Sway Bar Bushing					
2011-2009		To Frame	K201311	1	F331
2008	2261cc(2.3L)	To Frame	K201310	1	F331
	181(3.0L), 16" Wheels	To Frame	K201310	1	F331
	181(3.0L), 17" Wheels	To Frame	K201311	1	F331
2007-2005		To Frame	K201356	1	F331
Sway Bar Link					
2011-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80296 ‡	2	F331
Wheel Hub Repair Kit					
2011-2005			518515	2	


STEERING



S262



S264



S266


Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2011-2010		K150289	2	S266	
2009	From 6/4/09	K150289	2	S266	
Tie Rod End					
2011-2010	(Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Outer Inner	ES800846 ‡ EV800911 ‡	2 2	S266 S266
2009-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3631 ‡	2	S266

MERCURY TRUCK–Mariner (Cont.)


STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2009-2008 (Cont.)	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800366 ‡	2 S266
2007-2006	Gasoline, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3631 ‡	2 S264
	Gasoline, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV424 ‡	2 S264
	Gasoline/Electric, (Greaseable Socket Reduces Corrosion/Wear)	Outer	ES800846 ‡	2 S262
	Gasoline/Electric, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800769 ‡	2 S262

REAR SUSPENSION



R114




R115

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2008-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500135 ‡	2 R114
Control Arm Bushing				
2009	(High Quality Elastomer For Durability And Performance)	Lower	K200360 ‡	4 R115
2008-2005	(High Quality Elastomer For Durability And Performance)	Upper	K200359 ‡	4 R114
		Lower	K200360 ‡	4 R114
Control Arm with Ball Joint				
2011-2009	(R-Series)	Left Upper	RK621456	1 R115
	(R-Series)	Right Upper	RK621457	1 R115
	(R-Series)	Left Lower	RK621454	1 R115
	(R-Series)	Right Lower	RK621455	1 R115
	2 Degree Camber Plus Or Minus, 12mm Bushing Sleeve, (Adjustable, R-Series)	Upper	RK100072	2 R115
2008-2005	(R-Series)	Left Upper	RK622126	1 R114
	(R-Series)	Right Upper	RK622127	1 R114
	(Contains Bushings, Powdered Metal Gusher Brg. For Better Lubrication)	Left Lower	CK620318 ‡	1 R114
	(R-Series)	Left Lower	RK620318	1 R114
	(R-Series)	Right Lower	RK620317	1 R114
	2 Degree Camber Plus Or Minus, 12mm Bushing Sleeve, (Adjustable, R-Series)	Upper	RK100072	2 R114

(Cont.) Mariner–MERCURY TRUCK


REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2011-2009	To Frame	K201312	1	R115
Sway Bar Link				
2011-2009	(Improves Upon OE Design)	K750571 ‡	2	R115
Trailing Link Bushing				
2011-2005		K201678	2	R114

Monterey–MERCURY TRUCK

FRONT SUSPENSION				
				
F349				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2007-2004	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200767 ‡	2 F349
Control Arm with Ball Joint				
2007-2004	(R-Series)	Left Lower	RK80725	1 F349
	(R-Series)	Right Lower	RK80724	1 F349
Strut Bumper Bellows				
2007-2004	(Original Equipment Type)		K160034	2 F349
Strut Mount				
2007-2004	(Contains Spring Seat And Bearing)		K80905	2 F349
Strut Spring Seat				
2007-2004		Lower	K80919	2 F349
Sway Bar Link				
2007-2004	(Powdered Metal Gusher Brg. For Better Lubrication)		K5334 ‡	2 F349
Wheel Hub & Bearing Assembly				
2007-2004		Left	513232	1
		Right	513233	1
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2007-2004	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer	ES80991 ‡	2
		Inner	EV800307 ‡	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Track Bar				
2007-2004		DS1416	1	
Wheel Hub & Bearing Assembly				
2007-2004		Left	512312	1
		Right	512313	1

MERCURY TRUCK-Mountaineer


FRONT SUSPENSION



F332

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2010-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500014 ‡	2 F332
	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K80771 ‡	2 F332
Control Arm Bushing				
2010-2006	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200195 ‡	2 F332
	(High Quality Elastomer For Durability And Performance)	Lower Front	K200194 ‡	2 F332
Control Arm Bushing Set				
2010-2006	(Contains Front And Rear Bushings)	Upper	K200356 ‡	2 F332
Control Arm with Ball Joint				
2010-2006	(R-Series)	Left Upper	RK80723	1 F332
	(R-Series)	Right Upper	RK80722	1 F332
	(R-Series)	Left Lower	RK80721	1 F332
	(Contains Bushings, R-Series)	Right Lower	RK80720	1 F332
Strut and Spring Assembly				
2010-2006			ST8611	2 F332
Strut Bumper Bellows				
2010-2006			K201484	2 F332
Strut Mount				
2010-2006	(Bearing Not Included)		K160329	2 F332
Strut Spring Seat				
2010-2006	(Contains Spacer, Contains Insulator, Reduces Noise)	Upper	K160070 ‡	2 F332
Sway Bar Bushing				
2010-2006	(Split Design For Easier Installation)	To Frame	K200520 ‡	1 F332
Sway Bar Repair Kit				
2010-2006	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700542 ‡	2 F332
Wheel Hub & Bearing Assembly				
2010-2006			515078	2

STEERING




S118

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2010-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES80786 ‡	2 S118
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800278 ‡	2 S118
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2010-2006	(R-Series)	Lower Rear	RK642950	2
	(R-Series)	Lower Front	RK642853	2
Control Arm Bushing				
2010-2006		Arm To Knuckle, Lower Outer	K201350	2
Strut and Spring Assembly				
2010-2006			ST8612	2
Strut Bumper Bellows				
2010-2006			K201480	2
Strut Mount				
2010-2006	(Bearing Not Included)		K160330	2
Sway Bar Bushing				
2010-2006		To Frame	K201321	1
Sway Bar Repair Kit				
2010-2009	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700539 ‡	2
	(Standard Design)		K80898	2
2008-2006	Independent Rear Suspension, (Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700539 ‡	2
	Independent Rear Suspension, (Standard Design)		K80898	2
Trailing Link Bushing				
2010-2006			K201405	2
Wheel Hub Repair Kit				
2010-2006			521000	2

MID BUS-CGX5


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING




S084

Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING



S084


Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1

MID BUS-CGX6


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING




S084

Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING



S084


Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1

MID BUS-CHX4


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING




S084

Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING



S084


Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1

MID BUS-CSX5


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING




S084

Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING



S084


Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1

MID BUS-CSX58


FRONT SUSPENSION



F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	(Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	(Standard Design)	To Frame	K6439	1 F261

STEERING




S084

Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009			DS300048	1 S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud)		K6654HD ‡	1 S084
	(3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication)		K6654 ‡	1 S084
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	ES80277 ‡	2 S084

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1
	13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame	K6439	1


STEERING



S286

Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡	1	S286
	Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80783 ‡	1	S286

STEERING




S286

Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡	1	S286
	Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80783 ‡	1	S286

MID BUS-FGX6WR

STEERING




S286

Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength) Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡ K80783 ‡	1 1	S286 S286

MID BUS-FHX4


STEERING



S286

Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength) Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡ K80783 ‡	1 1	S286 S286


STEERING



S286

Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡	1	S286
	Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80783 ‡	1	S286


STEERING



S286

Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡	1	S286
	Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80783 ‡	1	S286


FRONT SUSPENSION




F261

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009	Independent Front Suspension, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K6711 ‡	2 F261
Control Arm Bushing				
2009	Independent Front Suspension, (Contains Front And Rear Bushings)	Upper	K6688	2 F261
Sway Bar Bushing				
2009	Independent Front Suspension, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201177 ‡	1 F261
	Independent Front Suspension, (Standard Design)	To Frame	K6439	1 F261

STEERING



S084



S286

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Center Link				
2009		DS300048	1	S084
Pitman Arm				
2009	(3 Groove Spline, Heavy Duty Dual Tapered, High Strength Durable Stud) (3 Groove Spline, Powdered Metal Gusher Brg. For Better Lubrication) Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength) Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K6654HD ‡ K6654 ‡ K80785 ‡ K80783 ‡	1 1 1 1	S084 S084 S286 S286
Tie Rod End				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner ES80277 ‡	2	S084
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2009	13980 Lb GVW, 14200 Lb GVW, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) 13980 Lb GVW, 14200 Lb GVW, (Standard Design)	To Frame K201177 ‡ To Frame K6439	1 1	

Nexus Hybrid-MID BUS

STEERING				
S286				
Year	Model/Application	Part	P/C Qty	Figure
Pitman Arm				
2009	Dual Rear Wheels, 36 Teeth, (MOOG Engineered Steel Composition Enhances Strength) Single Rear Wheels, 32 Teeth, (MOOG Engineered Steel Composition Enhances Strength)	K80785 ‡ K80783 ‡	1 1	S286 S286

Eclipse Cross-MITSUBISHI TRUCK

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2018	All Wheel Drive Front Wheel Drive	512564 512563	2 2	

Endeavor-MITSUBISHI TRUCK

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2011-2010		Lower Rear Inner	K200939	2
2008-2004		Lower Rear Inner	K200939	2
Control Arm with Ball Joint				
2011-2010	(R-Series)	Left Lower	RK623050	1
	(R-Series)	Right Lower	RK623051	1
2008-2004	(R-Series)	Left Lower	RK623050	1
	(R-Series)	Right Lower	RK623051	1

MITSUBISHI TRUCK-Endeavor (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2011-2010	(Contains Bumper)	K90461	2	
2008-2004	(Contains Bumper)	K90461	2	
Strut Mount				
2011-2010	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160104 ‡	2	
2008-2004	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160104 ‡	2	
Sway Bar Bushing				
2010	(Split Design For Easier Installation) To Frame	K200265 ‡	1	
2008-2004	(Split Design For Easier Installation) To Frame	K200265 ‡	1	
Sway Bar Link				
2011-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80296 ‡	2	
2008-2004	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80296 ‡	2	
Wheel Hub & Bearing Assembly				
2011-2010		513219	2	
2008-2004		513219	2	


STEERING

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2011-2010	(Design Allows Ease Of Installation)	Outer	ES800219 ‡	2
		Inner	EV800546 ‡	2
2008-2004	(Design Allows Ease Of Installation)	Outer	ES800219 ‡	2
		Inner	EV800546 ‡	2

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2011-2010	(Design Allows Ease Of Installation) Arm To Knuckle, Lower Rear	K200267 ‡	2	
2008-2004	(Design Allows Ease Of Installation) Arm To Knuckle, Lower Rear	K200267 ‡	2	
Strut Bumper Bellows				
2011-2010		K201597	2	
2008-2004		K201597	2	
Sway Bar Link				
2011-2010	All Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750148 ‡	2	
	Front Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750030 ‡	2	
2008-2004	All Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750148 ‡	2	
	Front Wheel Drive, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750030 ‡	2	
Wheel Hub & Bearing Assembly				
2011-2010	All Wheel Drive	512291	2	
	Front Wheel Drive	512289	2	
2008-2004	All Wheel Drive	512291	2	
	Front Wheel Drive	512289	2	


FRONT SUSPENSION



F436

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2015		Lower Rear	K201357	2
2014-2007	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear	K201357	2
		Lower Rear	K200800 ‡	2
2013-2007		Lower Front	K201474	2
Control Arm with Ball Joint				
2014	Thru 12/2/13, (R-Series)	Left Lower	RK620548	1
	Thru 12/2/13, (R-Series)	Right Lower	RK620549	1
2013-2007	(R-Series)	Left Lower	RK620548	1
	(R-Series)	Right Lower	RK620549	1
Strut Bearing				
2010-2007			K160381	2
Strut Bumper Bellows				
2013-2007	(Replacement Type, Contains Bumper)		K90460	2
Strut Mount				
2013-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160305 ‡	2

STEERING




S304


Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2014		Inner	EV801085	2
2018-2007	(Design Allows Ease Of Installation)	Outer	ES800471 ‡	2
2013-2007	(MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800638 ‡	2

MITSUBISHI TRUCK-Outlander (Cont.)

REAR SUSPENSION



R171



R172


Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2014	2 Degree Camber Plus Or Minus, (Eccentric Adjustment, Design Allows Ease Of Installation, R-Series)	RK100114 ‡	2	R171
	Upper	RK100321	2	R171
	Plus Or Minus 2 Degree Camber, (Turnbuckle Adjustment, R-Series)			
2013-2009	Third Row Seating, (R-Series)	RK642488	1	R172
2013-2007	(R-Series)	RK642134	2	R171, R172
	2 Degree Camber Plus Or Minus, (Eccentric Adjustment, Design Allows Ease Of Installation, R-Series)	RK100114 ‡	2	R171, R172
	Upper	RK100321	2	R171, R172
	Plus Or Minus 2 Degree Camber, (Turnbuckle Adjustment, R-Series)	RK642487	2	R171
	Except Third Row Seating, (R-Series)	RK642489	1	R172
	Third Row Seating, (R-Series)			
2011-2007	(R-Series)	RK642642	2	R171, R172
Strut Bumper Bellows				
2016-2007		K201597	2	R171, R172
Strut Mounting Kit				
2016-2007		K7226	2	R171, R172
Sway Bar Link				
2018-2014	(Improves Upon OE Design)	K750289 ‡	2	R171
2014-2007	Except Third Row Seating, (Improves Upon OE Design)	K750289 ‡	2	R171
2013-2007	Third Row Seating, (Improves Upon OE Design)	K750290 ‡	1	R172
	Third Row Seating, (Improves Upon OE Design)	K750289 ‡	1	R172
Wheel Hub & Bearing Assembly				
2018-2017		512564	2	
2016-2014	All Wheel Drive	512564	2	
2016-2013	Front Wheel Drive	512563	2	
2013-2007	All Wheel Drive, 5 Passenger	512381	2	
2012-2011	Front Wheel Drive, 5 Passenger	512394	2	
	Front Wheel Drive, 7 Passenger	512380	2	
2012-2007	All Wheel Drive, 7 Passenger	512382	2	

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2010-2007	Front Wheel Drive	512380	2	

Outlander Sport-MITSUBISHI TRUCK


FRONT SUSPENSION



F436

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2018-2016	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear	K200800 ‡	2 F436
2018-2011		Lower Rear	K201357	2 F436
2014-2011	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear	K200800 ‡	2 F436
2012-2011		Lower Front	K201474	2 F436
Control Arm with Ball Joint				
2017-2011	(R-Series)	Left Lower	RK620548	1 F436
	(R-Series)	Right Lower	RK620549	1 F436
Strut Bumper Bellows				
2015-2011	(Original Equipment Type)		K201416	2 F436
	(Replacement Type, Contains Bumper)		K90464	2 F436
Strut Mount				
2015-2011	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160305 ‡	2 F436

STEERING




S319

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2011	(Design Allows Ease Of Installation)	Outer	ES800471 ‡	2 S319
		Inner	EV801085	2 S319

MITSUBISHI TRUCK-Outlander Sport (Cont.)

REAR SUSPENSION




R171

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2017-2011	2 Degree Camber Plus Or Minus, (Eccentric Adjustment, Design Allows Ease Of Installation, R-Series)	Upper	RK100114 ‡	2	R171
	Plus Or Minus 2 Degree Camber, (Turnbuckle Adjustment, R-Series)	Upper	RK100321	2	R171
Strut Bumper Bellows					
2015-2011			K201597	2	R171
Strut Mounting Kit					
2015-2011			K7226	2	R171
Sway Bar Link					
2018-2011	(Improves Upon OE Design)		K750289 ‡	2	R171
Wheel Hub & Bearing Assembly					
2018-2015	All Wheel Drive		512564	2	
2018-2013	Front Wheel Drive		512563	2	
2015-2013	Four Wheel Drive (4X4)		512564	2	
2012-2011	Four Wheel Drive (4X4) Front Wheel Drive		512382 512394	2 2	

MITSUBISHI TRUCK-Raider

FRONT SUSPENSION




F392

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2009-2006	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K80605 ‡	2	F392
Control Arm Bushing					
2009-2006	(Contains Front And Rear Bushings)	Upper	K7473	2	F392

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm Bushing					
2009-2006 (Cont.)	Lower	K201322	4	F392	
Control Arm with Ball Joint					
2009-2006	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	CK620006 ‡	2	F392
	(R-Series)	Upper	RK620006	2	F392
	(R-Series)	Left Lower	RK620478	1	F392
	(R-Series)	Right Lower	RK620479	1	F392
Strut and Spring Assembly					
2009-2006	Four Wheel Drive (4X4)	ST8623	2	F392	
	Two Wheel Drive (4x2), (Strut, Spring & Top Mount)	ST8610	2	F392	
Strut Bumper Bellows					
2009-2006	(Design Allows Ease Of Installation)	K160285 ‡	2	F392	
Strut Bushing					
2009-2006	Lower	K201717	2	F392	
Strut Mount					
2009-2006	(Bearing Not Included, Contains Insulator)	K160049 ‡	2	F392	
Strut Spring Seat					
2009-2006	(Insulator Only)	Upper	K160016	2	F392
	(Spring Seat Only, Reduces Noise)	Upper	K160110 ‡	2	F392
Sway Bar Bushing					
2009-2006	Two Wheel Drive (4x2), (Split Design For Easier Installation)	To Frame	K200266 ‡	1	F392
	LS, XLS, Four Wheel Drive (4X4), (Split Design For Easier Installation)	To Frame	K200266 ‡	1	F392
Sway Bar Link					
2009-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	K750263 ‡	2	F392	
Wheel Hub & Bearing Assembly					
2009-2006	2 Wheel ABS	513228	2		
2008-2006	4 Wheel ABS	513229	2		


STEERING



Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2009-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3571 ‡	2	S096
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800099 ‡	2	S096

MITSUBISHI TRUCK-Raider (Cont.)

REAR SUSPENSION




R100

Year	Model/Application	Part	P/C Qty	Figure
Leaf Spring Shackle				
2009-2006	(Contains Shackle, Nuts, Bolts & Bushing)	Rear	K150407	2 R100
Sway Bar Bushing				
2007-2006	(Split Design For Easier Installation)	To Frame	K200818 ‡	1 R100
Sway Bar Link				
2009-2006	(Durable, All Metal Construction For Longer Life)		K750379 ‡	2 R100

MITSUBISHI TRUCK-RVR


FRONT SUSPENSION



F436

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2014-2011	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear	K201357	2 F436
		Lower Rear	K200800 ‡	2 F436
Control Arm with Ball Joint				
2017-2011	(R-Series)	Left Lower	RK620548	1 F436
	(R-Series)	Right Lower	RK620549	1 F436
Strut Mount				
2014-2011	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160305 ‡	2 F436


STEERING



S319

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2011	(Design Allows Ease Of Installation)	Outer Inner	ES800471 ‡ EV801085	2 2
				S319 S319

REAR SUSPENSION



R171

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2015-2011	2 Degree Camber Plus Or Minus, (Eccentric Adjustment, Design Allows Ease Of Installation, R-Series) Upper	Upper	RK100114 ‡	2
				R171
Sway Bar Link				
2018-2011	(Improves Upon OE Design)		K750289 ‡	2
				R171
Wheel Hub & Bearing Assembly				
2018-2012	All Wheel Drive Front Wheel Drive		512564 512563	2 2
2011			512388	2

160, 1600 Series-NAVISTAR/INTERNATIONAL

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
1652SC				
King Bolt Set				
2007-2005	16,000 lb. (I-160S (02ADH)) Axle, Double Lock Pin, 11" Length, 2.046" Pin Diameter, (Contains Metal Bushing, Two Keyways)		80074B	1

STEERING

Year	Model/Application	Part	P/C Qty	Figure
1652SC				
Drag Link Assembly				
2007-2005	6,000 lb. (I60S (02ADA)) Axle, TAS-40 Ross Steering Gear, 17.47" Center To Center		DS1215	1

NAVISTAR/INTERNATIONAL-400, 4000 Series

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
4200				
King Bolt Set				
2007	10,800 lb. (FA329 (02329)) Axle, 12,000 lb. (FA139 (02139), FA339 (02339)) Axle, 1.609" Pin Diameter, 9.660" Length, (Contains Metal Bushing, Two Keyways, Contains Bolts And Washers)	8567B	1	
	10,800 lb. (FA329 (02329), FA341 (02341)) Axle, 12,000 lb. (FA139 (02139), FA339 (02339), FA340 (02340)) Axle, 1.611" Pin Diameter, 9.660" Length, (Contains Metal Bushing, Oversize, One Keyway)	8581B002	1	
	10,800 lb. (FA329 (02329), FA341 (02341)) Axle, 12,000 lb. (FA139 (02139), FA339 (02339), FA340 (02340)) Axle, 1.611" Pin Diameter, 9.660" Length, (Contains Nylon Bushing, Oversize, One Keyway)	8581N002	1	
	12,000 lb. (FA223 (02223), FA226 (02226)) Axle, 1.794" Pin Diameter, 10.392" Length, (Contains Metal Bushing, Two Keyways)	8590B	1	
	12,000 lb. (FA227 (02227)) Axle, 13200 LB Axle, 1.794" Pin Diameter, 10.392" Length, (Contains Metal Bushing, Two Keyways)	8590B	1	
	10,800 lb. (FA341 (02341)) Axle, 12,000 lb. (FA340 (02340)) Axle, Aluminum Axle, 1.611" Pin Diameter, 9.660" Length, (Contains Composite Bushing, One Keyway)	80079C	1	
	10,800 lb. (FA329 (02329)) Axle, 12,000 lb. (FA139 (02139), FA339 (02339)) Axle, Double Lock Pin, 1.609" Pin Diameter, 9.660" Length, (Contains Nylon Bushing)	8567N	1	
	10,800 lb. (FA329 (02329), FA341 (02341)) Axle, 12,000 lb. (FA139 (02139), FA339 (02339), FA340 (02340)) Axle, Single Lock Pin, 1.609" Pin Diameter, 9.660" Length, (Contains Metal Bushing)	8581B	1	
	10,800 lb. (FA329 (02329), FA341 (02341)) Axle, 12,000 lb. (FA139 (02139), FA339 (02339), FA340 (02340)) Axle, Single Lock Pin, 1.609" Pin Diameter, 9.660" Length, (Contains Nylon Bushing)	8581N	1	
2007-2002	11,000 lb. (FA112 (02112)) Axle, 1.607" Pin Diameter, 8.812" Length, (Contains Metal Bushing, Two Keyways)	8514B	1	
	11,000 lb. (FA112 (02112)) Axle, 1.607" Pin Diameter, 8.812" Length, (Contains Nylon Bushing, Two Keyways)	8514N	1	
	12,000 lb. (FA234 (02234)) Axle, 1.607" Pin Diameter, 9.380" Length, (Contains Metal Bushing, Two Keyways)	8612B	1	
	12,000 lb. (FA228 (02228)) Axle, 1.794" Pin Diameter, 10.392" Length, (Contains Metal Bushing, Two Keyways)	8553B	1	
	12,000 lb. (FA218 (02218)) Axle, 1.794" Pin Diameter, 9.120" Length, (Contains Metal Bushing, Two Keyways)	8489B	1	
	12,000 lb. (FA218 (02218)) Axle, 1.794" Pin Diameter, 9.120" Length, (Contains Nylon Bushing, Two Keyways)	8489N	1	
	16,000 lb. (FA136 (02136)) Axle, 1.999" Pin Diameter, 11.040" Length, (Contains Metal Bushing, Two Keyways)	8518B	1	
	16,000 lb. (FA136 (02136)) Axle, 1.999" Pin Diameter, 11.040" Length, (Contains Nylon Bushing, Two Keyways)	8518N	1	
	16,000 lb. (FA231 (02231)) Axle, 1.999" Pin Diameter, 11.212" Length, (Contains Metal Bushing, Two Keyways)	8571B	1	
4300				
King Bolt Set				
2012-2007	11,000 lb. (FA112 (02112)) Axle, 1.607" Pin Diameter, 8.812" Length, (Contains Metal Bushing, Two Keyways)	8514B	1	
	11,000 lb. (FA112 (02112)) Axle, 1.607" Pin Diameter, 8.812" Length, (Contains Nylon Bushing, Two Keyways)	8514N	1	
	12,000 lb. (FA234 (02234)) Axle, 1.607" Pin Diameter, 9.380" Length, (Contains Metal Bushing, Two Keyways)	8612B	1	
	10,800 lb. (FA329 (02329)) Axle, 12,000 lb. (FA139 (02139), FA339 (02339)) Axle, 1.609" Pin Diameter, 9.660" Length, (Contains Metal Bushing, Two Keyways, Contains Bolts And Washers)	8567B	1	
	10,800 lb. (FA329 (02329)) Axle, 12,000 lb. (FA139 (02139), FA339 (02339), FA340 (02340)) Axle, 1.611" Pin Diameter, 9.660" Length, (Contains Metal Bushing, Oversize, One Keyway)	8581B002	1	
	10,800 lb. (FA329 (02329), FA341 (02341)) Axle, 12,000 lb. (FA139 (02139), FA339 (02339), FA340 (02340)) Axle, 1.611" Pin Diameter, 9.660" Length, (Contains Nylon Bushing, Oversize, One Keyway)	8581N002	1	
	12,000 lb. (FA228 (02228)) Axle, 1.794" Pin Diameter, 10.392" Length, (Contains Metal Bushing, Two Keyways)	8553B	1	
	12,000 lb. (FA223 (02223), FA226 (02226)) Axle, 1.794" Pin Diameter, 10.392" Length, (Contains Metal Bushing, Two Keyways)	8590B	1	
	12,000 lb. (FA218 (02218)) Axle, 1.794" Pin Diameter, 9.120" Length, (Contains Metal Bushing, Two Keyways)	8489B	1	
	12,000 lb. (FA218 (02218)) Axle, 1.794" Pin Diameter, 9.120" Length, (Contains Nylon Bushing, Two Keyways)	8489N	1	
	16,000 lb. (FA136 (02136)) Axle, 1.999" Pin Diameter, 11.040" Length, (Contains Metal Bushing, Two Keyways)	8518B	1	
	16,000 lb. (FA136 (02136)) Axle, 1.999" Pin Diameter, 11.040" Length, (Contains Nylon Bushing, Two Keyways)	8518N	1	
	16,000 lb. (FA231 (02231)) Axle, 1.999" Pin Diameter, 11.212" Length, (Contains Metal Bushing, Two Keyways)	8571B	1	
	12,000 lb. (FA227 (02227)) Axle, 13200 LB Axle, 1.794" Pin Diameter, 10.392" Length, (Contains Metal Bushing, Two Keyways)	8590B	1	
	10,800 lb. (FA341 (02341)) Axle, 12,000 lb. (FA340 (02340)) Axle, Aluminum Axle, 1.611" Pin Diameter, 9.660" Length, (Contains Composite Bushing, One Keyway)	80079C	1	
	10,800 lb. (FA329 (02329)) Axle, 12,000 lb. (FA139 (02139), FA339 (02339)) Axle, Double Lock Pin, 1.609" Pin Diameter, 9.660" Length, (Contains Nylon Bushing)	8567N	1	
	10,800 lb. (FA329 (02329), FA341 (02341)) Axle, 12,000 lb. (FA139 (02139), FA339 (02339), FA340 (02340)) Axle, Single Lock Pin, 1.609" Pin Diameter, 9.660" Length, (Contains Metal Bushing)	8581B	1	
	10,800 lb. (FA329 (02329), FA341 (02341)) Axle, 12,000 lb. (FA139 (02139), FA339 (02339), FA340 (02340)) Axle, Single Lock Pin, 1.609" Pin Diameter, 9.660" Length, (Contains Nylon Bushing)	8581N	1	


(Cont.) 400, 4000 Series-NAVISTAR/INTERNATIONAL

STEERING

Year	Model/Application	Part	P/C Qty	Figure
4100				
Drag Link Assembly				
2012-2011	16000 Lb Front Axle, Steering Gear Codes 05331, 05293, 10800 And 12000 Lb Front Axle, 17.88" Length	DS1028	1	
2012-2007	16,000 lb. (FA231 (02231)) Axle, 17.40" Center To Center	DS1027	1	
2010-2007	10,800 lb. Axle, 12,000 lb. Axle, 16,000 lb. (FA136 (02136)) Axle, Steering Gear Codes 05331, 05293, 17.88" Center To Center	DS1028	1	
4200				
Drag Link Assembly				
2008-2007	12,000 lb. Axle, 16,000 lb. (FA136 (02136)) Axle, Steering Gear Codes 05331, 05293, 17.88" Center To Center	DS1028	1	
2008-2002	16,000 lb. (FA231 (02231)) Axle, 17.40" Center To Center	DS1027	1	
Tie Rod End				
2007	12,000 lb. (FA223 (02223), FA224 (02224), FA226 (02226), FA228 (02228)) Axle, 13,200 lb. (FA-227) Axle, 5.44" Length, (Greaseable Socket Reduces Corrosion/Wear) Left Outer	ES423L ‡	1	
	12,000 lb. (FA223 (02223), FA224 (02224), FA226 (02226), FA228 (02228)) Axle, 13,200 lb. (FA-227) Axle, 5.44" Length, (Greaseable Socket Reduces Corrosion/Wear) Right Outer	ES423R ‡	1	
	10,800 lb. (FA329 (02329), FA341 (02341)) Axle, 12,000 lb. (FA139 (02139), FA340 (02340)) Axle, 9.180" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear) Right Outer	ES411R ‡	1	
	11,000 lb. (FA112 (02112)) Axle, 12,000 lb. (FA234 (02234)) Axle, 10.50" Length Right Outer	ES2201R	1	
	12000 Lb Axle, 9.180" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear) Right Outer	ES411R ‡	1	
2007-2006	10,800 lb. (FA329 (02329), FA341 (02341)) Axle, 12,000 lb. (FA139 (02139), FA339 (02339), FA340 (02340)) Axle, 9.180" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear) Left Outer	ES411L ‡	1	
	11,000 lb. (FA112 (02112)) Axle, 12,000 lb. (FA234 (02234)) Axle, 10.50" Length Left Outer	ES2200L	1	
2007-2002	16,000 lb. (FA231 (02231)) Axle, 12.69" Length Right Outer	ES3030R	1	
	12,000 lb. (FA218 (02218)) Axle, 1.125" - 12 Threads, 4.88" Length, (Greaseable Socket Reduces Corrosion/Wear) Left Outer	ES187L ‡	1	
	FA218 Axle, 12000 Lb GVW, 4.88" Length, (Greaseable Socket Reduces Corrosion/Wear) Right Outer	ES187R ‡	1	
	FA231, 16000 Lb. Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear) Left Outer	ES2090L ‡	1	
	FA231, 16000 Lb. Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear) Right Outer	ES2091R ‡	1	
4300				
Tie Rod End				
2012-2007	16,000 lb. (FA231 (02231)) Axle, 12.69" Length Right Outer	ES3030R	1	
	12,000 lb. (FA223 (02223), FA224 (02224), FA226 (02226), FA228 (02228)) Axle, 13,200 lb. (FA-227) Axle, 5.44" Length, (Greaseable Socket Reduces Corrosion/Wear) Left Outer	ES423L ‡	1	
	12,000 lb. (FA223 (02223), FA224 (02224), FA226 (02226), FA228 (02228)) Axle, 13,200 lb. (FA-227) Axle, 5.44" Length, (Greaseable Socket Reduces Corrosion/Wear) Right Outer	ES423R ‡	1	
	16,000 lb. (FA136 (02136), FA231 (02231)) Axle, 5.750" Length, (Right Hand Threads) Left Outer	ES431L ‡	1	
	16,000 lb. (FA136 (02136), FA231 (02231)) Axle, 5.750" Length, (Left Hand Threads) Right Outer	ES431R ‡	1	
	10,800 lb. (FA329 (02329), FA341 (02341)) Axle, 12,000 lb. (FA139 (02139), FA339 (02339), FA340 (02340)) Axle, 9.180" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear) Left Outer	ES411L ‡	1	
	10,800 lb. (FA329 (02329), FA341 (02341)) Axle, 12,000 lb. (FA139 (02139), FA340 (02340)) Axle, 9.180" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear) Right Outer	ES411R ‡	1	
	12,000 lb. (FA218 (02218)) Axle, 1.125" - 12 Threads, 4.88" Length, (Greaseable Socket Reduces Corrosion/Wear) Left Outer	ES187L ‡	1	
	11,000 lb. (FA112 (02112)) Axle, 12,000 lb. (FA234 (02234)) Axle, 10.50" Length Left Outer	ES2200L	1	
	11,000 lb. (FA112 (02112)) Axle, 12,000 lb. (FA234 (02234)) Axle, 10.50" Length Right Outer	ES2201R	1	
	12000 Lb Axle, 9.180" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear) Right Outer	ES411R ‡	1	
	FA218 Axle, 12000 Lb GVW, 4.88" Length, (Greaseable Socket Reduces Corrosion/Wear) Right Outer	ES187R ‡	1	
	FA231, 16000 Lb. Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear) Left Outer	ES2090L ‡	1	
	FA231, 16000 Lb. Axle, 7.370" Length, (Greaseable Socket Reduces Corrosion/Wear) Right Outer	ES2091R ‡	1	


NISSAN TRUCK-Armada

FRONT SUSPENSION



F376


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2016-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80994 ‡	2 F376
		Lower	K80647 ‡	2 F376
Control Arm Bushing				
2018-2005	(Design Allows Ease Of Installation)	Upper	K200852 ‡	1 F376
2016-2005	(Design Allows Ease Of Installation)	Lower	K200851 ‡	2 F376
Control Arm with Ball Joint				
2016-2005	(R-Series)	Left Upper	RK620650	1 F376
	(R-Series)	Right Upper	RK620649	1 F376
	(R-Series)	Left Lower	RK620512	1 F376
	(R-Series)	Right Lower	RK620511	1 F376
Strut Bumper Bellows				
2015-2005			K201423	2 F376
Strut Mount				
2015-2005	(Contains Spring Seat)		K160344	2 F376
Sway Bar Bushing				
2016-2005	(Split Design For Easier Installation)	To Frame	K200346 ‡	1 F376
Sway Bar Link				
2018-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750146 ‡	2 F376
Wheel Hub & Bearing Assembly				
2018-2017	Four Wheel Drive (4X4)		515127	2
2016-2015	Four Wheel Drive (4X4)		515155	2
	Two Wheel Drive (4x2)		515156	2
2014-2013			515155	2
2012-2008	(Improved Design)		515125	2
2007-2005			515066	2



Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800216 ‡	2 S397
2016-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800031 ‡	1 S397
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800032 ‡	1 S397
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2016-2005	(R-Series)	Left Front Lower	RK622474	1
2010-2005	(R-Series)	Left Upper	RK622927	1
Sway Bar Bushing				
2018-2005	(Split Design For Easier Installation)	To Frame	K200749 ‡	1
Sway Bar Link				
2018-2017		Left	K750797	1
		Right	K750796	1
2016-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750037 ‡	1
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750038 ‡	1
Wheel Hub & Bearing Assembly				
2018-2017			541016	2
2016-2013			541014	2
2012-2005	Plug In ABS		541004	2
2008-2005	Internal ABS, Mexico Built		541003	2


NISSAN TRUCK-Frontier

FRONT SUSPENSION



F389

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper Lower	K80660 ‡ K80647 ‡	2 2 F389 F389
Control Arm Bushing				
2018	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Upper Right Upper	K200852 ‡ K200852 ‡	1 1 F389 F389
2017-2005	(Design Allows Ease Of Installation)	Upper	K200852 ‡	2 F389
2012-2005	(Design Allows Ease Of Installation)	Lower	K200851 ‡	2 F389
Control Arm with Ball Joint				
2018-2005	(R-Series) (R-Series) (R-Series) (R-Series)	Left Upper Right Upper Left Lower Right Lower	RK621245 RK621246 RK620372 RK620371	1 1 1 1 F389 F389 F389 F389
Shock Hardware Kit				
2017-2005	(Contains Upper Spring Seat)		K160444	2 F389
Strut Bumper Bellows				
2015-2009	Except Off Road Package		K150277	2 F389
2008-2005			K150277	2 F389
Sway Bar Bushing				
2018	4 Cyl, (Split Design For Easier Installation) V6 Cyl, (Split Design For Easier Installation)		K200347 ‡ K200347 ‡	1 1 F389 F389
2017-2005	(Split Design For Easier Installation)	To Frame	K200347 ‡	1 F389
Sway Bar Link				
2018	4 Cyl, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) 4 Cyl, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) V6 Cyl, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation) V6 Cyl, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right Left Right	K80470 ‡ K80471 ‡ K80470 ‡ K80471 ‡	1 1 1 1 F389 F389 F389 F389
2017-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K80470 ‡ K80471 ‡	1 1 F389 F389
Wheel Hub & Bearing Assembly				
2018-2005	Four Wheel Drive (4X4) Two Wheel Drive (4X2)		515065 515064	2 2



S397

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer Right Outer Inner	ES800048 ‡ ES800108 ‡ EV800106	1 1 2 S397 S397 S397

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2018	4 Cyl V6 Cyl	541011 541011	2 2	
2017-2014	4 Cyl, Automatic Transmission V6 Cyl, Automatic Transmission	541011 541011	2 2	
2013	3954cc(4.0L), Except Off Road Package	541011	2	
2013-2012	2488cc(2.5L)	541011	2	
2011-2005	Automatic Transmission	541011	2	

Kicks-NISSAN TRUCK

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800966 ‡ ES800965 ‡	1 1

Murano-NISSAN TRUCK


FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2007-2003	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500129 ‡	2
Control Arm with Ball Joint				
2014-2009	(R-Series) (R-Series)	Left Lower Right Lower	RK622158 RK622157	1 1
2007-2003	(R-Series) (R-Series)	Left Lower Right Lower	RK620558 RK620559	1 1
Strut and Spring Assembly				
2007-2003		Left Right	ST8671L ST8671R	1 1
Strut Bumper Bellows				
2017-2009	(Contains Bumper)		K90461	2
2007-2003	(Contains Bumper)		K90463	2
Strut Mount				
2017-2015	(Contains Bearing)		K160422	2

NISSAN TRUCK-Murano (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Strut Mount				
2014	Sport Utility Vehicle (4 Dr.), (Contains Bearing)	K160421	2	
2007-2003	(Contains Bearing)	K90655	2	
Strut Spring Seat				
2007-2003	(Reduces Noise)	Lower K160244 ‡	2	
Sway Bar Bushing				
2016-2009		Stabilizer To Frame K201507	1	
2007-2003		To Frame K90600	1	
Sway Bar Link				
2018-2015	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left K750282 ‡ Right K750283 ‡	1 1	
2007-2003	(MOOG Engineered Steel Composition Enhances Strength) (MOOG Engineered Steel Composition Enhances Strength)	Left K80255 ‡ Right K80256 ‡	1 1	
Wheel Hub & Bearing Assembly				
2018-2017		513296	2	
2016-2015	(32 Tooth Spline)	513296	2	
2014	From 5/13	513338	2	
2013		513338	2	
2012-2009		513296	2	
2007-2003		513310	2	

STEERING



S352




S353

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2014-2011		Left K150317	1	S352
2014-2009		Right K150282	1	S352
2007-2005		Right K150282	1	S353


STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2014-2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800639 ‡	2 S352
2012-2011	Front Wheel Drive, (Design Allows Ease Of Installation) Front Wheel Drive, (Design Allows Ease Of Installation)	Left Outer	ES800357 ‡	1 S352
		Right Outer	ES800358 ‡	1 S352
2012-2009	All Wheel Drive, (Design Allows Ease Of Installation) All Wheel Drive, (Design Allows Ease Of Installation)	Left Outer	ES800512 ‡	1 S352
		Right Outer	ES800511 ‡	1 S352
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer	ES800046 ‡	2 S353
		Inner	EV800047 ‡	2 S353

REAR SUSPENSION



R108



R136


Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2007-2003		Lower Rear Outer	K200965	2 R108
Control Arm with Ball Joint				
2014-2009	(R-Series) (R-Series)	Left Upper	RK621719	1 R136
		Right Upper	RK621720	1 R136
2007-2003	(R-Series) (R-Series)	Left Upper	RK621719	1 R108
		Right Upper	RK621720	1 R108
Strut Bumper Bellows				
2017-2009	(Design Allows Ease Of Installation)		K160285 ‡	2 R136
2007-2003	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 R108
Strut Mount				
2017-2009			K160347	2 R136
Strut Mounting Kit				
2007-2003			K80918	2 R108

NISSAN TRUCK–Murano (Cont.)

REAR SUSPENSION (Cont.)					
Year	Model/Application		Part	P/C Qty	Figure
Sway Bar Bushing					
2014-2009	All Wheel Drive Front Wheel Drive	To Frame To Frame	K201387 K201427	1 1	R136 R136
2007-2003	(Split Design For Easier Installation)	To Frame	K200207 ‡	1	R108
Sway Bar Link					
2018-2015	(Design Allows Ease Of Installation)	Left	K750699 ‡	1	R136
	(Design Allows Ease Of Installation)	Right	K750698 ‡	1	R136
2014-2009	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750285 ‡	1	R136
	All Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750284 ‡	1	R136
	Front Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750256 ‡	1	R136
	Front Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750255 ‡	1	R136
2007-2003	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80465 ‡	1	R108
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K80466 ‡	1	R108
Trailing Link					
2014-2009	(R-Series)		RK642893	2	R136
Wheel Hub & Bearing Assembly					
2018-2015	All Wheel Drive		512548	2	
2016-2015	Front Wheel Drive		512388	2	
2014-2009	All Wheel Drive Front Wheel Drive		512408 512407	2 2	
2007-2003	All Wheel Drive Front Wheel Drive		512363 512423	2 2	

NISSAN TRUCK–NV200

FRONT SUSPENSION					
Year	Model/Application		Part	P/C Qty	Figure
Ball Joint					
2018-2013	(Design Allows Ease Of Installation)	Lower	K500223 ‡	2	
Control Arm					
2018-2013	(Vertical Assist Link, R-Series)	Left Upper	RK641724	1	
	(Vertical Assist Link, R-Series)	Right Upper	RK641723	1	
Control Arm with Ball Joint					
2018-2012	(R-Series)	Left Lower	RK622160	1	
	(R-Series)	Right Lower	RK622159	1	
Strut Bumper Bellows					
2017-2013	(Original Equipment Type)		K201538	2	
	(Replacement Type, Contains Bumper)		K90464	2	
Strut Mount					
2017-2013	(Contains Bearing)	Left	K160430	1	
	(Contains Bearing)	Right	K160429	1	
Sway Bar Bushing					
2018-2012	(Split Design For Easier Installation)	To Frame	K200872 ‡	1	
Sway Bar Link					
2018-2015	(Greaseable Socket Reduces Corrosion/Wear)		K750746 ‡	2	
2017-2012	(Design Allows Ease Of Installation)		K750719 ‡	2	
Wheel Hub & Bearing Assembly					
2018-2017			513364	2	
2016	32 Spline Shaft		513364	2	
2015-2012			513364	2	

STEERING					
					
S386					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2018-2012	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800966 ‡ ES800965 ‡ EV800951 ‡	1 1 2	S386 S386 S386
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Wheel Hub & Bearing Assembly					
2015-2013		512533	2		

NV1500-NISSAN TRUCK

FRONT SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Bushing					
2018-2012	(Split Design For Easier Installation)	To Frame	K200844 ‡	1	
Wheel Hub & Bearing Assembly					
2018-2012		515137	2		
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Link					
2018-2012	(Improves Upon OE Design)		K750661 ‡	2	

NV2500-NISSAN TRUCK

FRONT SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Bushing					
2018-2012	(Split Design For Easier Installation)	To Frame	K200844 ‡	1	
Wheel Hub & Bearing Assembly					
2016-2012		515137	2		
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Link					
2018-2012	(Improves Upon OE Design)		K750661 ‡	2	


NISSAN TRUCK-NV3500

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2018	(Split Design For Easier Installation)	K200844 ‡	2	
2018-2012	(Split Design For Easier Installation) To Frame	K200844 ‡	1	
Wheel Hub & Bearing Assembly				
2018-2012		515137	2	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018-2012	(Improves Upon OE Design)	K750661 ‡	2	

NISSAN TRUCK-Pathfinder

FRONT SUSPENSION




F389

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2012-2005	(Powdered Metal Gusher Brg. For Better Lubrication) Upper	K80660 ‡	2	F389
	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed) Lower	K80647 ‡	2	F389
Control Arm Bushing				
2012-2005	(Design Allows Ease Of Installation) Upper	K200852 ‡	2	F389
	(Design Allows Ease Of Installation) Lower	K200851 ‡	2	F389
Control Arm with Ball Joint				
2012-2005	(R-Series) Left Upper	RK621245	1	F389
	(R-Series) Right Upper	RK621246	1	F389
	(R-Series) Left Lower	RK620372	1	F389
	(R-Series) Right Lower	RK620371	1	F389
Shock Hardware Kit				
2012-2005	(Contains Upper Spring Seat)	K160444	2	F389
Strut and Spring Assembly				
2012-2005		ST8615	2	F389
Strut Bumper Bellows				
2018-2013	(Contains Bumper)	K90461	2	
2012-2005	Except Off Road Package	K150277	2	F389
Strut Mount				
2018-2013	(Contains Bearing)	K160422	2	
Sway Bar Bushing				
2018-2013		To Frame K201304	1	
2012-2005	(Split Design For Easier Installation) To Frame	K200347 ‡	1	F389
Sway Bar Link				
2018-2013	(Powdered Metal Gusher Brg. For Better Lubrication) Left	K750282 ‡	1	
	(Powdered Metal Gusher Brg. For Better Lubrication) Right	K750283 ‡	1	

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Link					
2012-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80470 ‡	1	F389
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K80471 ‡	1	F389
Wheel Hub & Bearing Assembly					
2017-2016			513296	2	
2015-2013	(32 Tooth Spline)		513296	2	
2012-2005	Four Wheel Drive (4X4)		515065	2	
	Two Wheel Drive (4x2)		515064	2	

STEERING



S397

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2018-2013		Inner	EV801209 ‡	2	
2012-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800048 ‡	1	S397
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800108 ‡	1	S397
		Inner	EV800106	2	S397


REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2012-2005	(R-Series)	Left Front Lower	RK642561	1	
	(R-Series)	Right Front Lower	RK642559	1	
Strut Bumper Bellows					
2018-2013	(Design Allows Ease Of Installation)		K160285 ‡	2	
Strut Mount					
2018-2013			K160347	2	
Sway Bar Bushing					
2012-2005	(Split Design For Easier Installation)	To Frame	K200749 ‡	1	
Sway Bar Link					
2018-2013	(Design Allows Ease Of Installation)	Left	K750699 ‡	1	
	(Design Allows Ease Of Installation)	Right	K750698 ‡	1	
2012-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750037 ‡	1	
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750038 ‡	1	
Wheel Hub & Bearing Assembly					
2018-2013	Four Wheel Drive (4X4)		512548	2	
2016-2013	Front Wheel Drive		512388	2	
2012-2005			541003	2	

NISSAN TRUCK-Qashqai


FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2018-2017	To Frame	K201298	1	
Wheel Hub & Bearing Assembly				
2018-2017		513357	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2017	Left Outer	ES801221	1	
	Right Outer	ES801220	1	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2018-2017	(R-Series)	Left Upper	RK642011	1
	(R-Series)	Lower	RK642107	2
Sway Bar Bushing				
2018-2017	To Frame	K201418	1	
Sway Bar Link				
2018-2017	(Durable, All Metal Construction For Longer Life)	Left	K750353 ‡	1
	(Durable, All Metal Construction For Longer Life)	Right	K750354 ‡	1
Wheel Hub & Bearing Assembly				
2018-2017	Front Wheel Drive	512534	2	

NISSAN TRUCK-Quest

FRONT SUSPENSION				
				
F377				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009-2004	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500129 ‡	2 F377
Control Arm with Ball Joint				
2009-2004	(Design Allows Ease Of Installation)	Left Lower	CK620560 ‡	1 F377
	(R-Series)	Left Lower	RK620560	1 F377
	(Design Allows Ease Of Installation)	Right Lower	CK620561 ‡	1 F377
	(R-Series)	Right Lower	RK620561	1 F377
Strut Bumper Bellows				
2017-2011	(Contains Bumper)		K90461	2
2009-2004	(Replacement Type, Contains Bumper)		K90460	2 F377
Strut Mount				
2017-2014	(Contains Bearing)		K160421	2
2009-2004	(Contains Bearing)		K90655	2 F377

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Spring Seat				
2009-2004	(Reduces Noise)	Lower	K160244 ‡	2 F377
Sway Bar Bushing				
2012-2011		Stabilizer To Frame	K201507	1
2009-2004		To Frame	K201466	1 F377
Sway Bar Link				
2009-2004	(MOOG Engineered Steel Composition Enhances Strength)	Left	K80255 ‡	1 F377
	(MOOG Engineered Steel Composition Enhances Strength)	Right	K80256 ‡	1 F377
Wheel Hub & Bearing Assembly				
2017-2011			513338	2
2009-2004			513310	2


STEERING



S396

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2007			K150318	2 S396
Tie Rod End				
2017-2011		Inner	EV801340	2
2016-2011		Left Outer	ES801267	1
		Right Outer	ES801268	1
2009-2004	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer	ES800404 ‡	2 S396
		Inner	EV800227 ‡	2 S396

REAR SUSPENSION



R108

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2016-2015		Lower Front Outer	K200966	2


NISSAN TRUCK-Quest (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2014-2011	3.5S, 3.5SL, 3.5SV	Lower Front Outer	K200966	2
2009-2004		Lower Front Outer	K200966	2
		Lower Rear Outer	K200965	2
Control Arm with Ball Joint				
2009-2004	(R-Series)	Left Upper	RK621721	1
	(R-Series)	Right Upper	RK621722	1
Strut Bumper Bellows				
2017-2011	(Design Allows Ease Of Installation)		K160285 ‡	2
2009-2004	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2
Strut Mount				
2017-2011			K160347	2
Strut Mounting Kit				
2009-2004			K80918	2
Sway Bar Bushing				
2009-2006	(Split Design For Easier Installation)	To Frame	K200747 ‡	1
Sway Bar Link				
2009-2004	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80257 ‡	2
Trailing Link				
2017-2011	(R-Series)		RK642893	2
Wheel Hub & Bearing Assembly				
2017-2011			512407	2
2009-2004	(Improved Design)		512292	2

NISSAN TRUCK-Rogue

FRONT SUSPENSION




F534

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2014	Third Row Seating, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500129 ‡	2
Control Arm Bushing				
2017-2014	Except Third Row Seating, (Durable Socket Design Eases Installation, With Heim Joint)	Lower Rear	K201633 ‡	2
	Except Third Row Seating, (Without Heim Joint)	Lower Rear	K201700	2
	Third Row Seating	Lower Front	K201701	2
Control Arm with Ball Joint				
2013-2008	(R-Series)	Left Lower	RK621452	1
	(R-Series)	Right Lower	RK621453	1
Strut Bumper Bellows				
2013-2008	(Contains Bumper)		K90461	2
Strut Mount				
2012-2008	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	Left	K160235 ‡	1
	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)	Right	K160236 ‡	1


FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2013-2008		To Frame	K201298	1 F534
Sway Bar Link				
2017-2014	(Greaseable Socket Reduces Corrosion/Wear)	Left	K750784 ‡	1 F534
	(Greaseable Socket Reduces Corrosion/Wear)	Right	K750783 ‡	1 F534
Wheel Hub & Bearing Assembly				
2017-2014			513357	2
2013-2008			513298	2

STEERING



Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2013-2008			K150322	2 S394
Tie Rod End				
2017-2014		Left Outer	ES801221	1
		Right Outer	ES801220	1
2013-2008	(Design Allows Ease Of Installation)	Left Outer	ES800583 ‡	1 S394
	(Design Allows Ease Of Installation)	Right Outer	ES800582 ‡	1 S394
	(Design Allows Ease Of Installation)	Inner	EV800550 ‡	2 S394

REAR SUSPENSION



Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2008	(R-Series)	Left Upper	RK642011	1 R165
	(R-Series)	Right Upper	RK642010	1 R165
	(R-Series)	Lower	RK642107	2 R165
Sway Bar Bushing				
2013-2008		To Frame	K201418	1 R165


NISSAN TRUCK-Rogue (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2017-2008	(Durable, All Metal Construction For Longer Life)	Left	K750353 ‡	1 R165
	(Durable, All Metal Construction For Longer Life)	Right	K750354 ‡	1 R165
Wheel Hub & Bearing Assembly				
2017-2014	All Wheel Drive		512535	2
2016-2014	Front Wheel Drive		512534	2
2013-2008	All Wheel Drive		512373	2
	Front Wheel Drive		512398	2

NISSAN TRUCK-Rogue Select


FRONT SUSPENSION



F534

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2015-2014	(R-Series)	Left Lower	RK621452	1 F534
	(R-Series)	Right Lower	RK621453	1 F534
Strut Bumper Bellows				
2015-2014	(Contains Bumper)		K90461	2 F534
Sway Bar Bushing				
2015-2014		To Frame	K201298	1 F534
Wheel Hub & Bearing Assembly				
2015-2014			513298	2

STEERING



S394

(Cont.) Rogue Select-NISSAN TRUCK


STEERING (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2015-2014		K150322	2	S394	
Tie Rod End					
2015-2014	(Design Allows Ease Of Installation)	Left Outer	ES800583 ‡	1	S394
	(Design Allows Ease Of Installation)	Right Outer	ES800582 ‡	1	S394
	(Design Allows Ease Of Installation)	Inner	EV800550 ‡	2	S394
REAR SUSPENSION					
R165					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2015-2014	(R-Series)	Left Upper	RK642011	1	R165
	(R-Series)	Right Upper	RK642010	1	R165
	(R-Series)	Lower	RK642107	2	R165
Sway Bar Bushing					
2015-2014		To Frame	K201418	1	R165
Sway Bar Link					
2015-2014	(Durable, All Metal Construction For Longer Life)	Left	K750353 ‡	1	R165
	(Durable, All Metal Construction For Longer Life)	Right	K750354 ‡	1	R165
Wheel Hub & Bearing Assembly					
2015-2014	All Wheel Drive		512535	2	
	Front Wheel Drive		512398	2	

Rogue Sport-NISSAN TRUCK

FRONT SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Bushing					
2018-2017		To Frame	K201298	1	
Wheel Hub & Bearing Assembly					
2018-2017			513357	2	
STEERING					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2018-2017		Left Outer	ES801221	1	
		Right Outer	ES801220	1	

NISSAN TRUCK-Rogue Sport (Cont.)

REAR SUSPENSION




R165

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2018-2017	(R-Series)	Left Upper	RK642011	1	R165
	(R-Series)	Lower	RK642107	2	R165
Sway Bar Bushing					
2018-2017		To Frame	K201418	1	
Sway Bar Link					
2018-2017	(Durable, All Metal Construction For Longer Life)	Left	K750353 ‡	1	
	(Durable, All Metal Construction For Longer Life)	Right	K750354 ‡	1	
Wheel Hub & Bearing Assembly					
2018-2017	Front Wheel Drive		512534	2	

NISSAN TRUCK-Titan

FRONT SUSPENSION



F376

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2017	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K80994 ‡	2	F376
2015-2004	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K80994 ‡	2	F376
	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K80647 ‡	2	F376
Control Arm Bushing					
2017	(Design Allows Ease Of Installation)	Upper	K200852 ‡	2	F376
2015-2004	(Design Allows Ease Of Installation)	Upper	K200852 ‡	2	F376
	(Design Allows Ease Of Installation)	Lower	K200851 ‡	1	F376

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2017	(R-Series) (R-Series)	Left Upper Right Upper	RK620650 RK620649	1 1	F376 F376
2015-2004	(R-Series) (R-Series) (R-Series) (R-Series)	Left Upper Right Upper Left Lower Right Lower	RK620650 RK620649 RK620512 RK620511	1 1 1 1	F376 F376 F376 F376
Strut and Spring Assembly					
2015-2011	S, SL, SV, Four Wheel Drive (4X4)		ST8605	2	F376
2010-2008	LE, SE, XE, Four Wheel Drive (4X4)		ST8605	2	F376
2007-2004	Four Wheel Drive (4X4)		ST8605	2	F376
Strut Bumper Bellows					
2015-2004			K201423	2	F376
Strut Mount					
2015-2004	(Contains Spring Seat)		K160344	2	F376
Sway Bar Bushing					
2018	(Split Design For Easier Installation)		K200347 ‡	1	
2017	(Split Design For Easier Installation)	To Frame	K200347 ‡	1	F376
2015-2004	(Split Design For Easier Installation)	To Frame	K200347 ‡	1	F376
Sway Bar Link					
2015-2004	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750146 ‡	2	F376
Wheel Hub & Bearing Assembly					
2015	Four Wheel Drive (4X4), To 11/14 Two Wheel Drive (4x2), To 11/14		515155 515156	2 2	
2014-2013	Four Wheel Drive (4X4) Two Wheel Drive (4x2)		515155 515156	2 2	
2012	Thru 12/11, (Improved Design) Four Wheel Drive (4X4), From 12/11 Two Wheel Drive (4x2), From 12/11		515125 515155 515156	2 2 2	
2011-2008	(Improved Design)		515125	2	
2007-2004			515066	2	
STEERING					
S397					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2015-2004	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer Right Outer Inner	ES800031 ‡ ES800032 ‡ EV800216 ‡	1 1 2	S397 S397 S397


NISSAN TRUCK-Titan XD

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2018-2016	Four Wheel Drive (4X4) Two Wheel Drive (4x2)	515171 515172	2 2	


NISSAN TRUCK-Xterra

FRONT SUSPENSION



F389

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2015-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper Lower	K80660 ‡ K80647 ‡	2 2	F389 F389
Control Arm Bushing					
2015-2005	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Upper Lower	K200852 ‡ K200851 ‡	2 1	F389 F389
Control Arm with Ball Joint					
2015-2005	(R-Series) (R-Series) (R-Series) (R-Series)	Left Upper Right Upper Left Lower Right Lower	RK621245 RK621246 RK620372 RK620371	1 1 1 1	F389 F389 F389 F389
Shock Hardware Kit					
2015-2005	(Contains Upper Spring Seat)		K160444	2	F389
Strut and Spring Assembly					
2015-2011	S, X		ST8615	2	F389
2010-2006	S, SE, X		ST8615	2	F389
2005	S, SE		ST8615	2	F389
Strut Bumper Bellows					
2015-2013			K150277	2	F389
2012-2005	Except Off Road Package		K150277	2	F389
Sway Bar Bushing					
2015-2005	(Split Design For Easier Installation)	To Frame	K200347 ‡	1	F389
Sway Bar Link					
2015-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K80470 ‡ K80471 ‡	1 1	F389 F389
Wheel Hub & Bearing Assembly					
2015-2005	Four Wheel Drive (4X4) Two Wheel Drive (4x2)		515065 515064	2 2	



Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2015-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer Right Outer Inner	ES800048 ‡ ES800108 ‡ EV800106	1 1 2 S397 S397 S397

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2015-2005		To Frame	K200975	1
Sway Bar Repair Kit				
2015-2005			K750075	2
Wheel Hub & Bearing Assembly				
2015	Two Wheel Drive (4x2)		541011	2
2013-2005	Automatic Transmission		541011	2

X-Trail-NISSAN TRUCK**FRONT SUSPENSION**

Year	Model/Application	Part	P/C Qty	Figure
Strut Mount				
2007-2004	(Contains Bearing)		K90655	2
Sway Bar Link				
2008-2004	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Right	K750228 ‡ K750227 ‡	1 1

STEERING

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2008-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3466 ‡	2

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2008-2005	(R-Series) (R-Series) (R-Series)	Lower Rear Left Front Lower Right Front Lower	RK642052 RK641727 RK641728	2 1 1
Sway Bar Link				
2008-2004	(Greaseable Socket Reduces Corrosion/Wear)		K750386 ‡	2
Trailing Link				
2008-2005	(R-Series)		RK642214	2


PETERBILT-330

STEERING

Year	Model/Application	Part	P/C Qty	Figure
Drag Link Assembly				
2010-2005	14.21" Center To Center 31.69" Center To Center	DS1179 DS1180	1 1	

PONTIAC TRUCK-Montana SV6

FRONT SUSPENSION




F098

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009-2007	(Bolt On Type, Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K5331 ‡	2 F098
Control Arm Bushing				
2009-2007	(Horizontal Mount, 2 Piece Bushing Design Allows Easier Installation) (One Piece Bushing, Horizontal Mount) (Vertical Mount)	Lower Rear Lower Rear Lower Front	K80778 ‡ K6715 K6712	2 F098 2 F098 2 F098
Control Arm with Ball Joint				
2009-2007	Front Wheel Drive, (With Sway Bar Mounting Tab, R-Series)	Left Lower	RK621351	1 F098
	Front Wheel Drive, (Without Sway Bar Mounting Tab, R-Series, Actual Product May Contain Mounting Tab (Will Fit And Function Properly With Or Without Tab))	Left Lower	RK621943	1 F098
	Front Wheel Drive, (With Sway Bar Mounting Tab, R-Series)	Right Lower	RK621352	1 F098
	Front Wheel Drive, (Without Sway Bar Mounting Tab, R-Series, Actual Product May Contain Mounting Tab (Will Fit And Function Properly With Or Without Tab))	Right Lower	RK621944	1 F098
Strut and Spring Assembly				
2009-2007			ST8631	2 F098
Strut Bumper Bellows				
2009-2007	(Contains Bumper) (Contains Retainer)		K90463 K201271	2 F098 2 F098
Strut Mount				
2009-2007	(Contains Bearing)		K6521	2 F098
Strut Mounting Kit				
2009-2007	(Super Kit Contains Bearing And OE Style Bumper / Bellow)		K160391	2 F098
Strut Spring Seat				
2009-2007	(Contains Insulator And Retainer) (Spring Seat Only) (Insulator Only)	Upper Upper Lower	K80926 K80923 K5349	2 F098 2 F098 2 F098
Sway Bar Bushing				
2009-2008	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201610 ‡	1 F098
	(Standard Design)	To Frame	K80812	1 F098
2007	.80" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201610 ‡	1 F098
	.80" Sway Bar Diameter, (Standard Design)	To Frame	K80812	1 F098
	1.18" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201609 ‡	1 F098
	1.18" Sway Bar Diameter, (Standard Design)	To Frame	K80813	1 F098
	1.26" Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K80814 ‡	1 F098

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2007 (Cont.)	1.34" Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201608 ‡	1	F098
	1.34" Sway Bar Diameter, (Standard Design)	To Frame K80815	1	F098
Sway Bar Link				
2009	(Powdered Metal Gusher Brg. For Better Lubrication)	K80852 ‡	2	F098
2008-2007	Front Wheel Drive, (Powdered Metal Gusher Brg. For Better Lubrication)	K80852 ‡	2	F098
Wheel Hub & Bearing Assembly				
2009-2007		513236	2	


STEERING



S069

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer ES3455 ‡	2	S069
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner EV260 ‡	2	S069

REAR SUSPENSION




R071

Year	Model/Application	Part	P/C Qty	Figure
Strut Spring Seat				
2009-2007	Front Wheel Drive, (Reduces Noise)	K160113 ‡	4	R071
Track Bar				
2009-2007	(R-Series)	RK661214	1	R071
Wheel Hub & Bearing Assembly				
2009-2007	(3 Hole Triangular Flange)	513197	2	
	(4 Hole Rectangular Flange)	512309	2	

PONTIAC TRUCK-Torrent


FRONT SUSPENSION



F424

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009-2007	(Bolt On Type, Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K5331 ‡	2 F424
Control Arm Bushing				
2009-2008	207(3.4L), (High Quality Elastomer For Durability And Performance)	Lower Front	K200783 ‡	2 F424
	217(3.6L)	Lower Front	K201698	2 F424
2009-2007	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200784 ‡	2 F424
2007	(High Quality Elastomer For Durability And Performance)	Lower Front	K200783 ‡	2 F424
Control Arm with Ball Joint				
2009-2008	207(3.4L), (Contains Bushings, R-Series)	Left Lower	RK621129	1 F424
	207(3.4L), (Contains Bushings, R-Series)	Right Lower	RK621136	1 F424
2007	(Contains Bushings, R-Series)	Left Lower	RK621129	1 F424
	(Contains Bushings, R-Series)	Right Lower	RK621136	1 F424
Strut Bumper Bellows				
2009-2007	(Contains Bumper)		K90461	2 F424
Strut Mount				
2009-2007	(Contains Bearing, Contains Upper Spring Seat)		K160333	2 F424
Strut Spring Seat				
2009-2007	(Insulator Only)	Lower	K160355	2 F424
Sway Bar Bushing				
2009-2007	(Reduces Noise)	To Frame	K200333 ‡	1 F424
Sway Bar Link				
2009-2008	207(3.4L), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80461 ‡	1 F424
	207(3.4L), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K80460 ‡	1 F424
	217(3.6L), (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750188 ‡	1 F424
	217(3.6L), (Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750189 ‡	1 F424
2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80461 ‡	1 F424
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K80460 ‡	1 F424
Wheel Hub & Bearing Assembly				
2009-2007			513276	2


STEERING



S143

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2009-2008	207(3.4L), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80443 ‡	2 S143
	217(3.6L), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800330 ‡	2 S143
2009-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800030 ‡	2 S143
2007-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV80781 ‡	2 S143

REAR SUSPENSION



R041

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2009-2007	(R-Series)	Upper	RK642154	2 R041
	(Arm Only, R-Series)	Left Rear Lower	RK641647	1 R041
	(Arm Only, R-Series)	Right Rear Lower	RK641648	1 R041
2008-2007	(R-Series)	Lower Front	RK642089	2 R041
Control Arm Bushing				
2009-2006		Lower Rear Inner	K201278	2 R041
Knuckle Bushing				
2009-2007		Upper	K201282	1 R041
		Lower Rear	K201283	2 R041
Strut Spring Seat				
2009-2007	(Reduces Noise)	Lower	K160073 ‡	2 R041
Sway Bar Bushing				
2009-2008	207(3.4L), (Reduces Noise)	To Frame	K200335 ‡	1 R041
	217(3.6L), (Reduces Noise)	To Frame	K200337 ‡	1 R041
2007	(Reduces Noise)	To Frame	K200335 ‡	1 R041
Sway Bar Link				
2009-2008	207(3.4L), (Powdered Metal Gusher Brg. For Better Lubrication)		K750200 ‡	2 R041


PONTIAC TRUCK–Torrent (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Link					
2009-2008 (Cont.)	207(3.4L), FE3 Sport Suspension, (Link And Bushing Kit, Greaseable Socket Reduces Corrosion/Wear)	K750427 ‡	2	R041	
	217(3.6L), FE3 Sport Suspension, (Link And Bushing Kit, Greaseable Socket Reduces Corrosion/Wear)	K750427 ‡	2	R041	
2007	(Powdered Metal Gusher Brg. For Better Lubrication)	K750200 ‡	2	R041	
Trailing Link					
2009-2007		Left Right	RK643069 RK643070	1 1	R041 R041
Trailing Link Bushing					
2009-2007			K201302	2	R041
Wheel Hub & Bearing Assembly					
2009-2007			512358	2	

PORSCHE TRUCK–Cayenne

FRONT SUSPENSION



F470

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2014-2013	Base Model, Diesel, S, S Hybrid, Turbo, (R-Series)	Left Lower	RK620456	1	
	Base Model, Diesel, S, S Hybrid, Turbo, (R-Series)	Right Lower	RK620457	1	
2012-2011	(R-Series)	Left Lower	RK620456	1	
	(R-Series)	Right Lower	RK620457	1	
2010-2008	(R-Series)	Upper	RK620622	2	F470
2008	(R-Series)	Left Lower	RK620147	1	F470
	(R-Series)	Right Lower	RK620153	1	F470
Sway Bar Bushing					
2018-2011	Except Active Sway Bar, 36.8mm Sway Bar Diameter	To Frame	K201442	1	
2010-2008	Except Active Sway Bar, 36.8mm Sway Bar Diameter	To Frame	K201442	1	F470
Sway Bar Link					
2018-2013	Except Active Sway Bar, (Durable, All Metal Construction For Longer Life)		K750378 ‡	2	
2018-2011	Active Sway Bar, (Durable, All Metal Construction For Longer Life)		K750360 ‡	2	
2012-2011	Except Electronic Suspension, (Durable, All Metal Construction For Longer Life)		K750378 ‡	2	
2010	Except Electronic Suspension, (Durable, All Metal Construction For Longer Life)		K750378 ‡	2	F470
2010-2008	Active Sway Bar, (Durable, All Metal Construction For Longer Life)		K750360 ‡	2	F470
2009-2008	Except Active Suspension, (Durable, All Metal Construction For Longer Life)		K750378 ‡	2	F470
Wheel Hub & Bearing Assembly					
2017-2011			513340	2	

STEERING				
S416				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod Assembly				
2018-2008	(Contains Inner And Outer Ends)	Left	ES800657A ‡	1 S416
	(Contains Inner And Outer Ends)	Right	ES800658A ‡	1 S416
Tie Rod End				
2018-2008	(Design Allows Ease Of Installation)	Left Outer	ES800655 ‡	1 S416
	(Design Allows Ease Of Installation)	Right Outer	ES800656 ‡	1 S416
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2018-2008	(R-Series)	Left Rear Upper	RK642461	1
	(R-Series)	Right Rear Upper	RK642462	1
2010-2008	(R-Series)	Left Lower	RK642459	1
	(R-Series)	Right Lower	RK642460	1
Sway Bar Bushing				
2009-2008	Except Disconnecting Sway Bar, 24.7mm Sway Bar Diameter	To Frame	K201444	1
Sway Bar Link				
2018-2011		Left	K750777	1
		Right	K750778	1
2010	From VIN 9PALA60913	Left	K750777	1
	From VIN 9PALA60913	Right	K750778	1
	Thru VIN 9PALA60912, Except Porsche Dynamic Chassis Control (PDCC)	Left	K750777	1
	Thru VIN 9PALA60912, Except Porsche Dynamic Chassis Control (PDCC)	Right	K750778	1
	Thru VIN 9PALA60912, Porsche Dynamic Chassis Control (PDCC), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80484 ‡	1
	Thru VIN 9PALA60912, Porsche Dynamic Chassis Control (PDCC), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K80485 ‡	1
2009-2008	Except Porsche Dynamic Chassis Control (PDCC)	Left	K750777	1
	Except Porsche Dynamic Chassis Control (PDCC)	Right	K750778	1
	Porsche Dynamic Chassis Control (PDCC), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80484 ‡	1
	Porsche Dynamic Chassis Control (PDCC), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K80485 ‡	1
Wheel Hub & Bearing Assembly				
2017-2011			513340	2

Macan-PORSCHE TRUCK

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2018-2015	(R-Series)	Left Front Lower	RK641964	1
	(R-Series)	Right Front Lower	RK641965	1
Control Arm with Ball Joint				
2018-2015	(R-Series)	Left Front Upper	RK621125	1
	(R-Series)	Left Rear Upper	RK621123	1
	(R-Series)	Right Front Upper	RK621126	1

PORSCHE TRUCK-Macan (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2018-2015 (Cont.)	(R-Series) Right Rear Upper	RK621124	1	
Strut Mount				
2017-2015	Except Active Suspension, (Bearing Not Included, Contains Washer)	K160365	2	
Sway Bar Bushing				
2018-2017	4 Cyl To Frame	K201343	1	
Sway Bar Link				
2018-2015	(Durable, All Metal Construction For Longer Life)	K750359 ‡	2	
Wheel Bearing Assembly				
2018-2015		512574	2	

STEERING


Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018-2015	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800670 ‡ ES800671 ‡ EV801035	1 1 2

REAR SUSPENSION


Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2018-2015	(R-Series) (R-Series)	Left Upper Right Upper	RK642745 RK642746	1 1
Shock Mount				
2017-2015	Except Active Suspension	K160284	2	
Sway Bar Link				
2018-2015		K700804	2	
Wheel Bearing Assembly				
2018-2015		512574	2	

RAM TRUCK-1500


FRONT SUSPENSION




FRONT SUSPENSION (Cont.)



F338



F339



F600

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2018-2017	Plus Or Minus 2-1/4 Degree Camber And/Or Caster, (Adjustable)	Upper	K100316	2	F338, F339, F600
2018-2013	Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear) Four Wheel Drive (4X4), (Press In Type, Design Allows Ease Of Installation) Two Wheel Drive (4x2), Air Suspension, (Press In Type, Design Allows Ease Of Installation)	Upper	K100115 ‡	2	F338, F339, F600
		Lower	K500286 ‡	2	F339, F600
		Lower	K500286 ‡	2	F600

RAM TRUCK-1500 (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2016-2013	Plus Or Minus 2-1/4 Degree Camber And/Or Caster, (Adjustable)	Upper	K100316	2 F338, F339, F600
2012	5 Lug Wheels, Plus Or Minus 2-1/4 Degree Camber And/Or Caster, (Adjustable)	Upper	K100316	2 F338, F339
	5 Lug Wheels, Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Upper	K100115 ‡	2 F338, F339
	Two Wheel Drive (4x2), 5 Lug Wheels, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K7411 ‡	2 F338
2012-2011	Four Wheel Drive (4X4), (Press In Type, Design Allows Ease Of Installation)	Lower	K500286 ‡	2 F339
2011	Plus Or Minus 2-1/4 Degree Camber And/Or Caster, (Adjustable)	Upper	K100316	2 F338, F339
	Plus Or Minus 3 Degrees Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Upper	K100115 ‡	2 F338, F339
	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K7411 ‡	2 F338
Control Arm Bushing				
2018-2017	Four Wheel Drive (4X4), (Split Design For Easier Installation)	At Shock	K200688 ‡	2 F339, F600
2018-2014	Two Wheel Drive (4x2), Air Suspension, (Split Design For Easier Installation)	At Shock	K200688 ‡	2 F600
2015-2013	Four Wheel Drive (4X4), (Split Design For Easier Installation)	At Shock	K200688 ‡	2 F339, F600
2013	Four Wheel Drive (4X4), (High Quality Elastomer For Durability And Performance)	Lower Rear	K200184 ‡	2 F339, F600
	Four Wheel Drive (4X4), (High Quality Elastomer For Durability And Performance)	Lower Front	K200185 ‡	2 F339, F600
2012	8 Lug Wheels, (Contains Front And Rear Bushings)	Upper	K200115 ‡	2 F335
	Two Wheel Drive (4x2), 8 Lug Wheels, (High Quality Elastomer For Durability And Performance)	Lower	K200114 ‡	2 F335
2012-2011	Four Wheel Drive (4X4), (High Quality Elastomer For Durability And Performance)	Lower Rear	K200184 ‡	2 F339
	Four Wheel Drive (4X4), (High Quality Elastomer For Durability And Performance)	Lower Front	K200185 ‡	2 F339
	Four Wheel Drive (4X4), (Split Design For Easier Installation)	At Shock	K200688 ‡	2 F339
Control Arm with Ball Joint				
2018-2015	Four Wheel Drive (4X4), (R-Series, Replaces Steel Or Aluminum Arm)	Left Lower	RK641504	1
	Four Wheel Drive (4X4), (R-Series, Replaces Steel Or Aluminum Arm)	Right Lower	RK621602	1
	Two Wheel Drive (4x2), Air Suspension, (R-Series, Replaces Steel Or Aluminum Arm)	Left Lower	RK641504	1
	Two Wheel Drive (4x2), Air Suspension, (R-Series, Replaces Steel Or Aluminum Arm)	Right Lower	RK621602	1
2018-2013	Front Coil Spring Suspension, (Forged Arm, R-Series)	Left Upper	RK620634	1 F338, F339, F600
	Front Coil Spring Suspension, (Forged Arm, R-Series)	Right Upper	RK621897	1 F338, F339, F600
	Two Wheel Drive (4x2), Front Coil Spring Suspension	Left Lower	RK623101	1 F338
	Two Wheel Drive (4x2), Front Coil Spring Suspension	Right Lower	RK623100	1 F338
2018-2011	Air Suspension, (Stamped Steel Arm)	Left Upper	RK643074	1 F338, F339, F600
2016-2013	Four Wheel Drive (4X4), (R-Series, Replaces Steel Or Aluminum Arm)	Left Lower	RK641504	1 F339, F600
	Four Wheel Drive (4X4), (R-Series, Replaces Steel Or Aluminum Arm)	Right Lower	RK621602	1 F339, F600
	Two Wheel Drive (4x2), Air Suspension, (R-Series, Replaces Steel Or Aluminum Arm)	Left Lower	RK641504	1 F600
	Two Wheel Drive (4x2), Air Suspension, (R-Series, Replaces Steel Or Aluminum Arm)	Right Lower	RK621602	1 F600
2014-2013	(Forged Arm, R-Series)	Left Upper	RK620634	1 F338, F339, F600
	(Forged Arm, R-Series)	Right Upper	RK621897	1 F338, F339, F600
2014-2011	(Stamped Steel Arm)	Left Upper	RK643074	1 F338, F339, F600
2012	8 Lug Wheels, (Contains Bushings, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	CK620181 ‡	2 F335
	8 Lug Wheels, (Contains Bushings, R-Series)	Upper	RK620181	2 F335
	Two Wheel Drive (4x2), 5 Lug Wheels, (R-Series)	Left Lower	RK621606	1 F338
	Two Wheel Drive (4x2), 5 Lug Wheels, (R-Series)	Right Lower	RK621605	1 F338
	Two Wheel Drive (4x2), 8 Lug Wheels, (R-Series)	Left Lower	RK621265	1 F335
	Two Wheel Drive (4x2), 8 Lug Wheels, (R-Series)	Right Lower	RK621264	1 F335
2012-2011	(Forged Arm, R-Series)	Left Upper	RK620634	1 F338, F339
	(Forged Arm, R-Series)	Right Upper	RK621897	1 F338, F339
	Four Wheel Drive (4X4), (R-Series, Replaces Steel Or Aluminum Arm)	Left Lower	RK641504	1 F339
	Four Wheel Drive (4X4), (R-Series, Replaces Steel Or Aluminum Arm)	Right Lower	RK621602	1 F339
2011	Two Wheel Drive (4x2), (R-Series)	Left Lower	RK621606	1 F338
	Two Wheel Drive (4x2), (R-Series)	Right Lower	RK621605	1 F338
Strut and Spring Assembly				
2015	Four Wheel Drive (4X4), (Strut, Spring & Top Mount)		ST8606	2 F339
2014-2011	Four Wheel Drive (4X4), Except Air Suspension, (Strut, Spring & Top Mount)		ST8606	2 F339
Strut Bumper Bellows				
2016-2013	Four Wheel Drive (4X4), Except Air Suspension		K201301	2 F339
2012-2011	Four Wheel Drive (4X4)		K201301	2 F339
Strut Bushing				
2016-2013	Four Wheel Drive (4X4)	Lower	K160326	2 F339, F600

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bushing				
2012-2011	Four Wheel Drive (4X4) Lower	K160326	2	F339
Strut Mount				
2016-2013	Four Wheel Drive (4X4), Except Air Suspension, (Contains Spring Seat And Insulator, Superior Rubber To Steel Bonding For Durability)	K160196 ‡	2	F339
2012-2011	Four Wheel Drive (4X4), (Contains Spring Seat And Insulator, Superior Rubber To Steel Bonding For Durability)	K160196 ‡	2	F339
Sway Bar Bushing				
2018-2013	Four Wheel Drive (4X4), 32mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201621 ‡	1	F339, F600
	Four Wheel Drive (4X4), 32mm Sway Bar Diameter, (Standard Design)	To Frame K7353	1	F339, F600
	Four Wheel Drive (4X4), 36.8mm Sway Bar Diameter	To Frame K7384	1	F339, F600
2012-2011	Four Wheel Drive (4X4), 32mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201621 ‡	1	F339
	Four Wheel Drive (4X4), 32mm Sway Bar Diameter, (Standard Design)	To Frame K7353	1	F339
	Four Wheel Drive (4X4), 36.8mm Sway Bar Diameter	To Frame K7384	1	F339
Sway Bar Link				
2017-2013	(Powdered Metal Gusher Brg. For Better Lubrication)	K80894 ‡	2	F338, F339, F600
2013-2011	Two Wheel Drive (4x2), (Optional, Powdered Metal Gusher Brg. For Better Lubrication)	K7400 ‡	2	F338
	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	K750157 ‡	2	F338
2012-2011	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication)	K80894 ‡	2	F339
Sway Bar Repair Kit				
2012-2011	(Bushing Kit)	K7300	2	F338, F339
Wheel Hub & Bearing Assembly				
2018-2012		515151	2	
2011	5 Stud Wheel	515126	2	
STEERING				
S094				
S322				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2018	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner ES801123 EV800958 ‡	2 2	
2017-2013	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner ES801123 EV800958 ‡	2 2	S322 S322
	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner ES80574 ‡ EV800098 ‡ EV80211 ‡	2 2 2	S094 S094 S094
2012	5 Lug Wheels, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner ES80574 ‡ EV800098 ‡	2 2	S094 S094
	8 Lug Wheels, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner EV80211 ‡	2	S094
2011	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer Inner ES80574 ‡ EV800098 ‡	2 2	S094 S094


RAM TRUCK-1500 (Cont.)

REAR SUSPENSION


Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2018-2013	(R-Series)	Upper	RK642932	2
2012-2011	(R-Series)	Upper	RK642211	2
		Lower	RK643104	2
Sway Bar Link				
2018-2011	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750396 ‡	2	
Track Bar				
2018-2011	(R-Series)	RK661215	1	

RAM TRUCK-1500 Classic

FRONT SUSPENSION



F339




F600

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2019	Four Wheel Drive (4X4), (Press In Type, Design Allows Ease Of Installation)	Lower	K500286 ‡	2
Control Arm Bushing				
2019	Four Wheel Drive (4X4), (Split Design For Easier Installation)	Lower	K200688 ‡	2
Control Arm with Ball Joint				
2019	Four Wheel Drive (4X4), (R-Series, Replaces Steel Or Aluminum Arm)	Left Lower	RK641504	1
	Four Wheel Drive (4X4), (R-Series, Replaces Steel Or Aluminum Arm)	Right Lower	RK621602	1
Sway Bar Bushing				
2019	Four Wheel Drive (4X4), 24mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K3170 ‡	1
	Four Wheel Drive (4X4), 32mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201621 ‡	1
	Four Wheel Drive (4X4), 32mm Sway Bar Diameter, (Standard Design)	To Frame	K7353	1


FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2019 (Cont.)	Four Wheel Drive (4X4), 36.8mm Sway Bar Diameter	To Frame	K7384	2
Sway Bar Link				
2019	(Powdered Metal Gusher Brg. For Better Lubrication)		K80894 ‡	2
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2019		Outer	ES801123	2
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2019	(R-Series)	Upper	RK642932	2
Sway Bar Link				
2019	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750396 ‡	2
Track Bar				
2019	(R-Series)		RK661215	1

2500-RAM TRUCK




RAM TRUCK-2500 (Cont.)

FRONT SUSPENSION (Cont.)



F597

F597



F598

F598

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018	(Oversize, Oversize, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500316 ‡	2
	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K7460 ‡	2
2018-2014		Lower	K500351 ‡	2
2017-2016	(Stud Designed To Spin Not Articulate. Up and Down Motion is Normal, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K7460 ‡	2
2017-2014	(Oversize, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500316 ‡	2
	Four Wheel Drive (4X4), (Non-Adjustable, Replaces OEM Offset To Provide 1 Degree +/- Camber/Caster)	Upper	K100314	2
	Four Wheel Drive (4X4), (Non-Adjustable, Replaces OEM Offset To Provide 1/2 Degree +/- Camber/Caster)	Upper	K100057 ‡	2
	Four Wheel Drive (4X4), (Non-Adjustable, Replaces OEM Offset To Provide 1-1/2 Degree +/- Camber/Caster)	Upper	K100315	2
	Four Wheel Drive (4X4), +/- 1 Degree Camber/Caster, (Adjustable)	Upper	K7448 ‡	2
2015-2014	(Original Equipment Type, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K7460 ‡	2
2013	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K80630 ‡	2
	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K7465 ‡	2
2013-2011	Four Wheel Drive (4X4), (Non-Adjustable, Replaces OEM Offset To Provide 1 Degree +/- Camber/Caster)	Upper	K100314	2
	Four Wheel Drive (4X4), (Non-Adjustable, Replaces OEM Offset To Provide 1/2 Degree +/- Camber/Caster)	Upper	K100057 ‡	2
	Four Wheel Drive (4X4), (Non-Adjustable, Replaces OEM Offset To Provide 1-1/2 Degree +/- Camber/Caster)	Upper	K100315	2
	Four Wheel Drive (4X4), (Original Equipment Type, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K7460 ‡	2
	Four Wheel Drive (4X4), (Oversize, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500316 ‡	2
	Four Wheel Drive (4X4), (Original Equipment Type, Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K7467 ‡	2
	Four Wheel Drive (4X4), +/- 1 Degree Camber/Caster, (Adjustable)	Upper	K7448 ‡	2


FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2012-2011	Two Wheel Drive (4x2), Rack & Pinion Power, (Powdered Metal Gusher Brg. For Better Lubrication)	Upper K80630 ‡	2	F335
	Two Wheel Drive (4x2), Rack & Pinion Power, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower K7465 ‡	2	F335
Ball Joint Bushing Sleeve Set				
2017-2011	Four Wheel Drive (4X4), (Use Only With Offset Ball Joints)	T40041	1	
Control Arm				
2013-2011	Four Wheel Drive (4X4), (R-Series)	Upper RK641867	2	F337
	Four Wheel Drive (4X4), (R-Series)	Lower RK642083	2	F337
Control Arm Bushing				
2018	Big Horn, Laramie, Laramie Longhorn, Limited, SLT, Tradesman	To Axle K201634	4	F597, F598
	Big Horn, Laramie, Laramie Longhorn, Limited, SLT, Tradesman	To Frame K201634	2	F597, F598
	Big Horn, Laramie, Laramie Longhorn, Limited, SLT, Tradesman, Except Disconnecting Sway Bar	To Frame K201634	2	F597, F598
2017	Big Horn, Laramie, Laramie Limited, Laramie Longhorn, Limited, Lone Star, Mega Cab Laramie, Mega Cab Laramie Longhorn, Mega Cab SLT, Outdoorsman, SLT, Tradesman	To Axle K201634	4	F597, F598
	Big Horn, Laramie, Laramie Limited, Laramie Longhorn, Limited, Lone Star, Mega Cab Laramie, Mega Cab Laramie Longhorn, Mega Cab SLT, Outdoorsman, SLT, Tradesman, Except Disconnecting Sway Bar	To Frame K201634	2	F597, F598
2016	Big Horn, Laramie, Laramie Limited, Laramie Longhorn, Limited, Lone Star, Mega Cab Laramie, Mega Cab Laramie Longhorn, Mega Cab SLT, Outdoorsman, SLT, ST, Tradesman	To Axle K201634	4	F597, F598
	Big Horn, Laramie, Laramie Limited, Laramie Longhorn, Limited, Lone Star, Mega Cab Laramie, Mega Cab Laramie Longhorn, Mega Cab SLT, Outdoorsman, SLT, ST, Tradesman, Except Disconnecting Sway Bar	To Frame K201634	2	F597, F598
2016-2015	Laramie, Except Disconnecting Sway Bar	To Frame K201634	2	F598, F597
2015	Big Horn, Laramie, Laramie Limited, Laramie Longhorn, Lone Star, Mega Cab Laramie, Mega Cab Laramie Longhorn, Mega Cab SLT, Outdoorsman, SLT, Tradesman, Except Disconnecting Sway Bar	To Frame K201634	2	F597, F598
2015-2014	Big Horn, Laramie, Laramie Limited, Laramie Longhorn, Lone Star, Mega Cab Laramie, Mega Cab Laramie Longhorn, Mega Cab SLT, Outdoorsman, SLT, ST, Tradesman	To Axle K201634	4	F597, F598
2014	Big Horn, Laramie, Laramie Limited, Laramie Longhorn, Lone Star, Mega Cab Laramie, Mega Cab Laramie Longhorn, Mega Cab SLT, SLT, ST, Tradesman, Except Disconnecting Sway Bar	To Frame K201634	2	F597, F598
2013-2011	Four Wheel Drive (4X4)	Upper K200925	4	F337
	Two Wheel Drive (4x2), (Contains Front And Rear Bushings)	Upper K200115 ‡	2	F335
	Two Wheel Drive (4x2), (High Quality Elastomer For Durability And Performance)	Lower K200114 ‡	2	F335
2012-2011	Four Wheel Drive (4X4)	Lower Rear K201082	2	F337
	Four Wheel Drive (4X4)	Lower Front K200985	2	F337
Control Arm with Ball Joint				
2013-2011	Two Wheel Drive (4x2), (Contains Bushings, Powdered Metal Gusher Brg. For Better Lubrication)	Upper CK620181 ‡	2	F335
	Two Wheel Drive (4x2), (Contains Bushings, R-Series)	Upper RK620181	2	F335
	Two Wheel Drive (4x2), (R-Series)	Left Lower RK621265	1	F335
	Two Wheel Drive (4x2), (R-Series)	Right Lower RK621264	1	F335
Shock Mount				
2016-2014	(Design Allows Ease Of Installation)	K160048 ‡	2	F597, F598
2013-2011	(Design Allows Ease Of Installation)	K160048 ‡	2	F335, F337
Sway Bar Bushing				
2018	Four Wheel Drive (4X4), Except Disconnecting Sway Bar, 1.18" Sway Bar Diameter	To Frame K7466	1	F597
	Two Wheel Drive (4x2), 1.18" Sway Bar Diameter	To Frame K7466	1	F598
2018-2017	Four Wheel Drive (4X4), Except Disconnecting Sway Bar, 30mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201622 ‡	1	F597
	Four Wheel Drive (4X4), Except Disconnecting Sway Bar, 30mm Sway Bar Diameter, (Standard Design)	To Frame K7352	1	F597
2017	Two Wheel Drive (4x2), 30mm Sway Bar Diameter	To Frame K7466	1	F598
2016-2015	345(5.7L), Four Wheel Drive (4X4), Except Disconnecting Sway Bar, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201622 ‡	1	F597
	345(5.7L), Four Wheel Drive (4X4), Except Disconnecting Sway Bar, (Standard Design)	To Frame K7352	1	F597
	408(6.7L), Four Wheel Drive (4X4), Except Disconnecting Sway Bar, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201622 ‡	1	F597
	408(6.7L), Four Wheel Drive (4X4), Except Disconnecting Sway Bar, (Standard Design)	To Frame K7352	1	F597
	408(6.7L), Two Wheel Drive (4x2)	To Frame K7466	1	F598
2014	Four Wheel Drive (4X4), (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201623 ‡	1	F597
	Four Wheel Drive (4X4), (Standard Design)	To Frame K7383	1	F597
2013	Four Wheel Drive (4X4), (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201623 ‡	1	F337
	Four Wheel Drive (4X4), (Standard Design)	To Frame K7383	1	F337

RAM TRUCK-2500 (Cont.)

FRONT SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2012-2011	Four Wheel Drive (4X4), 32mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201621 ‡	1	F337
	Four Wheel Drive (4X4), 32mm Sway Bar Diameter, (Standard Design)	To Frame K7353	1	F337
Sway Bar Link				
2013	Four Wheel Drive (4X4), Except Electronic Disconnect, (Powdered Metal Gusher Brg. For Better Lubrication)	K750395 ‡	2	F337
2013-2011	Two Wheel Drive (4x2), (Optional, Powdered Metal Gusher Brg. For Better Lubrication)	K7400 ‡	2	F335
	Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	K750157 ‡	2	F335
2012	Bi-Fuel Gasoline/Compressed Natural Gas, Four Wheel Drive (4X4), Except Electronic Disconnect, (Powdered Metal Gusher Brg. For Better Lubrication)	K750395 ‡	2	F337
2012-2011	Diesel, Pickup (2 Dr.), Four Wheel Drive (4X4), Except Electronic Disconnect, (Powdered Metal Gusher Brg. For Better Lubrication)	K750395 ‡	2	F337
	Diesel, Pickup (4 Dr.) Crew Cab, Four Wheel Drive (4X4), Except Electronic Disconnect, (Improves Upon OE Design)	K750581 ‡	2	F337
	Gasoline, Four Wheel Drive (4X4), Except Electronic Disconnect, (Powdered Metal Gusher Brg. For Better Lubrication)	K750395 ‡	2	F337
Sway Bar Repair Kit				
2012-2011	Four Wheel Drive (4X4), Except Electronic Disconnect, (Bushing Kit)	K7300	2	F337
	Two Wheel Drive (4x2), (Bushing Kit)	K7300	2	F335
Track Bar				
2013	Big Horn, Laramie, Laramie Longhorn, Lone Star, Mega Cab Laramie, Mega Cab Laramie Longhorn, Mega Cab SLT, Outdoorsman, Power Wagon, SLT, ST, Tradesman, Four Wheel Drive (4X4), (R-Series)	RK662946	1	F337
2012	Laramie, Laramie Longhorn, Mega Cab Laramie, Mega Cab Laramie Longhorn, Mega Cab SLT, Outdoorsman, Power Wagon, SLT, ST, SXT, Four Wheel Drive (4X4), (R-Series)	RK662946	1	F337
2011	Laramie, Mega Cab Laramie, Mega Cab SLT, Power Wagon, SLT, ST, Four Wheel Drive (4X4), (R-Series)	RK662946	1	F337
Track Bar Bushing				
2013	Big Horn, Laramie, Laramie Longhorn, Lone Star, Mega Cab Laramie, Mega Cab Laramie Longhorn, Mega Cab SLT, Outdoorsman, SLT, ST, Tradesman, Four Wheel Drive (4X4)	K201686	2	F337
2012	Laramie, Laramie Longhorn, Mega Cab Laramie, Mega Cab Laramie Longhorn, Mega Cab SLT, Outdoorsman, SLT, ST, SXT, Four Wheel Drive (4X4)	K201686	2	F337
2011	Laramie, Mega Cab Laramie, Mega Cab SLT, SLT, ST, Four Wheel Drive (4X4)	K201686	2	F337
Wheel Hub & Bearing Assembly				
2018-2014		515162	2	
2013-2012	Four Wheel Drive (4X4)	515148	2	
	Two Wheel Drive (4x2)	515154	2	
2011	Four Wheel Drive (4X4)	515122	2	
	Two Wheel Drive (4x2)	515123	2	

STEERING




S094

STEERING (Cont.)



S434




S844

Year	Model/Application	Part	P/C Qty	Figure
Drag Link Adjusting Sleeve				
2018-2014		DS800985S ‡	1	
2013-2011	Four Wheel Drive (4X4), (Coated For Corrosion Resistance)	Pitman Arm To Connecting Rod	ES3426S ‡	1 S434
Drag Link Assembly				
2013-2011	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication)	Right Inner at Connecting Rod	ES800558 ‡	1 S434
2012-2011	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication)	At Pitman Arm	ES800375 ‡	1 S434
Pitman Arm				
2012-2011	Four Wheel Drive (4X4)		K440021	1 S434
Steering Damper Cylinder				
2012-2011	Four Wheel Drive (4X4)		SSD132	1 S434
Steering Linkage Assembly				
2013-2011	Four Wheel Drive (4X4), (Contains Adjusting Sleeves, Drag Link And Tie Rod Ends)		DS800981A ‡	1 S434
Tie Rod Adjusting Sleeve				
2014	Two Wheel Drive (4x2)		ES801199S ‡	1
2013-2011	Four Wheel Drive (4X4), (Coated For Corrosion Resistance)	Steering Arm To Steering Arm	ES3422S ‡	1 S434
Tie Rod End				
2018-2014	Four Wheel Drive (4X4)	Upper Right Outer	ES801213	1
2013	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication) Four Wheel Drive (4X4), (Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800532 ‡	1 S844
		At Pitman Arm	ES800779 ‡	1 S434
2013-2011	Four Wheel Drive (4X4) Two Wheel Drive (4x2), (Design Allows Ease Of Installation) Two Wheel Drive (4x2), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right Outer	DS300044	1 S434
		Outer	ES800847 ‡	2 S094
		Inner	EV80211 ‡	2 S094
2012-2011	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800532 ‡	1 S434


RAM TRUCK-2500 (Cont.)

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Leaf Spring Bushing				
2013-2011		Front K201264	2	
Sway Bar Link				
2018	Big Horn, Laramie, Laramie Longhorn, Limited, SLT, (Greaseable Socket Reduces Corrosion/Wear)	K750711 ‡	2	
2018-2017	Power Wagon, (Greaseable Socket Reduces Corrosion/Wear)	K750745 ‡	2	
	Tradesman, Electronic Differential Lock, (Greaseable Socket Reduces Corrosion/Wear)	K750745 ‡	2	
	Tradesman, Except Electronic Differential Lock, (Greaseable Socket Reduces Corrosion/Wear)	K750711 ‡	2	
2017	Big Horn, Laramie, Laramie Limited, Laramie Longhorn, Limited, Lone Star, Mega Cab Laramie, Mega Cab Laramie Longhorn, Mega Cab SLT, Outdoorsman, SLT, (Greaseable Socket Reduces Corrosion/Wear)	K750711 ‡	2	
2016	Big Horn, Laramie, Laramie Limited, Laramie Longhorn, Limited, Lone Star, Mega Cab Laramie, Mega Cab Laramie Longhorn, Mega Cab SLT, Outdoorsman, SLT, ST, Tradesman, (Greaseable Socket Reduces Corrosion/Wear)	K750711 ‡	2	
2016-2014	Power Wagon, Power Wagon Laramie, Power Wagon SLT, Power Wagon Tradesman, (Greaseable Socket Reduces Corrosion/Wear)	K750745 ‡	2	
2015	Big Horn, Laramie, Laramie Limited, Laramie Longhorn, Lone Star, Mega Cab Laramie, Mega Cab Laramie Longhorn, Mega Cab SLT, Outdoorsman, SLT, Tradesman, (Greaseable Socket Reduces Corrosion/Wear)	K750711 ‡	2	
2014	Big Horn, Laramie, Laramie Limited, Laramie Longhorn, Lone Star, Mega Cab Laramie, Mega Cab Laramie Longhorn, Mega Cab SLT, Outdoorsman, SLT, ST, Tradesman, (Greaseable Socket Reduces Corrosion/Wear)	K750711 ‡	2	


RAM TRUCK-3500




FRONT SUSPENSION (Cont.)



F502



F597



F598

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2018-2014	(Oversize, Powdered Metal Gusher Brg. For Better Lubrication) (Stud Designed To Spin Not Articulate. Up and Down Motion is Normal, Powdered Metal Gusher For Better Lubrication)	Upper Brg.	K500316 ‡	2	F597, F598
		Upper	K7460 ‡	2	F597, F598
		Lower	K500351 ‡	2	F597, F598
2017-2014	(Non-Adjustable, Replaces OEM Offset To Provide 1 Degree +/- Camber/Caster) (Non-Adjustable, Replaces OEM Offset To Provide 1/2 Degree +/- Camber/Caster) (Non-Adjustable, Replaces OEM Offset To Provide 1-1/2 Degree +/- Camber/Caster) +/- 1 Degree Camber/Caster, (Adjustable)	Upper	K100314	2	F597, F598
		Upper	K100057 ‡	2	F597, F598
		Upper	K100315	2	F597, F598
		Upper	K7448 ‡	2	F597, F598

RAM TRUCK-3500 (Cont.)


FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2013	(Non-Adjustable, Replaces OEM Offset To Provide 1 Degree +/- Camber/Caster)	Upper	K100314	2	F337, F502, F597, F598
	(Non-Adjustable, Replaces OEM Offset To Provide 1/2 Degree +/- Camber/Caster)	Upper	K100057 ‡	2	F337, F502, F597, F598
	(Non-Adjustable, Replaces OEM Offset To Provide 1-1/2 Degree +/- Camber/Caster)	Upper	K100315	2	F337, F502, F597, F598
	(Oversize, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500316 ‡	2	F337, F502, F597, F598
	(Stud Designed To Spin Not Articulate. Up and Down Motion is Normal, Powdered Metal Gusher Brg. For Better Lubrication)	Brg. Upper	K7460 ‡	2	F337, F502, F597, F598
	+/- 1 Degree Camber/Caster, (Adjustable)	Upper	K7448 ‡	2	F337, F502, F597, F598
Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K7467 ‡	2	F337, F502	
	Pickup (2 Dr.), Pickup (4 Dr.) Crew Cab	Lower	K500351 ‡	2	F597, F598
2012-2011	Conventional Power Steering, (Non-Adjustable, Replaces OEM Offset To Provide 1 Degree +/- Camber/Caster)	Upper	K100314	2	F337, F502
	Conventional Power Steering, (Non-Adjustable, Replaces OEM Offset To Provide 1/2 Degree +/- Camber/Caster)	Upper	K100057 ‡	2	F337, F502
	Conventional Power Steering, (Non-Adjustable, Replaces OEM Offset To Provide 1-1/2 Degree +/- Camber/Caster)	Upper	K100315	2	F337, F502
	Conventional Power Steering, (Oversize, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500316 ‡	2	F337, F502
	Conventional Power Steering, (Stud Designed To Spin Not Articulate. Up and Down Motion is Normal, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K7460 ‡	2	F337, F502
	Conventional Power Steering, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K7467 ‡	2	F337, F502
	Conventional Power Steering, +/- 1 Degree Camber/Caster, (Adjustable)	Upper	K7448 ‡	2	F337, F502
	Rack & Pinion Power, (Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K80630 ‡	2	F335
	Rack & Pinion Power, (Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K7465 ‡	2	F335
	Ball Joint Bushing Sleeve Set				
2017-2013	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab, (Use Only With Offset Ball Joints)		T40041	1	
	Pickup (2 Dr.), Pickup (4 Dr.) Crew Cab, Four Wheel Drive (4X4), (Use Only With Offset Ball Joints)		T40041	1	
2012-2011	Conventional Power Steering, (Use Only With Offset Ball Joints)		T40041	1	
Control Arm					
2013	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab, Conventional Power Steering, (R-Series)	Upper	RK641867	2	F337, F502
	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab, Conventional Power Steering, (R-Series)	Lower	RK642083	2	F337, F502
2012-2011	Conventional Power Steering, (R-Series)	Upper	RK641867	2	F337, F502
	Conventional Power Steering, (R-Series)	Lower	RK642083	2	F337, F502
Control Arm Bushing					
2017-2014		Lower	K201634	6	F597, F598
2013	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab, Conventional Power Steering	Upper	K200925	2	F337, F502
2012	Conventional Power Steering	Upper	K200925	4	F337, F502
2012-2011	Conventional Power Steering	Lower Rear	K201082	2	F337, F502
	Conventional Power Steering	Lower Front	K200985	2	F337, F502
	Rack & Pinion Power, (Contains Front And Rear Bushings)	Upper	K200115 ‡	2	F335
	Rack & Pinion Power, (High Quality Elastomer For Durability And Performance)	Lower	K200114 ‡	2	F335
2011	Conventional Power Steering	Upper	K200925	4	F337, F502
Control Arm with Ball Joint					
2012-2011	Rack & Pinion Power, (Contains Bushings, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	CK620181 ‡	2	F335
	Rack & Pinion Power, (Contains Bushings, R-Series)	Upper	RK620181	2	F335
	Rack & Pinion Power, (R-Series)	Left Lower	RK621265	1	F335
	Rack & Pinion Power, (R-Series)	Right Lower	RK621264	1	F335
Shock Mount					
2016-2014	(Design Allows Ease Of Installation)		K160048 ‡	2	F597, F598
2013	(Design Allows Ease Of Installation)		K160048 ‡	2	F337, F502, F597, F598
2012-2011	(Design Allows Ease Of Installation)		K160048 ‡	2	F335, F337, F502
Sway Bar Bushing					
2012	Pickup (2 Dr.), Pickup (4 Dr.) Crew Cab, Two Wheel Drive (4x2), Dual Rear Wheels, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201622 ‡	1	F335
	Pickup (2 Dr.), Pickup (4 Dr.) Crew Cab, Two Wheel Drive (4x2), Dual Rear Wheels, (Standard Design)	To Frame	K7352	1	F335
2011	Four Wheel Drive (4X4), 33mm Or 34mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201623 ‡	1	F337
	Four Wheel Drive (4X4), 33mm Or 34mm Sway Bar Diameter, (Standard Design)	To Frame	K7383	1	F337
	Two Wheel Drive (4x2), 30mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame	K201622 ‡	1	F335
	Two Wheel Drive (4x2), 30mm Sway Bar Diameter, (Standard Design)	To Frame	K7352	1	F335

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2011 (Cont.)	Two Wheel Drive (4x2), 33mm Or 34mm Sway Bar Diameter, (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise)	To Frame K201623 ‡	1	F502
	Two Wheel Drive (4x2), 33mm Or 34mm Sway Bar Diameter, (Standard Design)	To Frame K7383	1	F502
Sway Bar Link				
2013-2011	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab, (Powdered Metal Gusher Brg. For Better Lubrication)	K750395 ‡	2	F337, F502
2012-2011	Pickup (2 Dr.), Pickup (4 Dr.) Crew Cab, Four Wheel Drive (4X4), Dual Rear Wheels, (Improves Upon OE Design)	K750581 ‡	2	F337
	Pickup (2 Dr.), Pickup (4 Dr.) Crew Cab, Four Wheel Drive (4X4), Single Rear Wheels, (Powdered Metal Gusher Brg. For Better Lubrication)	K750395 ‡	2	F337
	Pickup (2 Dr.), Pickup (4 Dr.) Crew Cab, Two Wheel Drive (4x2), (Optional, Powdered Metal Gusher Brg. For Better Lubrication)	K7400 ‡	2	F335
	Pickup (2 Dr.), Pickup (4 Dr.) Crew Cab, Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	K750157 ‡	2	F335
Sway Bar Repair Kit				
2012-2011	(Bushing Kit)	K7300	2	F335, F337, F502
Track Bar				
2013	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab, (R-Series)	RK662946	1	F337, F502
2012	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab, Two Wheel Drive (4x2), (R-Series)	RK662946	1	F502
2012-2011	Four Wheel Drive (4X4), (R-Series)	RK662946	1	F337
2011	Cab-Chassis (4 Dr.) Crew Cab, Two Wheel Drive (4x2), (R-Series)	RK662946	1	F502
Track Bar Bushing				
2013	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab	K201686	2	F337, F502
2012	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab, Two Wheel Drive (4x2)	K201686	2	F502
2012-2011	Four Wheel Drive (4X4)	K201686	2	F337
2011	Cab-Chassis (4 Dr.) Crew Cab, Two Wheel Drive (4x2)	K201686	2	F502
Wheel Hub & Bearing Assembly				
2018-2014		515162	2	
2013	Pickup (2 Dr.), Pickup (4 Dr.) Crew Cab	515162	2	
2013-2012	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab	515148	2	
2012	Pickup (2 Dr.), Pickup (4 Dr.) Crew Cab, Four Wheel Drive (4X4)	515148	2	
	Pickup (2 Dr.), Pickup (4 Dr.) Crew Cab, Two Wheel Drive (4x2)	515154	2	
2011	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab	515122	2	
	Pickup (2 Dr.), Pickup (4 Dr.) Crew Cab, Four Wheel Drive (4X4)	515122	2	
	Pickup (2 Dr.), Pickup (4 Dr.) Crew Cab, Two Wheel Drive (4x2)	515123	2	


STEERING



S094

RAM TRUCK-3500 (Cont.)

STEERING (Cont.)



S434

Year	Model/Application	Part	P/C Qty	Figure
Drag Link Adjusting Sleeve				
2017-2014		DS800985S ‡	1	
2013	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab, (Coated For Corrosion Resistance) Pickup (2 Dr.), Pickup (4 Dr.) Crew Cab	Pitman Arm To Connecting Rod ES3426S ‡ DS800985S ‡	1 1	S434
2012-2011	Conventional Power Steering, (Coated For Corrosion Resistance)	Pitman Arm To Connecting Rod ES3426S ‡	1	S434
Drag Link Assembly				
2013	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab, (Greaseable Socket Reduces Corrosion/Wear) Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab, (Powdered Metal Gusher Brg. For Better Lubrication)	At Pitman Arm ES800779 ‡ Right Inner at Connecting Rod ES800558 ‡	1 1	S434 S434
2012-2011	Conventional Power Steering, (Greaseable Socket Reduces Corrosion/Wear) Conventional Power Steering, (Powdered Metal Gusher Brg. For Better Lubrication)	At Pitman Arm ES800779 ‡ Right Inner at Connecting Rod ES800558 ‡	1 1	S434 S434
Pitman Arm				
2012-2011		K440021	1	S434
Steering Damper Cylinder				
2013	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab	SSD132	1	S434
2012-2011	Four Wheel Drive (4X4)	SSD132	1	S434
Steering Linkage Assembly				
2013	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab, Conventional Power Steering, (Contains Adjusting Sleeves, Drag Link And Tie Rod Ends)	DS800981A ‡	1	S434
2012-2011	Conventional Power Steering, (Contains Adjusting Sleeves, Drag Link And Tie Rod Ends)	DS800981A ‡	1	S434
Tie Rod Adjusting Sleeve				
2018-2014	Two Wheel Drive (4x2)	ES801199S ‡	1	
2013	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab, (Coated For Corrosion Resistance)	Steering Arm To Steering Arm ES3422S ‡	1	S434
2012-2011	Conventional Power Steering, (Coated For Corrosion Resistance)	Steering Arm To Steering Arm ES3422S ‡	1	S434
Tie Rod End				
2018-2015	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab, Two Wheel Drive (4x2)	Upper Right Outer ES801213	1	
2018-2014	Four Wheel Drive (4X4)	Upper Right Outer ES801213	1	
2013	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab, (Greaseable Socket Reduces Corrosion/Wear) Pickup (2 Dr.), Pickup (4 Dr.) Crew Cab, Four Wheel Drive (4X4)	At Pitman Arm ES800779 ‡ Upper Right Outer ES801213	1 1	S434
2012-2011	Conventional Power Steering, (Powdered Metal Gusher Brg. For Better Lubrication) Conventional Power Steering Conventional Power Steering, (Greaseable Socket Reduces Corrosion/Wear) Rack & Pinion Power, (Design Allows Ease Of Installation) Rack & Pinion Power, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer ES800532 ‡ Right Outer DS300044 At Pitman Arm ES800779 ‡ Outer ES800847 ‡ Inner EV80211 ‡	1 1 1 2 2	S434 S434 S434 S094 S094

REAR SUSPENSION


Year	Model/Application	Part	P/C Qty	Figure
Leaf Spring Bushing				
2017-2015		Rear K201264	2	
2017-2011		Front K201264	2	

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018-2016	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab, (Design Allows Ease Of Installation)	K750700 ‡	2	
2015-2013	Cab-Chassis (2 Dr.), (Design Allows Ease Of Installation)	K750700 ‡	2	
2012-2011	Cab-Chassis (2 Dr.), Cab-Chassis (4 Dr.) Crew Cab, (Greaseable Socket Reduces Corrosion/Wear)	K750429 ‡	2	

4500-RAM TRUCK

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2011	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Upper Lower	K500138 ‡ K500176 ‡	2 2
2017-2011	+/- 1 Degree Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Upper	K100140 ‡	1
Sway Bar Link				
2018-2011	(Powdered Metal Gusher Brg. For Better Lubrication)		K750395 ‡	2
Track Bar				
2014-2011	Two Wheel Drive (4x2), (Design Allows Ease Of Installation)		DS300032 ‡	1
Wheel Hub & Bearing Assembly				
2018-2011			515102	2

STEERING



Year	Model/Application	Part	P/C Qty	Figure
Drag Link Adjusting Sleeve				
2017-2016	(Coated For Corrosion Resistance)	Pitman Arm To Connecting Rod	ES3426S ‡	1
2015-2011	(Coated For Corrosion Resistance)	Pitman Arm To Connecting Rod	ES3426S ‡	1 S310
Drag Link Assembly				
2012-2011	(Design Allows Ease Of Installation) (Greaseable Socket Reduces Corrosion/Wear)	At Pitman Arm Right Inner at Connecting Rod	DS300031 ‡ DS300013 ‡	1 1 S310
Pitman Arm				
2012-2011			K440025	1 S310
Tie Rod End				
2012-2011	(Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800719 ‡ ES800745 ‡	1 1 S310

REAR SUSPENSION


Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018-2013	(Design Allows Ease Of Installation)		K750700 ‡	2
2012-2011	(Greaseable Socket Reduces Corrosion/Wear)		K750429 ‡	2

RAM TRUCK-5500

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2011	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Upper Lower	K500138 ‡ K500176 ‡	2 2
2017-2011	+/- 1 Degree Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Upper	K100140 ‡	1
Sway Bar Link				
2018-2011	(Powdered Metal Gusher Brg. For Better Lubrication)		K750395 ‡	2
Track Bar				
2014-2011	Two Wheel Drive (4x2), (Design Allows Ease Of Installation)		DS300032 ‡	1
Wheel Hub & Bearing Assembly				
2018-2011			515102	2

STEERING




Year	Model/Application	Part	P/C Qty	Figure
Drag Link Adjusting Sleeve				
2017-2016	(Coated For Corrosion Resistance)	Pitman Arm To Connecting Rod	ES3426S ‡	1
2015-2011	(Coated For Corrosion Resistance)	Pitman Arm To Connecting Rod	ES3426S ‡	1 S310
Drag Link Assembly				
2012-2011	(Design Allows Ease Of Installation) (Greaseable Socket Reduces Corrosion/Wear)	At Pitman Arm Right Inner at Connecting Rod	DS300031 ‡ DS300013 ‡	1 1 S310
Pitman Arm				
2012-2011			K440025	1 S310
Tie Rod End				
2012-2011	(Greaseable Socket Reduces Corrosion/Wear) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800719 ‡ ES800745 ‡	1 1 S310

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2018-2013	(Design Allows Ease Of Installation)		K750700 ‡	2
2012-2011	(Greaseable Socket Reduces Corrosion/Wear)		K750429 ‡	2


FRONT SUSPENSION



F320

Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2015-2012		Lower Front	K201184	2 F320
2012	(High Quality Elastomer For Durability And Performance)	Lower Front	K200717 ‡	2 F320
Control Arm with Ball Joint				
2015-2012	(R-Series) (R-Series)	Left Lower Right Lower	RK622033 RK622034	1 F320 1 F320
Strut Bumper Bellows				
2015-2012	(Replacement Type, Contains Bumper)		K90460	2 F320
Strut Mount				
2015-2012	(Contains Bearing)		K160319	2 F320
Strut Spring Seat				
2015-2012		Upper Lower	K160320 K160321	2 F320 2 F320
Sway Bar Link				
2015-2012	(Powdered Metal Gusher Brg. For Better Lubrication)		K7258 ‡	2 F320
Wheel Hub & Bearing Assembly				
2015-2012			515150	2

STEERING




S058

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2015-2012	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer Inner	ES800403 ‡ EV800934 ‡	2 S058 2 S058

RAM TRUCK-C/V Tradesman (Cont.)

REAR SUSPENSION




R139

Year	Model/Application	Part	P/C Qty	Figure
Track Bar				
2015-2012	(R-Series)	RK661097	1	R139
Wheel Hub & Bearing Assembly				
2015-2012		512493	2	

RAM TRUCK-Dakota

FRONT SUSPENSION




F392

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2011	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K80605 ‡	2 F392
Control Arm Bushing				
2011	(Contains Front And Rear Bushings)	Upper	K7473	2 F392
		Lower	K201322	4 F392
Control Arm with Ball Joint				
2011	(Contains Bushing, Powdered Metal Gusher Brg. For Better Lubrication)	Upper	CK620006 ‡	2 F392
	(R-Series)	Upper	RK620006	2 F392
	(R-Series)	Left Lower	RK620478	1 F392
	(R-Series)	Right Lower	RK620479	1 F392
Strut Bumper Bellows				
2011	(Design Allows Ease Of Installation)		K160285 ‡	2 F392
Strut Bushing				
2011		Lower	K201717	2 F392

FRONT SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Strut Mount				
2011	(Bearing Not Included, Contains Insulator, Contains Upper Spring Seat, Superior Rubber To Steel Bonding For Durability)	K160196 ‡	2	F392
Strut Spring Seat				
2011	(Insulator Only) Upper	K160016	2	F392
Sway Bar Bushing				
2011	Four Wheel Drive (4X4) To Frame 226(3.7L), Two Wheel Drive (4x2), (Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) To Frame 226(3.7L), Two Wheel Drive (4x2), (Standard Design) To Frame 287(4.7L), Two Wheel Drive (4x2) To Frame	K7466 K201623 ‡ K7383 K7466	1 1 1 1	F392 F392 F392 F392
Sway Bar Link				
2011	(Powdered Metal Gusher Brg. For Better Lubrication)	K750263 ‡	2	F392
Wheel Hub & Bearing Assembly				
2011		513229	2	

STEERING



Year	Model/Application	Part	P/C Qty	Figure
Steering Rack Insulator Bushing				
2011		K7388	2	S096
Tie Rod End				
2011	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Outer: ES3571 ‡ Inner: EV800099 ‡	2 2	S096 S096

REAR SUSPENSION



RAM TRUCK–Dakota (Cont.)

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Leaf Spring Shackle					
2011	(Contains Shackle, Nuts, Bolts & Bushing)	Rear K150407	2	R100	

RAM TRUCK–ProMaster 1500

FRONT SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2017-2014		Lower K500310	2		
Control Arm Bushing					
2018-2014		Lower Rear K201722 Lower Front K201723	2 2		

RAM TRUCK–ProMaster 2500

FRONT SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2017-2014		Lower K500310	2		
Control Arm Bushing					
2018-2014		Lower Rear K201722 Lower Front K201723	2 2		

RAM TRUCK–ProMaster 3500

FRONT SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2017-2014		Lower K500310	2		
Control Arm Bushing					
2018-2014		Right Lower K201722	1		

RAM TRUCK–Promaster City

FRONT SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Link					
2018-2015	(Greaseable Socket Reduces Corrosion/Wear)	K750811 ‡	2		
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Wheel Hub & Bearing Assembly					
2018-2015		512577	2		

SAAB TRUCK–9-4X


FRONT SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Strut Mount					
2011	(Contains Bearing, Contains Washer, Contains Upper Retainer, Contains Upper Spring Seat)	K160431	2		
Wheel Hub & Bearing Assembly					
2011		513289	2		
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2011		Lower K500311	2		

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2011		513289	2	

9-7X-SAAB TRUCK

FRONT SUSPENSION



F028

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K6664 ‡	2 F028
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K6663 ‡	2 F028
Control Arm				
2009-2006	(R-Series)	Left Upper	RK640294	1 F028
	(R-Series)	Right Upper	RK640293	1 F028
Control Arm Bushing				
2009-2006	(High Quality Elastomer For Durability And Performance)	Upper	K200269 ‡	2 F028
	(High Quality Elastomer For Durability And Performance)	Lower Front Inner	K200271 ‡	2 F028
	(High Quality Elastomer For Durability And Performance)	Lower Outer	K200270 ‡	2 F028
	(High Quality Elastomer For Durability And Performance)	Lower Rear Inner	K200272 ‡	2 F028
Control Arm Support Bracket				
2009-2006	(Bracket Only, R-Series)	Left Lower	RK641134	1 F028
	(Bracket Only, R-Series)	Right Lower	RK641135	1 F028
Control Arm with Ball Joint				
2009-2008	(R-Series)	Left Lower	RK621316	1 F028
	(R-Series)	Right Lower	RK621315	1 F028
2007-2006	With 14mm Stabilizer Bar Link Stud Diameter, (R-Series)	Left Lower	RK620467	1 F028
	With 14mm Stabilizer Bar Link Stud Diameter, (R-Series)	Right Lower	RK620468	1 F028
Strut and Spring Assembly				
2009-2006	(Coated For Corrosion Resistance, Strut, Spring & Top Mount)		ST8564 ‡	2 F028
Strut Bumper Bellows				
2009-2006	(Design Allows Ease Of Installation)		K160285 ‡	2 F028
Strut Mount				
2009-2006	(Bearing Not Included, Contains Spring Seat And Insulator)		K6702	2 F028
Strut Spring Seat				
2009-2006	(Reduces Noise)	Lower	K160112 ‡	2 F028
Sway Bar Bushing				
2009-2006		To Frame	K80775	1 F028
Sway Bar Link				
2009-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K80824 ‡	1 F028
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K80825 ‡	1 F028
Sway Bar Repair Kit				
2008	(Includes Polyurethane Bushings And Solid Metal Sleeve For Enhanced Performance. Barrel Nut Allows For Easier Installation.)		K700535 ‡	2 F028

SAAB TRUCK-9-7x (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
------	-------------------	------	---------	--------


Sway Bar Repair Kit

2008 (Cont.)	(Standard Design)	K8266	2	F028
--------------	-------------------	-------	---	------

Wheel Hub & Bearing Assembly

2009-2006		513188	2	
-----------	--	--------	---	--

STEERING




S199

Year	Model/Application	Part	P/C Qty	Figure
------	-------------------	------	---------	--------

Tie Rod End

2009-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer Right Outer Inner	ES3675 ‡ ES3676 ‡ EV80965	1 1 2	S199 S199 S199
-----------	--	------------------------------------	---------------------------------	-------------	----------------------

REAR SUSPENSION



R102

Year	Model/Application	Part	P/C Qty	Figure
------	-------------------	------	---------	--------

Control Arm

2009-2006	(Arm Only, R-Series)	Lower	RK660157	2	R102
-----------	----------------------	-------	----------	---	------

Sway Bar Bushing

2009-2006	(Split Design For Easier Installation)	To Frame	K200768 ‡	1	R102
-----------	--	----------	-----------	---	------


Sway Bar Link

2009-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Right	K6668 ‡ K6667 ‡	1 1	R102 R102
-----------	--	---------------	--------------------	--------	--------------

Trailing Link

2009-2006	(R-Series)	Upper	RK660156	2	R102
-----------	------------	-------	----------	---	------


FRONT SUSPENSION



F364

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2010-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500088 ‡	2 F364
Control Arm Bushing				
2010-2007		Lower Rear	K201220	4 F364
		Lower Front	K201187	2 F364
Control Arm with Ball Joint				
2010-2007	(R-Series)	Left Lower	RK621232	1 F364
	(R-Series)	Right Lower	RK621231	1 F364
Strut and Spring Assembly				
2009-2007			ST8658	2 F364
Strut Bumper Bellows				
2010-2007	(Replacement Type, Contains Bumper)		K90460	2 F364
Strut Mount				
2010-2007	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160294 ‡	2 F364
Sway Bar Bushing				
2010-2007	29mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200876 ‡	1 F364
Sway Bar Link				
2010-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K750155 ‡	2 F364
Wheel Hub & Bearing Assembly				
2010-2007			513277	2

STEERING




S144

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2010-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800286 ‡	2 S144
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner	EV800572 ‡	2 S144

SATURN TRUCK–Outlook (Cont.)

REAR SUSPENSION




R055

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2010-2007	(R-Series)	Upper Front	RK641781	2	R055
	(R-Series)	Left Rear Upper	RK641644	1	R055
	(R-Series)	Right Rear Upper	RK641643	1	R055
Control Arm Bushing					
2010-2007	(Design Allows Ease Of Installation)	At Knuckle, Lower	K200349 ‡	2	R055
Control Arm Link					
2010-2007	(Vertical Assist Link, R-Series)		RK641887	2	R055
Sway Bar Bushing					
2010-2007		To Frame	K201280	1	R055
Sway Bar Repair Kit					
2010-2007	(Improves Upon OE Design)		K700633 ‡	2	R055
Wheel Hub & Bearing Assembly					
2010-2007			513277	2	

SATURN TRUCK–Relay

FRONT SUSPENSION




F098

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2007	(Bolt On Type, Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K5331 ‡	2	F098
Control Arm Bushing					
2007	(Horizontal Mount, 2 Piece Bushing Design Allows Easier Installation)	Lower Rear	K80778 ‡	2	F098
	(One Piece Bushing, Horizontal Mount)	Lower Rear	K6715	2	F098
	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Front	K200787 ‡	2	F098

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm Bushing				
2007 (Cont.)	(Vertical Mount) Lower Front	K6712	2	F098
Control Arm with Ball Joint				
2007-2006	Front Wheel Drive, (With Sway Bar Mounting Tab, R-Series) Left Lower	RK621351	1	F098
	Front Wheel Drive, (Without Sway Bar Mounting Tab, R-Series, Actual Product May Contain Mounting Tab (Will Fit And Function Properly With Or Without Tab)) Left Lower	RK621943	1	F098
	Front Wheel Drive, (With Sway Bar Mounting Tab, R-Series) Right Lower	RK621352	1	F098
	Front Wheel Drive, (Without Sway Bar Mounting Tab, R-Series, Actual Product May Contain Mounting Tab (Will Fit And Function Properly With Or Without Tab)) Right Lower	RK621944	1	F098
Strut and Spring Assembly				
2007-2006	Front Wheel Drive	ST8631	2	F098
Strut Bumper Bellows				
2007	(Contains Bumper) (Contains Retainer)	K90463 K201271	2 2	F098 F098
Strut Mount				
2007	(Contains Bearing)	K6521	2	F098
Strut Mounting Kit				
2007	(Super Kit Contains Bearing And OE Style Bumper / Bellow)	K160391	2	F098
Strut Spring Seat				
2007	(Contains Insulator And Retainer) (Spring Seat Only) (Insulator Only)	Upper K80926 Upper K80923 Lower K5349	2 2 2	F098 F098 F098
Sway Bar Bushing				
2007	(Improved Design Bushing With Premium Rubber Material And Synthetic Fabric Lining Lasts Longer And Eliminates Noise) (Standard Design)	To Frame K201610 ‡ To Frame K80812	1 1	F098 F098
Sway Bar Link				
2007	(Powdered Metal Gusher Brg. For Better Lubrication)	K80852 ‡	2	F098
Wheel Hub & Bearing Assembly				
2007-2006		513236	2	
STEERING				
<p>The diagram shows an exploded view of steering components. On the left, there are two tie rod ends labeled 'Tie Rod End (Outer)' and 'Tie Rod End (Inner)'. In the center, there is an 'R&P Boot Kit' which includes a long, thin boot and a shorter inner boot. On the right, there is a spring assembly with a coil spring and a shock absorber. Below the spring assembly, there are two more tie rod ends labeled 'Tie Rod End (Inner)' and 'Tie Rod End (Outer)'. The diagram is labeled 'S141' in the bottom left corner.</p>				
Tie Rod End				
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer ES3455 ‡ Inner EV260 ‡	2 2	S141 S141

SATURN TRUCK-Relay (Cont.)

REAR SUSPENSION




R071

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm Bushing					
2007	(Design Allows Ease Of Installation)	Lower Front	K200343 ‡	2	R071
Strut Spring Seat					
2007	(Reduces Noise)		K160113 ‡	4	R071
Track Bar					
2007	(R-Series)		RK661214	1	R071
Wheel Hub & Bearing Assembly					
2007	(3 Hole Triangular Flange)		512246	2	
	(4 Hole Rectangular Flange)		512309	2	


SATURN TRUCK-VUE

FRONT SUSPENSION



F092

FRONT SUSPENSION (Cont.)




F424


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2010-2008	(Bolt On Type, Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K5331 ‡	2 F424
2007-2002	(Bolt On Type, Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K5331 ‡	2 F092
Control Arm Bushing				
2010-2008	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200784 ‡	2 F424
		Lower Front Inner	K201698	2 F424
2009-2008	(High Quality Elastomer For Durability And Performance)	Lower Front	K200783 ‡	2 F424
2007-2002	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200784 ‡	2 F092
	(High Quality Elastomer For Durability And Performance)	Lower Front	K200783 ‡	2 F092
Control Arm with Ball Joint				
2010-2008	(R-Series)	Left Lower	RK620661	1 F424
	(R-Series)	Right Lower	RK621490	1 F424
2007-2002	(Contains Bushings, R-Series)	Left Lower	RK621129	1 F092
	(Contains Bushings, R-Series)	Right Lower	RK621136	1 F092
Strut and Spring Assembly				
2007-2006	3471cc(3.5L)	Left	ST8691L	1 F092
	3471cc(3.5L)	Right	ST8691R	1 F092
Strut Bumper Bellows				
2010-2008	(Contains Bumper)		K90461	2 F424
2007-2002	(Replacement Type, Contains Bumper)		K90460	2 F092
Strut Mount				
2010-2008	(Contains Bearing, Contains Upper Spring Seat)		K160333	2 F424
2007-2002	(Contains Bearing)		K160013	2 F092
Strut Spring Seat				
2010-2008	(Insulator Only)	Lower	K160355	2 F424
2007-2002	(Contains Insulator, Reduces Noise)	Upper	K160117 ‡	2 F092
Sway Bar Bushing				
2010-2008	(Reduces Noise)	To Frame	K200333 ‡	1 F424
2007-2004	4 Cyl, (Reduces Noise)	To Frame	K200333 ‡	1 F092
	V6 Cyl, (Reduces Noise)	To Frame	K200332 ‡	1 F092
Sway Bar Link				
2010-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K750188 ‡	1 F424
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750189 ‡	1 F424
2007-2002	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80461 ‡	1 F092
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K80460 ‡	1 F092
Wheel Hub & Bearing Assembly				
2010-2008			513276	2
2007-2002	4 Wheel ABS		513189	2
	Non ABS		513190	2

SATURN TRUCK-VUE (Cont.)

STEERING




S142



S143

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2010	V6 Cyl	Outer	ES801170	2 S143
2010-2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800330 ‡	2 S142, S143
2009-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800030 ‡	2 S142, S143
2007-2002	(Powdered Metal Gusher Brg. For Better Lubrication) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Outer	ES800030 ‡	2 S142
		Inner	EV80443 ‡	2 S142

REAR SUSPENSION



R041

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2010-2008	(R-Series)	Upper	RK642154	2 R041
2010-2007	(R-Series)	Lower Front	RK642089	2 R041

(Cont.) VUE-SATURN TRUCK

REAR SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2009-2007	(Arm Only, R-Series)	Left Rear Lower	RK641647	1	R041
	(Arm Only, R-Series)	Right Rear Lower	RK641648	1	R041
2007	(R-Series)	Upper	RK642172	2	R041
Control Arm Bushing					
2010-2008		Lower Rear Inner	K201278	2	R041
Knuckle Bushing					
2010-2008		Upper	K201282	1	R041
		Lower Rear	K201283	2	R041
Strut Spring Seat					
2009-2008	(Reduces Noise)	Lower	K160073 ‡	2	R041
2007-2002	(Reduces Noise)		K160073 ‡	4	R041
Sway Bar Bushing					
2010-2007	(Reduces Noise)	To Frame	K200336 ‡	1	R041
Sway Bar Link					
2010-2008	(Powdered Metal Gusher Brg. For Better Lubrication)		K750200 ‡	2	R041
2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80850 ‡	2	R041
Trailing Link					
2007		Left	RK643069	1	R041
		Right	RK643070	1	R041
Trailing Link Bushing					
2009-2007			K201302	2	R041
Wheel Hub & Bearing Assembly					
2010-2008			512358	2	
2007-2002	4 Wheel ABS		512229	2	
	Non ABS		512230	2	

Bullet-STERLING TRUCK

FRONT SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2010-2008	+/- 1 Degree Camber/Caster, (Adjustable, Greaseable Socket Reduces Corrosion/Wear)	Upper	K100140 ‡	1	
2009-2008	(Design Allows Ease Of Installation)	Upper	K500138 ‡	2	
	(Design Allows Ease Of Installation)	Lower	K500176 ‡	2	
Control Arm					
2009-2008	4 X 4, 204.3" Wheelbase, (R-Series)	Lower	RK641927	2	
Sway Bar Link					
2010-2008	(Powdered Metal Gusher Brg. For Better Lubrication)		K750395 ‡	2	
Track Bar					
2009-2008	4 X 2, (Design Allows Ease Of Installation)		DS300032 ‡	1	
STEERING					
Year	Model/Application	Part	P/C Qty	Figure	
Drag Link Adjusting Sleeve					
2009-2008	(Coated For Corrosion Resistance)	Pitman Arm To Connecting Rod	ES3426S ‡	1	
Drag Link Assembly					
2009-2008	(Design Allows Ease Of Installation)	At Pitman Arm	DS300031 ‡	1	
	(Greaseable Socket Reduces Corrosion/Wear)	Right Inner at Connecting Rod	DS300013 ‡	1	
Pitman Arm					
2009-2008			K440025	1	
Tie Rod End					
2010-2008	(Greaseable Socket Reduces Corrosion/Wear)	Left Outer	ES800719 ‡	1	
	(Design Allows Ease Of Installation)	Right Outer	ES800745 ‡	1	
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Link					
2009-2008	(Greaseable Socket Reduces Corrosion/Wear)		K750429 ‡	2	


SUBARU TRUCK-Ascent

STEERING

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2019	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3712 ‡	2

SUBARU TRUCK-B9 Tribeca


FRONT SUSPENSION




F517


Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2007-2006	(Greaseable Socket Reduces Corrosion/Wear)	Lower	K500200 ‡	2 F517
Strut Bumper Bellows				
2007-2006	(Contains Bumper)		K90464	2 F517
Strut Mount				
2007-2006	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160313 ‡	2 F517
Strut Spring Seat				
2007-2006	(Contains Insulator, Reduces Noise)	Upper	K160246 ‡	2 F517
Sway Bar Bushing				
2007-2006	(Split Design For Easier Installation)	To Frame	K200638 ‡	1 F517
Sway Bar Link				
2007-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750084 ‡	2 F517
Wheel Hub & Bearing Assembly				
2007-2006			513239	2

STEERING




S220

STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2007-2006		K150317	2	S220
Tie Rod End				
2007-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer Inner	ES3712 ‡ EV800360 ‡	2 2 S220 S220
REAR SUSPENSION				
				
R151				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2007-2006	(R-Series) (R-Series) (R-Series) (R-Series)	Left Upper Right Upper Left Rear Lower Right Rear Lower	RK642485 RK642484 RK622483 RK622482	1 1 1 1 R151 R151 R151 R151
Strut Bumper Bellows				
2007-2006			K201416	2 R151
Sway Bar Bushing				
2007-2006	(Split Design For Easier Installation)	To Frame	K200637 ‡	1 R151
Sway Bar Link				
2007-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K750085 ‡ K750086 ‡	1 1 R151 R151
Wheel Hub & Bearing Assembly				
2007-2006			512328	2

FRONT SUSPENSION				
				
F096				

SUBARU TRUCK-Forester (Cont.)


FRONT SUSPENSION (Cont.)




F517

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K9513 ‡	2 F517
2008-2006	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K9513 ‡	2 F096
Control Arm Bushing				
2018-2009		Lower Rear	K201605	2 F517
Control Arm with Ball Joint				
2018-2014	(R-Series)	Left Lower	RK622857	1 F517
	(R-Series)	Right Lower	RK622856	1 F517
Strut Bumper Bellows				
2016-2009	(Replacement Type, Contains Bumper)		K90460	2 F517
2008-2006	(OE Material For Strut Performance And Longevity, Contains Bumper)		K90462 ‡	2 F096
Strut Mount				
2016-2009	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160313 ‡	2 F517
2008-2006	(Contains Bearing)		K9559	2 F096
Sway Bar Bushing				
2008-2006	19mm Sway Bar Diameter, (Split Design For Easier Installation)	To Frame	K200635 ‡	1 F096
Sway Bar Link				
2018-2014	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750084 ‡	2 F517
2013-2009	(Powdered Metal Gusher Brg. For Better Lubrication)		K750049 ‡	2 F517
2008-2006	(Powdered Metal Gusher Brg. For Better Lubrication)		K750049 ‡	2 F096
Wheel Hub & Bearing Assembly				
2018-2015			513413	2
2014	From 1/15/14		513413	2
	Thru 1/14/14		513303	2
2013-2009			513303	2

STEERING



S214




S220


Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2010-2009		Right	K150290	1	S220
2008-2006			K150290	2	S214
Tie Rod End					
2018-2014	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner	EV800982 ‡	2	S220
2018-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES3712 ‡	2	S220
2013-2009	(Design Allows Ease Of Installation)	Inner	EV800513 ‡	2	S220
2008-2006	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer	ES3712 ‡	2	S214
		Inner	EV800049 ‡	2	S214

SUBARU TRUCK-Forester (Cont.)

REAR SUSPENSION




R110



R152

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2013		Lower Rear	RK643086	2 R152
2017-2009	Plus Or Minus 2 Degrees Camber And 1.5 Degree Fixed Toe, (Adjustable, R-Series)	Lower Rear	RK100136	2 R152
Control Arm with Ball Joint				
2018-2009	Plus Or Minus 3 Degree Toe, (Adjustable, Greaseable, R-Series)	Lower Front	RK100124	2 R152
Strut Bumper Bellows				
2016-2009			K201554	2 R152
2008-2006	(Contains Bumper)		K90461	2 R110
Strut Mount				
2013-2009			K160378	2 R152
2008-2006	(Contains Insulator)		K90657	2 R110
Sway Bar Link				
2018-2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750404 ‡	2 R152
2008-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750041 ‡	2 R110
Wheel Hub & Bearing Assembly				
2017-2014			512518	2
2013-2009			512401	2


FRONT SUSPENSION



F517

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2014-2008	(Greaseable Socket Reduces Corrosion/Wear)	Lower	K500200 ‡	2	F517
Strut Bumper Bellows					
2014-2008	(Contains Bumper)		K90464	2	F517
Strut Mount					
2014-2008	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160313 ‡	2	F517
Strut Spring Seat					
2014-2008	(Contains Insulator, Reduces Noise)	Upper	K160246 ‡	2	F517
Sway Bar Bushing					
2014-2008	(Split Design For Easier Installation)	To Frame	K200638 ‡	1	F517
Sway Bar Link					
2014-2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750084 ‡	2	F517
Wheel Hub & Bearing Assembly					
2014-2008			513239	2	

STEERING




S220

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2014-2008			K150317	2	S220
Tie Rod End					
2014-2008	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer	ES3712 ‡	2	S220
		Inner	EV800360 ‡	2	S220

SUBARU TRUCK-Tribeca (Cont.)

REAR SUSPENSION



R151

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2014-2008	(R-Series)	Left Upper	RK642485	1	R151
	(R-Series)	Right Upper	RK642484	1	R151
	(R-Series)	Left Rear Lower	RK622483	1	R151
	(R-Series)	Right Rear Lower	RK622482	1	R151
Strut Bumper Bellows					
2014-2008			K201416	2	R151
Sway Bar Bushing					
2014-2008	(Split Design For Easier Installation)	To Frame	K200636 ‡	1	R151
Sway Bar Link					
2014-2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750085 ‡	1	R151
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K750086 ‡	1	R151
Wheel Hub & Bearing Assembly					
2014-2008			512328	2	

SUZUKI TRUCK-Equator

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2012-2010	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K80647 ‡	2	
2009	Base Model, Premium, Sport, (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K80647 ‡	2	
Control Arm Bushing					
2012-2010	(Design Allows Ease Of Installation)	Lower	K200851 ‡	2	
2012-2009	(Design Allows Ease Of Installation)	Upper	K200852 ‡	2	
2009	Base Model, JX, Premium, Sport, (Design Allows Ease Of Installation)	Lower	K200851 ‡	2	
Control Arm with Ball Joint					
2012-2009	(R-Series)	Left Lower	RK620372	1	
	(R-Series)	Right Lower	RK620371	1	
Shock Hardware Kit					
2012-2009	(Contains Upper Spring Seat)		K160444	2	
Strut and Spring Assembly					
2012-2009	Base Model, Premium, Sport		ST8615	2	
Strut Bumper Bellows					
2012-2009			K150277	2	
Sway Bar Link					
2012-2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80470 ‡	1	
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K80471 ‡	1	
Wheel Hub & Bearing Assembly					
2012-2009	Four Wheel Drive (4X4)		515065	2	
	Two Wheel Drive (4X2)		515064	2	

REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Wheel Hub & Bearing Assembly				
2012-2009		541011	2	

Grand Vitara-SUZUKI TRUCK

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2013-2006	(R-Series) (R-Series)	Left Lower Right Lower	RK620574 RK620575	1 1
Strut Bumper Bellows				
2013-2006	(Contains Bumper)		K90464	2
Sway Bar Bushing				
2008-2006	(Split Design For Easier Installation)	To Frame	K200632 ‡	1
Sway Bar Link				
2013-2006	(Powdered Metal Gusher Brg. For Better Lubrication)		K750087 ‡	2
Wheel Hub & Bearing Assembly				
2013-2007			513290	2

STEERING


Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2013-2006	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Outer Inner	ES800363 ‡ EV800362 ‡	2 2

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2012-2006	(R-Series) (R-Series)	Left Upper Right Upper	RK621731 RK621732	1 1
Wheel Hub & Bearing Assembly				
2013-2007			513290	2

XL-7-SUZUKI TRUCK

FRONT SUSPENSION



F092

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K5331 ‡	2 F092
Control Arm with Ball Joint				
2009-2007	(R-Series) (R-Series)	Left Lower Right Lower	RK620661 RK621490	1 1 F092

SUZUKI TRUCK-XL-7 (Cont.)

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Strut Bumper Bellows				
2009-2007	(Contains Bumper)	K90461	2	F092
Strut Mount				
2009-2007	(Contains Bearing, Contains Upper Spring Seat)	K160333	2	F092
Strut Spring Seat				
2009-2007	(Insulator Only)	Lower K160355	2	F092
Sway Bar Link				
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Left K750188 ‡	1	F092
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right K750189 ‡	1	F092
Wheel Hub & Bearing Assembly				
2009-2007		513276	2	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2009-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Inner EV800330 ‡	2	
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2009-2007	(Arm Only, R-Series)	Left Rear Lower RK641647	1	
	(Arm Only, R-Series)	Right Rear Lower RK641648	1	
Strut Spring Seat				
2009-2007	(Reduces Noise)	Lower K160073 ‡	2	
Sway Bar Link				
2009-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	K750200 ‡	2	
Wheel Hub & Bearing Assembly				
2009-2007		512358	2	

THOMAS BUILT BUSES-Saf-T-Liner C2

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
King Bolt Set				
2012-2003	12,000 lb. (FF971) Axle, 1.607" Pin Diameter, 9.380" Length, (Contains Metal Bushing, Two Keyways)	8612B	1	
	12,000 lb. (932, 933, 934, 941, 942, 943, FF931) Axle, 1.794" Pin Diameter, 10.392" Length, (Contains Metal Bushing, Two Keyways)	8590B	1	
	10,000 lb. (FD961, FF931, FF932, FF933, FF934, FF941, FF942, FF943, FF961) Axle, 12,000 lb. (FD961, FF931, FF932, FF933, FF934, FF941, FF942, FF943, FF961) Axle, 10.39" Length, 1.790" Pin Diameter, (Contains Composite Bushing, Two Keyways)	80063C	1	
	10,000 lb. (FD961, FF931, FF932, FF933, FF934, FF941, FF942, FF961) Axle, 12,000 lb. (FD961, FF931, FF932, FF933, FF934, FF941, FF942, FF943, FF961) Axle, 10.39" Length, 1.790" Pin Diameter, (Contains Metal Bushing, Two Keyways)	80063B	1	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2012-2003	8,000 lb. (FC921) Axle, 3.910" Length	Left Outer ES304L	1	
	8,000 lb. (FC921) Axle, 3.910" Length	Right Outer ES304R	1	

THOMAS BUILT BUSES-Saf-T-Liner EF

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
King Bolt Set				
2010-2008	13,200 lb. (FF932) Axle, 1.794" Pin Diameter, 10.392" Length, (Contains Metal Bushing, Two Keyways)	8590B	1	
	14,600 lb. (FG931, FG933, FG941, FG943) Axle, 10.39" Length, 1.790" Pin Diameter, (Contains Metal Bushing, Two Keyways)	8611B	1	

(Cont.) Saf-T-Liner EF-THOMAS BUILT BUSES

STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2010-2008	13,200 lb. (FF932) Axle, 14,600 lb. (FG931, FG933, FG941, FG943) Axle, 5.440" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Left ES423L ‡	1	
	13,200 lb. (FF932) Axle, 14,600 lb. (FG931, FG933, FG941, FG943) Axle, 5.440" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Right ES423R ‡	1	


Saf-T-Liner HDX-THOMAS BUILT BUSES

FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
King Bolt Set				
2012-2003	13,200 lb. (FF932) Axle, 1.794" Pin Diameter, 10.392" Length, (Contains Metal Bushing, Two Keyways)	8590B	1	
	14,600 lb. (FG931, FG933, FG941, FG943) Axle, 10.39" Length, 1.790" Pin Diameter, (Contains Metal Bushing, Two Keyways)	8611B	1	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2012-2003	13,200 lb. (FF932) Axle, 14,600 lb. (FG931, FG933, FG941, FG943) Axle, 5.440" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Left ES423L ‡	1	
	13,200 lb. (FF932) Axle, 14,600 lb. (FG931, FG933, FG941, FG943) Axle, 5.440" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Right ES423R ‡	1	

Saf-T-Liner MVP EF-THOMAS BUILT BUSES


FRONT SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
King Bolt Set				
2007-2004	13,200 lb. (FF932) Axle, 1.794" Pin Diameter, 10.392" Length, (Contains Metal Bushing, Two Keyways)	8590B	1	
	14,600 lb. (FG931, FG933, FG941, FG943) Axle, 10.39" Length, 1.790" Pin Diameter, (Contains Metal Bushing, Two Keyways)	8611B	1	
STEERING				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2007-2004	13,200 lb. (FF932) Axle, 14,600 lb. (FG931, FG933, FG941, FG943) Axle, 5.440" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Left ES423L ‡	1	
	13,200 lb. (FF932) Axle, 14,600 lb. (FG931, FG933, FG941, FG943) Axle, 5.440" Length, 1.125" - 12 Threads, (Greaseable Socket Reduces Corrosion/Wear)	Right ES423R ‡	1	

4 Runner-TOYOTA TRUCK



TOYOTA TRUCK-4 Runner (Cont.)


FRONT SUSPENSION (Cont.)



F531

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2019-2010	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500018 ‡	2	F530, F531
2019-2003	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500017 ‡	2	F530
2009-2003	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500018 ‡	2	F530
Control Arm Bushing					
2009-2003	(High Quality Elastomer For Durability And Performance)	Upper	K200771 ‡	4	F530
	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200773 ‡	2	F530
	(High Quality Elastomer For Durability And Performance)	Lower Front	K200772 ‡	2	F530
Control Arm with Ball Joint					
2019-2010	(R-Series)	Left Upper	RK620064	1	F530, F531
	(R-Series)	Right Upper	RK620063	1	F530, F531
2016-2010	Kinetic Dynamic Suspension, (R-Series)	Left Lower	RK622835	1	F531
	Kinetic Dynamic Suspension, (R-Series)	Right Lower	RK622834	1	F531
2009-2003	(R-Series)	Left Upper	RK620064	1	F530
	(R-Series)	Right Upper	RK620063	1	F530
	(R-Series)	Left Lower	RK620062	1	F530
	(R-Series)	Right Lower	RK620061	1	F530
Shock Mount					
2018-2010	(Contains Spring Seat, Bushings And Retainers, Design Allows Ease Of Installation)		K160266 ‡	2	F530, F531
2009-2003	(Contains Spring Seat, Bushings And Retainers, Design Allows Ease Of Installation)		K160266 ‡	2	F530
Shock Mount Bushing					
2009-2003		Lower	K80938	2	F530
Strut and Spring Assembly					
2017-2003	Except X-REAS Suspension System, (Strut, Spring & Top Mount)	Left	ST8608L	1	F530, F531
	Except X-REAS Suspension System, (Strut, Spring & Top Mount)	Right	ST8608R	1	F530, F531
Sway Bar Bushing					
2016-2010	Kinetic Dynamic Suspension, (Split Design For Easier Installation)	Outer	K200618 ‡	1	F531
	Kinetic Dynamic Suspension, (Reduces Noise)	Inner	K200756 ‡	1	F531
2009-2003	29mm Or 30mm Sway Bar Diameter, (Contains Thermoplastic Bushing)	To Frame	K80820 ‡	1	F530
Sway Bar Link					
2019	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K90677	1	
	(Powdered Metal Gusher Brg. For Better Lubrication)	Left	K80948 ‡	1	
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K90683	1	
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K80946 ‡	1	
2018-2010	Except Kinetic Dynamic Suspension	Left	K90677	1	F530
	Except Kinetic Dynamic Suspension	Right	K90683	1	F530
2016-2010	Kinetic Dynamic Suspension, (Improves Upon OE Design)	Right	K700646 ‡	1	F531
2009-2003		Left	K90677	1	F530
		Right	K90683	1	F530
Wheel Bearing Assembly					
2019-2003			515040	2	


STEERING



S382


Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2019	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer Inner	ES80895 ‡ EV801007 ‡	2 2
2018-2010	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer Inner	ES80895 ‡ EV801007 ‡	2 2
2009-2003		Outer Inner	ES80378 EV80379	2 2

REAR SUSPENSION



R159


w/ KDS Susp.



R163

TOYOTA TRUCK-4 Runner (Cont.)

REAR SUSPENSION (Cont.)



R164


Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2019-2010	(R-Series) Upper	RK642452	2	R163, R164	
Sway Bar Bushing					
2019	Except Kinetic Dynamic Suspension Kinetic Dynamic Suspension, (Reduces Noise)	To Frame To Frame	K201492 K200757 ‡	1 1	
2018-2010	Except Kinetic Dynamic Suspension Kinetic Dynamic Suspension, (Reduces Noise)	To Frame To Frame	K201492 K200757 ‡	1 1	R164 R163
Sway Bar Link					
2019	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80469 ‡	2	
2018-2010	Except Kinetic Dynamic Suspension, (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80469 ‡	2	R164
2016-2010	Kinetic Dynamic Suspension, (Improves Upon OE Design)		K700647 ‡	2	R163
2009-2003	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80469 ‡	2	R159
Wheel Bearing Assembly					
2019-2003		Left Right	512227 512228	1 1	

TOYOTA TRUCK-C-HR

FRONT SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Link				
2019-2017			K750864 ‡	2


FRONT SUSPENSION



F413

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2014-2007	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K500017 ‡	2 F413
2010-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500018 ‡	2 F413
Control Arm Bushing				
2009-2007	(High Quality Elastomer For Durability And Performance)	Upper	K200771 ‡	4 F413
	(High Quality Elastomer For Durability And Performance)	Lower Rear	K200773 ‡	2 F413
	(High Quality Elastomer For Durability And Performance)	Lower Front	K200772 ‡	2 F413
Control Arm with Ball Joint				
2014-2007	(R-Series)	Left Upper	RK620064	1 F413
	(R-Series)	Right Upper	RK620063	1 F413
2009-2007	(R-Series)	Left Lower	RK620062	1 F413
	(R-Series)	Right Lower	RK620061	1 F413
Shock Mount				
2014-2007	(Contains Spring Seat, Bushings And Retainers, Design Allows Ease Of Installation)		K160266 ‡	2 F413
Shock Mount Bushing				
2009-2007		Lower	K80938	2 F413
Strut and Spring Assembly				
2013-2007	(Strut, Spring & Top Mount)	Left	ST8608L	1 F413
	(Strut, Spring & Top Mount)	Right	ST8608R	1 F413
Sway Bar Bushing				
2009-2007	29mm Or 30mm Sway Bar Diameter, (Contains Thermoplastic Bushing)	To Frame	K80820 ‡	1 F413
Sway Bar Link				
2014-2007		Left	K90677	1 F413
		Right	K90683	1 F413
Wheel Bearing Assembly				
2014-2007			515040	2

STEERING




S184

TOYOTA TRUCK-FJ Cruiser (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2014-2010	(Powdered Metal Gusher Brg. For Better Lubrication) (Design Allows Ease Of Installation)	Outer Inner	ES80895 ‡ EV801007 ‡	2 2 S184
2009-2007	(Design Allows Ease Of Installation)	Outer Inner	ES80378 EV800482 ‡	2 2 S184

REAR SUSPENSION




R099

Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2014-2010	Two Wheel Drive (4x2)	To Frame	K201492	1 R099
2009-2007	Four Wheel Drive (4X4), (Reduces Noise) Two Wheel Drive (4x2), (Reduces Noise)	To Frame To Frame	K200752 ‡ K200753 ‡	1 1 R099
Sway Bar Link				
2014-2007	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80469 ‡	2 R099
Wheel Bearing Assembly				
2014-2007		Left Right	512227 512228	1 1

TOYOTA TRUCK-Highlander

FRONT SUSPENSION




F034

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2019-2008	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Lower Right Lower	K500188 ‡ K500187 ‡	1 1 F034 F034

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2007-2001	(Standard Design) (Standard Design)	Left Lower Right Lower	K90346 K90347	1 1	F034 F034
Control Arm					
2007-2004	(R-Series) (R-Series)	Left Lower Right Lower	RK641488 RK641487	1 1	F034 F034
Control Arm Bushing					
2015-2007		Lower Rear	K201640	2	F034
2015-2001	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear	K200912 ‡	2	F034
2007-2001	(High Quality Elastomer For Durability And Performance) (High Quality Elastomer For Durability And Performance)	Lower Rear Lower Front	K200780 ‡ K200781 ‡	2 2	F034 F034
Control Arm with Ball Joint					
2017-2016	(R-Series) (R-Series)	Left Lower Right Lower	RK622945 RK622944	1 1	
2015-2008	(R-Series) (R-Series)	Left Lower Right Lower	RK622945 RK622944	1 1	F034 F034
2007-2004	(R-Series) (R-Series)	Left Lower Right Lower	RK620334 RK620333	1 1	F034 F034
Complete Knuckle Assembly					
2007-2006	4 Cyl, Base Model, (Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts, Deflector And Axle Nut)	Left	LK027 ‡	1	
	4 Cyl, Base Model, (Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts, Deflector And Axle Nut)	Right	LK028 ‡	1	
	V6 Cyl, Base Model, Limited, Sport, (Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts, Deflector And Axle Nut)	Left	LK025 ‡	1	
	V6 Cyl, Base Model, Limited, Sport, (Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts, Deflector And Axle Nut)	Right	LK026 ‡	1	
	V6 Cyl, Hybrid, Hybrid Limited, (Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts, Deflector And Axle Nut)	Left	LK023 ‡	1	
	V6 Cyl, Hybrid, Hybrid Limited, (Contains Snap Ring, Bearing, Knuckle, Hub Assembly, Backing Plate, Backing Plate Mounting Bolts, Deflector And Axle Nut)	Right	LK024 ‡	1	
Strut Bumper Bellows					
2013-2001	(Contains Bumper)		K90461	2	F034
Strut Mount					
2013-2008	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160263 ‡	2	F034
2007-2001	(Contains Bearing)		K90658	2	F034
Strut Spring Seat					
2007-2001	(Contains Insulator)	Upper	K160014	2	F034
Sway Bar Bushing					
2017-2008	(Split Design For Easier Installation, Optional)	To Frame	K200704 ‡	1	F034
2007-2004	(Split Design For Easier Installation)	To Frame	K200617 ‡	1	F034
Sway Bar Link					
2019-2001	(Powdered Metal Gusher Brg. For Better Lubrication)		K90344 ‡	2	F034


STEERING




S426

TOYOTA TRUCK–Highlander (Cont.)

STEERING (Cont.)




S427



S428

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2013-2008	(Design Allows Ease Of Installation)	K150272 ‡	2	S428	
2007-2005	(Design Allows Ease Of Installation)	K150272 ‡	2	S426, S427	
Tie Rod End					
2017-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer	ES800533 ‡	1	S428
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right Outer	ES800534 ‡	1	S428
2007-2006	(Design Allows Ease Of Installation)	Outer	ES80944 ‡	2	S426, S427
	Base Model, Limited, Sport	Inner	EV80945	2	S427
	Hybrid, Hybrid Limited, (Design Allows Ease Of Installation)	Inner	EV800831 ‡	2	S426

REAR SUSPENSION




R025

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2014	(R-Series)	Lower Rear	RK643057	2
2015-2014	(R-Series)	Lower Front	RK642987	2
2013-2008	Front Wheel Drive, (R-Series)	Lower Front	RK642180	2 R025
2007-2004	All Wheel Drive, (R-Series)	Lower Rear	RK642182	2 R025
	Front Wheel Drive, (Adjustable, R-Series)	Lower Rear	RK642138	2 R025
	Front Wheel Drive, (R-Series)	Lower Front	RK642181	2 R025
Strut Bumper Bellows				
2013-2008	(Contains Bumper)		K90463	2 R025
2007-2004	(Contains Bumper)		K90464	2 R025
Strut Mount				
2007-2004	(Contains Insulator) (Contains Insulator)	Left	K160029	1 R025
		Right	K160028	1 R025
Strut Spring Seat				
2013-2004	(Insulator Only)	Lower	K80925	2 R025
2007-2004	(Insulator Only)	Upper	K80924	2 R025
Sway Bar Bushing				
2013-2007	All Wheel Drive	To Frame	K201386	1 R025
	Front Wheel Drive, (Design Allows Ease Of Installation)	To Frame	K80422 ‡	1 R025
2007-2004	Front Wheel Drive	To Frame	K90548	1 R025
Sway Bar Link				
2019-2014	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K750418 ‡	1
		Right	K750419 ‡	1
2013-2004	(Powdered Metal Gusher Brg. For Better Lubrication)		K90345 ‡	2 R025
Trailing Link				
2013-2008	Front Wheel Drive, (R-Series)		RK641933	2 R025
2007-2004	Front Wheel Drive, (R-Series)		RK642807	2 R025
Wheel Hub & Bearing Assembly				
2016-2014	All Wheel Drive		512365	2
2013-2008	Front Wheel Drive Front Wheel Drive	Left	512419	1
		Right	512420	1
2013-2004	All Wheel Drive		512284	2
2007-2004	Front Wheel Drive Front Wheel Drive	Left	512282	1
		Right	512283	1

TOYOTA TRUCK-Land Cruiser


FRONT SUSPENSION



F558

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2019-2008	(Design Allows Ease Of Installation)	Lower	K500224 ‡	2
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Lower	K500133 ‡	2 F558
Control Arm Bushing				
2007-2005	(Contains Front And Rear Bushings)	Upper	K200004	2 F558
		Lower Rear	K200006	2 F558
		Lower Front	K200005	2 F558
Control Arm with Ball Joint				
2007-2005	(R-Series)	Left Upper	RK621227	1 F558
	(R-Series)	Right Upper	RK621228	1 F558
	(R-Series)	Left Lower	RK620524	1 F558
	(R-Series)	Right Lower	RK620525	1 F558
Shock Mount				
2018-2008	(Contains Spring Seat, Bushings And Retainers)		K160363	2
Sway Bar Bushing				
2019-2008		To Frame	K201585	1
2007-2005		To Frame	K200007	1 F558
Sway Bar Link				
2019-2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K700368 ‡	1
	(Powdered Metal Gusher Brg. For Better Lubrication)	Right	K750333 ‡	1
2007-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750147 ‡	2 F558
Wheel Bearing Assembly				
2019-2008			515103	2


STEERING



S424

STEERING (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2019-2013		K150324	2		
2007-2005		K90316	2	S424	
Tie Rod End					
2019-2008	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800313 ‡ ES800314 ‡ EV800443 ‡	1 1 2	
2007-2005	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800452 ‡ ES800451 ‡ EV800320 ‡	1 1 2	S424 S424 S424
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2007-2005	(R-Series)	Lower	RK642454	2	
Sway Bar Bushing					
2019-2008		To Frame	K201584	1	
2007-2005		To Frame	K90526	1	
Sway Bar Link					
2019-2008		Left	K750773	1	
Sway Bar Repair Kit					
2007-2005			K700772	2	
Wheel Bearing Assembly					
2019-2008		Left Right	512396 512397	1 1	

Rav 4-TOYOTA TRUCK


FRONT SUSPENSION					
					
F366					
Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2018-2006	(Bolt On Type, Design Allows Ease Of Installation)	Lower	K500062 ‡	2	F366
Control Arm with Ball Joint					
2018-2006	(R-Series) (R-Series)	Left Lower Right Lower	RK620586 RK620587	1 1	F366 F366
Strut Bumper Bellows					
2018-2013	(Original Equipment Type) (Replacement Type, Contains Bumper)		K201415 K90461	2 2	F366 F366
2012-2006	(Contains Bumper)		K90461	2	F366
2010-2006	(Original Equipment Type)		K201415	2	F366
Strut Mount					
2012-2009	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160314 ‡	2	F366

TOYOTA TRUCK-Rav 4 (Cont.)

FRONT SUSPENSION (Cont.)


Year	Model/Application	Part	P/C Qty	Figure
Strut Mount				
2008-2006	Base Model, Limited, (Contains Bearing, Superior Rubber To Steel Bonding For Durability) Sport, (Contains Bearing, Superior Rubber To Steel Bonding For Durability)	K160265 ‡ K160314 ‡	2 2	F366 F366
Sway Bar Bushing				
2012-2009		To Frame K201279	1	F366
2008-2007	Except Third Row Seating	To Frame K201482	1	F366
2008-2006	Third Row Seating	To Frame K201279	1	F366
Sway Bar Link				
2018	2494cc(2.5L), (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750043 ‡	2	F366
2017-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K750043 ‡	2	F366
Wheel Hub & Bearing Assembly				
2018-2013		513258	2	
2012-2009	2494cc(2.5L)	513257	2	
2012-2006	3456cc(3.5L)	513258	2	
2008-2006	2362cc(2.4L)	513257	2	

STEERING



Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2018	2494cc(2.5L), (Design Allows Ease Of Installation) 2494cc(2.5L), (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800054 ‡ ES800053 ‡	1 1	S185 S185
2017-2006	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800054 ‡ ES800053 ‡	1 1	S185 S185
2012	Gasoline, (Design Allows Ease Of Installation)	Inner	EV800328 ‡	2	S185
2011-2006	(Design Allows Ease Of Installation)	Inner	EV800328 ‡	2	S185

REAR SUSPENSION




R192

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2018-2006	Plus Or Minus 3 Degrees Camber, (Greaseable, Turnbuckle Adjustment, R-Series) Plus Or Minus 3 Degrees Camber, (Non-Greasable, Eccentric Adjustment, R-Series) Plus Or Minus 3 Degrees Camber, (Greaseable, Turnbuckle Adjustment, R-Series) Plus Or Minus 3 Degrees Camber, (Non-Greasable, Eccentric Adjustment, R-Series)	Left Upper	RK100356	1	R192
		Left Upper	RK100354	1	R192
		Right Upper	RK100357	1	R192
		Right Upper	RK100355	1	R192
2017-2006	(R-Series) (R-Series)	Left Upper	RK641740	1	R192
		Right Upper	RK641739	1	R192
2014	Except Japan Built, Thru 6/14, (R-Series) Except Japan Built, Thru 6/14, (R-Series) Thru 9/14, Japan Built, (R-Series) Thru 9/14, Japan Built, (R-Series)	Left Rear Lower	RK641939	1	R192
		Right Rear Lower	RK641938	1	R192
		Left Rear Lower	RK641939	1	R192
		Right Rear Lower	RK641938	1	R192
2013-2006	(R-Series) (R-Series)	Left Rear Lower	RK641939	1	R192
		Right Rear Lower	RK641938	1	R192
Control Arm with Ball Joint					
2018-2011	North American Built - 1st Digit Of VIN 1, 2 Or 4, (R-Series)	Lower Front	RK621848	2	R192
2010-2006	Plus Or Minus 3 Degree Toe, (Adjustable, R-Series)	Lower Front	RK100170	2	R192
Sway Bar Bushing					
2012-2006	(Split Design For Easier Installation)	To Frame	K200829 ‡	1	R192
Sway Bar Link					
2018-2006	(Powdered Metal Gusher Brg. For Better Lubrication)		K750257 ‡	2	R192
Wheel Hub & Bearing Assembly					
2018-2013	All Wheel Drive		512374	2	
2018-2006	Front Wheel Drive		512372	2	
2012-2006	Four Wheel Drive (4X4)		512374	2	

TOYOTA TRUCK-Rav 4 - EV


FRONT SUSPENSION



F366

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2014-2012	(Bolt On Type, Design Allows Ease Of Installation)	Lower	K500062 ‡	2 F366
Control Arm with Ball Joint				
2014-2012	(R-Series)	Left Lower	RK620586	1 F366
	(R-Series)	Right Lower	RK620587	1 F366
Strut Bumper Bellows				
2014-2013	(Original Equipment Type)		K201415	2 F366
	(Replacement Type, Contains Bumper)		K90461	2 F366
Strut Mount				
2012	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160314 ‡	2 F366
Sway Bar Bushing				
2014-2012		To Frame	K201279	1 F366
Sway Bar Link				
2014-2012	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750043 ‡	2 F366
Wheel Hub & Bearing Assembly				
2014-2013			513258	2


STEERING



S185

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2014-2012	(Design Allows Ease Of Installation)	Left Outer	ES800054 ‡	1 S185
	(Design Allows Ease Of Installation)	Right Outer	ES800053 ‡	1 S185

REAR SUSPENSION




R192

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2014-2012	(R-Series) Left Upper	RK641740	1	R192
	(R-Series) Right Upper	RK641739	1	R192
	(R-Series) Left Rear Lower	RK641939	1	R192
	(R-Series) Right Rear Lower	RK641938	1	R192
	Plus Or Minus 3 Degrees Camber, (Greaseable, Turnbuckle Adjustment, R-Series) Left Upper	RK100356	1	R192
	Plus Or Minus 3 Degrees Camber, (Non-Greasable, Eccentric Adjustment, R-Series) Left Upper	RK100354	1	R192
	Plus Or Minus 3 Degrees Camber, (Greaseable, Turnbuckle Adjustment, R-Series) Right Upper	RK100357	1	R192
	Plus Or Minus 3 Degrees Camber, (Non-Greasable, Eccentric Adjustment, R-Series) Right Upper	RK100355	1	R192
Control Arm with Ball Joint				
2014-2012	North American Built - 1st Digit Of VIN 1, 2 Or 4, (R-Series) Lower Front	RK621848	2	R192
Sway Bar Bushing				
2014-2012	(Split Design For Easier Installation) To Frame	K200829 ‡	1	R192
Sway Bar Link				
2014	Canada Built, (Powdered Metal Gusher Brg. For Better Lubrication)	K750257 ‡	2	R192
2013-2012	(Powdered Metal Gusher Brg. For Better Lubrication)	K750257 ‡	2	R192
Wheel Hub & Bearing Assembly				
2014-2012	Front Wheel Drive	512372	2	

Sequoia-TOYOTA TRUCK


FRONT SUSPENSION



F039

TOYOTA TRUCK–Sequoia (Cont.)


FRONT SUSPENSION (Cont.)




F357

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2019-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500018 ‡	2 F357
2018-2008	(Design Allows Ease Of Installation)	Lower	K500224 ‡	2 F357
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K90255 ‡	2 F039
		Left Lower	K80522	1 F039
		Right Lower	K80521	1 F039
Control Arm				
2007-2005	(R-Series)	Left Upper	RK640611	1 F039
	(R-Series)	Right Upper	RK640612	1 F039
	(R-Series)	Left Lower	RK640436	1 F039
	(R-Series)	Right Lower	RK640437	1 F039
Control Arm Bushing				
2018-2008		Upper	K201332	4 F357
2007-2005	(Design Allows Ease Of Installation)	Upper	K200910 ‡	4 F039
	(Design Allows Ease Of Installation)	Lower Rear	K200126 ‡	2 F039
	(Design Allows Ease Of Installation)	Lower Front	K200124 ‡	2 F039
Control Arm with Ball Joint				
2018-2008	(R-Series)	Left Upper	RK621307	1 F357
	(R-Series)	Right Upper	RK621308	1 F357
	(R-Series)	Left Lower	RK621304	1 F357
	(R-Series)	Right Lower	RK621303	1 F357
Shock Mount				
2017-2008	Except Auto Leveling System, (Contains Spring Seat, Bushings And Retainers)		K160362	2 F357
2007-2005	(Contains Insulator)		K90726	2 F039
Strut and Spring Assembly				
2007-2005	(Strut, Spring & Top Mount)	Left	ST8609L	1 F039
	(Strut, Spring & Top Mount)	Right	ST8609R	1 F039
Sway Bar Bushing				
2018-2008		To Frame	K201414	1 F357
2007-2005	27mm Or 28mm Sway Bar Diameter	To Frame	K80819	1 F039
Sway Bar Link				
2019-2008	(Improves Upon OE Design)	Left	K750179 ‡	1 F357
	(Improves Upon OE Design)	Right	K750180 ‡	1 F357
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication)		K90680 ‡	2 F039
Wheel Bearing Assembly				
2018-2008			515103	2

STEERING



S039




S109

Year	Model/Application	Part	P/C Qty	Figure	
Rack & Pinion Boot Kit					
2018-2011		K150324	2	S109	
Tie Rod End					
2018-2008	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800327 ‡ ES800326 ‡ EV800293 ‡	1 1 2	S109 S109 S109
2007-2005	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Outer Right Outer Inner	ES80382 ES80381 EV800444 ‡	1 1 2	S039 S039 S039
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2018-2008	(R-Series) (R-Series) (R-Series) (R-Series)	Left Upper Right Upper Left Front Lower Right Front Lower	RK642494 RK642493 RK642492 RK642491	1 1 1 1	
Sway Bar Bushing					
2016-2008		To Frame	K90539	1	
2007-2005	Except Sunroof Sunroof	To Frame To Frame	K201495 K201494	1 1	
Sway Bar Link					
2019-2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K750086 ‡ K750085 ‡	1 1	
2007-2005	(Powdered Metal Gusher Brg. For Better Lubrication)		K750013 ‡	2	
Wheel Bearing Assembly					
2018-2008			512400	2	
Wheel Hub & Bearing Assembly					
2007-2005			512211	2	

TOYOTA TRUCK—Sienna


FRONT SUSPENSION




F034

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2019-2011	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Lower Right Lower	K500188 ‡ K500187 ‡	1 1 F034
2010-2007	(Standard Design) (Standard Design)	Left Lower Right Lower	K90346 K90347	1 1 F034 F034
Control Arm Bushing				
2010-2007	(Durable Socket Design Eases Installation, Vertical Mount) (High Quality Elastomer For Durability And Performance) (High Quality Elastomer For Durability And Performance)	Lower Rear Lower Rear Lower Rear Lower Front	K201640 K200912 ‡ K200780 ‡ K200781 ‡	2 2 2 2 F034 F034 F034 F034
Control Arm with Ball Joint				
2018-2011	(R-Series) (R-Series)	Left Lower Right Lower	RK622036 RK622035	1 1 F034 F034
2010-2007	(R-Series) (R-Series)	Left Lower Right Lower	RK620714 RK620713	1 1 F034 F034
Strut Bumper Bellows				
2017	Base Model, L, LE, Limited, XLE, Front Wheel Drive, (Original Equipment Type) Base Model, L, LE, Limited, XLE, Front Wheel Drive, (Replacement Type, Contains Bumper)		K201415 K90461	2 2 F034 F034
2017-2011	All Wheel Drive, (Original Equipment Type) All Wheel Drive, (Replacement Type, Contains Bumper) SE, Front Wheel Drive, (Original Equipment Type) SE, Front Wheel Drive, (Replacement Type, Contains Bumper)		K201415 K90461 K201538 K90460	2 2 2 2 F034 F034 F034 F034
2016-2014	Base Model, LE, Limited, XLE, Front Wheel Drive, (Original Equipment Type) Base Model, LE, Limited, XLE, Front Wheel Drive, (Replacement Type, Contains Bumper)		K201415 K90461	2 2 F034 F034
2013-2012	Base Model, CE, LE, Limited, XLE, Front Wheel Drive, (Original Equipment Type) Base Model, CE, LE, Limited, XLE, Front Wheel Drive, (Replacement Type, Contains Bumper)		K201415 K90461	2 2 F034 F034
2011	Base Model, CE, LE, Limited, Sport, XLE, Front Wheel Drive, (Original Equipment Type) Base Model, CE, LE, Limited, Sport, XLE, Front Wheel Drive, (Replacement Type, Contains Bumper)		K201415 K90461	2 2 F034 F034
2010-2007	(Contains Bumper)		K90461	2 F034
Strut Mount				
2010-2007	(Contains Bearing)		K90658	2 F034
Strut Spring Seat				
2017-2007	(Contains Insulator) (Reduces Noise)	Upper Lower	K160014 K160251 ‡	2 2 F034 F034
Sway Bar Bushing				
2018	All Wheel Drive, (Split Design For Easier Installation, Optional)	To Frame	K200704 ‡	1 F034
2018-2007	All Wheel Drive, (Split Design For Easier Installation)	To Frame	K200616 ‡	1 F034
Sway Bar Link				
2019-2011	(Greaseable Socket Reduces Corrosion/Wear)		K750574 ‡	2 F034
2010-2007	(Powdered Metal Gusher Brg. For Better Lubrication)		K80249 ‡	2 F034

STEERING




S035




S182

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2013-2011	(Design Allows Ease Of Installation)	K150286 ‡	2	S182
2010-2007	(Design Allows Ease Of Installation)	K150286 ‡	2	S035
Tie Rod End				
2018-2011		Left Outer ES800998	1	S182
		Right Outer ES800997	1	S182
2010-2007		Left Outer ES80627	1	S035
		Right Outer ES80626	1	S035
	(Powdered Metal Gusher Brg. For Better Lubrication)	Inner EV80893 ‡	2	S035
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Shock Mount				
2017-2007		K201681	2	
Wheel Hub & Bearing Assembly				
2018-2011	All Wheel Drive	512482	2	
	Front Wheel Drive	512456	2	
2010-2007	All Wheel Drive	512281	2	
	Front Wheel Drive	512280	2	

FRONT SUSPENSION



F415



F417

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2018-2016	(Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Lower	K80827 ‡	2 F417
2017-2016	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K80811 ‡	2 F417
2015-2005	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication, New Pre-Installed Integral Dust Boot Eases Installation, New And Original Designs Can Be Installed)	Upper	K80811 ‡	2 F415, F417
		Lower	K80827 ‡	2 F415, F417
Control Arm Bushing				
2018-2016	(High Quality Elastomer For Durability And Performance) (High Quality Elastomer For Durability And Performance)	Upper	K200771 ‡	2 F417
		Lower Rear	K200774 ‡	2 F417
2015	Base Model, TRD Pro, Four Wheel Drive (4X4), (High Quality Elastomer For Durability And Performance) Base Model, TRD Pro, Four Wheel Drive (4X4), (High Quality Elastomer For Durability And Performance) Base Model, TRD Pro, Four Wheel Drive (4X4), (High Quality Elastomer For Durability And Performance)	Upper	K200771 ‡	4 F417
		Lower Rear	K200773 ‡	2 F417
		Lower Front	K200772 ‡	2 F417
2015-2014	Base Model, Two Wheel Drive (4x2), (High Quality Elastomer For Durability And Performance) Pre Runner, (High Quality Elastomer For Durability And Performance) Pre Runner, (High Quality Elastomer For Durability And Performance) Pre Runner, (High Quality Elastomer For Durability And Performance)	Lower Front	K200775 ‡	2 F415
		Upper	K200771 ‡	4 F417
		Lower Rear	K200773 ‡	2 F417
		Lower Front	K200772 ‡	2 F417
2015-2010	Base Model, Two Wheel Drive (4x2), (High Quality Elastomer For Durability And Performance) Base Model, Two Wheel Drive (4x2), (High Quality Elastomer For Durability And Performance)	Upper	K200770 ‡	4 F415
		Lower Rear	K200774 ‡	2 F415
2014-2010	Base Model, Four Wheel Drive (4X4), (High Quality Elastomer For Durability And Performance) Base Model, Four Wheel Drive (4X4), (High Quality Elastomer For Durability And Performance) Base Model, Four Wheel Drive (4X4), (High Quality Elastomer For Durability And Performance)	Upper	K200771 ‡	4 F417
		Lower Rear	K200773 ‡	2 F417
		Lower Front	K200772 ‡	2 F417

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm Bushing					
2013-2012	Pre Runner, T/X Baja, (High Quality Elastomer For Durability And Performance)	Upper	K200771 ‡	4	F417
	Pre Runner, T/X Baja, (High Quality Elastomer For Durability And Performance)	Lower Rear	K200773 ‡	2	F417
	Pre Runner, T/X Baja, (High Quality Elastomer For Durability And Performance)	Lower Front	K200772 ‡	2	F417
2013-2010	Base Model, X Runner, Two Wheel Drive (4x2), (High Quality Elastomer For Durability And Performance)	Lower Front	K200775 ‡	2	F415
2013-2005	X Runner, (High Quality Elastomer For Durability And Performance)	Upper	K200770 ‡	4	F415
	X Runner, (High Quality Elastomer For Durability And Performance)	Lower Rear	K200774 ‡	2	F415
2011-2009	Pre Runner, (High Quality Elastomer For Durability And Performance)	Upper	K200771 ‡	4	F417
	Pre Runner, (High Quality Elastomer For Durability And Performance)	Lower Rear	K200773 ‡	2	F417
	Pre Runner, (High Quality Elastomer For Durability And Performance)	Lower Front	K200772 ‡	2	F417
2009-2005	Base Model, SR5, Two Wheel Drive (4x2), (High Quality Elastomer For Durability And Performance)	Upper	K200770 ‡	4	F415
	Base Model, SR5, Two Wheel Drive (4x2), (High Quality Elastomer For Durability And Performance)	Lower Rear	K200774 ‡	2	F415
	Base Model, SR5, TRD, TRD Sport, Four Wheel Drive (4X4), (High Quality Elastomer For Durability And Performance)	Upper	K200771 ‡	4	F417
	Base Model, SR5, TRD, TRD Sport, Four Wheel Drive (4X4), (High Quality Elastomer For Durability And Performance)	Lower Rear	K200773 ‡	2	F417
	Base Model, SR5, TRD, TRD Sport, Four Wheel Drive (4X4), (High Quality Elastomer For Durability And Performance)	Lower Front	K200772 ‡	2	F417
	Base Model, SR5, X Runner, Two Wheel Drive (4x2), (High Quality Elastomer For Durability And Performance)	Lower Front	K200775 ‡	2	F415
	2008	Pre Runner, Pre Runner SR5, Pre Runner TRD, Pre Runner TRD Sport, (High Quality Elastomer For Durability And Performance)	Upper	K200771 ‡	4
Pre Runner, Pre Runner SR5, Pre Runner TRD, Pre Runner TRD Sport, (High Quality Elastomer For Durability And Performance)	Lower Rear	K200773 ‡	2	F417	
Pre Runner, Pre Runner SR5, Pre Runner TRD, Pre Runner TRD Sport, (High Quality Elastomer For Durability And Performance)	Lower Front	K200772 ‡	2	F417	
2007-2005	Pre Runner, Pre Runner SR5, Pre Runner Sport, Pre Runner TRD, Pre Runner TRD Sport, (High Quality Elastomer For Durability And Performance)	Upper	K200771 ‡	4	F417
	Pre Runner, Pre Runner SR5, Pre Runner Sport, Pre Runner TRD, Pre Runner TRD Sport, (High Quality Elastomer For Durability And Performance)	Lower Rear	K200773 ‡	2	F417
	Pre Runner, Pre Runner SR5, Pre Runner Sport, Pre Runner TRD, Pre Runner TRD Sport, (High Quality Elastomer For Durability And Performance)	Lower Front	K200772 ‡	2	F417
Control Arm with Ball Joint					
2017-2016	(R-Series)	Left Upper	RK621475	1	F417
	(R-Series)	Right Upper	RK621474	1	F417
2015	Base Model, TRD Pro, Four Wheel Drive (4X4), (R-Series)	Left Lower	RK621294	1	F417
	Base Model, TRD Pro, Four Wheel Drive (4X4), (R-Series)	Right Lower	RK621293	1	F417
	Base Model, TRD Pro, Two Wheel Drive (4x2), (R-Series)	Left Upper	RK622291	1	F415
	Base Model, TRD Pro, Two Wheel Drive (4x2), (R-Series)	Right Upper	RK622290	1	F415
	Pre Runner, (R-Series)	Left Lower	RK621294	1	F417
	Pre Runner, (R-Series)	Right Lower	RK621293	1	F417
2015-2014	Base Model, Two Wheel Drive (4x2), (R-Series)	Left Lower	RK641522	1	F415
	Base Model, Two Wheel Drive (4x2), (R-Series)	Right Lower	RK641521	1	F415
2015-2009	Pre Runner, Two Wheel Drive (4x2), (R-Series)	Left Upper	RK621475	1	F417
	Pre Runner, Two Wheel Drive (4x2), (R-Series)	Right Upper	RK621474	1	F417
2015-2005	Four Wheel Drive (4X4), (R-Series)	Left Upper	RK621475	1	F417
	Four Wheel Drive (4X4), (R-Series)	Right Upper	RK621474	1	F417
2014	Base Model, Four Wheel Drive (4X4), (R-Series)	Left Lower	RK621294	1	F417
	Base Model, Four Wheel Drive (4X4), (R-Series)	Right Lower	RK621293	1	F417
	Base Model, Two Wheel Drive (4x2), (R-Series)	Left Upper	RK622291	1	F415
	Base Model, Two Wheel Drive (4x2), (R-Series)	Right Upper	RK622290	1	F415
2014-2009	Pre Runner, Two Wheel Drive (4x2), (R-Series)	Left Lower	RK621294	1	F417
	Pre Runner, Two Wheel Drive (4x2), (R-Series)	Right Lower	RK621293	1	F417
2013	Base Model, T/X Baja, Four Wheel Drive (4X4), (R-Series)	Left Lower	RK621294	1	F417
	Base Model, T/X Baja, Four Wheel Drive (4X4), (R-Series)	Right Lower	RK621293	1	F417
2013-2012	Base Model, X Runner, Two Wheel Drive (4x2), (R-Series)	Left Lower	RK641522	1	F415
	Base Model, X Runner, Two Wheel Drive (4x2), (R-Series)	Right Lower	RK641521	1	F415
2013-2010	Base Model, X Runner, Two Wheel Drive (4x2), (R-Series)	Left Upper	RK622291	1	F415
	Base Model, X Runner, Two Wheel Drive (4x2), (R-Series)	Right Upper	RK622290	1	F415
2012-2010	Base Model, Four Wheel Drive (4X4), (R-Series)	Left Lower	RK621294	1	F417
	Base Model, Four Wheel Drive (4X4), (R-Series)	Right Lower	RK621293	1	F417
2011-2010	Base Model, Two Wheel Drive (4x2), (R-Series)	Left Lower	RK641522	1	F415
	Base Model, Two Wheel Drive (4x2), (R-Series)	Right Lower	RK641521	1	F415
2009-2005	Base Model, SR5, Two Wheel Drive (4x2), (R-Series)	Left Lower	RK641522	1	F415
	Base Model, SR5, Two Wheel Drive (4x2), (R-Series)	Right Lower	RK641521	1	F415
	Base Model, SR5, TRD, TRD Sport, Four Wheel Drive (4X4), (R-Series)	Left Lower	RK621294	1	F417
	Base Model, SR5, TRD, TRD Sport, Four Wheel Drive (4X4), (R-Series)	Right Lower	RK621293	1	F417
	Base Model, SR5, TRD, X Runner, Two Wheel Drive (4x2), (R-Series)	Left Upper	RK622291	1	F415
	Base Model, SR5, TRD, X Runner, Two Wheel Drive (4x2), (R-Series)	Right Upper	RK622290	1	F415

TOYOTA TRUCK–Tacoma (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2008	Pre Runner, Pre Runner SR5, Pre Runner TRD, Pre Runner TRD Sport, Two Wheel Drive (4x2), (R-Series) Left Upper	RK621475	1	F417
	Pre Runner, Pre Runner SR5, Pre Runner TRD, Pre Runner TRD Sport, Two Wheel Drive (4x2), (R-Series) Right Upper	RK621474	1	F417
	Pre Runner, Pre Runner SR5, Pre Runner TRD, Pre Runner TRD Sport, Two Wheel Drive (4x2), (R-Series) Left Lower	RK621294	1	F417
	Pre Runner, Pre Runner SR5, Pre Runner TRD, Pre Runner TRD Sport, Two Wheel Drive (4x2), (R-Series) Right Lower	RK621293	1	F417
2007-2005	Pre Runner, Pre Runner SR5, Pre Runner Sport, Pre Runner TRD, Pre Runner TRD Sport, Two Wheel Drive (4x2), (R-Series) Left Upper	RK621475	1	F417
	Pre Runner, Pre Runner SR5, Pre Runner Sport, Pre Runner TRD, Pre Runner TRD Sport, Two Wheel Drive (4x2), (R-Series) Right Upper	RK621474	1	F417
	Pre Runner, Pre Runner SR5, Pre Runner Sport, Pre Runner TRD, Pre Runner TRD Sport, Two Wheel Drive (4x2), (R-Series) Left Lower	RK621294	1	F417
	Pre Runner, Pre Runner SR5, Pre Runner Sport, Pre Runner TRD, Pre Runner TRD Sport, Two Wheel Drive (4x2), (R-Series) Right Lower	RK621293	1	F417
Shock Mount				
2017-2016	(Contains Spring Seat, Bushings And Retainers, Design Allows Ease Of Installation)	K160266 ‡	2	F417
2015-2014	Base Model, Two Wheel Drive (4x2), (Contains Bushing, Retainers And Spring Seat/Bellow)	K160379	2	F415
2015-2009	Pre Runner, Two Wheel Drive (4x2), (Contains Spring Seat, Bushings And Retainers, Design Allows Ease Of Installation)	K160266 ‡	2	F417
2015-2005	Four Wheel Drive (4X4), (Contains Spring Seat, Bushings And Retainers, Design Allows Ease Of Installation)	K160266 ‡	2	F417
2013-2010	Base Model, X Runner, Two Wheel Drive (4x2), (Contains Bushing, Retainers And Spring Seat/Bellow)	K160379	2	F415
2009-2005	Base Model, SR5, X Runner, Two Wheel Drive (4x2), (Contains Bushing, Retainers And Spring Seat/Bellow)	K160379	2	F415
2008	Pre Runner, Pre Runner SR5, Pre Runner TRD, Pre Runner TRD Sport, Two Wheel Drive (4x2), (Contains Spring Seat, Bushings And Retainers, Design Allows Ease Of Installation)	K160266 ‡	2	F417
2007-2005	Pre Runner, Pre Runner SR5, Pre Runner Sport, Pre Runner TRD, Pre Runner TRD Sport, Two Wheel Drive (4x2), (Contains Spring Seat, Bushings And Retainers, Design Allows Ease Of Installation)	K160266 ‡	2	F417
Strut and Spring Assembly				
2015	Base Model, TRD Pro, Pickup (4 Dr. Ext'd Cab), Four Wheel Drive (4X4), (Strut, Spring & Top Mount) Left	ST8608L	1	F417
	Base Model, TRD Pro, Pickup (4 Dr. Ext'd Cab), Four Wheel Drive (4X4), (Strut, Spring & Top Mount) Right	ST8608R	1	F417
2015-2009	Pre Runner, (Strut, Spring & Top Mount) Left	ST8608L	1	F417
	Pre Runner, (Strut, Spring & Top Mount) Right	ST8608R	1	F417
2014	Base Model, Pickup (2 Dr.), Pickup (4 Dr. Ext'd Cab), Four Wheel Drive (4X4), (Strut, Spring & Top Mount) Left	ST8608L	1	F417
	Base Model, Pickup (2 Dr.), Pickup (4 Dr. Ext'd Cab), Four Wheel Drive (4X4), (Strut, Spring & Top Mount) Right	ST8608R	1	F417
2013-2012	Base Model, T/X Baja, Pickup (2 Dr.), Four Wheel Drive (4X4), (Strut, Spring & Top Mount) Left	ST8608L	1	F417
	Base Model, T/X Baja, Pickup (2 Dr.), Four Wheel Drive (4X4), (Strut, Spring & Top Mount) Right	ST8608R	1	F417
	Base Model, T/X Baja, Pickup (4 Dr. Ext'd Cab), Four Wheel Drive (4X4), (Strut, Spring & Top Mount) Left	ST8608L	1	F417
	Base Model, T/X Baja, Pickup (4 Dr. Ext'd Cab), Four Wheel Drive (4X4), (Strut, Spring & Top Mount) Right	ST8608R	1	F417
2011-2010	Base Model, Pickup (2 Dr.), Pickup (4 Dr. Ext'd Cab), Four Wheel Drive (4X4), (Strut, Spring & Top Mount) Left	ST8608L	1	F417
	Base Model, Pickup (2 Dr.), Pickup (4 Dr. Ext'd Cab), Four Wheel Drive (4X4), (Strut, Spring & Top Mount) Right	ST8608R	1	F417
2009-2007	Base Model, SR5, TRD, TRD Sport, Pickup (2 Dr.), Four Wheel Drive (4X4), (Strut, Spring & Top Mount) Left	ST8608L	1	F417
	Base Model, SR5, TRD, TRD Sport, Pickup (4 Dr. Ext'd Cab), Four Wheel Drive (4X4), (Strut, Spring & Top Mount) Left	ST8608L	1	F417
	Base Model, SR5, TRD, TRD Sport, Pickup (4 Dr. Ext'd Cab), Four Wheel Drive (4X4), (Strut, Spring & Top Mount) Right	ST8608R	1	F417
2009-2006	Base Model, SR5, TRD, TRD Sport, Pickup (2 Dr.), Four Wheel Drive (4X4), (Strut, Spring & Top Mount) Right	ST8608R	1	F417
2008	Pre Runner, Pre Runner SR5, Pre Runner TRD, Pre Runner TRD Sport, (Strut, Spring & Top Mount) Left	ST8608L	1	F417
	Pre Runner, Pre Runner SR5, Pre Runner TRD, Pre Runner TRD Sport, (Strut, Spring & Top Mount) Right	ST8608R	1	F417
2007-2005	Pre Runner, Pre Runner SR5, Pre Runner Sport, Pre Runner TRD, Pre Runner TRD Sport, (Strut, Spring & Top Mount) Left	ST8608L	1	F417
	Pre Runner, Pre Runner SR5, Pre Runner Sport, Pre Runner TRD, Pre Runner TRD Sport, (Strut, Spring & Top Mount) Right	ST8608R	1	F417
2006-2005	Base Model, SR5, TRD, Pickup (2 Dr.), Four Wheel Drive (4X4), (Strut, Spring & Top Mount) Left	ST8608L	1	F417
	Base Model, SR5, TRD, Pickup (4 Dr. Ext'd Cab), Four Wheel Drive (4X4), (Strut, Spring & Top Mount) Left	ST8608L	1	F417

FRONT SUSPENSION (Cont.)					
Year	Model/Application	Part	P/C Qty	Figure	
Strut and Spring Assembly					
2006-2005 (Cont.)	Base Model, SR5, TRD, Pickup (4 Dr. Ext'd Cab), Four Wheel Drive (4X4), (Strut, Spring & Top Mount)	Right	ST8608R	1	F417
2005	Base Model, SR5, TRD, Pickup (2 Dr.), Four Wheel Drive (4X4), (Strut, Spring & Top Mount)	Right	ST8608R	1	F417
Sway Bar Bushing					
2018-2016	27mm Or 28mm Sway Bar Diameter 29mm Or 30mm Sway Bar Diameter, (Contains Thermoplastic Bushing)	To Frame	K80819	1	F417
		To Frame	K80820 ‡	1	F417
2015	27mm Or 28mm Sway Bar Diameter, 6 Lug Wheels 29mm Or 30mm Sway Bar Diameter, 6 Lug Wheels, (Contains Thermoplastic Bushing)	To Frame	K80819	1	F417
		To Frame	K80820 ‡	1	F417
2015-2005	Four Wheel Drive (4X4), 27mm Or 28mm Sway Bar Diameter Four Wheel Drive (4X4), 29mm Or 30mm Sway Bar Diameter, (Contains Thermoplastic Bushing)	To Frame	K80819	1	F417
		To Frame	K80820 ‡	1	F417
	To Frame	K80819	1	F417	
	To Frame	K200620 ‡	1	F415	
	To Frame	K80820 ‡	1	F417	
Sway Bar Link					
2018-2016	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K80948 ‡	1	F417
		Right	K80946 ‡	1	F417
2015	6 Lug Wheels, (Powdered Metal Gusher Brg. For Better Lubrication) 6 Lug Wheels, (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K80948 ‡	1	F417
		Right	K80946 ‡	1	F417
2014	Base Model, Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)		K80900 ‡	2	F415
2014-2005	Base Model, Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication) Base Model, Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication) Pre Runner, Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication) Pre Runner, Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Left	K80948 ‡	1	F417
		Right	K80946 ‡	1	F417
		Left	K80948 ‡	1	F417
		Right	K80946 ‡	1	F417
2013-2010	Base Model, X Runner, Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)		K80900 ‡	2	F415
2009-2005	Base Model, SR5, X Runner, Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)		K80900 ‡	2	F415
Wheel Bearing Assembly					
2018-2016			515040	2	
2015-2014	6 Stud Hub		515040	2	
2013-2005			515040	2	
STEERING					
S194					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2018-2016	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES80895 ‡	2	S194
2015	Base Model, TRD Pro, Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication) Pre Runner, (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES80895 ‡	2	S194
		Outer	ES80895 ‡	2	S194
2015-2014	Base Model, Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication) Base Model, Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES80941 ‡	2	S194
		Inner	EV800234 ‡	2	S194
2014-2009	Pre Runner, Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES80895 ‡	2	S194
2014-2005	Four Wheel Drive (4X4), (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES80895 ‡	2	S194
2013-2010	Base Model, X Runner, Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication) Base Model, X Runner, Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES80941 ‡	2	S194
		Inner	EV800234 ‡	2	S194
2013-2009	Pre Runner, Two Wheel Drive (4x2), (Design Allows Ease Of Installation)	Inner	EV800529 ‡	2	S194
2011-2005	Four Wheel Drive (4X4), (Design Allows Ease Of Installation)	Inner	EV800529 ‡	2	S194
2009-2005	Base Model, SR5, X Runner, Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication) Base Model, SR5, X Runner, Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES80941 ‡	2	S194
		Inner	EV800234 ‡	2	S194


TOYOTA TRUCK–Tacoma (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod End					
2008	Pre Runner, Pre Runner SR5, Pre Runner TRD, Pre Runner TRD Sport, Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES80895 ‡	2	S194
		Inner	EV800529 ‡	2	S194
2007-2006	Pre Runner, Pre Runner SR5, Pre Runner Sport, Pre Runner TRD, Pre Runner TRD Sport, Two Wheel Drive (4x2), (Design Allows Ease Of Installation)	Inner	EV800529 ‡	2	S194
2007-2005	Pre Runner, Pre Runner SR5, Pre Runner Sport, Pre Runner TRD, Pre Runner TRD Sport, Two Wheel Drive (4x2), (Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES80895 ‡	2	S194
2005	Pre Runner, Pre Runner SR5, Pre Runner TRD, Pre Runner TRD Sport, Two Wheel Drive (4x2), (Design Allows Ease Of Installation)	Inner	EV800529 ‡	2	S194
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Bushing					
2013-2005		To Frame	K90531	1	
Sway Bar Link					
2013-2005	(Greaseable Socket Reduces Corrosion/Wear)		K750448 ‡	2	
Wheel Bearing Assembly					
2018-2005		Left	512294	1	
		Right	512295	1	

TOYOTA TRUCK–Tundra

FRONT SUSPENSION



F357

Year	Model/Application	Part	P/C Qty	Figure	
Ball Joint					
2019-2007	(Powdered Metal Gusher Brg. For Better Lubrication)	Upper	K500018 ‡	2	F357
2018-2009	(Design Allows Ease Of Installation)	Lower	K500224 ‡	2	F357
2008-2007	(Design Allows Ease Of Installation)	Lower	K500228 ‡	2	F357
Control Arm Bushing					
2019		Upper	K201332	4	
2018-2007		Upper	K201332	4	F357
Control Arm with Ball Joint					
2019-2007	(R-Series)	Left Upper	RK621307	1	F357
	(R-Series)	Right Upper	RK621308	1	F357
	(R-Series)	Left Lower	RK621304	1	F357
	(R-Series)	Right Lower	RK621303	1	F357
Shock Mount					
2016-2007	(Contains Spring Seat, Bushings And Retainers)		K160362	2	F357
Strut and Spring Assembly					
2014-2007	Except Off Road Package	Left	ST8616L	1	F357
		Right	ST8616R	1	F357

FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Sway Bar Bushing				
2019		To Frame	K201414	1
2018-2007		To Frame	K201414	1
Sway Bar Link				
2019-2007	(Improves Upon OE Design) (Improves Upon OE Design)	Left	K750179 ‡	1
		Right	K750180 ‡	1
Wheel Bearing Assembly				
2019-2007			515103	2

STEERING

The diagram illustrates the steering components for the front suspension. It shows two views: a top-down view of the steering rack and tie rod ends, and a side view of the tie rod end assembly. Labels include: R&P Boot Kit, Tie Rod End (Outer), Tie Rod End (Inner), Steering Rack Insulator Bushing (Right), Steering Rack Insulator Bushings (Left), and Tie Rod End (Outer).

S109

Year	Model/Application	Part	P/C Qty	Figure
Rack & Pinion Boot Kit				
2016-2011			K150324	2
Tie Rod End				
2019-2007	(Design Allows Ease Of Installation)	Left Outer	ES800327 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800326 ‡	1
	(Design Allows Ease Of Installation)	Inner	EV800293 ‡	2

REAR SUSPENSION

Year	Model/Application	Part	P/C Qty	Figure
Wheel Bearing Assembly				
2019-2007		Left	512352	1
		Right	512351	1

FRONT SUSPENSION

The diagram shows the front suspension components for the Venza. It includes a MacPherson strut assembly with a coil spring, a sway bar link, control arms (lower front and lower rear), a ball joint (lower), and various bushings. Labels include: MacPherson Strut Mount, Coil Spring, Sway Bar Link, Sway Bar Frame Bushing, MacPherson Strut Bumper Bellow, Control Arm Bushing (Lower Rear), Control Arm Bushing (Lower Front), Control Arm (Lower), MacPherson Strut, and Ball Joint (Lower). An arrow points to the front of the vehicle.


F034

TOYOTA TRUCK-Venza (Cont.)

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2015-2009	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Lower Right Lower	K500188 ‡ K500187 ‡	1 1 F034
Control Arm Bushing				
2015-2009	(Durable Socket Design Eases Installation, Vertical Mount)	Lower Rear Lower Rear	K201640 K200912 ‡	1 1 F034 F034
Control Arm with Ball Joint				
2015-2009	(R-Series) (R-Series)	Left Lower Right Lower	RK622945 RK622944	1 1 F034 F034
Strut Bumper Bellows				
2015-2009	(Contains Bumper)		K90461	2 F034
Strut Mount				
2015-2009	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160263 ‡	2 F034
Sway Bar Link				
2015-2009	(Powdered Metal Gusher Brg. For Better Lubrication)		K90344 ‡	2 F034


STEERING



S182

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2015-2009	(Powdered Metal Gusher Brg. For Better Lubrication) (Powdered Metal Gusher Brg. For Better Lubrication)	Left Outer Right Outer	ES800533 ‡ ES800534 ‡	1 1 S182 S182

REAR SUSPENSION





R097

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2015-2009	(R-Series)	Lower Front	RK642180	2 R097
Strut Bumper Bellows				
2015-2009	(Contains Bumper)		K90463	2 R097
Strut Spring Seat				
2015-2009	(Insulator Only)	Lower	K80925	2 R097
Sway Bar Link				
2015-2009	(Powdered Metal Gusher Brg. For Better Lubrication)		K90345 ‡	2 R097

REAR SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Trailing Link				
2015-2009	Front Wheel Drive, (R-Series)	RK641933	2	R097
Wheel Hub & Bearing Assembly				
2016-2009	All Wheel Drive	512284	2	
	Front Wheel Drive	Left 512421	1	
	Front Wheel Drive	Right 512422	1	

Routan-VOLKSWAGEN TRUCK

FRONT SUSPENSION					
					
F320					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm Bushing					
2011-2009	(High Quality Elastomer For Durability And Performance) (High Quality Elastomer For Durability And Performance)	Lower Rear Lower Front	K200341 ‡ K200717 ‡	2 2	F320 F320
Control Arm with Ball Joint					
2014-2009	(R-Series) (R-Series)	Left Lower Right Lower	RK622033 RK622034	1 1	F320 F320
Strut Bumper Bellows					
2014-2009	(Replacement Type, Contains Bumper)		K90460	2	F320
Strut Mount					
2014-2009	(Contains Bearing)		K160319	2	F320
Strut Spring Seat					
2014-2009		Upper Lower	K160320 K160321	2 2	F320 F320
Wheel Hub & Bearing Assembly					
2014-2013			515150	2	
2012-2009	(Improved Design)		515136	2	


STEERING				
				
S058				

VOLKSWAGEN TRUCK–Routan (Cont.)

STEERING (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2013-2009	(Powdered Metal Gusher Brg. For Better Lubrication)	Outer	ES800403 ‡	2 S058
2011-2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation, Optional)	Inner	EV800616 ‡	2 S058

REAR SUSPENSION




R139

Year	Model/Application	Part	P/C Qty	Figure
Track Bar				
2014-2009	(R-Series)		RK661097	1 R139
Wheel Hub & Bearing Assembly				
2013-2012			512493	2
2011-2009			512360	2

VOLKSWAGEN TRUCK–Tiguan

FRONT SUSPENSION




F391

Year	Model/Application	Part	P/C Qty	Figure
Ball Joint				
2017-2008	(For Vehicles With Aluminum Steering Knuckles Only)	Left Lower	K80662	1 F391
	(For Vehicles With Aluminum Steering Knuckles Only)	Right Lower	K80663	1 F391
Control Arm Bushing				
2017-2008	(Design Allows Ease Of Installation)	Lower Front	K200094 ‡	2 F391
Control Arm with Ball Joint				
2017-2010	(R-Series)	Left Lower	RK622854	1 F391
	(R-Series)	Right Lower	RK622855	1 F391

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2009	(Contains Bushings, R-Series) (Contains Bushings, R-Series)	Left Lower Right Lower	RK620589 RK620711	1 1 F391 F391
Strut Bumper Bellows				
2017-2009	70mm Bumper Length, (Replacement Type, Contains Bumper)		K90460	2 F391
Strut Mount				
2017-2009	(Contains Bearing, Superior Rubber To Steel Bonding For Durability)		K160132 ‡	2 F391
Sway Bar Link				
2017-2009	(Greaseable Socket Reduces Corrosion/Wear)		K80478 ‡	2 F391
Wheel Hub & Bearing Assembly				
2017-2009			513253	2


STEERING



S415

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2017-2008	(Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800505 ‡ ES800506 EV80665 ‡	1 1 2 S415 S415 S415

REAR SUSPENSION



R209

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2017-2011	(Lateral Link, R-Series) (Lateral Link, R-Series)	Left Front Lower Right Front Lower	RK640386 RK640385	1 1 R209 R209
2017-2008	(R-Series)	Lower Rear	RK642309	2 R209
2013-2008	(R-Series)	Upper	RK640613	2 R209
2010	From 9/8/09, (Lateral Link, R-Series) From 9/8/09, (Lateral Link, R-Series)	Left Front Lower Right Front Lower	RK640386 RK640385	1 1 R209 R209


VOLKSWAGEN TRUCK–Tiguan (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2010 (Cont.)	Thru 9/7/09, (Lateral Link, R-Series)	Lower Front	RK642013	2 R209
2009	From 11/4/08, (Lateral Link, R-Series) Thru 11/3/08, (Lateral Link, R-Series) Thru 11/3/08, (Lateral Link, R-Series)	Lower Front	RK642013	2 R209
		Left Front Lower	RK640386	1 R209
		Right Front Lower	RK640385	1 R209
2008	(Lateral Link, R-Series) (Lateral Link, R-Series)	Left Front Lower	RK640386	1 R209
		Right Front Lower	RK640385	1 R209
Sway Bar Link				
2017-2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K80482 ‡	2 R209
Trailing Link				
2017-2009	(R-Series) (R-Series)	Left	RK641996	1 R209
		Right	RK641997	1 R209
Wheel Hub & Bearing Assembly				
2017-2009	All Wheel Drive		513253	2
2016-2009	Front Wheel Drive		512319	2

VOLKSWAGEN TRUCK–Touareg


FRONT SUSPENSION



F470


Year	Model/Application	Part	P/C Qty	Figure
Control Arm with Ball Joint				
2017-2011	(R-Series)	Upper	RK622816	2
2010	(R-Series) (R-Series)	Left Lower	RK621971	1 F470
		Right Lower	RK621972	1 F470
2009	From 6/2/08, (R-Series) From 6/2/08, (R-Series) Thru 6/1/08, (R-Series) Thru 6/1/08, (R-Series)	Left Lower	RK621971	1 F470
		Right Lower	RK621972	1 F470
		Left Lower	RK620147	1 F470
		Right Lower	RK620153	1 F470
2009-2006	(Contains Bushings, R-Series)	Upper	RK620768	2 F470
2008-2004	(R-Series) (R-Series)	Left Lower	RK620147	1 F470
		Right Lower	RK620153	1 F470
Strut Bumper Bellows				
2009-2006	Except Self Leveling Suspension, (Replacement Type, Contains Bumper)		K90460	2 F470
Strut Mount				
2009-2004	(Bearing Not Included, Superior Rubber To Steel Bonding For Durability)		K160193 ‡	2 F470
Sway Bar Bushing				
2017-2014	37.5mm Sway Bar Diameter	To Frame	K201458	1
2017-2011	38.5mm Sway Bar Diameter	To Frame	K201442	1
2012-2011	37.5mm Sway Bar Diameter	To Frame	K201458	1
2010-2004	Air Suspension Front Coil Spring Suspension, Sport Suspension	To Frame	K201457	1 F470
		To Frame	K201458	1 F470
2009-2004	Front Coil Spring Suspension, Except Sport Suspension	To Frame	K201441	1 F470

FRONT SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure	
Sway Bar Link					
2017-2011	(Improves Upon OE Design)	K750120 ‡	2		
2010-2006	(Improves Upon OE Design)	K750120 ‡	2	F470	
Wheel Hub & Bearing Assembly					
2016-2011		513340	2		
STEERING					
					
S416					
Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod Assembly					
2017-2006	(Contains Inner And Outer Ends) (Contains Inner And Outer Ends)	Left Right	ES800657A ‡ ES800658A ‡	1 1	S416 S416
Tie Rod End					
2017-2004	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer Inner	ES800655 ‡ ES800656 ‡ EV801090	1 1 2	S416 S416 S416
REAR SUSPENSION					
Year	Model/Application	Part	P/C Qty	Figure	
Control Arm					
2017-2006	(R-Series) (R-Series)	Left Rear Upper Right Rear Upper	RK641973 RK641974	1 1	
2017-2004	(R-Series)	Upper Front	RK642021	2	
2009-2004	(R-Series) (R-Series)	Lower Rear Right Front Lower	RK642287 RK642589	2 1	
Strut Bumper Bellows					
2009-2006	Except Self Leveling Suspension, (Contains Bumper) Self Leveling Suspension, (Contains Bumper)		K90461 K90463	2 2	
Strut Mount					
2009-2004	(Bearing Not Included, Superior Rubber To Steel Bonding For Durability)		K160193 ‡	2	
Sway Bar Bushing					
2017-2007	25.6mm Sway Bar Diameter	To Frame	K201444	1	
2015-2014	24.6mm Sway Bar Diameter	To Frame	K201440	1	
2015-2012	23.6mm Sway Bar Diameter	To Frame	K201443	1	
2012-2011	24.6mm Sway Bar Diameter	To Frame	K201440	1	
2009-2004	24.6mm Sway Bar Diameter	To Frame	K201440	1	
Sway Bar Link					
2017-2006	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation) (Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left Right	K80484 ‡ K80485 ‡	1 1	
Wheel Hub & Bearing Assembly					
2017-2011		513340	2		

VOLKSWAGEN TRUCK–Touareg 2


FRONT SUSPENSION



F470

Year	Model/Application	Part	P/C Qty	Figure	
Control Arm with Ball Joint					
2010	(R-Series) (R-Series)	Left Lower	RK621971	1	F470
		Right Lower	RK621972	1	F470
2010-2009	(Contains Bushings, R-Series)	Upper	RK620768	2	F470
2009	From 6/2/08, (R-Series) From 6/2/08, (R-Series) Thru 6/1/08, (R-Series) Thru 6/1/08, (R-Series)	Left Lower	RK621971	1	F470
		Right Lower	RK621972	1	F470
		Left Lower	RK620147	1	F470
		Right Lower	RK620153	1	F470
Strut Bumper Bellows					
2010-2009	Except Self Leveling Suspension, (Replacement Type, Contains Bumper)	K90460	2	F470	
Strut Mount					
2010-2009	(Bearing Not Included, Superior Rubber To Steel Bonding For Durability)	K160193 ‡	2	F470	
Sway Bar Bushing					
2010-2009	Air Suspension Front Coil Spring Suspension, Except Sport Suspension Front Coil Spring Suspension, Sport Suspension	To Frame	K201457	1	F470
		To Frame	K201441	1	F470
		To Frame	K201458	1	F470
Sway Bar Link					
2010-2009	(Improves Upon OE Design)	K750120 ‡	2	F470	

STEERING




S416

Year	Model/Application	Part	P/C Qty	Figure	
Tie Rod Assembly					
2010-2009	(Contains Inner And Outer Ends) (Contains Inner And Outer Ends)	Left	ES800657A ‡	1	S416
		Right	ES800658A ‡	1	S416
Tie Rod End					
2010-2009	(Design Allows Ease Of Installation)	Left Outer	ES800655 ‡	1	S416

(Cont.) Touareg 2–VOLKSWAGEN TRUCK


STEERING (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2010-2009 (Cont.)	(Design Allows Ease Of Installation)	Right Outer	ES800656 ‡	1 S416
		Inner	EV801090	2 S416
REAR SUSPENSION				
Year	Model/Application	Part	P/C Qty	Figure
Control Arm				
2010-2009	(R-Series)	Upper Front	RK642021	2
	(R-Series)	Lower Rear	RK642287	2
	(R-Series)	Left Rear Upper	RK641973	1
	(R-Series)	Right Front Lower	RK642589	1
	(R-Series)	Right Rear Upper	RK641974	1
Strut Bumper Bellows				
2010-2009	Except Self Leveling Suspension, (Contains Bumper)		K90461	2
	Self Leveling Suspension, (Contains Bumper)		K90463	2
Strut Mount				
2010-2009	(Bearing Not Included, Superior Rubber To Steel Bonding For Durability)		K160193 ‡	2
Sway Bar Bushing				
2010-2009	24.6mm Sway Bar Diameter	To Frame	K201440	1
	25.6mm Sway Bar Diameter	To Frame	K201444	1
Sway Bar Link				
2010-2009	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Left	K80484 ‡	1
	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	Right	K80485 ‡	1

XC Series–VOLVO TRUCK




VOLVO TRUCK-XC Series (Cont.)

FRONT SUSPENSION (Cont.)



F564




F565

Year	Model/Application	Part	P/C Qty	Figure	
XC60					
Control Arm with Ball Joint					
2017-2010	(R-Series) (R-Series)	Left Lower Right Lower	RK621743 RK621744	1 1	F565 F565
Strut Bumper Bellows					
2016-2010	(Original Equipment Type) (Replacement Type, Contains Bumper)		K150276 K90460	2 2	F565 F565
Sway Bar Link					
2019-2018		Left Right	K750825 K750826	1 1	
2017-2010	(Powdered Metal Gusher Brg. For Better Lubrication)		K750158 ‡	2	F565
Wheel Hub & Bearing Assembly					
2017-2010			513328	2	
XC70					
Ball Joint					
2007-2003		Lower	K80700	2	F564
Control Arm					
2007-2003	(R-Series) (R-Series)	Left Lower Right Lower	RK640445 RK640444	1 1	F564 F564
Control Arm Bushing					
2007-2003		Lower Front Inner	K201173	1	F564
Control Arm with Ball Joint					
2016-2008	(R-Series) (R-Series)	Left Lower Right Lower	RK621746 RK621745	1 1	F565 F565


FRONT SUSPENSION (Cont.)				
Year	Model/Application	Part	P/C Qty	Figure
XC70				
Strut Bumper Bellows				
2016-2008	(Original Equipment Type) (Replacement Type, Contains Bumper)	K150276 K90460	2 2	F565 F565
2007-2003	(Original Equipment Type, Contains Bumper)	K160035	2	F564
Strut Mount				
2007-2003	(Contains Bearing)	K80931	2	F564
Strut Spring Seat				
2007-2003		Upper K90229	2	F564
Sway Bar Link				
2016-2008	(Powdered Metal Gusher Brg. For Better Lubrication)	K750158 ‡	2	F565
2007-2003	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80501 ‡	2	F564
Wheel Hub & Bearing Assembly				
2016-2008		513328	2	
2007-2003		513194	2	
XC90				
Ball Joint				
2014-2003	(Design Allows Ease Of Installation)	Lower K500153 ‡	2	F563
Control Arm				
2014-2003	(R-Series) (R-Series)	Left Lower RK640447 Right Lower RK640446	1 1	F563 F563
Strut Bumper Bellows				
2014-2003	(Replacement Type, Contains Bumper)	K90460	2	F563
Strut Mount				
2014-2003	(Contains Bearing)	K80931	2	F563
Strut Spring Seat				
2014-2003		Upper K90229	2	F563
Sway Bar Link				
2019-2016		Left K750825 Right K750826	1 1	
2014-2003	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)	K80501 ‡	2	F563
Wheel Hub & Bearing Assembly				
2018-2016		512576	2	
2014-2007	(36 Spline Shaft)	513208	2	

STEERING



VOLVO TRUCK-XC Series (Cont.)


STEERING (Cont.)



S441


Year	Model/Application	Part	P/C Qty	Figure	
XC60					
Tie Rod End					
2017-2010	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800848 ‡ ES800849 ‡	1 1	S441 S441
2016-2010	Except Speed Sensing Power Steering, (MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800772 ‡	2	S441
XC70					
Tie Rod End					
2016-2009	Except Speed Sensing Power Steering, (MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800772 ‡	2	S441
2016-2008	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800848 ‡ ES800849 ‡	1 1	S441 S441
2008	(MOOG Engineered Steel Composition Enhances Strength)	Inner	EV800772 ‡	2	S441
2007-2004	(Greaseable Socket Reduces Corrosion/Wear)	Inner	EV800043 ‡	2	S433
2007-2003	(Design Allows Ease Of Installation) (Design Allows Ease Of Installation)	Left Outer Right Outer	ES800858 ‡ ES800857 ‡	1 1	S433 S433
XC90					
Tie Rod End					
2014-2003	(Design Allows Ease Of Installation) (Greaseable Socket Reduces Corrosion/Wear)	Left Outer Inner	ES800858 ‡ EV800043 ‡	1 2	S433 S433

REAR SUSPENSION



R197

REAR SUSPENSION (Cont.)



R199

Year	Model/Application	Part	P/C Qty	Figure
XC60				
Control Arm				
2017-2010	(R-Series) (R-Series)	Left Upper Right Upper	RK642408 RK642409	1 1
2016	Thru Chassis Number 790796, (R-Series)	Lower Rear	RK642407	2
2015-2010	(R-Series)	Lower Rear	RK642407	2
Sway Bar Link				
2019-2018	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Right	K750818 ‡ K750819 ‡	1 1
2017-2010	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750398 ‡	2
Wheel Hub & Bearing Assembly				
2017-2016	Front Wheel Drive		512529	2
2015	T5, T6, Front Wheel Drive		512529	2
2014-2010	All Wheel Drive Front Wheel Drive		512524 512529	2 2
XC70				
Control Arm				
2016	Thru Chassis Number 237605, (R-Series)	Lower Rear	RK642407	2
2016-2013	(R-Series) (R-Series)	Left Upper Right Upper	RK642408 RK642409	1 1
2015-2013	(R-Series)	Lower Rear	RK642407	2
2010-2008	(R-Series) (R-Series) (R-Series)	Left Upper Right Upper Lower Rear	RK642408 RK642409 RK642407	1 1 2
2007-2003	(R-Series) All Wheel Drive, (R-Series) All Wheel Drive, (R-Series)	Lower Rear Left Upper Right Upper	RK642372 RK642403 RK642404	2 1 1
Control Arm Bushing				
2007-2003		Lower Rear Inner	K201720	2 R199
Sway Bar Link				
2016-2008	(Full Ball Stud Provides 360 Degrees Of Smooth Rotation)		K750398 ‡	2
2007-2003	(Powdered Metal Gusher Brg. For Better Lubrication)		K80425 ‡	2 R199
Wheel Hub & Bearing Assembly				
2016-2014	Front Wheel Drive		512528	2
2016-2011	All Wheel Drive		512414	2
2013	Front Wheel Drive		512413	2
2010-2008			512414	2
2007-2003			512253	2
XC90				
Control Arm				
2014-2003	(R-Series)	Lower Rear	RK642372	2 R197
Control Arm Bushing				
2014-2007		Lower Rear Inner	K201720	2 R197

VOLVO TRUCK-XC Series (Cont.)

REAR SUSPENSION (Cont.)

Year	Model/Application	Part	P/C Qty	Figure
XC90				
Sway Bar Link				
2019-2016	(Greaseable Socket Reduces Corrosion/Wear) (Greaseable Socket Reduces Corrosion/Wear)	Left Right	K750818 ‡ K750819 ‡	1 1
2014-2003	(Powdered Metal Gusher Brg. For Better Lubrication)		K80425 ‡	2 R197
Wheel Hub & Bearing Assembly				
2018-2016	All Wheel Drive		512576	2
2017-2016	T5, T5 R-Design, Front Wheel Drive		512592	2
2014-2007	All Wheel Drive Front Wheel Drive		512273 512395	2 2

WORKHORSE-R26 UFO

STEERING

Year	Model/Application	Part	P/C Qty	Figure
Tie Rod End				
2009-2007	9,000 lb. Axle, 10,000 lb. Axle, 1.125" - 12 Threads, 6.00" Length, (Greaseable Socket Reduces Corrosion/Wear)	Left	ES3477 ‡	1
	9,000 lb. Axle, 10,000 lb. Axle, 1.125" - 12 Threads, 6.00" Length, (Greaseable Socket Reduces Corrosion/Wear)	Right	ES3476 ‡	1

WORKHORSE-W Series

STEERING

Year	Model/Application	Part	P/C Qty	Figure
W42				
Tie Rod End				
2011-2004	(Design Allows Ease Of Installation)	Left Outer	ES800895 ‡	1
	(Design Allows Ease Of Installation)	Right Outer	ES800894 ‡	1




The Problem Solver®

Total Undercar Solutions

Solutions complètes pour le dessous du châssis

Soluciones totales para el chasis



From engineering to testing to manufacturing to unmatched support – MOOG® always goes the extra mile to ensure our parts live up to their reputation for quality and durability.

360° Support
www.fmgaragegurus.com



Onsite



Online



On-Demand



On-The-Go



On-Call

For parts lookup, visit: www.fme-cat.com
Tech line: 1-800-325-8886

moogparts.com



©2018 Federal-Mogul Motorparts LLC. MOOG, Garage Gurus, and Parts Matter are trademarks owned by Federal-Mogul LLC, or one or more of its subsidiaries, in one or more countries. All other trademarks shown are the property of their respective owners.